



Temperature	24.3°C	Humidity	56%
Test Engineer	Roy Huang	Configurations	Draft n MCS0 20MHz Ch 52 / Ant. 1 + Ant. 2

Horizontal



	Freq	Level	Over Limit	Limit Line	ReadAntenna Level	Antenna Factor	Cable Loss	Preamp Factor	Remark	Ant Pos	Table Pos	Pol/Phase
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB		cm	deg	
1 @	10518.220	56.63	-17.67	74.30	47.40	38.59	5.82	35.18	PEAK	100	0	HORIZONTAL


Vertical



	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp		Ant	Table
	MHz	dBuV/m	Limit	Line	Level	Loss	Factor	Remark	Pos	Pos
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB		cm	deg
1 @	10517.700	57.71	-16.59	74.30	48.47	38.59	5.82	35.18 PEAK	100	360 VERTICAL


Temperature	24.3°C	Humidity	56%
Test Engineer	Roy Huang	Configurations	Draft n MCS0 20MHz Ch 60 / Ant. 1 + Ant. 2

Horizontal



	Freq	Level	Over Limit	Limit Line	ReadAntenna Level	Antenna Factor	Cable Loss	Preamplifier Factor	Remark	Ant Pos	Table Pos	Pol/Phase
	MHz	dBUV/m	dB	dBUV/m	dBuV	dB/m	dB	dB		cm	deg	
1 @	10598.640	51.41	-22.89	74.30	42.14	38.56	5.81	35.10	PEAK	118	308	HORIZONTAL
2 @	10600.000	42.79	-17.21	60.00	33.52	38.56	5.81	35.10	AVERAGE	118	309	HORIZONTAL
3 @	10600.000	56.35	-23.65	80.00	47.08	38.56	5.81	35.10	PEAK	118	308	HORIZONTAL


Vertical



	Freq	Level	Over	Limit	Read	Antenna	Cable	Preamp		Ant	Table	
	MHz	dBuV/m	Limit	Line	Level	Factor	Loss	Factor	Remark	Pos	Pos	Pol/Phase
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB		cm	deg	
1 @	10596.700	55.88	-18.42	74.30	46.61	38.56	5.81	35.10	PEAK	100	274	VERTICAL
2 @	10600.000	42.04	-17.96	60.00	32.78	38.56	5.81	35.10	AVERAGE	100	274	VERTICAL
3 @	10600.000	54.17	-25.83	80.00	44.91	38.56	5.81	35.10	PEAK	100	274	VERTICAL


Temperature	24.3°C	Humidity	56%
Test Engineer	Roy Huang	Configurations	Draft n MCS0 20MHz Ch 64 / Ant. 1 + Ant. 2

Horizontal



	Freq	Level	Over	Limit	Read	Antenna	Cable	Preamp		Ant	Table
	MHz	dBuV/m	Limit	Line	Level	Factor	Loss	Factor	Remark	Pos	Pos
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB		cm	deg
1 @	10635.580	48.31	-31.69	80.00	39.02	38.54	5.80	35.05	PEAK	100	0 HORIZONTAL
2 @	10637.100	39.18	-20.82	60.00	29.89	38.54	5.80	35.05	AVERAGE	100	0 HORIZONTAL


Vertical



	Freq	Level	Over Limit	Limit Line	ReadAntenna Level	Antenna Factor	Cable Loss	Preamp Factor	Remark	Ant Pos	Table Pos	Pol/Phase
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB		cm	deg	
1 @	10637.040	39.37	-20.63	60.00	30.07	38.54	5.80	35.05	AVERAGE	100	360	VERTICAL
2 @	10637.800	51.74	-28.26	80.00	42.44	38.54	5.80	35.05	PEAK	100	360	VERTICAL


Temperature	24.3°C	Humidity	56%
Test Engineer	Roy Huang	Configurations	Draft n MCS0 20MHz Ch 100 / Ant. 1 + Ant. 2

Horizontal



	Freq	Level	Over Limit	Limit Line	ReadAntenna Level	Antenna Factor	Cable Loss	Preamplifier	Remark	Ant Pos	Table Pos	Pol/Phase
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB		cm	deg	
1 @	11000.660	39.37	-20.63	60.00	29.91	38.40	5.75	34.69	AVERAGE	100	360	HORIZONTAL
2 @	11004.780	52.14	-27.86	80.00	42.68	38.40	5.75	34.69	PEAK	100	360	HORIZONTAL


Vertical



	Freq	Level	Over Limit	Limit Line	ReadAntenna Level	Antenna Factor	Cable Loss	Preamp Factor	Remark	Ant Pos	Table Pos	Pol/Phase
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB		cm	deg	
1 @	10999.100	54.33	-25.67	80.00	44.87	38.40	5.75	34.69	PEAK	100	272	VERTICAL
2 @	11000.280	41.25	-18.75	60.00	31.79	38.40	5.75	34.69	AVERAGE	100	272	VERTICAL


Temperature	24.3°C	Humidity	56%
Test Engineer	Roy Huang	Configurations	Draft n MCS0 20MHz Ch 116 / Ant. 1 + Ant. 2

Horizontal



	Freq	Level	Over	Limit	Read	Antenna	Cable	Preamp	Remark	Ant	Table	
	MHz	dBuV/m	Limit	Line	Level	Factor	Loss	Factor		Pos	Pos	Pol/Phase
			dB	dBuV/m	dBuV	dB/m	dB	dB		cm	deg	
1	11155.040	43.46	-16.54	60.00	33.97	38.43	5.77	34.71	AVERAGE	121	256	HORIZONTAL
2	11155.240	56.34	-23.66	80.00	46.85	38.43	5.77	34.71	PEAK	121	256	HORIZONTAL
3 !	16741.680	69.11	-5.19	74.30	55.83	40.47	7.33	34.52	PEAK	100	283	HORIZONTAL


Vertical



	Freq	Level	Over Limit	Limit Line	ReadAntenna Level	Antenna Factor	Cable Loss	Preamp Factor	Remark	Ant Pos	Table Pos	Pol/Phase
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB		cm	deg	
1	11159.760	58.02	-21.98	80.00	48.53	38.43	5.77	34.71	PEAK	100	280	VERTICAL
2	11160.400	44.33	-15.67	60.00	34.84	38.43	5.77	34.71	AVERAGE	100	280	VERTICAL
3 @	16738.060	74.15	-0.15	74.30	60.87	40.47	7.33	34.52	PEAK	100	276	VERTICAL


Temperature	24.3°C	Humidity	56%
Test Engineer	Roy Huang	Configurations	Draft n MCS0 20MHz Ch 140 / Ant. 1 + Ant. 2

Horizontal



	Freq	Level	Over	Limit	Read	Antenna	Cable	Preamp		Ant	Table
	MHz	dBuV/m	Limit	Line	Level	Factor	Loss	Factor	Remark	Pos	Pos
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB		cm	deg
1 @	11137.620	39.25	-20.75	60.00	29.76	38.43	5.77	34.71	AVERAGE	100	0 HORIZONTAL
2 @	11141.280	52.74	-27.26	80.00	43.25	38.43	5.77	34.71	PEAK	100	0 HORIZONTAL


Vertical



	Freq	Level	Over Limit	Limit Line	ReadAntenna Level	Antenna Factor	Cable Loss	Preamp Factor	Remark	Ant Pos	Table Pos	Pol/Phase
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB		cm	deg	
1 @	11135.740	39.28	-20.72	60.00	29.79	38.43	5.77	34.71	AVERAGE	100	360	VERTICAL
2 @	11138.680	48.56	-31.44	80.00	39.08	38.43	5.77	34.71	PEAK	100	360	VERTICAL


Temperature	24.3°C	Humidity	56%
Test Engineer	Roy Huang	Configurations	Draft n MCS0 40MHz Ch 38 / Ant. 1 + Ant. 2

Horizontal



	Freq	Level	Over Limit	Limit Line	ReadAntenna Level	Antenna Factor	Cable Loss	Preamp Factor	Remark	Ant Pos	Table Pos	Pol/Phase
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB		cm	deg	
1 @	10380.900	53.33	-20.97	74.30	44.37	38.53	5.76	35.33	PEAK	100	0	HORIZONTAL


Vertical



	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp		Ant	Table
	MHz	dBuV/m	Limit	Line	Level	Loss	Factor	Remark	Pos	Pos
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB		cm	deg
1 @	10384.400	53.19	-21.11	74.30	44.23	38.53	5.76	35.33 PEAK	100	360 VERTICAL


Temperature	24.3°C	Humidity	56%
Test Engineer	Roy Huang	Configurations	Draft n MCS0 40MHz Ch 46 / Ant. 1 + Ant. 2

Horizontal



	Freq	Level	Over Limit	Limit Line	ReadAntenna Level	Antenna Factor	Cable Loss	Preamplifier Factor	Remark	Ant Pos	Table Pos	Pol/Phase
	MHz	dBUV/m	dB	dBUV/m	dBuV	dB/m	dB	dB		cm	deg	
1 @	10459.600	54.02	-20.28	74.30	44.90	38.57	5.80	35.24	PEAK	100	360	HORIZONTAL
2 @	15686.920	43.19	-16.81	60.00	32.75	38.39	6.90	34.84	AVERAGE	100	0	HORIZONTAL
3 @	15687.560	55.41	-24.59	80.00	44.96	38.39	6.90	34.84	PEAK	100	0	HORIZONTAL


Vertical



	Freq	Level	Over	Limit	Read	Antenna	Cable	Preamp		Ant	Table
	MHz	dBuV/m	Limit	Line	Level	Factor	Loss	Factor	Remark	Pos	Pos
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB		cm	deg
1 @	10464.140	53.39	-20.91	74.30	44.25	38.58	5.80	35.24	PEAK	100	0 VERTICAL
2 @	15688.240	60.17	-19.83	80.00	49.72	38.39	6.90	34.84	PEAK	113	270 VERTICAL
3 @	15692.980	44.86	-15.14	60.00	34.41	38.39	6.90	34.84	AVERAGE	113	270 VERTICAL


Temperature	24.3°C	Humidity	56%
Test Engineer	Roy Huang	Configurations	Draft n MCS0 40MHz Ch 54 / Ant. 1 + Ant. 2

Horizontal



	Freq	Level	Over Limit	Limit Line	ReadAntenna Level	Antenna Factor	Cable Loss	Preamplifier Factor	Remark	Ant Pos	Table Pos	Pol/Phase
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB		cm	deg	
1 @	10540.100	54.25	-20.05	74.30	45.01	38.59	5.82	35.15	PEAK	100	0	HORIZONTAL
2 @	15805.120	43.08	-16.92	60.00	32.61	38.51	6.92	34.96	AVERAGE	100	360	HORIZONTAL
3 @	15812.140	55.61	-24.39	80.00	45.13	38.51	6.92	34.96	PEAK	100	360	HORIZONTAL


Vertical



	Freq	Level	Over Limit	Limit Line	ReadAntenna	Cable Preamp	Loss Factor	Remark	Ant Pos	Table Pos	Pol/Phase
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	
1 @	10535.460	50.53	-23.77	74.30	41.28	38.59	5.82	35.15 PEAK	100	360	VERTICAL
2 @	15806.420	45.18	-14.82	60.00	34.71	38.51	6.92	34.96 AVERAGE	110	273	VERTICAL
3 @	15807.540	58.80	-21.20	80.00	48.33	38.51	6.92	34.96 PEAK	110	274	VERTICAL


Temperature	24.3°C	Humidity	56%
Test Engineer	Roy Huang	Configurations	Draft n MCS0 40MHz Ch 62 / Ant. 1 + Ant. 2

Horizontal



	Freq	Level	Over	Limit	Read	Antenna	Cable	Preamp		Ant	Table	
	MHz	dBuV/m	Limit	Line	Level	Factor	Loss	Factor	Remark	Pos	Pos	Pol/Phase
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB		cm	deg	
1 @	10616.460	39.50	-20.50	60.00	30.22	38.55	5.81	35.08	AVERAGE	100	360	HORIZONTAL
2 @	10617.240	51.90	-28.10	80.00	42.62	38.55	5.81	35.08	PEAK	100	360	HORIZONTAL

Vertical



	Freq	Level	Over Limit	Limit Line	ReadAntenna Level	Antenna Factor	Cable Loss	Preamp Factor	Remark	Ant Pos	Table Pos	Pol/Phase
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB		cm	deg	
1 @	10616.260	39.55	-20.45	60.00	30.27	38.55	5.81	35.08	AVERAGE	100	0	VERTICAL
2 @	10617.100	52.54	-27.46	80.00	43.26	38.55	5.81	35.08	PEAK	100	0	VERTICAL