



Appendix B. Test Plots

Duty cycle

802.11ax_20



802.11ax_40



802.11ax_80

On+off time



802.11ax_160

On+off time



Emission Bandwidth

Emission Bandwidth 26 dB (5955 MHz; 11ax20 (20 MHz)) _ Ant0

Customized settings.


26 dB Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)
5955.000000	20.863040	---	320.000000	5944.493433	---

(continuation of the "26 dB Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max R (MHz)	BE (MHz)	Max Level (dBm)	Result
5955.000000	5965.356473	---	---	-4.1	PASS

26 dB Bandwidth



Measurement

Setting	Instrument Value	Target Value
Start Frequency	5.91500 GHz	5.91500 GHz
Stop Frequency	5.99500 GHz	5.99500 GHz
Span	80.000 MHz	80.000 MHz
RBW	300.000 kHz	~ 300.000 kHz
VBW	1.000 MHz	>= 1.000 MHz
SweepPoints	533	~ 533
Sweeptime	1.000 ms	AUTO
Reference Level	10.000 dBm	10.000 dBm
Attenuation	20.000 dB	AUTO
Detector	MaxPeak	MaxPeak
SweepCount	200	200
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
Sweeptype	Sweep	AUTO
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.30 dB	0.30 dB
Run	15 / max. 15	max. 15
Stable	2 / 5	5
Max Stable Difference	0.00 dB	0.30 dB

Emission Bandwidth 26 dB (5955 MHz; 11ax20 (20 MHz)) _ Ant1

Customized settings.


26 dB Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)
5955.000000	21.013134	---	320.000000	5944.493433	---

(continuation of the "26 dB Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max R (MHz)	BE (MHz)	Max Level (dBm)	Result
5955.000000	5965.506567	---	---	-6.4	PASS

26 dB Bandwidth



Measurement

Setting	Instrument Value	Target Value
Start Frequency	5.91500 GHz	5.91500 GHz
Stop Frequency	5.99500 GHz	5.99500 GHz
Span	80.000 MHz	80.000 MHz
RBW	300.000 kHz	~ 300.000 kHz
VBW	1.000 MHz	>= 1.000 MHz
SweepPoints	533	~ 533
SweepTime	1.000 ms	AUTO
Reference Level	10.000 dBm	10.000 dBm
Attenuation	20.000 dB	AUTO
Detector	MaxPeak	MaxPeak
SweepCount	200	200
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
SweepType	Sweep	AUTO
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.30 dB	0.30 dB
Run	15 / max. 15	max. 15
Stable	2 / 5	5
Max Stable Difference	0.00 dB	0.30 dB

Emission Bandwidth 26 dB (6175 MHz; 11ax20 (20 MHz)) _ Ant0

Customized settings.


26 dB Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)
6175.000000	20.863040	---	320.000000	6164.493433	---

(continuation of the "26 dB Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max R (MHz)	Max Level (dBm)	Result
6175.000000	6185.356473	---	-4.7	PASS

26 dB Bandwidth



Measurement

Setting	Instrument Value	Target Value
Start Frequency	6.13500 GHz	6.13500 GHz
Stop Frequency	6.21500 GHz	6.21500 GHz
Span	80.000 MHz	80.000 MHz
RBW	300.000 kHz	~ 300.000 kHz
VBW	1.000 MHz	>= 1.000 MHz
SweepPoints	533	~ 533
SweepTime	1.000 ms	AUTO
Reference Level	10.000 dBm	10.000 dBm
Attenuation	20.000 dB	AUTO
Detector	MaxPeak	MaxPeak
SweepCount	200	200
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
SweepType	Sweep	AUTO
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.30 dB	0.30 dB
Run	15 / max. 15	max. 15
Stable	2 / 5	5
Max Stable Difference	0.00 dB	0.30 dB

Emission Bandwidth 26 dB (6175 MHz; 11ax20 (20 MHz)) _ Ant1

Customized settings.


26 dB Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)
6175.000000	21.013134	---	320.000000	6164.493433	---

(continuation of the "26 dB Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max R (MHz)	Max Level (dBm)	Result
6175.000000	6185.506567	---	-6.9	PASS

26 dB Bandwidth



Measurement

Setting	Instrument Value	Target Value
Start Frequency	6.13500 GHz	6.13500 GHz
Stop Frequency	6.21500 GHz	6.21500 GHz
Span	80.000 MHz	80.000 MHz
RBW	300.000 kHz	~ 300.000 kHz
VBW	1.000 MHz	>= 1.000 MHz
SweepPoints	533	~ 533
SweepTime	1.000 ms	AUTO
Reference Level	10.000 dBm	10.000 dBm
Attenuation	20.000 dB	AUTO
Detector	MaxPeak	MaxPeak
SweepCount	200	200
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
SweepType	Sweep	AUTO
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.30 dB	0.30 dB
Run	15 / max. 15	max. 15
Stable	1 / 5	5
Max Stable Difference	0.00 dB	0.30 dB

Emission Bandwidth 26 dB (6415 MHz; 11ax20 (20 MHz)) _ Ant0

Customized settings.


26 dB Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)
6415.000000	21.163227	---	320.000000	6404.343340	---

(continuation of the "26 dB Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max R (MHz)	Max Level (dBm)	Result
6415.000000	6425.506567	---	-3.5	PASS

26 dB Bandwidth



Measurement

Setting	Instrument Value	Target Value
Start Frequency	6.37500 GHz	6.37500 GHz
Stop Frequency	6.45500 GHz	6.45500 GHz
Span	80.000 MHz	80.000 MHz
RBW	300.000 kHz	~ 300.000 kHz
VBW	1.000 MHz	>= 1.000 MHz
SweepPoints	533	~ 533
SweepTime	1.000 ms	AUTO
Reference Level	10.000 dBm	10.000 dBm
Attenuation	20.000 dB	AUTO
Detector	MaxPeak	MaxPeak
SweepCount	200	200
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
SweepType	Sweep	AUTO
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.30 dB	0.30 dB
Run	15 / max. 15	max. 15
Stable	3 / 5	5
Max Stable Difference	0.00 dB	0.30 dB

Emission Bandwidth 26 dB (6415 MHz; 11ax20 (20 MHz)) _ Ant1

Customized settings.


26 dB Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)
6415.000000	21.013134	---	320.000000	6404.493433	---

(continuation of the "26 dB Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max R (MHz)	BE (MHz)	Max Level (dBm)	Result
6415.000000	6425.506567	---	---	-4.7	PASS

26 dB Bandwidth



Measurement

Setting	Instrument Value	Target Value
Start Frequency	6.37500 GHz	6.37500 GHz
Stop Frequency	6.45500 GHz	6.45500 GHz
Span	80.000 MHz	80.000 MHz
RBW	300.000 kHz	~ 300.000 kHz
VBW	1.000 MHz	>= 1.000 MHz
SweepPoints	533	~ 533
SweepTime	1.000 ms	AUTO
Reference Level	10.000 dBm	10.000 dBm
Attenuation	20.000 dB	AUTO
Detector	MaxPeak	MaxPeak
SweepCount	200	200
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
SweepType	Sweep	AUTO
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.30 dB	0.30 dB
Run	15 / max. 15	max. 15
Stable	3 / 5	5
Max Stable Difference	0.00 dB	0.30 dB

Emission Bandwidth 26 dB (6435 MHz; 11ax20 (20 MHz)) _ Ant0

Customized settings.


26 dB Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)
6435.000000	21.013134	---	320.000000	6424.493433	---

(continuation of the "26 dB Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max R (MHz)	BE (MHz)	Max Level (dBm)	Result
6435.000000	6445.506567	---	---	-4.8	PASS

26 dB Bandwidth



Measurement

Setting	Instrument Value	Target Value
Start Frequency	6.39500 GHz	6.39500 GHz
Stop Frequency	6.47500 GHz	6.47500 GHz
Span	80.000 MHz	80.000 MHz
RBW	300.000 kHz	~ 300.000 kHz
VBW	1.000 MHz	>= 1.000 MHz
SweepPoints	533	~ 533
SweepTime	1.000 ms	AUTO
Reference Level	10.000 dBm	10.000 dBm
Attenuation	20.000 dB	AUTO
Detector	MaxPeak	MaxPeak
SweepCount	200	200
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
SweepType	Sweep	AUTO
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.30 dB	0.30 dB
Run	15 / max. 15	max. 15
Stable	3 / 5	5
Max Stable Difference	0.00 dB	0.30 dB

Emission Bandwidth 26 dB (6435 MHz; 11ax20 (20 MHz)) _ Ant1

Customized settings.


26 dB Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)
6435.000000	21.163227	---	320.000000	6424.343340	---

(continuation of the "26 dB Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max R (MHz)	BE (MHz)	Max Level (dBm)	Result
6435.000000	6445.506567	---	---	-6.2	PASS

26 dB Bandwidth



Measurement

Setting	Instrument Value	Target Value
Start Frequency	6.39500 GHz	6.39500 GHz
Stop Frequency	6.47500 GHz	6.47500 GHz
Span	80.000 MHz	80.000 MHz
RBW	300.000 kHz	~ 300.000 kHz
VBW	1.000 MHz	>= 1.000 MHz
SweepPoints	533	~ 533
SweepTime	1.000 ms	AUTO
Reference Level	10.000 dBm	10.000 dBm
Attenuation	20.000 dB	AUTO
Detector	MaxPeak	MaxPeak
SweepCount	200	200
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
SweepType	Sweep	AUTO
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.30 dB	0.30 dB
Run	15 / max. 15	max. 15
Stable	3 / 5	5
Max Stable Difference	0.00 dB	0.30 dB

Emission Bandwidth 26 dB (6475 MHz; 11ax20 (20 MHz)) _ Ant0

Customized settings.


26 dB Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)
6475.000000	21.163227	---	320.000000	6464.343340	---

(continuation of the "26 dB Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max R (MHz)	Max Level (dBm)	Result
6475.000000	6485.506567	---	-5.7	PASS

26 dB Bandwidth



Measurement

Setting	Instrument Value	Target Value
Start Frequency	6.43500 GHz	6.43500 GHz
Stop Frequency	6.51500 GHz	6.51500 GHz
Span	80.000 MHz	80.000 MHz
RBW	300.000 kHz	~ 300.000 kHz
VBW	1.000 MHz	>= 1.000 MHz
SweepPoints	533	~ 533
SweepTime	1.000 ms	AUTO
Reference Level	10.000 dBm	10.000 dBm
Attenuation	20.000 dB	AUTO
Detector	MaxPeak	MaxPeak
SweepCount	200	200
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
SweepType	Sweep	AUTO
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.30 dB	0.30 dB
Run	15 / max. 15	max. 15
Stable	2 / 5	5
Max Stable Difference	0.00 dB	0.30 dB

Emission Bandwidth 26 dB (6475 MHz; 11ax20 (20 MHz)) _ Ant1

Customized settings.


26 dB Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)
6475.000000	21.013134	---	320.000000	6464.493433	---

(continuation of the "26 dB Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max R (MHz)	Max Level (dBm)	Result
6475.000000	6485.506567	---	-7.3	PASS

26 dB Bandwidth



Measurement

Setting	Instrument Value	Target Value
Start Frequency	6.43500 GHz	6.43500 GHz
Stop Frequency	6.51500 GHz	6.51500 GHz
Span	80.000 MHz	80.000 MHz
RBW	300.000 kHz	~ 300.000 kHz
VBW	1.000 MHz	>= 1.000 MHz
SweepPoints	533	~ 533
SweepTime	1.000 ms	AUTO
Reference Level	10.000 dBm	10.000 dBm
Attenuation	20.000 dB	AUTO
Detector	MaxPeak	MaxPeak
SweepCount	200	200
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
SweepType	Sweep	AUTO
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.30 dB	0.30 dB
Run	15 / max. 15	max. 15
Stable	1 / 5	5
Max Stable Difference	0.00 dB	0.30 dB

Emission Bandwidth 26 dB (6515 MHz; 11ax20 (20 MHz)) _ Ant0

Customized settings.


26 dB Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)
6515.000000	21.013134	---	320.000000	6504.493433	---

(continuation of the "26 dB Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max R (MHz)	Max Level (dBm)	Result
6515.000000	6525.506567	---	-5.5	PASS

26 dB Bandwidth



Measurement

Setting	Instrument Value	Target Value
Start Frequency	6.47500 GHz	6.47500 GHz
Stop Frequency	6.55500 GHz	6.55500 GHz
Span	80.000 MHz	80.000 MHz
RBW	300.000 kHz	~ 300.000 kHz
VBW	1.000 MHz	>= 1.000 MHz
SweepPoints	533	~ 533
SweepTime	1.000 ms	AUTO
Reference Level	10.000 dBm	10.000 dBm
Attenuation	20.000 dB	AUTO
Detector	MaxPeak	MaxPeak
SweepCount	200	200
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
SweepType	Sweep	AUTO
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.30 dB	0.30 dB
Run	15 / max. 15	max. 15
Stable	3 / 5	5
Max Stable Difference	0.00 dB	0.30 dB

Emission Bandwidth 26 dB (6515 MHz; 11ax20 (20 MHz)) _ Ant1

Customized settings.


26 dB Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)
6515.000000	21.013134	---	320.000000	6504.493433	---

(continuation of the "26 dB Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max R (MHz)	Max Level (dBm)	Result
6515.000000	6525.506567	---	-6.1	PASS

26 dB Bandwidth



Measurement

Setting	Instrument Value	Target Value
Start Frequency	6.47500 GHz	6.47500 GHz
Stop Frequency	6.55500 GHz	6.55500 GHz
Span	80.000 MHz	80.000 MHz
RBW	300.000 kHz	~ 300.000 kHz
VBW	1.000 MHz	>= 1.000 MHz
SweepPoints	533	~ 533
SweepTime	1.000 ms	AUTO
Reference Level	10.000 dBm	10.000 dBm
Attenuation	20.000 dB	AUTO
Detector	MaxPeak	MaxPeak
SweepCount	200	200
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
SweepType	Sweep	AUTO
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.30 dB	0.30 dB
Run	15 / max. 15	max. 15
Stable	2 / 5	5
Max Stable Difference	0.00 dB	0.30 dB

Emission Bandwidth 26 dB (6535 MHz; 11ax20 (20 MHz)) _ Ant0

Customized settings.


26 dB Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)
6535.000000	21.163227	---	320.000000	6524.493433	---

(continuation of the "26 dB Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max R (MHz)	Max Level (dBm)	Result
6535.000000	6545.656660	---	-5.1	PASS

26 dB Bandwidth



Measurement

Setting	Instrument Value	Target Value
Start Frequency	6.49500 GHz	6.49500 GHz
Stop Frequency	6.57500 GHz	6.57500 GHz
Span	80.000 MHz	80.000 MHz
RBW	300.000 kHz	~ 300.000 kHz
VBW	1.000 MHz	>= 1.000 MHz
SweepPoints	533	~ 533
SweepTime	1.000 ms	AUTO
Reference Level	10.000 dBm	10.000 dBm
Attenuation	20.000 dB	AUTO
Detector	MaxPeak	MaxPeak
SweepCount	200	200
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
SweepType	Sweep	AUTO
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.30 dB	0.30 dB
Run	15 / max. 15	max. 15
Stable	4 / 5	5
Max Stable Difference	0.00 dB	0.30 dB

Emission Bandwidth 26 dB (6535 MHz; 11ax20 (20 MHz)) _ Ant1

Customized settings.


26 dB Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)
6535.000000	20.863040	---	320.000000	6524.493433	---

(continuation of the "26 dB Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max R (MHz)	Max Level (dBm)	Result
6535.000000	6545.356473	---	-4.2	PASS

26 dB Bandwidth



Measurement

Setting	Instrument Value	Target Value
Start Frequency	6.49500 GHz	6.49500 GHz
Stop Frequency	6.57500 GHz	6.57500 GHz
Span	80.000 MHz	80.000 MHz
RBW	300.000 kHz	~ 300.000 kHz
VBW	1.000 MHz	>= 1.000 MHz
SweepPoints	533	~ 533
SweepTime	1.000 ms	AUTO
Reference Level	10.000 dBm	10.000 dBm
Attenuation	20.000 dB	AUTO
Detector	MaxPeak	MaxPeak
SweepCount	200	200
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
SweepType	Sweep	AUTO
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.30 dB	0.30 dB
Run	15 / max. 15	max. 15
Stable	2 / 5	5
Max Stable Difference	0.00 dB	0.30 dB

Emission Bandwidth 26 dB (6695 MHz; 11ax20 (20 MHz)) _ Ant0

Customized settings.


26 dB Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)
6695.000000	20.863040	---	320.000000	6684.493433	---

(continuation of the "26 dB Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max R (MHz)	Max Level (dBm)	Result
6695.000000	6705.356473	---	-4.8	PASS

26 dB Bandwidth



Measurement

Setting	Instrument Value	Target Value
Start Frequency	6.65500 GHz	6.65500 GHz
Stop Frequency	6.73500 GHz	6.73500 GHz
Span	80.000 MHz	80.000 MHz
RBW	300.000 kHz	~ 300.000 kHz
VBW	1.000 MHz	>= 1.000 MHz
SweepPoints	533	~ 533
SweepTime	1.000 ms	AUTO
Reference Level	10.000 dBm	10.000 dBm
Attenuation	20.000 dB	AUTO
Detector	MaxPeak	MaxPeak
SweepCount	200	200
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
SweepType	Sweep	AUTO
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.30 dB	0.30 dB
Run	15 / max. 15	max. 15
Stable	3 / 5	5
Max Stable Difference	0.00 dB	0.30 dB

Emission Bandwidth 26 dB (6695 MHz; 11ax20 (20 MHz)) _ Ant1

Customized settings.


26 dB Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)
6695.000000	21.163227	---	320.000000	6684.493433	---

(continuation of the "26 dB Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max R (MHz)	Max Level (dBm)	Result
6695.000000	6705.656660	---	-7.0	PASS

26 dB Bandwidth



Measurement

Setting	Instrument Value	Target Value
Start Frequency	6.65500 GHz	6.65500 GHz
Stop Frequency	6.73500 GHz	6.73500 GHz
Span	80.000 MHz	80.000 MHz
RBW	300.000 kHz	~ 300.000 kHz
VBW	1.000 MHz	>= 1.000 MHz
SweepPoints	533	~ 533
SweepTime	1.000 ms	AUTO
Reference Level	10.000 dBm	10.000 dBm
Attenuation	20.000 dB	AUTO
Detector	MaxPeak	MaxPeak
SweepCount	200	200
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
SweepType	Sweep	AUTO
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.30 dB	0.30 dB
Run	15 / max. 15	max. 15
Stable	2 / 5	5
Max Stable Difference	0.00 dB	0.30 dB

Emission Bandwidth 26 dB (6855 MHz; 11ax20 (20 MHz)) _ Ant0

Customized settings.


26 dB Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)
6855.000000	21.163227	---	320.000000	6844.493433	---

(continuation of the "26 dB Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max R (MHz)	BE (MHz)	Max Level (dBm)	Result
6855.000000	6865.656660	---	---	-6.1	PASS

26 dB Bandwidth



Measurement

Setting	Instrument Value	Target Value
Start Frequency	6.81500 GHz	6.81500 GHz
Stop Frequency	6.89500 GHz	6.89500 GHz
Span	80.000 MHz	80.000 MHz
RBW	300.000 kHz	~ 300.000 kHz
VBW	1.000 MHz	>= 1.000 MHz
SweepPoints	533	~ 533
SweepTime	1.000 ms	AUTO
Reference Level	10.000 dBm	10.000 dBm
Attenuation	20.000 dB	AUTO
Detector	MaxPeak	MaxPeak
SweepCount	200	200
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
SweepType	Sweep	AUTO
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.30 dB	0.30 dB
Run	15 / max. 15	max. 15
Stable	3 / 5	5
Max Stable Difference	0.00 dB	0.30 dB

Emission Bandwidth 26 dB (6855 MHz; 11ax20 (20 MHz)) _ Ant1

Customized settings.


26 dB Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)
6855.000000	21.013134	---	320.000000	6844.493433	---

(continuation of the "26 dB Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max R (MHz)	Max Level (dBm)	Result
6855.000000	6865.506567	---	-7.4	PASS

26 dB Bandwidth



Measurement

Setting	Instrument Value	Target Value
Start Frequency	6.81500 GHz	6.81500 GHz
Stop Frequency	6.89500 GHz	6.89500 GHz
Span	80.000 MHz	80.000 MHz
RBW	300.000 kHz	~ 300.000 kHz
VBW	1.000 MHz	>= 1.000 MHz
SweepPoints	533	~ 533
SweepTime	1.000 ms	AUTO
Reference Level	10.000 dBm	10.000 dBm
Attenuation	20.000 dB	AUTO
Detector	MaxPeak	MaxPeak
SweepCount	200	200
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
SweepType	Sweep	AUTO
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.30 dB	0.30 dB
Run	15 / max. 15	max. 15
Stable	3 / 5	5
Max Stable Difference	0.00 dB	0.30 dB

Emission Bandwidth 26 dB (6875 MHz; 11ax20 (20 MHz)) _ Ant0

Customized settings.


26 dB Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Bandwidth U-NII 7 (MHz)	Bandwidth U-NII 8 (MHz)	Limit Min (MHz)	Limit Max (MHz)
6875.000000	21.163227	10.656660	10.506567	---	320.000000

(continuation of the "26 dB Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)	Band Edge Right (MHz)	Limit Max R BE (MHz)	Max Level (dBm)	Result
6875.000000	6864.343340	---	6885.506567	---	-6.4	PASS

26 dB Bandwidth



Measurement

Setting	Instrument Value	Target Value
Start Frequency	6.83500 GHz	6.83500 GHz
Stop Frequency	6.91500 GHz	6.91500 GHz
Span	80.000 MHz	80.000 MHz
RBW	300.000 kHz	~ 300.000 kHz
VBW	1.000 MHz	>= 1.000 MHz
SweepPoints	533	~ 533
Sweeptime	1.000 ms	AUTO
Reference Level	10.000 dBm	10.000 dBm
Attenuation	20.000 dB	AUTO
Detector	MaxPeak	MaxPeak
SweepCount	200	200
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
Sweeptype	Sweep	AUTO
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.30 dB	0.30 dB
Run	15 / max. 15	max. 15
Stable	2 / 5	5
Max Stable Difference	0.07 dB	0.30 dB

Emission Bandwidth 26 dB (6875 MHz; 11ax20 (20 MHz)) _ Ant1

Customized settings.


26 dB Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Bandwidth U-NII 7 (MHz)	Bandwidth U-NII 8 (MHz)	Limit Min (MHz)	Limit Max (MHz)
6875.000000	21.313320	10.656660	10.656660	---	320.000000

(continuation of the "26 dB Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)	Band Edge Right (MHz)	Limit Max R BE (MHz)	Max Level (dBm)	Result
6875.000000	6864.343340	---	6885.656660	---	-7.7	PASS

26 dB Bandwidth



Measurement

Setting	Instrument Value	Target Value
Start Frequency	6.83500 GHz	6.83500 GHz
Stop Frequency	6.91500 GHz	6.91500 GHz
Span	80.000 MHz	80.000 MHz
RBW	300.000 kHz	~ 300.000 kHz
VBW	1.000 MHz	>= 1.000 MHz
SweepPoints	533	~ 533
Sweeptime	1.000 ms	AUTO
Reference Level	10.000 dBm	10.000 dBm
Attenuation	20.000 dB	AUTO
Detector	MaxPeak	MaxPeak
SweepCount	200	200
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
Sweeptype	Sweep	AUTO
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.30 dB	0.30 dB
Run	15 / max. 15	max. 15
Stable	1 / 5	5
Max Stable Difference	0.00 dB	0.30 dB

Emission Bandwidth 26 dB (6895 MHz; 11ax20 (20 MHz)) _ Ant0

Customized settings.


26 dB Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)
6895.000000	21.313320	---	320.000000	6884.343340	---

(continuation of the "26 dB Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max R (MHz)	BE (MHz)	Max Level (dBm)	Result
6895.000000	6905.656660	---	---	-6.6	PASS

26 dB Bandwidth



Measurement

Setting	Instrument Value	Target Value
Start Frequency	6.85500 GHz	6.85500 GHz
Stop Frequency	6.93500 GHz	6.93500 GHz
Span	80.000 MHz	80.000 MHz
RBW	300.000 kHz	~ 300.000 kHz
VBW	1.000 MHz	>= 1.000 MHz
SweepPoints	533	~ 533
SweepTime	1.000 ms	AUTO
Reference Level	10.000 dBm	10.000 dBm
Attenuation	20.000 dB	AUTO
Detector	MaxPeak	MaxPeak
SweepCount	200	200
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
SweepType	Sweep	AUTO
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.30 dB	0.30 dB
Run	15 / max. 15	max. 15
Stable	2 / 5	5
Max Stable Difference	0.00 dB	0.30 dB

Emission Bandwidth 26 dB (6895 MHz; 11ax20 (20 MHz)) _ Ant1

Customized settings.


26 dB Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)
6895.000000	21.163227	---	320.000000	6884.343340	---

(continuation of the "26 dB Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max R (MHz)	Max Level (dBm)	Result
6895.000000	6905.506567	---	-7.0	PASS

26 dB Bandwidth



Measurement

Setting	Instrument Value	Target Value
Start Frequency	6.85500 GHz	6.85500 GHz
Stop Frequency	6.93500 GHz	6.93500 GHz
Span	80.000 MHz	80.000 MHz
RBW	300.000 kHz	~ 300.000 kHz
VBW	1.000 MHz	>= 1.000 MHz
SweepPoints	533	~ 533
SweepTime	1.000 ms	AUTO
Reference Level	10.000 dBm	10.000 dBm
Attenuation	20.000 dB	AUTO
Detector	MaxPeak	MaxPeak
SweepCount	200	200
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
SweepType	Sweep	AUTO
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.30 dB	0.30 dB
Run	15 / max. 15	max. 15
Stable	2 / 5	5
Max Stable Difference	0.00 dB	0.30 dB

Emission Bandwidth 26 dB (6995 MHz; 11ax20 (20 MHz)) _ Ant0

Customized settings.


26 dB Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)
6995.000000	21.163227	---	320.000000	6984.493433	---

(continuation of the "26 dB Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max R (MHz)	Max Level (dBm)	Result
6995.000000	7005.656660	---	-6.7	PASS

26 dB Bandwidth



Measurement

Setting	Instrument Value	Target Value
Start Frequency	6.95500 GHz	6.95500 GHz
Stop Frequency	7.03500 GHz	7.03500 GHz
Span	80.000 MHz	80.000 MHz
RBW	300.000 kHz	~ 300.000 kHz
VBW	1.000 MHz	>= 1.000 MHz
SweepPoints	533	~ 533
SweepTime	1.000 ms	AUTO
Reference Level	10.000 dBm	10.000 dBm
Attenuation	20.000 dB	AUTO
Detector	MaxPeak	MaxPeak
SweepCount	200	200
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
SweepType	Sweep	AUTO
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.30 dB	0.30 dB
Run	15 / max. 15	max. 15
Stable	2 / 5	5
Max Stable Difference	0.00 dB	0.30 dB

Emission Bandwidth 26 dB (6995 MHz; 11ax20 (20 MHz)) _ Ant1

Customized settings.


26 dB Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)
6995.000000	21.013134	---	320.000000	6984.493433	---

(continuation of the "26 dB Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max R (MHz)	Max Level (dBm)	Result
6995.000000	7005.506567	---	-9.4	PASS

26 dB Bandwidth



Measurement

Setting	Instrument Value	Target Value
Start Frequency	6.95500 GHz	6.95500 GHz
Stop Frequency	7.03500 GHz	7.03500 GHz
Span	80.000 MHz	80.000 MHz
RBW	300.000 kHz	~ 300.000 kHz
VBW	1.000 MHz	>= 1.000 MHz
SweepPoints	533	~ 533
SweepTime	1.000 ms	AUTO
Reference Level	10.000 dBm	10.000 dBm
Attenuation	20.000 dB	AUTO
Detector	MaxPeak	MaxPeak
SweepCount	200	200
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
SweepType	Sweep	AUTO
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.30 dB	0.30 dB
Run	15 / max. 15	max. 15
Stable	2 / 5	5
Max Stable Difference	0.00 dB	0.30 dB

Emission Bandwidth 26 dB (7115 MHz; 11ax20 (20 MHz)) _ Ant0

Customized settings.


26 dB Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)
7115.000000	21.163227	---	320.000000	7104.493433	---

(continuation of the "26 dB Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max R (MHz)	Max Level (dBm)	Result
7115.000000	7125.656660	---	-9.0	PASS

26 dB Bandwidth



Measurement

Setting	Instrument Value	Target Value
Start Frequency	7.07500 GHz	7.07500 GHz
Stop Frequency	7.15500 GHz	7.15500 GHz
Span	80.000 MHz	80.000 MHz
RBW	300.000 kHz	~ 300.000 kHz
VBW	1.000 MHz	>= 1.000 MHz
SweepPoints	533	~ 533
SweepTime	1.000 ms	AUTO
Reference Level	10.000 dBm	10.000 dBm
Attenuation	20.000 dB	AUTO
Detector	MaxPeak	MaxPeak
SweepCount	200	200
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
SweepType	Sweep	AUTO
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.30 dB	0.30 dB
Run	15 / max. 15	max. 15
Stable	3 / 5	5
Max Stable Difference	0.00 dB	0.30 dB

Emission Bandwidth 26 dB (7115 MHz; 11ax20 (20 MHz)) _ Ant1

Customized settings.


26 dB Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)
7115.000000	21.013134	---	320.000000	7104.493433	---

(continuation of the "26 dB Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max R (MHz)	Max Level (dBm)	Result
7115.000000	7125.506567	---	-11.6	PASS

26 dB Bandwidth



Measurement

Setting	Instrument Value	Target Value
Start Frequency	7.07500 GHz	7.07500 GHz
Stop Frequency	7.15500 GHz	7.15500 GHz
Span	80.000 MHz	80.000 MHz
RBW	300.000 kHz	~ 300.000 kHz
VBW	1.000 MHz	>= 1.000 MHz
SweepPoints	533	~ 533
SweepTime	1.000 ms	AUTO
Reference Level	10.000 dBm	10.000 dBm
Attenuation	20.000 dB	AUTO
Detector	MaxPeak	MaxPeak
SweepCount	200	200
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
SweepType	Sweep	AUTO
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.30 dB	0.30 dB
Run	15 / max. 15	max. 15
Stable	5 / 5	5
Max Stable Difference	0.00 dB	0.30 dB

Emission Bandwidth 26 dB (5965 MHz; 11ax40 (40 MHz)) _ Ant0

Customized settings.


26 dB Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)
5965.000000	40.750000	---	320.000000	5944.625000	---

(continuation of the "26 dB Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max R (MHz)	Max Level (dBm)	Result
5965.000000	5985.375000	---	-1.9	PASS

26 dB Bandwidth



Measurement

Setting	Instrument Value	Target Value
Start Frequency	5.90500 GHz	5.90500 GHz
Stop Frequency	6.02500 GHz	6.02500 GHz
Span	120.000 MHz	120.000 MHz
RBW	500.000 kHz	~ 500.000 kHz
VBW	2.000 MHz	>= 1.500 MHz
SweepPoints	480	~ 480
SweepTime	1.000 ms	AUTO
Reference Level	10.000 dBm	10.000 dBm
Attenuation	20.000 dB	AUTO
Detector	MaxPeak	MaxPeak
SweepCount	200	200
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
Sweeptype	Sweep	AUTO
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.30 dB	0.30 dB
Run	15 / max. 15	max. 15
Stable	2 / 5	5
Max Stable Difference	0.00 dB	0.30 dB

Emission Bandwidth 26 dB (5965 MHz; 11ax40 (40 MHz)) _ Ant1

Customized settings.


26 dB Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)
5965.000000	40.500000	---	320.000000	5944.625000	---

(continuation of the "26 dB Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max R (MHz)	Max Level (dBm)	Result
5965.000000	5985.125000	---	-4.7	PASS

26 dB Bandwidth



Measurement

Setting	Instrument Value	Target Value
Start Frequency	5.90500 GHz	5.90500 GHz
Stop Frequency	6.02500 GHz	6.02500 GHz
Span	120.000 MHz	120.000 MHz
RBW	500.000 kHz	~ 500.000 kHz
VBW	2.000 MHz	>= 1.500 MHz
SweepPoints	480	~ 480
SweepTime	1.000 ms	AUTO
Reference Level	10.000 dBm	10.000 dBm
Attenuation	20.000 dB	AUTO
Detector	MaxPeak	MaxPeak
SweepCount	200	200
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
Sweeptype	Sweep	AUTO
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.30 dB	0.30 dB
Run	15 / max. 15	max. 15
Stable	1 / 5	5
Max Stable Difference	0.00 dB	0.30 dB

Emission Bandwidth 26 dB (6165 MHz; 11ax40 (40 MHz)) _ Ant0

Customized settings.


26 dB Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)
6165.000000	41.000000	---	320.000000	6144.375000	---

(continuation of the "26 dB Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max R (MHz)	Max Level (dBm)	Result
6165.000000	6185.375000	---	-1.1	PASS

26 dB Bandwidth



Measurement

Setting	Instrument Value	Target Value
Start Frequency	6.10500 GHz	6.10500 GHz
Stop Frequency	6.22500 GHz	6.22500 GHz
Span	120.000 MHz	120.000 MHz
RBW	500.000 kHz	~ 500.000 kHz
VBW	2.000 MHz	>= 1.500 MHz
SweepPoints	480	~ 480
SweepTime	1.000 ms	AUTO
Reference Level	10.000 dBm	10.000 dBm
Attenuation	20.000 dB	AUTO
Detector	MaxPeak	MaxPeak
SweepCount	200	200
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
Sweeptype	Sweep	AUTO
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.30 dB	0.30 dB
Run	15 / max. 15	max. 15
Stable	2 / 5	5
Max Stable Difference	0.00 dB	0.30 dB

Emission Bandwidth 26 dB (6165 MHz; 11ax40 (40 MHz)) _ Ant1

Customized settings.


26 dB Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)
6165.000000	40.750000	---	320.000000	6144.625000	---

(continuation of the "26 dB Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max R (MHz)	Max Level (dBm)	Result
6165.000000	6185.375000	---	-2.7	PASS

26 dB Bandwidth



Measurement

Setting	Instrument Value	Target Value
Start Frequency	6.10500 GHz	6.10500 GHz
Stop Frequency	6.22500 GHz	6.22500 GHz
Span	120.000 MHz	120.000 MHz
RBW	500.000 kHz	~ 500.000 kHz
VBW	2.000 MHz	>= 1.500 MHz
SweepPoints	480	~ 480
SweepTime	1.000 ms	AUTO
Reference Level	10.000 dBm	10.000 dBm
Attenuation	20.000 dB	AUTO
Detector	MaxPeak	MaxPeak
SweepCount	200	200
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
SweepType	Sweep	AUTO
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.30 dB	0.30 dB
Run	15 / max. 15	max. 15
Stable	1 / 5	5
Max Stable Difference	0.00 dB	0.30 dB

Emission Bandwidth 26 dB (6405 MHz; 11ax40 (40 MHz)) _ Ant0

Customized settings.


26 dB Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)
6405.000000	40.750000	---	320.000000	6384.625000	---

(continuation of the "26 dB Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max R (MHz)	Max Level (dBm)	Result
6405.000000	6425.375000	---	-1.4	PASS

26 dB Bandwidth



Measurement

Setting	Instrument Value	Target Value
Start Frequency	6.34500 GHz	6.34500 GHz
Stop Frequency	6.46500 GHz	6.46500 GHz
Span	120.000 MHz	120.000 MHz
RBW	500.000 kHz	~ 500.000 kHz
VBW	2.000 MHz	>= 1.500 MHz
SweepPoints	480	~ 480
SweepTime	1.000 ms	AUTO
Reference Level	10.000 dBm	10.000 dBm
Attenuation	20.000 dB	AUTO
Detector	MaxPeak	MaxPeak
SweepCount	200	200
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
SweepType	Sweep	AUTO
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.30 dB	0.30 dB
Run	15 / max. 15	max. 15
Stable	1 / 5	5
Max Stable Difference	0.00 dB	0.30 dB

Emission Bandwidth 26 dB (6405 MHz; 11ax40 (40 MHz)) _ Ant1

Customized settings.


26 dB Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)
6405.000000	40.750000	---	320.000000	6384.625000	---

(continuation of the "26 dB Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max R (MHz)	Max Level (dBm)	Result
6405.000000	6425.375000	---	-1.5	PASS

26 dB Bandwidth



Measurement

Setting	Instrument Value	Target Value
Start Frequency	6.34500 GHz	6.34500 GHz
Stop Frequency	6.46500 GHz	6.46500 GHz
Span	120.000 MHz	120.000 MHz
RBW	500.000 kHz	~ 500.000 kHz
VBW	2.000 MHz	>= 1.500 MHz
SweepPoints	480	~ 480
SweepTime	1.000 ms	AUTO
Reference Level	10.000 dBm	10.000 dBm
Attenuation	20.000 dB	AUTO
Detector	MaxPeak	MaxPeak
SweepCount	200	200
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
SweepType	Sweep	AUTO
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.30 dB	0.30 dB
Run	15 / max. 15	max. 15
Stable	2 / 5	5
Max Stable Difference	0.00 dB	0.30 dB

Emission Bandwidth 26 dB (6445 MHz; 11ax40 (40 MHz)) _ Ant0

Customized settings.


26 dB Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)
6445.000000	40.750000	---	320.000000	6424.625000	---

(continuation of the "26 dB Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max R (MHz)	Max Level (dBm)	Result
6445.000000	6465.375000	---	-0.4	PASS

26 dB Bandwidth



Measurement

Setting	Instrument Value	Target Value
Start Frequency	6.38500 GHz	6.38500 GHz
Stop Frequency	6.50500 GHz	6.50500 GHz
Span	120.000 MHz	120.000 MHz
RBW	500.000 kHz	~ 500.000 kHz
VBW	2.000 MHz	>= 1.500 MHz
SweepPoints	480	~ 480
SweepTime	1.000 ms	AUTO
Reference Level	10.000 dBm	10.000 dBm
Attenuation	20.000 dB	AUTO
Detector	MaxPeak	MaxPeak
SweepCount	200	200
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
SweepType	Sweep	AUTO
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.30 dB	0.30 dB
Run	15 / max. 15	max. 15
Stable	1 / 5	5
Max Stable Difference	0.00 dB	0.30 dB

Emission Bandwidth 26 dB (6445 MHz; 11ax40 (40 MHz)) _ Ant1

Customized settings.


26 dB Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)
6445.000000	40.750000	---	320.000000	6424.625000	---

(continuation of the "26 dB Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max R (MHz)	Max Level (dBm)	Result
6445.000000	6465.375000	---	-2.5	PASS

26 dB Bandwidth



Measurement

Setting	Instrument Value	Target Value
Start Frequency	6.38500 GHz	6.38500 GHz
Stop Frequency	6.50500 GHz	6.50500 GHz
Span	120.000 MHz	120.000 MHz
RBW	500.000 kHz	~ 500.000 kHz
VBW	2.000 MHz	>= 1.500 MHz
SweepPoints	480	~ 480
SweepTime	1.000 ms	AUTO
Reference Level	10.000 dBm	10.000 dBm
Attenuation	20.000 dB	AUTO
Detector	MaxPeak	MaxPeak
SweepCount	200	200
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
Sweeptype	Sweep	AUTO
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.30 dB	0.30 dB
Run	15 / max. 15	max. 15
Stable	2 / 5	5
Max Stable Difference	0.00 dB	0.30 dB

Emission Bandwidth 26 dB (6485 MHz; 11ax40 (40 MHz)) _ Ant0

Customized settings.


26 dB Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)
6485.000000	40.750000	---	320.000000	6464.625000	---

(continuation of the "26 dB Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max R (MHz)	BE (MHz)	Max Level (dBm)	Result
6485.000000	6505.375000	---	---	-1.3	PASS

26 dB Bandwidth



Measurement

Setting	Instrument Value	Target Value
Start Frequency	6.42500 GHz	6.42500 GHz
Stop Frequency	6.54500 GHz	6.54500 GHz
Span	120.000 MHz	120.000 MHz
RBW	500.000 kHz	~ 500.000 kHz
VBW	2.000 MHz	>= 1.500 MHz
SweepPoints	480	~ 480
SweepTime	1.000 ms	AUTO
Reference Level	10.000 dBm	10.000 dBm
Attenuation	20.000 dB	AUTO
Detector	MaxPeak	MaxPeak
SweepCount	200	200
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
Sweeptype	Sweep	AUTO
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.30 dB	0.30 dB
Run	15 / max. 15	max. 15
Stable	2 / 5	5
Max Stable Difference	0.00 dB	0.30 dB

Emission Bandwidth 26 dB (6485 MHz; 11ax40 (40 MHz)) _ Ant1

Customized settings.


26 dB Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)
6485.000000	40.500000	---	320.000000	6464.875000	---

(continuation of the "26 dB Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max R (MHz)	Max Level (dBm)	Result
6485.000000	6505.375000	---	-2.5	PASS

26 dB Bandwidth



Measurement

Setting	Instrument Value	Target Value
Start Frequency	6.42500 GHz	6.42500 GHz
Stop Frequency	6.54500 GHz	6.54500 GHz
Span	120.000 MHz	120.000 MHz
RBW	500.000 kHz	~ 500.000 kHz
VBW	2.000 MHz	>= 1.500 MHz
SweepPoints	480	~ 480
SweepTime	1.000 ms	AUTO
Reference Level	10.000 dBm	10.000 dBm
Attenuation	20.000 dB	AUTO
Detector	MaxPeak	MaxPeak
SweepCount	200	200
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
Sweeptype	Sweep	AUTO
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.30 dB	0.30 dB
Run	15 / max. 15	max. 15
Stable	1 / 5	5
Max Stable Difference	0.00 dB	0.30 dB

Emission Bandwidth 26 dB (6525 MHz; 11ax40 (40 MHz)) _ Ant0

Customized settings.


26 dB Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Bandwidth U-NII 6 (MHz)	Bandwidth U-NII 7 (MHz)	Limit Min (MHz)	Limit Max (MHz)
6525.000000	40.750000	20.375000	20.375000	---	320.000000

(continuation of the "26 dB Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)	Band Edge Right (MHz)	Limit Max R BE (MHz)	Max Level (dBm)	Result
6525.000000	6504.625000	---	6545.375000	---	-1.6	PASS

26 dB Bandwidth



Measurement

Setting	Instrument Value	Target Value
Start Frequency	6.46500 GHz	6.46500 GHz
Stop Frequency	6.58500 GHz	6.58500 GHz
Span	120.000 MHz	120.000 MHz
RBW	500.000 kHz	~ 500.000 kHz
VBW	2.000 MHz	>= 1.500 MHz
SweepPoints	480	~ 480
Sweeptime	1.000 ms	AUTO
Reference Level	10.000 dBm	10.000 dBm
Attenuation	20.000 dB	AUTO
Detector	MaxPeak	MaxPeak
SweepCount	200	200
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
Sweeptype	Sweep	AUTO
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.30 dB	0.30 dB
Run	15 / max. 15	max. 15
Stable	3 / 5	5
Max Stable Difference	0.00 dB	0.30 dB

Emission Bandwidth 26 dB (6525 MHz; 11ax40 (40 MHz)) _ Ant1

Customized settings.


26 dB Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Bandwidth U-NII 6 (MHz)	Bandwidth U-NII 7 (MHz)	Limit Min (MHz)	Limit Max (MHz)
6525.000000	40.750000	20.375000	20.375000	---	320.000000

(continuation of the "26 dB Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)	Band Edge Right (MHz)	Limit Max R BE (MHz)	Max Level (dBm)	Result
6525.000000	6504.625000	---	6545.375000	---	-1.2	PASS

26 dB Bandwidth



Measurement

Setting	Instrument Value	Target Value
Start Frequency	6.46500 GHz	6.46500 GHz
Stop Frequency	6.58500 GHz	6.58500 GHz
Span	120.000 MHz	120.000 MHz
RBW	500.000 kHz	~ 500.000 kHz
VBW	2.000 MHz	>= 1.500 MHz
SweepPoints	480	~ 480
Sweeptime	1.000 ms	AUTO
Reference Level	10.000 dBm	10.000 dBm
Attenuation	20.000 dB	AUTO
Detector	MaxPeak	MaxPeak
SweepCount	200	200
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
Sweeptype	Sweep	AUTO
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.30 dB	0.30 dB
Run	15 / max. 15	max. 15
Stable	1 / 5	5
Max Stable Difference	0.00 dB	0.30 dB

Emission Bandwidth 26 dB (6565 MHz; 11ax40 (40 MHz)) _ Ant0

Customized settings.


26 dB Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)
6565.000000	40.750000	---	320.000000	6544.625000	---

(continuation of the "26 dB Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max R (MHz)	Max Level (dBm)	Result
6565.000000	6585.375000	---	-1.5	PASS

26 dB Bandwidth



Measurement

Setting	Instrument Value	Target Value
Start Frequency	6.50500 GHz	6.50500 GHz
Stop Frequency	6.62500 GHz	6.62500 GHz
Span	120.000 MHz	120.000 MHz
RBW	500.000 kHz	~ 500.000 kHz
VBW	2.000 MHz	>= 1.500 MHz
SweepPoints	480	~ 480
SweepTime	1.000 ms	AUTO
Reference Level	10.000 dBm	10.000 dBm
Attenuation	20.000 dB	AUTO
Detector	MaxPeak	MaxPeak
SweepCount	200	200
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
Sweeptype	Sweep	AUTO
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.30 dB	0.30 dB
Run	15 / max. 15	max. 15
Stable	1 / 5	5
Max Stable Difference	0.00 dB	0.30 dB

Emission Bandwidth 26 dB (6565 MHz; 11ax40 (40 MHz)) _ Ant1

Customized settings.


26 dB Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)
6565.000000	40.750000	---	320.000000	6544.625000	---

(continuation of the "26 dB Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max R (MHz)	Max Level (dBm)	Result
6565.000000	6585.375000	---	-2.1	PASS

26 dB Bandwidth



Measurement

Setting	Instrument Value	Target Value
Start Frequency	6.50500 GHz	6.50500 GHz
Stop Frequency	6.62500 GHz	6.62500 GHz
Span	120.000 MHz	120.000 MHz
RBW	500.000 kHz	~ 500.000 kHz
VBW	2.000 MHz	>= 1.500 MHz
SweepPoints	480	~ 480
SweepTime	1.000 ms	AUTO
Reference Level	10.000 dBm	10.000 dBm
Attenuation	20.000 dB	AUTO
Detector	MaxPeak	MaxPeak
SweepCount	200	200
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
SweepType	Sweep	AUTO
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.30 dB	0.30 dB
Run	15 / max. 15	max. 15
Stable	1 / 5	5
Max Stable Difference	0.00 dB	0.30 dB

Emission Bandwidth 26 dB (6685 MHz; 11ax40 (40 MHz)) _ Ant0

Customized settings.


26 dB Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)
6685.000000	40.500000	---	320.000000	6664.625000	---

(continuation of the "26 dB Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max R (MHz)	Max Level (dBm)	Result
6685.000000	6705.125000	---	-0.8	PASS

26 dB Bandwidth



Measurement

Setting	Instrument Value	Target Value
Start Frequency	6.62500 GHz	6.62500 GHz
Stop Frequency	6.74500 GHz	6.74500 GHz
Span	120.000 MHz	120.000 MHz
RBW	500.000 kHz	~ 500.000 kHz
VBW	2.000 MHz	>= 1.500 MHz
SweepPoints	480	~ 480
SweepTime	1.000 ms	AUTO
Reference Level	10.000 dBm	10.000 dBm
Attenuation	20.000 dB	AUTO
Detector	MaxPeak	MaxPeak
SweepCount	200	200
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
SweepType	Sweep	AUTO
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.30 dB	0.30 dB
Run	15 / max. 15	max. 15
Stable	2 / 5	5
Max Stable Difference	0.00 dB	0.30 dB

Emission Bandwidth 26 dB (6685 MHz; 11ax40 (40 MHz)) _ Ant1

Customized settings.


26 dB Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)
6685.000000	41.000000	---	320.000000	6664.625000	---

(continuation of the "26 dB Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max R (MHz)	Max Level (dBm)	Result
6685.000000	6705.625000	---	-2.1	PASS

26 dB Bandwidth



Measurement

Setting	Instrument Value	Target Value
Start Frequency	6.62500 GHz	6.62500 GHz
Stop Frequency	6.74500 GHz	6.74500 GHz
Span	120.000 MHz	120.000 MHz
RBW	500.000 kHz	~ 500.000 kHz
VBW	2.000 MHz	>= 1.500 MHz
SweepPoints	480	~ 480
SweepTime	1.000 ms	AUTO
Reference Level	10.000 dBm	10.000 dBm
Attenuation	20.000 dB	AUTO
Detector	MaxPeak	MaxPeak
SweepCount	200	200
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
Sweeptype	Sweep	AUTO
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.30 dB	0.30 dB
Run	15 / max. 15	max. 15
Stable	2 / 5	5
Max Stable Difference	0.00 dB	0.30 dB

Emission Bandwidth 26 dB (6845 MHz; 11ax40 (40 MHz)) _ Ant0

Customized settings.


26 dB Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)
6845.000000	40.750000	---	320.000000	6824.625000	---

(continuation of the "26 dB Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max R (MHz)	Max Level (dBm)	Result
6845.000000	6865.375000	---	-1.5	PASS

26 dB Bandwidth



Measurement

Setting	Instrument Value	Target Value
Start Frequency	6.78500 GHz	6.78500 GHz
Stop Frequency	6.90500 GHz	6.90500 GHz
Span	120.000 MHz	120.000 MHz
RBW	500.000 kHz	~ 500.000 kHz
VBW	2.000 MHz	>= 1.500 MHz
SweepPoints	480	~ 480
SweepTime	1.000 ms	AUTO
Reference Level	10.000 dBm	10.000 dBm
Attenuation	20.000 dB	AUTO
Detector	MaxPeak	MaxPeak
SweepCount	200	200
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
SweepType	Sweep	AUTO
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.30 dB	0.30 dB
Run	15 / max. 15	max. 15
Stable	1 / 5	5
Max Stable Difference	0.00 dB	0.30 dB

Emission Bandwidth 26 dB (6845 MHz; 11ax40 (40 MHz)) _ Ant1

Customized settings.


26 dB Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)
6845.000000	41.000000	---	320.000000	6824.375000	---

(continuation of the "26 dB Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max R (MHz)	Max Level (dBm)	Result
6845.000000	6865.375000	---	-3.0	PASS

26 dB Bandwidth



Measurement

Setting	Instrument Value	Target Value
Start Frequency	6.78500 GHz	6.78500 GHz
Stop Frequency	6.90500 GHz	6.90500 GHz
Span	120.000 MHz	120.000 MHz
RBW	500.000 kHz	~ 500.000 kHz
VBW	2.000 MHz	>= 1.500 MHz
SweepPoints	480	~ 480
SweepTime	1.000 ms	AUTO
Reference Level	10.000 dBm	10.000 dBm
Attenuation	20.000 dB	AUTO
Detector	MaxPeak	MaxPeak
SweepCount	200	200
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
Sweeptype	Sweep	AUTO
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.30 dB	0.30 dB
Run	15 / max. 15	max. 15
Stable	1 / 5	5
Max Stable Difference	0.00 dB	0.30 dB

Emission Bandwidth 26 dB (6885 MHz; 11ax40 (40 MHz)) _ Ant0

Customized settings.


26 dB Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Bandwidth U-NII 7 (MHz)	Bandwidth U-NII 8 (MHz)	Limit Min (MHz)	Limit Max (MHz)
6885.000000	41.000000	10.375000	30.625000	---	320.000000

(continuation of the "26 dB Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)	Band Edge Right (MHz)	Limit Max R BE (MHz)	Max Level (dBm)	Result
6885.000000	6864.625000	---	6905.625000	---	-2.2	PASS

26 dB Bandwidth



Measurement

Setting	Instrument Value	Target Value
Start Frequency	6.82500 GHz	6.82500 GHz
Stop Frequency	6.94500 GHz	6.94500 GHz
Span	120.000 MHz	120.000 MHz
RBW	500.000 kHz	~ 500.000 kHz
VBW	2.000 MHz	>= 1.500 MHz
SweepPoints	480	~ 480
Sweeptime	1.000 ms	AUTO
Reference Level	10.000 dBm	10.000 dBm
Attenuation	20.000 dB	AUTO
Detector	MaxPeak	MaxPeak
SweepCount	200	200
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
Sweeptype	Sweep	AUTO
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.30 dB	0.30 dB
Run	15 / max. 15	max. 15
Stable	2 / 5	5
Max Stable Difference	0.00 dB	0.30 dB

Emission Bandwidth 26 dB (6885 MHz; 11ax40 (40 MHz)) _ Ant1

Customized settings.


26 dB Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Bandwidth U-NII 7 (MHz)	Bandwidth U-NII 8 (MHz)	Limit Min (MHz)	Limit Max (MHz)
6885.000000	40.750000	10.375000	30.375000	---	320.000000

(continuation of the "26 dB Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)	Band Edge Right (MHz)	Limit Max R BE (MHz)	Max Level (dBm)	Result
6885.000000	6864.625000	---	6905.375000	---	-2.0	PASS

26 dB Bandwidth



Measurement

Setting	Instrument Value	Target Value
Start Frequency	6.82500 GHz	6.82500 GHz
Stop Frequency	6.94500 GHz	6.94500 GHz
Span	120.000 MHz	120.000 MHz
RBW	500.000 kHz	~ 500.000 kHz
VBW	2.000 MHz	>= 1.500 MHz
SweepPoints	480	~ 480
Sweeptime	1.000 ms	AUTO
Reference Level	10.000 dBm	10.000 dBm
Attenuation	20.000 dB	AUTO
Detector	MaxPeak	MaxPeak
SweepCount	200	200
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
Sweeptype	Sweep	AUTO
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.30 dB	0.30 dB
Run	15 / max. 15	max. 15
Stable	2 / 5	5
Max Stable Difference	0.00 dB	0.30 dB

Emission Bandwidth 26 dB (6925 MHz; 11ax40 (40 MHz)) _ Ant0

Customized settings.


26 dB Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)
6925.000000	40.750000	---	320.000000	6904.625000	---

(continuation of the "26 dB Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max R (MHz)	Max Level (dBm)	Result
6925.000000	6945.375000	---	-1.5	PASS

26 dB Bandwidth



Measurement

Setting	Instrument Value	Target Value
Start Frequency	6.86500 GHz	6.86500 GHz
Stop Frequency	6.98500 GHz	6.98500 GHz
Span	120.000 MHz	120.000 MHz
RBW	500.000 kHz	~ 500.000 kHz
VBW	2.000 MHz	>= 1.500 MHz
SweepPoints	480	~ 480
SweepTime	1.000 ms	AUTO
Reference Level	10.000 dBm	10.000 dBm
Attenuation	20.000 dB	AUTO
Detector	MaxPeak	MaxPeak
SweepCount	200	200
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
SweepType	Sweep	AUTO
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.30 dB	0.30 dB
Run	15 / max. 15	max. 15
Stable	2 / 5	5
Max Stable Difference	0.00 dB	0.30 dB

Emission Bandwidth 26 dB (6925 MHz; 11ax40 (40 MHz)) _ Ant1

Customized settings.


26 dB Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)
6925.000000	40.750000	---	320.000000	6904.625000	---

(continuation of the "26 dB Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max R (MHz)	Max Level (dBm)	Result
6925.000000	6945.375000	---	-1.1	PASS

26 dB Bandwidth



Measurement

Setting	Instrument Value	Target Value
Start Frequency	6.86500 GHz	6.86500 GHz
Stop Frequency	6.98500 GHz	6.98500 GHz
Span	120.000 MHz	120.000 MHz
RBW	500.000 kHz	~ 500.000 kHz
VBW	2.000 MHz	>= 1.500 MHz
SweepPoints	480	~ 480
SweepTime	1.000 ms	AUTO
Reference Level	10.000 dBm	10.000 dBm
Attenuation	20.000 dB	AUTO
Detector	MaxPeak	MaxPeak
SweepCount	200	200
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
Sweeptype	Sweep	AUTO
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.30 dB	0.30 dB
Run	15 / max. 15	max. 15
Stable	2 / 5	5
Max Stable Difference	0.00 dB	0.30 dB

Emission Bandwidth 26 dB (7005 MHz; 11ax40 (40 MHz)) _ Ant0

Customized settings.


26 dB Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)
7005.000000	40.500000	---	320.000000	6984.875000	---

(continuation of the "26 dB Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max R (MHz)	BE (MHz)	Max Level (dBm)	Result
7005.000000	7025.375000	---	---	-1.5	PASS

26 dB Bandwidth



Measurement

Setting	Instrument Value	Target Value
Start Frequency	6.94500 GHz	6.94500 GHz
Stop Frequency	7.06500 GHz	7.06500 GHz
Span	120.000 MHz	120.000 MHz
RBW	500.000 kHz	~ 500.000 kHz
VBW	2.000 MHz	>= 1.500 MHz
SweepPoints	480	~ 480
SweepTime	1.000 ms	AUTO
Reference Level	10.000 dBm	10.000 dBm
Attenuation	20.000 dB	AUTO
Detector	MaxPeak	MaxPeak
SweepCount	200	200
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
SweepType	Sweep	AUTO
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.30 dB	0.30 dB
Run	15 / max. 15	max. 15
Stable	2 / 5	5
Max Stable Difference	0.00 dB	0.30 dB

Emission Bandwidth 26 dB (7005 MHz; 11ax40 (40 MHz)) _ Ant1

Customized settings.


26 dB Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)
7005.000000	40.750000	---	320.000000	6984.625000	---

(continuation of the "26 dB Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max R (MHz)	Max Level (dBm)	Result
7005.000000	7025.375000	---	-1.9	PASS

26 dB Bandwidth



Measurement

Setting	Instrument Value	Target Value
Start Frequency	6.94500 GHz	6.94500 GHz
Stop Frequency	7.06500 GHz	7.06500 GHz
Span	120.000 MHz	120.000 MHz
RBW	500.000 kHz	~ 500.000 kHz
VBW	2.000 MHz	>= 1.500 MHz
SweepPoints	480	~ 480
SweepTime	1.000 ms	AUTO
Reference Level	10.000 dBm	10.000 dBm
Attenuation	20.000 dB	AUTO
Detector	MaxPeak	MaxPeak
SweepCount	200	200
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
Sweeptype	Sweep	AUTO
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.30 dB	0.30 dB
Run	15 / max. 15	max. 15
Stable	2 / 5	5
Max Stable Difference	0.00 dB	0.30 dB

Emission Bandwidth 26 dB (7085 MHz; 11ax40 (40 MHz)) _ Ant0

Customized settings.


26 dB Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)
7085.000000	40.750000	---	320.000000	7064.625000	---

(continuation of the "26 dB Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max R (MHz)	Max Level (dBm)	Result
7085.000000	7105.375000	---	-1.3	PASS

26 dB Bandwidth



Measurement

Setting	Instrument Value	Target Value
Start Frequency	7.02500 GHz	7.02500 GHz
Stop Frequency	7.14500 GHz	7.14500 GHz
Span	120.000 MHz	120.000 MHz
RBW	500.000 kHz	~ 500.000 kHz
VBW	2.000 MHz	>= 1.500 MHz
SweepPoints	480	~ 480
SweepTime	1.000 ms	AUTO
Reference Level	10.000 dBm	10.000 dBm
Attenuation	20.000 dB	AUTO
Detector	MaxPeak	MaxPeak
SweepCount	200	200
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
SweepType	Sweep	AUTO
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.30 dB	0.30 dB
Run	15 / max. 15	max. 15
Stable	2 / 5	5
Max Stable Difference	0.00 dB	0.30 dB

Emission Bandwidth 26 dB (7085 MHz; 11ax40 (40 MHz)) _ Ant1

Customized settings.


26 dB Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)
7085.000000	40.750000	---	320.000000	7064.625000	---

(continuation of the "26 dB Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max R (MHz)	Max Level (dBm)	Result
7085.000000	7105.375000	---	-2.3	PASS

26 dB Bandwidth



Measurement

Setting	Instrument Value	Target Value
Start Frequency	7.02500 GHz	7.02500 GHz
Stop Frequency	7.14500 GHz	7.14500 GHz
Span	120.000 MHz	120.000 MHz
RBW	500.000 kHz	~ 500.000 kHz
VBW	2.000 MHz	>= 1.500 MHz
SweepPoints	480	~ 480
SweepTime	1.000 ms	AUTO
Reference Level	10.000 dBm	10.000 dBm
Attenuation	20.000 dB	AUTO
Detector	MaxPeak	MaxPeak
SweepCount	200	200
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
SweepType	Sweep	AUTO
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.30 dB	0.30 dB
Run	15 / max. 15	max. 15
Stable	2 / 5	5
Max Stable Difference	0.00 dB	0.30 dB

Emission Bandwidth 26 dB (5985 MHz; 11ax80 (80 MHz)) _ Ant0

Customized settings.


26 dB Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)
5985.000000	83.000000	---	320.000000	5943.250000	---

(continuation of the "26 dB Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max R (MHz)	Max Level (dBm)	Result
5985.000000	6026.250000	---	1.4	PASS

26 dB Bandwidth



Measurement

Setting	Instrument Value	Target Value
Start Frequency	5.86500 GHz	5.86500 GHz
Stop Frequency	6.10500 GHz	6.10500 GHz
Span	240.000 MHz	240.000 MHz
RBW	1.000 MHz	~ 1.000 MHz
VBW	3.000 MHz	>= 3.000 MHz
SweepPoints	480	~ 480
SweepTime	1.000 ms	AUTO
Reference Level	10.000 dBm	10.000 dBm
Attenuation	20.000 dB	AUTO
Detector	MaxPeak	MaxPeak
SweepCount	200	200
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
Sweeptype	Sweep	AUTO
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.30 dB	0.30 dB
Run	15 / max. 15	max. 15
Stable	2 / 5	5
Max Stable Difference	0.00 dB	0.30 dB

Emission Bandwidth 26 dB (5985 MHz; 11ax80 (80 MHz)) _ Ant1

Customized settings.


26 dB Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)
5985.000000	83.000000	---	320.000000	5943.250000	---

(continuation of the "26 dB Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max R (MHz)	Max Level (dBm)	Result
5985.000000	6026.250000	---	-1.7	PASS

26 dB Bandwidth



Measurement

Setting	Instrument Value	Target Value
Start Frequency	5.86500 GHz	5.86500 GHz
Stop Frequency	6.10500 GHz	6.10500 GHz
Span	240.000 MHz	240.000 MHz
RBW	1.000 MHz	~ 1.000 MHz
VBW	3.000 MHz	>= 3.000 MHz
SweepPoints	480	~ 480
SweepTime	1.000 ms	AUTO
Reference Level	10.000 dBm	10.000 dBm
Attenuation	20.000 dB	AUTO
Detector	MaxPeak	MaxPeak
SweepCount	200	200
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
Sweeptype	Sweep	AUTO
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.30 dB	0.30 dB
Run	15 / max. 15	max. 15
Stable	3 / 5	5
Max Stable Difference	0.00 dB	0.30 dB

Emission Bandwidth 26 dB (6145 MHz; 11ax80 (80 MHz)) _ Ant0

Customized settings.


26 dB Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)
6145.000000	82.000000	---	320.000000	6103.750000	---

(continuation of the "26 dB Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max R (MHz)	Max Level (dBm)	Result
6145.000000	6185.750000	---	2.4	PASS

26 dB Bandwidth



Measurement

Setting	Instrument Value	Target Value
Start Frequency	6.02500 GHz	6.02500 GHz
Stop Frequency	6.26500 GHz	6.26500 GHz
Span	240.000 MHz	240.000 MHz
RBW	1.000 MHz	~ 1.000 MHz
VBW	3.000 MHz	>= 3.000 MHz
SweepPoints	480	~ 480
SweepTime	1.000 ms	AUTO
Reference Level	10.000 dBm	10.000 dBm
Attenuation	20.000 dB	AUTO
Detector	MaxPeak	MaxPeak
SweepCount	200	200
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
Sweeptype	Sweep	AUTO
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.30 dB	0.30 dB
Run	15 / max. 15	max. 15
Stable	2 / 5	5
Max Stable Difference	0.00 dB	0.30 dB

Emission Bandwidth 26 dB (6145 MHz; 11ax80 (80 MHz)) _ Ant1

Customized settings.


26 dB Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)
6145.000000	83.000000	---	320.000000	6103.250000	---

(continuation of the "26 dB Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max R (MHz)	Max Level (dBm)	Result
6145.000000	6186.250000	---	0.7	PASS

26 dB Bandwidth



Measurement

Setting	Instrument Value	Target Value
Start Frequency	6.02500 GHz	6.02500 GHz
Stop Frequency	6.26500 GHz	6.26500 GHz
Span	240.000 MHz	240.000 MHz
RBW	1.000 MHz	~ 1.000 MHz
VBW	3.000 MHz	>= 3.000 MHz
SweepPoints	480	~ 480
SweepTime	1.000 ms	AUTO
Reference Level	10.000 dBm	10.000 dBm
Attenuation	20.000 dB	AUTO
Detector	MaxPeak	MaxPeak
SweepCount	200	200
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
Sweeptype	Sweep	AUTO
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.30 dB	0.30 dB
Run	15 / max. 15	max. 15
Stable	2 / 5	5
Max Stable Difference	0.00 dB	0.30 dB

Emission Bandwidth 26 dB (6385 MHz; 11ax80 (80 MHz)) _ Ant0

Customized settings.


26 dB Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)
6385.000000	83.500000	---	320.000000	6343.250000	---

(continuation of the "26 dB Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max R (MHz)	Max Level (dBm)	Result
6385.000000	6426.750000	---	0.8	PASS

26 dB Bandwidth



Measurement

Setting	Instrument Value	Target Value
Start Frequency	6.26500 GHz	6.26500 GHz
Stop Frequency	6.50500 GHz	6.50500 GHz
Span	240.000 MHz	240.000 MHz
RBW	1.000 MHz	~ 1.000 MHz
VBW	3.000 MHz	>= 3.000 MHz
SweepPoints	480	~ 480
SweepTime	1.000 ms	AUTO
Reference Level	10.000 dBm	10.000 dBm
Attenuation	20.000 dB	AUTO
Detector	MaxPeak	MaxPeak
SweepCount	200	200
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
Sweeptype	Sweep	AUTO
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.30 dB	0.30 dB
Run	15 / max. 15	max. 15
Stable	2 / 5	5
Max Stable Difference	0.00 dB	0.30 dB

Emission Bandwidth 26 dB (6385 MHz; 11ax80 (80 MHz)) _ Ant1

Customized settings.


26 dB Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)
6385.000000	82.000000	---	320.000000	6343.750000	---

(continuation of the "26 dB Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max R (MHz)	Max Level (dBm)	Result
6385.000000	6425.750000	---	2.0	PASS

26 dB Bandwidth



Measurement

Setting	Instrument Value	Target Value
Start Frequency	6.26500 GHz	6.26500 GHz
Stop Frequency	6.50500 GHz	6.50500 GHz
Span	240.000 MHz	240.000 MHz
RBW	1.000 MHz	~ 1.000 MHz
VBW	3.000 MHz	>= 3.000 MHz
SweepPoints	480	~ 480
SweepTime	1.000 ms	AUTO
Reference Level	10.000 dBm	10.000 dBm
Attenuation	20.000 dB	AUTO
Detector	MaxPeak	MaxPeak
SweepCount	200	200
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
SweepType	Sweep	AUTO
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.30 dB	0.30 dB
Run	15 / max. 15	max. 15
Stable	1 / 5	5
Max Stable Difference	0.00 dB	0.30 dB

Emission Bandwidth 26 dB (6465 MHz; 11ax80 (80 MHz)) _ Ant0

Customized settings.


26 dB Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)
6465.000000	82.500000	---	320.000000	6423.750000	---

(continuation of the "26 dB Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max R (MHz)	Max Level (dBm)	Result
6465.000000	6506.250000	---	3.0	PASS

26 dB Bandwidth



Measurement

Setting	Instrument Value	Target Value
Start Frequency	6.34500 GHz	6.34500 GHz
Stop Frequency	6.58500 GHz	6.58500 GHz
Span	240.000 MHz	240.000 MHz
RBW	1.000 MHz	~ 1.000 MHz
VBW	3.000 MHz	>= 3.000 MHz
SweepPoints	480	~ 480
SweepTime	1.000 ms	AUTO
Reference Level	10.000 dBm	10.000 dBm
Attenuation	20.000 dB	AUTO
Detector	MaxPeak	MaxPeak
SweepCount	200	200
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
Sweeptype	Sweep	AUTO
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.30 dB	0.30 dB
Run	15 / max. 15	max. 15
Stable	2 / 5	5
Max Stable Difference	0.00 dB	0.30 dB

Emission Bandwidth 26 dB (6465 MHz; 11ax80 (80 MHz)) _ Ant1

Customized settings.


26 dB Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)
6465.000000	83.000000	---	320.000000	6423.750000	---

(continuation of the "26 dB Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max R (MHz)	Max Level (dBm)	Result
6465.000000	6506.750000	---	1.4	PASS

26 dB Bandwidth



Measurement

Setting	Instrument Value	Target Value
Start Frequency	6.34500 GHz	6.34500 GHz
Stop Frequency	6.58500 GHz	6.58500 GHz
Span	240.000 MHz	240.000 MHz
RBW	1.000 MHz	~ 1.000 MHz
VBW	3.000 MHz	>= 3.000 MHz
SweepPoints	480	~ 480
SweepTime	1.000 ms	AUTO
Reference Level	10.000 dBm	10.000 dBm
Attenuation	20.000 dB	AUTO
Detector	MaxPeak	MaxPeak
SweepCount	200	200
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
Sweeptype	Sweep	AUTO
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.30 dB	0.30 dB
Run	15 / max. 15	max. 15
Stable	2 / 5	5
Max Stable Difference	0.00 dB	0.30 dB

Emission Bandwidth 26 dB (6545 MHz; 11ax80 (80 MHz)) _ Ant0

Customized settings.


26 dB Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Bandwidth U-NII 6 (MHz)	Bandwidth U-NII 7 (MHz)	Limit Min (MHz)	Limit Max (MHz)
6545.000000	82.500000	21.250000	61.250000	---	320.000000

(continuation of the "26 dB Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)	Band Edge Right (MHz)	Limit Max R BE (MHz)	Max Level (dBm)	Result
6545.000000	6503.750000	---	6586.250000	---	1.1	PASS

26 dB Bandwidth



Measurement

Setting	Instrument Value	Target Value
Start Frequency	6.42500 GHz	6.42500 GHz
Stop Frequency	6.66500 GHz	6.66500 GHz
Span	240.000 MHz	240.000 MHz
RBW	1.000 MHz	~ 1.000 MHz
VBW	3.000 MHz	>= 3.000 MHz
SweepPoints	480	~ 480
Sweeptime	1.000 ms	AUTO
Reference Level	10.000 dBm	10.000 dBm
Attenuation	20.000 dB	AUTO
Detector	MaxPeak	MaxPeak
SweepCount	200	200
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
Sweeptype	Sweep	AUTO
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.30 dB	0.30 dB
Run	15 / max. 15	max. 15
Stable	1 / 5	5
Max Stable Difference	0.00 dB	0.30 dB

Emission Bandwidth 26 dB (6545 MHz; 11ax80 (80 MHz)) _ Ant1

Customized settings.


26 dB Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Bandwidth U-NII 6 (MHz)	Bandwidth U-NII 7 (MHz)	Limit Min (MHz)	Limit Max (MHz)
6545.000000	82.500000	21.250000	61.250000	---	320.000000

(continuation of the "26 dB Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)	Band Edge Right (MHz)	Limit Max R BE (MHz)	Max Level (dBm)	Result
6545.000000	6503.750000	---	6586.250000	---	1.4	PASS

26 dB Bandwidth



Measurement

Setting	Instrument Value	Target Value
Start Frequency	6.42500 GHz	6.42500 GHz
Stop Frequency	6.66500 GHz	6.66500 GHz
Span	240.000 MHz	240.000 MHz
RBW	1.000 MHz	~ 1.000 MHz
VBW	3.000 MHz	>= 3.000 MHz
SweepPoints	480	~ 480
Sweeptime	1.000 ms	AUTO
Reference Level	10.000 dBm	10.000 dBm
Attenuation	20.000 dB	AUTO
Detector	MaxPeak	MaxPeak
SweepCount	200	200
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
Sweeptype	Sweep	AUTO
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.30 dB	0.30 dB
Run	15 / max. 15	max. 15
Stable	1 / 5	5
Max Stable Difference	0.00 dB	0.30 dB

Emission Bandwidth 26 dB (6625 MHz; 11ax80 (80 MHz)) _ Ant0

Customized settings.


26 dB Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)
6625.000000	83.000000	---	320.000000	6583.750000	---

(continuation of the "26 dB Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max R (MHz)	Max Level (dBm)	Result
6625.000000	6666.750000	---	1.2	PASS

26 dB Bandwidth



Measurement

Setting	Instrument Value	Target Value
Start Frequency	6.50500 GHz	6.50500 GHz
Stop Frequency	6.74500 GHz	6.74500 GHz
Span	240.000 MHz	240.000 MHz
RBW	1.000 MHz	~ 1.000 MHz
VBW	3.000 MHz	>= 3.000 MHz
SweepPoints	480	~ 480
SweepTime	1.000 ms	AUTO
Reference Level	10.000 dBm	10.000 dBm
Attenuation	20.000 dB	AUTO
Detector	MaxPeak	MaxPeak
SweepCount	200	200
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
Sweeptype	Sweep	AUTO
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.30 dB	0.30 dB
Run	15 / max. 15	max. 15
Stable	2 / 5	5
Max Stable Difference	0.00 dB	0.30 dB

Emission Bandwidth 26 dB (6625 MHz; 11ax80 (80 MHz)) _ Ant1

Customized settings.


26 dB Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)
6625.000000	82.500000	---	320.000000	6583.750000	---

(continuation of the "26 dB Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max R (MHz)	Max Level (dBm)	Result
6625.000000	6666.250000	---	0.5	PASS

26 dB Bandwidth



Measurement

Setting	Instrument Value	Target Value
Start Frequency	6.50500 GHz	6.50500 GHz
Stop Frequency	6.74500 GHz	6.74500 GHz
Span	240.000 MHz	240.000 MHz
RBW	1.000 MHz	~ 1.000 MHz
VBW	3.000 MHz	>= 3.000 MHz
SweepPoints	480	~ 480
SweepTime	1.000 ms	AUTO
Reference Level	10.000 dBm	10.000 dBm
Attenuation	20.000 dB	AUTO
Detector	MaxPeak	MaxPeak
SweepCount	200	200
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
Sweeptype	Sweep	AUTO
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.30 dB	0.30 dB
Run	15 / max. 15	max. 15
Stable	3 / 5	5
Max Stable Difference	0.00 dB	0.30 dB

Emission Bandwidth 26 dB (6705 MHz; 11ax80 (80 MHz)) _ Ant0

Customized settings.


26 dB Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)
6705.000000	82.500000	---	320.000000	6663.750000	---

(continuation of the "26 dB Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max R (MHz)	Max Level (dBm)	Result
6705.000000	6746.250000	---	2.1	PASS

26 dB Bandwidth



Measurement

Setting	Instrument Value	Target Value
Start Frequency	6.58500 GHz	6.58500 GHz
Stop Frequency	6.82500 GHz	6.82500 GHz
Span	240.000 MHz	240.000 MHz
RBW	1.000 MHz	~ 1.000 MHz
VBW	3.000 MHz	>= 3.000 MHz
SweepPoints	480	~ 480
SweepTime	1.000 ms	AUTO
Reference Level	10.000 dBm	10.000 dBm
Attenuation	20.000 dB	AUTO
Detector	MaxPeak	MaxPeak
SweepCount	200	200
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
SweepType	Sweep	AUTO
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.30 dB	0.30 dB
Run	15 / max. 15	max. 15
Stable	0 / 5	5
Max Stable Difference	1.96 dB	0.30 dB

Emission Bandwidth 26 dB (6705 MHz; 11ax80 (80 MHz)) _ Ant1

Customized settings.


26 dB Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)
6705.000000	82.500000	---	320.000000	6663.750000	---

(continuation of the "26 dB Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max R (MHz)	Max Level (dBm)	Result
6705.000000	6746.250000	---	0.7	PASS

26 dB Bandwidth



Measurement

Setting	Instrument Value	Target Value
Start Frequency	6.58500 GHz	6.58500 GHz
Stop Frequency	6.82500 GHz	6.82500 GHz
Span	240.000 MHz	240.000 MHz
RBW	1.000 MHz	~ 1.000 MHz
VBW	3.000 MHz	>= 3.000 MHz
SweepPoints	480	~ 480
SweepTime	1.000 ms	AUTO
Reference Level	10.000 dBm	10.000 dBm
Attenuation	20.000 dB	AUTO
Detector	MaxPeak	MaxPeak
SweepCount	200	200
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
SweepType	Sweep	AUTO
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.30 dB	0.30 dB
Run	15 / max. 15	max. 15
Stable	2 / 5	5
Max Stable Difference	0.00 dB	0.30 dB

Emission Bandwidth 26 dB (6785 MHz; 11ax80 (80 MHz)) _ Ant0

Customized settings.


26 dB Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)
6785.000000	82.500000	---	320.000000	6744.250000	---

(continuation of the "26 dB Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max R (MHz)	Max Level (dBm)	Result
6785.000000	6826.750000	---	2.2	PASS

26 dB Bandwidth



Measurement

Setting	Instrument Value	Target Value
Start Frequency	6.66500 GHz	6.66500 GHz
Stop Frequency	6.90500 GHz	6.90500 GHz
Span	240.000 MHz	240.000 MHz
RBW	1.000 MHz	~ 1.000 MHz
VBW	3.000 MHz	>= 3.000 MHz
SweepPoints	480	~ 480
SweepTime	1.000 ms	AUTO
Reference Level	10.000 dBm	10.000 dBm
Attenuation	20.000 dB	AUTO
Detector	MaxPeak	MaxPeak
SweepCount	200	200
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
Sweeptype	Sweep	AUTO
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.30 dB	0.30 dB
Run	15 / max. 15	max. 15
Stable	3 / 5	5
Max Stable Difference	0.00 dB	0.30 dB

Emission Bandwidth 26 dB (6785 MHz; 11ax80 (80 MHz)) _ Ant1

Customized settings.


26 dB Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)
6785.000000	82.500000	---	320.000000	6743.750000	---

(continuation of the "26 dB Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max R (MHz)	Max Level (dBm)	Result
6785.000000	6826.250000	---	0.4	PASS

26 dB Bandwidth



Measurement

Setting	Instrument Value	Target Value
Start Frequency	6.66500 GHz	6.66500 GHz
Stop Frequency	6.90500 GHz	6.90500 GHz
Span	240.000 MHz	240.000 MHz
RBW	1.000 MHz	~ 1.000 MHz
VBW	3.000 MHz	>= 3.000 MHz
SweepPoints	480	~ 480
SweepTime	1.000 ms	AUTO
Reference Level	10.000 dBm	10.000 dBm
Attenuation	20.000 dB	AUTO
Detector	MaxPeak	MaxPeak
SweepCount	200	200
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
Sweeptype	Sweep	AUTO
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.30 dB	0.30 dB
Run	15 / max. 15	max. 15
Stable	0 / 5	5
Max Stable Difference	1.29 dB	0.30 dB

Emission Bandwidth 26 dB (6865 MHz; 11ax80 (80 MHz)) _ Ant0

Customized settings.


26 dB Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Bandwidth U-NII 7 (MHz)	Bandwidth U-NII 8 (MHz)	Limit Min (MHz)	Limit Max (MHz)
6865.000000	82.500000	51.250000	31.250000	---	320.000000

(continuation of the "26 dB Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)	Band Edge Right (MHz)	Limit Max R BE (MHz)	Max Level (dBm)	Result
6865.000000	6823.750000	---	6906.250000	---	1.5	PASS

26 dB Bandwidth



Measurement

Setting	Instrument Value	Target Value
Start Frequency	6.74500 GHz	6.74500 GHz
Stop Frequency	6.98500 GHz	6.98500 GHz
Span	240.000 MHz	240.000 MHz
RBW	1.000 MHz	~ 1.000 MHz
VBW	3.000 MHz	>= 3.000 MHz
SweepPoints	480	~ 480
Sweeptime	1.000 ms	AUTO
Reference Level	10.000 dBm	10.000 dBm
Attenuation	20.000 dB	AUTO
Detector	MaxPeak	MaxPeak
SweepCount	200	200
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
Sweeptype	Sweep	AUTO
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.30 dB	0.30 dB
Run	15 / max. 15	max. 15
Stable	2 / 5	5
Max Stable Difference	0.00 dB	0.30 dB

Emission Bandwidth 26 dB (6865 MHz; 11ax80 (80 MHz)) _ Ant1

Customized settings.


26 dB Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Bandwidth U-NII 7 (MHz)	Bandwidth U-NII 8 (MHz)	Limit Min (MHz)	Limit Max (MHz)
6865.000000	82.500000	51.250000	31.250000	---	320.000000

(continuation of the "26 dB Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)	Band Edge Right (MHz)	Limit Max R BE (MHz)	Max Level (dBm)	Result
6865.000000	6823.750000	---	6906.250000	---	1.0	PASS

26 dB Bandwidth



Measurement

Setting	Instrument Value	Target Value
Start Frequency	6.74500 GHz	6.74500 GHz
Stop Frequency	6.98500 GHz	6.98500 GHz
Span	240.000 MHz	240.000 MHz
RBW	1.000 MHz	~ 1.000 MHz
VBW	3.000 MHz	>= 3.000 MHz
SweepPoints	480	~ 480
Sweeptime	1.000 ms	AUTO
Reference Level	10.000 dBm	10.000 dBm
Attenuation	20.000 dB	AUTO
Detector	MaxPeak	MaxPeak
SweepCount	200	200
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
Sweeptype	Sweep	AUTO
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.30 dB	0.30 dB
Run	15 / max. 15	max. 15
Stable	1 / 5	5
Max Stable Difference	0.00 dB	0.30 dB

Emission Bandwidth 26 dB (6945 MHz; 11ax80 (80 MHz)) _ Ant0

Customized settings.


26 dB Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)
6945.000000	82.500000	---	320.000000	6903.750000	---

(continuation of the "26 dB Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max R (MHz)	Max Level (dBm)	Result
6945.000000	6986.250000	---	2.1	PASS

26 dB Bandwidth



Measurement

Setting	Instrument Value	Target Value
Start Frequency	6.82500 GHz	6.82500 GHz
Stop Frequency	7.06500 GHz	7.06500 GHz
Span	240.000 MHz	240.000 MHz
RBW	1.000 MHz	~ 1.000 MHz
VBW	3.000 MHz	>= 3.000 MHz
SweepPoints	480	~ 480
SweepTime	1.000 ms	AUTO
Reference Level	10.000 dBm	10.000 dBm
Attenuation	20.000 dB	AUTO
Detector	MaxPeak	MaxPeak
SweepCount	200	200
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
SweepType	Sweep	AUTO
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.30 dB	0.30 dB
Run	15 / max. 15	max. 15
Stable	3 / 5	5
Max Stable Difference	0.00 dB	0.30 dB

Emission Bandwidth 26 dB (6945 MHz; 11ax80 (80 MHz)) _ Ant1

Customized settings.


26 dB Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)
6945.000000	83.000000	---	320.000000	6903.250000	---

(continuation of the "26 dB Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max R (MHz)	Max Level (dBm)	Result
6945.000000	6986.250000	---	1.9	PASS

26 dB Bandwidth



Measurement

Setting	Instrument Value	Target Value
Start Frequency	6.82500 GHz	6.82500 GHz
Stop Frequency	7.06500 GHz	7.06500 GHz
Span	240.000 MHz	240.000 MHz
RBW	1.000 MHz	~ 1.000 MHz
VBW	3.000 MHz	>= 3.000 MHz
SweepPoints	480	~ 480
SweepTime	1.000 ms	AUTO
Reference Level	10.000 dBm	10.000 dBm
Attenuation	20.000 dB	AUTO
Detector	MaxPeak	MaxPeak
SweepCount	200	200
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
Sweeptype	Sweep	AUTO
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.30 dB	0.30 dB
Run	15 / max. 15	max. 15
Stable	2 / 5	5
Max Stable Difference	0.00 dB	0.30 dB

Emission Bandwidth 26 dB (7025 MHz; 11ax80 (80 MHz)) _ Ant0

Customized settings.


26 dB Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)
7025.000000	82.500000	---	320.000000	6983.750000	---

(continuation of the "26 dB Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max R (MHz)	Max Level (dBm)	Result
7025.000000	7066.250000	---	0.6	PASS

26 dB Bandwidth



Measurement

Setting	Instrument Value	Target Value
Start Frequency	6.90500 GHz	6.90500 GHz
Stop Frequency	7.14500 GHz	7.14500 GHz
Span	240.000 MHz	240.000 MHz
RBW	1.000 MHz	~ 1.000 MHz
VBW	3.000 MHz	>= 3.000 MHz
SweepPoints	480	~ 480
SweepTime	1.000 ms	AUTO
Reference Level	10.000 dBm	10.000 dBm
Attenuation	20.000 dB	AUTO
Detector	MaxPeak	MaxPeak
SweepCount	200	200
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
Sweeptype	Sweep	AUTO
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.30 dB	0.30 dB
Run	15 / max. 15	max. 15
Stable	2 / 5	5
Max Stable Difference	0.00 dB	0.30 dB

Emission Bandwidth 26 dB (7025 MHz; 11ax80 (80 MHz)) _ Ant1

Customized settings.


26 dB Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)
7025.000000	83.000000	---	320.000000	6983.250000	---

(continuation of the "26 dB Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max R (MHz)	Max Level (dBm)	Result
7025.000000	7066.250000	---	0.8	PASS

26 dB Bandwidth



Measurement

Setting	Instrument Value	Target Value
Start Frequency	6.90500 GHz	6.90500 GHz
Stop Frequency	7.14500 GHz	7.14500 GHz
Span	240.000 MHz	240.000 MHz
RBW	1.000 MHz	~ 1.000 MHz
VBW	3.000 MHz	>= 3.000 MHz
SweepPoints	480	~ 480
SweepTime	1.000 ms	AUTO
Reference Level	10.000 dBm	10.000 dBm
Attenuation	20.000 dB	AUTO
Detector	MaxPeak	MaxPeak
SweepCount	200	200
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
Sweeptype	Sweep	AUTO
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.30 dB	0.30 dB
Run	15 / max. 15	max. 15
Stable	2 / 5	5
Max Stable Difference	0.00 dB	0.30 dB

Emission Bandwidth 26 dB (6025 MHz; 11ax160 (160 MHz)) _ Ant0

Customized settings.


26 dB Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)
6025.000000	166.000000	---	320.000000	5941.500000	---

(continuation of the "26 dB Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max R (MHz)	Max Level (dBm)	Result
6025.000000	6107.500000	---	4.2	PASS

26 dB Bandwidth



Measurement

Setting	Instrument Value	Target Value
Start Frequency	5.78500 GHz	5.78500 GHz
Stop Frequency	6.26500 GHz	6.26500 GHz
Span	480.000 MHz	480.000 MHz
RBW	2.000 MHz	~ 2.000 MHz
VBW	10.000 MHz	>= 6.000 MHz
SweepPoints	480	~ 480
SweepTime	1.000 ms	AUTO
Reference Level	10.000 dBm	10.000 dBm
Attenuation	20.000 dB	AUTO
Detector	MaxPeak	MaxPeak
SweepCount	200	200
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
Sweeptype	Sweep	AUTO
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.30 dB	0.30 dB
Run	15 / max. 15	max. 15
Stable	1 / 5	5
Max Stable Difference	0.00 dB	0.30 dB

Emission Bandwidth 26 dB (6025 MHz; 11ax160 (160 MHz)) _ Ant1

Customized settings.


26 dB Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)
6025.000000	166.000000	---	320.000000	5941.500000	---

(continuation of the "26 dB Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max R (MHz)	Max Level (dBm)	Result
6025.000000	6107.500000	---	3.1	PASS

26 dB Bandwidth



Measurement

Setting	Instrument Value	Target Value
Start Frequency	5.78500 GHz	5.78500 GHz
Stop Frequency	6.26500 GHz	6.26500 GHz
Span	480.000 MHz	480.000 MHz
RBW	2.000 MHz	~ 2.000 MHz
VBW	10.000 MHz	>= 6.000 MHz
SweepPoints	480	~ 480
SweepTime	1.000 ms	AUTO
Reference Level	10.000 dBm	10.000 dBm
Attenuation	20.000 dB	AUTO
Detector	MaxPeak	MaxPeak
SweepCount	200	200
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
SweepType	Sweep	AUTO
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.30 dB	0.30 dB
Run	15 / max. 15	max. 15
Stable	2 / 5	5
Max Stable Difference	0.00 dB	0.30 dB

Emission Bandwidth 26 dB (6185 MHz; 11ax160 (160 MHz)) _ Ant0

Customized settings.


26 dB Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)
6185.000000	166.000000	---	320.000000	6101.500000	---

(continuation of the "26 dB Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max R (MHz)	Max Level (dBm)	Result
6185.000000	6267.500000	---	2.8	PASS

26 dB Bandwidth



Measurement

Setting	Instrument Value	Target Value
Start Frequency	5.94500 GHz	5.94500 GHz
Stop Frequency	6.42500 GHz	6.42500 GHz
Span	480.000 MHz	480.000 MHz
RBW	2.000 MHz	~ 2.000 MHz
VBW	10.000 MHz	>= 6.000 MHz
SweepPoints	480	~ 480
SweepTime	1.000 ms	AUTO
Reference Level	10.000 dBm	10.000 dBm
Attenuation	20.000 dB	AUTO
Detector	MaxPeak	MaxPeak
SweepCount	200	200
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
Sweeptype	Sweep	AUTO
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.30 dB	0.30 dB
Run	15 / max. 15	max. 15
Stable	1 / 5	5
Max Stable Difference	0.00 dB	0.30 dB

Emission Bandwidth 26 dB (6185 MHz; 11ax160 (160 MHz)) _ Ant1

Customized settings.


26 dB Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)
6185.000000	167.000000	---	320.000000	6101.500000	---

(continuation of the "26 dB Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max R (MHz)	BE (MHz)	Max Level (dBm)	Result
6185.000000	6268.500000	---	---	1.9	PASS

26 dB Bandwidth



Measurement

Setting	Instrument Value	Target Value
Start Frequency	5.94500 GHz	5.94500 GHz
Stop Frequency	6.42500 GHz	6.42500 GHz
Span	480.000 MHz	480.000 MHz
RBW	2.000 MHz	~ 2.000 MHz
VBW	10.000 MHz	>= 6.000 MHz
SweepPoints	480	~ 480
SweepTime	1.000 ms	AUTO
Reference Level	10.000 dBm	10.000 dBm
Attenuation	20.000 dB	AUTO
Detector	MaxPeak	MaxPeak
SweepCount	200	200
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
Sweeptype	Sweep	AUTO
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.30 dB	0.30 dB
Run	15 / max. 15	max. 15
Stable	1 / 5	5
Max Stable Difference	0.00 dB	0.30 dB

Emission Bandwidth 26 dB (6345 MHz; 11ax160 (160 MHz)) _ Ant0

Customized settings.


26 dB Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)
6345.000000	167.000000	---	320.000000	6261.500000	---

(continuation of the "26 dB Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max R (MHz)	Max Level (dBm)	Result
6345.000000	6428.500000	---	3.4	PASS

26 dB Bandwidth



Measurement

Setting	Instrument Value	Target Value
Start Frequency	6.10500 GHz	6.10500 GHz
Stop Frequency	6.58500 GHz	6.58500 GHz
Span	480.000 MHz	480.000 MHz
RBW	2.000 MHz	~ 2.000 MHz
VBW	10.000 MHz	>= 6.000 MHz
SweepPoints	480	~ 480
SweepTime	1.000 ms	AUTO
Reference Level	10.000 dBm	10.000 dBm
Attenuation	20.000 dB	AUTO
Detector	MaxPeak	MaxPeak
SweepCount	200	200
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
SweepType	Sweep	AUTO
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.30 dB	0.30 dB
Run	15 / max. 15	max. 15
Stable	2 / 5	5
Max Stable Difference	0.00 dB	0.30 dB

Emission Bandwidth 26 dB (6345 MHz; 11ax160 (160 MHz)) _ Ant1

Customized settings.


26 dB Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)
6345.000000	166.000000	---	320.000000	6261.500000	---

(continuation of the "26 dB Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max R (MHz)	Max Level (dBm)	Result
6345.000000	6427.500000	---	3.4	PASS

26 dB Bandwidth



Measurement

Setting	Instrument Value	Target Value
Start Frequency	6.10500 GHz	6.10500 GHz
Stop Frequency	6.58500 GHz	6.58500 GHz
Span	480.000 MHz	480.000 MHz
RBW	2.000 MHz	~ 2.000 MHz
VBW	10.000 MHz	>= 6.000 MHz
SweepPoints	480	~ 480
SweepTime	1.000 ms	AUTO
Reference Level	10.000 dBm	10.000 dBm
Attenuation	20.000 dB	AUTO
Detector	MaxPeak	MaxPeak
SweepCount	200	200
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
Sweeptype	Sweep	AUTO
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.30 dB	0.30 dB
Run	15 / max. 15	max. 15
Stable	2 / 5	5
Max Stable Difference	0.00 dB	0.30 dB

Emission Bandwidth 26 dB (6505 MHz; 11ax160 (160 MHz)) _ Ant0

Customized settings.


26 dB Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Bandwidth U-NII 6 (MHz)	Bandwidth U-NII 7 (MHz)	Limit Min (MHz)	Limit Max (MHz)
6505.000000	167.000000	103.500000	63.500000	---	320.000000

(continuation of the "26 dB Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)	Band Edge Right (MHz)	Limit Max R BE (MHz)	Max Level (dBm)	Result
6505.000000	6421.500000	---	6588.500000	---	2.7	PASS

26 dB Bandwidth



Measurement

Setting	Instrument Value	Target Value
Start Frequency	6.26500 GHz	6.26500 GHz
Stop Frequency	6.74500 GHz	6.74500 GHz
Span	480.000 MHz	480.000 MHz
RBW	2.000 MHz	~ 2.000 MHz
VBW	10.000 MHz	>= 6.000 MHz
SweepPoints	480	~ 480
Sweeptime	1.000 ms	AUTO
Reference Level	10.000 dBm	10.000 dBm
Attenuation	20.000 dB	AUTO
Detector	MaxPeak	MaxPeak
SweepCount	200	200
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
Sweeptype	Sweep	AUTO
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.30 dB	0.30 dB
Run	15 / max. 15	max. 15
Stable	1 / 5	5
Max Stable Difference	0.00 dB	0.30 dB

Emission Bandwidth 26 dB (6505 MHz; 11ax160 (160 MHz)) _ Ant1

Customized settings.


26 dB Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Bandwidth U-NII 6 (MHz)	Bandwidth U-NII 7 (MHz)	Limit Min (MHz)	Limit Max (MHz)
6505.000000	167.000000	103.500000	63.500000	---	320.000000

(continuation of the "26 dB Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)	Band Edge Right (MHz)	Limit Max R BE (MHz)	Max Level (dBm)	Result
6505.000000	6421.500000	---	6588.500000	---	2.0	PASS

26 dB Bandwidth



Measurement

Setting	Instrument Value	Target Value
Start Frequency	6.26500 GHz	6.26500 GHz
Stop Frequency	6.74500 GHz	6.74500 GHz
Span	480.000 MHz	480.000 MHz
RBW	2.000 MHz	~ 2.000 MHz
VBW	10.000 MHz	>= 6.000 MHz
SweepPoints	480	~ 480
Sweeptime	1.000 ms	AUTO
Reference Level	10.000 dBm	10.000 dBm
Attenuation	20.000 dB	AUTO
Detector	MaxPeak	MaxPeak
SweepCount	200	200
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
Sweeptype	Sweep	AUTO
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.30 dB	0.30 dB
Run	15 / max. 15	max. 15
Stable	3 / 5	5
Max Stable Difference	0.00 dB	0.30 dB

Emission Bandwidth 26 dB (6665 MHz; 11ax160 (160 MHz)) _ Ant0

Customized settings.


26 dB Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)
6665.000000	167.000000	---	320.000000	6581.500000	---

(continuation of the "26 dB Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max R (MHz)	Max Level (dBm)	Result
6665.000000	6748.500000	---	3.3	PASS

26 dB Bandwidth



Measurement

Setting	Instrument Value	Target Value
Start Frequency	6.42500 GHz	6.42500 GHz
Stop Frequency	6.90500 GHz	6.90500 GHz
Span	480.000 MHz	480.000 MHz
RBW	2.000 MHz	~ 2.000 MHz
VBW	10.000 MHz	>= 6.000 MHz
SweepPoints	480	~ 480
SweepTime	1.000 ms	AUTO
Reference Level	10.000 dBm	10.000 dBm
Attenuation	20.000 dB	AUTO
Detector	MaxPeak	MaxPeak
SweepCount	200	200
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
SweepType	Sweep	AUTO
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.30 dB	0.30 dB
Run	15 / max. 15	max. 15
Stable	1 / 5	5
Max Stable Difference	0.00 dB	0.30 dB

Emission Bandwidth 26 dB (6665 MHz; 11ax160 (160 MHz)) _ Ant1

Customized settings.


26 dB Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)
6665.000000	167.000000	---	320.000000	6581.500000	---

(continuation of the "26 dB Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max R (MHz)	Max Level (dBm)	Result
6665.000000	6748.500000	---	3.0	PASS

26 dB Bandwidth



Measurement

Setting	Instrument Value	Target Value
Start Frequency	6.42500 GHz	6.42500 GHz
Stop Frequency	6.90500 GHz	6.90500 GHz
Span	480.000 MHz	480.000 MHz
RBW	2.000 MHz	~ 2.000 MHz
VBW	10.000 MHz	>= 6.000 MHz
SweepPoints	480	~ 480
SweepTime	1.000 ms	AUTO
Reference Level	10.000 dBm	10.000 dBm
Attenuation	20.000 dB	AUTO
Detector	MaxPeak	MaxPeak
SweepCount	200	200
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
SweepType	Sweep	AUTO
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.30 dB	0.30 dB
Run	15 / max. 15	max. 15
Stable	0 / 5	5
Max Stable Difference	1.62 dB	0.30 dB

Emission Bandwidth 26 dB (6825 MHz; 11ax160 (160 MHz)) _ Ant0

Customized settings.


26 dB Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Bandwidth U-NII 7 (MHz)	Bandwidth U-NII 8 (MHz)	Limit Min (MHz)	Limit Max (MHz)
6825.000000	165.000000	132.500000	32.500000	---	320.000000

(continuation of the "26 dB Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)	Band Edge Right (MHz)	Limit Max R BE (MHz)	Max Level (dBm)	Result
6825.000000	6742.500000	---	6907.500000	---	3.2	PASS

26 dB Bandwidth



Measurement

Setting	Instrument Value	Target Value
Start Frequency	6.58500 GHz	6.58500 GHz
Stop Frequency	7.06500 GHz	7.06500 GHz
Span	480.000 MHz	480.000 MHz
RBW	2.000 MHz	~ 2.000 MHz
VBW	10.000 MHz	>= 6.000 MHz
SweepPoints	480	~ 480
Sweeptime	1.000 ms	AUTO
Reference Level	10.000 dBm	10.000 dBm
Attenuation	20.000 dB	AUTO
Detector	MaxPeak	MaxPeak
SweepCount	200	200
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
Sweeptype	Sweep	AUTO
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.30 dB	0.30 dB
Run	15 / max. 15	max. 15
Stable	2 / 5	5
Max Stable Difference	0.00 dB	0.30 dB

Emission Bandwidth 26 dB (6825 MHz; 11ax160 (160 MHz)) _ Ant1

Customized settings.


26 dB Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Bandwidth U-NII 7 (MHz)	Bandwidth U-NII 8 (MHz)	Limit Min (MHz)	Limit Max (MHz)
6825.000000	166.000000	133.500000	32.500000	---	320.000000

(continuation of the "26 dB Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)	Band Edge Right (MHz)	Limit Max R BE (MHz)	Max Level (dBm)	Result
6825.000000	6741.500000	---	6907.500000	---	3.6	PASS

26 dB Bandwidth



Measurement

Setting	Instrument Value	Target Value
Start Frequency	6.58500 GHz	6.58500 GHz
Stop Frequency	7.06500 GHz	7.06500 GHz
Span	480.000 MHz	480.000 MHz
RBW	2.000 MHz	~ 2.000 MHz
VBW	10.000 MHz	>= 6.000 MHz
SweepPoints	480	~ 480
Sweeptime	1.000 ms	AUTO
Reference Level	10.000 dBm	10.000 dBm
Attenuation	20.000 dB	AUTO
Detector	MaxPeak	MaxPeak
SweepCount	200	200
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
Sweeptype	Sweep	AUTO
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.30 dB	0.30 dB
Run	15 / max. 15	max. 15
Stable	3 / 5	5
Max Stable Difference	0.00 dB	0.30 dB

Emission Bandwidth 26 dB (6985 MHz; 11ax160 (160 MHz)) _ Ant0

Customized settings.


26 dB Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)
6985.000000	166.000000	---	320.000000	6902.500000	---

(continuation of the "26 dB Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max R (MHz)	Max Level (dBm)	Result
6985.000000	7068.500000	---	3.9	PASS

26 dB Bandwidth



Measurement

Setting	Instrument Value	Target Value
Start Frequency	6.74500 GHz	6.74500 GHz
Stop Frequency	7.22500 GHz	7.22500 GHz
Span	480.000 MHz	480.000 MHz
RBW	2.000 MHz	~ 2.000 MHz
VBW	10.000 MHz	>= 6.000 MHz
SweepPoints	480	~ 480
SweepTime	1.000 ms	AUTO
Reference Level	10.000 dBm	10.000 dBm
Attenuation	20.000 dB	AUTO
Detector	MaxPeak	MaxPeak
SweepCount	200	200
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
Sweeptype	Sweep	AUTO
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.30 dB	0.30 dB
Run	15 / max. 15	max. 15
Stable	3 / 5	5
Max Stable Difference	0.00 dB	0.30 dB

Emission Bandwidth 26 dB (6985 MHz; 11ax160 (160 MHz)) _ Ant1

Customized settings.


26 dB Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)
6985.000000	167.000000	---	320.000000	6901.500000	---

(continuation of the "26 dB Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max R (MHz)	Max Level (dBm)	Result
6985.000000	7068.500000	---	2.3	PASS

26 dB Bandwidth



Measurement

Setting	Instrument Value	Target Value
Start Frequency	6.74500 GHz	6.74500 GHz
Stop Frequency	7.22500 GHz	7.22500 GHz
Span	480.000 MHz	480.000 MHz
RBW	2.000 MHz	~ 2.000 MHz
VBW	10.000 MHz	>= 6.000 MHz
SweepPoints	480	~ 480
SweepTime	1.000 ms	AUTO
Reference Level	10.000 dBm	10.000 dBm
Attenuation	20.000 dB	AUTO
Detector	MaxPeak	MaxPeak
SweepCount	200	200
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
Sweeptype	Sweep	AUTO
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.30 dB	0.30 dB
Run	15 / max. 15	max. 15
Stable	1 / 5	5
Max Stable Difference	0.00 dB	0.30 dB

Emission Bandwidth

Occupied Channel Bandwidth 99% (5955 MHz; 11ax20 (20 MHz)) _ Ant0

Customized settings.


99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)
5955.000000	18.900000	---	320.000000	5945.550000	5925.000000

(continuation of the "99 % Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Result
5955.000000	5964.450000	7125.000000	PASS

99 % Bandwidth



Measurement

Setting	Instrument Value	Target Value
Start Frequency	5.93500 GHz	5.93500 GHz
Stop Frequency	5.97500 GHz	5.97500 GHz
Span	40.000 MHz	40.000 MHz
RBW	200.000 kHz	>= 200.000 kHz
VBW	1.000 MHz	>= 600.000 kHz
SweepPoints	400	~ 400
SweepTime	1.000 ms	AUTO
Reference Level	10.000 dBm	10.000 dBm
Attenuation	20.000 dB	AUTO
Detector	MaxPeak	MaxPeak
SweepCount	200	200
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
Sweeptype	Sweep	AUTO
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.30 dB	0.30 dB
Run	5 / max. 5	max. 5
Stable	1 / 5	5
Max Stable Difference	0.00 dB	0.30 dB

Occupied Channel Bandwidth 99% (5955 MHz; 11x20 (20 MHz)) _ Ant1

Customized settings.


99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)
5955.000000	18.900000	---	320.000000	5945.550000	5925.000000

(continuation of the "99 % Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Result
5955.000000	5964.450000	7125.000000	PASS

99 % B andwidth



Measurement

Setting	Instrument Value	Target Value
Start Frequency	5.93500 GHz	5.93500 GHz
Stop Frequency	5.97500 GHz	5.97500 GHz
Span	40.000 MHz	40.000 MHz
RBW	200.000 kHz	>= 200.000 kHz
VBW	1.000 MHz	>= 600.000 kHz
SweepPoints	400	~ 400
SweepTime	1.000 ms	AUTO
Reference Level	10.000 dBm	10.000 dBm
Attenuation	20.000 dB	AUTO
Detector	MaxPeak	MaxPeak
SweepCount	200	200
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
SweepType	Sweep	AUTO
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.30 dB	0.30 dB
Run	5 / max. 5	max. 5
Stable	1 / 5	5
Max Stable Difference	0.00 dB	0.30 dB

Occupied Channel Bandwidth 99% (6175 MHz; 11ax20 (20 MHz)) _ Ant0

Customized settings.


99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)
6175.000000	18.900000	---	320.000000	6165.550000	5925.000000

(continuation of the "99 % Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Result
6175.000000	6184.450000	7125.000000	PASS

99 % B andwidth



Measurement

Setting	Instrument Value	Target Value
Start Frequency	6.15500 GHz	6.15500 GHz
Stop Frequency	6.19500 GHz	6.19500 GHz
Span	40.000 MHz	40.000 MHz
RBW	200.000 kHz	>= 200.000 kHz
VBW	1.000 MHz	>= 600.000 kHz
SweepPoints	400	~ 400
SweepTime	1.000 ms	AUTO
Reference Level	10.000 dBm	10.000 dBm
Attenuation	20.000 dB	AUTO
Detector	MaxPeak	MaxPeak
SweepCount	200	200
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
Sweeptype	Sweep	AUTO
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.30 dB	0.30 dB
Run	5 / max. 5	max. 5
Stable	0 / 5	5
Max Stable Difference	1.28 dB	0.30 dB

Occupied Channel Bandwidth 99% (6175 MHz; 11ax20 (20 MHz)) _ Ant1

Customized settings.


99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)
6175.000000	18.900000	---	320.000000	6165.550000	5925.000000

(continuation of the "99 % Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Result
6175.000000	6184.450000	7125.000000	PASS

99 % B andwidth



Measurement

Setting	Instrument Value	Target Value
Start Frequency	6.15500 GHz	6.15500 GHz
Stop Frequency	6.19500 GHz	6.19500 GHz
Span	40.000 MHz	40.000 MHz
RBW	200.000 kHz	>= 200.000 kHz
VBW	1.000 MHz	>= 600.000 kHz
SweepPoints	400	~ 400
SweepTime	1.000 ms	AUTO
Reference Level	10.000 dBm	10.000 dBm
Attenuation	20.000 dB	AUTO
Detector	MaxPeak	MaxPeak
SweepCount	200	200
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
SweepType	Sweep	AUTO
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.30 dB	0.30 dB
Run	5 / max. 5	max. 5
Stable	0 / 5	5
Max Stable Difference	2.17 dB	0.30 dB

Occupied Channel Bandwidth 99% (6415 MHz; 11ax20 (20 MHz)) _ Ant0

Customized settings.


99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)
6415.000000	18.900000	---	320.000000	6405.550000	5925.000000

(continuation of the "99 % Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Result
6415.000000	6424.450000	7125.000000	PASS

99 % B andwidth



Measurement

Setting	Instrument Value	Target Value
Start Frequency	6.39500 GHz	6.39500 GHz
Stop Frequency	6.43500 GHz	6.43500 GHz
Span	40.000 MHz	40.000 MHz
RBW	200.000 kHz	>= 200.000 kHz
VBW	1.000 MHz	>= 600.000 kHz
SweepPoints	400	~ 400
SweepTime	1.000 ms	AUTO
Reference Level	10.000 dBm	10.000 dBm
Attenuation	20.000 dB	AUTO
Detector	MaxPeak	MaxPeak
SweepCount	200	200
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
SweepType	Sweep	AUTO
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.30 dB	0.30 dB
Run	5 / max. 5	max. 5
Stable	0 / 5	5
Max Stable Difference	0.57 dB	0.30 dB

Occupied Channel Bandwidth 99% (6415 MHz; 11ax20 (20 MHz)) _ Ant1

Customized settings.


99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)
6415.000000	18.900000	---	320.000000	6405.550000	5925.000000

(continuation of the "99 % Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Result
6415.000000	6424.450000	7125.000000	PASS

99 % B andwidth



Measurement

Setting	Instrument Value	Target Value
Start Frequency	6.39500 GHz	6.39500 GHz
Stop Frequency	6.43500 GHz	6.43500 GHz
Span	40.000 MHz	40.000 MHz
RBW	200.000 kHz	>= 200.000 kHz
VBW	1.000 MHz	>= 600.000 kHz
SweepPoints	400	~ 400
SweepTime	1.000 ms	AUTO
Reference Level	10.000 dBm	10.000 dBm
Attenuation	20.000 dB	AUTO
Detector	MaxPeak	MaxPeak
SweepCount	200	200
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
Sweeptype	Sweep	AUTO
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.30 dB	0.30 dB
Run	5 / max. 5	max. 5
Stable	1 / 5	5
Max Stable Difference	0.00 dB	0.30 dB

Occupied Channel Bandwidth 99% (6435 MHz; 11ax20 (20 MHz)) _ Ant0

Customized settings.


99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)
6435.000000	18.900000	---	320.000000	6425.550000	5925.000000

(continuation of the "99 % Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Result
6435.000000	6444.450000	7125.000000	PASS

99 % B andwidth



Measurement

Setting	Instrument Value	Target Value
Start Frequency	6.41500 GHz	6.41500 GHz
Stop Frequency	6.45500 GHz	6.45500 GHz
Span	40.000 MHz	40.000 MHz
RBW	200.000 kHz	>= 200.000 kHz
VBW	1.000 MHz	>= 600.000 kHz
SweepPoints	400	~ 400
SweepTime	1.000 ms	AUTO
Reference Level	10.000 dBm	10.000 dBm
Attenuation	20.000 dB	AUTO
Detector	MaxPeak	MaxPeak
SweepCount	200	200
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
SweepType	Sweep	AUTO
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.30 dB	0.30 dB
Run	20 / max. 20	max. 20
Stable	3 / 5	5
Max Stable Difference	0.00 dB	0.30 dB

Occupied Channel Bandwidth 99% (6435 MHz; 11x20 (20 MHz)) _ Ant1

Customized settings.


99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)
6435.000000	18.900000	---	320.000000	6425.550000	5925.000000

(continuation of the "99 % Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Result
6435.000000	6444.450000	7125.000000	PASS

99 % B andwidth



Measurement

Setting	Instrument Value	Target Value
Start Frequency	6.41500 GHz	6.41500 GHz
Stop Frequency	6.45500 GHz	6.45500 GHz
Span	40.000 MHz	40.000 MHz
RBW	200.000 kHz	>= 200.000 kHz
VBW	1.000 MHz	>= 600.000 kHz
SweepPoints	400	~ 400
SweepTime	1.000 ms	AUTO
Reference Level	10.000 dBm	10.000 dBm
Attenuation	20.000 dB	AUTO
Detector	MaxPeak	MaxPeak
SweepCount	200	200
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
SweepType	Sweep	AUTO
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.30 dB	0.30 dB
Run	20 / max. 20	max. 20
Stable	1 / 5	5
Max Stable Difference	0.00 dB	0.30 dB

Occupied Channel Bandwidth 99% (6475 MHz; 11ax20 (20 MHz)) _ Ant0

Customized settings.


99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)
6475.000000	18.900000	---	320.000000	6465.550000	5925.000000

(continuation of the "99 % Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Result
6475.000000	6484.450000	7125.000000	PASS

99 % B andwidth



Measurement

Setting	Instrument Value	Target Value
Start Frequency	6.45500 GHz	6.45500 GHz
Stop Frequency	6.49500 GHz	6.49500 GHz
Span	40.000 MHz	40.000 MHz
RBW	200.000 kHz	>= 200.000 kHz
VBW	1.000 MHz	>= 600.000 kHz
SweepPoints	400	~ 400
SweepTime	1.000 ms	AUTO
Reference Level	10.000 dBm	10.000 dBm
Attenuation	20.000 dB	AUTO
Detector	MaxPeak	MaxPeak
SweepCount	200	200
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
Sweeptype	Sweep	AUTO
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.30 dB	0.30 dB
Run	20 / max. 20	max. 20
Stable	1 / 5	5
Max Stable Difference	0.00 dB	0.30 dB

Occupied Channel Bandwidth 99% (6475 MHz; 11ax20 (20 MHz)) _ Ant1

Customized settings.


99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)
6475.000000	18.900000	---	320.000000	6465.550000	5925.000000

(continuation of the "99 % Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Result
6475.000000	6484.450000	7125.000000	PASS

99 % B andwidth



Measurement

Setting	Instrument Value	Target Value
Start Frequency	6.45500 GHz	6.45500 GHz
Stop Frequency	6.49500 GHz	6.49500 GHz
Span	40.000 MHz	40.000 MHz
RBW	200.000 kHz	>= 200.000 kHz
VBW	1.000 MHz	>= 600.000 kHz
SweepPoints	400	~ 400
SweepTime	1.000 ms	AUTO
Reference Level	10.000 dBm	10.000 dBm
Attenuation	20.000 dB	AUTO
Detector	MaxPeak	MaxPeak
SweepCount	200	200
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
Sweeptype	Sweep	AUTO
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.30 dB	0.30 dB
Run	20 / max. 20	max. 20
Stable	1 / 5	5
Max Stable Difference	0.00 dB	0.30 dB

Occupied Channel Bandwidth 99% (6515 MHz; 11ax20 (20 MHz)) _ Ant0

Customized settings.


99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)
6515.000000	18.900000	---	320.000000	6505.550000	5925.000000

(continuation of the "99 % Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Result
6515.000000	6524.450000	7125.000000	PASS

99 % B andwidth



Measurement

Setting	Instrument Value	Target Value
Start Frequency	6.49500 GHz	6.49500 GHz
Stop Frequency	6.53500 GHz	6.53500 GHz
Span	40.000 MHz	40.000 MHz
RBW	200.000 kHz	>= 200.000 kHz
VBW	1.000 MHz	>= 600.000 kHz
SweepPoints	400	~ 400
SweepTime	1.000 ms	AUTO
Reference Level	10.000 dBm	10.000 dBm
Attenuation	20.000 dB	AUTO
Detector	MaxPeak	MaxPeak
SweepCount	200	200
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
Sweeptype	Sweep	AUTO
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.30 dB	0.30 dB
Run	20 / max. 20	max. 20
Stable	2 / 5	5
Max Stable Difference	0.00 dB	0.30 dB

Occupied Channel Bandwidth 99% (6515 MHz; 11x20 (20 MHz)) _ Ant1

Customized settings.


99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)
6515.000000	18.900000	---	320.000000	6505.550000	5925.000000

(continuation of the "99 % Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Result
6515.000000	6524.450000	7125.000000	PASS

99 % B andwidth



Measurement

Setting	Instrument Value	Target Value
Start Frequency	6.49500 GHz	6.49500 GHz
Stop Frequency	6.53500 GHz	6.53500 GHz
Span	40.000 MHz	40.000 MHz
RBW	200.000 kHz	>= 200.000 kHz
VBW	1.000 MHz	>= 600.000 kHz
SweepPoints	400	~ 400
SweepTime	1.000 ms	AUTO
Reference Level	10.000 dBm	10.000 dBm
Attenuation	20.000 dB	AUTO
Detector	MaxPeak	MaxPeak
SweepCount	200	200
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
Sweeptype	Sweep	AUTO
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.30 dB	0.30 dB
Run	20 / max. 20	max. 20
Stable	3 / 5	5
Max Stable Difference	0.00 dB	0.30 dB

Occupied Channel Bandwidth 99% (6535 MHz; 11ax20 (20 MHz)) _ Ant0

Customized settings.


99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)
6535.000000	18.900000	---	320.000000	6525.550000	5925.000000

(continuation of the "99 % Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Result
6535.000000	6544.450000	7125.000000	PASS

99 % B andwidth



Measurement

Setting	Instrument Value	Target Value
Start Frequency	6.51500 GHz	6.51500 GHz
Stop Frequency	6.55500 GHz	6.55500 GHz
Span	40.000 MHz	40.000 MHz
RBW	200.000 kHz	>= 200.000 kHz
VBW	1.000 MHz	>= 600.000 kHz
SweepPoints	400	~ 400
SweepTime	1.000 ms	AUTO
Reference Level	10.000 dBm	10.000 dBm
Attenuation	20.000 dB	AUTO
Detector	MaxPeak	MaxPeak
SweepCount	200	200
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
Sweeptype	Sweep	AUTO
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.30 dB	0.30 dB
Run	20 / max. 20	max. 20
Stable	1 / 5	5
Max Stable Difference	0.16 dB	0.30 dB

Occupied Channel Bandwidth 99% (6535 MHz; 11x20 (20 MHz)) _ Ant1

Customized settings.


99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)
6535.000000	18.900000	---	320.000000	6525.550000	5925.000000

(continuation of the "99 % Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Result
6535.000000	6544.450000	7125.000000	PASS

99 % B andwidth



Measurement

Setting	Instrument Value	Target Value
Start Frequency	6.51500 GHz	6.51500 GHz
Stop Frequency	6.55500 GHz	6.55500 GHz
Span	40.000 MHz	40.000 MHz
RBW	200.000 kHz	>= 200.000 kHz
VBW	1.000 MHz	>= 600.000 kHz
SweepPoints	400	~ 400
SweepTime	1.000 ms	AUTO
Reference Level	10.000 dBm	10.000 dBm
Attenuation	20.000 dB	AUTO
Detector	MaxPeak	MaxPeak
SweepCount	200	200
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
Sweeptype	Sweep	AUTO
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.30 dB	0.30 dB
Run	20 / max. 20	max. 20
Stable	4 / 5	5
Max Stable Difference	0.00 dB	0.30 dB

Occupied Channel Bandwidth 99% (6695 MHz; 11ax20 (20 MHz)) _ Ant0

Customized settings.


99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)
6695.000000	18.900000	---	320.000000	6685.550000	5925.000000

(continuation of the "99 % Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Result
6695.000000	6704.450000	7125.000000	PASS

99 % B andwidth



Measurement

Setting	Instrument Value	Target Value
Start Frequency	6.67500 GHz	6.67500 GHz
Stop Frequency	6.71500 GHz	6.71500 GHz
Span	40.000 MHz	40.000 MHz
RBW	200.000 kHz	>= 200.000 kHz
VBW	1.000 MHz	>= 600.000 kHz
SweepPoints	400	~ 400
SweepTime	1.000 ms	AUTO
Reference Level	10.000 dBm	10.000 dBm
Attenuation	20.000 dB	AUTO
Detector	MaxPeak	MaxPeak
SweepCount	200	200
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
Sweeptype	Sweep	AUTO
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.30 dB	0.30 dB
Run	20 / max. 20	max. 20
Stable	3 / 5	5
Max Stable Difference	0.00 dB	0.30 dB

Occupied Channel Bandwidth 99% (6695 MHz; 11ax20 (20 MHz)) _ Ant1

Customized settings.


99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)
6695.000000	18.900000	---	320.000000	6685.550000	5925.000000

(continuation of the "99 % Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Result
6695.000000	6704.450000	7125.000000	PASS

99 % B andwidth



Measurement

Setting	Instrument Value	Target Value
Start Frequency	6.67500 GHz	6.67500 GHz
Stop Frequency	6.71500 GHz	6.71500 GHz
Span	40.000 MHz	40.000 MHz
RBW	200.000 kHz	>= 200.000 kHz
VBW	1.000 MHz	>= 600.000 kHz
SweepPoints	400	~ 400
SweepTime	1.000 ms	AUTO
Reference Level	10.000 dBm	10.000 dBm
Attenuation	20.000 dB	AUTO
Detector	MaxPeak	MaxPeak
SweepCount	200	200
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
Sweeptype	Sweep	AUTO
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.30 dB	0.30 dB
Run	20 / max. 20	max. 20
Stable	3 / 5	5
Max Stable Difference	0.00 dB	0.30 dB

Occupied Channel Bandwidth 99% (6855 MHz; 11ax20 (20 MHz)) _ Ant0

Customized settings.


99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)
6855.000000	18.900000	---	320.000000	6845.550000	5925.000000

(continuation of the "99 % Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Result
6855.000000	6864.450000	7125.000000	PASS

99 % B andwidth



Measurement

Setting	Instrument Value	Target Value
Start Frequency	6.83500 GHz	6.83500 GHz
Stop Frequency	6.87500 GHz	6.87500 GHz
Span	40.000 MHz	40.000 MHz
RBW	200.000 kHz	>= 200.000 kHz
VBW	1.000 MHz	>= 600.000 kHz
SweepPoints	400	~ 400
SweepTime	1.000 ms	AUTO
Reference Level	10.000 dBm	10.000 dBm
Attenuation	20.000 dB	AUTO
Detector	MaxPeak	MaxPeak
SweepCount	200	200
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
Sweeptype	Sweep	AUTO
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.30 dB	0.30 dB
Run	20 / max. 20	max. 20
Stable	2 / 5	5
Max Stable Difference	0.00 dB	0.30 dB

Occupied Channel Bandwidth 99% (6855 MHz; 11ax20 (20 MHz)) _ Ant1

Customized settings.


99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)
6855.000000	18.900000	---	320.000000	6845.550000	5925.000000

(continuation of the "99 % Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Result
6855.000000	6864.450000	7125.000000	PASS

99 % B andwidth



Measurement

Setting	Instrument Value	Target Value
Start Frequency	6.83500 GHz	6.83500 GHz
Stop Frequency	6.87500 GHz	6.87500 GHz
Span	40.000 MHz	40.000 MHz
RBW	200.000 kHz	>= 200.000 kHz
VBW	1.000 MHz	>= 600.000 kHz
SweepPoints	400	~ 400
SweepTime	1.000 ms	AUTO
Reference Level	10.000 dBm	10.000 dBm
Attenuation	20.000 dB	AUTO
Detector	MaxPeak	MaxPeak
SweepCount	200	200
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
SweepType	Sweep	AUTO
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.30 dB	0.30 dB
Run	20 / max. 20	max. 20
Stable	1 / 5	5
Max Stable Difference	0.00 dB	0.30 dB

Occupied Channel Bandwidth 99% (6875 MHz; 11ax20 (20 MHz)) _ Ant0

Customized settings.


99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Bandwidth U-NII 7 (MHz)	Bandwidth U-NII 8 (MHz)	Limit Min (MHz)	Limit Max (MHz)
6875.000000	18.900000	9.450000	9.450000	---	320.000000

(continuation of the "99 % Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Result
6875.000000	6865.550000	5925.000000	6884.450000	7125.000000	PASS

99 % B andwidth



Measurement

Setting	Instrument Value	Target Value
Start Frequency	6.85500 GHz	6.85500 GHz
Stop Frequency	6.89500 GHz	6.89500 GHz
Span	40.000 MHz	40.000 MHz
RBW	200.000 kHz	>= 200.000 kHz
VBW	1.000 MHz	>= 600.000 kHz
SweepPoints	400	~ 400
Sweeptime	1.000 ms	AUTO
Reference Level	10.000 dBm	10.000 dBm
Attenuation	20.000 dB	AUTO
Detector	MaxPeak	MaxPeak
SweepCount	200	200
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
Sweeptype	Sweep	AUTO
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.30 dB	0.30 dB
Run	20 / max. 20	max. 20
Stable	1 / 5	5
Max Stable Difference	0.00 dB	0.30 dB

Occupied Channel Bandwidth 99% (6875 MHz; 11ax20 (20 MHz)) _ Ant1

Customized settings.


99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Bandwidth U-NII 7 (MHz)	Bandwidth U-NII 8 (MHz)	Limit Min (MHz)	Limit Max (MHz)
6875.000000	18.900000	9.450000	9.450000	---	320.000000

(continuation of the "99 % Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Result
6875.000000	6865.550000	5925.000000	6884.450000	7125.000000	PASS

99 % B andwidth



Measurement

Setting	Instrument Value	Target Value
Start Frequency	6.85500 GHz	6.85500 GHz
Stop Frequency	6.89500 GHz	6.89500 GHz
Span	40.000 MHz	40.000 MHz
RBW	200.000 kHz	>= 200.000 kHz
VBW	1.000 MHz	>= 600.000 kHz
SweepPoints	400	~ 400
Sweeptime	1.000 ms	AUTO
Reference Level	10.000 dBm	10.000 dBm
Attenuation	20.000 dB	AUTO
Detector	MaxPeak	MaxPeak
SweepCount	200	200
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
Sweeptype	Sweep	AUTO
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.30 dB	0.30 dB
Run	20 / max. 20	max. 20
Stable	2 / 5	5
Max Stable Difference	0.00 dB	0.30 dB

Occupied Channel Bandwidth 99% (6895 MHz; 11ax20 (20 MHz)) _ Ant0

Customized settings.


99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)
6895.000000	18.900000	---	320.000000	6885.550000	5925.000000

(continuation of the "99 % Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Result
6895.000000	6904.450000	7125.000000	PASS

99 % B andwidth



Measurement

Setting	Instrument Value	Target Value
Start Frequency	6.87500 GHz	6.87500 GHz
Stop Frequency	6.91500 GHz	6.91500 GHz
Span	40.000 MHz	40.000 MHz
RBW	200.000 kHz	>= 200.000 kHz
VBW	1.000 MHz	>= 600.000 kHz
SweepPoints	400	~ 400
SweepTime	1.000 ms	AUTO
Reference Level	10.000 dBm	10.000 dBm
Attenuation	20.000 dB	AUTO
Detector	MaxPeak	MaxPeak
SweepCount	200	200
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
SweepType	Sweep	AUTO
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.30 dB	0.30 dB
Run	20 / max. 20	max. 20
Stable	3 / 5	5
Max Stable Difference	0.00 dB	0.30 dB

Occupied Channel Bandwidth 99% (6895 MHz; 11ax20 (20 MHz)) _ Ant1

Customized settings.


99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)
6895.000000	18.900000	---	320.000000	6885.550000	5925.000000

(continuation of the "99 % Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Result
6895.000000	6904.450000	7125.000000	PASS

99 % B andwidth



Measurement

Setting	Instrument Value	Target Value
Start Frequency	6.87500 GHz	6.87500 GHz
Stop Frequency	6.91500 GHz	6.91500 GHz
Span	40.000 MHz	40.000 MHz
RBW	200.000 kHz	>= 200.000 kHz
VBW	1.000 MHz	>= 600.000 kHz
SweepPoints	400	~ 400
SweepTime	1.000 ms	AUTO
Reference Level	10.000 dBm	10.000 dBm
Attenuation	20.000 dB	AUTO
Detector	MaxPeak	MaxPeak
SweepCount	200	200
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
Sweeptype	Sweep	AUTO
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.30 dB	0.30 dB
Run	20 / max. 20	max. 20
Stable	2 / 5	5
Max Stable Difference	0.00 dB	0.30 dB

Occupied Channel Bandwidth 99% (6995 MHz; 11ax20 (20 MHz)) _ Ant0

Customized settings.


99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)
6995.000000	18.900000	---	320.000000	6985.550000	5925.000000

(continuation of the "99 % Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Result
6995.000000	7004.450000	7125.000000	PASS

99 % B andwidth



Measurement

Setting	Instrument Value	Target Value
Start Frequency	6.97500 GHz	6.97500 GHz
Stop Frequency	7.01500 GHz	7.01500 GHz
Span	40.000 MHz	40.000 MHz
RBW	200.000 kHz	>= 200.000 kHz
VBW	1.000 MHz	>= 600.000 kHz
SweepPoints	400	~ 400
SweepTime	1.000 ms	AUTO
Reference Level	10.000 dBm	10.000 dBm
Attenuation	20.000 dB	AUTO
Detector	MaxPeak	MaxPeak
SweepCount	200	200
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
Sweeptype	Sweep	AUTO
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.30 dB	0.30 dB
Run	20 / max. 20	max. 20
Stable	4 / 5	5
Max Stable Difference	0.00 dB	0.30 dB

Occupied Channel Bandwidth 99% (6995 MHz; 11ax20 (20 MHz)) _ Ant1

Customized settings.


99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)
6995.000000	18.900000	---	320.000000	6985.550000	5925.000000

(continuation of the "99 % Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Result
6995.000000	7004.450000	7125.000000	PASS

99 % B andwidth



Measurement

Setting	Instrument Value	Target Value
Start Frequency	6.97500 GHz	6.97500 GHz
Stop Frequency	7.01500 GHz	7.01500 GHz
Span	40.000 MHz	40.000 MHz
RBW	200.000 kHz	>= 200.000 kHz
VBW	1.000 MHz	>= 600.000 kHz
SweepPoints	400	~ 400
SweepTime	1.000 ms	AUTO
Reference Level	10.000 dBm	10.000 dBm
Attenuation	20.000 dB	AUTO
Detector	MaxPeak	MaxPeak
SweepCount	200	200
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
Sweeptype	Sweep	AUTO
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.30 dB	0.30 dB
Run	20 / max. 20	max. 20
Stable	2 / 5	5
Max Stable Difference	0.00 dB	0.30 dB

Occupied Channel Bandwidth 99% (7115 MHz; 11ax20 (20 MHz)) _ Ant0

Customized settings.


99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)
7115.000000	18.900000	---	320.000000	7105.550000	5925.000000

(continuation of the "99 % Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Result
7115.000000	7124.450000	7125.000000	PASS

99 % B andwidth



Measurement

Setting	Instrument Value	Target Value
Start Frequency	7.09500 GHz	7.09500 GHz
Stop Frequency	7.13500 GHz	7.13500 GHz
Span	40.000 MHz	40.000 MHz
RBW	200.000 kHz	>= 200.000 kHz
VBW	1.000 MHz	>= 600.000 kHz
SweepPoints	400	~ 400
SweepTime	1.000 ms	AUTO
Reference Level	10.000 dBm	10.000 dBm
Attenuation	20.000 dB	AUTO
Detector	MaxPeak	MaxPeak
SweepCount	200	200
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
Sweeptype	Sweep	AUTO
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.30 dB	0.30 dB
Run	20 / max. 20	max. 20
Stable	1 / 5	5
Max Stable Difference	0.00 dB	0.30 dB

Occupied Channel Bandwidth 99% (7115 MHz; 11ax20 (20 MHz)) _ Ant1

Customized settings.


99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)
7115.000000	18.900000	---	320.000000	7105.550000	5925.000000

(continuation of the "99 % Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Result
7115.000000	7124.450000	7125.000000	PASS

99 % B andwidth



Measurement

Setting	Instrument Value	Target Value
Start Frequency	7.09500 GHz	7.09500 GHz
Stop Frequency	7.13500 GHz	7.13500 GHz
Span	40.000 MHz	40.000 MHz
RBW	200.000 kHz	>= 200.000 kHz
VBW	1.000 MHz	>= 600.000 kHz
SweepPoints	400	~ 400
SweepTime	1.000 ms	AUTO
Reference Level	10.000 dBm	10.000 dBm
Attenuation	20.000 dB	AUTO
Detector	MaxPeak	MaxPeak
SweepCount	200	200
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
Sweeptype	Sweep	AUTO
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.30 dB	0.30 dB
Run	20 / max. 20	max. 20
Stable	3 / 5	5
Max Stable Difference	0.00 dB	0.30 dB

Occupied Channel Bandwidth 99% (5965 MHz; 11x40 (40 MHz)) _ Ant0

Customized settings.


99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)
5965.000000	37.750000	---	320.000000	5946.125000	5925.000000

(continuation of the "99 % Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Result
5965.000000	5983.875000	7125.000000	PASS

99 % B andwidth



Measurement

Setting	Instrument Value	Target Value
Start Frequency	5.92500 GHz	5.92500 GHz
Stop Frequency	6.00500 GHz	6.00500 GHz
Span	80.000 MHz	80.000 MHz
RBW	500.000 kHz	>= 400.000 kHz
VBW	2.000 MHz	>= 1.500 MHz
SweepPoints	320	~ 320
SweepTime	1.000 ms	AUTO
Reference Level	10.000 dBm	10.000 dBm
Attenuation	20.000 dB	AUTO
Detector	MaxPeak	MaxPeak
SweepCount	200	200
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
SweepType	Sweep	AUTO
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.30 dB	0.30 dB
Run	5 / max. 5	max. 5
Stable	1 / 5	5
Max Stable Difference	0.00 dB	0.30 dB

Occupied Channel Bandwidth 99% (5965 MHz; 11ax40 (40 MHz)) _ Ant1

Customized settings.


99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)
5965.000000	37.500000	---	320.000000	5946.125000	5925.000000

(continuation of the "99 % Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Result
5965.000000	5983.625000	7125.000000	PASS

99 % Bandwidth



Measurement

Setting	Instrument Value	Target Value
Start Frequency	5.92500 GHz	5.92500 GHz
Stop Frequency	6.00500 GHz	6.00500 GHz
Span	80.000 MHz	80.000 MHz
RBW	500.000 kHz	>= 400.000 kHz
VBW	2.000 MHz	>= 1.500 MHz
SweepPoints	320	~ 320
SweepTime	1.000 ms	AUTO
Reference Level	10.000 dBm	10.000 dBm
Attenuation	20.000 dB	AUTO
Detector	MaxPeak	MaxPeak
SweepCount	200	200
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
SweepType	Sweep	AUTO
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.30 dB	0.30 dB
Run	5 / max. 5	max. 5
Stable	1 / 5	5
Max Stable Difference	0.00 dB	0.30 dB

Occupied Channel Bandwidth 99% (6165 MHz; 11ax40 (40 MHz)) _ Ant0

Customized settings.


99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)
6165.000000	37.750000	---	320.000000	6146.125000	5925.000000

(continuation of the "99 % Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Result
6165.000000	6183.875000	7125.000000	PASS

99 % B andwidth



Measurement

Setting	Instrument Value	Target Value
Start Frequency	6.12500 GHz	6.12500 GHz
Stop Frequency	6.20500 GHz	6.20500 GHz
Span	80.000 MHz	80.000 MHz
RBW	500.000 kHz	>= 400.000 kHz
VBW	2.000 MHz	>= 1.500 MHz
SweepPoints	320	~ 320
SweepTime	1.000 ms	AUTO
Reference Level	10.000 dBm	10.000 dBm
Attenuation	20.000 dB	AUTO
Detector	MaxPeak	MaxPeak
SweepCount	200	200
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
SweepType	Sweep	AUTO
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.30 dB	0.30 dB
Run	5 / max. 5	max. 5
Stable	1 / 5	5
Max Stable Difference	0.00 dB	0.30 dB

Occupied Channel Bandwidth 99% (6165 MHz; 11ax40 (40 MHz)) _ Ant1

Customized settings.


99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)
6165.000000	37.750000	---	320.000000	6146.125000	5925.000000

(continuation of the "99 % Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Result
6165.000000	6183.875000	7125.000000	PASS

99 % B andwidth



Measurement

Setting	Instrument Value	Target Value
Start Frequency	6.12500 GHz	6.12500 GHz
Stop Frequency	6.20500 GHz	6.20500 GHz
Span	80.000 MHz	80.000 MHz
RBW	500.000 kHz	>= 400.000 kHz
VBW	2.000 MHz	>= 1.500 MHz
SweepPoints	320	~ 320
SweepTime	1.000 ms	AUTO
Reference Level	10.000 dBm	10.000 dBm
Attenuation	20.000 dB	AUTO
Detector	MaxPeak	MaxPeak
SweepCount	200	200
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
Sweeptype	Sweep	AUTO
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.30 dB	0.30 dB
Run	5 / max. 5	max. 5
Stable	1 / 5	5
Max Stable Difference	0.00 dB	0.30 dB

Occupied Channel Bandwidth 99% (6405 MHz; 11ax40 (40 MHz)) _ Ant0

Customized settings.


99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)
6405.000000	37.750000	---	320.000000	6386.125000	5925.000000

(continuation of the "99 % Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Result
6405.000000	6423.875000	7125.000000	PASS

99 % Bandwidth



Measurement

Setting	Instrument Value	Target Value
Start Frequency	6.36500 GHz	6.36500 GHz
Stop Frequency	6.44500 GHz	6.44500 GHz
Span	80.000 MHz	80.000 MHz
RBW	500.000 kHz	>= 400.000 kHz
VBW	2.000 MHz	>= 1.500 MHz
SweepPoints	320	~ 320
SweepTime	1.000 ms	AUTO
Reference Level	10.000 dBm	10.000 dBm
Attenuation	20.000 dB	AUTO
Detector	MaxPeak	MaxPeak
SweepCount	200	200
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
SweepType	Sweep	AUTO
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.30 dB	0.30 dB
Run	5 / max. 5	max. 5
Stable	1 / 5	5
Max Stable Difference	0.00 dB	0.30 dB

Occupied Channel Bandwidth 99% (6405 MHz; 11x40 (40 MHz)) _ Ant1

Customized settings.


99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)
6405.000000	37.500000	---	320.000000	6386.125000	5925.000000

(continuation of the "99 % Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Result
6405.000000	6423.625000	7125.000000	PASS

99 % B andwidth



Measurement

Setting	Instrument Value	Target Value
Start Frequency	6.36500 GHz	6.36500 GHz
Stop Frequency	6.44500 GHz	6.44500 GHz
Span	80.000 MHz	80.000 MHz
RBW	500.000 kHz	>= 400.000 kHz
VBW	2.000 MHz	>= 1.500 MHz
SweepPoints	320	~ 320
SweepTime	1.000 ms	AUTO
Reference Level	10.000 dBm	10.000 dBm
Attenuation	20.000 dB	AUTO
Detector	MaxPeak	MaxPeak
SweepCount	200	200
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
Sweeptype	Sweep	AUTO
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.30 dB	0.30 dB
Run	5 / max. 5	max. 5
Stable	1 / 5	5
Max Stable Difference	0.00 dB	0.30 dB

Occupied Channel Bandwidth 99% (6445 MHz; 11ax40 (40 MHz)) _ Ant0

Customized settings.


99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)
6445.000000	37.750000	---	320.000000	6426.125000	5925.000000

(continuation of the "99 % Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Result
6445.000000	6463.875000	7125.000000	PASS

99 % B andwidth



Measurement

Setting	Instrument Value	Target Value
Start Frequency	6.40500 GHz	6.40500 GHz
Stop Frequency	6.48500 GHz	6.48500 GHz
Span	80.000 MHz	80.000 MHz
RBW	500.000 kHz	>= 400.000 kHz
VBW	2.000 MHz	>= 1.500 MHz
SweepPoints	320	~ 320
SweepTime	1.000 ms	AUTO
Reference Level	10.000 dBm	10.000 dBm
Attenuation	20.000 dB	AUTO
Detector	MaxPeak	MaxPeak
SweepCount	200	200
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
SweepType	Sweep	AUTO
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.30 dB	0.30 dB
Run	20 / max. 20	max. 20
Stable	2 / 5	5
Max Stable Difference	0.00 dB	0.30 dB

Occupied Channel Bandwidth 99% (6445 MHz; 11x40 (40 MHz)) _ Ant1

Customized settings.


99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)
6445.000000	37.750000	---	320.000000	6426.125000	5925.000000

(continuation of the "99 % Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Result
6445.000000	6463.875000	7125.000000	PASS

99 % B andwidth



Measurement

Setting	Instrument Value	Target Value
Start Frequency	6.40500 GHz	6.40500 GHz
Stop Frequency	6.48500 GHz	6.48500 GHz
Span	80.000 MHz	80.000 MHz
RBW	500.000 kHz	>= 400.000 kHz
VBW	2.000 MHz	>= 1.500 MHz
SweepPoints	320	~ 320
SweepTime	1.000 ms	AUTO
Reference Level	10.000 dBm	10.000 dBm
Attenuation	20.000 dB	AUTO
Detector	MaxPeak	MaxPeak
SweepCount	200	200
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
SweepType	Sweep	AUTO
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.30 dB	0.30 dB
Run	20 / max. 20	max. 20
Stable	2 / 5	5
Max Stable Difference	0.00 dB	0.30 dB

Occupied Channel Bandwidth 99% (6485 MHz; 11ax40 (40 MHz)) _ Ant0

Customized settings.


99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)
6485.000000	37.750000	---	320.000000	6466.125000	5925.000000

(continuation of the "99 % Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Result
6485.000000	6503.875000	7125.000000	PASS

99 % B andwidth



Measurement

Setting	Instrument Value	Target Value
Start Frequency	6.44500 GHz	6.44500 GHz
Stop Frequency	6.52500 GHz	6.52500 GHz
Span	80.000 MHz	80.000 MHz
RBW	500.000 kHz	>= 400.000 kHz
VBW	2.000 MHz	>= 1.500 MHz
SweepPoints	320	~ 320
SweepTime	1.000 ms	AUTO
Reference Level	10.000 dBm	10.000 dBm
Attenuation	20.000 dB	AUTO
Detector	MaxPeak	MaxPeak
SweepCount	200	200
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
SweepType	Sweep	AUTO
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.30 dB	0.30 dB
Run	20 / max. 20	max. 20
Stable	2 / 5	5
Max Stable Difference	0.00 dB	0.30 dB

Occupied Channel Bandwidth 99% (6485 MHz; 11x40 (40 MHz)) _ Ant1

Customized settings.


99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)
6485.000000	37.750000	---	320.000000	6466.125000	5925.000000

(continuation of the "99 % Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Result
6485.000000	6503.875000	7125.000000	PASS

99 % B andwidth



Measurement

Setting	Instrument Value	Target Value
Start Frequency	6.44500 GHz	6.44500 GHz
Stop Frequency	6.52500 GHz	6.52500 GHz
Span	80.000 MHz	80.000 MHz
RBW	500.000 kHz	>= 400.000 kHz
VBW	2.000 MHz	>= 1.500 MHz
SweepPoints	320	~ 320
SweepTime	1.000 ms	AUTO
Reference Level	10.000 dBm	10.000 dBm
Attenuation	20.000 dB	AUTO
Detector	MaxPeak	MaxPeak
SweepCount	200	200
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
SweepType	Sweep	AUTO
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.30 dB	0.30 dB
Run	20 / max. 20	max. 20
Stable	1 / 5	5
Max Stable Difference	0.00 dB	0.30 dB

Occupied Channel Bandwidth 99% (6525 MHz; 11ax40 (40 MHz)) _ Ant0

Customized settings.


99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Bandwidth U-NII 6 (MHz)	Bandwidth U-NII 7 (MHz)	Limit Min (MHz)	Limit Max (MHz)
6525.000000	37.750000	18.875000	18.875000	---	320.000000

(continuation of the "99 % Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Result
6525.000000	6506.125000	5925.000000	6543.875000	7125.000000	PASS

99 % B andwidth



Measurement

Setting	Instrument Value	Target Value
Start Frequency	6.48500 GHz	6.48500 GHz
Stop Frequency	6.56500 GHz	6.56500 GHz
Span	80.000 MHz	80.000 MHz
RBW	500.000 kHz	>= 400.000 kHz
VBW	2.000 MHz	>= 1.500 MHz
SweepPoints	320	~ 320
Sweeptime	1.000 ms	AUTO
Reference Level	10.000 dBm	10.000 dBm
Attenuation	20.000 dB	AUTO
Detector	MaxPeak	MaxPeak
SweepCount	200	200
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
Sweeptype	Sweep	AUTO
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.30 dB	0.30 dB
Run	20 / max. 20	max. 20
Stable	2 / 5	5
Max Stable Difference	0.00 dB	0.30 dB

Occupied Channel Bandwidth 99% (6525 MHz; 11ax40 (40 MHz)) _ Ant1

Customized settings.


99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Bandwidth U-NII 6 (MHz)	Bandwidth U-NII 7 (MHz)	Limit Min (MHz)	Limit Max (MHz)
6525.000000	37.750000	18.875000	18.875000	---	320.000000

(continuation of the "99 % Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Result
6525.000000	6506.125000	5925.000000	6543.875000	7125.000000	PASS

99 % B andwidth



Measurement

Setting	Instrument Value	Target Value
Start Frequency	6.48500 GHz	6.48500 GHz
Stop Frequency	6.56500 GHz	6.56500 GHz
Span	80.000 MHz	80.000 MHz
RBW	500.000 kHz	>= 400.000 kHz
VBW	2.000 MHz	>= 1.500 MHz
SweepPoints	320	~ 320
Sweeptime	1.000 ms	AUTO
Reference Level	10.000 dBm	10.000 dBm
Attenuation	20.000 dB	AUTO
Detector	MaxPeak	MaxPeak
SweepCount	200	200
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
Sweeptype	Sweep	AUTO
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.30 dB	0.30 dB
Run	20 / max. 20	max. 20
Stable	3 / 5	5
Max Stable Difference	0.00 dB	0.30 dB

Occupied Channel Bandwidth 99% (6565 MHz; 11x40 (40 MHz)) _ Ant0

Customized settings.


99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)
6565.000000	37.750000	---	320.000000	6546.125000	5925.000000

(continuation of the "99 % Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Result
6565.000000	6583.875000	7125.000000	PASS

99 % B andwidth



Measurement

Setting	Instrument Value	Target Value
Start Frequency	6.52500 GHz	6.52500 GHz
Stop Frequency	6.60500 GHz	6.60500 GHz
Span	80.000 MHz	80.000 MHz
RBW	500.000 kHz	>= 400.000 kHz
VBW	2.000 MHz	>= 1.500 MHz
SweepPoints	320	~ 320
SweepTime	1.000 ms	AUTO
Reference Level	10.000 dBm	10.000 dBm
Attenuation	20.000 dB	AUTO
Detector	MaxPeak	MaxPeak
SweepCount	200	200
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
SweepType	Sweep	AUTO
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.30 dB	0.30 dB
Run	20 / max. 20	max. 20
Stable	2 / 5	5
Max Stable Difference	0.00 dB	0.30 dB

Occupied Channel Bandwidth 99% (6565 MHz; 11ax40 (40 MHz)) _ Ant1

Customized settings.


99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)
6565.000000	37.500000	---	320.000000	6546.125000	5925.000000

(continuation of the "99 % Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Result
6565.000000	6583.625000	7125.000000	PASS

99 % Bandwidth



Measurement

Setting	Instrument Value	Target Value
Start Frequency	6.52500 GHz	6.52500 GHz
Stop Frequency	6.60500 GHz	6.60500 GHz
Span	80.000 MHz	80.000 MHz
RBW	500.000 kHz	>= 400.000 kHz
VBW	2.000 MHz	>= 1.500 MHz
SweepPoints	320	~ 320
SweepTime	1.000 ms	AUTO
Reference Level	10.000 dBm	10.000 dBm
Attenuation	20.000 dB	AUTO
Detector	MaxPeak	MaxPeak
SweepCount	200	200
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
SweepType	Sweep	AUTO
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.30 dB	0.30 dB
Run	20 / max. 20	max. 20
Stable	2 / 5	5
Max Stable Difference	0.00 dB	0.30 dB

Occupied Channel Bandwidth 99% (6685 MHz; 11ax40 (40 MHz)) _ Ant0

Customized settings.


99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)
6685.000000	37.750000	---	320.000000	6666.125000	5925.000000

(continuation of the "99 % Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Result
6685.000000	6703.875000	7125.000000	PASS

99 % B andwidth



Measurement

Setting	Instrument Value	Target Value
Start Frequency	6.64500 GHz	6.64500 GHz
Stop Frequency	6.72500 GHz	6.72500 GHz
Span	80.000 MHz	80.000 MHz
RBW	500.000 kHz	>= 400.000 kHz
VBW	2.000 MHz	>= 1.500 MHz
SweepPoints	320	~ 320
SweepTime	1.000 ms	AUTO
Reference Level	10.000 dBm	10.000 dBm
Attenuation	20.000 dB	AUTO
Detector	MaxPeak	MaxPeak
SweepCount	200	200
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
SweepType	Sweep	AUTO
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.30 dB	0.30 dB
Run	20 / max. 20	max. 20
Stable	2 / 5	5
Max Stable Difference	0.00 dB	0.30 dB

Occupied Channel Bandwidth 99% (6685 MHz; 11ax40 (40 MHz)) _ Ant1

Customized settings.


99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)
6685.000000	37.750000	---	320.000000	6666.125000	5925.000000

(continuation of the "99 % Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Result
6685.000000	6703.875000	7125.000000	PASS

99 % B andwidth



Measurement

Setting	Instrument Value	Target Value
Start Frequency	6.64500 GHz	6.64500 GHz
Stop Frequency	6.72500 GHz	6.72500 GHz
Span	80.000 MHz	80.000 MHz
RBW	500.000 kHz	>= 400.000 kHz
VBW	2.000 MHz	>= 1.500 MHz
SweepPoints	320	~ 320
SweepTime	1.000 ms	AUTO
Reference Level	10.000 dBm	10.000 dBm
Attenuation	20.000 dB	AUTO
Detector	MaxPeak	MaxPeak
SweepCount	200	200
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
Sweeptype	Sweep	AUTO
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.30 dB	0.30 dB
Run	20 / max. 20	max. 20
Stable	2 / 5	5
Max Stable Difference	0.00 dB	0.30 dB

Occupied Channel Bandwidth 99% (6845 MHz; 11x40 (40 MHz)) _ Ant0

Customized settings.


99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)
6845.000000	37.750000	---	320.000000	6826.125000	5925.000000

(continuation of the "99 % Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Result
6845.000000	6863.875000	7125.000000	PASS

99 % B andwidth



Measurement

Setting	Instrument Value	Target Value
Start Frequency	6.80500 GHz	6.80500 GHz
Stop Frequency	6.88500 GHz	6.88500 GHz
Span	80.000 MHz	80.000 MHz
RBW	500.000 kHz	>= 400.000 kHz
VBW	2.000 MHz	>= 1.500 MHz
SweepPoints	320	~ 320
SweepTime	1.000 ms	AUTO
Reference Level	10.000 dBm	10.000 dBm
Attenuation	20.000 dB	AUTO
Detector	MaxPeak	MaxPeak
SweepCount	200	200
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
Sweeptype	Sweep	AUTO
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.30 dB	0.30 dB
Run	20 / max. 20	max. 20
Stable	2 / 5	5
Max Stable Difference	0.00 dB	0.30 dB

Occupied Channel Bandwidth 99% (6845 MHz; 11x40 (40 MHz)) _ Ant1

Customized settings.


99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)
6845.000000	37.750000	---	320.000000	6826.125000	5925.000000

(continuation of the "99 % Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Result
6845.000000	6863.875000	7125.000000	PASS

99 % B andwidth



Measurement

Setting	Instrument Value	Target Value
Start Frequency	6.80500 GHz	6.80500 GHz
Stop Frequency	6.88500 GHz	6.88500 GHz
Span	80.000 MHz	80.000 MHz
RBW	500.000 kHz	>= 400.000 kHz
VBW	2.000 MHz	>= 1.500 MHz
SweepPoints	320	~ 320
SweepTime	1.000 ms	AUTO
Reference Level	10.000 dBm	10.000 dBm
Attenuation	20.000 dB	AUTO
Detector	MaxPeak	MaxPeak
SweepCount	200	200
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
Sweeptype	Sweep	AUTO
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.30 dB	0.30 dB
Run	20 / max. 20	max. 20
Stable	2 / 5	5
Max Stable Difference	0.00 dB	0.30 dB

Occupied Channel Bandwidth 99% (6885 MHz; 11ax40 (40 MHz)) _ Ant0

Customized settings.


99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Bandwidth U-NII 7 (MHz)	Bandwidth U-NII 8 (MHz)	Limit Min (MHz)	Limit Max (MHz)
6885.000000	37.750000	8.875000	28.875000	---	320.000000

(continuation of the "99 % Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Result
6885.000000	6866.125000	5925.000000	6903.875000	7125.000000	PASS

99 % B andwidth



Measurement

Setting	Instrument Value	Target Value
Start Frequency	6.84500 GHz	6.84500 GHz
Stop Frequency	6.92500 GHz	6.92500 GHz
Span	80.000 MHz	80.000 MHz
RBW	500.000 kHz	>= 400.000 kHz
VBW	2.000 MHz	>= 1.500 MHz
SweepPoints	320	~ 320
Sweeptime	1.000 ms	AUTO
Reference Level	10.000 dBm	10.000 dBm
Attenuation	20.000 dB	AUTO
Detector	MaxPeak	MaxPeak
SweepCount	200	200
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
Sweeptype	Sweep	AUTO
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.30 dB	0.30 dB
Run	20 / max. 20	max. 20
Stable	3 / 5	5
Max Stable Difference	0.00 dB	0.30 dB

Occupied Channel Bandwidth 99% (6885 MHz; 11ax40 (40 MHz)) _ Ant1

Customized settings.


99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Bandwidth U-NII 7 (MHz)	Bandwidth U-NII 8 (MHz)	Limit Min (MHz)	Limit Max (MHz)
6885.000000	37.750000	8.875000	28.875000	---	320.000000

(continuation of the "99 % Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Result
6885.000000	6866.125000	5925.000000	6903.875000	7125.000000	PASS

99 % B andwidth



Measurement

Setting	Instrument Value	Target Value
Start Frequency	6.84500 GHz	6.84500 GHz
Stop Frequency	6.92500 GHz	6.92500 GHz
Span	80.000 MHz	80.000 MHz
RBW	500.000 kHz	>= 400.000 kHz
VBW	2.000 MHz	>= 1.500 MHz
SweepPoints	320	~ 320
Sweeptime	1.000 ms	AUTO
Reference Level	10.000 dBm	10.000 dBm
Attenuation	20.000 dB	AUTO
Detector	MaxPeak	MaxPeak
SweepCount	200	200
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
Sweeptype	Sweep	AUTO
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.30 dB	0.30 dB
Run	20 / max. 20	max. 20
Stable	1 / 5	5
Max Stable Difference	0.00 dB	0.30 dB

Occupied Channel Bandwidth 99% (6925 MHz; 11ax40 (40 MHz)) _ Ant0

Customized settings.


99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)
6925.000000	37.750000	---	320.000000	6906.125000	5925.000000

(continuation of the "99 % Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Result
6925.000000	6943.875000	7125.000000	PASS

99 % B andwidth



Measurement

Setting	Instrument Value	Target Value
Start Frequency	6.88500 GHz	6.88500 GHz
Stop Frequency	6.96500 GHz	6.96500 GHz
Span	80.000 MHz	80.000 MHz
RBW	500.000 kHz	>= 400.000 kHz
VBW	2.000 MHz	>= 1.500 MHz
SweepPoints	320	~ 320
SweepTime	1.000 ms	AUTO
Reference Level	10.000 dBm	10.000 dBm
Attenuation	20.000 dB	AUTO
Detector	MaxPeak	MaxPeak
SweepCount	200	200
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
Sweeptype	Sweep	AUTO
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.30 dB	0.30 dB
Run	20 / max. 20	max. 20
Stable	2 / 5	5
Max Stable Difference	0.00 dB	0.30 dB

Occupied Channel Bandwidth 99% (6925 MHz; 11ax40 (40 MHz)) _ Ant1

Customized settings.


99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)
6925.000000	37.750000	---	320.000000	6906.125000	5925.000000

(continuation of the "99 % Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Result
6925.000000	6943.875000	7125.000000	PASS

99 % B andwidth



Measurement

Setting	Instrument Value	Target Value
Start Frequency	6.88500 GHz	6.88500 GHz
Stop Frequency	6.96500 GHz	6.96500 GHz
Span	80.000 MHz	80.000 MHz
RBW	500.000 kHz	>= 400.000 kHz
VBW	2.000 MHz	>= 1.500 MHz
SweepPoints	320	~ 320
SweepTime	1.000 ms	AUTO
Reference Level	10.000 dBm	10.000 dBm
Attenuation	20.000 dB	AUTO
Detector	MaxPeak	MaxPeak
SweepCount	200	200
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
SweepType	Sweep	AUTO
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.30 dB	0.30 dB
Run	20 / max. 20	max. 20
Stable	1 / 5	5
Max Stable Difference	0.00 dB	0.30 dB

Occupied Channel Bandwidth 99% (7005 MHz; 11ax40 (40 MHz)) _ Ant0

Customized settings.


99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)
7005.000000	37.750000	---	320.000000	6986.125000	5925.000000

(continuation of the "99 % Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Result
7005.000000	7023.875000	7125.000000	PASS

99 % B andwidth



Measurement

Setting	Instrument Value	Target Value
Start Frequency	6.96500 GHz	6.96500 GHz
Stop Frequency	7.04500 GHz	7.04500 GHz
Span	80.000 MHz	80.000 MHz
RBW	500.000 kHz	>= 400.000 kHz
VBW	2.000 MHz	>= 1.500 MHz
SweepPoints	320	~ 320
SweepTime	1.000 ms	AUTO
Reference Level	10.000 dBm	10.000 dBm
Attenuation	20.000 dB	AUTO
Detector	MaxPeak	MaxPeak
SweepCount	200	200
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
SweepType	Sweep	AUTO
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.30 dB	0.30 dB
Run	20 / max. 20	max. 20
Stable	2 / 5	5
Max Stable Difference	0.00 dB	0.30 dB

Occupied Channel Bandwidth 99% (7005 MHz; 11ax40 (40 MHz)) _ Ant1

Customized settings.


99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)
7005.000000	37.750000	---	320.000000	6986.125000	5925.000000

(continuation of the "99 % Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Result
7005.000000	7023.875000	7125.000000	PASS

99 % B andwidth



Measurement

Setting	Instrument Value	Target Value
Start Frequency	6.96500 GHz	6.96500 GHz
Stop Frequency	7.04500 GHz	7.04500 GHz
Span	80.000 MHz	80.000 MHz
RBW	500.000 kHz	>= 400.000 kHz
VBW	2.000 MHz	>= 1.500 MHz
SweepPoints	320	~ 320
SweepTime	1.000 ms	AUTO
Reference Level	10.000 dBm	10.000 dBm
Attenuation	20.000 dB	AUTO
Detector	MaxPeak	MaxPeak
SweepCount	200	200
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
SweepType	Sweep	AUTO
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.30 dB	0.30 dB
Run	20 / max. 20	max. 20
Stable	1 / 5	5
Max Stable Difference	0.00 dB	0.30 dB

Occupied Channel Bandwidth 99% (7085 MHz; 11ax40 (40 MHz)) _ Ant0

Customized settings.


99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)
7085.000000	37.750000	---	320.000000	7066.125000	5925.000000

(continuation of the "99 % Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Result
7085.000000	7103.875000	7125.000000	PASS

99 % B andwidth



Measurement

Setting	Instrument Value	Target Value
Start Frequency	7.04500 GHz	7.04500 GHz
Stop Frequency	7.12500 GHz	7.12500 GHz
Span	80.000 MHz	80.000 MHz
RBW	500.000 kHz	>= 400.000 kHz
VBW	2.000 MHz	>= 1.500 MHz
SweepPoints	320	~ 320
SweepTime	1.000 ms	AUTO
Reference Level	10.000 dBm	10.000 dBm
Attenuation	20.000 dB	AUTO
Detector	MaxPeak	MaxPeak
SweepCount	200	200
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
Sweeptype	Sweep	AUTO
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.30 dB	0.30 dB
Run	20 / max. 20	max. 20
Stable	3 / 5	5
Max Stable Difference	0.00 dB	0.30 dB

Occupied Channel Bandwidth 99% (7085 MHz; 11ax40 (40 MHz)) _ Ant1

Customized settings.


99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)
7085.000000	37.750000	---	320.000000	7066.125000	5925.000000

(continuation of the "99 % Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Result
7085.000000	7103.875000	7125.000000	PASS

99 % B andwidth



Measurement

Setting	Instrument Value	Target Value
Start Frequency	7.04500 GHz	7.04500 GHz
Stop Frequency	7.12500 GHz	7.12500 GHz
Span	80.000 MHz	80.000 MHz
RBW	500.000 kHz	>= 400.000 kHz
VBW	2.000 MHz	>= 1.500 MHz
SweepPoints	320	~ 320
SweepTime	1.000 ms	AUTO
Reference Level	10.000 dBm	10.000 dBm
Attenuation	20.000 dB	AUTO
Detector	MaxPeak	MaxPeak
SweepCount	200	200
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
SweepType	Sweep	AUTO
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.30 dB	0.30 dB
Run	20 / max. 20	max. 20
Stable	1 / 5	5
Max Stable Difference	0.00 dB	0.30 dB

Occupied Channel Bandwidth 99% (5985 MHz; 11ax80 (80 MHz)) _ Ant0

Customized settings.


99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)
5985.000000	77.000000	---	320.000000	5946.250000	5925.000000

(continuation of the "99 % Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Result
5985.000000	6023.250000	7125.000000	PASS

99 % B andwidth



Measurement

Setting	Instrument Value	Target Value
Start Frequency	5.90500 GHz	5.90500 GHz
Stop Frequency	6.06500 GHz	6.06500 GHz
Span	160.000 MHz	160.000 MHz
RBW	1.000 MHz	>= 800.000 kHz
VBW	3.000 MHz	>= 3.000 MHz
SweepPoints	320	~ 320
SweepTime	1.000 ms	AUTO
Reference Level	10.000 dBm	10.000 dBm
Attenuation	20.000 dB	AUTO
Detector	MaxPeak	MaxPeak
SweepCount	200	200
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
SweepType	Sweep	AUTO
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.30 dB	0.30 dB
Run	5 / max. 5	max. 5
Stable	1 / 5	5
Max Stable Difference	0.00 dB	0.30 dB

Occupied Channel Bandwidth 99% (5985 MHz; 11x80 (80 MHz)) _ Ant1

Customized settings.


99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)
5985.000000	77.000000	---	320.000000	5946.250000	5925.000000

(continuation of the "99 % Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Result
5985.000000	6023.250000	7125.000000	PASS

99 % B andwidth



Measurement

Setting	Instrument Value	Target Value
Start Frequency	5.90500 GHz	5.90500 GHz
Stop Frequency	6.06500 GHz	6.06500 GHz
Span	160.000 MHz	160.000 MHz
RBW	1.000 MHz	>= 800.000 kHz
VBW	3.000 MHz	>= 3.000 MHz
SweepPoints	320	~ 320
SweepTime	1.000 ms	AUTO
Reference Level	10.000 dBm	10.000 dBm
Attenuation	20.000 dB	AUTO
Detector	MaxPeak	MaxPeak
SweepCount	200	200
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
Sweeptype	Sweep	AUTO
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.30 dB	0.30 dB
Run	5 / max. 5	max. 5
Stable	1 / 5	5
Max Stable Difference	0.00 dB	0.30 dB

Occupied Channel Bandwidth 99% (6145 MHz; 11ax80 (80 MHz)) _ Ant0

Customized settings.


99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)
6145.000000	76.500000	---	320.000000	6106.750000	5925.000000

(continuation of the "99 % Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Result
6145.000000	6183.250000	7125.000000	PASS

99 % B andwidth



Measurement

Setting	Instrument Value	Target Value
Start Frequency	6.06500 GHz	6.06500 GHz
Stop Frequency	6.22500 GHz	6.22500 GHz
Span	160.000 MHz	160.000 MHz
RBW	1.000 MHz	>= 800.000 kHz
VBW	3.000 MHz	>= 3.000 MHz
SweepPoints	320	~ 320
SweepTime	1.000 ms	AUTO
Reference Level	10.000 dBm	10.000 dBm
Attenuation	20.000 dB	AUTO
Detector	MaxPeak	MaxPeak
SweepCount	200	200
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
Sweeptype	Sweep	AUTO
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.30 dB	0.30 dB
Run	5 / max. 5	max. 5
Stable	1 / 5	5
Max Stable Difference	0.00 dB	0.30 dB

Occupied Channel Bandwidth 99% (6145 MHz; 11ax80 (80 MHz)) _ Ant1

Customized settings.


99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)
6145.000000	77.000000	---	320.000000	6106.250000	5925.000000

(continuation of the "99 % Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Result
6145.000000	6183.250000	7125.000000	PASS

99 % B andwidth



Measurement

Setting	Instrument Value	Target Value
Start Frequency	6.06500 GHz	6.06500 GHz
Stop Frequency	6.22500 GHz	6.22500 GHz
Span	160.000 MHz	160.000 MHz
RBW	1.000 MHz	>= 800.000 kHz
VBW	3.000 MHz	>= 3.000 MHz
SweepPoints	320	~ 320
SweepTime	1.000 ms	AUTO
Reference Level	10.000 dBm	10.000 dBm
Attenuation	20.000 dB	AUTO
Detector	MaxPeak	MaxPeak
SweepCount	200	200
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
SweepType	Sweep	AUTO
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.30 dB	0.30 dB
Run	5 / max. 5	max. 5
Stable	1 / 5	5
Max Stable Difference	0.00 dB	0.30 dB

Occupied Channel Bandwidth 99% (6385 MHz; 11ax80 (80 MHz)) _ Ant0

Customized settings.


99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)
6385.000000	77.500000	---	320.000000	6346.250000	5925.000000

(continuation of the "99 % Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Result
6385.000000	6423.750000	7125.000000	PASS

99 % Bandwidth



Measurement

Setting	Instrument Value	Target Value
Start Frequency	6.30500 GHz	6.30500 GHz
Stop Frequency	6.46500 GHz	6.46500 GHz
Span	160.000 MHz	160.000 MHz
RBW	1.000 MHz	>= 800.000 kHz
VBW	3.000 MHz	>= 3.000 MHz
SweepPoints	320	~ 320
SweepTime	1.000 ms	AUTO
Reference Level	10.000 dBm	10.000 dBm
Attenuation	20.000 dB	AUTO
Detector	MaxPeak	MaxPeak
SweepCount	200	200
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
SweepType	Sweep	AUTO
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.30 dB	0.30 dB
Run	5 / max. 5	max. 5
Stable	1 / 5	5
Max Stable Difference	0.00 dB	0.30 dB

Occupied Channel Bandwidth 99% (6385 MHz; 11ax80 (80 MHz)) _ Ant1

Customized settings.


99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)
6385.000000	76.000000	---	320.000000	6346.750000	5925.000000

(continuation of the "99 % Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Result
6385.000000	6422.750000	7125.000000	PASS

99 % B andwidth



Measurement

Setting	Instrument Value	Target Value
Start Frequency	6.30500 GHz	6.30500 GHz
Stop Frequency	6.46500 GHz	6.46500 GHz
Span	160.000 MHz	160.000 MHz
RBW	1.000 MHz	>= 800.000 kHz
VBW	3.000 MHz	>= 3.000 MHz
SweepPoints	320	~ 320
SweepTime	1.000 ms	AUTO
Reference Level	10.000 dBm	10.000 dBm
Attenuation	20.000 dB	AUTO
Detector	MaxPeak	MaxPeak
SweepCount	200	200
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
SweepType	Sweep	AUTO
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.30 dB	0.30 dB
Run	5 / max. 5	max. 5
Stable	1 / 5	5
Max Stable Difference	0.00 dB	0.30 dB

Occupied Channel Bandwidth 99% (6465 MHz; 11ax80 (80 MHz)) _ Ant0

Customized settings.


99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)
6465.000000	77.000000	---	320.000000	6426.250000	5925.000000

(continuation of the "99 % Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Result
6465.000000	6503.250000	7125.000000	PASS

99 % B andwidth



Measurement

Setting	Instrument Value	Target Value
Start Frequency	6.38500 GHz	6.38500 GHz
Stop Frequency	6.54500 GHz	6.54500 GHz
Span	160.000 MHz	160.000 MHz
RBW	1.000 MHz	>= 800.000 kHz
VBW	3.000 MHz	>= 3.000 MHz
SweepPoints	320	~ 320
SweepTime	1.000 ms	AUTO
Reference Level	10.000 dBm	10.000 dBm
Attenuation	20.000 dB	AUTO
Detector	MaxPeak	MaxPeak
SweepCount	200	200
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
Sweeptype	Sweep	AUTO
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.30 dB	0.30 dB
Run	20 / max. 20	max. 20
Stable	3 / 5	5
Max Stable Difference	0.00 dB	0.30 dB

Occupied Channel Bandwidth 99% (6465 MHz; 11x80 (80 MHz)) _ Ant1

Customized settings.


99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)
6465.000000	77.500000	---	320.000000	6426.250000	5925.000000

(continuation of the "99 % Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Result
6465.000000	6503.750000	7125.000000	PASS

99 % B andwidth



Measurement

Setting	Instrument Value	Target Value
Start Frequency	6.38500 GHz	6.38500 GHz
Stop Frequency	6.54500 GHz	6.54500 GHz
Span	160.000 MHz	160.000 MHz
RBW	1.000 MHz	>= 800.000 kHz
VBW	3.000 MHz	>= 3.000 MHz
SweepPoints	320	~ 320
SweepTime	1.000 ms	AUTO
Reference Level	10.000 dBm	10.000 dBm
Attenuation	20.000 dB	AUTO
Detector	MaxPeak	MaxPeak
SweepCount	200	200
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
Sweeptype	Sweep	AUTO
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.30 dB	0.30 dB
Run	20 / max. 20	max. 20
Stable	1 / 5	5
Max Stable Difference	0.00 dB	0.30 dB

Occupied Channel Bandwidth 99% (6545 MHz; 11ax80 (80 MHz)) _ Ant0

Customized settings.


99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Bandwidth U-NII 6 (MHz)	Bandwidth U-NII 7 (MHz)	Limit Min (MHz)	Limit Max (MHz)
6545.000000	77.000000	18.750000	58.250000	---	320.000000

(continuation of the "99 % Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Result
6545.000000	6506.250000	5925.000000	6583.250000	7125.000000	PASS

99 % B andwidth



Measurement

Setting	Instrument Value	Target Value
Start Frequency	6.46500 GHz	6.46500 GHz
Stop Frequency	6.62500 GHz	6.62500 GHz
Span	160.000 MHz	160.000 MHz
RBW	1.000 MHz	>= 800.000 kHz
VBW	3.000 MHz	>= 3.000 MHz
SweepPoints	320	~ 320
Sweeptime	1.000 ms	AUTO
Reference Level	10.000 dBm	10.000 dBm
Attenuation	20.000 dB	AUTO
Detector	MaxPeak	MaxPeak
SweepCount	200	200
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
Sweeptype	Sweep	AUTO
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.30 dB	0.30 dB
Run	20 / max. 20	max. 20
Stable	4 / 5	5
Max Stable Difference	0.00 dB	0.30 dB

Occupied Channel Bandwidth 99% (6545 MHz; 11ax80 (80 MHz)) _ Ant1

Customized settings.


99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Bandwidth U-NII 6 (MHz)	Bandwidth U-NII 7 (MHz)	Limit Min (MHz)	Limit Max (MHz)
6545.000000	76.500000	18.250000	58.250000	---	320.000000

(continuation of the "99 % Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Result
6545.000000	6506.750000	5925.000000	6583.250000	7125.000000	PASS

99 % B andwidth



Measurement

Setting	Instrument Value	Target Value
Start Frequency	6.46500 GHz	6.46500 GHz
Stop Frequency	6.62500 GHz	6.62500 GHz
Span	160.000 MHz	160.000 MHz
RBW	1.000 MHz	>= 800.000 kHz
VBW	3.000 MHz	>= 3.000 MHz
SweepPoints	320	~ 320
Sweeptime	1.000 ms	AUTO
Reference Level	10.000 dBm	10.000 dBm
Attenuation	20.000 dB	AUTO
Detector	MaxPeak	MaxPeak
SweepCount	200	200
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
Sweeptype	Sweep	AUTO
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.30 dB	0.30 dB
Run	20 / max. 20	max. 20
Stable	1 / 5	5
Max Stable Difference	0.00 dB	0.30 dB

Occupied Channel Bandwidth 99% (6625 MHz; 11ax80 (80 MHz)) _ Ant0

Customized settings.


99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)
6625.000000	77.500000	---	320.000000	6586.250000	5925.000000

(continuation of the "99 % Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Result
6625.000000	6663.750000	7125.000000	PASS

99 % B andwidth



Measurement

Setting	Instrument Value	Target Value
Start Frequency	6.54500 GHz	6.54500 GHz
Stop Frequency	6.70500 GHz	6.70500 GHz
Span	160.000 MHz	160.000 MHz
RBW	1.000 MHz	>= 800.000 kHz
VBW	3.000 MHz	>= 3.000 MHz
SweepPoints	320	~ 320
SweepTime	1.000 ms	AUTO
Reference Level	10.000 dBm	10.000 dBm
Attenuation	20.000 dB	AUTO
Detector	MaxPeak	MaxPeak
SweepCount	200	200
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
SweepType	Sweep	AUTO
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.30 dB	0.30 dB
Run	20 / max. 20	max. 20
Stable	3 / 5	5
Max Stable Difference	0.00 dB	0.30 dB

Occupied Channel Bandwidth 99% (6625 MHz; 11ax80 (80 MHz)) _ Ant1

Customized settings.


99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)
6625.000000	77.000000	---	320.000000	6586.250000	5925.000000

(continuation of the "99 % Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Result
6625.000000	6663.250000	7125.000000	PASS

99 % B andwidth



Measurement

Setting	Instrument Value	Target Value
Start Frequency	6.54500 GHz	6.54500 GHz
Stop Frequency	6.70500 GHz	6.70500 GHz
Span	160.000 MHz	160.000 MHz
RBW	1.000 MHz	>= 800.000 kHz
VBW	3.000 MHz	>= 3.000 MHz
SweepPoints	320	~ 320
SweepTime	1.000 ms	AUTO
Reference Level	10.000 dBm	10.000 dBm
Attenuation	20.000 dB	AUTO
Detector	MaxPeak	MaxPeak
SweepCount	200	200
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
Sweeptype	Sweep	AUTO
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.30 dB	0.30 dB
Run	20 / max. 20	max. 20
Stable	1 / 5	5
Max Stable Difference	0.00 dB	0.30 dB

Occupied Channel Bandwidth 99% (6705 MHz; 11ax80 (80 MHz)) _ Ant0

Customized settings.


99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)
6705.000000	76.500000	---	320.000000	6666.750000	5925.000000

(continuation of the "99 % Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Result
6705.000000	6743.250000	7125.000000	PASS

99 % B andwidth



Measurement

Setting	Instrument Value	Target Value
Start Frequency	6.62500 GHz	6.62500 GHz
Stop Frequency	6.78500 GHz	6.78500 GHz
Span	160.000 MHz	160.000 MHz
RBW	1.000 MHz	>= 800.000 kHz
VBW	3.000 MHz	>= 3.000 MHz
SweepPoints	320	~ 320
SweepTime	1.000 ms	AUTO
Reference Level	10.000 dBm	10.000 dBm
Attenuation	20.000 dB	AUTO
Detector	MaxPeak	MaxPeak
SweepCount	200	200
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
Sweeptype	Sweep	AUTO
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.30 dB	0.30 dB
Run	20 / max. 20	max. 20
Stable	4 / 5	5
Max Stable Difference	0.00 dB	0.30 dB

Occupied Channel Bandwidth 99% (6705 MHz; 11ax80 (80 MHz)) _ Ant1

Customized settings.


99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)
6705.000000	77.000000	---	320.000000	6666.250000	5925.000000

(continuation of the "99 % Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Result
6705.000000	6743.250000	7125.000000	PASS

99 % Bandwidth



Measurement

Setting	Instrument Value	Target Value
Start Frequency	6.62500 GHz	6.62500 GHz
Stop Frequency	6.78500 GHz	6.78500 GHz
Span	160.000 MHz	160.000 MHz
RBW	1.000 MHz	>= 800.000 kHz
VBW	3.000 MHz	>= 3.000 MHz
SweepPoints	320	~ 320
SweepTime	1.000 ms	AUTO
Reference Level	10.000 dBm	10.000 dBm
Attenuation	20.000 dB	AUTO
Detector	MaxPeak	MaxPeak
SweepCount	200	200
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
SweepType	Sweep	AUTO
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.30 dB	0.30 dB
Run	20 / max. 20	max. 20
Stable	3 / 5	5
Max Stable Difference	0.00 dB	0.30 dB

Occupied Channel Bandwidth 99% (6785 MHz; 11ax80 (80 MHz)) _ Ant0

Customized settings.


99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)
6785.000000	77.000000	---	320.000000	6746.750000	5925.000000

(continuation of the "99 % Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Result
6785.000000	6823.750000	7125.000000	PASS

99 % Bandwidth



Measurement

Setting	Instrument Value	Target Value
Start Frequency	6.70500 GHz	6.70500 GHz
Stop Frequency	6.86500 GHz	6.86500 GHz
Span	160.000 MHz	160.000 MHz
RBW	1.000 MHz	>= 800.000 kHz
VBW	3.000 MHz	>= 3.000 MHz
SweepPoints	320	~ 320
SweepTime	1.000 ms	AUTO
Reference Level	10.000 dBm	10.000 dBm
Attenuation	20.000 dB	AUTO
Detector	MaxPeak	MaxPeak
SweepCount	200	200
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
SweepType	Sweep	AUTO
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.30 dB	0.30 dB
Run	20 / max. 20	max. 20
Stable	3 / 5	5
Max Stable Difference	0.00 dB	0.30 dB

Occupied Channel Bandwidth 99% (6785 MHz; 11ax80 (80 MHz)) _ Ant1

Customized settings.


99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)
6785.000000	77.500000	---	320.000000	6746.250000	5925.000000

(continuation of the "99 % Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Result
6785.000000	6823.750000	7125.000000	PASS

99 % B andwidth



Measurement

Setting	Instrument Value	Target Value
Start Frequency	6.70500 GHz	6.70500 GHz
Stop Frequency	6.86500 GHz	6.86500 GHz
Span	160.000 MHz	160.000 MHz
RBW	1.000 MHz	>= 800.000 kHz
VBW	3.000 MHz	>= 3.000 MHz
SweepPoints	320	~ 320
SweepTime	1.000 ms	AUTO
Reference Level	10.000 dBm	10.000 dBm
Attenuation	20.000 dB	AUTO
Detector	MaxPeak	MaxPeak
SweepCount	200	200
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
SweepType	Sweep	AUTO
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.30 dB	0.30 dB
Run	20 / max. 20	max. 20
Stable	1 / 5	5
Max Stable Difference	0.00 dB	0.30 dB

Occupied Channel Bandwidth 99% (6865 MHz; 11ax80 (80 MHz)) _ Ant0

Customized settings.


99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Bandwidth U-NII 7 (MHz)	Bandwidth U-NII 8 (MHz)	Limit Min (MHz)	Limit Max (MHz)
6865.000000	76.500000	48.250000	28.250000	---	320.000000

(continuation of the "99 % Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Result
6865.000000	6826.750000	5925.000000	6903.250000	7125.000000	PASS

99 % B andwidth



Measurement

Setting	Instrument Value	Target Value
Start Frequency	6.78500 GHz	6.78500 GHz
Stop Frequency	6.94500 GHz	6.94500 GHz
Span	160.000 MHz	160.000 MHz
RBW	1.000 MHz	>= 800.000 kHz
VBW	3.000 MHz	>= 3.000 MHz
SweepPoints	320	~ 320
Sweeptime	1.000 ms	AUTO
Reference Level	10.000 dBm	10.000 dBm
Attenuation	20.000 dB	AUTO
Detector	MaxPeak	MaxPeak
SweepCount	200	200
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
Sweeptype	Sweep	AUTO
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.30 dB	0.30 dB
Run	20 / max. 20	max. 20
Stable	3 / 5	5
Max Stable Difference	0.00 dB	0.30 dB

Occupied Channel Bandwidth 99% (6865 MHz; 11ax80 (80 MHz)) _ Ant1

Customized settings.


99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Bandwidth U-NII 7 (MHz)	Bandwidth U-NII 8 (MHz)	Limit Min (MHz)	Limit Max (MHz)
6865.000000	77.000000	48.750000	28.250000	---	320.000000

(continuation of the "99 % Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Result
6865.000000	6826.250000	5925.000000	6903.250000	7125.000000	PASS

99 % B andwidth



Measurement

Setting	Instrument Value	Target Value
Start Frequency	6.78500 GHz	6.78500 GHz
Stop Frequency	6.94500 GHz	6.94500 GHz
Span	160.000 MHz	160.000 MHz
RBW	1.000 MHz	>= 800.000 kHz
VBW	3.000 MHz	>= 3.000 MHz
SweepPoints	320	~ 320
Sweeptime	1.000 ms	AUTO
Reference Level	10.000 dBm	10.000 dBm
Attenuation	20.000 dB	AUTO
Detector	MaxPeak	MaxPeak
SweepCount	200	200
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
Sweeptype	Sweep	AUTO
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.30 dB	0.30 dB
Run	20 / max. 20	max. 20
Stable	2 / 5	5
Max Stable Difference	0.00 dB	0.30 dB

Occupied Channel Bandwidth 99% (6945 MHz; 11ax80 (80 MHz)) _ Ant0

Customized settings.


99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)
6945.000000	77.000000	---	320.000000	6906.750000	5925.000000

(continuation of the "99 % Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Result
6945.000000	6983.750000	7125.000000	PASS

99 % B andwidth



Measurement

Setting	Instrument Value	Target Value
Start Frequency	6.86500 GHz	6.86500 GHz
Stop Frequency	7.02500 GHz	7.02500 GHz
Span	160.000 MHz	160.000 MHz
RBW	1.000 MHz	>= 800.000 kHz
VBW	3.000 MHz	>= 3.000 MHz
SweepPoints	320	~ 320
SweepTime	1.000 ms	AUTO
Reference Level	10.000 dBm	10.000 dBm
Attenuation	20.000 dB	AUTO
Detector	MaxPeak	MaxPeak
SweepCount	200	200
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
SweepType	Sweep	AUTO
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.30 dB	0.30 dB
Run	20 / max. 20	max. 20
Stable	2 / 5	5
Max Stable Difference	0.00 dB	0.30 dB

Occupied Channel Bandwidth 99% (6945 MHz; 11ax80 (80 MHz)) _ Ant1

Customized settings.


99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)
6945.000000	77.000000	---	320.000000	6906.250000	5925.000000

(continuation of the "99 % Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Result
6945.000000	6983.250000	7125.000000	PASS

99 % B andwidth



Measurement

Setting	Instrument Value	Target Value
Start Frequency	6.86500 GHz	6.86500 GHz
Stop Frequency	7.02500 GHz	7.02500 GHz
Span	160.000 MHz	160.000 MHz
RBW	1.000 MHz	>= 800.000 kHz
VBW	3.000 MHz	>= 3.000 MHz
SweepPoints	320	~ 320
SweepTime	1.000 ms	AUTO
Reference Level	10.000 dBm	10.000 dBm
Attenuation	20.000 dB	AUTO
Detector	MaxPeak	MaxPeak
SweepCount	200	200
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
Sweeptype	Sweep	AUTO
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.30 dB	0.30 dB
Run	20 / max. 20	max. 20
Stable	2 / 5	5
Max Stable Difference	0.00 dB	0.30 dB

Occupied Channel Bandwidth 99% (7025 MHz; 11ax80 (80 MHz)) _ Ant0

Customized settings.


99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)
7025.000000	77.000000	---	320.000000	6986.750000	5925.000000

(continuation of the "99 % Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Result
7025.000000	7063.750000	7125.000000	PASS

99 % B andwidth



Measurement

Setting	Instrument Value	Target Value
Start Frequency	6.94500 GHz	6.94500 GHz
Stop Frequency	7.10500 GHz	7.10500 GHz
Span	160.000 MHz	160.000 MHz
RBW	1.000 MHz	>= 800.000 kHz
VBW	3.000 MHz	>= 3.000 MHz
SweepPoints	320	~ 320
SweepTime	1.000 ms	AUTO
Reference Level	10.000 dBm	10.000 dBm
Attenuation	20.000 dB	AUTO
Detector	MaxPeak	MaxPeak
SweepCount	200	200
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
Sweeptype	Sweep	AUTO
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.30 dB	0.30 dB
Run	20 / max. 20	max. 20
Stable	1 / 5	5
Max Stable Difference	0.00 dB	0.30 dB

Occupied Channel Bandwidth 99% (7025 MHz; 11ax80 (80 MHz)) _ Ant1

Customized settings.


99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)
7025.000000	77.000000	---	320.000000	6986.250000	5925.000000

(continuation of the "99 % Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Result
7025.000000	7063.250000	7125.000000	PASS

99 % Bandwidth



Measurement

Setting	Instrument Value	Target Value
Start Frequency	6.94500 GHz	6.94500 GHz
Stop Frequency	7.10500 GHz	7.10500 GHz
Span	160.000 MHz	160.000 MHz
RBW	1.000 MHz	>= 800.000 kHz
VBW	3.000 MHz	>= 3.000 MHz
SweepPoints	320	~ 320
SweepTime	1.000 ms	AUTO
Reference Level	10.000 dBm	10.000 dBm
Attenuation	20.000 dB	AUTO
Detector	MaxPeak	MaxPeak
SweepCount	200	200
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
SweepType	Sweep	AUTO
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.30 dB	0.30 dB
Run	20 / max. 20	max. 20
Stable	2 / 5	5
Max Stable Difference	0.00 dB	0.30 dB

Occupied Channel Bandwidth 99% (6025 MHz; 11ax160 (160 MHz)) _ Ant0

Customized settings.


99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)
6025.000000	155.000000	---	320.000000	5946.500000	5925.000000

(continuation of the "99 % Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Result
6025.000000	6101.500000	7125.000000	PASS

99 % Bandwidth



Measurement

Setting	Instrument Value	Target Value
Start Frequency	5.86500 GHz	5.86500 GHz
Stop Frequency	6.18500 GHz	6.18500 GHz
Span	320.000 MHz	320.000 MHz
RBW	2.000 MHz	>= 1.600 MHz
VBW	10.000 MHz	>= 6.000 MHz
SweepPoints	320	~ 320
SweepTime	1.000 ms	AUTO
Reference Level	10.000 dBm	10.000 dBm
Attenuation	20.000 dB	AUTO
Detector	MaxPeak	MaxPeak
SweepCount	200	200
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
SweepType	Sweep	AUTO
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.30 dB	0.30 dB
Run	5 / max. 5	max. 5
Stable	0 / 5	5
Max Stable Difference	1.39 dB	0.30 dB

Occupied Channel Bandwidth 99% (6025 MHz; 11ax160 (160 MHz)) _ Ant1

Customized settings.


99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)
6025.000000	156.000000	---	320.000000	5946.500000	5925.000000

(continuation of the "99 % Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Result
6025.000000	6102.500000	7125.000000	PASS

99 % B andwidth



Measurement

Setting	Instrument Value	Target Value
Start Frequency	5.86500 GHz	5.86500 GHz
Stop Frequency	6.18500 GHz	6.18500 GHz
Span	320.000 MHz	320.000 MHz
RBW	2.000 MHz	>= 1.600 MHz
VBW	10.000 MHz	>= 6.000 MHz
SweepPoints	320	~ 320
SweepTime	1.000 ms	AUTO
Reference Level	10.000 dBm	10.000 dBm
Attenuation	20.000 dB	AUTO
Detector	MaxPeak	MaxPeak
SweepCount	200	200
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
SweepType	Sweep	AUTO
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.30 dB	0.30 dB
Run	5 / max. 5	max. 5
Stable	1 / 5	5
Max Stable Difference	0.00 dB	0.30 dB

Occupied Channel Bandwidth 99% (6185 MHz; 11ax160 (160 MHz)) _ Ant0

Customized settings.


99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)
6185.000000	156.000000	---	320.000000	6106.500000	5925.000000

(continuation of the "99 % Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Result
6185.000000	6262.500000	7125.000000	PASS

99 % Bandwidth



Measurement

Setting	Instrument Value	Target Value
Start Frequency	6.02500 GHz	6.02500 GHz
Stop Frequency	6.34500 GHz	6.34500 GHz
Span	320.000 MHz	320.000 MHz
RBW	2.000 MHz	>= 1.600 MHz
VBW	10.000 MHz	>= 6.000 MHz
SweepPoints	320	~ 320
SweepTime	1.000 ms	AUTO
Reference Level	10.000 dBm	10.000 dBm
Attenuation	20.000 dB	AUTO
Detector	MaxPeak	MaxPeak
SweepCount	200	200
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
Sweeptype	Sweep	AUTO
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.30 dB	0.30 dB
Run	5 / max. 5	max. 5
Stable	1 / 5	5
Max Stable Difference	0.00 dB	0.30 dB

Occupied Channel Bandwidth 99% (6185 MHz; 11ax160 (160 MHz)) _ Ant1

Customized settings.


99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)
6185.000000	156.000000	---	320.000000	6106.500000	5925.000000

(continuation of the "99 % Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Result
6185.000000	6262.500000	7125.000000	PASS

99 % B andwidth



Measurement

Setting	Instrument Value	Target Value
Start Frequency	6.02500 GHz	6.02500 GHz
Stop Frequency	6.34500 GHz	6.34500 GHz
Span	320.000 MHz	320.000 MHz
RBW	2.000 MHz	>= 1.600 MHz
VBW	10.000 MHz	>= 6.000 MHz
SweepPoints	320	~ 320
SweepTime	1.000 ms	AUTO
Reference Level	10.000 dBm	10.000 dBm
Attenuation	20.000 dB	AUTO
Detector	MaxPeak	MaxPeak
SweepCount	200	200
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
SweepType	Sweep	AUTO
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.30 dB	0.30 dB
Run	5 / max. 5	max. 5
Stable	1 / 5	5
Max Stable Difference	0.00 dB	0.30 dB

Occupied Channel Bandwidth 99% (6345 MHz; 11ax160 (160 MHz)) _ Ant0

Customized settings.


99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)
6345.000000	156.000000	---	320.000000	6266.500000	5925.000000

(continuation of the "99 % Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Result
6345.000000	6422.500000	7125.000000	PASS

99 % B andwidth



Measurement

Setting	Instrument Value	Target Value
Start Frequency	6.18500 GHz	6.18500 GHz
Stop Frequency	6.50500 GHz	6.50500 GHz
Span	320.000 MHz	320.000 MHz
RBW	2.000 MHz	>= 1.600 MHz
VBW	10.000 MHz	>= 6.000 MHz
SweepPoints	320	~ 320
SweepTime	1.000 ms	AUTO
Reference Level	10.000 dBm	10.000 dBm
Attenuation	20.000 dB	AUTO
Detector	MaxPeak	MaxPeak
SweepCount	200	200
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
Sweeptype	Sweep	AUTO
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.30 dB	0.30 dB
Run	5 / max. 5	max. 5
Stable	1 / 5	5
Max Stable Difference	0.00 dB	0.30 dB

Occupied Channel Bandwidth 99% (6345 MHz; 11ax160 (160 MHz)) _ Ant1

Customized settings.


99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)
6345.000000	156.000000	---	320.000000	6266.500000	5925.000000

(continuation of the "99 % Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Result
6345.000000	6422.500000	7125.000000	PASS

99 % B andwidth



Measurement

Setting	Instrument Value	Target Value
Start Frequency	6.18500 GHz	6.18500 GHz
Stop Frequency	6.50500 GHz	6.50500 GHz
Span	320.000 MHz	320.000 MHz
RBW	2.000 MHz	>= 1.600 MHz
VBW	10.000 MHz	>= 6.000 MHz
SweepPoints	320	~ 320
SweepTime	1.000 ms	AUTO
Reference Level	10.000 dBm	10.000 dBm
Attenuation	20.000 dB	AUTO
Detector	MaxPeak	MaxPeak
SweepCount	200	200
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
Sweeptype	Sweep	AUTO
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.30 dB	0.30 dB
Run	5 / max. 5	max. 5
Stable	1 / 5	5
Max Stable Difference	0.00 dB	0.30 dB

Occupied Channel Bandwidth 99% (6505 MHz; 11ax160 (160 MHz)) _ Ant0

Customized settings.


99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Bandwidth U-NII 6 (MHz)	Bandwidth U-NII 7 (MHz)	Limit Min (MHz)	Limit Max (MHz)
6505.000000	156.000000	98.500000	57.500000	---	320.000000

(continuation of the "99 % Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Result
6505.000000	6426.500000	5925.000000	6582.500000	7125.000000	PASS

99 % Bandwidth



Measurement

Setting	Instrument Value	Target Value
Start Frequency	6.34500 GHz	6.34500 GHz
Stop Frequency	6.66500 GHz	6.66500 GHz
Span	320.000 MHz	320.000 MHz
RBW	2.000 MHz	>= 1.600 MHz
VBW	10.000 MHz	>= 6.000 MHz
SweepPoints	320	~ 320
Sweeptime	1.000 ms	AUTO
Reference Level	10.000 dBm	10.000 dBm
Attenuation	20.000 dB	AUTO
Detector	MaxPeak	MaxPeak
SweepCount	200	200
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
Sweeptype	Sweep	AUTO
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.30 dB	0.30 dB
Run	20 / max. 20	max. 20
Stable	3 / 5	5
Max Stable Difference	0.00 dB	0.30 dB

Occupied Channel Bandwidth 99% (6505 MHz; 11ax160 (160 MHz)) _ Ant1

Customized settings.


99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Bandwidth U-NII 6 (MHz)	Bandwidth U-NII 7 (MHz)	Limit Min (MHz)	Limit Max (MHz)
6505.000000	156.000000	98.500000	57.500000	---	320.000000

(continuation of the "99 % Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Result
6505.000000	6426.500000	5925.000000	6582.500000	7125.000000	PASS

99 % Bandwidth



Measurement

Setting	Instrument Value	Target Value
Start Frequency	6.34500 GHz	6.34500 GHz
Stop Frequency	6.66500 GHz	6.66500 GHz
Span	320.000 MHz	320.000 MHz
RBW	2.000 MHz	>= 1.600 MHz
VBW	10.000 MHz	>= 6.000 MHz
SweepPoints	320	~ 320
Sweeptime	1.000 ms	AUTO
Reference Level	10.000 dBm	10.000 dBm
Attenuation	20.000 dB	AUTO
Detector	MaxPeak	MaxPeak
SweepCount	200	200
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
Sweeptype	Sweep	AUTO
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.30 dB	0.30 dB
Run	20 / max. 20	max. 20
Stable	2 / 5	5
Max Stable Difference	0.00 dB	0.30 dB

Occupied Channel Bandwidth 99% (6665 MHz; 11ax160 (160 MHz)) _ Ant0

Customized settings.


99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)
6665.000000	155.000000	---	320.000000	6587.500000	5925.000000

(continuation of the "99 % Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Result
6665.000000	6742.500000	7125.000000	PASS

99 % Bandwidth



Measurement

Setting	Instrument Value	Target Value
Start Frequency	6.50500 GHz	6.50500 GHz
Stop Frequency	6.82500 GHz	6.82500 GHz
Span	320.000 MHz	320.000 MHz
RBW	2.000 MHz	>= 1.600 MHz
VBW	10.000 MHz	>= 6.000 MHz
SweepPoints	320	~ 320
SweepTime	1.000 ms	AUTO
Reference Level	10.000 dBm	10.000 dBm
Attenuation	20.000 dB	AUTO
Detector	MaxPeak	MaxPeak
SweepCount	200	200
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
SweepType	Sweep	AUTO
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.30 dB	0.30 dB
Run	20 / max. 20	max. 20
Stable	4 / 5	5
Max Stable Difference	0.00 dB	0.30 dB

Occupied Channel Bandwidth 99% (6665 MHz; 11ax160 (160 MHz)) _ Ant1

Customized settings.


99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)
6665.000000	155.000000	---	320.000000	6587.500000	5925.000000

(continuation of the "99 % Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Result
6665.000000	6742.500000	7125.000000	PASS

99 % Bandwidth



Measurement

Setting	Instrument Value	Target Value
Start Frequency	6.50500 GHz	6.50500 GHz
Stop Frequency	6.82500 GHz	6.82500 GHz
Span	320.000 MHz	320.000 MHz
RBW	2.000 MHz	>= 1.600 MHz
VBW	10.000 MHz	>= 6.000 MHz
SweepPoints	320	~ 320
SweepTime	1.000 ms	AUTO
Reference Level	10.000 dBm	10.000 dBm
Attenuation	20.000 dB	AUTO
Detector	MaxPeak	MaxPeak
SweepCount	200	200
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
Sweeptype	Sweep	AUTO
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.30 dB	0.30 dB
Run	20 / max. 20	max. 20
Stable	3 / 5	5
Max Stable Difference	0.00 dB	0.30 dB

Occupied Channel Bandwidth 99% (6825 MHz; 11ax160 (160 MHz)) _ Ant0

Customized settings.


99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Bandwidth U-NII 7 (MHz)	Bandwidth U-NII 8 (MHz)	Limit Min (MHz)	Limit Max (MHz)
6825.000000	155.000000	127.500000	27.500000	---	320.000000

(continuation of the "99 % Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Result
6825.000000	6747.500000	5925.000000	6902.500000	7125.000000	PASS

99 % B andwidth



Measurement

Setting	Instrument Value	Target Value
Start Frequency	6.66500 GHz	6.66500 GHz
Stop Frequency	6.98500 GHz	6.98500 GHz
Span	320.000 MHz	320.000 MHz
RBW	2.000 MHz	>= 1.600 MHz
VBW	10.000 MHz	>= 6.000 MHz
SweepPoints	320	~ 320
Sweeptime	1.000 ms	AUTO
Reference Level	10.000 dBm	10.000 dBm
Attenuation	20.000 dB	AUTO
Detector	MaxPeak	MaxPeak
SweepCount	200	200
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
Sweeptype	Sweep	AUTO
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.30 dB	0.30 dB
Run	20 / max. 20	max. 20
Stable	3 / 5	5
Max Stable Difference	0.00 dB	0.30 dB

Occupied Channel Bandwidth 99% (6825 MHz; 11ax160 (160 MHz)) _ Ant1

Customized settings.


99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Bandwidth U-NII 7 (MHz)	Bandwidth U-NII 8 (MHz)	Limit Min (MHz)	Limit Max (MHz)
6825.000000	155.000000	127.500000	27.500000	---	320.000000

(continuation of the "99 % Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Result
6825.000000	6747.500000	5925.000000	6902.500000	7125.000000	PASS

99 % Bandwidth



Measurement

Setting	Instrument Value	Target Value
Start Frequency	6.66500 GHz	6.66500 GHz
Stop Frequency	6.98500 GHz	6.98500 GHz
Span	320.000 MHz	320.000 MHz
RBW	2.000 MHz	>= 1.600 MHz
VBW	10.000 MHz	>= 6.000 MHz
SweepPoints	320	~ 320
Sweeptime	1.000 ms	AUTO
Reference Level	10.000 dBm	10.000 dBm
Attenuation	20.000 dB	AUTO
Detector	MaxPeak	MaxPeak
SweepCount	200	200
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
Sweeptype	Sweep	AUTO
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.30 dB	0.30 dB
Run	20 / max. 20	max. 20
Stable	3 / 5	5
Max Stable Difference	0.00 dB	0.30 dB

Occupied Channel Bandwidth 99% (6985 MHz; 11ax160 (160 MHz)) _ Ant0

Customized settings.


99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)
6985.000000	155.000000	---	320.000000	6907.500000	5925.000000

(continuation of the "99 % Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Result
6985.000000	7062.500000	7125.000000	PASS

99 % Bandwidth



Measurement

Setting	Instrument Value	Target Value
Start Frequency	6.82500 GHz	6.82500 GHz
Stop Frequency	7.14500 GHz	7.14500 GHz
Span	320.000 MHz	320.000 MHz
RBW	2.000 MHz	>= 1.600 MHz
VBW	10.000 MHz	>= 6.000 MHz
SweepPoints	320	~ 320
SweepTime	1.000 ms	AUTO
Reference Level	10.000 dBm	10.000 dBm
Attenuation	20.000 dB	AUTO
Detector	MaxPeak	MaxPeak
SweepCount	200	200
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
Sweeptype	Sweep	AUTO
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.30 dB	0.30 dB
Run	20 / max. 20	max. 20
Stable	3 / 5	5
Max Stable Difference	0.00 dB	0.30 dB

Occupied Channel Bandwidth 99% (6985 MHz; 11ax160 (160 MHz)) _ Ant1

Customized settings.


99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)
6985.000000	154.000000	---	320.000000	6907.500000	5925.000000

(continuation of the "99 % Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Result
6985.000000	7061.500000	7125.000000	PASS

99 % B andwidth



Measurement

Setting	Instrument Value	Target Value
Start Frequency	6.82500 GHz	6.82500 GHz
Stop Frequency	7.14500 GHz	7.14500 GHz
Span	320.000 MHz	320.000 MHz
RBW	2.000 MHz	>= 1.600 MHz
VBW	10.000 MHz	>= 6.000 MHz
SweepPoints	320	~ 320
SweepTime	1.000 ms	AUTO
Reference Level	10.000 dBm	10.000 dBm
Attenuation	20.000 dB	AUTO
Detector	MaxPeak	MaxPeak
SweepCount	200	200
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
Sweeptype	Sweep	AUTO
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.30 dB	0.30 dB
Run	20 / max. 20	max. 20
Stable	2 / 5	5
Max Stable Difference	0.00 dB	0.30 dB

In-Band Emission (Mask)

In-Band Emissions (5955 MHz; 11ax20 (20 MHz)) _ Ant0

Customized settings.

Result

DUT Frequency (MHz)	Result
5955.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
5954.250375	-12.7

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
5954.250375	-12.7	0.0	-12.7	PASS
5955.449775	-12.8	0.1	-12.7	PASS
5954.400300	-12.9	0.2	-12.7	PASS
5953.950525	-13.2	0.5	-12.7	PASS
5952.901049	-13.2	0.5	-12.7	PASS
5954.550225	-13.2	0.5	-12.7	PASS
5953.650675	-13.3	0.6	-12.7	PASS
5954.100450	-13.3	0.6	-12.7	PASS
5955.599700	-13.3	0.6	-12.7	PASS
5953.800600	-13.4	0.6	-12.7	PASS
5956.199400	-13.4	0.7	-12.7	PASS
5954.700150	-13.5	0.7	-12.7	PASS
5952.751124	-13.5	0.8	-12.7	PASS
5953.200900	-13.5	0.8	-12.7	PASS
5956.049475	-13.5	0.8	-12.7	PASS

In Band



— Level — Limit × Fail

Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	5.90500 GHz	5.90500 GHz
Stop Frequency	6.00500 GHz	6.00500 GHz
Span	100.000 MHz	100.000 MHz
RBW	300.000 kHz	~ 300.000 kHz
VBW	1.000 MHz	~ 1.000 MHz
SweepPoints	667	~ 667
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (5955 MHz; 11ax20 (20 MHz)) _ Ant1

Customized settings.

Max level in subband 1 (-14.9 dBm) more than 33.0 dB below the nominal power level.

Result

DUT Frequency (MHz)	Result
5955.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
5954.700150	-14.9

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
5954.700150	-14.9	0.0	-14.9	PASS
5954.550225	-15.1	0.1	-14.9	PASS
5955.299850	-15.2	0.3	-14.9	PASS
5956.199400	-15.2	0.3	-14.9	PASS
5955.899550	-15.2	0.3	-14.9	PASS
5956.049475	-15.3	0.3	-14.9	PASS
5955.749625	-15.3	0.3	-14.9	PASS
5957.098951	-15.3	0.4	-14.9	PASS
5955.449775	-15.3	0.4	-14.9	PASS
5954.400300	-15.4	0.4	-14.9	PASS
5955.599700	-15.5	0.5	-14.9	PASS
5953.800600	-15.5	0.5	-14.9	PASS
5954.250375	-15.5	0.6	-14.9	PASS
5956.499250	-15.5	0.6	-14.9	PASS
5956.649175	-15.5	0.6	-14.9	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	5.90500 GHz	5.90500 GHz
Stop Frequency	6.00500 GHz	6.00500 GHz
Span	100.000 MHz	100.000 MHz
RBW	300.000 kHz	~ 300.000 kHz
VBW	1.000 MHz	~ 1.000 MHz
SweepPoints	667	~ 667
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6175 MHz; 11ax20 (20 MHz)) _ Ant0

Customized settings.

Max level in subband 1 (-13.1 dBm) more than 33.0 dB below the nominal power level.

Result

DUT Frequency (MHz)	Result
6175.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6174.100450	-13.1

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6174.550225	-13.4	0.3	-13.1	PASS
6174.400300	-13.4	0.3	-13.1	PASS
6174.250375	-13.5	0.3	-13.1	PASS
6175.299850	-13.8	0.7	-13.1	PASS
6175.599700	-13.8	0.7	-13.1	PASS
6176.349325	-13.8	0.7	-13.1	PASS
6173.800600	-13.9	0.7	-13.1	PASS
6172.301349	-13.9	0.8	-13.1	PASS
6173.200900	-13.9	0.8	-13.1	PASS
6175.449775	-13.9	0.8	-13.1	PASS
6176.199400	-13.9	0.8	-13.1	PASS
6175.749625	-13.9	0.8	-13.1	PASS
6174.700150	-13.9	0.8	-13.1	PASS
6176.649175	-14.0	0.9	-13.1	PASS
6176.499250	-14.0	0.9	-13.1	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.12500 GHz	6.12500 GHz
Stop Frequency	6.22500 GHz	6.22500 GHz
Span	100.000 MHz	100.000 MHz
RBW	300.000 kHz	~ 300.000 kHz
VBW	1.000 MHz	~ 1.000 MHz
SweepPoints	667	~ 667
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6175 MHz; 11ax20 (20 MHz)) _ Ant1

Customized settings.

Max level in subband 1 (-15.4 dBm) more than 33.0 dB below the nominal power level.

Result

DUT Frequency (MHz)	Result
6175.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6176.349325	-15.4

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6176.349325	-15.4	0.0	-15.4	PASS
6176.499250	-15.5	0.1	-15.4	PASS
6175.449775	-15.7	0.3	-15.4	PASS
6175.599700	-15.7	0.3	-15.4	PASS
6176.199400	-15.8	0.4	-15.4	PASS
6175.899550	-15.9	0.5	-15.4	PASS
6175.749625	-16.1	0.7	-15.4	PASS
6175.299850	-16.1	0.7	-15.4	PASS
6176.949025	-16.1	0.8	-15.4	PASS
6176.649175	-16.2	0.8	-15.4	PASS
6178.148426	-16.2	0.8	-15.4	PASS
6177.248876	-16.2	0.8	-15.4	PASS
6174.400300	-16.2	0.9	-15.4	PASS
6177.998501	-16.3	0.9	-15.4	PASS
6177.398801	-16.3	0.9	-15.4	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.12500 GHz	6.12500 GHz
Stop Frequency	6.22500 GHz	6.22500 GHz
Span	100.000 MHz	100.000 MHz
RBW	300.000 kHz	~ 300.000 kHz
VBW	1.000 MHz	~ 1.000 MHz
SweepPoints	667	~ 667
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6415 MHz; 11ax20 (20 MHz)) _ Ant0

Customized settings.

Result

DUT Frequency (MHz)	Result
6415.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6415.449775	-12.4

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6415.449775	-12.4	0.0	-12.4	PASS
6414.250375	-12.6	0.2	-12.4	PASS
6413.950525	-12.7	0.3	-12.4	PASS
6414.700150	-12.7	0.3	-12.4	PASS
6412.601199	-12.9	0.5	-12.4	PASS
6413.350825	-12.9	0.5	-12.4	PASS
6416.199400	-12.9	0.5	-12.4	PASS
6415.599700	-12.9	0.6	-12.4	PASS
6415.299850	-12.9	0.6	-12.4	PASS
6414.100450	-13.0	0.6	-12.4	PASS
6413.800600	-13.0	0.6	-12.4	PASS
6413.650675	-13.0	0.6	-12.4	PASS
6414.550225	-13.0	0.7	-12.4	PASS
6413.500750	-13.1	0.7	-12.4	PASS
6414.400300	-13.2	0.8	-12.4	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.36500 GHz	6.36500 GHz
Stop Frequency	6.46500 GHz	6.46500 GHz
Span	100.000 MHz	100.000 MHz
RBW	300.000 kHz	~ 300.000 kHz
VBW	1.000 MHz	~ 1.000 MHz
SweepPoints	667	~ 667
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6415 MHz; 11ax20 (20 MHz)) _ Ant1

Customized settings.

Max level in subband 1 (-13.0 dBm) more than 33.0 dB below the nominal power level.

Result

DUT Frequency (MHz)	Result
6415.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6415.899550	-13.0

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6415.749625	-13.2	0.2	-13.0	PASS
6415.449775	-13.2	0.2	-13.0	PASS
6415.599700	-13.3	0.3	-13.0	PASS
6416.799100	-13.3	0.3	-13.0	PASS
6416.649175	-13.4	0.3	-13.0	PASS
6416.199400	-13.4	0.4	-13.0	PASS
6416.349325	-13.4	0.4	-13.0	PASS
6416.049475	-13.5	0.5	-13.0	PASS
6414.550225	-13.5	0.5	-13.0	PASS
6414.400300	-13.5	0.5	-13.0	PASS
6417.698651	-13.6	0.6	-13.0	PASS
6416.499250	-13.6	0.6	-13.0	PASS
6413.950525	-13.7	0.7	-13.0	PASS
6417.548726	-13.8	0.7	-13.0	PASS
6417.848576	-13.9	0.8	-13.0	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.36500 GHz	6.36500 GHz
Stop Frequency	6.46500 GHz	6.46500 GHz
Span	100.000 MHz	100.000 MHz
RBW	300.000 kHz	~ 300.000 kHz
VBW	1.000 MHz	~ 1.000 MHz
SweepPoints	667	~ 667
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6435 MHz; 11ax20 (20 MHz)) _ Ant0

Customized settings.

Result

DUT Frequency (MHz)	Result
6435.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6434.250375	-12.5

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6434.550225	-12.6	0.1	-12.5	PASS
6434.700150	-12.8	0.3	-12.5	PASS
6435.599700	-12.9	0.4	-12.5	PASS
6434.400300	-12.9	0.4	-12.5	PASS
6435.449775	-12.9	0.4	-12.5	PASS
6436.049475	-12.9	0.4	-12.5	PASS
6436.349325	-13.0	0.6	-12.5	PASS
6435.749625	-13.1	0.6	-12.5	PASS
6435.299850	-13.2	0.7	-12.5	PASS
6433.650675	-13.2	0.7	-12.5	PASS
6434.100450	-13.2	0.7	-12.5	PASS
6436.649175	-13.2	0.7	-12.5	PASS
6435.899550	-13.2	0.8	-12.5	PASS
6433.500750	-13.3	0.8	-12.5	PASS
6436.499250	-13.4	0.9	-12.5	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.38500 GHz	6.38500 GHz
Stop Frequency	6.48500 GHz	6.48500 GHz
Span	100.000 MHz	100.000 MHz
RBW	300.000 kHz	~ 300.000 kHz
VBW	1.000 MHz	~ 1.000 MHz
SweepPoints	667	~ 667
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6435 MHz; 11ax20 (20 MHz)) _ Ant1

Customized settings.

Max level in subband 2 (-13.7 dBm) more than 33.0 dB below the nominal power level.

Result

DUT Frequency (MHz)	Result
6435.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6436.499250	-13.7

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6435.749625	-14.1	0.4	-13.7	PASS
6435.899550	-14.2	0.4	-13.7	PASS
6436.349325	-14.2	0.4	-13.7	PASS
6436.949025	-14.3	0.5	-13.7	PASS
6433.950525	-14.4	0.7	-13.7	PASS
6437.248876	-14.4	0.7	-13.7	PASS
6435.449775	-14.5	0.7	-13.7	PASS
6436.049475	-14.5	0.7	-13.7	PASS
6436.649175	-14.5	0.8	-13.7	PASS
6434.700150	-14.6	0.8	-13.7	PASS
6434.400300	-14.6	0.9	-13.7	PASS
6435.599700	-14.7	0.9	-13.7	PASS
6435.299850	-14.7	1.0	-13.7	PASS
6437.398801	-14.7	1.0	-13.7	PASS
6434.550225	-14.7	1.0	-13.7	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.38500 GHz	6.38500 GHz
Stop Frequency	6.48500 GHz	6.48500 GHz
Span	100.000 MHz	100.000 MHz
RBW	300.000 kHz	~ 300.000 kHz
VBW	1.000 MHz	~ 1.000 MHz
SweepPoints	667	~ 667
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6475 MHz; 11ax20 (20 MHz)) _ Ant0

Customized settings.

Max level in subband 2 (-13.8 dBm) more than 33.0 dB below the nominal power level.

Result

DUT Frequency (MHz)	Result
6475.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6475.899550	-13.8

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6475.899550	-13.8	0.0	-13.8	PASS
6475.599700	-14.0	0.3	-13.8	PASS
6473.650675	-14.1	0.3	-13.8	PASS
6474.400300	-14.1	0.3	-13.8	PASS
6474.700150	-14.1	0.4	-13.8	PASS
6474.100450	-14.2	0.4	-13.8	PASS
6473.350825	-14.2	0.4	-13.8	PASS
6476.349325	-14.3	0.5	-13.8	PASS
6475.449775	-14.3	0.5	-13.8	PASS
6474.250375	-14.3	0.5	-13.8	PASS
6473.950525	-14.3	0.6	-13.8	PASS
6473.500750	-14.4	0.6	-13.8	PASS
6476.199400	-14.4	0.6	-13.8	PASS
6475.749625	-14.4	0.6	-13.8	PASS
6473.200900	-14.4	0.7	-13.8	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.42500 GHz	6.42500 GHz
Stop Frequency	6.52500 GHz	6.52500 GHz
Span	100.000 MHz	100.000 MHz
RBW	300.000 kHz	~ 300.000 kHz
VBW	1.000 MHz	~ 1.000 MHz
SweepPoints	667	~ 667
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6475 MHz; 11ax20 (20 MHz)) _ Ant1

Customized settings.

Max level in subband 2 (-14.6 dBm) more than 33.0 dB below the nominal power level.

Result

DUT Frequency (MHz)	Result
6475.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6474.400300	-14.6

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6474.550225	-14.7	0.1	-14.6	PASS
6475.599700	-14.7	0.2	-14.6	PASS
6476.949025	-14.8	0.2	-14.6	PASS
6475.449775	-14.9	0.4	-14.6	PASS
6475.749625	-15.0	0.4	-14.6	PASS
6477.098951	-15.1	0.5	-14.6	PASS
6476.199400	-15.1	0.6	-14.6	PASS
6476.349325	-15.2	0.6	-14.6	PASS
6475.899550	-15.2	0.6	-14.6	PASS
6476.499250	-15.4	0.8	-14.6	PASS
6476.649175	-15.4	0.8	-14.6	PASS
6476.799100	-15.5	0.9	-14.6	PASS
6474.250375	-15.5	1.0	-14.6	PASS
6474.700150	-15.6	1.0	-14.6	PASS
6477.248876	-15.7	1.1	-14.6	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.42500 GHz	6.42500 GHz
Stop Frequency	6.52500 GHz	6.52500 GHz
Span	100.000 MHz	100.000 MHz
RBW	300.000 kHz	~ 300.000 kHz
VBW	1.000 MHz	~ 1.000 MHz
SweepPoints	667	~ 667
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6515 MHz; 11ax20 (20 MHz)) _ Ant0

Customized settings.

Max level in subband 2 (-13.4 dBm) more than 33.0 dB below the nominal power level.

Result

DUT Frequency (MHz)	Result
6515.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6514.550225	-13.4

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6514.550225	-13.4	0.0	-13.4	PASS
6513.950525	-13.6	0.1	-13.4	PASS
6513.500750	-13.7	0.3	-13.4	PASS
6513.350825	-13.8	0.4	-13.4	PASS
6513.800600	-14.1	0.6	-13.4	PASS
6516.049475	-14.2	0.7	-13.4	PASS
6514.100450	-14.2	0.8	-13.4	PASS
6516.499250	-14.3	0.8	-13.4	PASS
6515.749625	-14.3	0.9	-13.4	PASS
6514.400300	-14.3	0.9	-13.4	PASS
6513.650675	-14.4	0.9	-13.4	PASS
6516.349325	-14.4	1.0	-13.4	PASS
6516.199400	-14.5	1.1	-13.4	PASS
6512.901049	-14.5	1.1	-13.4	PASS
6515.299850	-14.5	1.1	-13.4	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.46500 GHz	6.46500 GHz
Stop Frequency	6.56500 GHz	6.56500 GHz
Span	100.000 MHz	100.000 MHz
RBW	300.000 kHz	~ 300.000 kHz
VBW	1.000 MHz	~ 1.000 MHz
SweepPoints	667	~ 667
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6515 MHz; 11ax20 (20 MHz)) _ Ant1

Customized settings.

Max level in subband 2 (-13.2 dBm) more than 33.0 dB below the nominal power level.

Result

DUT Frequency (MHz)	Result
6515.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6515.449775	-13.2

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6515.299850	-13.5	0.3	-13.2	PASS
6516.649175	-13.7	0.5	-13.2	PASS
6516.349325	-13.8	0.6	-13.2	PASS
6516.799100	-13.8	0.6	-13.2	PASS
6516.199400	-13.9	0.7	-13.2	PASS
6514.550225	-13.9	0.8	-13.2	PASS
6516.499250	-14.1	0.9	-13.2	PASS
6514.400300	-14.1	0.9	-13.2	PASS
6515.749625	-14.1	0.9	-13.2	PASS
6516.049475	-14.2	1.0	-13.2	PASS
6514.250375	-14.2	1.0	-13.2	PASS
6515.599700	-14.3	1.1	-13.2	PASS
6516.949025	-14.3	1.2	-13.2	PASS
6514.100450	-14.5	1.3	-13.2	PASS
6515.899550	-14.5	1.3	-13.2	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.46500 GHz	6.46500 GHz
Stop Frequency	6.56500 GHz	6.56500 GHz
Span	100.000 MHz	100.000 MHz
RBW	300.000 kHz	~ 300.000 kHz
VBW	1.000 MHz	~ 1.000 MHz
SweepPoints	667	~ 667
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6535 MHz; 11ax20 (20 MHz)) _ Ant0

Customized settings.

Result

DUT Frequency (MHz)	Result
6535.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6535.899550	-12.3

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6535.899550	-12.3	0.0	-12.3	PASS
6536.049475	-12.6	0.3	-12.3	PASS
6535.299850	-12.6	0.3	-12.3	PASS
6535.749625	-12.7	0.4	-12.3	PASS
6535.449775	-12.8	0.5	-12.3	PASS
6537.098951	-12.9	0.6	-12.3	PASS
6533.800600	-12.9	0.6	-12.3	PASS
6537.248876	-12.9	0.6	-12.3	PASS
6534.250375	-12.9	0.7	-12.3	PASS
6536.649175	-13.0	0.7	-12.3	PASS
6536.199400	-13.0	0.7	-12.3	PASS
6535.599700	-13.0	0.7	-12.3	PASS
6536.499250	-13.0	0.7	-12.3	PASS
6537.848576	-13.1	0.8	-12.3	PASS
6536.949025	-13.1	0.8	-12.3	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.48500 GHz	6.48500 GHz
Stop Frequency	6.58500 GHz	6.58500 GHz
Span	100.000 MHz	100.000 MHz
RBW	300.000 kHz	~ 300.000 kHz
VBW	1.000 MHz	~ 1.000 MHz
SweepPoints	667	~ 667
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6535 MHz; 11ax20 (20 MHz)) _ Ant1

Customized settings.

Max level in subband 3 (-13.2 dBm) more than 33.0 dB below the nominal power level.

Result

DUT Frequency (MHz)	Result
6535.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6533.950525	-13.2

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6533.950525	-13.2	0.0	-13.2	PASS
6534.100450	-13.4	0.2	-13.2	PASS
6534.550225	-13.6	0.3	-13.2	PASS
6533.200900	-13.6	0.4	-13.2	PASS
6535.749625	-13.7	0.4	-13.2	PASS
6534.250375	-13.7	0.5	-13.2	PASS
6534.400300	-13.7	0.5	-13.2	PASS
6535.299850	-13.8	0.6	-13.2	PASS
6533.500750	-13.8	0.6	-13.2	PASS
6533.650675	-13.9	0.6	-13.2	PASS
6532.751124	-13.9	0.7	-13.2	PASS
6533.800600	-14.0	0.8	-13.2	PASS
6533.350825	-14.1	0.8	-13.2	PASS
6534.700150	-14.1	0.8	-13.2	PASS
6535.599700	-14.1	0.9	-13.2	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.48500 GHz	6.48500 GHz
Stop Frequency	6.58500 GHz	6.58500 GHz
Span	100.000 MHz	100.000 MHz
RBW	300.000 kHz	~ 300.000 kHz
VBW	1.000 MHz	~ 1.000 MHz
SweepPoints	667	~ 667
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6695 MHz; 11ax20 (20 MHz)) _ Ant0

Customized settings.

Result

DUT Frequency (MHz)	Result
6695.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6694.400300	-12.5

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6694.400300	-12.5	0.0	-12.5	PASS
6694.100450	-12.6	0.1	-12.5	PASS
6694.550225	-12.8	0.3	-12.5	PASS
6695.449775	-12.9	0.4	-12.5	PASS
6694.700150	-13.0	0.4	-12.5	PASS
6693.800600	-13.0	0.5	-12.5	PASS
6694.250375	-13.0	0.5	-12.5	PASS
6693.650675	-13.0	0.5	-12.5	PASS
6693.950525	-13.1	0.6	-12.5	PASS
6696.199400	-13.2	0.7	-12.5	PASS
6692.751124	-13.3	0.8	-12.5	PASS
6695.299850	-13.3	0.8	-12.5	PASS
6693.500750	-13.4	0.9	-12.5	PASS
6695.899550	-13.4	0.9	-12.5	PASS
6696.049475	-13.4	0.9	-12.5	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.64500 GHz	6.64500 GHz
Stop Frequency	6.74500 GHz	6.74500 GHz
Span	100.000 MHz	100.000 MHz
RBW	300.000 kHz	~ 300.000 kHz
VBW	1.000 MHz	~ 1.000 MHz
SweepPoints	667	~ 667
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6695 MHz; 11ax20 (20 MHz)) _ Ant1

Customized settings.

Max level in subband 3 (-13.8 dBm) more than 33.0 dB below the nominal power level.

Result

DUT Frequency (MHz)	Result
6695.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6696.499250	-13.8

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6696.499250	-13.8	0.0	-13.8	PASS
6696.349325	-14.2	0.4	-13.8	PASS
6696.649175	-14.2	0.4	-13.8	PASS
6695.449775	-14.3	0.5	-13.8	PASS
6696.049475	-14.5	0.6	-13.8	PASS
6695.899550	-14.5	0.7	-13.8	PASS
6695.599700	-14.5	0.7	-13.8	PASS
6694.250375	-14.5	0.7	-13.8	PASS
6696.199400	-14.5	0.7	-13.8	PASS
6693.950525	-14.6	0.8	-13.8	PASS
6696.799100	-14.6	0.8	-13.8	PASS
6694.400300	-14.6	0.8	-13.8	PASS
6697.098951	-14.7	0.8	-13.8	PASS
6695.749625	-14.7	0.9	-13.8	PASS
6694.700150	-14.7	0.9	-13.8	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.64500 GHz	6.64500 GHz
Stop Frequency	6.74500 GHz	6.74500 GHz
Span	100.000 MHz	100.000 MHz
RBW	300.000 kHz	~ 300.000 kHz
VBW	1.000 MHz	~ 1.000 MHz
SweepPoints	667	~ 667
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6855 MHz; 11ax20 (20 MHz)) _ Ant0

Customized settings.

Max level in subband 3 (-14.1 dBm) more than 33.0 dB below the nominal power level.

Result

DUT Frequency (MHz)	Result
6855.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6853.950525	-14.1

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6854.550225	-14.1	0.0	-14.1	PASS
6855.599700	-14.2	0.1	-14.1	PASS
6852.751124	-14.2	0.1	-14.1	PASS
6855.449775	-14.2	0.1	-14.1	PASS
6854.100450	-14.3	0.1	-14.1	PASS
6853.500750	-14.3	0.1	-14.1	PASS
6854.250375	-14.3	0.2	-14.1	PASS
6853.350825	-14.3	0.2	-14.1	PASS
6855.299850	-14.5	0.3	-14.1	PASS
6855.749625	-14.5	0.4	-14.1	PASS
6853.050975	-14.5	0.4	-14.1	PASS
6854.700150	-14.6	0.5	-14.1	PASS
6852.601199	-14.7	0.5	-14.1	PASS
6856.199400	-14.7	0.6	-14.1	PASS
6855.899550	-14.7	0.6	-14.1	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.80500 GHz	6.80500 GHz
Stop Frequency	6.90500 GHz	6.90500 GHz
Span	100.000 MHz	100.000 MHz
RBW	300.000 kHz	~ 300.000 kHz
VBW	1.000 MHz	~ 1.000 MHz
SweepPoints	667	~ 667
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6855 MHz; 11ax20 (20 MHz)) _ Ant1

Customized settings.

Max level in subband 3 (-14.4 dBm) more than 33.0 dB below the nominal power level.

Result

DUT Frequency (MHz)	Result
6855.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6855.449775	-14.4

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6856.349325	-14.5	0.1	-14.4	PASS
6855.899550	-14.5	0.1	-14.4	PASS
6854.700150	-14.6	0.2	-14.4	PASS
6855.749625	-14.6	0.2	-14.4	PASS
6857.098951	-14.7	0.3	-14.4	PASS
6855.599700	-14.7	0.3	-14.4	PASS
6855.299850	-14.7	0.3	-14.4	PASS
6856.649175	-14.8	0.4	-14.4	PASS
6856.499250	-14.9	0.5	-14.4	PASS
6854.250375	-14.9	0.5	-14.4	PASS
6853.650675	-15.0	0.6	-14.4	PASS
6856.049475	-15.0	0.6	-14.4	PASS
6854.400300	-15.0	0.6	-14.4	PASS
6856.949025	-15.1	0.7	-14.4	PASS
6856.799100	-15.1	0.7	-14.4	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.80500 GHz	6.80500 GHz
Stop Frequency	6.90500 GHz	6.90500 GHz
Span	100.000 MHz	100.000 MHz
RBW	300.000 kHz	~ 300.000 kHz
VBW	1.000 MHz	~ 1.000 MHz
SweepPoints	667	~ 667
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6875 MHz; 11ax20 (20 MHz)) _ Ant0

Customized settings.

Max level in subband 3 (-14.0 dBm) more than 33.0 dB below the nominal power level.

Result

DUT Frequency (MHz)	Result
6875.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6873.350825	-14.0

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6873.500750	-14.1	0.1	-14.0	PASS
6873.650675	-14.1	0.2	-14.0	PASS
6872.451274	-14.1	0.2	-14.0	PASS
6876.049475	-14.2	0.3	-14.0	PASS
6874.100450	-14.2	0.3	-14.0	PASS
6873.950525	-14.2	0.3	-14.0	PASS
6873.800600	-14.3	0.4	-14.0	PASS
6872.601199	-14.4	0.5	-14.0	PASS
6873.200900	-14.4	0.5	-14.0	PASS
6874.700150	-14.4	0.5	-14.0	PASS
6874.550225	-14.4	0.5	-14.0	PASS
6874.250375	-14.4	0.5	-14.0	PASS
6875.899550	-14.5	0.6	-14.0	PASS
6876.199400	-14.6	0.6	-14.0	PASS
6874.400300	-14.6	0.6	-14.0	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.82500 GHz	6.82500 GHz
Stop Frequency	6.92500 GHz	6.92500 GHz
Span	100.000 MHz	100.000 MHz
RBW	300.000 kHz	~ 300.000 kHz
VBW	1.000 MHz	~ 1.000 MHz
SweepPoints	667	~ 667
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6875 MHz; 11ax20 (20 MHz)) _ Ant1

Customized settings.

Max level in subband 3 (-13.8 dBm) more than 33.0 dB below the nominal power level.

Result

DUT Frequency (MHz)	Result
6875.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6875.749625	-13.8

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6876.199400	-13.9	0.1	-13.8	PASS
6875.899550	-14.2	0.4	-13.8	PASS
6876.049475	-14.4	0.6	-13.8	PASS
6876.649175	-14.5	0.7	-13.8	PASS
6876.349325	-14.5	0.7	-13.8	PASS
6875.299850	-14.6	0.8	-13.8	PASS
6876.499250	-14.6	0.8	-13.8	PASS
6873.800600	-14.6	0.8	-13.8	PASS
6877.248876	-14.6	0.8	-13.8	PASS
6877.548726	-14.6	0.8	-13.8	PASS
6874.550225	-14.6	0.8	-13.8	PASS
6875.599700	-14.6	0.8	-13.8	PASS
6874.100450	-14.7	0.9	-13.8	PASS
6877.398801	-14.7	0.9	-13.8	PASS
6876.799100	-14.8	1.0	-13.8	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.82500 GHz	6.82500 GHz
Stop Frequency	6.92500 GHz	6.92500 GHz
Span	100.000 MHz	100.000 MHz
RBW	300.000 kHz	~ 300.000 kHz
VBW	1.000 MHz	~ 1.000 MHz
SweepPoints	667	~ 667
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6895 MHz; 11ax20 (20 MHz)) _ Ant0

Customized settings.

Max level in subband 4 (-14.4 dBm) more than 33.0 dB below the nominal power level.

Result

DUT Frequency (MHz)	Result
6895.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6893.650675	-14.4

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6893.650675	-14.4	0.0	-14.4	PASS
6894.100450	-14.4	0.0	-14.4	PASS
6892.901049	-14.5	0.1	-14.4	PASS
6893.950525	-14.6	0.2	-14.4	PASS
6893.800600	-14.6	0.3	-14.4	PASS
6893.350825	-14.7	0.4	-14.4	PASS
6894.400300	-14.8	0.4	-14.4	PASS
6892.751124	-14.9	0.5	-14.4	PASS
6895.899550	-15.0	0.6	-14.4	PASS
6894.250375	-15.0	0.7	-14.4	PASS
6892.601199	-15.0	0.7	-14.4	PASS
6894.700150	-15.1	0.8	-14.4	PASS
6895.749625	-15.1	0.8	-14.4	PASS
6893.500750	-15.2	0.8	-14.4	PASS
6894.550225	-15.2	0.8	-14.4	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.84500 GHz	6.84500 GHz
Stop Frequency	6.94500 GHz	6.94500 GHz
Span	100.000 MHz	100.000 MHz
RBW	300.000 kHz	~ 300.000 kHz
VBW	1.000 MHz	~ 1.000 MHz
SweepPoints	667	~ 667
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6895 MHz; 11ax20 (20 MHz)) _ Ant1

Customized settings.

Max level in subband 4 (-13.4 dBm) more than 33.0 dB below the nominal power level.

Result

DUT Frequency (MHz)	Result
6895.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6895.449775	-13.4

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6895.599700	-13.5	0.1	-13.4	PASS
6896.499250	-13.5	0.1	-13.4	PASS
6895.749625	-13.6	0.2	-13.4	PASS
6896.649175	-13.9	0.5	-13.4	PASS
6893.800600	-14.0	0.6	-13.4	PASS
6893.950525	-14.0	0.6	-13.4	PASS
6896.199400	-14.0	0.6	-13.4	PASS
6895.899550	-14.0	0.6	-13.4	PASS
6893.650675	-14.0	0.6	-13.4	PASS
6896.349325	-14.0	0.7	-13.4	PASS
6896.049475	-14.1	0.7	-13.4	PASS
6894.100450	-14.1	0.7	-13.4	PASS
6895.299850	-14.2	0.8	-13.4	PASS
6897.248876	-14.2	0.8	-13.4	PASS
6896.799100	-14.2	0.9	-13.4	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.84500 GHz	6.84500 GHz
Stop Frequency	6.94500 GHz	6.94500 GHz
Span	100.000 MHz	100.000 MHz
RBW	300.000 kHz	~ 300.000 kHz
VBW	1.000 MHz	~ 1.000 MHz
SweepPoints	667	~ 667
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6995 MHz; 11ax20 (20 MHz)) _ Ant0

Customized settings.

Max level in subband 4 (-13.0 dBm) more than 33.0 dB below the nominal power level.

Result

DUT Frequency (MHz)	Result
6995.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6994.250375	-13.0

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6994.250375	-13.0	0.0	-13.0	PASS
6993.950525	-13.7	0.7	-13.0	PASS
6994.700150	-14.0	1.0	-13.0	PASS
6992.751124	-14.2	1.2	-13.0	PASS
6994.100450	-14.2	1.2	-13.0	PASS
6995.749625	-14.2	1.2	-13.0	PASS
6993.350825	-14.3	1.3	-13.0	PASS
6993.800600	-14.3	1.3	-13.0	PASS
6993.200900	-14.4	1.3	-13.0	PASS
6992.001499	-14.4	1.3	-13.0	PASS
6992.901049	-14.4	1.4	-13.0	PASS
6992.601199	-14.5	1.4	-13.0	PASS
6993.650675	-14.5	1.5	-13.0	PASS
6995.299850	-14.5	1.5	-13.0	PASS
6993.500750	-14.5	1.5	-13.0	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.94500 GHz	6.94500 GHz
Stop Frequency	7.04500 GHz	7.04500 GHz
Span	100.000 MHz	100.000 MHz
RBW	300.000 kHz	~ 300.000 kHz
VBW	1.000 MHz	~ 1.000 MHz
SweepPoints	667	~ 667
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6995 MHz; 11x20 (20 MHz)) _ Ant1

Customized settings.

Max level in subband 4 (-14.6 dBm) more than 33.0 dB below the nominal power level.

Result

DUT Frequency (MHz)	Result
6995.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6994.400300	-14.6

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6996.799100	-14.6	0.1	-14.6	PASS
6996.349325	-14.8	0.2	-14.6	PASS
6995.449775	-14.9	0.3	-14.6	PASS
6994.250375	-14.9	0.4	-14.6	PASS
6994.550225	-15.0	0.4	-14.6	PASS
6996.499250	-15.0	0.4	-14.6	PASS
6995.599700	-15.0	0.4	-14.6	PASS
6996.649175	-15.0	0.5	-14.6	PASS
6995.899550	-15.0	0.5	-14.6	PASS
6993.500750	-15.1	0.6	-14.6	PASS
6996.949025	-15.2	0.6	-14.6	PASS
6996.199400	-15.2	0.6	-14.6	PASS
6995.749625	-15.3	0.7	-14.6	PASS
6994.700150	-15.4	0.8	-14.6	PASS
6997.248876	-15.5	0.9	-14.6	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.94500 GHz	6.94500 GHz
Stop Frequency	7.04500 GHz	7.04500 GHz
Span	100.000 MHz	100.000 MHz
RBW	300.000 kHz	~ 300.000 kHz
VBW	1.000 MHz	~ 1.000 MHz
SweepPoints	667	~ 667
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (7115 MHz; 11ax20 (20 MHz)) _ Ant0

Customized settings.

Max level in subband 4 (-15.9 dBm) more than 33.0 dB below the nominal power level.

Result

DUT Frequency (MHz)	Result
7115.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
7113.650675	-15.9

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
7113.800600	-16.0	0.1	-15.9	PASS
7114.100450	-16.1	0.2	-15.9	PASS
7112.751124	-16.2	0.3	-15.9	PASS
7113.200900	-16.2	0.4	-15.9	PASS
7115.449775	-16.3	0.4	-15.9	PASS
7112.901049	-16.3	0.4	-15.9	PASS
7113.350825	-16.3	0.4	-15.9	PASS
7114.700150	-16.3	0.5	-15.9	PASS
7114.550225	-16.4	0.5	-15.9	PASS
7114.250375	-16.5	0.6	-15.9	PASS
7112.451274	-16.5	0.6	-15.9	PASS
7115.299850	-16.6	0.7	-15.9	PASS
7113.950525	-16.6	0.7	-15.9	PASS
7112.601199	-16.6	0.7	-15.9	PASS
7115.599700	-16.6	0.8	-15.9	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	7.06500 GHz	7.06500 GHz
Stop Frequency	7.16500 GHz	7.16500 GHz
Span	100.000 MHz	100.000 MHz
RBW	300.000 kHz	~ 300.000 kHz
VBW	1.000 MHz	~ 1.000 MHz
SweepPoints	667	~ 667
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (7115 MHz; 11ax20 (20 MHz)) _ Ant1

Customized settings.

Max level in subband 4 (-17.1 dBm) more than 33.0 dB below the nominal power level.

Result

DUT Frequency (MHz)	Result
7115.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
7115.899550	-17.1

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
7115.899550	-17.1	0.0	-17.1	PASS
7116.349325	-17.2	0.0	-17.1	PASS
7116.499250	-17.2	0.1	-17.1	PASS
7115.749625	-17.3	0.2	-17.1	PASS
7114.250375	-17.6	0.5	-17.1	PASS
7115.599700	-17.7	0.5	-17.1	PASS
7114.100450	-17.7	0.5	-17.1	PASS
7114.700150	-17.9	0.8	-17.1	PASS
7116.049475	-18.0	0.9	-17.1	PASS
7115.449775	-18.0	0.9	-17.1	PASS
7116.199400	-18.1	1.0	-17.1	PASS
7116.649175	-18.2	1.0	-17.1	PASS
7116.949025	-18.2	1.1	-17.1	PASS
7115.299850	-18.3	1.1	-17.1	PASS
7117.098951	-18.3	1.2	-17.1	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	7.06500 GHz	7.06500 GHz
Stop Frequency	7.16500 GHz	7.16500 GHz
Span	100.000 MHz	100.000 MHz
RBW	300.000 kHz	~ 300.000 kHz
VBW	1.000 MHz	~ 1.000 MHz
SweepPoints	667	~ 667
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (5965 MHz; 11ax40 (40 MHz)) _ Ant0

Customized settings.

Result

DUT Frequency (MHz)	Result
5965.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
5966.375000	-10.7

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
5966.125000	-11.0	0.3	-10.7	PASS
5963.875000	-11.2	0.5	-10.7	PASS
5965.625000	-11.2	0.5	-10.7	PASS
5965.875000	-11.3	0.6	-10.7	PASS
5963.625000	-11.5	0.8	-10.7	PASS
5962.375000	-11.5	0.8	-10.7	PASS
5963.125000	-11.5	0.8	-10.7	PASS
5966.625000	-11.7	1.0	-10.7	PASS
5961.375000	-11.7	1.0	-10.7	PASS
5961.875000	-11.7	1.0	-10.7	PASS
5964.125000	-11.7	1.0	-10.7	PASS
5961.625000	-11.8	1.1	-10.7	PASS
5966.875000	-11.8	1.1	-10.7	PASS
5962.625000	-11.9	1.2	-10.7	PASS
5965.375000	-11.9	1.2	-10.7	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	5.86500 GHz	5.86500 GHz
Stop Frequency	6.06500 GHz	6.06500 GHz
Span	200.000 MHz	200.000 MHz
RBW	500.000 kHz	~ 500.000 kHz
VBW	1.000 MHz	~ 1.500 MHz
SweepPoints	800	~ 800
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (5965 MHz; 11ax40 (40 MHz)) _ Ant1

Customized settings.

Result

DUT Frequency (MHz)	Result
5965.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
5966.875000	-13.2

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
5966.875000	-13.2	0.0	-13.2	PASS
5966.625000	-13.5	0.3	-13.2	PASS
5967.125000	-13.7	0.5	-13.2	PASS
5964.375000	-13.7	0.5	-13.2	PASS
5965.875000	-13.8	0.6	-13.2	PASS
5966.125000	-13.8	0.6	-13.2	PASS
5967.625000	-13.9	0.7	-13.2	PASS
5965.625000	-13.9	0.7	-13.2	PASS
5967.875000	-13.9	0.7	-13.2	PASS
5967.375000	-13.9	0.7	-13.2	PASS
5964.625000	-14.1	0.9	-13.2	PASS
5964.125000	-14.1	0.9	-13.2	PASS
5963.625000	-14.1	0.9	-13.2	PASS
5963.125000	-14.2	1.0	-13.2	PASS
5963.875000	-14.3	1.1	-13.2	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	5.86500 GHz	5.86500 GHz
Stop Frequency	6.06500 GHz	6.06500 GHz
Span	200.000 MHz	200.000 MHz
RBW	500.000 kHz	~ 500.000 kHz
VBW	1.000 MHz	~ 1.500 MHz
SweepPoints	800	~ 800
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6165 MHz; 11ax40 (40 MHz)) _ Ant0

Customized settings.

Result

DUT Frequency (MHz)	Result
6165.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6165.625000	-9.2

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6165.625000	-9.2	0.0	-9.2	PASS
6166.125000	-9.3	0.1	-9.2	PASS
6162.875000	-9.5	0.3	-9.2	PASS
6166.375000	-9.5	0.3	-9.2	PASS
6164.375000	-9.6	0.4	-9.2	PASS
6163.875000	-9.7	0.5	-9.2	PASS
6163.625000	-10.0	0.7	-9.2	PASS
6165.875000	-10.0	0.8	-9.2	PASS
6162.375000	-10.2	1.0	-9.2	PASS
6163.125000	-10.3	1.1	-9.2	PASS
6162.625000	-10.4	1.1	-9.2	PASS
6161.875000	-10.4	1.2	-9.2	PASS
6162.125000	-10.4	1.2	-9.2	PASS
6164.125000	-10.5	1.3	-9.2	PASS
6163.375000	-10.5	1.3	-9.2	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.06500 GHz	6.06500 GHz
Stop Frequency	6.26500 GHz	6.26500 GHz
Span	200.000 MHz	200.000 MHz
RBW	500.000 kHz	~ 500.000 kHz
VBW	1.000 MHz	~ 1.500 MHz
SweepPoints	800	~ 800
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6165 MHz; 11ax40 (40 MHz)) _ Ant1

Customized settings.

Result

DUT Frequency (MHz)	Result
6165.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6168.125000	-11.7

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6168.125000	-11.7	0.0	-11.7	PASS
6166.625000	-11.8	0.1	-11.7	PASS
6166.375000	-12.0	0.3	-11.7	PASS
6168.875000	-12.0	0.3	-11.7	PASS
6166.125000	-12.0	0.3	-11.7	PASS
6167.875000	-12.1	0.4	-11.7	PASS
6168.375000	-12.1	0.4	-11.7	PASS
6164.375000	-12.1	0.4	-11.7	PASS
6169.375000	-12.2	0.4	-11.7	PASS
6169.125000	-12.2	0.4	-11.7	PASS
6167.375000	-12.3	0.5	-11.7	PASS
6165.875000	-12.3	0.6	-11.7	PASS
6168.625000	-12.4	0.6	-11.7	PASS
6167.625000	-12.4	0.7	-11.7	PASS
6166.875000	-12.4	0.7	-11.7	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.06500 GHz	6.06500 GHz
Stop Frequency	6.26500 GHz	6.26500 GHz
Span	200.000 MHz	200.000 MHz
RBW	500.000 kHz	~ 500.000 kHz
VBW	1.000 MHz	~ 1.500 MHz
SweepPoints	800	~ 800
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6405 MHz; 11ax40 (40 MHz)) _ Ant0

Customized settings.

Result

DUT Frequency (MHz)	Result
6405.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6403.875000	-9.9

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6404.375000	-9.9	0.0	-9.9	PASS
6404.125000	-10.1	0.2	-9.9	PASS
6403.625000	-10.2	0.3	-9.9	PASS
6406.125000	-10.3	0.4	-9.9	PASS
6406.375000	-10.4	0.5	-9.9	PASS
6405.625000	-10.6	0.6	-9.9	PASS
6405.875000	-10.6	0.7	-9.9	PASS
6403.125000	-10.6	0.7	-9.9	PASS
6407.375000	-10.7	0.8	-9.9	PASS
6402.375000	-10.7	0.8	-9.9	PASS
6403.375000	-10.9	0.9	-9.9	PASS
6407.875000	-10.9	0.9	-9.9	PASS
6406.625000	-10.9	1.0	-9.9	PASS
6406.875000	-10.9	1.0	-9.9	PASS
6401.875000	-11.0	1.1	-9.9	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.30500 GHz	6.30500 GHz
Stop Frequency	6.50500 GHz	6.50500 GHz
Span	200.000 MHz	200.000 MHz
RBW	500.000 kHz	~ 500.000 kHz
VBW	1.000 MHz	~ 1.500 MHz
SweepPoints	800	~ 800
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6405 MHz; 11ax40 (40 MHz)) _ Ant1

Customized settings.

Result

DUT Frequency (MHz)	Result
6405.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6406.375000	-10.0

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6406.125000	-10.2	0.2	-10.0	PASS
6406.625000	-10.4	0.4	-10.0	PASS
6407.625000	-10.5	0.5	-10.0	PASS
6408.625000	-10.6	0.5	-10.0	PASS
6405.625000	-10.6	0.6	-10.0	PASS
6407.375000	-10.7	0.6	-10.0	PASS
6408.125000	-10.7	0.6	-10.0	PASS
6408.375000	-10.7	0.7	-10.0	PASS
6406.875000	-10.7	0.7	-10.0	PASS
6403.875000	-10.8	0.7	-10.0	PASS
6407.125000	-10.8	0.7	-10.0	PASS
6405.875000	-10.9	0.9	-10.0	PASS
6407.875000	-10.9	0.9	-10.0	PASS
6403.375000	-11.0	1.0	-10.0	PASS
6404.625000	-11.0	1.0	-10.0	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.30500 GHz	6.30500 GHz
Stop Frequency	6.50500 GHz	6.50500 GHz
Span	200.000 MHz	200.000 MHz
RBW	500.000 kHz	~ 500.000 kHz
VBW	1.000 MHz	~ 1.500 MHz
SweepPoints	800	~ 800
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6445 MHz; 11ax40 (40 MHz)) _ Ant0

Customized settings.

Result

DUT Frequency (MHz)	Result
6445.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6446.125000	-8.9

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6446.125000	-8.9	0.0	-8.9	PASS
6445.875000	-8.9	0.0	-8.9	PASS
6445.625000	-9.0	0.1	-8.9	PASS
6446.375000	-9.1	0.2	-8.9	PASS
6444.125000	-9.2	0.3	-8.9	PASS
6443.875000	-9.2	0.3	-8.9	PASS
6442.625000	-9.4	0.5	-8.9	PASS
6444.375000	-9.6	0.7	-8.9	PASS
6447.375000	-9.8	0.9	-8.9	PASS
6444.625000	-9.9	1.0	-8.9	PASS
6443.625000	-9.9	1.1	-8.9	PASS
6442.875000	-10.0	1.1	-8.9	PASS
6443.375000	-10.0	1.1	-8.9	PASS
6447.125000	-10.0	1.1	-8.9	PASS
6443.125000	-10.1	1.2	-8.9	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.34500 GHz	6.34500 GHz
Stop Frequency	6.54500 GHz	6.54500 GHz
Span	200.000 MHz	200.000 MHz
RBW	500.000 kHz	~ 500.000 kHz
VBW	1.000 MHz	~ 1.500 MHz
SweepPoints	800	~ 800
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6445 MHz; 11ax40 (40 MHz)) _ Ant1

Customized settings.

Result

DUT Frequency (MHz)	Result
6445.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6448.375000	-10.9

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6448.375000	-10.9	0.0	-10.9	PASS
6446.125000	-11.0	0.1	-10.9	PASS
6446.875000	-11.1	0.2	-10.9	PASS
6447.875000	-11.2	0.3	-10.9	PASS
6447.125000	-11.3	0.3	-10.9	PASS
6439.625000	-11.3	0.4	-10.9	PASS
6443.875000	-11.4	0.5	-10.9	PASS
6446.375000	-11.4	0.5	-10.9	PASS
6447.625000	-11.5	0.6	-10.9	PASS
6447.375000	-11.6	0.6	-10.9	PASS
6445.875000	-11.6	0.6	-10.9	PASS
6444.375000	-11.6	0.7	-10.9	PASS
6444.125000	-11.6	0.7	-10.9	PASS
6446.625000	-11.6	0.7	-10.9	PASS
6448.125000	-11.7	0.7	-10.9	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.34500 GHz	6.34500 GHz
Stop Frequency	6.54500 GHz	6.54500 GHz
Span	200.000 MHz	200.000 MHz
RBW	500.000 kHz	~ 500.000 kHz
VBW	1.000 MHz	~ 1.500 MHz
SweepPoints	800	~ 800
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
Sweeptype	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6485 MHz; 11ax40 (40 MHz)) _ Ant0

Customized settings.

Result

DUT Frequency (MHz)	Result
6485.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6483.375000	-10.2

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6483.375000	-10.2	0.0	-10.2	PASS
6484.125000	-10.3	0.0	-10.2	PASS
6486.375000	-10.6	0.3	-10.2	PASS
6483.125000	-10.6	0.4	-10.2	PASS
6486.625000	-10.8	0.5	-10.2	PASS
6483.625000	-10.8	0.5	-10.2	PASS
6486.125000	-10.8	0.6	-10.2	PASS
6482.625000	-10.8	0.6	-10.2	PASS
6484.625000	-10.9	0.6	-10.2	PASS
6482.875000	-10.9	0.7	-10.2	PASS
6484.375000	-10.9	0.7	-10.2	PASS
6482.125000	-11.0	0.8	-10.2	PASS
6483.875000	-11.0	0.8	-10.2	PASS
6481.625000	-11.1	0.9	-10.2	PASS
6485.875000	-11.2	1.0	-10.2	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.38500 GHz	6.38500 GHz
Stop Frequency	6.58500 GHz	6.58500 GHz
Span	200.000 MHz	200.000 MHz
RBW	500.000 kHz	~ 500.000 kHz
VBW	1.000 MHz	~ 1.500 MHz
SweepPoints	800	~ 800
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6485 MHz; 11ax40 (40 MHz)) _ Ant1

Customized settings.

Result

DUT Frequency (MHz)	Result
6485.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6482.875000	-11.2

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6485.625000	-11.3	0.0	-11.2	PASS
6487.125000	-11.3	0.0	-11.2	PASS
6486.125000	-11.3	0.1	-11.2	PASS
6486.875000	-11.4	0.1	-11.2	PASS
6488.875000	-11.6	0.3	-11.2	PASS
6485.875000	-11.6	0.4	-11.2	PASS
6486.375000	-11.7	0.5	-11.2	PASS
6486.625000	-11.7	0.5	-11.2	PASS
6482.625000	-11.7	0.5	-11.2	PASS
6488.375000	-12.0	0.7	-11.2	PASS
6488.125000	-12.0	0.7	-11.2	PASS
6489.125000	-12.0	0.8	-11.2	PASS
6488.625000	-12.0	0.8	-11.2	PASS
6489.875000	-12.0	0.8	-11.2	PASS
6489.625000	-12.1	0.8	-11.2	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.38500 GHz	6.38500 GHz
Stop Frequency	6.58500 GHz	6.58500 GHz
Span	200.000 MHz	200.000 MHz
RBW	500.000 kHz	~ 500.000 kHz
VBW	1.000 MHz	~ 1.500 MHz
SweepPoints	800	~ 800
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6525 MHz; 11ax40 (40 MHz)) _ Ant0

Customized settings.

Result

DUT Frequency (MHz)	Result
6525.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6523.375000	-10.0

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6523.625000	-10.0	0.1	-10.0	PASS
6525.625000	-10.3	0.4	-10.0	PASS
6522.875000	-10.4	0.4	-10.0	PASS
6525.875000	-10.4	0.4	-10.0	PASS
6524.125000	-10.4	0.4	-10.0	PASS
6522.625000	-10.5	0.6	-10.0	PASS
6524.375000	-10.6	0.7	-10.0	PASS
6523.125000	-10.7	0.8	-10.0	PASS
6526.125000	-10.8	0.8	-10.0	PASS
6521.375000	-10.8	0.8	-10.0	PASS
6526.375000	-10.8	0.8	-10.0	PASS
6523.875000	-10.9	0.9	-10.0	PASS
6524.625000	-10.9	0.9	-10.0	PASS
6526.625000	-10.9	1.0	-10.0	PASS
6527.625000	-11.0	1.1	-10.0	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.42500 GHz	6.42500 GHz
Stop Frequency	6.62500 GHz	6.62500 GHz
Span	200.000 MHz	200.000 MHz
RBW	500.000 kHz	~ 500.000 kHz
VBW	1.000 MHz	~ 1.500 MHz
SweepPoints	800	~ 800
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
Sweeptype	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6525 MHz; 11ax40 (40 MHz)) _ Ant1

Customized settings.

Result

DUT Frequency (MHz)	Result
6525.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6526.375000	-9.8

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6526.375000	-9.8	0.0	-9.8	PASS
6525.625000	-9.8	0.1	-9.8	PASS
6525.875000	-9.9	0.1	-9.8	PASS
6527.625000	-10.0	0.2	-9.8	PASS
6527.125000	-10.1	0.3	-9.8	PASS
6528.625000	-10.1	0.3	-9.8	PASS
6528.125000	-10.1	0.3	-9.8	PASS
6526.125000	-10.2	0.4	-9.8	PASS
6526.875000	-10.2	0.4	-9.8	PASS
6527.375000	-10.2	0.5	-9.8	PASS
6528.375000	-10.3	0.5	-9.8	PASS
6523.125000	-10.3	0.5	-9.8	PASS
6528.875000	-10.4	0.6	-9.8	PASS
6524.375000	-10.4	0.6	-9.8	PASS
6524.125000	-10.4	0.6	-9.8	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.42500 GHz	6.42500 GHz
Stop Frequency	6.62500 GHz	6.62500 GHz
Span	200.000 MHz	200.000 MHz
RBW	500.000 kHz	~ 500.000 kHz
VBW	1.000 MHz	~ 1.500 MHz
SweepPoints	800	~ 800
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6565 MHz; 11ax40 (40 MHz)) _ Ant0

Customized settings.

Result

DUT Frequency (MHz)	Result
6565.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6563.875000	-9.5

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6563.875000	-9.5	0.0	-9.5	PASS
6564.125000	-9.7	0.2	-9.5	PASS
6564.375000	-9.8	0.3	-9.5	PASS
6563.125000	-10.0	0.5	-9.5	PASS
6562.875000	-10.0	0.5	-9.5	PASS
6565.875000	-10.2	0.7	-9.5	PASS
6564.625000	-10.3	0.8	-9.5	PASS
6562.125000	-10.4	0.9	-9.5	PASS
6563.625000	-10.4	0.9	-9.5	PASS
6565.625000	-10.4	0.9	-9.5	PASS
6561.125000	-10.5	1.0	-9.5	PASS
6560.875000	-10.5	1.0	-9.5	PASS
6562.375000	-10.6	1.1	-9.5	PASS
6561.875000	-10.6	1.1	-9.5	PASS
6566.875000	-10.6	1.1	-9.5	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.46500 GHz	6.46500 GHz
Stop Frequency	6.66500 GHz	6.66500 GHz
Span	200.000 MHz	200.000 MHz
RBW	500.000 kHz	~ 500.000 kHz
VBW	1.000 MHz	~ 1.500 MHz
SweepPoints	800	~ 800
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6565 MHz; 11ax40 (40 MHz)) _ Ant1

Customized settings.

Result

DUT Frequency (MHz)	Result
6565.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6566.125000	-10.5

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6566.875000	-10.7	0.2	-10.5	PASS
6566.375000	-10.8	0.3	-10.5	PASS
6567.125000	-10.9	0.3	-10.5	PASS
6568.375000	-11.0	0.4	-10.5	PASS
6567.625000	-11.1	0.5	-10.5	PASS
6567.375000	-11.1	0.6	-10.5	PASS
6565.875000	-11.1	0.6	-10.5	PASS
6566.625000	-11.2	0.6	-10.5	PASS
6563.125000	-11.3	0.8	-10.5	PASS
6561.125000	-11.4	0.9	-10.5	PASS
6563.375000	-11.5	1.0	-10.5	PASS
6568.125000	-11.5	1.0	-10.5	PASS
6564.375000	-11.5	1.0	-10.5	PASS
6568.625000	-11.6	1.1	-10.5	PASS
6561.875000	-11.6	1.1	-10.5	PASS

In Band



— Level — Limit × Fail

Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.46500 GHz	6.46500 GHz
Stop Frequency	6.66500 GHz	6.66500 GHz
Span	200.000 MHz	200.000 MHz
RBW	500.000 kHz	~ 500.000 kHz
VBW	1.000 MHz	~ 1.500 MHz
SweepPoints	800	~ 800
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6685 MHz; 11ax40 (40 MHz)) _ Ant0

Customized settings.

Result

DUT Frequency (MHz)	Result
6685.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6682.625000	-9.6

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6682.625000	-9.6	0.0	-9.6	PASS
6683.875000	-9.7	0.0	-9.6	PASS
6682.875000	-9.7	0.0	-9.6	PASS
6682.375000	-9.9	0.2	-9.6	PASS
6683.625000	-10.0	0.3	-9.6	PASS
6682.125000	-10.0	0.4	-9.6	PASS
6684.125000	-10.1	0.5	-9.6	PASS
6685.625000	-10.1	0.5	-9.6	PASS
6683.125000	-10.1	0.5	-9.6	PASS
6685.875000	-10.1	0.5	-9.6	PASS
6683.375000	-10.2	0.6	-9.6	PASS
6686.625000	-10.3	0.6	-9.6	PASS
6684.375000	-10.4	0.7	-9.6	PASS
6686.125000	-10.4	0.8	-9.6	PASS
6681.625000	-10.4	0.8	-9.6	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.58500 GHz	6.58500 GHz
Stop Frequency	6.78500 GHz	6.78500 GHz
Span	200.000 MHz	200.000 MHz
RBW	500.000 kHz	~ 500.000 kHz
VBW	1.000 MHz	~ 1.500 MHz
SweepPoints	800	~ 800
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6685 MHz; 11ax40 (40 MHz)) _ Ant1

Customized settings.

Result

DUT Frequency (MHz)	Result
6685.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6687.125000	-10.9

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6687.125000	-10.9	0.0	-10.9	PASS
6685.625000	-11.2	0.3	-10.9	PASS
6686.625000	-11.2	0.3	-10.9	PASS
6686.875000	-11.2	0.3	-10.9	PASS
6687.375000	-11.3	0.3	-10.9	PASS
6688.375000	-11.3	0.4	-10.9	PASS
6689.125000	-11.3	0.4	-10.9	PASS
6686.375000	-11.4	0.4	-10.9	PASS
6686.125000	-11.4	0.5	-10.9	PASS
6688.875000	-11.6	0.6	-10.9	PASS
6684.375000	-11.6	0.7	-10.9	PASS
6687.875000	-11.7	0.7	-10.9	PASS
6688.125000	-11.7	0.7	-10.9	PASS
6683.875000	-11.7	0.8	-10.9	PASS
6682.875000	-11.8	0.9	-10.9	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.58500 GHz	6.58500 GHz
Stop Frequency	6.78500 GHz	6.78500 GHz
Span	200.000 MHz	200.000 MHz
RBW	500.000 kHz	~ 500.000 kHz
VBW	1.000 MHz	~ 1.500 MHz
SweepPoints	800	~ 800
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6845 MHz; 11ax40 (40 MHz)) _ Ant0

Customized settings.

Result

DUT Frequency (MHz)	Result
6845.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6843.375000	-10.0

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6843.375000	-10.0	0.0	-10.0	PASS
6843.625000	-10.4	0.4	-10.0	PASS
6841.875000	-10.6	0.6	-10.0	PASS
6842.125000	-10.6	0.6	-10.0	PASS
6843.875000	-10.6	0.6	-10.0	PASS
6842.375000	-10.6	0.6	-10.0	PASS
6841.625000	-10.8	0.8	-10.0	PASS
6844.125000	-10.9	0.9	-10.0	PASS
6844.375000	-11.0	0.9	-10.0	PASS
6842.875000	-11.0	0.9	-10.0	PASS
6841.375000	-11.0	1.0	-10.0	PASS
6843.125000	-11.0	1.0	-10.0	PASS
6846.375000	-11.1	1.0	-10.0	PASS
6840.625000	-11.2	1.2	-10.0	PASS
6846.625000	-11.2	1.2	-10.0	PASS

In Band



— Level — Limit × Fail

Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.74500 GHz	6.74500 GHz
Stop Frequency	6.94500 GHz	6.94500 GHz
Span	200.000 MHz	200.000 MHz
RBW	500.000 kHz	~ 500.000 kHz
VBW	1.000 MHz	~ 1.500 MHz
SweepPoints	800	~ 800
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6845 MHz; 11ax40 (40 MHz)) _ Ant1

Customized settings.

Result

DUT Frequency (MHz)	Result
6845.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6846.125000	-10.8

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6845.875000	-11.0	0.2	-10.8	PASS
6845.625000	-11.4	0.6	-10.8	PASS
6846.375000	-11.5	0.7	-10.8	PASS
6846.625000	-11.5	0.7	-10.8	PASS
6844.375000	-11.6	0.8	-10.8	PASS
6843.875000	-11.6	0.8	-10.8	PASS
6847.375000	-11.7	0.9	-10.8	PASS
6844.125000	-11.8	1.0	-10.8	PASS
6846.875000	-11.8	1.0	-10.8	PASS
6847.875000	-11.9	1.1	-10.8	PASS
6847.625000	-11.9	1.1	-10.8	PASS
6847.125000	-12.0	1.1	-10.8	PASS
6843.375000	-12.0	1.2	-10.8	PASS
6849.125000	-12.1	1.2	-10.8	PASS
6848.625000	-12.1	1.3	-10.8	PASS

In Band



— Level — Limit × Fail

Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.74500 GHz	6.74500 GHz
Stop Frequency	6.94500 GHz	6.94500 GHz
Span	200.000 MHz	200.000 MHz
RBW	500.000 kHz	~ 500.000 kHz
VBW	1.000 MHz	~ 1.500 MHz
SweepPoints	800	~ 800
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6885 MHz; 11ax40 (40 MHz)) _ Ant0

Customized settings.

Result

DUT Frequency (MHz)	Result
6885.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6882.875000	-10.4

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6882.875000	-10.4	0.0	-10.4	PASS
6881.875000	-10.5	0.1	-10.4	PASS
6884.125000	-10.6	0.3	-10.4	PASS
6884.625000	-10.7	0.4	-10.4	PASS
6884.375000	-10.7	0.4	-10.4	PASS
6882.625000	-10.8	0.4	-10.4	PASS
6883.375000	-10.9	0.5	-10.4	PASS
6885.625000	-10.9	0.5	-10.4	PASS
6883.625000	-10.9	0.5	-10.4	PASS
6882.125000	-10.9	0.6	-10.4	PASS
6881.625000	-11.0	0.6	-10.4	PASS
6885.875000	-11.0	0.6	-10.4	PASS
6887.125000	-11.1	0.7	-10.4	PASS
6883.125000	-11.1	0.7	-10.4	PASS
6881.375000	-11.3	0.9	-10.4	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.78500 GHz	6.78500 GHz
Stop Frequency	6.98500 GHz	6.98500 GHz
Span	200.000 MHz	200.000 MHz
RBW	500.000 kHz	~ 500.000 kHz
VBW	1.000 MHz	~ 1.500 MHz
SweepPoints	800	~ 800
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6885 MHz; 11ax40 (40 MHz)) _ Ant1

Customized settings.

Result

DUT Frequency (MHz)	Result
6885.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6886.875000	-10.0

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6886.875000	-10.0	0.0	-10.0	PASS
6885.875000	-10.4	0.4	-10.0	PASS
6886.125000	-10.4	0.4	-10.0	PASS
6885.625000	-10.5	0.5	-10.0	PASS
6886.625000	-10.7	0.7	-10.0	PASS
6887.375000	-10.8	0.8	-10.0	PASS
6887.125000	-10.8	0.8	-10.0	PASS
6888.375000	-10.9	0.9	-10.0	PASS
6886.375000	-10.9	0.9	-10.0	PASS
6884.125000	-11.1	1.0	-10.0	PASS
6883.875000	-11.1	1.0	-10.0	PASS
6884.375000	-11.1	1.1	-10.0	PASS
6883.375000	-11.1	1.1	-10.0	PASS
6887.625000	-11.2	1.2	-10.0	PASS
6887.875000	-11.2	1.2	-10.0	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.78500 GHz	6.78500 GHz
Stop Frequency	6.98500 GHz	6.98500 GHz
Span	200.000 MHz	200.000 MHz
RBW	500.000 kHz	~ 500.000 kHz
VBW	1.000 MHz	~ 1.500 MHz
SweepPoints	800	~ 800
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6925 MHz; 11ax40 (40 MHz)) _ Ant0

Customized settings.

Result

DUT Frequency (MHz)	Result
6925.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6924.125000	-10.1

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6922.375000	-10.4	0.3	-10.1	PASS
6922.875000	-10.4	0.3	-10.1	PASS
6922.625000	-10.5	0.4	-10.1	PASS
6923.375000	-10.5	0.4	-10.1	PASS
6924.375000	-10.5	0.4	-10.1	PASS
6925.875000	-10.5	0.5	-10.1	PASS
6922.125000	-10.6	0.5	-10.1	PASS
6923.125000	-10.6	0.5	-10.1	PASS
6923.875000	-10.6	0.6	-10.1	PASS
6924.625000	-10.8	0.7	-10.1	PASS
6921.125000	-10.9	0.8	-10.1	PASS
6923.625000	-10.9	0.8	-10.1	PASS
6921.625000	-11.0	0.9	-10.1	PASS
6926.125000	-11.0	1.0	-10.1	PASS
6927.375000	-11.1	1.1	-10.1	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.82500 GHz	6.82500 GHz
Stop Frequency	7.02500 GHz	7.02500 GHz
Span	200.000 MHz	200.000 MHz
RBW	500.000 kHz	~ 500.000 kHz
VBW	1.000 MHz	~ 1.500 MHz
SweepPoints	800	~ 800
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6925 MHz; 11ax40 (40 MHz)) _ Ant1

Customized settings.

Result

DUT Frequency (MHz)	Result
6925.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6924.375000	-10.1

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6924.375000	-10.1	0.0	-10.1	PASS
6926.875000	-10.2	0.1	-10.1	PASS
6927.875000	-10.2	0.1	-10.1	PASS
6927.625000	-10.2	0.1	-10.1	PASS
6926.125000	-10.2	0.1	-10.1	PASS
6928.125000	-10.3	0.3	-10.1	PASS
6927.375000	-10.4	0.3	-10.1	PASS
6927.125000	-10.4	0.4	-10.1	PASS
6925.875000	-10.4	0.4	-10.1	PASS
6926.375000	-10.4	0.4	-10.1	PASS
6923.625000	-10.5	0.5	-10.1	PASS
6922.375000	-10.6	0.5	-10.1	PASS
6924.125000	-10.6	0.6	-10.1	PASS
6926.625000	-10.6	0.6	-10.1	PASS
6922.625000	-10.8	0.7	-10.1	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.82500 GHz	6.82500 GHz
Stop Frequency	7.02500 GHz	7.02500 GHz
Span	200.000 MHz	200.000 MHz
RBW	500.000 kHz	~ 500.000 kHz
VBW	1.000 MHz	~ 1.500 MHz
SweepPoints	800	~ 800
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (7005 MHz; 11ax40 (40 MHz)) _ Ant0

Customized settings.

Result

DUT Frequency (MHz)	Result
7005.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
7001.625000	-10.8

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
7001.625000	-10.8	0.0	-10.8	PASS
7002.875000	-10.8	0.0	-10.8	PASS
7004.375000	-10.8	0.0	-10.8	PASS
7002.375000	-10.8	0.0	-10.8	PASS
7001.875000	-10.9	0.1	-10.8	PASS
7003.625000	-11.0	0.2	-10.8	PASS
7002.625000	-11.0	0.2	-10.8	PASS
7003.375000	-11.0	0.3	-10.8	PASS
7002.125000	-11.1	0.3	-10.8	PASS
7004.125000	-11.1	0.4	-10.8	PASS
7003.125000	-11.2	0.4	-10.8	PASS
7003.875000	-11.3	0.5	-10.8	PASS
7000.375000	-11.7	0.9	-10.8	PASS
7001.125000	-11.9	1.1	-10.8	PASS
7000.125000	-11.9	1.2	-10.8	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.90500 GHz	6.90500 GHz
Stop Frequency	7.10500 GHz	7.10500 GHz
Span	200.000 MHz	200.000 MHz
RBW	500.000 kHz	~ 500.000 kHz
VBW	1.000 MHz	~ 1.500 MHz
SweepPoints	800	~ 800
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (7005 MHz; 11ax40 (40 MHz)) _ Ant1

Customized settings.

Result

DUT Frequency (MHz)	Result
7005.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
7007.125000	-10.7

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
7006.625000	-10.7	0.0	-10.7	PASS
7006.375000	-10.8	0.1	-10.7	PASS
7005.625000	-10.8	0.1	-10.7	PASS
7006.875000	-10.9	0.2	-10.7	PASS
7007.375000	-10.9	0.2	-10.7	PASS
7007.625000	-10.9	0.2	-10.7	PASS
7005.875000	-11.0	0.3	-10.7	PASS
7004.125000	-11.0	0.3	-10.7	PASS
7006.125000	-11.2	0.4	-10.7	PASS
7004.375000	-11.2	0.4	-10.7	PASS
7007.875000	-11.2	0.5	-10.7	PASS
7001.875000	-11.2	0.5	-10.7	PASS
7003.625000	-11.3	0.6	-10.7	PASS
7003.875000	-11.3	0.6	-10.7	PASS
7009.125000	-11.3	0.6	-10.7	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.90500 GHz	6.90500 GHz
Stop Frequency	7.10500 GHz	7.10500 GHz
Span	200.000 MHz	200.000 MHz
RBW	500.000 kHz	~ 500.000 kHz
VBW	1.000 MHz	~ 1.500 MHz
SweepPoints	800	~ 800
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (7085 MHz; 11ax40 (40 MHz)) _ Ant0

Customized settings.

Result

DUT Frequency (MHz)	Result
7085.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
7083.875000	-9.2

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
7084.125000	-9.3	0.0	-9.2	PASS
7083.625000	-9.3	0.0	-9.2	PASS
7081.625000	-9.3	0.1	-9.2	PASS
7082.875000	-9.5	0.3	-9.2	PASS
7083.375000	-9.5	0.3	-9.2	PASS
7081.875000	-9.6	0.4	-9.2	PASS
7083.125000	-9.6	0.4	-9.2	PASS
7084.375000	-9.8	0.6	-9.2	PASS
7082.375000	-9.9	0.7	-9.2	PASS
7081.375000	-9.9	0.7	-9.2	PASS
7082.625000	-10.0	0.8	-9.2	PASS
7082.125000	-10.0	0.8	-9.2	PASS
7086.375000	-10.2	1.0	-9.2	PASS
7086.125000	-10.2	1.0	-9.2	PASS
7086.625000	-10.3	1.1	-9.2	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.98500 GHz	6.98500 GHz
Stop Frequency	7.18500 GHz	7.18500 GHz
Span	200.000 MHz	200.000 MHz
RBW	500.000 kHz	~ 500.000 kHz
VBW	1.000 MHz	~ 1.500 MHz
SweepPoints	800	~ 800
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (7085 MHz; 11ax40 (40 MHz)) _ Ant1

Customized settings.

Result

DUT Frequency (MHz)	Result
7085.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
7086.125000	-10.2

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
7087.875000	-10.2	0.0	-10.2	PASS
7087.375000	-10.5	0.3	-10.2	PASS
7086.875000	-10.6	0.4	-10.2	PASS
7088.375000	-10.8	0.6	-10.2	PASS
7087.625000	-10.8	0.6	-10.2	PASS
7088.625000	-10.9	0.7	-10.2	PASS
7088.125000	-11.0	0.8	-10.2	PASS
7086.625000	-11.1	0.9	-10.2	PASS
7083.875000	-11.1	0.9	-10.2	PASS
7086.375000	-11.1	0.9	-10.2	PASS
7085.875000	-11.1	0.9	-10.2	PASS
7087.125000	-11.2	1.0	-10.2	PASS
7085.625000	-11.2	1.0	-10.2	PASS
7089.125000	-11.3	1.1	-10.2	PASS
7081.625000	-11.3	1.2	-10.2	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.98500 GHz	6.98500 GHz
Stop Frequency	7.18500 GHz	7.18500 GHz
Span	200.000 MHz	200.000 MHz
RBW	500.000 kHz	~ 500.000 kHz
VBW	1.000 MHz	~ 1.500 MHz
SweepPoints	800	~ 800
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (5985 MHz; 11ax80 (80 MHz)) _ Ant0

Customized settings.

Result

DUT Frequency (MHz)	Result
5985.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
5983.750000	-8.0

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
5983.750000	-8.0	0.0	-8.0	PASS
5984.250000	-8.1	0.2	-8.0	PASS
5986.250000	-8.2	0.2	-8.0	PASS
5986.750000	-8.2	0.2	-8.0	PASS
5992.250000	-8.3	0.3	-8.0	PASS
5985.750000	-8.3	0.4	-8.0	PASS
5982.750000	-8.4	0.4	-8.0	PASS
5983.250000	-8.5	0.5	-8.0	PASS
5990.750000	-8.5	0.5	-8.0	PASS
5982.250000	-8.6	0.6	-8.0	PASS
5980.750000	-8.6	0.6	-8.0	PASS
5981.750000	-8.6	0.6	-8.0	PASS
5979.750000	-8.6	0.6	-8.0	PASS
5979.250000	-8.6	0.7	-8.0	PASS
5990.250000	-8.7	0.7	-8.0	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	5.78500 GHz	5.78500 GHz
Stop Frequency	6.18500 GHz	6.18500 GHz
Span	400.000 MHz	400.000 MHz
RBW	1.000 MHz	~ 1.000 MHz
VBW	3.000 MHz	~ 3.000 MHz
SweepPoints	800	~ 800
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (5985 MHz; 11ax80 (80 MHz)) _ Ant1

Customized settings.

Result

DUT Frequency (MHz)	Result
5985.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
5987.250000	-10.5

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
5987.250000	-10.5	0.0	-10.5	PASS
5986.250000	-10.6	0.1	-10.5	PASS
5984.250000	-10.7	0.2	-10.5	PASS
5988.250000	-10.7	0.2	-10.5	PASS
5986.750000	-10.7	0.2	-10.5	PASS
5987.750000	-10.8	0.3	-10.5	PASS
5977.250000	-10.8	0.3	-10.5	PASS
5988.750000	-10.9	0.4	-10.5	PASS
5982.750000	-10.9	0.4	-10.5	PASS
5978.750000	-11.0	0.5	-10.5	PASS
5985.750000	-11.1	0.5	-10.5	PASS
5983.250000	-11.1	0.6	-10.5	PASS
5977.750000	-11.1	0.6	-10.5	PASS
5983.750000	-11.1	0.6	-10.5	PASS
5980.250000	-11.1	0.6	-10.5	PASS

In Band



— Level — Limit × Fail

Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	5.78500 GHz	5.78500 GHz
Stop Frequency	6.18500 GHz	6.18500 GHz
Span	400.000 MHz	400.000 MHz
RBW	1.000 MHz	~ 1.000 MHz
VBW	3.000 MHz	~ 3.000 MHz
SweepPoints	800	~ 800
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6145 MHz; 11ax80 (80 MHz)) _ Ant0

Customized settings.

Result

DUT Frequency (MHz)	Result
6145.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6143.750000	-6.9

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6143.750000	-6.9	0.0	-6.9	PASS
6143.250000	-7.3	0.4	-6.9	PASS
6144.250000	-7.4	0.5	-6.9	PASS
6147.750000	-7.4	0.5	-6.9	PASS
6146.250000	-7.4	0.5	-6.9	PASS
6141.250000	-7.5	0.6	-6.9	PASS
6149.750000	-7.6	0.7	-6.9	PASS
6142.750000	-7.7	0.8	-6.9	PASS
6140.750000	-7.8	0.9	-6.9	PASS
6141.750000	-7.8	0.9	-6.9	PASS
6142.250000	-7.9	1.0	-6.9	PASS
6148.250000	-7.9	1.0	-6.9	PASS
6146.750000	-7.9	1.0	-6.9	PASS
6148.750000	-8.0	1.1	-6.9	PASS
6150.750000	-8.0	1.2	-6.9	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	5.94500 GHz	5.94500 GHz
Stop Frequency	6.34500 GHz	6.34500 GHz
Span	400.000 MHz	400.000 MHz
RBW	1.000 MHz	~ 1.000 MHz
VBW	3.000 MHz	~ 3.000 MHz
SweepPoints	800	~ 800
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6145 MHz; 11ax80 (80 MHz)) _ Ant1

Customized settings.

Result

DUT Frequency (MHz)	Result
6145.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6146.750000	-8.4

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6139.250000	-8.4	0.0	-8.4	PASS
6147.750000	-8.4	0.0	-8.4	PASS
6146.250000	-8.4	0.1	-8.4	PASS
6147.250000	-8.7	0.3	-8.4	PASS
6148.750000	-8.8	0.5	-8.4	PASS
6149.250000	-8.8	0.5	-8.4	PASS
6148.250000	-9.0	0.6	-8.4	PASS
6138.750000	-9.0	0.6	-8.4	PASS
6138.250000	-9.1	0.7	-8.4	PASS
6145.750000	-9.2	0.9	-8.4	PASS
6139.750000	-9.2	0.9	-8.4	PASS
6140.750000	-9.3	0.9	-8.4	PASS
6140.250000	-9.3	1.0	-8.4	PASS
6137.750000	-9.4	1.0	-8.4	PASS
6149.750000	-9.4	1.1	-8.4	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	5.94500 GHz	5.94500 GHz
Stop Frequency	6.34500 GHz	6.34500 GHz
Span	400.000 MHz	400.000 MHz
RBW	1.000 MHz	~ 1.000 MHz
VBW	3.000 MHz	~ 3.000 MHz
SweepPoints	800	~ 800
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6385 MHz; 11ax80 (80 MHz)) _ Ant0

Customized settings.

Result

DUT Frequency (MHz)	Result
6385.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6386.250000	-7.8

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6382.750000	-8.0	0.2	-7.8	PASS
6383.250000	-8.1	0.3	-7.8	PASS
6382.250000	-8.2	0.4	-7.8	PASS
6383.750000	-8.3	0.4	-7.8	PASS
6386.750000	-8.4	0.6	-7.8	PASS
6385.750000	-8.5	0.7	-7.8	PASS
6387.250000	-8.5	0.7	-7.8	PASS
6388.250000	-8.5	0.7	-7.8	PASS
6389.750000	-8.6	0.8	-7.8	PASS
6384.250000	-8.6	0.8	-7.8	PASS
6381.750000	-8.6	0.8	-7.8	PASS
6387.750000	-8.7	0.9	-7.8	PASS
6381.250000	-8.7	0.9	-7.8	PASS
6380.250000	-8.7	0.9	-7.8	PASS
6380.750000	-8.8	1.0	-7.8	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.18500 GHz	6.18500 GHz
Stop Frequency	6.58500 GHz	6.58500 GHz
Span	400.000 MHz	400.000 MHz
RBW	1.000 MHz	~ 1.000 MHz
VBW	3.000 MHz	~ 3.000 MHz
SweepPoints	800	~ 800
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6385 MHz; 11ax80 (80 MHz)) _ Ant1

Customized settings.

Result

DUT Frequency (MHz)	Result
6385.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6387.750000	-7.1

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6387.750000	-7.1	0.0	-7.1	PASS
6389.250000	-7.5	0.4	-7.1	PASS
6386.750000	-7.6	0.5	-7.1	PASS
6380.250000	-7.6	0.5	-7.1	PASS
6388.250000	-7.6	0.6	-7.1	PASS
6388.750000	-7.6	0.6	-7.1	PASS
6384.250000	-7.6	0.6	-7.1	PASS
6385.750000	-7.7	0.6	-7.1	PASS
6387.250000	-7.8	0.7	-7.1	PASS
6386.250000	-7.8	0.8	-7.1	PASS
6390.250000	-8.0	0.9	-7.1	PASS
6379.750000	-8.1	1.0	-7.1	PASS
6381.750000	-8.1	1.0	-7.1	PASS
6378.750000	-8.1	1.1	-7.1	PASS
6383.750000	-8.2	1.2	-7.1	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.18500 GHz	6.18500 GHz
Stop Frequency	6.58500 GHz	6.58500 GHz
Span	400.000 MHz	400.000 MHz
RBW	1.000 MHz	~ 1.000 MHz
VBW	3.000 MHz	~ 3.000 MHz
SweepPoints	800	~ 800
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6465 MHz; 11ax80 (80 MHz)) _ Ant0

Customized settings.

Result

DUT Frequency (MHz)	Result
6465.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6463.250000	-6.7

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6463.750000	-6.7	0.0	-6.7	PASS
6465.750000	-6.8	0.1	-6.7	PASS
6462.750000	-6.9	0.2	-6.7	PASS
6466.250000	-7.0	0.3	-6.7	PASS
6464.250000	-7.0	0.3	-6.7	PASS
6467.250000	-7.0	0.3	-6.7	PASS
6462.250000	-7.0	0.4	-6.7	PASS
6460.750000	-7.0	0.4	-6.7	PASS
6466.750000	-7.1	0.4	-6.7	PASS
6461.750000	-7.4	0.7	-6.7	PASS
6460.250000	-7.5	0.8	-6.7	PASS
6468.250000	-7.5	0.8	-6.7	PASS
6461.250000	-7.5	0.8	-6.7	PASS
6470.750000	-7.6	0.9	-6.7	PASS
6458.250000	-7.6	0.9	-6.7	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.26500 GHz	6.26500 GHz
Stop Frequency	6.66500 GHz	6.66500 GHz
Span	400.000 MHz	400.000 MHz
RBW	1.000 MHz	~ 1.000 MHz
VBW	3.000 MHz	~ 3.000 MHz
SweepPoints	800	~ 800
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6465 MHz; 11ax80 (80 MHz)) _ Ant1

Customized settings.

Result

DUT Frequency (MHz)	Result
6465.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6468.250000	-7.7

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6468.750000	-8.0	0.3	-7.7	PASS
6467.750000	-8.0	0.3	-7.7	PASS
6467.250000	-8.1	0.4	-7.7	PASS
6466.250000	-8.1	0.4	-7.7	PASS
6463.750000	-8.1	0.4	-7.7	PASS
6460.750000	-8.2	0.4	-7.7	PASS
6459.750000	-8.2	0.5	-7.7	PASS
6469.250000	-8.3	0.5	-7.7	PASS
6466.750000	-8.3	0.6	-7.7	PASS
6459.250000	-8.4	0.7	-7.7	PASS
6460.250000	-8.4	0.7	-7.7	PASS
6469.750000	-8.5	0.8	-7.7	PASS
6471.250000	-8.5	0.8	-7.7	PASS
6470.250000	-8.6	0.9	-7.7	PASS
6463.250000	-8.7	0.9	-7.7	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.26500 GHz	6.26500 GHz
Stop Frequency	6.66500 GHz	6.66500 GHz
Span	400.000 MHz	400.000 MHz
RBW	1.000 MHz	~ 1.000 MHz
VBW	3.000 MHz	~ 3.000 MHz
SweepPoints	800	~ 800
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6545 MHz; 11ax80 (80 MHz)) _ Ant0

Customized settings.

Result

DUT Frequency (MHz)	Result
6545.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6543.750000	-7.3

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6543.750000	-7.3	0.0	-7.3	PASS
6543.250000	-7.4	0.1	-7.3	PASS
6544.250000	-7.6	0.4	-7.3	PASS
6546.750000	-7.7	0.4	-7.3	PASS
6546.250000	-7.7	0.4	-7.3	PASS
6541.750000	-7.7	0.5	-7.3	PASS
6540.750000	-7.8	0.5	-7.3	PASS
6548.750000	-7.9	0.6	-7.3	PASS
6545.750000	-8.0	0.7	-7.3	PASS
6542.750000	-8.0	0.7	-7.3	PASS
6548.250000	-8.0	0.8	-7.3	PASS
6541.250000	-8.1	0.8	-7.3	PASS
6547.750000	-8.1	0.8	-7.3	PASS
6542.250000	-8.1	0.8	-7.3	PASS
6551.750000	-8.2	1.0	-7.3	PASS

In Band



— Level — Limit × Fail

Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.34500 GHz	6.34500 GHz
Stop Frequency	6.74500 GHz	6.74500 GHz
Span	400.000 MHz	400.000 MHz
RBW	1.000 MHz	~ 1.000 MHz
VBW	3.000 MHz	~ 3.000 MHz
SweepPoints	800	~ 800
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6545 MHz; 11ax80 (80 MHz)) _ Ant1

Customized settings.

Result

DUT Frequency (MHz)	Result
6545.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6546.750000	-7.4

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6546.750000	-7.4	0.0	-7.4	PASS
6549.250000	-7.6	0.2	-7.4	PASS
6545.750000	-7.8	0.4	-7.4	PASS
6547.750000	-7.8	0.4	-7.4	PASS
6546.250000	-7.8	0.4	-7.4	PASS
6547.250000	-7.9	0.5	-7.4	PASS
6543.750000	-7.9	0.5	-7.4	PASS
6548.750000	-7.9	0.6	-7.4	PASS
6548.250000	-8.0	0.6	-7.4	PASS
6538.750000	-8.0	0.6	-7.4	PASS
6540.250000	-8.1	0.8	-7.4	PASS
6538.250000	-8.1	0.8	-7.4	PASS
6550.250000	-8.2	0.8	-7.4	PASS
6541.250000	-8.2	0.8	-7.4	PASS
6550.750000	-8.2	0.8	-7.4	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.34500 GHz	6.34500 GHz
Stop Frequency	6.74500 GHz	6.74500 GHz
Span	400.000 MHz	400.000 MHz
RBW	1.000 MHz	~ 1.000 MHz
VBW	3.000 MHz	~ 3.000 MHz
SweepPoints	800	~ 800
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6625 MHz; 11ax80 (80 MHz)) _ Ant0

Customized settings.

Result

DUT Frequency (MHz)	Result
6625.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6622.750000	-8.4

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6626.250000	-8.6	0.2	-8.4	PASS
6622.250000	-8.6	0.2	-8.4	PASS
6623.250000	-8.6	0.2	-8.4	PASS
6623.750000	-8.7	0.3	-8.4	PASS
6627.250000	-8.8	0.5	-8.4	PASS
6624.250000	-8.9	0.5	-8.4	PASS
6626.750000	-8.9	0.5	-8.4	PASS
6624.750000	-9.0	0.6	-8.4	PASS
6621.250000	-9.0	0.6	-8.4	PASS
6628.250000	-9.1	0.7	-8.4	PASS
6625.750000	-9.1	0.7	-8.4	PASS
6633.250000	-9.1	0.7	-8.4	PASS
6621.750000	-9.2	0.8	-8.4	PASS
6620.750000	-9.2	0.8	-8.4	PASS
6627.750000	-9.3	0.9	-8.4	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.42500 GHz	6.42500 GHz
Stop Frequency	6.82500 GHz	6.82500 GHz
Span	400.000 MHz	400.000 MHz
RBW	1.000 MHz	~ 1.000 MHz
VBW	3.000 MHz	~ 3.000 MHz
SweepPoints	800	~ 800
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6625 MHz; 11ax80 (80 MHz)) _ Ant1

Customized settings.

Result

DUT Frequency (MHz)	Result
6625.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6626.250000	-8.2

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6626.750000	-8.3	0.2	-8.2	PASS
6627.750000	-8.6	0.4	-8.2	PASS
6628.750000	-8.6	0.4	-8.2	PASS
6628.250000	-8.7	0.6	-8.2	PASS
6617.750000	-8.7	0.6	-8.2	PASS
6627.250000	-8.7	0.6	-8.2	PASS
6620.250000	-8.9	0.7	-8.2	PASS
6630.750000	-8.9	0.8	-8.2	PASS
6625.750000	-9.0	0.8	-8.2	PASS
6619.750000	-9.0	0.8	-8.2	PASS
6629.250000	-9.0	0.9	-8.2	PASS
6620.750000	-9.1	0.9	-8.2	PASS
6618.750000	-9.1	0.9	-8.2	PASS
6623.750000	-9.2	1.0	-8.2	PASS
6619.250000	-9.2	1.0	-8.2	PASS

In Band



— Level — Limit × Fail

Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.42500 GHz	6.42500 GHz
Stop Frequency	6.82500 GHz	6.82500 GHz
Span	400.000 MHz	400.000 MHz
RBW	1.000 MHz	~ 1.000 MHz
VBW	3.000 MHz	~ 3.000 MHz
SweepPoints	800	~ 800
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6705 MHz; 11ax80 (80 MHz)) _ Ant0

Customized settings.

Result

DUT Frequency (MHz)	Result
6705.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6703.750000	-7.4

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6703.750000	-7.4	0.0	-7.4	PASS
6702.250000	-7.4	0.0	-7.4	PASS
6704.250000	-7.5	0.1	-7.4	PASS
6700.750000	-7.6	0.2	-7.4	PASS
6703.250000	-7.8	0.4	-7.4	PASS
6702.750000	-7.8	0.4	-7.4	PASS
6706.250000	-7.9	0.4	-7.4	PASS
6706.750000	-7.9	0.5	-7.4	PASS
6701.250000	-8.0	0.6	-7.4	PASS
6707.250000	-8.1	0.7	-7.4	PASS
6700.250000	-8.1	0.7	-7.4	PASS
6708.750000	-8.2	0.8	-7.4	PASS
6699.750000	-8.3	0.9	-7.4	PASS
6699.250000	-8.3	0.9	-7.4	PASS
6705.750000	-8.4	1.0	-7.4	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.50500 GHz	6.50500 GHz
Stop Frequency	6.90500 GHz	6.90500 GHz
Span	400.000 MHz	400.000 MHz
RBW	1.000 MHz	~ 1.000 MHz
VBW	3.000 MHz	~ 3.000 MHz
SweepPoints	800	~ 800
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6705 MHz; 11ax80 (80 MHz)) _ Ant1

Customized settings.

Result

DUT Frequency (MHz)	Result
6705.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6708.250000	-8.4

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6708.250000	-8.4	0.0	-8.4	PASS
6706.250000	-8.5	0.1	-8.4	PASS
6706.750000	-8.7	0.3	-8.4	PASS
6707.750000	-8.8	0.4	-8.4	PASS
6707.250000	-9.0	0.6	-8.4	PASS
6708.750000	-9.0	0.6	-8.4	PASS
6698.750000	-9.1	0.7	-8.4	PASS
6699.250000	-9.3	0.8	-8.4	PASS
6709.250000	-9.3	0.9	-8.4	PASS
6700.250000	-9.4	0.9	-8.4	PASS
6709.750000	-9.4	1.0	-8.4	PASS
6704.250000	-9.4	1.0	-8.4	PASS
6701.250000	-9.5	1.1	-8.4	PASS
6703.750000	-9.5	1.1	-8.4	PASS
6696.750000	-9.5	1.1	-8.4	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.50500 GHz	6.50500 GHz
Stop Frequency	6.90500 GHz	6.90500 GHz
Span	400.000 MHz	400.000 MHz
RBW	1.000 MHz	~ 1.000 MHz
VBW	3.000 MHz	~ 3.000 MHz
SweepPoints	800	~ 800
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6785 MHz; 11ax80 (80 MHz)) _ Ant0

Customized settings.

Result

DUT Frequency (MHz)	Result
6785.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6782.750000	-7.5

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6782.750000	-7.5	0.0	-7.5	PASS
6783.250000	-7.6	0.1	-7.5	PASS
6782.250000	-7.9	0.3	-7.5	PASS
6783.750000	-8.0	0.5	-7.5	PASS
6791.750000	-8.1	0.5	-7.5	PASS
6785.750000	-8.1	0.6	-7.5	PASS
6784.250000	-8.1	0.6	-7.5	PASS
6781.250000	-8.2	0.7	-7.5	PASS
6791.250000	-8.2	0.7	-7.5	PASS
6787.750000	-8.3	0.8	-7.5	PASS
6787.250000	-8.3	0.8	-7.5	PASS
6793.750000	-8.3	0.8	-7.5	PASS
6786.750000	-8.4	0.9	-7.5	PASS
6781.750000	-8.4	0.9	-7.5	PASS
6792.750000	-8.5	1.0	-7.5	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.58500 GHz	6.58500 GHz
Stop Frequency	6.98500 GHz	6.98500 GHz
Span	400.000 MHz	400.000 MHz
RBW	1.000 MHz	~ 1.000 MHz
VBW	3.000 MHz	~ 3.000 MHz
SweepPoints	800	~ 800
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6785 MHz; 11ax80 (80 MHz)) _ Ant1

Customized settings.

Result

DUT Frequency (MHz)	Result
6785.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6786.750000	-8.3

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6786.750000	-8.3	0.0	-8.3	PASS
6787.250000	-8.4	0.1	-8.3	PASS
6788.250000	-8.8	0.5	-8.3	PASS
6786.250000	-8.8	0.6	-8.3	PASS
6787.750000	-9.0	0.7	-8.3	PASS
6779.750000	-9.1	0.8	-8.3	PASS
6783.750000	-9.2	0.9	-8.3	PASS
6790.250000	-9.2	1.0	-8.3	PASS
6780.750000	-9.2	1.0	-8.3	PASS
6778.750000	-9.3	1.0	-8.3	PASS
6788.750000	-9.3	1.0	-8.3	PASS
6785.750000	-9.3	1.1	-8.3	PASS
6784.250000	-9.4	1.2	-8.3	PASS
6789.250000	-9.4	1.2	-8.3	PASS
6779.250000	-9.5	1.2	-8.3	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.58500 GHz	6.58500 GHz
Stop Frequency	6.98500 GHz	6.98500 GHz
Span	400.000 MHz	400.000 MHz
RBW	1.000 MHz	~ 1.000 MHz
VBW	3.000 MHz	~ 3.000 MHz
SweepPoints	800	~ 800
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6865 MHz; 11ax80 (80 MHz)) _ Ant0

Customized settings.

Result

DUT Frequency (MHz)	Result
6865.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6862.750000	-8.0

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6863.250000	-8.3	0.2	-8.0	PASS
6862.250000	-8.3	0.3	-8.0	PASS
6863.750000	-8.4	0.4	-8.0	PASS
6861.750000	-8.5	0.5	-8.0	PASS
6864.250000	-8.6	0.6	-8.0	PASS
6861.250000	-8.8	0.7	-8.0	PASS
6860.750000	-8.8	0.8	-8.0	PASS
6866.750000	-8.8	0.8	-8.0	PASS
6859.750000	-9.0	1.0	-8.0	PASS
6871.750000	-9.0	1.0	-8.0	PASS
6860.250000	-9.1	1.1	-8.0	PASS
6864.750000	-9.3	1.2	-8.0	PASS
6871.250000	-9.3	1.3	-8.0	PASS
6866.250000	-9.5	1.5	-8.0	PASS
6859.250000	-9.5	1.5	-8.0	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.66500 GHz	6.66500 GHz
Stop Frequency	7.06500 GHz	7.06500 GHz
Span	400.000 MHz	400.000 MHz
RBW	1.000 MHz	~ 1.000 MHz
VBW	3.000 MHz	~ 3.000 MHz
SweepPoints	800	~ 800
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6865 MHz; 11ax80 (80 MHz)) _ Ant1

Customized settings.

Result

DUT Frequency (MHz)	Result
6865.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6866.750000	-8.2

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6867.750000	-8.3	0.1	-8.2	PASS
6863.250000	-8.4	0.2	-8.2	PASS
6860.250000	-8.4	0.2	-8.2	PASS
6867.250000	-8.5	0.2	-8.2	PASS
6860.750000	-8.5	0.3	-8.2	PASS
6859.250000	-8.5	0.3	-8.2	PASS
6868.250000	-8.5	0.3	-8.2	PASS
6857.750000	-8.5	0.3	-8.2	PASS
6866.250000	-8.6	0.3	-8.2	PASS
6865.750000	-8.7	0.5	-8.2	PASS
6868.750000	-8.7	0.5	-8.2	PASS
6869.250000	-8.7	0.5	-8.2	PASS
6858.250000	-8.8	0.6	-8.2	PASS
6864.250000	-8.8	0.6	-8.2	PASS
6862.750000	-8.9	0.7	-8.2	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.66500 GHz	6.66500 GHz
Stop Frequency	7.06500 GHz	7.06500 GHz
Span	400.000 MHz	400.000 MHz
RBW	1.000 MHz	~ 1.000 MHz
VBW	3.000 MHz	~ 3.000 MHz
SweepPoints	800	~ 800
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6945 MHz; 11ax80 (80 MHz)) _ Ant0

Customized settings.

Result

DUT Frequency (MHz)	Result
6945.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6943.750000	-7.0

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6941.250000	-7.2	0.2	-7.0	PASS
6942.250000	-7.4	0.3	-7.0	PASS
6942.750000	-7.4	0.4	-7.0	PASS
6941.750000	-7.5	0.5	-7.0	PASS
6944.250000	-7.6	0.5	-7.0	PASS
6943.250000	-7.7	0.6	-7.0	PASS
6940.750000	-7.8	0.8	-7.0	PASS
6952.250000	-7.9	0.8	-7.0	PASS
6951.250000	-7.9	0.9	-7.0	PASS
6946.250000	-8.2	1.1	-7.0	PASS
6951.750000	-8.3	1.2	-7.0	PASS
6945.750000	-8.3	1.3	-7.0	PASS
6949.250000	-8.4	1.3	-7.0	PASS
6953.250000	-8.4	1.3	-7.0	PASS
6950.250000	-8.4	1.3	-7.0	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.74500 GHz	6.74500 GHz
Stop Frequency	7.14500 GHz	7.14500 GHz
Span	400.000 MHz	400.000 MHz
RBW	1.000 MHz	~ 1.000 MHz
VBW	3.000 MHz	~ 3.000 MHz
SweepPoints	800	~ 800
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6945 MHz; 11ax80 (80 MHz)) _ Ant1

Customized settings.

Result

DUT Frequency (MHz)	Result
6945.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6946.750000	-7.6

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6946.250000	-7.7	0.1	-7.6	PASS
6947.250000	-7.8	0.2	-7.6	PASS
6948.750000	-7.9	0.3	-7.6	PASS
6948.250000	-8.0	0.4	-7.6	PASS
6937.750000	-8.2	0.6	-7.6	PASS
6945.750000	-8.4	0.7	-7.6	PASS
6939.250000	-8.4	0.8	-7.6	PASS
6947.750000	-8.4	0.8	-7.6	PASS
6940.250000	-8.5	0.9	-7.6	PASS
6949.250000	-8.5	0.9	-7.6	PASS
6943.750000	-8.5	0.9	-7.6	PASS
6938.250000	-8.5	0.9	-7.6	PASS
6938.750000	-8.6	0.9	-7.6	PASS
6943.250000	-8.6	1.0	-7.6	PASS
6936.250000	-8.7	1.1	-7.6	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.74500 GHz	6.74500 GHz
Stop Frequency	7.14500 GHz	7.14500 GHz
Span	400.000 MHz	400.000 MHz
RBW	1.000 MHz	~ 1.000 MHz
VBW	3.000 MHz	~ 3.000 MHz
SweepPoints	800	~ 800
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (7025 MHz; 11ax80 (80 MHz)) _ Ant0

Customized settings.

Result

DUT Frequency (MHz)	Result
7025.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
7023.750000	-7.9

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
7022.750000	-8.0	0.1	-7.9	PASS
7022.250000	-8.2	0.3	-7.9	PASS
7021.750000	-8.4	0.5	-7.9	PASS
7024.250000	-8.5	0.6	-7.9	PASS
7023.250000	-8.8	0.9	-7.9	PASS
7019.750000	-8.9	1.0	-7.9	PASS
7031.250000	-8.9	1.0	-7.9	PASS
7021.250000	-9.0	1.1	-7.9	PASS
7031.750000	-9.0	1.1	-7.9	PASS
7020.750000	-9.0	1.1	-7.9	PASS
7032.250000	-9.1	1.1	-7.9	PASS
7030.250000	-9.1	1.2	-7.9	PASS
7026.250000	-9.1	1.2	-7.9	PASS
7030.750000	-9.2	1.3	-7.9	PASS
7027.250000	-9.2	1.3	-7.9	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.82500 GHz	6.82500 GHz
Stop Frequency	7.22500 GHz	7.22500 GHz
Span	400.000 MHz	400.000 MHz
RBW	1.000 MHz	~ 1.000 MHz
VBW	3.000 MHz	~ 3.000 MHz
SweepPoints	800	~ 800
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
Sweeptype	Sweep	Sweep
Preamp	off	off

In-Band Emissions (7025 MHz; 11ax80 (80 MHz)) _ Ant1

Customized settings.

Result

DUT Frequency (MHz)	Result
7025.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
7026.750000	-7.9

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
7026.750000	-7.9	0.0	-7.9	PASS
7026.250000	-8.0	0.1	-7.9	PASS
7027.750000	-8.2	0.3	-7.9	PASS
7027.250000	-8.2	0.3	-7.9	PASS
7028.250000	-8.2	0.4	-7.9	PASS
7020.750000	-8.3	0.5	-7.9	PASS
7029.250000	-8.4	0.6	-7.9	PASS
7028.750000	-8.5	0.7	-7.9	PASS
7023.250000	-8.5	0.7	-7.9	PASS
7024.250000	-8.5	0.7	-7.9	PASS
7025.750000	-8.6	0.7	-7.9	PASS
7017.750000	-8.7	0.9	-7.9	PASS
7021.750000	-8.8	0.9	-7.9	PASS
7022.750000	-8.8	0.9	-7.9	PASS
7020.250000	-8.9	1.0	-7.9	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.82500 GHz	6.82500 GHz
Stop Frequency	7.22500 GHz	7.22500 GHz
Span	400.000 MHz	400.000 MHz
RBW	1.000 MHz	~ 1.000 MHz
VBW	3.000 MHz	~ 3.000 MHz
SweepPoints	800	~ 800
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6025 MHz; 11ax160 (160 MHz)) _ Ant0

Customized settings.

Result

DUT Frequency (MHz)	Result
6025.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6020.500000	-5.4

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6020.500000	-5.4	0.0	-5.4	PASS
6018.500000	-5.6	0.2	-5.4	PASS
6017.500000	-5.6	0.2	-5.4	PASS
6022.500000	-5.7	0.2	-5.4	PASS
6016.500000	-5.7	0.3	-5.4	PASS
6019.500000	-5.7	0.3	-5.4	PASS
6014.500000	-5.7	0.3	-5.4	PASS
6021.500000	-5.7	0.3	-5.4	PASS
6023.500000	-5.7	0.3	-5.4	PASS
6027.500000	-5.8	0.3	-5.4	PASS
6033.500000	-5.8	0.4	-5.4	PASS
6015.500000	-5.8	0.4	-5.4	PASS
6011.500000	-5.9	0.5	-5.4	PASS
6031.500000	-6.0	0.6	-5.4	PASS
6013.500000	-6.1	0.7	-5.4	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	5.62500 GHz	5.62500 GHz
Stop Frequency	6.42500 GHz	6.42500 GHz
Span	800.000 MHz	800.000 MHz
RBW	2.000 MHz	~ 2.000 MHz
VBW	5.000 MHz	~ 6.000 MHz
SweepPoints	800	~ 800
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6025 MHz; 11ax160 (160 MHz)) _ Ant1

Customized settings.

Result

DUT Frequency (MHz)	Result
6025.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6027.500000	-6.4

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6027.500000	-6.4	0.0	-6.4	PASS
6028.500000	-6.5	0.1	-6.4	PASS
6017.500000	-6.8	0.3	-6.4	PASS
6018.500000	-7.0	0.6	-6.4	PASS
6019.500000	-7.0	0.6	-6.4	PASS
6016.500000	-7.1	0.6	-6.4	PASS
6029.500000	-7.1	0.6	-6.4	PASS
6021.500000	-7.1	0.7	-6.4	PASS
6030.500000	-7.1	0.7	-6.4	PASS
6038.500000	-7.3	0.9	-6.4	PASS
6036.500000	-7.3	0.9	-6.4	PASS
6039.500000	-7.3	0.9	-6.4	PASS
6015.500000	-7.3	0.9	-6.4	PASS
6037.500000	-7.4	1.0	-6.4	PASS
6020.500000	-7.4	1.0	-6.4	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	5.62500 GHz	5.62500 GHz
Stop Frequency	6.42500 GHz	6.42500 GHz
Span	800.000 MHz	800.000 MHz
RBW	2.000 MHz	~ 2.000 MHz
VBW	5.000 MHz	~ 6.000 MHz
SweepPoints	800	~ 800
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6185 MHz; 11ax160 (160 MHz)) _ Ant0

Customized settings.

Result

DUT Frequency (MHz)	Result
6185.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6174.500000	-6.4

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6174.500000	-6.4	0.0	-6.4	PASS
6181.500000	-6.5	0.1	-6.4	PASS
6172.500000	-6.6	0.2	-6.4	PASS
6173.500000	-6.7	0.3	-6.4	PASS
6176.500000	-6.7	0.3	-6.4	PASS
6175.500000	-6.7	0.3	-6.4	PASS
6179.500000	-6.7	0.3	-6.4	PASS
6182.500000	-6.8	0.4	-6.4	PASS
6180.500000	-6.9	0.4	-6.4	PASS
6165.500000	-6.9	0.4	-6.4	PASS
6164.500000	-6.9	0.5	-6.4	PASS
6170.500000	-6.9	0.5	-6.4	PASS
6177.500000	-6.9	0.5	-6.4	PASS
6178.500000	-7.0	0.6	-6.4	PASS
6166.500000	-7.1	0.7	-6.4	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	5.78500 GHz	5.78500 GHz
Stop Frequency	6.58500 GHz	6.58500 GHz
Span	800.000 MHz	800.000 MHz
RBW	2.000 MHz	~ 2.000 MHz
VBW	5.000 MHz	~ 6.000 MHz
SweepPoints	800	~ 800
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6185 MHz; 11ax160 (160 MHz)) _ Ant1

Customized settings.

Result

DUT Frequency (MHz)	Result
6185.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6180.500000	-6.8

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6188.500000	-6.9	0.1	-6.8	PASS
6189.500000	-7.0	0.1	-6.8	PASS
6177.500000	-7.2	0.3	-6.8	PASS
6187.500000	-7.2	0.4	-6.8	PASS
6190.500000	-7.3	0.4	-6.8	PASS
6179.500000	-7.3	0.5	-6.8	PASS
6198.500000	-7.4	0.6	-6.8	PASS
6181.500000	-7.4	0.6	-6.8	PASS
6196.500000	-7.4	0.6	-6.8	PASS
6191.500000	-7.5	0.6	-6.8	PASS
6178.500000	-7.5	0.7	-6.8	PASS
6194.500000	-7.6	0.8	-6.8	PASS
6176.500000	-7.6	0.8	-6.8	PASS
6192.500000	-7.7	0.8	-6.8	PASS
6199.500000	-7.8	0.9	-6.8	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	5.78500 GHz	5.78500 GHz
Stop Frequency	6.58500 GHz	6.58500 GHz
Span	800.000 MHz	800.000 MHz
RBW	2.000 MHz	~ 2.000 MHz
VBW	5.000 MHz	~ 6.000 MHz
SweepPoints	800	~ 800
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6345 MHz; 11ax160 (160 MHz)) _ Ant0

Customized settings.

Result

DUT Frequency (MHz)	Result
6345.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6341.500000	-6.5

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6341.500000	-6.5	0.0	-6.5	PASS
6340.500000	-6.5	0.0	-6.5	PASS
6337.500000	-6.6	0.1	-6.5	PASS
6332.500000	-6.6	0.1	-6.5	PASS
6334.500000	-6.7	0.2	-6.5	PASS
6348.500000	-6.7	0.2	-6.5	PASS
6335.500000	-6.7	0.2	-6.5	PASS
6333.500000	-6.7	0.2	-6.5	PASS
6352.500000	-6.7	0.2	-6.5	PASS
6342.500000	-6.8	0.3	-6.5	PASS
6338.500000	-6.8	0.3	-6.5	PASS
6336.500000	-6.8	0.3	-6.5	PASS
6328.500000	-7.0	0.5	-6.5	PASS
6339.500000	-7.0	0.5	-6.5	PASS
6347.500000	-7.0	0.5	-6.5	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	5.94500 GHz	5.94500 GHz
Stop Frequency	6.74500 GHz	6.74500 GHz
Span	800.000 MHz	800.000 MHz
RBW	2.000 MHz	~ 2.000 MHz
VBW	5.000 MHz	~ 6.000 MHz
SweepPoints	800	~ 800
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6345 MHz; 11ax160 (160 MHz)) _ Ant1

Customized settings.

Result

DUT Frequency (MHz)	Result
6345.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6350.500000	-5.8

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6340.500000	-6.1	0.2	-5.8	PASS
6338.500000	-6.1	0.2	-5.8	PASS
6348.500000	-6.1	0.2	-5.8	PASS
6349.500000	-6.1	0.2	-5.8	PASS
6356.500000	-6.3	0.4	-5.8	PASS
6358.500000	-6.3	0.4	-5.8	PASS
6341.500000	-6.3	0.5	-5.8	PASS
6337.500000	-6.4	0.5	-5.8	PASS
6347.500000	-6.4	0.5	-5.8	PASS
6352.500000	-6.4	0.5	-5.8	PASS
6355.500000	-6.4	0.6	-5.8	PASS
6339.500000	-6.5	0.7	-5.8	PASS
6351.500000	-6.6	0.7	-5.8	PASS
6342.500000	-6.7	0.8	-5.8	PASS
6357.500000	-6.7	0.8	-5.8	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	5.94500 GHz	5.94500 GHz
Stop Frequency	6.74500 GHz	6.74500 GHz
Span	800.000 MHz	800.000 MHz
RBW	2.000 MHz	~ 2.000 MHz
VBW	5.000 MHz	~ 6.000 MHz
SweepPoints	800	~ 800
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6505 MHz; 11ax160 (160 MHz)) _ Ant0

Customized settings.

Result

DUT Frequency (MHz)	Result
6505.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6502.500000	-6.9

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6502.500000	-6.9	0.0	-6.9	PASS
6508.500000	-7.0	0.1	-6.9	PASS
6501.500000	-7.0	0.1	-6.9	PASS
6499.500000	-7.1	0.2	-6.9	PASS
6492.500000	-7.3	0.4	-6.9	PASS
6511.500000	-7.3	0.4	-6.9	PASS
6513.500000	-7.3	0.4	-6.9	PASS
6515.500000	-7.4	0.4	-6.9	PASS
6509.500000	-7.4	0.5	-6.9	PASS
6516.500000	-7.4	0.5	-6.9	PASS
6503.500000	-7.4	0.5	-6.9	PASS
6497.500000	-7.4	0.5	-6.9	PASS
6500.500000	-7.5	0.6	-6.9	PASS
6512.500000	-7.5	0.6	-6.9	PASS
6498.500000	-7.5	0.6	-6.9	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.10500 GHz	6.10500 GHz
Stop Frequency	6.90500 GHz	6.90500 GHz
Span	800.000 MHz	800.000 MHz
RBW	2.000 MHz	~ 2.000 MHz
VBW	5.000 MHz	~ 6.000 MHz
SweepPoints	800	~ 800
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6505 MHz; 11ax160 (160 MHz)) _ Ant1

Customized settings.

Result

DUT Frequency (MHz)	Result
6505.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6508.500000	-6.5

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6499.500000	-6.8	0.3	-6.5	PASS
6509.500000	-6.8	0.4	-6.5	PASS
6510.500000	-6.8	0.4	-6.5	PASS
6507.500000	-6.9	0.4	-6.5	PASS
6498.500000	-7.0	0.5	-6.5	PASS
6512.500000	-7.0	0.5	-6.5	PASS
6500.500000	-7.0	0.5	-6.5	PASS
6501.500000	-7.1	0.6	-6.5	PASS
6516.500000	-7.2	0.7	-6.5	PASS
6497.500000	-7.2	0.8	-6.5	PASS
6518.500000	-7.2	0.8	-6.5	PASS
6517.500000	-7.3	0.8	-6.5	PASS
6511.500000	-7.4	0.9	-6.5	PASS
6514.500000	-7.4	0.9	-6.5	PASS
6502.500000	-7.5	1.0	-6.5	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.10500 GHz	6.10500 GHz
Stop Frequency	6.90500 GHz	6.90500 GHz
Span	800.000 MHz	800.000 MHz
RBW	2.000 MHz	~ 2.000 MHz
VBW	5.000 MHz	~ 6.000 MHz
SweepPoints	800	~ 800
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6665 MHz; 11ax160 (160 MHz)) _ Ant0

Customized settings.

Result

DUT Frequency (MHz)	Result
6665.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6672.500000	-5.7

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6662.500000	-5.9	0.2	-5.7	PASS
6673.500000	-6.1	0.3	-5.7	PASS
6671.500000	-6.2	0.5	-5.7	PASS
6661.500000	-6.2	0.5	-5.7	PASS
6670.500000	-6.2	0.5	-5.7	PASS
6668.500000	-6.3	0.5	-5.7	PASS
6655.500000	-6.3	0.6	-5.7	PASS
6674.500000	-6.3	0.6	-5.7	PASS
6653.500000	-6.4	0.7	-5.7	PASS
6654.500000	-6.5	0.7	-5.7	PASS
6675.500000	-6.5	0.8	-5.7	PASS
6658.500000	-6.5	0.8	-5.7	PASS
6663.500000	-6.6	0.9	-5.7	PASS
6656.500000	-6.6	0.9	-5.7	PASS
6660.500000	-6.7	1.0	-5.7	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.26500 GHz	6.26500 GHz
Stop Frequency	7.06500 GHz	7.06500 GHz
Span	800.000 MHz	800.000 MHz
RBW	2.000 MHz	~ 2.000 MHz
VBW	5.000 MHz	~ 6.000 MHz
SweepPoints	800	~ 800
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6665 MHz; 11ax160 (160 MHz)) _ Ant1

Customized settings.

Result

DUT Frequency (MHz)	Result
6665.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6669.500000	-6.1

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6669.500000	-6.1	0.0	-6.1	PASS
6667.500000	-6.1	0.0	-6.1	PASS
6668.500000	-6.3	0.2	-6.1	PASS
6658.500000	-6.6	0.5	-6.1	PASS
6659.500000	-6.6	0.5	-6.1	PASS
6660.500000	-6.8	0.7	-6.1	PASS
6661.500000	-6.8	0.7	-6.1	PASS
6657.500000	-6.8	0.7	-6.1	PASS
6670.500000	-6.8	0.7	-6.1	PASS
6671.500000	-7.0	0.8	-6.1	PASS
6655.500000	-7.0	0.9	-6.1	PASS
6677.500000	-7.0	0.9	-6.1	PASS
6662.500000	-7.0	0.9	-6.1	PASS
6679.500000	-7.1	1.0	-6.1	PASS
6676.500000	-7.1	1.0	-6.1	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.26500 GHz	6.26500 GHz
Stop Frequency	7.06500 GHz	7.06500 GHz
Span	800.000 MHz	800.000 MHz
RBW	2.000 MHz	~ 2.000 MHz
VBW	5.000 MHz	~ 6.000 MHz
SweepPoints	800	~ 800
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6825 MHz; 11ax160 (160 MHz)) _ Ant0

Customized settings.

Result

DUT Frequency (MHz)	Result
6825.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6821.500000	-6.1

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6822.500000	-6.1	0.1	-6.1	PASS
6832.500000	-6.4	0.3	-6.1	PASS
6820.500000	-6.5	0.4	-6.1	PASS
6831.500000	-6.5	0.5	-6.1	PASS
6833.500000	-6.6	0.6	-6.1	PASS
6813.500000	-6.8	0.7	-6.1	PASS
6815.500000	-6.8	0.8	-6.1	PASS
6834.500000	-6.9	0.8	-6.1	PASS
6830.500000	-6.9	0.8	-6.1	PASS
6819.500000	-7.1	1.0	-6.1	PASS
6812.500000	-7.1	1.0	-6.1	PASS
6823.500000	-7.1	1.0	-6.1	PASS
6829.500000	-7.1	1.0	-6.1	PASS
6814.500000	-7.1	1.0	-6.1	PASS
6828.500000	-7.1	1.0	-6.1	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.42500 GHz	6.42500 GHz
Stop Frequency	7.22500 GHz	7.22500 GHz
Span	800.000 MHz	800.000 MHz
RBW	2.000 MHz	~ 2.000 MHz
VBW	5.000 MHz	~ 6.000 MHz
SweepPoints	800	~ 800
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6825 MHz; 11ax160 (160 MHz)) _ Ant1

Customized settings.

Result

DUT Frequency (MHz)	Result
6825.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6827.500000	-6.4

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6816.500000	-6.5	0.0	-6.4	PASS
6828.500000	-6.5	0.0	-6.4	PASS
6818.500000	-6.5	0.1	-6.4	PASS
6817.500000	-6.6	0.2	-6.4	PASS
6820.500000	-6.8	0.4	-6.4	PASS
6830.500000	-6.8	0.4	-6.4	PASS
6819.500000	-6.9	0.4	-6.4	PASS
6829.500000	-6.9	0.5	-6.4	PASS
6821.500000	-7.1	0.7	-6.4	PASS
6836.500000	-7.2	0.7	-6.4	PASS
6831.500000	-7.3	0.8	-6.4	PASS
6822.500000	-7.3	0.9	-6.4	PASS
6835.500000	-7.3	0.9	-6.4	PASS
6834.500000	-7.4	1.0	-6.4	PASS
6837.500000	-7.4	1.0	-6.4	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.42500 GHz	6.42500 GHz
Stop Frequency	7.22500 GHz	7.22500 GHz
Span	800.000 MHz	800.000 MHz
RBW	2.000 MHz	~ 2.000 MHz
VBW	5.000 MHz	~ 6.000 MHz
SweepPoints	800	~ 800
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6985 MHz; 11ax160 (160 MHz)) _ Ant0

Customized settings.

Result

DUT Frequency (MHz)	Result
6985.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6981.500000	-6.0

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6981.500000	-6.0	0.0	-6.0	PASS
6982.500000	-6.2	0.2	-6.0	PASS
6980.500000	-6.2	0.2	-6.0	PASS
6990.500000	-6.5	0.5	-6.0	PASS
6991.500000	-6.5	0.5	-6.0	PASS
6972.500000	-6.7	0.7	-6.0	PASS
6992.500000	-6.8	0.8	-6.0	PASS
6974.500000	-6.9	0.9	-6.0	PASS
6971.500000	-6.9	0.9	-6.0	PASS
6989.500000	-6.9	0.9	-6.0	PASS
6993.500000	-7.0	1.0	-6.0	PASS
6973.500000	-7.1	1.1	-6.0	PASS
6983.500000	-7.1	1.1	-6.0	PASS
6970.500000	-7.2	1.2	-6.0	PASS
6979.500000	-7.2	1.2	-6.0	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.58500 GHz	6.58500 GHz
Stop Frequency	7.38500 GHz	7.38500 GHz
Span	800.000 MHz	800.000 MHz
RBW	2.000 MHz	~ 2.000 MHz
VBW	5.000 MHz	~ 6.000 MHz
SweepPoints	800	~ 800
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6985 MHz; 11ax160 (160 MHz)) _ Ant1

Customized settings.

Result

DUT Frequency (MHz)	Result
6985.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6977.500000	-6.5

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6980.500000	-6.7	0.1	-6.5	PASS
6987.500000	-6.7	0.2	-6.5	PASS
6989.500000	-6.8	0.2	-6.5	PASS
6976.500000	-6.8	0.3	-6.5	PASS
6978.500000	-6.9	0.3	-6.5	PASS
6988.500000	-6.9	0.4	-6.5	PASS
6981.500000	-7.0	0.4	-6.5	PASS
6969.500000	-7.0	0.4	-6.5	PASS
6979.500000	-7.0	0.5	-6.5	PASS
6975.500000	-7.1	0.6	-6.5	PASS
6968.500000	-7.1	0.6	-6.5	PASS
6982.500000	-7.1	0.6	-6.5	PASS
6967.500000	-7.2	0.7	-6.5	PASS
6974.500000	-7.3	0.7	-6.5	PASS
6990.500000	-7.4	0.8	-6.5	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.58500 GHz	6.58500 GHz
Stop Frequency	7.38500 GHz	7.38500 GHz
Span	800.000 MHz	800.000 MHz
RBW	2.000 MHz	~ 2.000 MHz
VBW	5.000 MHz	~ 6.000 MHz
SweepPoints	800	~ 800
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

Maximum Power Spectral Density

Power Spectral Density (5955 MHz; 11ax20 (20 MHz)) _ Ant0

Customized settings.


Result

DUT Frequency (MHz)	Frequency (MHz)	PSD (dBm)	Limit Max (dBm)	Result
5955.000000	5954.009901	-9.608	---	PASS

Ports

Port	State
1	used
2	not used

Power Spectral Density (SA-1)



Measurement

Setting	Instrument Value	Target Value
Start Frequency	5.94500 GHz	5.94500 GHz
Stop Frequency	5.96500 GHz	5.96500 GHz
Span	20.000 MHz	20.000 MHz
RBW	1.000 MHz	<= 1.000 MHz
VBW	3.000 MHz	>= 3.000 MHz
SweepPoints	101	~ 40
Sweptime	1.000 ms	AUTO
Reference Level	-10.000 dBm	-10.000 dBm
Attenuation	0.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
Sweeptype	Sweep	Sweep
Preamplifier	off	off
Stablemode	Trace	Trace
Stablevalue	0.50 dB	0.50 dB
Run	2 / max. 15	max. 15
Stable	1 / 1	1
Max Stable Difference	0.00 dB	0.50 dB

Power Spectral Density (5955 MHz; 11ax20 (20 MHz)) _ Ant1

Customized settings.


Result

DUT Frequency (MHz)	Frequency (MHz)	PSD (dBm)	Limit Max (dBm)	Result
5955.000000	5956.188119	-11.513	---	PASS

Ports

Port	State
1	not used
2	used

Power Spectral Density (SA-1)(2)



Measurement

Setting	Instrument Value	Target Value
Start Frequency	5.94500 GHz	5.94500 GHz
Stop Frequency	5.96500 GHz	5.96500 GHz
Span	20.000 MHz	20.000 MHz
RBW	1.000 MHz	<= 1.000 MHz
VBW	3.000 MHz	>= 3.000 MHz
SweepPoints	101	~ 40
Sweptime	1.000 ms	AUTO
Reference Level	-10.000 dBm	-10.000 dBm
Attenuation	0.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
Sweeptype	Sweep	Sweep
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.50 dB	0.50 dB
Run	2 / max. 15	max. 15
Stable	1 / 1	1
Max Stable Difference	0.00 dB	0.50 dB

Power Spectral Density (6175 MHz; 11ax20 (20 MHz)) _ Ant0

Customized settings.


Result

DUT Frequency (MHz)	Frequency (MHz)	PSD (dBm)	Limit Max (dBm)	Result
6175.000000	6174.009901	-10.325	---	PASS

Ports

Port	State
1	used
2	not used

Power Spectral Density (SA-1)



Measurement

Setting	Instrument Value	Target Value
Start Frequency	6.16500 GHz	6.16500 GHz
Stop Frequency	6.18500 GHz	6.18500 GHz
Span	20.000 MHz	20.000 MHz
RBW	1.000 MHz	<= 1.000 MHz
VBW	3.000 MHz	>= 3.000 MHz
SweepPoints	101	~ 40
Sweptime	1.000 ms	AUTO
Reference Level	-10.000 dBm	-10.000 dBm
Attenuation	0.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
Sweeptype	Sweep	Sweep
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.50 dB	0.50 dB
Run	2 / max. 15	max. 15
Stable	1 / 1	1
Max Stable Difference	0.00 dB	0.50 dB

Power Spectral Density (6175 MHz; 11ax20 (20 MHz)) _ Ant1

Customized settings.


Result

DUT Frequency (MHz)	Frequency (MHz)	PSD (dBm)	Limit Max (dBm)	Result
6175.000000	6176.188119	-12.294	---	PASS

Ports

Port	State
1	not used
2	used

Power Spectral Density (SA-1)(2)



Measurement

Setting	Instrument Value	Target Value
Start Frequency	6.16500 GHz	6.16500 GHz
Stop Frequency	6.18500 GHz	6.18500 GHz
Span	20.000 MHz	20.000 MHz
RBW	1.000 MHz	<= 1.000 MHz
VBW	3.000 MHz	>= 3.000 MHz
SweepPoints	101	~ 40
Sweptime	1.000 ms	AUTO
Reference Level	-10.000 dBm	-10.000 dBm
Attenuation	0.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
Sweeptype	Sweep	Sweep
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.50 dB	0.50 dB
Run	2 / max. 15	max. 15
Stable	1 / 1	1
Max Stable Difference	0.00 dB	0.50 dB

Power Spectral Density (6415 MHz; 11ax20 (20 MHz)) _ Ant0

Customized settings.


Result

DUT Frequency (MHz)	Frequency (MHz)	PSD (dBm)	Limit Max (dBm)	Result
6415.000000	6414.009901	-9.149	---	PASS

Ports

Port	State
1	used
2	not used

Power Spectral Density (SA-1)



Measurement

Setting	Instrument Value	Target Value
Start Frequency	6.40500 GHz	6.40500 GHz
Stop Frequency	6.42500 GHz	6.42500 GHz
Span	20.000 MHz	20.000 MHz
RBW	1.000 MHz	<= 1.000 MHz
VBW	3.000 MHz	>= 3.000 MHz
SweepPoints	101	~ 40
Sweptime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
Sweeptype	Sweep	Sweep
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.50 dB	0.50 dB
Run	2 / max. 15	max. 15
Stable	1 / 1	1
Max Stable Difference	0.00 dB	0.50 dB

Power Spectral Density (6415 MHz; 11ax20 (20 MHz)) _ Ant1

Customized settings.


Result

DUT Frequency (MHz)	Frequency (MHz)	PSD (dBm)	Limit Max (dBm)	Result
6415.000000	6416.188119	-9.886	---	PASS

Ports

Port	State
1	not used
2	used

Power Spectral Density (SA-1)(2)



Measurement

Setting	Instrument Value	Target Value
Start Frequency	6.40500 GHz	6.40500 GHz
Stop Frequency	6.42500 GHz	6.42500 GHz
Span	20.000 MHz	20.000 MHz
RBW	1.000 MHz	<= 1.000 MHz
VBW	3.000 MHz	>= 3.000 MHz
SweepPoints	101	~ 40
Sweptime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
Sweeptype	Sweep	Sweep
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.50 dB	0.50 dB
Run	2 / max. 15	max. 15
Stable	1 / 1	1
Max Stable Difference	0.00 dB	0.50 dB

Power Spectral Density (6435 MHz; 11ax20 (20 MHz)) _ Ant0

Customized settings.


Result

DUT Frequency (MHz)	Frequency (MHz)	PSD (dBm)	Limit Max (dBm)	Result
6435.000000	6434.207921	-9.854	---	PASS

Ports

Port	State
1	used
2	not used

Power Spectral Density (SA-1)



Measurement

Setting	Instrument Value	Target Value
Start Frequency	6.42500 GHz	6.42500 GHz
Stop Frequency	6.44500 GHz	6.44500 GHz
Span	20.000 MHz	20.000 MHz
RBW	1.000 MHz	<= 1.000 MHz
VBW	3.000 MHz	>= 3.000 MHz
SweepPoints	101	~ 40
Sweptime	1.000 ms	AUTO
Reference Level	-10.000 dBm	-10.000 dBm
Attenuation	0.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
Sweeptype	Sweep	Sweep
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.50 dB	0.50 dB
Run	2 / max. 15	max. 15
Stable	1 / 1	1
Max Stable Difference	0.00 dB	0.50 dB

Power Spectral Density (6435 MHz; 11ax20 (20 MHz)) _ Ant1

Customized settings.


Result

DUT Frequency (MHz)	Frequency (MHz)	PSD (dBm)	Limit Max (dBm)	Result
6435.000000	6435.990099	-10.928	---	PASS

Ports

Port	State
1	not used
2	used

Power Spectral Density (SA-1)(2)



Measurement

Setting	Instrument Value	Target Value
Start Frequency	6.42500 GHz	6.42500 GHz
Stop Frequency	6.44500 GHz	6.44500 GHz
Span	20.000 MHz	20.000 MHz
RBW	1.000 MHz	<= 1.000 MHz
VBW	3.000 MHz	>= 3.000 MHz
SweepPoints	101	~ 40
Sweptime	1.000 ms	AUTO
Reference Level	-10.000 dBm	-10.000 dBm
Attenuation	0.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
Sweeptype	Sweep	Sweep
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.50 dB	0.50 dB
Run	2 / max. 15	max. 15
Stable	1 / 1	1
Max Stable Difference	0.00 dB	0.50 dB

Power Spectral Density (6475 MHz; 11ax20 (20 MHz)) _ Ant0

Customized settings.


Result

DUT Frequency (MHz)	Frequency (MHz)	PSD (dBm)	Limit Max (dBm)	Result
6475.000000	6473.811881	-10.931	---	PASS

Ports

Port	State
1	used
2	not used

Power Spectral Density (SA-1)



Measurement

Setting	Instrument Value	Target Value
Start Frequency	6.46500 GHz	6.46500 GHz
Stop Frequency	6.48500 GHz	6.48500 GHz
Span	20.000 MHz	20.000 MHz
RBW	1.000 MHz	<= 1.000 MHz
VBW	3.000 MHz	>= 3.000 MHz
SweepPoints	101	~ 40
Sweptime	1.000 ms	AUTO
Reference Level	-10.000 dBm	-10.000 dBm
Attenuation	0.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
Sweeptype	Sweep	Sweep
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.50 dB	0.50 dB
Run	2 / max. 15	max. 15
Stable	1 / 1	1
Max Stable Difference	0.00 dB	0.50 dB

Power Spectral Density (6475 MHz; 11ax20 (20 MHz)) _ Ant1

Customized settings.


Result

DUT Frequency (MHz)	Frequency (MHz)	PSD (dBm)	Limit Max (dBm)	Result
6475.000000	6476.188119	-11.665	---	PASS

Ports

Port	State
1	not used
2	used

Power Spectral Density (SA-1)(2)



Measurement

Setting	Instrument Value	Target Value
Start Frequency	6.46500 GHz	6.46500 GHz
Stop Frequency	6.48500 GHz	6.48500 GHz
Span	20.000 MHz	20.000 MHz
RBW	1.000 MHz	<= 1.000 MHz
VBW	3.000 MHz	>= 3.000 MHz
SweepPoints	101	~ 40
Sweptime	1.000 ms	AUTO
Reference Level	-10.000 dBm	-10.000 dBm
Attenuation	0.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
Sweeptype	Sweep	Sweep
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.50 dB	0.50 dB
Run	2 / max. 15	max. 15
Stable	1 / 1	1
Max Stable Difference	0.00 dB	0.50 dB

Power Spectral Density (6515 MHz; 11ax20 (20 MHz)) _ Ant0

Customized settings.


Result

DUT Frequency (MHz)	Frequency (MHz)	PSD (dBm)	Limit Max (dBm)	Result
6515.000000	6513.811881	-10.620	---	PASS

Ports

Port	State
1	used
2	not used

Power Spectral Density (SA-1)



Measurement

Setting	Instrument Value	Target Value
Start Frequency	6.50500 GHz	6.50500 GHz
Stop Frequency	6.52500 GHz	6.52500 GHz
Span	20.000 MHz	20.000 MHz
RBW	1.000 MHz	<= 1.000 MHz
VBW	3.000 MHz	>= 3.000 MHz
SweepPoints	101	~ 40
Sweptime	1.000 ms	AUTO
Reference Level	-10.000 dBm	-10.000 dBm
Attenuation	0.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
Sweeptype	Sweep	Sweep
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.50 dB	0.50 dB
Run	2 / max. 15	max. 15
Stable	1 / 1	1
Max Stable Difference	0.00 dB	0.50 dB

Power Spectral Density (6515 MHz; 11ax20 (20 MHz)) _ Ant1

Customized settings.


Result

DUT Frequency (MHz)	Frequency (MHz)	PSD (dBm)	Limit Max (dBm)	Result
6515.000000	6515.990099	-10.459	---	PASS

Ports

Port	State
1	not used
2	used

Power Spectral Density (SA-1)(2)



Measurement

Setting	Instrument Value	Target Value
Start Frequency	6.50500 GHz	6.50500 GHz
Stop Frequency	6.52500 GHz	6.52500 GHz
Span	20.000 MHz	20.000 MHz
RBW	1.000 MHz	<= 1.000 MHz
VBW	3.000 MHz	>= 3.000 MHz
SweepPoints	101	~ 40
Sweptime	1.000 ms	AUTO
Reference Level	-10.000 dBm	-10.000 dBm
Attenuation	0.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
Sweeptype	Sweep	Sweep
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.50 dB	0.50 dB
Run	2 / max. 15	max. 15
Stable	1 / 1	1
Max Stable Difference	0.00 dB	0.50 dB

Power Spectral Density (6535 MHz; 11ax20 (20 MHz)) _ Ant0

Customized settings.


Result

DUT Frequency (MHz)	Frequency (MHz)	PSD (dBm)	Limit Max (dBm)	Result
6535.000000	6534.009901	-10.207	---	PASS

Ports

Port	State
1	used
2	not used

Power Spectral Density (SA-1)



Measurement

Setting	Instrument Value	Target Value
Start Frequency	6.52500 GHz	6.52500 GHz
Stop Frequency	6.54500 GHz	6.54500 GHz
Span	20.000 MHz	20.000 MHz
RBW	1.000 MHz	<= 1.000 MHz
VBW	3.000 MHz	>= 3.000 MHz
SweepPoints	101	~ 40
Sweptime	1.000 ms	AUTO
Reference Level	-10.000 dBm	-10.000 dBm
Attenuation	0.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
Sweeptype	Sweep	Sweep
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.50 dB	0.50 dB
Run	2 / max. 15	max. 15
Stable	1 / 1	1
Max Stable Difference	0.00 dB	0.50 dB

Power Spectral Density (6535 MHz; 11ax20 (20 MHz)) _ Ant1

Customized settings.


Result

DUT Frequency (MHz)	Frequency (MHz)	PSD (dBm)	Limit Max (dBm)	Result
6535.000000	6535.990099	-9.295	---	PASS

Ports

Port	State
1	not used
2	used

Power Spectral Density (SA-1)(2)



Measurement

Setting	Instrument Value	Target Value
Start Frequency	6.52500 GHz	6.52500 GHz
Stop Frequency	6.54500 GHz	6.54500 GHz
Span	20.000 MHz	20.000 MHz
RBW	1.000 MHz	<= 1.000 MHz
VBW	3.000 MHz	>= 3.000 MHz
SweepPoints	101	~ 40
Sweptime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
Sweeptype	Sweep	Sweep
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.50 dB	0.50 dB
Run	2 / max. 15	max. 15
Stable	1 / 1	1
Max Stable Difference	0.00 dB	0.50 dB

Power Spectral Density (6695 MHz; 11ax20 (20 MHz)) _ Ant0

Customized settings.


Result

DUT Frequency (MHz)	Frequency (MHz)	PSD (dBm)	Limit Max (dBm)	Result
6695.000000	6694.009901	-9.678	---	PASS

Ports

Port	State
1	used
2	not used

Power Spectral Density (SA-1)



Measurement

Setting	Instrument Value	Target Value
Start Frequency	6.68500 GHz	6.68500 GHz
Stop Frequency	6.70500 GHz	6.70500 GHz
Span	20.000 MHz	20.000 MHz
RBW	1.000 MHz	<= 1.000 MHz
VBW	3.000 MHz	>= 3.000 MHz
SweepPoints	101	~ 40
Sweptime	1.000 ms	AUTO
Reference Level	-10.000 dBm	-10.000 dBm
Attenuation	0.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
Sweeptype	Sweep	Sweep
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.50 dB	0.50 dB
Run	2 / max. 15	max. 15
Stable	1 / 1	1
Max Stable Difference	0.00 dB	0.50 dB

Power Spectral Density (6695 MHz; 11ax20 (20 MHz)) _ Ant1

Customized settings.


Result

DUT Frequency (MHz)	Frequency (MHz)	PSD (dBm)	Limit Max (dBm)	Result
6695.000000	6696.386139	-11.068	---	PASS

Ports

Port	State
1	not used
2	used

Power Spectral Density (SA-1)(2)



Measurement

Setting	Instrument Value	Target Value
Start Frequency	6.68500 GHz	6.68500 GHz
Stop Frequency	6.70500 GHz	6.70500 GHz
Span	20.000 MHz	20.000 MHz
RBW	1.000 MHz	<= 1.000 MHz
VBW	3.000 MHz	>= 3.000 MHz
SweepPoints	101	~ 40
Sweptime	1.000 ms	AUTO
Reference Level	-10.000 dBm	-10.000 dBm
Attenuation	0.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
Sweeptype	Sweep	Sweep
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.50 dB	0.50 dB
Run	2 / max. 15	max. 15
Stable	1 / 1	1
Max Stable Difference	0.00 dB	0.50 dB

Power Spectral Density (6855 MHz; 11ax20 (20 MHz)) _ Ant0

Customized settings.


Result

DUT Frequency (MHz)	Frequency (MHz)	PSD (dBm)	Limit Max (dBm)	Result
6855.000000	6853.811881	-10.700	---	PASS

Ports

Port	State
1	used
2	not used

Power Spectral Density (SA-1)



Measurement

Setting	Instrument Value	Target Value
Start Frequency	6.84500 GHz	6.84500 GHz
Stop Frequency	6.86500 GHz	6.86500 GHz
Span	20.000 MHz	20.000 MHz
RBW	1.000 MHz	<= 1.000 MHz
VBW	3.000 MHz	>= 3.000 MHz
SweepPoints	101	~ 40
Sweptime	1.000 ms	AUTO
Reference Level	-10.000 dBm	-10.000 dBm
Attenuation	0.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
Sweeptype	Sweep	Sweep
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.50 dB	0.50 dB
Run	2 / max. 15	max. 15
Stable	1 / 1	1
Max Stable Difference	0.00 dB	0.50 dB

Power Spectral Density (6855 MHz; 11ax20 (20 MHz)) _ Ant1

Customized settings.


Result

DUT Frequency (MHz)	Frequency (MHz)	PSD (dBm)	Limit Max (dBm)	Result
6855.000000	6855.990099	-11.168	---	PASS

Ports

Port	State
1	not used
2	used

Power Spectral Density (SA-1)(2)



Measurement

Setting	Instrument Value	Target Value
Start Frequency	6.84500 GHz	6.84500 GHz
Stop Frequency	6.86500 GHz	6.86500 GHz
Span	20.000 MHz	20.000 MHz
RBW	1.000 MHz	<= 1.000 MHz
VBW	3.000 MHz	>= 3.000 MHz
SweepPoints	101	~ 40
Sweptime	1.000 ms	AUTO
Reference Level	-10.000 dBm	-10.000 dBm
Attenuation	0.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
Sweeptype	Sweep	Sweep
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.50 dB	0.50 dB
Run	2 / max. 15	max. 15
Stable	1 / 1	1
Max Stable Difference	0.00 dB	0.50 dB

Power Spectral Density (6875 MHz; 11ax20 (20 MHz)) _ Ant0

Customized settings.


Result

DUT Frequency (MHz)	Frequency (MHz)	PSD (dBm)	Limit Max (dBm)	Result
6875.000000	6873.811881	-10.620	---	PASS

Ports

Port	State
1	used
2	not used

Power Spectral Density (SA-1)



Measurement

Setting	Instrument Value	Target Value
Start Frequency	6.86500 GHz	6.86500 GHz
Stop Frequency	6.88500 GHz	6.88500 GHz
Span	20.000 MHz	20.000 MHz
RBW	1.000 MHz	<= 1.000 MHz
VBW	3.000 MHz	>= 3.000 MHz
SweepPoints	101	~ 40
Sweptime	1.000 ms	AUTO
Reference Level	-10.000 dBm	-10.000 dBm
Attenuation	0.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
Sweeptype	Sweep	Sweep
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.50 dB	0.50 dB
Run	2 / max. 15	max. 15
Stable	1 / 1	1
Max Stable Difference	0.00 dB	0.50 dB

Power Spectral Density (6875 MHz; 11ax20 (20 MHz)) _ Ant1

Customized settings.


Result

DUT Frequency (MHz)	Frequency (MHz)	PSD (dBm)	Limit Max (dBm)	Result
6875.000000	6876.188119	-10.978	---	PASS

Ports

Port	State
1	not used
2	used

Power Spectral Density (SA-1)(2)



Measurement

Setting	Instrument Value	Target Value
Start Frequency	6.86500 GHz	6.86500 GHz
Stop Frequency	6.88500 GHz	6.88500 GHz
Span	20.000 MHz	20.000 MHz
RBW	1.000 MHz	<= 1.000 MHz
VBW	3.000 MHz	>= 3.000 MHz
SweepPoints	101	~ 40
Sweptime	1.000 ms	AUTO
Reference Level	-10.000 dBm	-10.000 dBm
Attenuation	0.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
Sweeptype	Sweep	Sweep
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.50 dB	0.50 dB
Run	2 / max. 15	max. 15
Stable	1 / 1	1
Max Stable Difference	0.00 dB	0.50 dB

Power Spectral Density (6895 MHz; 11ax20 (20 MHz)) _ Ant0

Customized settings.


Result

DUT Frequency (MHz)	Frequency (MHz)	PSD (dBm)	Limit Max (dBm)	Result
6895.000000	6893.613861	-11.153	---	PASS

Ports

Port	State
1	used
2	not used

Power Spectral Density (SA-1)



Measurement

Setting	Instrument Value	Target Value
Start Frequency	6.88500 GHz	6.88500 GHz
Stop Frequency	6.90500 GHz	6.90500 GHz
Span	20.000 MHz	20.000 MHz
RBW	1.000 MHz	<= 1.000 MHz
VBW	3.000 MHz	>= 3.000 MHz
SweepPoints	101	~ 40
Sweptime	1.000 ms	AUTO
Reference Level	-10.000 dBm	-10.000 dBm
Attenuation	0.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
Sweeptype	Sweep	Sweep
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.50 dB	0.50 dB
Run	2 / max. 15	max. 15
Stable	1 / 1	1
Max Stable Difference	0.00 dB	0.50 dB

Power Spectral Density (6895 MHz; 11ax20 (20 MHz)) _ Ant1

Customized settings.


Result

DUT Frequency (MHz)	Frequency (MHz)	PSD (dBm)	Limit Max (dBm)	Result
6895.000000	6895.990099	-10.473	---	PASS

Ports

Port	State
1	not used
2	used

Power Spectral Density (SA-1)(2)



Measurement

Setting	Instrument Value	Target Value
Start Frequency	6.88500 GHz	6.88500 GHz
Stop Frequency	6.90500 GHz	6.90500 GHz
Span	20.000 MHz	20.000 MHz
RBW	1.000 MHz	<= 1.000 MHz
VBW	3.000 MHz	>= 3.000 MHz
SweepPoints	101	~ 40
Sweeptime	1.000 ms	AUTO
Reference Level	-10.000 dBm	-10.000 dBm
Attenuation	0.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
Sweeptype	Sweep	Sweep
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.50 dB	0.50 dB
Run	2 / max. 15	max. 15
Stable	1 / 1	1
Max Stable Difference	0.00 dB	0.50 dB

Power Spectral Density (6995 MHz; 11ax20 (20 MHz)) _ Ant0

Customized settings.


Result

DUT Frequency (MHz)	Frequency (MHz)	PSD (dBm)	Limit Max (dBm)	Result
6995.000000	6993.613861	-10.553	---	PASS

Ports

Port	State
1	used
2	not used

Power Spectral Density (SA-1)



Measurement

Setting	Instrument Value	Target Value
Start Frequency	6.98500 GHz	6.98500 GHz
Stop Frequency	7.00500 GHz	7.00500 GHz
Span	20.000 MHz	20.000 MHz
RBW	1.000 MHz	<= 1.000 MHz
VBW	3.000 MHz	>= 3.000 MHz
SweepPoints	101	~ 40
Sweptime	1.000 ms	AUTO
Reference Level	-10.000 dBm	-10.000 dBm
Attenuation	0.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
Sweeptype	Sweep	Sweep
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.50 dB	0.50 dB
Run	2 / max. 15	max. 15
Stable	1 / 1	1
Max Stable Difference	0.00 dB	0.50 dB

Power Spectral Density (6995 MHz; 11ax20 (20 MHz)) _ Ant1

Customized settings.


Result

DUT Frequency (MHz)	Frequency (MHz)	PSD (dBm)	Limit Max (dBm)	Result
6995.000000	6996.188119	-11.697	---	PASS

Ports

Port	State
1	not used
2	used

Power Spectral Density (SA-1)(2)



Measurement

Setting	Instrument Value	Target Value
Start Frequency	6.98500 GHz	6.98500 GHz
Stop Frequency	7.00500 GHz	7.00500 GHz
Span	20.000 MHz	20.000 MHz
RBW	1.000 MHz	<= 1.000 MHz
VBW	3.000 MHz	>= 3.000 MHz
SweepPoints	101	~ 40
Sweptime	1.000 ms	AUTO
Reference Level	-10.000 dBm	-10.000 dBm
Attenuation	0.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
Sweeptype	Sweep	Sweep
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.50 dB	0.50 dB
Run	2 / max. 15	max. 15
Stable	1 / 1	1
Max Stable Difference	0.00 dB	0.50 dB

Power Spectral Density (7115 MHz; 11ax20 (20 MHz)) _ Ant0

Customized settings.


Result

DUT Frequency (MHz)	Frequency (MHz)	PSD (dBm)	Limit Max (dBm)	Result
7115.000000	7113.811881	-12.796	---	PASS

Ports

Port	State
1	used
2	not used

Power Spectral Density (SA-1)



Measurement

Setting	Instrument Value	Target Value
Start Frequency	7.10500 GHz	7.10500 GHz
Stop Frequency	7.12500 GHz	7.12500 GHz
Span	20.000 MHz	20.000 MHz
RBW	1.000 MHz	<= 1.000 MHz
VBW	3.000 MHz	>= 3.000 MHz
SweepPoints	101	~ 40
Sweptime	1.000 ms	AUTO
Reference Level	-10.000 dBm	-10.000 dBm
Attenuation	0.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
Sweeptype	Sweep	Sweep
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.50 dB	0.50 dB
Run	2 / max. 15	max. 15
Stable	1 / 1	1
Max Stable Difference	0.00 dB	0.50 dB

Power Spectral Density (7115 MHz; 11ax20 (20 MHz)) _ Ant1

Customized settings.


Result

DUT Frequency (MHz)	Frequency (MHz)	PSD (dBm)	Limit Max (dBm)	Result
7115.000000	7116.386139	-14.413	---	PASS

Ports

Port	State
1	not used
2	used

Power Spectral Density (SA-1)(2)



Measurement

Setting	Instrument Value	Target Value
Start Frequency	7.10500 GHz	7.10500 GHz
Stop Frequency	7.12500 GHz	7.12500 GHz
Span	20.000 MHz	20.000 MHz
RBW	1.000 MHz	<= 1.000 MHz
VBW	3.000 MHz	>= 3.000 MHz
SweepPoints	101	~ 40
Sweeptime	1.000 ms	AUTO
Reference Level	-10.000 dBm	-10.000 dBm
Attenuation	0.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
Sweeptype	Sweep	Sweep
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.50 dB	0.50 dB
Run	2 / max. 15	max. 15
Stable	1 / 1	1
Max Stable Difference	0.00 dB	0.50 dB

Power Spectral Density (5965 MHz; 11ax40 (40 MHz)) _ Ant0

Customized settings.


Result

DUT Frequency (MHz)	Frequency (MHz)	PSD (dBm)	Limit Max (dBm)	Result
5965.000000	5963.811881	-9.976	---	PASS

Ports

Port	State
1	used
2	not used

Power Spectral Density (SA-1)



Measurement

Setting	Instrument Value	Target Value
Start Frequency	5.94500 GHz	5.94500 GHz
Stop Frequency	5.98500 GHz	5.98500 GHz
Span	40.000 MHz	40.000 MHz
RBW	1.000 MHz	<= 1.000 MHz
VBW	3.000 MHz	>= 3.000 MHz
SweepPoints	101	~ 80
Sweptime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
Sweeptype	Sweep	Sweep
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.50 dB	0.50 dB
Run	2 / max. 15	max. 15
Stable	1 / 1	1
Max Stable Difference	0.08 dB	0.50 dB

Power Spectral Density (5965 MHz; 11ax40 (40 MHz)) _ Ant1

Customized settings.


Result

DUT Frequency (MHz)	Frequency (MHz)	PSD (dBm)	Limit Max (dBm)	Result
5965.000000	5966.188119	-12.212	---	PASS

Ports

Port	State
1	not used
2	used

Power Spectral Density (SA-1)(2)



Measurement

Setting	Instrument Value	Target Value
Start Frequency	5.94500 GHz	5.94500 GHz
Stop Frequency	5.98500 GHz	5.98500 GHz
Span	40.000 MHz	40.000 MHz
RBW	1.000 MHz	<= 1.000 MHz
VBW	3.000 MHz	>= 3.000 MHz
SweepPoints	101	~ 80
Sweeptime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
Sweeptype	Sweep	Sweep
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.50 dB	0.50 dB
Run	2 / max. 15	max. 15
Stable	1 / 1	1
Max Stable Difference	0.09 dB	0.50 dB

Power Spectral Density (6165 MHz; 11ax40 (40 MHz)) _ Ant0

Customized settings.


Result

DUT Frequency (MHz)	Frequency (MHz)	PSD (dBm)	Limit Max (dBm)	Result
6165.000000	6163.415842	-8.619	---	PASS

Ports

Port	State
1	used
2	not used

Power Spectral Density (SA-1)



Measurement

Setting	Instrument Value	Target Value
Start Frequency	6.14500 GHz	6.14500 GHz
Stop Frequency	6.18500 GHz	6.18500 GHz
Span	40.000 MHz	40.000 MHz
RBW	1.000 MHz	<= 1.000 MHz
VBW	3.000 MHz	>= 3.000 MHz
SweepPoints	101	~ 80
Sweptime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
Sweeptype	Sweep	Sweep
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.50 dB	0.50 dB
Run	2 / max. 15	max. 15
Stable	1 / 1	1
Max Stable Difference	0.07 dB	0.50 dB

Power Spectral Density (6165 MHz; 11ax40 (40 MHz)) _ Ant1

Customized settings.


Result

DUT Frequency (MHz)	Frequency (MHz)	PSD (dBm)	Limit Max (dBm)	Result
6165.000000	6166.980198	-10.540	---	PASS

Ports

Port	State
1	not used
2	used

Power Spectral Density (SA-1)(2)



Measurement

Setting	Instrument Value	Target Value
Start Frequency	6.14500 GHz	6.14500 GHz
Stop Frequency	6.18500 GHz	6.18500 GHz
Span	40.000 MHz	40.000 MHz
RBW	1.000 MHz	<= 1.000 MHz
VBW	3.000 MHz	>= 3.000 MHz
SweepPoints	101	~ 80
Sweeptime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
Sweeptype	Sweep	Sweep
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.50 dB	0.50 dB
Run	2 / max. 15	max. 15
Stable	1 / 1	1
Max Stable Difference	0.10 dB	0.50 dB

Power Spectral Density (6405 MHz; 11ax40 (40 MHz)) _ Ant0

Customized settings.


Result

DUT Frequency (MHz)	Frequency (MHz)	PSD (dBm)	Limit Max (dBm)	Result
6405.000000	6403.811881	-8.924	---	PASS

Ports

Port	State
1	used
2	not used

Power Spectral Density (SA-1)



Measurement

Setting	Instrument Value	Target Value
Start Frequency	6.38500 GHz	6.38500 GHz
Stop Frequency	6.42500 GHz	6.42500 GHz
Span	40.000 MHz	40.000 MHz
RBW	1.000 MHz	<= 1.000 MHz
VBW	3.000 MHz	>= 3.000 MHz
SweepPoints	101	~ 80
Sweptime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
Sweeptype	Sweep	Sweep
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.50 dB	0.50 dB
Run	2 / max. 15	max. 15
Stable	1 / 1	1
Max Stable Difference	0.09 dB	0.50 dB

Power Spectral Density (6405 MHz; 11ax40 (40 MHz)) _ Ant1

Customized settings.


Result

DUT Frequency (MHz)	Frequency (MHz)	PSD (dBm)	Limit Max (dBm)	Result
6405.000000	6406.188119	-9.083	---	PASS

Ports

Port	State
1	not used
2	used

Power Spectral Density (SA-1)(2)



Measurement

Setting	Instrument Value	Target Value
Start Frequency	6.38500 GHz	6.38500 GHz
Stop Frequency	6.42500 GHz	6.42500 GHz
Span	40.000 MHz	40.000 MHz
RBW	1.000 MHz	<= 1.000 MHz
VBW	3.000 MHz	>= 3.000 MHz
SweepPoints	101	~ 80
Sweptime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
Sweeptype	Sweep	Sweep
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.50 dB	0.50 dB
Run	2 / max. 15	max. 15
Stable	1 / 1	1
Max Stable Difference	0.08 dB	0.50 dB

Power Spectral Density (6445 MHz; 11ax40 (40 MHz)) _ Ant0

Customized settings.


Result

DUT Frequency (MHz)	Frequency (MHz)	PSD (dBm)	Limit Max (dBm)	Result
6445.000000	6443.811881	-8.188	---	PASS

Ports

Port	State
1	used
2	not used

Power Spectral Density (SA-1)



Measurement

Setting	Instrument Value	Target Value
Start Frequency	6.42500 GHz	6.42500 GHz
Stop Frequency	6.46500 GHz	6.46500 GHz
Span	40.000 MHz	40.000 MHz
RBW	1.000 MHz	<= 1.000 MHz
VBW	3.000 MHz	>= 3.000 MHz
SweepPoints	101	~ 80
Sweeptime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
Sweeptype	Sweep	Sweep
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.50 dB	0.50 dB
Run	2 / max. 15	max. 15
Stable	1 / 1	1
Max Stable Difference	0.09 dB	0.50 dB

Power Spectral Density (6445 MHz; 11ax40 (40 MHz)) _ Ant1

Customized settings.


Result

DUT Frequency (MHz)	Frequency (MHz)	PSD (dBm)	Limit Max (dBm)	Result
6445.000000	6446.584158	-9.927	---	PASS

Ports

Port	State
1	not used
2	used

Power Spectral Density (SA-1)(2)



Measurement

Setting	Instrument Value	Target Value
Start Frequency	6.42500 GHz	6.42500 GHz
Stop Frequency	6.46500 GHz	6.46500 GHz
Span	40.000 MHz	40.000 MHz
RBW	1.000 MHz	<= 1.000 MHz
VBW	3.000 MHz	>= 3.000 MHz
SweepPoints	101	~ 80
Sweptime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
Sweeptype	Sweep	Sweep
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.50 dB	0.50 dB
Run	2 / max. 15	max. 15
Stable	1 / 1	1
Max Stable Difference	0.11 dB	0.50 dB

Power Spectral Density (6485 MHz; 11ax40 (40 MHz)) _ Ant0

Customized settings.


Result

DUT Frequency (MHz)	Frequency (MHz)	PSD (dBm)	Limit Max (dBm)	Result
6485.000000	6483.811881	-9.413	---	PASS

Ports

Port	State
1	used
2	not used

Power Spectral Density (SA-1)



Measurement

Setting	Instrument Value	Target Value
Start Frequency	6.46500 GHz	6.46500 GHz
Stop Frequency	6.50500 GHz	6.50500 GHz
Span	40.000 MHz	40.000 MHz
RBW	1.000 MHz	<= 1.000 MHz
VBW	3.000 MHz	>= 3.000 MHz
SweepPoints	101	~ 80
Sweptime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
Sweeptype	Sweep	Sweep
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.50 dB	0.50 dB
Run	2 / max. 15	max. 15
Stable	1 / 1	1
Max Stable Difference	0.08 dB	0.50 dB

Power Spectral Density (6485 MHz; 11ax40 (40 MHz)) _ Ant1

Customized settings.


Result

DUT Frequency (MHz)	Frequency (MHz)	PSD (dBm)	Limit Max (dBm)	Result
6485.000000	6486.584158	-10.177	---	PASS

Ports

Port	State
1	not used
2	used

Power Spectral Density (SA-1)(2)



Measurement

Setting	Instrument Value	Target Value
Start Frequency	6.46500 GHz	6.46500 GHz
Stop Frequency	6.50500 GHz	6.50500 GHz
Span	40.000 MHz	40.000 MHz
RBW	1.000 MHz	<= 1.000 MHz
VBW	3.000 MHz	>= 3.000 MHz
SweepPoints	101	~ 80
Sweeptime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
Sweeptype	Sweep	Sweep
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.50 dB	0.50 dB
Run	2 / max. 15	max. 15
Stable	1 / 1	1
Max Stable Difference	0.09 dB	0.50 dB

Power Spectral Density (6525 MHz; 11ax40 (40 MHz)) _ Ant0

Customized settings.


Result

DUT Frequency (MHz)	Frequency (MHz)	PSD (dBm)	Limit Max (dBm)	Result
6525.000000	6523.415842	-9.015	---	PASS

Ports

Port	State
1	used
2	not used

Power Spectral Density (SA-1)



Measurement

Setting	Instrument Value	Target Value
Start Frequency	6.50500 GHz	6.50500 GHz
Stop Frequency	6.54500 GHz	6.54500 GHz
Span	40.000 MHz	40.000 MHz
RBW	1.000 MHz	<= 1.000 MHz
VBW	3.000 MHz	>= 3.000 MHz
SweepPoints	101	~ 80
Sweptime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
Sweeptype	Sweep	Sweep
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.50 dB	0.50 dB
Run	2 / max. 15	max. 15
Stable	1 / 1	1
Max Stable Difference	0.09 dB	0.50 dB

Power Spectral Density (6525 MHz; 11ax40 (40 MHz)) _ Ant1

Customized settings.


Result

DUT Frequency (MHz)	Frequency (MHz)	PSD (dBm)	Limit Max (dBm)	Result
6525.000000	6526.980198	-8.708	---	PASS

Ports

Port	State
1	not used
2	used

Power Spectral Density (SA-1)(2)



Measurement

Setting	Instrument Value	Target Value
Start Frequency	6.50500 GHz	6.50500 GHz
Stop Frequency	6.54500 GHz	6.54500 GHz
Span	40.000 MHz	40.000 MHz
RBW	1.000 MHz	<= 1.000 MHz
VBW	3.000 MHz	>= 3.000 MHz
SweepPoints	101	~ 80
Sweeptime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
Sweeptype	Sweep	Sweep
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.50 dB	0.50 dB
Run	2 / max. 15	max. 15
Stable	1 / 1	1
Max Stable Difference	0.08 dB	0.50 dB

Power Spectral Density (6565 MHz; 11ax40 (40 MHz)) _ Ant0

Customized settings.


Result

DUT Frequency (MHz)	Frequency (MHz)	PSD (dBm)	Limit Max (dBm)	Result
6565.000000	6563.811881	-8.877	---	PASS

Ports

Port	State
1	used
2	not used

Power Spectral Density (SA-1)



Measurement

Setting	Instrument Value	Target Value
Start Frequency	6.54500 GHz	6.54500 GHz
Stop Frequency	6.58500 GHz	6.58500 GHz
Span	40.000 MHz	40.000 MHz
RBW	1.000 MHz	<= 1.000 MHz
VBW	3.000 MHz	>= 3.000 MHz
SweepPoints	101	~ 80
Sweptime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
Sweeptype	Sweep	Sweep
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.50 dB	0.50 dB
Run	2 / max. 15	max. 15
Stable	1 / 1	1
Max Stable Difference	0.08 dB	0.50 dB

Power Spectral Density (6565 MHz; 11ax40 (40 MHz)) _ Ant1

Customized settings.


Result

DUT Frequency (MHz)	Frequency (MHz)	PSD (dBm)	Limit Max (dBm)	Result
6565.000000	6566.584158	-9.670	---	PASS

Ports

Port	State
1	not used
2	used

Power Spectral Density (SA-1)(2)



Measurement

Setting	Instrument Value	Target Value
Start Frequency	6.54500 GHz	6.54500 GHz
Stop Frequency	6.58500 GHz	6.58500 GHz
Span	40.000 MHz	40.000 MHz
RBW	1.000 MHz	<= 1.000 MHz
VBW	3.000 MHz	>= 3.000 MHz
SweepPoints	101	~ 80
Sweeptime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
Sweeptype	Sweep	Sweep
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.50 dB	0.50 dB
Run	2 / max. 15	max. 15
Stable	1 / 1	1
Max Stable Difference	0.09 dB	0.50 dB

Power Spectral Density (6685 MHz; 11ax40 (40 MHz)) _ Ant0

Customized settings.


Result

DUT Frequency (MHz)	Frequency (MHz)	PSD (dBm)	Limit Max (dBm)	Result
6685.000000	6683.811881	-8.480	---	PASS

Ports

Port	State
1	used
2	not used

Power Spectral Density (SA-1)



Measurement

Setting	Instrument Value	Target Value
Start Frequency	6.66500 GHz	6.66500 GHz
Stop Frequency	6.70500 GHz	6.70500 GHz
Span	40.000 MHz	40.000 MHz
RBW	1.000 MHz	<= 1.000 MHz
VBW	3.000 MHz	>= 3.000 MHz
SweepPoints	101	~ 80
Sweeptime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
Sweeptype	Sweep	Sweep
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.50 dB	0.50 dB
Run	2 / max. 15	max. 15
Stable	1 / 1	1
Max Stable Difference	0.08 dB	0.50 dB

Power Spectral Density (6685 MHz; 11ax40 (40 MHz)) _ Ant1

Customized settings.


Result

DUT Frequency (MHz)	Frequency (MHz)	PSD (dBm)	Limit Max (dBm)	Result
6685.000000	6686.188119	-9.723	---	PASS

Ports

Port	State
1	not used
2	used

Power Spectral Density (SA-1)(2)



Measurement

Setting	Instrument Value	Target Value
Start Frequency	6.66500 GHz	6.66500 GHz
Stop Frequency	6.70500 GHz	6.70500 GHz
Span	40.000 MHz	40.000 MHz
RBW	1.000 MHz	<= 1.000 MHz
VBW	3.000 MHz	>= 3.000 MHz
SweepPoints	101	~ 80
Sweptime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
Sweeptype	Sweep	Sweep
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.50 dB	0.50 dB
Run	2 / max. 15	max. 15
Stable	1 / 1	1
Max Stable Difference	0.09 dB	0.50 dB

Power Spectral Density (6845 MHz; 11ax40 (40 MHz)) _ Ant0

Customized settings.


Result

DUT Frequency (MHz)	Frequency (MHz)	PSD (dBm)	Limit Max (dBm)	Result
6845.000000	6842.623762	-9.234	---	PASS

Ports

Port	State
1	used
2	not used

Power Spectral Density (SA-1)



Measurement

Setting	Instrument Value	Target Value
Start Frequency	6.82500 GHz	6.82500 GHz
Stop Frequency	6.86500 GHz	6.86500 GHz
Span	40.000 MHz	40.000 MHz
RBW	1.000 MHz	<= 1.000 MHz
VBW	3.000 MHz	>= 3.000 MHz
SweepPoints	101	~ 80
Sweptime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
Sweeptype	Sweep	Sweep
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.50 dB	0.50 dB
Run	2 / max. 15	max. 15
Stable	1 / 1	1
Max Stable Difference	0.10 dB	0.50 dB

Power Spectral Density (6845 MHz; 11ax40 (40 MHz)) _ Ant1

Customized settings.


Result

DUT Frequency (MHz)	Frequency (MHz)	PSD (dBm)	Limit Max (dBm)	Result
6845.000000	6846.188119	-10.257	---	PASS

Ports

Port	State
1	not used
2	used

Power Spectral Density (SA-1)(2)



Measurement

Setting	Instrument Value	Target Value
Start Frequency	6.82500 GHz	6.82500 GHz
Stop Frequency	6.86500 GHz	6.86500 GHz
Span	40.000 MHz	40.000 MHz
RBW	1.000 MHz	<= 1.000 MHz
VBW	3.000 MHz	>= 3.000 MHz
SweepPoints	101	~ 80
Sweeptime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
Sweeptype	Sweep	Sweep
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.50 dB	0.50 dB
Run	2 / max. 15	max. 15
Stable	1 / 1	1
Max Stable Difference	0.09 dB	0.50 dB

Power Spectral Density (6885 MHz; 11ax40 (40 MHz)) _ Ant0

Customized settings.


Result

DUT Frequency (MHz)	Frequency (MHz)	PSD (dBm)	Limit Max (dBm)	Result
6885.000000	6883.415842	-9.499	---	PASS

Ports

Port	State
1	used
2	not used

Power Spectral Density (SA-1)



Measurement

Setting	Instrument Value	Target Value
Start Frequency	6.86500 GHz	6.86500 GHz
Stop Frequency	6.90500 GHz	6.90500 GHz
Span	40.000 MHz	40.000 MHz
RBW	1.000 MHz	<= 1.000 MHz
VBW	3.000 MHz	>= 3.000 MHz
SweepPoints	101	~ 80
Sweeptime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
Sweeptype	Sweep	Sweep
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.50 dB	0.50 dB
Run	2 / max. 15	max. 15
Stable	1 / 1	1
Max Stable Difference	0.08 dB	0.50 dB

Power Spectral Density (6885 MHz; 11ax40 (40 MHz)) _ Ant1

Customized settings.


Result

DUT Frequency (MHz)	Frequency (MHz)	PSD (dBm)	Limit Max (dBm)	Result
6885.000000	6886.584158	-9.623	---	PASS

Ports

Port	State
1	not used
2	used

Power Spectral Density (SA-1)(2)



Measurement

Setting	Instrument Value	Target Value
Start Frequency	6.86500 GHz	6.86500 GHz
Stop Frequency	6.90500 GHz	6.90500 GHz
Span	40.000 MHz	40.000 MHz
RBW	1.000 MHz	<= 1.000 MHz
VBW	3.000 MHz	>= 3.000 MHz
SweepPoints	101	~ 80
Sweptime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
Sweeptype	Sweep	Sweep
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.50 dB	0.50 dB
Run	2 / max. 15	max. 15
Stable	1 / 1	1
Max Stable Difference	0.07 dB	0.50 dB

Power Spectral Density (6925 MHz; 11ax40 (40 MHz)) _ Ant0

Customized settings.


Result

DUT Frequency (MHz)	Frequency (MHz)	PSD (dBm)	Limit Max (dBm)	Result
6925.000000	6923.415842	-8.850	---	PASS

Ports

Port	State
1	used
2	not used

Power Spectral Density (SA-1)



Measurement

Setting	Instrument Value	Target Value
Start Frequency	6.90500 GHz	6.90500 GHz
Stop Frequency	6.94500 GHz	6.94500 GHz
Span	40.000 MHz	40.000 MHz
RBW	1.000 MHz	<= 1.000 MHz
VBW	3.000 MHz	>= 3.000 MHz
SweepPoints	101	~ 80
Sweptime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
Sweeptype	Sweep	Sweep
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.50 dB	0.50 dB
Run	2 / max. 15	max. 15
Stable	1 / 1	1
Max Stable Difference	0.09 dB	0.50 dB

Power Spectral Density (6925 MHz; 11ax40 (40 MHz)) _ Ant1

Customized settings.


Result

DUT Frequency (MHz)	Frequency (MHz)	PSD (dBm)	Limit Max (dBm)	Result
6925.000000	6926.188119	-8.652	---	PASS

Ports

Port	State
1	not used
2	used

Power Spectral Density (SA-1)(2)



Measurement

Setting	Instrument Value	Target Value
Start Frequency	6.90500 GHz	6.90500 GHz
Stop Frequency	6.94500 GHz	6.94500 GHz
Span	40.000 MHz	40.000 MHz
RBW	1.000 MHz	<= 1.000 MHz
VBW	3.000 MHz	>= 3.000 MHz
SweepPoints	101	~ 80
Sweptime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
Sweeptype	Sweep	Sweep
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.50 dB	0.50 dB
Run	2 / max. 15	max. 15
Stable	1 / 1	1
Max Stable Difference	0.08 dB	0.50 dB

Power Spectral Density (7005 MHz; 11ax40 (40 MHz)) _ Ant0

Customized settings.


Result

DUT Frequency (MHz)	Frequency (MHz)	PSD (dBm)	Limit Max (dBm)	Result
7005.000000	7003.019802	-9.597	---	PASS

Ports

Port	State
1	used
2	not used

Power Spectral Density (SA-1)



Measurement

Setting	Instrument Value	Target Value
Start Frequency	6.98500 GHz	6.98500 GHz
Stop Frequency	7.02500 GHz	7.02500 GHz
Span	40.000 MHz	40.000 MHz
RBW	1.000 MHz	<= 1.000 MHz
VBW	3.000 MHz	>= 3.000 MHz
SweepPoints	101	~ 80
Sweptime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
Sweeptype	Sweep	Sweep
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.50 dB	0.50 dB
Run	2 / max. 15	max. 15
Stable	1 / 1	1
Max Stable Difference	0.09 dB	0.50 dB

Power Spectral Density (7005 MHz; 11ax40 (40 MHz)) _ Ant1

Customized settings.


Result

DUT Frequency (MHz)	Frequency (MHz)	PSD (dBm)	Limit Max (dBm)	Result
7005.000000	7006.584158	-9.699	---	PASS

Ports

Port	State
1	not used
2	used

Power Spectral Density (SA-1)(2)



Measurement

Setting	Instrument Value	Target Value
Start Frequency	6.98500 GHz	6.98500 GHz
Stop Frequency	7.02500 GHz	7.02500 GHz
Span	40.000 MHz	40.000 MHz
RBW	1.000 MHz	<= 1.000 MHz
VBW	3.000 MHz	>= 3.000 MHz
SweepPoints	101	~ 80
Sweeptime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
Sweeptype	Sweep	Sweep
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.50 dB	0.50 dB
Run	2 / max. 15	max. 15
Stable	1 / 1	1
Max Stable Difference	0.08 dB	0.50 dB

Power Spectral Density (7085 MHz; 11ax40 (40 MHz)) _ Ant0

Customized settings.


Result

DUT Frequency (MHz)	Frequency (MHz)	PSD (dBm)	Limit Max (dBm)	Result
7085.000000	7083.415842	-8.478	---	PASS

Ports

Port	State
1	used
2	not used

Power Spectral Density (SA-1)



Measurement

Setting	Instrument Value	Target Value
Start Frequency	7.06500 GHz	7.06500 GHz
Stop Frequency	7.10500 GHz	7.10500 GHz
Span	40.000 MHz	40.000 MHz
RBW	1.000 MHz	<= 1.000 MHz
VBW	3.000 MHz	>= 3.000 MHz
SweepPoints	101	~ 80
Sweptime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
Sweeptype	Sweep	Sweep
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.50 dB	0.50 dB
Run	2 / max. 15	max. 15
Stable	1 / 1	1
Max Stable Difference	0.07 dB	0.50 dB

Power Spectral Density (7085 MHz; 11ax40 (40 MHz)) _ Ant1

Customized settings.


Result

DUT Frequency (MHz)	Frequency (MHz)	PSD (dBm)	Limit Max (dBm)	Result
7085.000000	7087.376238	-9.726	---	PASS

Ports

Port	State
1	not used
2	used

Power Spectral Density (SA-1)(2)



Measurement

Setting	Instrument Value	Target Value
Start Frequency	7.06500 GHz	7.06500 GHz
Stop Frequency	7.10500 GHz	7.10500 GHz
Span	40.000 MHz	40.000 MHz
RBW	1.000 MHz	<= 1.000 MHz
VBW	3.000 MHz	>= 3.000 MHz
SweepPoints	101	~ 80
Sweeptime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
Sweeptype	Sweep	Sweep
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.50 dB	0.50 dB
Run	2 / max. 15	max. 15
Stable	1 / 1	1
Max Stable Difference	0.09 dB	0.50 dB

Power Spectral Density (5985 MHz; 11ax80 (80 MHz)) _ Ant0

Customized settings.


Result

DUT Frequency (MHz)	Frequency (MHz)	PSD (dBm)	Limit Max (dBm)	Result
5985.000000	5983.250000	-9.691	---	PASS

Ports

Port	State
1	used
2	not used

Power Spectral Density (SA-1)



Measurement

Setting	Instrument Value	Target Value
Start Frequency	5.94500 GHz	5.94500 GHz
Stop Frequency	6.02500 GHz	6.02500 GHz
Span	80.000 MHz	80.000 MHz
RBW	1.000 MHz	<= 1.000 MHz
VBW	3.000 MHz	>= 3.000 MHz
SweepPoints	160	~ 160
Sweptime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
Sweeptype	Sweep	Sweep
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.50 dB	0.50 dB
Run	2 / max. 15	max. 15
Stable	1 / 1	1
Max Stable Difference	0.13 dB	0.50 dB

Power Spectral Density (5985 MHz; 11ax80 (80 MHz)) _ Ant1

Customized settings.


Result

DUT Frequency (MHz)	Frequency (MHz)	PSD (dBm)	Limit Max (dBm)	Result
5985.000000	5986.750000	-12.096	---	PASS

Ports

Port	State
1	not used
2	used

Power Spectral Density (SA-1)(2)



Measurement

Setting	Instrument Value	Target Value
Start Frequency	5.94500 GHz	5.94500 GHz
Stop Frequency	6.02500 GHz	6.02500 GHz
Span	80.000 MHz	80.000 MHz
RBW	1.000 MHz	<= 1.000 MHz
VBW	3.000 MHz	>= 3.000 MHz
SweepPoints	160	~ 160
Sweeptime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
Sweeptype	Sweep	Sweep
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.50 dB	0.50 dB
Run	2 / max. 15	max. 15
Stable	1 / 1	1
Max Stable Difference	0.14 dB	0.50 dB

Power Spectral Density (6145 MHz; 11ax80 (80 MHz)) _ Ant0

Customized settings.


Result

DUT Frequency (MHz)	Frequency (MHz)	PSD (dBm)	Limit Max (dBm)	Result
6145.000000	6143.250000	-9.117	---	PASS

Ports

Port	State
1	used
2	not used

Power Spectral Density (SA-1)



Measurement

Setting	Instrument Value	Target Value
Start Frequency	6.10500 GHz	6.10500 GHz
Stop Frequency	6.18500 GHz	6.18500 GHz
Span	80.000 MHz	80.000 MHz
RBW	1.000 MHz	<= 1.000 MHz
VBW	3.000 MHz	>= 3.000 MHz
SweepPoints	160	~ 160
Sweptime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
Sweeptype	Sweep	Sweep
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.50 dB	0.50 dB
Run	2 / max. 15	max. 15
Stable	1 / 1	1
Max Stable Difference	0.15 dB	0.50 dB

Power Spectral Density (6145 MHz; 11ax80 (80 MHz)) _ Ant1

Customized settings.


Result

DUT Frequency (MHz)	Frequency (MHz)	PSD (dBm)	Limit Max (dBm)	Result
6145.000000	6147.250000	-10.168	---	PASS

Ports

Port	State
1	not used
2	used

Power Spectral Density (SA-1)(2)



Measurement

Setting	Instrument Value	Target Value
Start Frequency	6.10500 GHz	6.10500 GHz
Stop Frequency	6.18500 GHz	6.18500 GHz
Span	80.000 MHz	80.000 MHz
RBW	1.000 MHz	<= 1.000 MHz
VBW	3.000 MHz	>= 3.000 MHz
SweepPoints	160	~ 160
Sweeptime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
Sweeptype	Sweep	Sweep
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.50 dB	0.50 dB
Run	2 / max. 15	max. 15
Stable	1 / 1	1
Max Stable Difference	0.12 dB	0.50 dB

Power Spectral Density (6385 MHz; 11ax80 (80 MHz)) _ Ant0

Customized settings.


Result

DUT Frequency (MHz)	Frequency (MHz)	PSD (dBm)	Limit Max (dBm)	Result
6385.000000	6383.750000	-9.624	---	PASS

Ports

Port	State
1	used
2	not used

Power Spectral Density (SA-1)



Measurement

Setting	Instrument Value	Target Value
Start Frequency	6.34500 GHz	6.34500 GHz
Stop Frequency	6.42500 GHz	6.42500 GHz
Span	80.000 MHz	80.000 MHz
RBW	1.000 MHz	<= 1.000 MHz
VBW	3.000 MHz	>= 3.000 MHz
SweepPoints	160	~ 160
Sweptime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
Sweeptype	Sweep	Sweep
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.50 dB	0.50 dB
Run	2 / max. 15	max. 15
Stable	1 / 1	1
Max Stable Difference	0.15 dB	0.50 dB

Power Spectral Density (6385 MHz; 11ax80 (80 MHz)) _ Ant1

Customized settings.


Result

DUT Frequency (MHz)	Frequency (MHz)	PSD (dBm)	Limit Max (dBm)	Result
6385.000000	6386.750000	-9.141	---	PASS

Ports

Port	State
1	not used
2	used

Power Spectral Density (SA-1)(2)



Measurement

Setting	Instrument Value	Target Value
Start Frequency	6.34500 GHz	6.34500 GHz
Stop Frequency	6.42500 GHz	6.42500 GHz
Span	80.000 MHz	80.000 MHz
RBW	1.000 MHz	<= 1.000 MHz
VBW	3.000 MHz	>= 3.000 MHz
SweepPoints	160	~ 160
Sweeptime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
Sweeptype	Sweep	Sweep
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.50 dB	0.50 dB
Run	2 / max. 15	max. 15
Stable	1 / 1	1
Max Stable Difference	0.13 dB	0.50 dB

Power Spectral Density (6465 MHz; 11ax80 (80 MHz)) _ Ant0

Customized settings.


Result

DUT Frequency (MHz)	Frequency (MHz)	PSD (dBm)	Limit Max (dBm)	Result
6465.000000	6463.250000	-8.402	---	PASS

Ports

Port	State
1	used
2	not used

Power Spectral Density (SA-1)



Measurement

Setting	Instrument Value	Target Value
Start Frequency	6.42500 GHz	6.42500 GHz
Stop Frequency	6.50500 GHz	6.50500 GHz
Span	80.000 MHz	80.000 MHz
RBW	1.000 MHz	<= 1.000 MHz
VBW	3.000 MHz	>= 3.000 MHz
SweepPoints	160	~ 160
Sweptime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
Sweeptype	Sweep	Sweep
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.50 dB	0.50 dB
Run	2 / max. 15	max. 15
Stable	1 / 1	1
Max Stable Difference	0.17 dB	0.50 dB

Power Spectral Density (6465 MHz; 11ax80 (80 MHz)) _ Ant1

Customized settings.


Result

DUT Frequency (MHz)	Frequency (MHz)	PSD (dBm)	Limit Max (dBm)	Result
6465.000000	6467.250000	-9.885	---	PASS

Ports

Port	State
1	not used
2	used

Power Spectral Density (SA-1)(2)



Measurement

Setting	Instrument Value	Target Value
Start Frequency	6.42500 GHz	6.42500 GHz
Stop Frequency	6.50500 GHz	6.50500 GHz
Span	80.000 MHz	80.000 MHz
RBW	1.000 MHz	<= 1.000 MHz
VBW	3.000 MHz	>= 3.000 MHz
SweepPoints	160	~ 160
Sweeptime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
Sweeptype	Sweep	Sweep
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.50 dB	0.50 dB
Run	2 / max. 15	max. 15
Stable	1 / 1	1
Max Stable Difference	0.13 dB	0.50 dB

Power Spectral Density (6545 MHz; 11ax80 (80 MHz)) _ Ant0

Customized settings.


Result

DUT Frequency (MHz)	Frequency (MHz)	PSD (dBm)	Limit Max (dBm)	Result
6545.000000	6543.750000	-8.989	---	PASS

Ports

Port	State
1	used
2	not used

Power Spectral Density (SA-1)



Measurement

Setting	Instrument Value	Target Value
Start Frequency	6.50500 GHz	6.50500 GHz
Stop Frequency	6.58500 GHz	6.58500 GHz
Span	80.000 MHz	80.000 MHz
RBW	1.000 MHz	<= 1.000 MHz
VBW	3.000 MHz	>= 3.000 MHz
SweepPoints	160	~ 160
Sweeptime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
Sweeptype	Sweep	Sweep
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.50 dB	0.50 dB
Run	2 / max. 15	max. 15
Stable	1 / 1	1
Max Stable Difference	0.15 dB	0.50 dB

Power Spectral Density (6545 MHz; 11ax80 (80 MHz)) _ Ant1

Customized settings.


Result

DUT Frequency (MHz)	Frequency (MHz)	PSD (dBm)	Limit Max (dBm)	Result
6545.000000	6547.750000	-9.323	---	PASS

Ports

Port	State
1	not used
2	used

Power Spectral Density (SA-1)(2)



Measurement

Setting	Instrument Value	Target Value
Start Frequency	6.50500 GHz	6.50500 GHz
Stop Frequency	6.58500 GHz	6.58500 GHz
Span	80.000 MHz	80.000 MHz
RBW	1.000 MHz	<= 1.000 MHz
VBW	3.000 MHz	>= 3.000 MHz
SweepPoints	160	~ 160
Sweptime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
Sweeptype	Sweep	Sweep
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.50 dB	0.50 dB
Run	2 / max. 15	max. 15
Stable	1 / 1	1
Max Stable Difference	0.11 dB	0.50 dB

Power Spectral Density (6625 MHz; 11ax80 (80 MHz)) _ Ant0

Customized settings.


Result

DUT Frequency (MHz)	Frequency (MHz)	PSD (dBm)	Limit Max (dBm)	Result
6625.000000	6623.750000	-10.059	---	PASS

Ports

Port	State
1	used
2	not used

Power Spectral Density (SA-1)



Measurement

Setting	Instrument Value	Target Value
Start Frequency	6.58500 GHz	6.58500 GHz
Stop Frequency	6.66500 GHz	6.66500 GHz
Span	80.000 MHz	80.000 MHz
RBW	1.000 MHz	<= 1.000 MHz
VBW	3.000 MHz	>= 3.000 MHz
SweepPoints	160	~ 160
Sweeptime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
Sweeptype	Sweep	Sweep
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.50 dB	0.50 dB
Run	2 / max. 15	max. 15
Stable	1 / 1	1
Max Stable Difference	0.12 dB	0.50 dB

Power Spectral Density (6625 MHz; 11ax80 (80 MHz)) _ Ant1

Customized settings.


Result

DUT Frequency (MHz)	Frequency (MHz)	PSD (dBm)	Limit Max (dBm)	Result
6625.000000	6626.750000	-10.188	---	PASS

Ports

Port	State
1	not used
2	used

Power Spectral Density (SA-1)(2)



Measurement

Setting	Instrument Value	Target Value
Start Frequency	6.58500 GHz	6.58500 GHz
Stop Frequency	6.66500 GHz	6.66500 GHz
Span	80.000 MHz	80.000 MHz
RBW	1.000 MHz	<= 1.000 MHz
VBW	3.000 MHz	>= 3.000 MHz
SweepPoints	160	~ 160
Sweeptime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
Sweeptype	Sweep	Sweep
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.50 dB	0.50 dB
Run	2 / max. 15	max. 15
Stable	1 / 1	1
Max Stable Difference	0.15 dB	0.50 dB

Power Spectral Density (6705 MHz; 11ax80 (80 MHz)) _ Ant0

Customized settings.


Result

DUT Frequency (MHz)	Frequency (MHz)	PSD (dBm)	Limit Max (dBm)	Result
6705.000000	6703.250000	-8.878	---	PASS

Ports

Port	State
1	used
2	not used

Power Spectral Density (SA-1)



Measurement

Setting	Instrument Value	Target Value
Start Frequency	6.66500 GHz	6.66500 GHz
Stop Frequency	6.74500 GHz	6.74500 GHz
Span	80.000 MHz	80.000 MHz
RBW	1.000 MHz	<= 1.000 MHz
VBW	3.000 MHz	>= 3.000 MHz
SweepPoints	160	~ 160
Sweeptime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
Sweeptype	Sweep	Sweep
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.50 dB	0.50 dB
Run	2 / max. 15	max. 15
Stable	1 / 1	1
Max Stable Difference	0.15 dB	0.50 dB

Power Spectral Density (6705 MHz; 11ax80 (80 MHz)) _ Ant1

Customized settings.


Result

DUT Frequency (MHz)	Frequency (MHz)	PSD (dBm)	Limit Max (dBm)	Result
6705.000000	6707.750000	-10.447	---	PASS

Ports

Port	State
1	not used
2	used

Power Spectral Density (SA-1)(2)



Measurement

Setting	Instrument Value	Target Value
Start Frequency	6.66500 GHz	6.66500 GHz
Stop Frequency	6.74500 GHz	6.74500 GHz
Span	80.000 MHz	80.000 MHz
RBW	1.000 MHz	<= 1.000 MHz
VBW	3.000 MHz	>= 3.000 MHz
SweepPoints	160	~ 160
Sweeptime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
Sweeptype	Sweep	Sweep
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.50 dB	0.50 dB
Run	2 / max. 15	max. 15
Stable	1 / 1	1
Max Stable Difference	0.14 dB	0.50 dB

Power Spectral Density (6785 MHz; 11ax80 (80 MHz)) _ Ant0

Customized settings.


Result

DUT Frequency (MHz)	Frequency (MHz)	PSD (dBm)	Limit Max (dBm)	Result
6785.000000	6783.750000	-9.204	---	PASS

Ports

Port	State
1	used
2	not used

Power Spectral Density (SA-1)



Measurement

Setting	Instrument Value	Target Value
Start Frequency	6.74500 GHz	6.74500 GHz
Stop Frequency	6.82500 GHz	6.82500 GHz
Span	80.000 MHz	80.000 MHz
RBW	1.000 MHz	<= 1.000 MHz
VBW	3.000 MHz	>= 3.000 MHz
SweepPoints	160	~ 160
Sweptime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
Sweeptype	Sweep	Sweep
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.50 dB	0.50 dB
Run	2 / max. 15	max. 15
Stable	1 / 1	1
Max Stable Difference	0.14 dB	0.50 dB

Power Spectral Density (6785 MHz; 11ax80 (80 MHz)) _ Ant1

Customized settings.


Result

DUT Frequency (MHz)	Frequency (MHz)	PSD (dBm)	Limit Max (dBm)	Result
6785.000000	6787.750000	-10.233	---	PASS

Ports

Port	State
1	not used
2	used

Power Spectral Density (SA-1)(2)



Measurement

Setting	Instrument Value	Target Value
Start Frequency	6.74500 GHz	6.74500 GHz
Stop Frequency	6.82500 GHz	6.82500 GHz
Span	80.000 MHz	80.000 MHz
RBW	1.000 MHz	<= 1.000 MHz
VBW	3.000 MHz	>= 3.000 MHz
SweepPoints	160	~ 160
Sweeptime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
Sweeptype	Sweep	Sweep
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.50 dB	0.50 dB
Run	2 / max. 15	max. 15
Stable	1 / 1	1
Max Stable Difference	0.14 dB	0.50 dB

Power Spectral Density (6865 MHz; 11ax80 (80 MHz)) _ Ant0

Customized settings.


Result

DUT Frequency (MHz)	Frequency (MHz)	PSD (dBm)	Limit Max (dBm)	Result
6865.000000	6862.750000	-9.964	---	PASS

Ports

Port	State
1	used
2	not used

Power Spectral Density (SA-1)



Measurement

Setting	Instrument Value	Target Value
Start Frequency	6.82500 GHz	6.82500 GHz
Stop Frequency	6.90500 GHz	6.90500 GHz
Span	80.000 MHz	80.000 MHz
RBW	1.000 MHz	<= 1.000 MHz
VBW	3.000 MHz	>= 3.000 MHz
SweepPoints	160	~ 160
Sweptime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
Sweeptype	Sweep	Sweep
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.50 dB	0.50 dB
Run	2 / max. 15	max. 15
Stable	1 / 1	1
Max Stable Difference	0.13 dB	0.50 dB

Power Spectral Density (6865 MHz; 11ax80 (80 MHz)) _ Ant1

Customized settings.


Result

DUT Frequency (MHz)	Frequency (MHz)	PSD (dBm)	Limit Max (dBm)	Result
6865.000000	6866.250000	-9.949	---	PASS

Ports

Port	State
1	not used
2	used

Power Spectral Density (SA-1)(2)



Measurement

Setting	Instrument Value	Target Value
Start Frequency	6.82500 GHz	6.82500 GHz
Stop Frequency	6.90500 GHz	6.90500 GHz
Span	80.000 MHz	80.000 MHz
RBW	1.000 MHz	<= 1.000 MHz
VBW	3.000 MHz	>= 3.000 MHz
SweepPoints	160	~ 160
Sweptime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
Sweeptype	Sweep	Sweep
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.50 dB	0.50 dB
Run	2 / max. 15	max. 15
Stable	1 / 1	1
Max Stable Difference	0.15 dB	0.50 dB

Power Spectral Density (6945 MHz; 11ax80 (80 MHz)) _ Ant0

Customized settings.


Result

DUT Frequency (MHz)	Frequency (MHz)	PSD (dBm)	Limit Max (dBm)	Result
6945.000000	6943.250000	-8.945	---	PASS

Ports

Port	State
1	used
2	not used

Power Spectral Density (SA-1)



Measurement

Setting	Instrument Value	Target Value
Start Frequency	6.90500 GHz	6.90500 GHz
Stop Frequency	6.98500 GHz	6.98500 GHz
Span	80.000 MHz	80.000 MHz
RBW	1.000 MHz	<= 1.000 MHz
VBW	3.000 MHz	>= 3.000 MHz
SweepPoints	160	~ 160
Sweptime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
Sweeptype	Sweep	Sweep
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.50 dB	0.50 dB
Run	2 / max. 15	max. 15
Stable	1 / 1	1
Max Stable Difference	0.12 dB	0.50 dB

Power Spectral Density (6945 MHz; 11ax80 (80 MHz)) _ Ant1

Customized settings.


Result

DUT Frequency (MHz)	Frequency (MHz)	PSD (dBm)	Limit Max (dBm)	Result
6945.000000	6946.750000	-9.541	---	PASS

Ports

Port	State
1	not used
2	used

Power Spectral Density (SA-1)(2)



Measurement

Setting	Instrument Value	Target Value
Start Frequency	6.90500 GHz	6.90500 GHz
Stop Frequency	6.98500 GHz	6.98500 GHz
Span	80.000 MHz	80.000 MHz
RBW	1.000 MHz	<= 1.000 MHz
VBW	3.000 MHz	>= 3.000 MHz
SweepPoints	160	~ 160
Sweeptime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
Sweeptype	Sweep	Sweep
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.50 dB	0.50 dB
Run	2 / max. 15	max. 15
Stable	1 / 1	1
Max Stable Difference	0.13 dB	0.50 dB

Power Spectral Density (7025 MHz; 11ax80 (80 MHz)) _ Ant0

Customized settings.


Result

DUT Frequency (MHz)	Frequency (MHz)	PSD (dBm)	Limit Max (dBm)	Result
7025.000000	7022.750000	-9.930	---	PASS

Ports

Port	State
1	used
2	not used

Power Spectral Density (SA-1)



Measurement

Setting	Instrument Value	Target Value
Start Frequency	6.98500 GHz	6.98500 GHz
Stop Frequency	7.06500 GHz	7.06500 GHz
Span	80.000 MHz	80.000 MHz
RBW	1.000 MHz	<= 1.000 MHz
VBW	3.000 MHz	>= 3.000 MHz
SweepPoints	160	~ 160
Sweptime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
Sweeptype	Sweep	Sweep
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.50 dB	0.50 dB
Run	2 / max. 15	max. 15
Stable	1 / 1	1
Max Stable Difference	0.13 dB	0.50 dB

Power Spectral Density (7025 MHz; 11ax80 (80 MHz)) _ Ant1

Customized settings.


Result

DUT Frequency (MHz)	Frequency (MHz)	PSD (dBm)	Limit Max (dBm)	Result
7025.000000	7026.750000	-9.832	---	PASS

Ports

Port	State
1	not used
2	used

Power Spectral Density (SA-1)(2)



Measurement

Setting	Instrument Value	Target Value
Start Frequency	6.98500 GHz	6.98500 GHz
Stop Frequency	7.06500 GHz	7.06500 GHz
Span	80.000 MHz	80.000 MHz
RBW	1.000 MHz	<= 1.000 MHz
VBW	3.000 MHz	>= 3.000 MHz
SweepPoints	160	~ 160
Sweptime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
Sweeptype	Sweep	Sweep
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.50 dB	0.50 dB
Run	2 / max. 15	max. 15
Stable	1 / 1	1
Max Stable Difference	0.14 dB	0.50 dB

Power Spectral Density (6025 MHz; 11ax160 (160 MHz)) _ Ant0

Customized settings.


Result

DUT Frequency (MHz)	Frequency (MHz)	PSD (dBm)	Limit Max (dBm)	Result
6025.000000	6022.750000	-9.894	---	PASS

Ports

Port	State
1	used
2	not used

Power Spectral Density (SA-1)



Measurement

Setting	Instrument Value	Target Value
Start Frequency	5.94500 GHz	5.94500 GHz
Stop Frequency	6.10500 GHz	6.10500 GHz
Span	160.000 MHz	160.000 MHz
RBW	1.000 MHz	<= 1.000 MHz
VBW	3.000 MHz	>= 3.000 MHz
SweepPoints	320	~ 320
Sweptime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
Sweeptype	Sweep	Sweep
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.50 dB	0.50 dB
Run	2 / max. 15	max. 15
Stable	1 / 1	1
Max Stable Difference	0.22 dB	0.50 dB

Power Spectral Density (6025 MHz; 11ax160 (160 MHz)) _ Ant1

Customized settings.


Result

DUT Frequency (MHz)	Frequency (MHz)	PSD (dBm)	Limit Max (dBm)	Result
6025.000000	6026.750000	-11.032	---	PASS

Ports

Port	State
1	not used
2	used

Power Spectral Density (SA-1)(2)



Measurement

Setting	Instrument Value	Target Value
Start Frequency	5.94500 GHz	5.94500 GHz
Stop Frequency	6.10500 GHz	6.10500 GHz
Span	160.000 MHz	160.000 MHz
RBW	1.000 MHz	<= 1.000 MHz
VBW	3.000 MHz	>= 3.000 MHz
SweepPoints	320	~ 320
Sweeptime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
Sweeptype	Sweep	Sweep
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.50 dB	0.50 dB
Run	2 / max. 15	max. 15
Stable	1 / 1	1
Max Stable Difference	0.28 dB	0.50 dB

Power Spectral Density (6185 MHz; 11ax160 (160 MHz)) _ Ant0

Customized settings.


Result

DUT Frequency (MHz)	Frequency (MHz)	PSD (dBm)	Limit Max (dBm)	Result
6185.000000	6182.250000	-11.069	---	PASS

Ports

Port	State
1	used
2	not used

Power Spectral Density (SA-1)



Measurement

Setting	Instrument Value	Target Value
Start Frequency	6.10500 GHz	6.10500 GHz
Stop Frequency	6.26500 GHz	6.26500 GHz
Span	160.000 MHz	160.000 MHz
RBW	1.000 MHz	<= 1.000 MHz
VBW	3.000 MHz	>= 3.000 MHz
SweepPoints	320	~ 320
Sweeptime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
Sweeptype	Sweep	Sweep
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.50 dB	0.50 dB
Run	2 / max. 15	max. 15
Stable	1 / 1	1
Max Stable Difference	0.29 dB	0.50 dB

Power Spectral Density (6185 MHz; 11ax160 (160 MHz)) _ Ant1

Customized settings.


Result

DUT Frequency (MHz)	Frequency (MHz)	PSD (dBm)	Limit Max (dBm)	Result
6185.000000	6187.250000	-11.210	---	PASS

Ports

Port	State
1	not used
2	used

Power Spectral Density (SA-1)(2)



Measurement

Setting	Instrument Value	Target Value
Start Frequency	6.10500 GHz	6.10500 GHz
Stop Frequency	6.26500 GHz	6.26500 GHz
Span	160.000 MHz	160.000 MHz
RBW	1.000 MHz	<= 1.000 MHz
VBW	3.000 MHz	>= 3.000 MHz
SweepPoints	320	~ 320
Sweeptime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
Sweeptype	Sweep	Sweep
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.50 dB	0.50 dB
Run	2 / max. 15	max. 15
Stable	1 / 1	1
Max Stable Difference	0.23 dB	0.50 dB

Power Spectral Density (6345 MHz; 11ax160 (160 MHz)) _ Ant0

Customized settings.


Result

DUT Frequency (MHz)	Frequency (MHz)	PSD (dBm)	Limit Max (dBm)	Result
6345.000000	6342.750000	-11.002	---	PASS

Ports

Port	State
1	used
2	not used

Power Spectral Density (SA-1)



Measurement

Setting	Instrument Value	Target Value
Start Frequency	6.26500 GHz	6.26500 GHz
Stop Frequency	6.42500 GHz	6.42500 GHz
Span	160.000 MHz	160.000 MHz
RBW	1.000 MHz	<= 1.000 MHz
VBW	3.000 MHz	>= 3.000 MHz
SweepPoints	320	~ 320
Sweeptime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
Sweeptype	Sweep	Sweep
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.50 dB	0.50 dB
Run	2 / max. 15	max. 15
Stable	1 / 1	1
Max Stable Difference	0.29 dB	0.50 dB

Power Spectral Density (6345 MHz; 11ax160 (160 MHz)) _ Ant1

Customized settings.


Result

DUT Frequency (MHz)	Frequency (MHz)	PSD (dBm)	Limit Max (dBm)	Result
6345.000000	6348.250000	-10.459	---	PASS

Ports

Port	State
1	not used
2	used

Power Spectral Density (SA-1)(2)



Measurement

Setting	Instrument Value	Target Value
Start Frequency	6.26500 GHz	6.26500 GHz
Stop Frequency	6.42500 GHz	6.42500 GHz
Span	160.000 MHz	160.000 MHz
RBW	1.000 MHz	<= 1.000 MHz
VBW	3.000 MHz	>= 3.000 MHz
SweepPoints	320	~ 320
Sweeptime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
Sweeptype	Sweep	Sweep
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.50 dB	0.50 dB
Run	2 / max. 15	max. 15
Stable	1 / 1	1
Max Stable Difference	0.23 dB	0.50 dB

Power Spectral Density (6505 MHz; 11ax160 (160 MHz)) _ Ant0

Customized settings.


Result

DUT Frequency (MHz)	Frequency (MHz)	PSD (dBm)	Limit Max (dBm)	Result
6505.000000	6502.750000	-11.433	---	PASS

Ports

Port	State
1	used
2	not used

Power Spectral Density (SA-1)



Measurement

Setting	Instrument Value	Target Value
Start Frequency	6.42500 GHz	6.42500 GHz
Stop Frequency	6.58500 GHz	6.58500 GHz
Span	160.000 MHz	160.000 MHz
RBW	1.000 MHz	<= 1.000 MHz
VBW	3.000 MHz	>= 3.000 MHz
SweepPoints	320	~ 320
Sweeptime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
Sweeptype	Sweep	Sweep
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.50 dB	0.50 dB
Run	2 / max. 15	max. 15
Stable	1 / 1	1
Max Stable Difference	0.26 dB	0.50 dB

Power Spectral Density (6505 MHz; 11ax160 (160 MHz)) _ Ant1

Customized settings.


Result

DUT Frequency (MHz)	Frequency (MHz)	PSD (dBm)	Limit Max (dBm)	Result
6505.000000	6508.750000	-11.334	---	PASS

Ports

Port	State
1	not used
2	used

Power Spectral Density (SA-1)(2)



Measurement

Setting	Instrument Value	Target Value
Start Frequency	6.42500 GHz	6.42500 GHz
Stop Frequency	6.58500 GHz	6.58500 GHz
Span	160.000 MHz	160.000 MHz
RBW	1.000 MHz	<= 1.000 MHz
VBW	3.000 MHz	>= 3.000 MHz
SweepPoints	320	~ 320
Sweeptime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
Sweeptype	Sweep	Sweep
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.50 dB	0.50 dB
Run	2 / max. 15	max. 15
Stable	1 / 1	1
Max Stable Difference	0.25 dB	0.50 dB

Power Spectral Density (6665 MHz; 11ax160 (160 MHz)) _ Ant0

Customized settings.


Result

DUT Frequency (MHz)	Frequency (MHz)	PSD (dBm)	Limit Max (dBm)	Result
6665.000000	6662.750000	-10.175	---	PASS

Ports

Port	State
1	used
2	not used

Power Spectral Density (SA-1)



Measurement

Setting	Instrument Value	Target Value
Start Frequency	6.58500 GHz	6.58500 GHz
Stop Frequency	6.74500 GHz	6.74500 GHz
Span	160.000 MHz	160.000 MHz
RBW	1.000 MHz	<= 1.000 MHz
VBW	3.000 MHz	>= 3.000 MHz
SweepPoints	320	~ 320
Sweeptime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
Sweeptype	Sweep	Sweep
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.50 dB	0.50 dB
Run	2 / max. 15	max. 15
Stable	1 / 1	1
Max Stable Difference	0.32 dB	0.50 dB

Power Spectral Density (6665 MHz; 11ax160 (160 MHz)) _ Ant1

Customized settings.


Result

DUT Frequency (MHz)	Frequency (MHz)	PSD (dBm)	Limit Max (dBm)	Result
6665.000000	6667.250000	-10.671	---	PASS

Ports

Port	State
1	not used
2	used

Power Spectral Density (SA-1)(2)



Measurement

Setting	Instrument Value	Target Value
Start Frequency	6.58500 GHz	6.58500 GHz
Stop Frequency	6.74500 GHz	6.74500 GHz
Span	160.000 MHz	160.000 MHz
RBW	1.000 MHz	<= 1.000 MHz
VBW	3.000 MHz	>= 3.000 MHz
SweepPoints	320	~ 320
Sweeptime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
Sweeptype	Sweep	Sweep
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.50 dB	0.50 dB
Run	2 / max. 15	max. 15
Stable	1 / 1	1
Max Stable Difference	0.27 dB	0.50 dB

Power Spectral Density (6825 MHz; 11ax160 (160 MHz)) _ Ant0

Customized settings.


Result

DUT Frequency (MHz)	Frequency (MHz)	PSD (dBm)	Limit Max (dBm)	Result
6825.000000	6822.250000	-10.507	---	PASS

Ports

Port	State
1	used
2	not used

Power Spectral Density (SA-1)



Measurement

Setting	Instrument Value	Target Value
Start Frequency	6.74500 GHz	6.74500 GHz
Stop Frequency	6.90500 GHz	6.90500 GHz
Span	160.000 MHz	160.000 MHz
RBW	1.000 MHz	<= 1.000 MHz
VBW	3.000 MHz	>= 3.000 MHz
SweepPoints	320	~ 320
Sweptime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
Sweeptype	Sweep	Sweep
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.50 dB	0.50 dB
Run	2 / max. 15	max. 15
Stable	1 / 1	1
Max Stable Difference	0.26 dB	0.50 dB

Power Spectral Density (6825 MHz; 11ax160 (160 MHz)) _ Ant1

Customized settings.


Result

DUT Frequency (MHz)	Frequency (MHz)	PSD (dBm)	Limit Max (dBm)	Result
6825.000000	6827.250000	-10.879	---	PASS

Ports

Port	State
1	not used
2	used

Power Spectral Density (SA-1)(2)



Measurement

Setting	Instrument Value	Target Value
Start Frequency	6.74500 GHz	6.74500 GHz
Stop Frequency	6.90500 GHz	6.90500 GHz
Span	160.000 MHz	160.000 MHz
RBW	1.000 MHz	<= 1.000 MHz
VBW	3.000 MHz	>= 3.000 MHz
SweepPoints	320	~ 320
Sweeptime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
Sweeptype	Sweep	Sweep
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.50 dB	0.50 dB
Run	2 / max. 15	max. 15
Stable	1 / 1	1
Max Stable Difference	0.21 dB	0.50 dB

Power Spectral Density (6985 MHz; 11ax160 (160 MHz)) _ Ant0

Customized settings.


Result

DUT Frequency (MHz)	Frequency (MHz)	PSD (dBm)	Limit Max (dBm)	Result
6985.000000	6981.750000	-10.692	---	PASS

Ports

Port	State
1	used
2	not used

Power Spectral Density (SA-1)



Measurement

Setting	Instrument Value	Target Value
Start Frequency	6.90500 GHz	6.90500 GHz
Stop Frequency	7.06500 GHz	7.06500 GHz
Span	160.000 MHz	160.000 MHz
RBW	1.000 MHz	<= 1.000 MHz
VBW	3.000 MHz	>= 3.000 MHz
SweepPoints	320	~ 320
Sweeptime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
Sweeptype	Sweep	Sweep
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.50 dB	0.50 dB
Run	2 / max. 15	max. 15
Stable	1 / 1	1
Max Stable Difference	0.23 dB	0.50 dB

Power Spectral Density (6985 MHz; 11ax160 (160 MHz)) _ Ant1

Customized settings.


Result

DUT Frequency (MHz)	Frequency (MHz)	PSD (dBm)	Limit Max (dBm)	Result
6985.000000	6987.750000	-11.093	---	PASS

Ports

Port	State
1	not used
2	used

Power Spectral Density (SA-1)(2)




Measurement


Setting	Instrument Value	Target Value
Start Frequency	6.90500 GHz	6.90500 GHz
Stop Frequency	7.06500 GHz	7.06500 GHz
Span	160.000 MHz	160.000 MHz
RBW	1.000 MHz	<= 1.000 MHz
VBW	3.000 MHz	>= 3.000 MHz
SweepPoints	320	~ 320
Sweeptime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
Sweeptype	Sweep	Sweep
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.50 dB	0.50 dB
Run	2 / max. 15	max. 15
Stable	1 / 1	1
Max Stable Difference	0.25 dB	0.50 dB


Contention Based Protocol Measurement


Threshold level of AWGN interference Plot

















Contention Based Protocol Plot

UNII 5:

802.11be EHT20




802.11be EHT160




802.11be EHT160


Verify



Verify-6110



Verify-6260



UNII 6:

802.11be EHT20

