






































LTE Band 26(814-824) Test Graphs





Band26(814-824)-1.4MHz-QPSK-26697-1RB#0- PASS	Band26(814-824)-1.4MHz-16QAM-26697- 1RB#0-PASS
	
Band26(814-824)-1.4MHz-QPSK-26697-1RB#5- PASS	Band26(814-824)-1.4MHz-16QAM-26697- 1RB#5-PASS
	
Band26(814-824)-1.4MHz-QPSK-26697-6RB#0- PASS	Band26(814-824)-1.4MHz-16QAM-26697- 6RB#0-PASS
	

Band26(814-824)-1.4MHz-QPSK-26783-1RB#0- PASS <table><thead><tr><th>Spur</th><th>Range</th><th>Start Freq</th><th>Stop Freq</th><th>RBW</th><th>Frequency</th><th>Amplitude</th><th>Limit</th></tr></thead><tbody><tr><td>1</td><td>1</td><td>817.60 MHz</td><td>822.50 MHz</td><td>100.0 kHz</td><td>822.500000 MHz</td><td>-46.40 dBm</td><td>-33.40 dB</td></tr><tr><td>2</td><td>2</td><td>822.50 MHz</td><td>824.00 MHz</td><td>2.000 kHz</td><td>823.750000 MHz</td><td>-34.58 dBm</td><td>-34.58 dB</td></tr><tr><td>3</td><td>3</td><td>824.00 MHz</td><td>824.50 MHz</td><td>100.0 kHz</td><td>824.000000 MHz</td><td>-30.50 dBm</td><td>-30.50 dB</td></tr><tr><td>4</td><td>4</td><td>824.50 MHz</td><td>824.50 MHz</td><td>2.000 kHz</td><td>824.500000 MHz</td><td>-43.80 dBm</td><td>-43.80 dB</td></tr><tr><td>5</td><td>5</td><td>824.50 MHz</td><td>824.50 MHz</td><td>100.0 kHz</td><td>824.500000 MHz</td><td>-43.71 dBm</td><td>-30.71 dB</td></tr></tbody></table>	Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	Limit	1	1	817.60 MHz	822.50 MHz	100.0 kHz	822.500000 MHz	-46.40 dBm	-33.40 dB	2	2	822.50 MHz	824.00 MHz	2.000 kHz	823.750000 MHz	-34.58 dBm	-34.58 dB	3	3	824.00 MHz	824.50 MHz	100.0 kHz	824.000000 MHz	-30.50 dBm	-30.50 dB	4	4	824.50 MHz	824.50 MHz	2.000 kHz	824.500000 MHz	-43.80 dBm	-43.80 dB	5	5	824.50 MHz	824.50 MHz	100.0 kHz	824.500000 MHz	-43.71 dBm	-30.71 dB	Band26(814-824)-1.4MHz-16QAM-26783-1RB#0-PASS <table><thead><tr><th>Spur</th><th>Range</th><th>Start Freq</th><th>Stop Freq</th><th>RBW</th><th>Frequency</th><th>Amplitude</th><th>Limit</th></tr></thead><tbody><tr><td>1</td><td>1</td><td>817.60 MHz</td><td>822.50 MHz</td><td>100.0 kHz</td><td>822.500000 MHz</td><td>-47.53 dBm</td><td>-34.53 dB</td></tr><tr><td>2</td><td>2</td><td>822.50 MHz</td><td>824.00 MHz</td><td>2.000 kHz</td><td>823.750000 MHz</td><td>-35.37 dBm</td><td>-35.37 dB</td></tr><tr><td>3</td><td>3</td><td>824.00 MHz</td><td>824.50 MHz</td><td>100.0 kHz</td><td>824.000000 MHz</td><td>-32.39 dBm</td><td>-32.39 dB</td></tr><tr><td>4</td><td>4</td><td>824.50 MHz</td><td>824.50 MHz</td><td>2.000 kHz</td><td>824.500000 MHz</td><td>-45.30 dBm</td><td>-45.30 dB</td></tr><tr><td>5</td><td>5</td><td>824.50 MHz</td><td>824.50 MHz</td><td>100.0 kHz</td><td>824.500000 MHz</td><td>-46.71 dBm</td><td>-33.71 dB</td></tr></tbody></table>	Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	Limit	1	1	817.60 MHz	822.50 MHz	100.0 kHz	822.500000 MHz	-47.53 dBm	-34.53 dB	2	2	822.50 MHz	824.00 MHz	2.000 kHz	823.750000 MHz	-35.37 dBm	-35.37 dB	3	3	824.00 MHz	824.50 MHz	100.0 kHz	824.000000 MHz	-32.39 dBm	-32.39 dB	4	4	824.50 MHz	824.50 MHz	2.000 kHz	824.500000 MHz	-45.30 dBm	-45.30 dB	5	5	824.50 MHz	824.50 MHz	100.0 kHz	824.500000 MHz	-46.71 dBm	-33.71 dB
Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	Limit																																																																																										
1	1	817.60 MHz	822.50 MHz	100.0 kHz	822.500000 MHz	-46.40 dBm	-33.40 dB																																																																																										
2	2	822.50 MHz	824.00 MHz	2.000 kHz	823.750000 MHz	-34.58 dBm	-34.58 dB																																																																																										
3	3	824.00 MHz	824.50 MHz	100.0 kHz	824.000000 MHz	-30.50 dBm	-30.50 dB																																																																																										
4	4	824.50 MHz	824.50 MHz	2.000 kHz	824.500000 MHz	-43.80 dBm	-43.80 dB																																																																																										
5	5	824.50 MHz	824.50 MHz	100.0 kHz	824.500000 MHz	-43.71 dBm	-30.71 dB																																																																																										
Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	Limit																																																																																										
1	1	817.60 MHz	822.50 MHz	100.0 kHz	822.500000 MHz	-47.53 dBm	-34.53 dB																																																																																										
2	2	822.50 MHz	824.00 MHz	2.000 kHz	823.750000 MHz	-35.37 dBm	-35.37 dB																																																																																										
3	3	824.00 MHz	824.50 MHz	100.0 kHz	824.000000 MHz	-32.39 dBm	-32.39 dB																																																																																										
4	4	824.50 MHz	824.50 MHz	2.000 kHz	824.500000 MHz	-45.30 dBm	-45.30 dB																																																																																										
5	5	824.50 MHz	824.50 MHz	100.0 kHz	824.500000 MHz	-46.71 dBm	-33.71 dB																																																																																										
Band26(814-824)-1.4MHz-QPSK-26783-1RB#5- PASS <table><thead><tr><th>Spur</th><th>Range</th><th>Start Freq</th><th>Stop Freq</th><th>RBW</th><th>Frequency</th><th>Amplitude</th><th>Limit</th></tr></thead><tbody><tr><td>1</td><td>1</td><td>817.60 MHz</td><td>822.50 MHz</td><td>100.0 kHz</td><td>822.500000 MHz</td><td>-43.00 dBm</td><td>-32.60 dB</td></tr><tr><td>2</td><td>2</td><td>822.50 MHz</td><td>824.00 MHz</td><td>2.000 kHz</td><td>823.750000 MHz</td><td>-43.00 dBm</td><td>-43.00 dB</td></tr><tr><td>3</td><td>3</td><td>824.00 MHz</td><td>824.50 MHz</td><td>100.0 kHz</td><td>824.000000 MHz</td><td>-29.50 dBm</td><td>-29.50 dB</td></tr><tr><td>4</td><td>4</td><td>824.50 MHz</td><td>824.50 MHz</td><td>2.000 kHz</td><td>824.500000 MHz</td><td>-34.12 dBm</td><td>-34.12 dB</td></tr><tr><td>5</td><td>5</td><td>824.50 MHz</td><td>824.50 MHz</td><td>100.0 kHz</td><td>824.500000 MHz</td><td>-41.30 dBm</td><td>-32.30 dB</td></tr></tbody></table>	Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	Limit	1	1	817.60 MHz	822.50 MHz	100.0 kHz	822.500000 MHz	-43.00 dBm	-32.60 dB	2	2	822.50 MHz	824.00 MHz	2.000 kHz	823.750000 MHz	-43.00 dBm	-43.00 dB	3	3	824.00 MHz	824.50 MHz	100.0 kHz	824.000000 MHz	-29.50 dBm	-29.50 dB	4	4	824.50 MHz	824.50 MHz	2.000 kHz	824.500000 MHz	-34.12 dBm	-34.12 dB	5	5	824.50 MHz	824.50 MHz	100.0 kHz	824.500000 MHz	-41.30 dBm	-32.30 dB	Band26(814-824)-1.4MHz-16QAM-26783-1RB#5-PASS <table><thead><tr><th>Spur</th><th>Range</th><th>Start Freq</th><th>Stop Freq</th><th>RBW</th><th>Frequency</th><th>Amplitude</th><th>Limit</th></tr></thead><tbody><tr><td>1</td><td>1</td><td>817.60 MHz</td><td>822.50 MHz</td><td>100.0 kHz</td><td>822.500000 MHz</td><td>-45.24 dBm</td><td>-36.76 dB</td></tr><tr><td>2</td><td>2</td><td>822.50 MHz</td><td>824.00 MHz</td><td>2.000 kHz</td><td>823.750000 MHz</td><td>-45.24 dBm</td><td>-45.24 dB</td></tr><tr><td>3</td><td>3</td><td>824.00 MHz</td><td>824.50 MHz</td><td>100.0 kHz</td><td>824.000000 MHz</td><td>-32.11 dBm</td><td>-32.11 dB</td></tr><tr><td>4</td><td>4</td><td>824.50 MHz</td><td>824.50 MHz</td><td>2.000 kHz</td><td>824.500000 MHz</td><td>-36.00 dBm</td><td>-36.00 dB</td></tr><tr><td>5</td><td>5</td><td>824.50 MHz</td><td>824.50 MHz</td><td>100.0 kHz</td><td>824.500000 MHz</td><td>-46.80 dBm</td><td>-33.80 dB</td></tr></tbody></table>	Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	Limit	1	1	817.60 MHz	822.50 MHz	100.0 kHz	822.500000 MHz	-45.24 dBm	-36.76 dB	2	2	822.50 MHz	824.00 MHz	2.000 kHz	823.750000 MHz	-45.24 dBm	-45.24 dB	3	3	824.00 MHz	824.50 MHz	100.0 kHz	824.000000 MHz	-32.11 dBm	-32.11 dB	4	4	824.50 MHz	824.50 MHz	2.000 kHz	824.500000 MHz	-36.00 dBm	-36.00 dB	5	5	824.50 MHz	824.50 MHz	100.0 kHz	824.500000 MHz	-46.80 dBm	-33.80 dB
Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	Limit																																																																																										
1	1	817.60 MHz	822.50 MHz	100.0 kHz	822.500000 MHz	-43.00 dBm	-32.60 dB																																																																																										
2	2	822.50 MHz	824.00 MHz	2.000 kHz	823.750000 MHz	-43.00 dBm	-43.00 dB																																																																																										
3	3	824.00 MHz	824.50 MHz	100.0 kHz	824.000000 MHz	-29.50 dBm	-29.50 dB																																																																																										
4	4	824.50 MHz	824.50 MHz	2.000 kHz	824.500000 MHz	-34.12 dBm	-34.12 dB																																																																																										
5	5	824.50 MHz	824.50 MHz	100.0 kHz	824.500000 MHz	-41.30 dBm	-32.30 dB																																																																																										
Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	Limit																																																																																										
1	1	817.60 MHz	822.50 MHz	100.0 kHz	822.500000 MHz	-45.24 dBm	-36.76 dB																																																																																										
2	2	822.50 MHz	824.00 MHz	2.000 kHz	823.750000 MHz	-45.24 dBm	-45.24 dB																																																																																										
3	3	824.00 MHz	824.50 MHz	100.0 kHz	824.000000 MHz	-32.11 dBm	-32.11 dB																																																																																										
4	4	824.50 MHz	824.50 MHz	2.000 kHz	824.500000 MHz	-36.00 dBm	-36.00 dB																																																																																										
5	5	824.50 MHz	824.50 MHz	100.0 kHz	824.500000 MHz	-46.80 dBm	-33.80 dB																																																																																										
Band26(814-824)-1.4MHz-QPSK-26783-6RB#0- PASS <table><thead><tr><th>Spur</th><th>Range</th><th>Start Freq</th><th>Stop Freq</th><th>RBW</th><th>Frequency</th><th>Amplitude</th><th>Limit</th></tr></thead><tbody><tr><td>1</td><td>1</td><td>817.60 MHz</td><td>822.50 MHz</td><td>100.0 kHz</td><td>822.500000 MHz</td><td>-39.74 dBm</td><td>-16.50 dB</td></tr><tr><td>2</td><td>2</td><td>822.50 MHz</td><td>824.00 MHz</td><td>2.000 kHz</td><td>823.750000 MHz</td><td>-39.74 dBm</td><td>-39.74 dB</td></tr><tr><td>3</td><td>3</td><td>824.00 MHz</td><td>824.50 MHz</td><td>100.0 kHz</td><td>824.000000 MHz</td><td>-29.50 dBm</td><td>-29.50 dB</td></tr><tr><td>4</td><td>4</td><td>824.50 MHz</td><td>824.50 MHz</td><td>2.000 kHz</td><td>824.500000 MHz</td><td>-40.46 dBm</td><td>-40.46 dB</td></tr><tr><td>5</td><td>5</td><td>824.50 MHz</td><td>824.50 MHz</td><td>100.0 kHz</td><td>824.500000 MHz</td><td>-39.84 dBm</td><td>-39.84 dB</td></tr></tbody></table>	Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	Limit	1	1	817.60 MHz	822.50 MHz	100.0 kHz	822.500000 MHz	-39.74 dBm	-16.50 dB	2	2	822.50 MHz	824.00 MHz	2.000 kHz	823.750000 MHz	-39.74 dBm	-39.74 dB	3	3	824.00 MHz	824.50 MHz	100.0 kHz	824.000000 MHz	-29.50 dBm	-29.50 dB	4	4	824.50 MHz	824.50 MHz	2.000 kHz	824.500000 MHz	-40.46 dBm	-40.46 dB	5	5	824.50 MHz	824.50 MHz	100.0 kHz	824.500000 MHz	-39.84 dBm	-39.84 dB	Band26(814-824)-1.4MHz-16QAM-26783-6RB#0-PASS <table><thead><tr><th>Spur</th><th>Range</th><th>Start Freq</th><th>Stop Freq</th><th>RBW</th><th>Frequency</th><th>Amplitude</th><th>Limit</th></tr></thead><tbody><tr><td>1</td><td>1</td><td>817.60 MHz</td><td>822.50 MHz</td><td>100.0 kHz</td><td>822.500000 MHz</td><td>-37.25 dBm</td><td>-17.25 dB</td></tr><tr><td>2</td><td>2</td><td>822.50 MHz</td><td>824.00 MHz</td><td>2.000 kHz</td><td>823.750000 MHz</td><td>-37.25 dBm</td><td>-37.25 dB</td></tr><tr><td>3</td><td>3</td><td>824.00 MHz</td><td>824.50 MHz</td><td>100.0 kHz</td><td>824.000000 MHz</td><td>-29.79 dBm</td><td>-29.79 dB</td></tr><tr><td>4</td><td>4</td><td>824.50 MHz</td><td>824.50 MHz</td><td>2.000 kHz</td><td>824.500000 MHz</td><td>-40.25 dBm</td><td>-40.25 dB</td></tr><tr><td>5</td><td>5</td><td>824.50 MHz</td><td>824.50 MHz</td><td>100.0 kHz</td><td>824.500000 MHz</td><td>-39.84 dBm</td><td>-39.84 dB</td></tr></tbody></table>	Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	Limit	1	1	817.60 MHz	822.50 MHz	100.0 kHz	822.500000 MHz	-37.25 dBm	-17.25 dB	2	2	822.50 MHz	824.00 MHz	2.000 kHz	823.750000 MHz	-37.25 dBm	-37.25 dB	3	3	824.00 MHz	824.50 MHz	100.0 kHz	824.000000 MHz	-29.79 dBm	-29.79 dB	4	4	824.50 MHz	824.50 MHz	2.000 kHz	824.500000 MHz	-40.25 dBm	-40.25 dB	5	5	824.50 MHz	824.50 MHz	100.0 kHz	824.500000 MHz	-39.84 dBm	-39.84 dB
Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	Limit																																																																																										
1	1	817.60 MHz	822.50 MHz	100.0 kHz	822.500000 MHz	-39.74 dBm	-16.50 dB																																																																																										
2	2	822.50 MHz	824.00 MHz	2.000 kHz	823.750000 MHz	-39.74 dBm	-39.74 dB																																																																																										
3	3	824.00 MHz	824.50 MHz	100.0 kHz	824.000000 MHz	-29.50 dBm	-29.50 dB																																																																																										
4	4	824.50 MHz	824.50 MHz	2.000 kHz	824.500000 MHz	-40.46 dBm	-40.46 dB																																																																																										
5	5	824.50 MHz	824.50 MHz	100.0 kHz	824.500000 MHz	-39.84 dBm	-39.84 dB																																																																																										
Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	Limit																																																																																										
1	1	817.60 MHz	822.50 MHz	100.0 kHz	822.500000 MHz	-37.25 dBm	-17.25 dB																																																																																										
2	2	822.50 MHz	824.00 MHz	2.000 kHz	823.750000 MHz	-37.25 dBm	-37.25 dB																																																																																										
3	3	824.00 MHz	824.50 MHz	100.0 kHz	824.000000 MHz	-29.79 dBm	-29.79 dB																																																																																										
4	4	824.50 MHz	824.50 MHz	2.000 kHz	824.500000 MHz	-40.25 dBm	-40.25 dB																																																																																										
5	5	824.50 MHz	824.50 MHz	100.0 kHz	824.500000 MHz	-39.84 dBm	-39.84 dB																																																																																										

Band26(814-824)-3MHz-QPSK-26705-1RB#0- PASS <table><thead><tr><th>Spur</th><th>Range</th><th>Start Freq</th><th>Stop Freq</th><th>RBW</th><th>Frequency</th><th>Amplitude</th><th>Limit</th></tr></thead><tbody><tr><td>1</td><td>1</td><td>809.00 MHz</td><td>813.96 MHz</td><td>100.0 kHz</td><td>813.99425 MHz</td><td>-40.21 dBm</td><td>-33.71 dB</td></tr><tr><td>2</td><td>2</td><td>813.96 MHz</td><td>814.00 MHz</td><td>2.000 kHz</td><td>813.99438 MHz</td><td>-34.11 dBm</td><td>-34.11 dB</td></tr><tr><td>3</td><td>3</td><td>814.00 MHz</td><td>817.04 MHz</td><td>100.0 kHz</td><td>814.22900 MHz</td><td>-26.36 dBm</td><td>-26.36 dB</td></tr><tr><td>4</td><td>4</td><td>817.04 MHz</td><td>817.04 MHz</td><td>2.000 kHz</td><td>817.00700 MHz</td><td>-46.43 dBm</td><td>-46.43 dB</td></tr><tr><td>5</td><td>5</td><td>817.04 MHz</td><td>822.00 MHz</td><td>100.0 kHz</td><td>818.71025 MHz</td><td>-41.18 dBm</td><td>-26.58 dB</td></tr></tbody></table>	Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	Limit	1	1	809.00 MHz	813.96 MHz	100.0 kHz	813.99425 MHz	-40.21 dBm	-33.71 dB	2	2	813.96 MHz	814.00 MHz	2.000 kHz	813.99438 MHz	-34.11 dBm	-34.11 dB	3	3	814.00 MHz	817.04 MHz	100.0 kHz	814.22900 MHz	-26.36 dBm	-26.36 dB	4	4	817.04 MHz	817.04 MHz	2.000 kHz	817.00700 MHz	-46.43 dBm	-46.43 dB	5	5	817.04 MHz	822.00 MHz	100.0 kHz	818.71025 MHz	-41.18 dBm	-26.58 dB	Band26(814-824)-3MHz-16QAM-26705-1RB#0- PASS <table><thead><tr><th>Spur</th><th>Range</th><th>Start Freq</th><th>Stop Freq</th><th>RBW</th><th>Frequency</th><th>Amplitude</th><th>Limit</th></tr></thead><tbody><tr><td>1</td><td>1</td><td>809.00 MHz</td><td>813.96 MHz</td><td>100.0 kHz</td><td>813.89190 MHz</td><td>-46.78 dBm</td><td>-35.78 dB</td></tr><tr><td>2</td><td>2</td><td>813.96 MHz</td><td>814.00 MHz</td><td>2.000 kHz</td><td>813.99875 MHz</td><td>-35.27 dBm</td><td>-35.27 dB</td></tr><tr><td>3</td><td>3</td><td>814.00 MHz</td><td>817.04 MHz</td><td>100.0 kHz</td><td>814.22900 MHz</td><td>-17.78 dBm</td><td>-12.24 dB</td></tr><tr><td>4</td><td>4</td><td>817.04 MHz</td><td>817.04 MHz</td><td>2.000 kHz</td><td>817.00025 MHz</td><td>-47.34 dBm</td><td>-47.34 dB</td></tr><tr><td>5</td><td>5</td><td>817.04 MHz</td><td>822.00 MHz</td><td>100.0 kHz</td><td>818.70647 MHz</td><td>-43.12 dBm</td><td>-30.32 dB</td></tr></tbody></table>	Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	Limit	1	1	809.00 MHz	813.96 MHz	100.0 kHz	813.89190 MHz	-46.78 dBm	-35.78 dB	2	2	813.96 MHz	814.00 MHz	2.000 kHz	813.99875 MHz	-35.27 dBm	-35.27 dB	3	3	814.00 MHz	817.04 MHz	100.0 kHz	814.22900 MHz	-17.78 dBm	-12.24 dB	4	4	817.04 MHz	817.04 MHz	2.000 kHz	817.00025 MHz	-47.34 dBm	-47.34 dB	5	5	817.04 MHz	822.00 MHz	100.0 kHz	818.70647 MHz	-43.12 dBm	-30.32 dB
Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	Limit																																																																																										
1	1	809.00 MHz	813.96 MHz	100.0 kHz	813.99425 MHz	-40.21 dBm	-33.71 dB																																																																																										
2	2	813.96 MHz	814.00 MHz	2.000 kHz	813.99438 MHz	-34.11 dBm	-34.11 dB																																																																																										
3	3	814.00 MHz	817.04 MHz	100.0 kHz	814.22900 MHz	-26.36 dBm	-26.36 dB																																																																																										
4	4	817.04 MHz	817.04 MHz	2.000 kHz	817.00700 MHz	-46.43 dBm	-46.43 dB																																																																																										
5	5	817.04 MHz	822.00 MHz	100.0 kHz	818.71025 MHz	-41.18 dBm	-26.58 dB																																																																																										
Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	Limit																																																																																										
1	1	809.00 MHz	813.96 MHz	100.0 kHz	813.89190 MHz	-46.78 dBm	-35.78 dB																																																																																										
2	2	813.96 MHz	814.00 MHz	2.000 kHz	813.99875 MHz	-35.27 dBm	-35.27 dB																																																																																										
3	3	814.00 MHz	817.04 MHz	100.0 kHz	814.22900 MHz	-17.78 dBm	-12.24 dB																																																																																										
4	4	817.04 MHz	817.04 MHz	2.000 kHz	817.00025 MHz	-47.34 dBm	-47.34 dB																																																																																										
5	5	817.04 MHz	822.00 MHz	100.0 kHz	818.70647 MHz	-43.12 dBm	-30.32 dB																																																																																										
Band26(814-824)-3MHz-QPSK-26705-1RB#14- PASS <table><thead><tr><th>Spur</th><th>Range</th><th>Start Freq</th><th>Stop Freq</th><th>RBW</th><th>Frequency</th><th>Amplitude</th><th>Limit</th></tr></thead><tbody><tr><td>1</td><td>1</td><td>809.00 MHz</td><td>813.96 MHz</td><td>100.0 kHz</td><td>813.89503 MHz</td><td>-43.02 dBm</td><td>-30.82 dB</td></tr><tr><td>2</td><td>2</td><td>813.96 MHz</td><td>814.00 MHz</td><td>2.000 kHz</td><td>813.98913 MHz</td><td>-47.46 dBm</td><td>-47.46 dB</td></tr><tr><td>3</td><td>3</td><td>814.00 MHz</td><td>817.04 MHz</td><td>100.0 kHz</td><td>814.24000 MHz</td><td>-26.09 dBm</td><td>-26.09 dB</td></tr><tr><td>4</td><td>4</td><td>817.04 MHz</td><td>817.04 MHz</td><td>2.000 kHz</td><td>817.00000 MHz</td><td>-53.02 dBm</td><td>-53.02 dB</td></tr><tr><td>5</td><td>5</td><td>817.04 MHz</td><td>822.00 MHz</td><td>100.0 kHz</td><td>817.70000 MHz</td><td>-46.70 dBm</td><td>-32.29 dB</td></tr></tbody></table>	Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	Limit	1	1	809.00 MHz	813.96 MHz	100.0 kHz	813.89503 MHz	-43.02 dBm	-30.82 dB	2	2	813.96 MHz	814.00 MHz	2.000 kHz	813.98913 MHz	-47.46 dBm	-47.46 dB	3	3	814.00 MHz	817.04 MHz	100.0 kHz	814.24000 MHz	-26.09 dBm	-26.09 dB	4	4	817.04 MHz	817.04 MHz	2.000 kHz	817.00000 MHz	-53.02 dBm	-53.02 dB	5	5	817.04 MHz	822.00 MHz	100.0 kHz	817.70000 MHz	-46.70 dBm	-32.29 dB	Band26(814-824)-3MHz-16QAM-26705-1RB#14- PASS <table><thead><tr><th>Spur</th><th>Range</th><th>Start Freq</th><th>Stop Freq</th><th>RBW</th><th>Frequency</th><th>Amplitude</th><th>Limit</th></tr></thead><tbody><tr><td>1</td><td>1</td><td>809.00 MHz</td><td>813.96 MHz</td><td>100.0 kHz</td><td>813.89503 MHz</td><td>-45.71 dBm</td><td>-32.71 dB</td></tr><tr><td>2</td><td>2</td><td>813.96 MHz</td><td>814.00 MHz</td><td>2.000 kHz</td><td>813.98900 MHz</td><td>-48.07 dBm</td><td>-48.07 dB</td></tr><tr><td>3</td><td>3</td><td>814.00 MHz</td><td>817.04 MHz</td><td>100.0 kHz</td><td>814.24000 MHz</td><td>-17.67 dBm</td><td>-12.33 dB</td></tr><tr><td>4</td><td>4</td><td>817.04 MHz</td><td>817.04 MHz</td><td>2.000 kHz</td><td>817.00100 MHz</td><td>-36.50 dBm</td><td>-36.50 dB</td></tr><tr><td>5</td><td>5</td><td>817.04 MHz</td><td>822.00 MHz</td><td>100.0 kHz</td><td>817.74617 MHz</td><td>-48.11 dBm</td><td>-35.11 dB</td></tr></tbody></table>	Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	Limit	1	1	809.00 MHz	813.96 MHz	100.0 kHz	813.89503 MHz	-45.71 dBm	-32.71 dB	2	2	813.96 MHz	814.00 MHz	2.000 kHz	813.98900 MHz	-48.07 dBm	-48.07 dB	3	3	814.00 MHz	817.04 MHz	100.0 kHz	814.24000 MHz	-17.67 dBm	-12.33 dB	4	4	817.04 MHz	817.04 MHz	2.000 kHz	817.00100 MHz	-36.50 dBm	-36.50 dB	5	5	817.04 MHz	822.00 MHz	100.0 kHz	817.74617 MHz	-48.11 dBm	-35.11 dB
Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	Limit																																																																																										
1	1	809.00 MHz	813.96 MHz	100.0 kHz	813.89503 MHz	-43.02 dBm	-30.82 dB																																																																																										
2	2	813.96 MHz	814.00 MHz	2.000 kHz	813.98913 MHz	-47.46 dBm	-47.46 dB																																																																																										
3	3	814.00 MHz	817.04 MHz	100.0 kHz	814.24000 MHz	-26.09 dBm	-26.09 dB																																																																																										
4	4	817.04 MHz	817.04 MHz	2.000 kHz	817.00000 MHz	-53.02 dBm	-53.02 dB																																																																																										
5	5	817.04 MHz	822.00 MHz	100.0 kHz	817.70000 MHz	-46.70 dBm	-32.29 dB																																																																																										
Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	Limit																																																																																										
1	1	809.00 MHz	813.96 MHz	100.0 kHz	813.89503 MHz	-45.71 dBm	-32.71 dB																																																																																										
2	2	813.96 MHz	814.00 MHz	2.000 kHz	813.98900 MHz	-48.07 dBm	-48.07 dB																																																																																										
3	3	814.00 MHz	817.04 MHz	100.0 kHz	814.24000 MHz	-17.67 dBm	-12.33 dB																																																																																										
4	4	817.04 MHz	817.04 MHz	2.000 kHz	817.00100 MHz	-36.50 dBm	-36.50 dB																																																																																										
5	5	817.04 MHz	822.00 MHz	100.0 kHz	817.74617 MHz	-48.11 dBm	-35.11 dB																																																																																										
Band26(814-824)-3MHz-QPSK-26705-15RB#0- PASS <table><thead><tr><th>Spur</th><th>Range</th><th>Start Freq</th><th>Stop Freq</th><th>RBW</th><th>Frequency</th><th>Amplitude</th><th>Limit</th></tr></thead><tbody><tr><td>1</td><td>1</td><td>809.00 MHz</td><td>813.96 MHz</td><td>100.0 kHz</td><td>813.89200 MHz</td><td>-30.81 dBm</td><td>-17.81 dB</td></tr><tr><td>2</td><td>2</td><td>813.96 MHz</td><td>814.00 MHz</td><td>2.000 kHz</td><td>813.99925 MHz</td><td>-40.53 dBm</td><td>-26.53 dB</td></tr><tr><td>3</td><td>3</td><td>814.00 MHz</td><td>817.04 MHz</td><td>100.0 kHz</td><td>814.00100 MHz</td><td>-46.49 dBm</td><td>-44.03 dB</td></tr><tr><td>4</td><td>4</td><td>817.04 MHz</td><td>817.04 MHz</td><td>2.000 kHz</td><td>817.00000 MHz</td><td>-50.95 dBm</td><td>-50.95 dB</td></tr><tr><td>5</td><td>5</td><td>817.04 MHz</td><td>822.00 MHz</td><td>100.0 kHz</td><td>817.71000 MHz</td><td>-30.34 dBm</td><td>-12.34 dB</td></tr></tbody></table>	Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	Limit	1	1	809.00 MHz	813.96 MHz	100.0 kHz	813.89200 MHz	-30.81 dBm	-17.81 dB	2	2	813.96 MHz	814.00 MHz	2.000 kHz	813.99925 MHz	-40.53 dBm	-26.53 dB	3	3	814.00 MHz	817.04 MHz	100.0 kHz	814.00100 MHz	-46.49 dBm	-44.03 dB	4	4	817.04 MHz	817.04 MHz	2.000 kHz	817.00000 MHz	-50.95 dBm	-50.95 dB	5	5	817.04 MHz	822.00 MHz	100.0 kHz	817.71000 MHz	-30.34 dBm	-12.34 dB	Band26(814-824)-3MHz-16QAM-26705-15RB#0- PASS <table><thead><tr><th>Spur</th><th>Range</th><th>Start Freq</th><th>Stop Freq</th><th>RBW</th><th>Frequency</th><th>Amplitude</th><th>Limit</th></tr></thead><tbody><tr><td>1</td><td>1</td><td>809.00 MHz</td><td>813.96 MHz</td><td>100.0 kHz</td><td>813.89200 MHz</td><td>-30.81 dBm</td><td>-17.81 dB</td></tr><tr><td>2</td><td>2</td><td>813.96 MHz</td><td>814.00 MHz</td><td>2.000 kHz</td><td>813.99900 MHz</td><td>-40.53 dBm</td><td>-26.53 dB</td></tr><tr><td>3</td><td>3</td><td>814.00 MHz</td><td>817.04 MHz</td><td>100.0 kHz</td><td>814.00000 MHz</td><td>-53.90 dBm</td><td>-44.03 dB</td></tr><tr><td>4</td><td>4</td><td>817.04 MHz</td><td>817.04 MHz</td><td>2.000 kHz</td><td>817.00000 MHz</td><td>-50.95 dBm</td><td>-50.95 dB</td></tr><tr><td>5</td><td>5</td><td>817.04 MHz</td><td>822.00 MHz</td><td>100.0 kHz</td><td>817.71000 MHz</td><td>-31.64 dBm</td><td>-18.64 dB</td></tr></tbody></table>	Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	Limit	1	1	809.00 MHz	813.96 MHz	100.0 kHz	813.89200 MHz	-30.81 dBm	-17.81 dB	2	2	813.96 MHz	814.00 MHz	2.000 kHz	813.99900 MHz	-40.53 dBm	-26.53 dB	3	3	814.00 MHz	817.04 MHz	100.0 kHz	814.00000 MHz	-53.90 dBm	-44.03 dB	4	4	817.04 MHz	817.04 MHz	2.000 kHz	817.00000 MHz	-50.95 dBm	-50.95 dB	5	5	817.04 MHz	822.00 MHz	100.0 kHz	817.71000 MHz	-31.64 dBm	-18.64 dB
Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	Limit																																																																																										
1	1	809.00 MHz	813.96 MHz	100.0 kHz	813.89200 MHz	-30.81 dBm	-17.81 dB																																																																																										
2	2	813.96 MHz	814.00 MHz	2.000 kHz	813.99925 MHz	-40.53 dBm	-26.53 dB																																																																																										
3	3	814.00 MHz	817.04 MHz	100.0 kHz	814.00100 MHz	-46.49 dBm	-44.03 dB																																																																																										
4	4	817.04 MHz	817.04 MHz	2.000 kHz	817.00000 MHz	-50.95 dBm	-50.95 dB																																																																																										
5	5	817.04 MHz	822.00 MHz	100.0 kHz	817.71000 MHz	-30.34 dBm	-12.34 dB																																																																																										
Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	Limit																																																																																										
1	1	809.00 MHz	813.96 MHz	100.0 kHz	813.89200 MHz	-30.81 dBm	-17.81 dB																																																																																										
2	2	813.96 MHz	814.00 MHz	2.000 kHz	813.99900 MHz	-40.53 dBm	-26.53 dB																																																																																										
3	3	814.00 MHz	817.04 MHz	100.0 kHz	814.00000 MHz	-53.90 dBm	-44.03 dB																																																																																										
4	4	817.04 MHz	817.04 MHz	2.000 kHz	817.00000 MHz	-50.95 dBm	-50.95 dB																																																																																										
5	5	817.04 MHz	822.00 MHz	100.0 kHz	817.71000 MHz	-31.64 dBm	-18.64 dB																																																																																										

Band26(814-824)-3MHz-QPSK-26775-1RB#0- PASS <table><thead><tr><th>Spur</th><th>Range</th><th>Start Freq</th><th>Stop Freq</th><th>RBW</th><th>Frequency</th><th>Amplitude</th><th>1 Limit</th></tr></thead><tbody><tr><td>1</td><td>1</td><td>814.00 MHz</td><td>824.00 MHz</td><td>100.0 kHz</td><td>814.000000 MHz</td><td>-45.81 dBm</td><td>-32.81 dB</td></tr><tr><td>2</td><td>2</td><td>824.00 MHz</td><td>834.00 MHz</td><td>2.000 MHz</td><td>824.000000 MHz</td><td>-34.41 dBm</td><td>-14.41 dB</td></tr><tr><td>3</td><td>3</td><td>824.00 MHz</td><td>834.00 MHz</td><td>100.0 kHz</td><td>824.000000 MHz</td><td>-30.16 dBm</td><td>-10.16 dB</td></tr><tr><td>4</td><td>4</td><td>824.00 MHz</td><td>834.00 MHz</td><td>2.000 MHz</td><td>824.000000 MHz</td><td>-46.33 dBm</td><td>-26.33 dB</td></tr><tr><td>5</td><td>5</td><td>824.00 MHz</td><td>834.00 MHz</td><td>100.0 kHz</td><td>824.000000 MHz</td><td>-46.33 dBm</td><td>-26.33 dB</td></tr></tbody></table>	Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	1 Limit	1	1	814.00 MHz	824.00 MHz	100.0 kHz	814.000000 MHz	-45.81 dBm	-32.81 dB	2	2	824.00 MHz	834.00 MHz	2.000 MHz	824.000000 MHz	-34.41 dBm	-14.41 dB	3	3	824.00 MHz	834.00 MHz	100.0 kHz	824.000000 MHz	-30.16 dBm	-10.16 dB	4	4	824.00 MHz	834.00 MHz	2.000 MHz	824.000000 MHz	-46.33 dBm	-26.33 dB	5	5	824.00 MHz	834.00 MHz	100.0 kHz	824.000000 MHz	-46.33 dBm	-26.33 dB	Band26(814-824)-3MHz-16QAM-26775-1RB#0- PASS <table><thead><tr><th>Spur</th><th>Range</th><th>Start Freq</th><th>Stop Freq</th><th>RBW</th><th>Frequency</th><th>Amplitude</th><th>1 Limit</th></tr></thead><tbody><tr><td>1</td><td>1</td><td>814.00 MHz</td><td>824.00 MHz</td><td>100.0 kHz</td><td>814.000000 MHz</td><td>-47.74 dBm</td><td>-27.74 dB</td></tr><tr><td>2</td><td>2</td><td>824.00 MHz</td><td>834.00 MHz</td><td>2.000 MHz</td><td>824.000000 MHz</td><td>-35.27 dBm</td><td>-15.27 dB</td></tr><tr><td>3</td><td>3</td><td>824.00 MHz</td><td>834.00 MHz</td><td>100.0 kHz</td><td>824.000000 MHz</td><td>-17.68 dBm</td><td>-7.68 dB</td></tr><tr><td>4</td><td>4</td><td>824.00 MHz</td><td>834.00 MHz</td><td>2.000 MHz</td><td>824.000000 MHz</td><td>-47.40 dBm</td><td>-27.40 dB</td></tr><tr><td>5</td><td>5</td><td>824.00 MHz</td><td>834.00 MHz</td><td>100.0 kHz</td><td>824.000000 MHz</td><td>-47.40 dBm</td><td>-27.40 dB</td></tr></tbody></table>	Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	1 Limit	1	1	814.00 MHz	824.00 MHz	100.0 kHz	814.000000 MHz	-47.74 dBm	-27.74 dB	2	2	824.00 MHz	834.00 MHz	2.000 MHz	824.000000 MHz	-35.27 dBm	-15.27 dB	3	3	824.00 MHz	834.00 MHz	100.0 kHz	824.000000 MHz	-17.68 dBm	-7.68 dB	4	4	824.00 MHz	834.00 MHz	2.000 MHz	824.000000 MHz	-47.40 dBm	-27.40 dB	5	5	824.00 MHz	834.00 MHz	100.0 kHz	824.000000 MHz	-47.40 dBm	-27.40 dB
Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	1 Limit																																																																																										
1	1	814.00 MHz	824.00 MHz	100.0 kHz	814.000000 MHz	-45.81 dBm	-32.81 dB																																																																																										
2	2	824.00 MHz	834.00 MHz	2.000 MHz	824.000000 MHz	-34.41 dBm	-14.41 dB																																																																																										
3	3	824.00 MHz	834.00 MHz	100.0 kHz	824.000000 MHz	-30.16 dBm	-10.16 dB																																																																																										
4	4	824.00 MHz	834.00 MHz	2.000 MHz	824.000000 MHz	-46.33 dBm	-26.33 dB																																																																																										
5	5	824.00 MHz	834.00 MHz	100.0 kHz	824.000000 MHz	-46.33 dBm	-26.33 dB																																																																																										
Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	1 Limit																																																																																										
1	1	814.00 MHz	824.00 MHz	100.0 kHz	814.000000 MHz	-47.74 dBm	-27.74 dB																																																																																										
2	2	824.00 MHz	834.00 MHz	2.000 MHz	824.000000 MHz	-35.27 dBm	-15.27 dB																																																																																										
3	3	824.00 MHz	834.00 MHz	100.0 kHz	824.000000 MHz	-17.68 dBm	-7.68 dB																																																																																										
4	4	824.00 MHz	834.00 MHz	2.000 MHz	824.000000 MHz	-47.40 dBm	-27.40 dB																																																																																										
5	5	824.00 MHz	834.00 MHz	100.0 kHz	824.000000 MHz	-47.40 dBm	-27.40 dB																																																																																										
Band26(814-824)-3MHz-QPSK-26775-1RB#14- PASS <table><thead><tr><th>Spur</th><th>Range</th><th>Start Freq</th><th>Stop Freq</th><th>RBW</th><th>Frequency</th><th>Amplitude</th><th>1 Limit</th></tr></thead><tbody><tr><td>1</td><td>1</td><td>814.00 MHz</td><td>824.00 MHz</td><td>100.0 kHz</td><td>814.000000 MHz</td><td>-43.44 dBm</td><td>-23.44 dB</td></tr><tr><td>2</td><td>2</td><td>824.00 MHz</td><td>834.00 MHz</td><td>2.000 MHz</td><td>824.000000 MHz</td><td>-45.55 dBm</td><td>-25.55 dB</td></tr><tr><td>3</td><td>3</td><td>824.00 MHz</td><td>834.00 MHz</td><td>100.0 kHz</td><td>824.000000 MHz</td><td>-29.90 dBm</td><td>-9.90 dB</td></tr><tr><td>4</td><td>4</td><td>824.00 MHz</td><td>834.00 MHz</td><td>2.000 MHz</td><td>824.000000 MHz</td><td>-53.51 dBm</td><td>-33.51 dB</td></tr><tr><td>5</td><td>5</td><td>824.00 MHz</td><td>834.00 MHz</td><td>100.0 kHz</td><td>824.000000 MHz</td><td>-53.51 dBm</td><td>-33.51 dB</td></tr></tbody></table>	Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	1 Limit	1	1	814.00 MHz	824.00 MHz	100.0 kHz	814.000000 MHz	-43.44 dBm	-23.44 dB	2	2	824.00 MHz	834.00 MHz	2.000 MHz	824.000000 MHz	-45.55 dBm	-25.55 dB	3	3	824.00 MHz	834.00 MHz	100.0 kHz	824.000000 MHz	-29.90 dBm	-9.90 dB	4	4	824.00 MHz	834.00 MHz	2.000 MHz	824.000000 MHz	-53.51 dBm	-33.51 dB	5	5	824.00 MHz	834.00 MHz	100.0 kHz	824.000000 MHz	-53.51 dBm	-33.51 dB	Band26(814-824)-3MHz-16QAM-26775-1RB#14- PASS <table><thead><tr><th>Spur</th><th>Range</th><th>Start Freq</th><th>Stop Freq</th><th>RBW</th><th>Frequency</th><th>Amplitude</th><th>1 Limit</th></tr></thead><tbody><tr><td>1</td><td>1</td><td>814.00 MHz</td><td>824.00 MHz</td><td>100.0 kHz</td><td>814.000000 MHz</td><td>-43.37 dBm</td><td>-23.37 dB</td></tr><tr><td>2</td><td>2</td><td>824.00 MHz</td><td>834.00 MHz</td><td>2.000 MHz</td><td>824.000000 MHz</td><td>-48.15 dBm</td><td>-28.15 dB</td></tr><tr><td>3</td><td>3</td><td>824.00 MHz</td><td>834.00 MHz</td><td>100.0 kHz</td><td>824.000000 MHz</td><td>-32.17 dBm</td><td>-12.17 dB</td></tr><tr><td>4</td><td>4</td><td>824.00 MHz</td><td>834.00 MHz</td><td>2.000 MHz</td><td>824.000000 MHz</td><td>-36.02 dBm</td><td>-16.02 dB</td></tr><tr><td>5</td><td>5</td><td>824.00 MHz</td><td>834.00 MHz</td><td>100.0 kHz</td><td>824.000000 MHz</td><td>-36.02 dBm</td><td>-16.02 dB</td></tr></tbody></table>	Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	1 Limit	1	1	814.00 MHz	824.00 MHz	100.0 kHz	814.000000 MHz	-43.37 dBm	-23.37 dB	2	2	824.00 MHz	834.00 MHz	2.000 MHz	824.000000 MHz	-48.15 dBm	-28.15 dB	3	3	824.00 MHz	834.00 MHz	100.0 kHz	824.000000 MHz	-32.17 dBm	-12.17 dB	4	4	824.00 MHz	834.00 MHz	2.000 MHz	824.000000 MHz	-36.02 dBm	-16.02 dB	5	5	824.00 MHz	834.00 MHz	100.0 kHz	824.000000 MHz	-36.02 dBm	-16.02 dB
Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	1 Limit																																																																																										
1	1	814.00 MHz	824.00 MHz	100.0 kHz	814.000000 MHz	-43.44 dBm	-23.44 dB																																																																																										
2	2	824.00 MHz	834.00 MHz	2.000 MHz	824.000000 MHz	-45.55 dBm	-25.55 dB																																																																																										
3	3	824.00 MHz	834.00 MHz	100.0 kHz	824.000000 MHz	-29.90 dBm	-9.90 dB																																																																																										
4	4	824.00 MHz	834.00 MHz	2.000 MHz	824.000000 MHz	-53.51 dBm	-33.51 dB																																																																																										
5	5	824.00 MHz	834.00 MHz	100.0 kHz	824.000000 MHz	-53.51 dBm	-33.51 dB																																																																																										
Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	1 Limit																																																																																										
1	1	814.00 MHz	824.00 MHz	100.0 kHz	814.000000 MHz	-43.37 dBm	-23.37 dB																																																																																										
2	2	824.00 MHz	834.00 MHz	2.000 MHz	824.000000 MHz	-48.15 dBm	-28.15 dB																																																																																										
3	3	824.00 MHz	834.00 MHz	100.0 kHz	824.000000 MHz	-32.17 dBm	-12.17 dB																																																																																										
4	4	824.00 MHz	834.00 MHz	2.000 MHz	824.000000 MHz	-36.02 dBm	-16.02 dB																																																																																										
5	5	824.00 MHz	834.00 MHz	100.0 kHz	824.000000 MHz	-36.02 dBm	-16.02 dB																																																																																										
Band26(814-824)-3MHz-QPSK-26775-15RB#0- PASS <table><thead><tr><th>Spur</th><th>Range</th><th>Start Freq</th><th>Stop Freq</th><th>RBW</th><th>Frequency</th><th>Amplitude</th><th>1 Limit</th></tr></thead><tbody><tr><td>1</td><td>1</td><td>814.00 MHz</td><td>824.00 MHz</td><td>100.0 kHz</td><td>814.000000 MHz</td><td>-30.05 dBm</td><td>-10.05 dB</td></tr><tr><td>2</td><td>2</td><td>824.00 MHz</td><td>834.00 MHz</td><td>2.000 MHz</td><td>824.000000 MHz</td><td>-41.34 dBm</td><td>-21.34 dB</td></tr><tr><td>3</td><td>3</td><td>824.00 MHz</td><td>834.00 MHz</td><td>100.0 kHz</td><td>824.000000 MHz</td><td>-43.61 dBm</td><td>-23.61 dB</td></tr><tr><td>4</td><td>4</td><td>824.00 MHz</td><td>834.00 MHz</td><td>2.000 MHz</td><td>824.000000 MHz</td><td>-29.35 dBm</td><td>-9.35 dB</td></tr><tr><td>5</td><td>5</td><td>824.00 MHz</td><td>834.00 MHz</td><td>100.0 kHz</td><td>824.000000 MHz</td><td>-31.84 dBm</td><td>-11.84 dB</td></tr></tbody></table>	Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	1 Limit	1	1	814.00 MHz	824.00 MHz	100.0 kHz	814.000000 MHz	-30.05 dBm	-10.05 dB	2	2	824.00 MHz	834.00 MHz	2.000 MHz	824.000000 MHz	-41.34 dBm	-21.34 dB	3	3	824.00 MHz	834.00 MHz	100.0 kHz	824.000000 MHz	-43.61 dBm	-23.61 dB	4	4	824.00 MHz	834.00 MHz	2.000 MHz	824.000000 MHz	-29.35 dBm	-9.35 dB	5	5	824.00 MHz	834.00 MHz	100.0 kHz	824.000000 MHz	-31.84 dBm	-11.84 dB	Band26(814-824)-3MHz-16QAM-26775-15RB#0- PASS <table><thead><tr><th>Spur</th><th>Range</th><th>Start Freq</th><th>Stop Freq</th><th>RBW</th><th>Frequency</th><th>Amplitude</th><th>1 Limit</th></tr></thead><tbody><tr><td>1</td><td>1</td><td>814.00 MHz</td><td>824.00 MHz</td><td>100.0 kHz</td><td>814.000000 MHz</td><td>-30.14 dBm</td><td>-10.14 dB</td></tr><tr><td>2</td><td>2</td><td>824.00 MHz</td><td>834.00 MHz</td><td>2.000 MHz</td><td>824.000000 MHz</td><td>-21.01 dBm</td><td>-1.01 dB</td></tr><tr><td>3</td><td>3</td><td>824.00 MHz</td><td>834.00 MHz</td><td>100.0 kHz</td><td>824.000000 MHz</td><td>-44.07 dBm</td><td>-24.07 dB</td></tr><tr><td>4</td><td>4</td><td>824.00 MHz</td><td>834.00 MHz</td><td>2.000 MHz</td><td>824.000000 MHz</td><td>-29.73 dBm</td><td>-9.73 dB</td></tr><tr><td>5</td><td>5</td><td>824.00 MHz</td><td>834.00 MHz</td><td>100.0 kHz</td><td>824.000000 MHz</td><td>-30.70 dBm</td><td>-10.70 dB</td></tr></tbody></table>	Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	1 Limit	1	1	814.00 MHz	824.00 MHz	100.0 kHz	814.000000 MHz	-30.14 dBm	-10.14 dB	2	2	824.00 MHz	834.00 MHz	2.000 MHz	824.000000 MHz	-21.01 dBm	-1.01 dB	3	3	824.00 MHz	834.00 MHz	100.0 kHz	824.000000 MHz	-44.07 dBm	-24.07 dB	4	4	824.00 MHz	834.00 MHz	2.000 MHz	824.000000 MHz	-29.73 dBm	-9.73 dB	5	5	824.00 MHz	834.00 MHz	100.0 kHz	824.000000 MHz	-30.70 dBm	-10.70 dB
Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	1 Limit																																																																																										
1	1	814.00 MHz	824.00 MHz	100.0 kHz	814.000000 MHz	-30.05 dBm	-10.05 dB																																																																																										
2	2	824.00 MHz	834.00 MHz	2.000 MHz	824.000000 MHz	-41.34 dBm	-21.34 dB																																																																																										
3	3	824.00 MHz	834.00 MHz	100.0 kHz	824.000000 MHz	-43.61 dBm	-23.61 dB																																																																																										
4	4	824.00 MHz	834.00 MHz	2.000 MHz	824.000000 MHz	-29.35 dBm	-9.35 dB																																																																																										
5	5	824.00 MHz	834.00 MHz	100.0 kHz	824.000000 MHz	-31.84 dBm	-11.84 dB																																																																																										
Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	1 Limit																																																																																										
1	1	814.00 MHz	824.00 MHz	100.0 kHz	814.000000 MHz	-30.14 dBm	-10.14 dB																																																																																										
2	2	824.00 MHz	834.00 MHz	2.000 MHz	824.000000 MHz	-21.01 dBm	-1.01 dB																																																																																										
3	3	824.00 MHz	834.00 MHz	100.0 kHz	824.000000 MHz	-44.07 dBm	-24.07 dB																																																																																										
4	4	824.00 MHz	834.00 MHz	2.000 MHz	824.000000 MHz	-29.73 dBm	-9.73 dB																																																																																										
5	5	824.00 MHz	834.00 MHz	100.0 kHz	824.000000 MHz	-30.70 dBm	-10.70 dB																																																																																										



Band26(814-824)-5MHz-QPSK-26765-1RB#0- PASS	Band26(814-824)-5MHz-16QAM-26765-1RB#0- PASS
	
Band26(814-824)-5MHz-QPSK-26765-1RB#24- PASS	Band26(814-824)-5MHz-16QAM-26765-1RB#24- PASS
	
Band26(814-824)-5MHz-QPSK-26765-25RB#0- PASS	Band26(814-824)-5MHz-16QAM-26765-25RB#0- PASS
	


Band26(814-824)-10MHz-QPSK-26740-1RB#0-	Band26(814-824)-10MHz-16QAM-26740-1RB#0-
PASS	PASS
Band26(814-824)-10MHz-QPSK-26740-1RB#49-PASS	Band26(814-824)-10MHz-16QAM-26740-1RB#49-PASS
Band26(814-824)-10MHz-QPSK-26740-50RB#0-PASS	Band26(814-824)-10MHz-16QAM-26740-50RB#0-PASS



LTE Band 26(824-849) Test Graphs



Band26(824-849)-1.4MHz-QPSK-26797-1RB#0-PASS  Center Freq 25.00000000 GHz Ref Offset 4.65 dB Ref 30.00 dBm Start 823 MHz Stop 825.4 MHz CF Stop 4.999000000 GHz Freq Offset 0 Hz <table><thead><tr><th>Spur</th><th>Range</th><th>Start Freq</th><th>Stop Freq</th><th>RBW</th><th>Frequency</th><th>Amplitude</th><th>Limit</th></tr></thead><tbody><tr><td>1</td><td>823.00 MHz</td><td>824.00 MHz</td><td>15.00 MHz</td><td>823.140000 MHz</td><td>-29.67 dBm</td><td>-15.92 dB</td><td></td></tr><tr><td>2</td><td>824.00 MHz</td><td>825.40 MHz</td><td>100.0 MHz</td><td>824.750000 MHz</td><td>-29.67 dBm</td><td>-29.67 dB</td><td></td></tr></tbody></table>	Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	Limit	1	823.00 MHz	824.00 MHz	15.00 MHz	823.140000 MHz	-29.67 dBm	-15.92 dB		2	824.00 MHz	825.40 MHz	100.0 MHz	824.750000 MHz	-29.67 dBm	-29.67 dB		Band26(824-849)-1.4MHz-16QAM-26797-1RB#0-PASS  Center Freq 25.00000000 GHz Ref Offset 4.65 dB Ref 30.00 dBm Start 823 MHz Stop 825.4 MHz CF Stop 4.999000000 GHz Freq Offset 0 Hz <table><thead><tr><th>Spur</th><th>Range</th><th>Start Freq</th><th>Stop Freq</th><th>RBW</th><th>Frequency</th><th>Amplitude</th><th>Limit</th></tr></thead><tbody><tr><td>1</td><td>823.00 MHz</td><td>824.00 MHz</td><td>15.00 MHz</td><td>823.897000 MHz</td><td>-17.63 dBm</td><td>-17.63 dB</td><td></td></tr><tr><td>2</td><td>824.00 MHz</td><td>825.40 MHz</td><td>100.0 MHz</td><td>824.750000 MHz</td><td>-17.63 dBm</td><td>-17.63 dB</td><td></td></tr></tbody></table>	Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	Limit	1	823.00 MHz	824.00 MHz	15.00 MHz	823.897000 MHz	-17.63 dBm	-17.63 dB		2	824.00 MHz	825.40 MHz	100.0 MHz	824.750000 MHz	-17.63 dBm	-17.63 dB	
Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	Limit																																										
1	823.00 MHz	824.00 MHz	15.00 MHz	823.140000 MHz	-29.67 dBm	-15.92 dB																																											
2	824.00 MHz	825.40 MHz	100.0 MHz	824.750000 MHz	-29.67 dBm	-29.67 dB																																											
Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	Limit																																										
1	823.00 MHz	824.00 MHz	15.00 MHz	823.897000 MHz	-17.63 dBm	-17.63 dB																																											
2	824.00 MHz	825.40 MHz	100.0 MHz	824.750000 MHz	-17.63 dBm	-17.63 dB																																											
Band26(824-849)-1.4MHz-QPSK-26797-1RB#5-PASS  Center Freq 25.00000000 GHz Ref Offset 4.65 dB Ref 30.00 dBm Start 823 MHz Stop 825.4 MHz CF Stop 4.999000000 GHz Freq Offset 0 Hz <table><thead><tr><th>Spur</th><th>Range</th><th>Start Freq</th><th>Stop Freq</th><th>RBW</th><th>Frequency</th><th>Amplitude</th><th>Limit</th></tr></thead><tbody><tr><td>1</td><td>823.00 MHz</td><td>824.00 MHz</td><td>15.00 MHz</td><td>823.140000 MHz</td><td>-29.79 dBm</td><td>-15.92 dB</td><td></td></tr><tr><td>2</td><td>824.00 MHz</td><td>825.40 MHz</td><td>100.0 MHz</td><td>824.750000 MHz</td><td>-29.79 dBm</td><td>-29.79 dB</td><td></td></tr></tbody></table>	Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	Limit	1	823.00 MHz	824.00 MHz	15.00 MHz	823.140000 MHz	-29.79 dBm	-15.92 dB		2	824.00 MHz	825.40 MHz	100.0 MHz	824.750000 MHz	-29.79 dBm	-29.79 dB		Band26(824-849)-1.4MHz-16QAM-26797-1RB#5-PASS  Center Freq 25.00000000 GHz Ref Offset 4.65 dB Ref 30.00 dBm Start 823 MHz Stop 825.4 MHz CF Stop 4.999000000 GHz Freq Offset 0 Hz <table><thead><tr><th>Spur</th><th>Range</th><th>Start Freq</th><th>Stop Freq</th><th>RBW</th><th>Frequency</th><th>Amplitude</th><th>Limit</th></tr></thead><tbody><tr><td>1</td><td>823.00 MHz</td><td>824.00 MHz</td><td>15.00 MHz</td><td>823.790000 MHz</td><td>-43.55 dBm</td><td>-43.55 dB</td><td></td></tr><tr><td>2</td><td>824.00 MHz</td><td>825.40 MHz</td><td>100.0 MHz</td><td>824.750000 MHz</td><td>-43.55 dBm</td><td>-43.55 dB</td><td></td></tr></tbody></table>	Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	Limit	1	823.00 MHz	824.00 MHz	15.00 MHz	823.790000 MHz	-43.55 dBm	-43.55 dB		2	824.00 MHz	825.40 MHz	100.0 MHz	824.750000 MHz	-43.55 dBm	-43.55 dB	
Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	Limit																																										
1	823.00 MHz	824.00 MHz	15.00 MHz	823.140000 MHz	-29.79 dBm	-15.92 dB																																											
2	824.00 MHz	825.40 MHz	100.0 MHz	824.750000 MHz	-29.79 dBm	-29.79 dB																																											
Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	Limit																																										
1	823.00 MHz	824.00 MHz	15.00 MHz	823.790000 MHz	-43.55 dBm	-43.55 dB																																											
2	824.00 MHz	825.40 MHz	100.0 MHz	824.750000 MHz	-43.55 dBm	-43.55 dB																																											
Band26(824-849)-1.4MHz-QPSK-26797-6RB#0-PASS  Center Freq 25.00000000 GHz Ref Offset 4.65 dB Ref 30.00 dBm Start 823 MHz Stop 825.4 MHz CF Stop 4.999000000 GHz Freq Offset 0 Hz <table><thead><tr><th>Spur</th><th>Range</th><th>Start Freq</th><th>Stop Freq</th><th>RBW</th><th>Frequency</th><th>Amplitude</th><th>Limit</th></tr></thead><tbody><tr><td>1</td><td>823.00 MHz</td><td>824.00 MHz</td><td>15.00 MHz</td><td>823.194000 MHz</td><td>-39.74 dBm</td><td>-15.92 dB</td><td></td></tr><tr><td>2</td><td>824.00 MHz</td><td>825.40 MHz</td><td>100.0 MHz</td><td>824.757400 MHz</td><td>-39.74 dBm</td><td>-39.74 dB</td><td></td></tr></tbody></table>	Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	Limit	1	823.00 MHz	824.00 MHz	15.00 MHz	823.194000 MHz	-39.74 dBm	-15.92 dB		2	824.00 MHz	825.40 MHz	100.0 MHz	824.757400 MHz	-39.74 dBm	-39.74 dB		Band26(824-849)-1.4MHz-16QAM-26797-6RB#0-PASS  Center Freq 25.00000000 GHz Ref Offset 4.65 dB Ref 30.00 dBm Start 823 MHz Stop 825.4 MHz CF Stop 4.999000000 GHz Freq Offset 0 Hz <table><thead><tr><th>Spur</th><th>Range</th><th>Start Freq</th><th>Stop Freq</th><th>RBW</th><th>Frequency</th><th>Amplitude</th><th>Limit</th></tr></thead><tbody><tr><td>1</td><td>823.00 MHz</td><td>824.00 MHz</td><td>15.00 MHz</td><td>823.194000 MHz</td><td>-48.73 dBm</td><td>-15.92 dB</td><td></td></tr><tr><td>2</td><td>824.00 MHz</td><td>825.40 MHz</td><td>100.0 MHz</td><td>824.884300 MHz</td><td>-48.73 dBm</td><td>-48.73 dB</td><td></td></tr></tbody></table>	Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	Limit	1	823.00 MHz	824.00 MHz	15.00 MHz	823.194000 MHz	-48.73 dBm	-15.92 dB		2	824.00 MHz	825.40 MHz	100.0 MHz	824.884300 MHz	-48.73 dBm	-48.73 dB	
Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	Limit																																										
1	823.00 MHz	824.00 MHz	15.00 MHz	823.194000 MHz	-39.74 dBm	-15.92 dB																																											
2	824.00 MHz	825.40 MHz	100.0 MHz	824.757400 MHz	-39.74 dBm	-39.74 dB																																											
Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	Limit																																										
1	823.00 MHz	824.00 MHz	15.00 MHz	823.194000 MHz	-48.73 dBm	-15.92 dB																																											
2	824.00 MHz	825.40 MHz	100.0 MHz	824.884300 MHz	-48.73 dBm	-48.73 dB																																											






Band26(824-849)-1.4MHz-QPSK-27033-1RB#0- PASS	Band26(824-849)-1.4MHz-16QAM-27033- 1RB#0-PASS
	
Band26(824-849)-1.4MHz-QPSK-27033-1RB#5- PASS	Band26(824-849)-1.4MHz-16QAM-27033- 1RB#5-PASS
	
Band26(824-849)-1.4MHz-QPSK-27033-6RB#0- PASS	Band26(824-849)-1.4MHz-16QAM-27033- 6RB#0-PASS
	





Band26(824-849)-3MHz-QPSK-26805-1RB#0- PASS	Band26(824-849)-3MHz-16QAM-26805-1RB#0- PASS
	
Band26(824-849)-3MHz-QPSK-26805-1RB#14- PASS	Band26(824-849)-3MHz-16QAM-26805-1RB#14- PASS
	
Band26(824-849)-3MHz-QPSK-26805-15RB#0- PASS	Band26(824-849)-3MHz-16QAM-26805-15RB#0- PASS
	







Band26(824-849)-3MHz-QPSK-27025-1RB#0- PASS	Band26(824-849)-3MHz-16QAM-27025-1RB#0- PASS
	
Band26(824-849)-3MHz-QPSK-27025-1RB#14- PASS	Band26(824-849)-3MHz-16QAM-27025-1RB#14- PASS
	
Band26(824-849)-3MHz-QPSK-27025-15RB#0- PASS	Band26(824-849)-3MHz-16QAM-27025-15RB#0- PASS
	







Band26(824-849)-5MHz-QPSK-26815-1RB#0- PASS	Band26(824-849)-5MHz-16QAM-26815-1RB#0- PASS
	
Band26(824-849)-5MHz-QPSK-26815-1RB#24- PASS	Band26(824-849)-5MHz-16QAM-26815-1RB#24- PASS
	
Band26(824-849)-5MHz-QPSK-26815-25RB#0- PASS	Band26(824-849)-5MHz-16QAM-26815-25RB#0- PASS
	

Band26(824-849)-5MHz-QPSK-27015-1RB#0- PASS	Band26(824-849)-5MHz-16QAM-27015-1RB#0- PASS
	
Band26(824-849)-5MHz-QPSK-27015-1RB#24- PASS	Band26(824-849)-5MHz-16QAM-27015-1RB#24- PASS
	
Band26(824-849)-5MHz-QPSK-27015-25RB#0- PASS	Band26(824-849)-5MHz-16QAM-27015-25RB#0- PASS
	


Band26(824-849)-10MHz-QPSK-26840-1RB#0- PASS	Band26(824-849)-10MHz-16QAM-26840-1RB#0- PASS
	
Band26(824-849)-10MHz-QPSK-26840- 1RB#49-PASS	Band26(824-849)-10MHz-16QAM-26840- 1RB#49-PASS
	
Band26(824-849)-10MHz-QPSK-26840- 50RB#0-PASS	Band26(824-849)-10MHz-16QAM-26840- 50RB#0-PASS
	


Band26(824-849)-10MHz-QPSK-26990-1RB#0- PASS	Band26(824-849)-10MHz-16QAM-26990-1RB#0- PASS
	
Band26(824-849)-10MHz-QPSK-26990-1RB#49-PASS	Band26(824-849)-10MHz-16QAM-26990-1RB#49-PASS
	
Band26(824-849)-10MHz-QPSK-26990-50RB#0-PASS	Band26(824-849)-10MHz-16QAM-26990-50RB#0-PASS
	


Band26(824-849)-15MHz-QPSK-26865-1RB#0- PASS	Band26(824-849)-15MHz-16QAM-26865-1RB#0- PASS
	
Band26(824-849)-15MHz-QPSK-26865- 1RB#74-PASS	Band26(824-849)-15MHz-16QAM-26865- 1RB#74-PASS
	
Band26(824-849)-15MHz-QPSK-26865- 75RB#0-PASS	Band26(824-849)-15MHz-16QAM-26865- 75RB#0-PASS
	


Band26(824-849)-15MHz-QPSK-26965-1RB#0- PASS	Band26(824-849)-15MHz-16QAM-26965-1RB#0- PASS
	
Band26(824-849)-15MHz-QPSK-26965- 1RB#74-PASS	Band26(824-849)-15MHz-16QAM-26965- 1RB#74-PASS
	
Band26(824-849)-15MHz-QPSK-26965- 75RB#0-PASS	Band26(824-849)-15MHz-16QAM-26965- 75RB#0-PASS
	


LTE Band 38 Test Graphs



















LTE Band 41 Test Graphs



















LTE Band 66 Test Graphs























LTE Band 71 Test Graphs

