



Band2-9400-4-0.15~30MHz



Band2-9400-4-30~1000MHz



Band2-9400-4-1000~3000MHz



Band2-9400-4-3000~10000MHz



Band2-9400-4-10000~20000MHz



Band2-9538-1-10000~20000MHz



Band2-9538-1-0.009~0.15MHz



Band2-9538-1-3000~10000MHz



Band2-9538-1-0.15~30MHz




Band2-9538-1-1000~3000MHz



Band2-9538-1-30~1000MHz



Band2-9538-2-0.15~30MHz



Band2-9538-2-30~1000MHz



Band2-9538-2-1000~3000MHz




Band2-9538-2-10000~20000MHz



Band2-9538-2-3000~10000MHz



Band2-9538-2-0.009~0.15MHz



Band2-9538-3-30~1000MHz




Band2-9538-3-10000~20000MHz




Band2-9538-3-1000~3000MHz



Band2-9538-3-0.15~30MHz



Band2-9538-3-0.009~0.15MHz



Band2-9538-3-3000~10000MHz



Band2-9538-4-10000~20000MHz



Band2-9538-4-0.009~0.15MHz



Band2-9538-4-0.15~30MHz



Band2-9538-4-30~1000MHz



Band2-9538-4-1000~3000MHz



Band2-9538-4-3000~10000MHz



Band2-9262-1-0.15~30MHz



Band2-9262-1-30~1000MHz



Band2-9262-1-1000~3000MHz



Band2-9262-1-3000~10000MHz



Band2-9262-1-10000~20000MHz



Band2-9262-1-0.009~0.15MHz



Band2-9262-2-1000~3000MHz



Band2-9262-2-3000~10000MHz



Band2-9262-2-30~1000MHz



Band2-9262-2-0.15~30MHz



Band2-9262-2-0.009~0.15MHz



Band2-9262-2-10000~20000MHz



Band2-9262-3-10000~20000MHz




Band2-9262-3-0.15~30MHz



Band2-9262-3-30~1000MHz



Band2-9262-3-0.009~0.15MHz



Band2-9262-3-3000~10000MHz




Band2-9262-3-1000~3000MHz



Band2-9262-4-0.009~0.15MHz



Band2-9262-4-0.15~30MHz



Band2-9262-4-30~1000MHz



Band2-9262-4-1000~3000MHz



Band2-9262-4-3000~10000MHz



Band2-9262-4-10000~20000MHz



Band2-9262-5-1000~3000MHz



Band2-9262-5-10000~20000MHz



Band2-9262-5-3000~10000MHz



Band2-9262-5-0.009~0.15MHz




Band2-9262-5-30~1000MHz




Band2-9262-5-0.15~30MHz



Band2-9400-1-0.15~30MHz



Band2-9400-1-0.009~0.15MHz



Band2-9400-1-30~1000MHz



Band2-9400-1-1000~3000MHz



Band2-9400-1-3000~10000MHz



Band2-9400-1-10000~20000MHz



Band2-9400-2-1000~3000MHz



Band2-9400-2-3000~10000MHz



Band2-9400-2-30~1000MHz



Band2-9400-2-0.15~30MHz



Band2-9400-2-0.009~0.15MHz



Band2-9400-2-10000~20000MHz



Band2-9400-3-30~1000MHz



Band2-9400-3-0.009~0.15MHz



Band2-9400-3-1000~3000MHz




Band2-9400-3-3000~10000MHz




Band2-9400-3-10000~20000MHz



Band2-9400-3-0.15~30MHz



Band2-9400-4-0.15~30MHz



Band2-9400-4-10000~20000MHz



Band2-9400-4-3000~10000MHz



Band2-9400-4-30~1000MHz



Band2-9400-4-0.009~0.15MHz



Band2-9400-4-1000~3000MHz



Band2-9400-5-10000~20000MHz



Band2-9400-5-0.15~30MHz



Band2-9400-5-30~1000MHz



Band2-9400-5-1000~3000MHz



Band2-9400-5-3000~10000MHz



Band2-9400-5-0.009~0.15MHz



Band2-9538-1-0.009~0.15MHz



Band2-9538-1-0.15~30MHz



Band2-9538-1-30~1000MHz



Band2-9538-1-1000~3000MHz



Band2-9538-1-3000~10000MHz



Band2-9538-1-10000~20000MHz



Band2-9538-2-1000~3000MHz



Band2-9538-2-10000~20000MHz



Band2-9538-2-3000~10000MHz



Band2-9538-2-30~1000MHz



Band2-9538-2-0.15~30MHz




Band2-9538-2-0.009~0.15MHz



Band2-9538-3-3000~10000MHz



Band2-9538-3-0.15~30MHz



Band2-9538-3-10000~20000MHz




Band2-9538-3-30~1000MHz




Band2-9538-3-1000~3000MHz



Band2-9538-3-0.009~0.15MHz



Band2-9538-4-0.009~0.15MHz



Band2-9538-4-10000~20000MHz



Band2-9538-4-3000~10000MHz



Band2-9538-4-1000~3000MHz



Band2-9538-4-0.15~30MHz



Band2-9538-4-30~1000MHz




Band2-9538-5-10000~20000MHz



Band2-9538-5-0.009~0.15MHz



Band2-9538-5-0.15~30MHz



Band2-9538-5-30~1000MHz



Band2-9538-5-1000~3000MHz



Band2-9538-5-3000~10000MHz



Appendix F: Frequency Stability

Test Result

Voltage							
Band	Channel	Voltage (Vdc)	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
Band2	9262	VL	NT	13.93	0.007520	±2.5	PASS
Band2	9262	VN	NT	13.55	0.007315	±2.5	PASS
Band2	9262	VH	NT	13.57	0.007326	±2.5	PASS
Band2	9400	VL	NT	11.62	0.006181	±2.5	PASS
Band2	9400	VN	NT	11.55	0.006144	±2.5	PASS
Band2	9400	VH	NT	11.83	0.006293	±2.5	PASS
Band2	9538	VL	NT	8.45	0.004430	±2.5	PASS
Band2	9538	VN	NT	8.94	0.004687	±2.5	PASS
Band2	9538	VH	NT	9.36	0.004907	±2.5	PASS

Temperature							
Band	Channel	Voltage (Vdc)	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
Band2	9262	NV	-30	13.91	0.007509	±2.5	PASS
Band2	9262	NV	-20	13.54	0.007309	±2.5	PASS
Band2	9262	NV	-10	13.83	0.007466	±2.5	PASS
Band2	9262	NV	0	13.74	0.007417	±2.5	PASS
Band2	9262	NV	10	14.15	0.007639	±2.5	PASS
Band2	9262	NV	20	13.90	0.007504	±2.5	PASS
Band2	9262	NV	30	14.56	0.007860	±2.5	PASS
Band2	9262	NV	40	13.69	0.007390	±2.5	PASS
Band2	9262	NV	50	14.18	0.007655	±2.5	PASS
Band2	9400	NV	-30	11.21	0.005963	±2.5	PASS
Band2	9400	NV	-20	11.99	0.006378	±2.5	PASS
Band2	9400	NV	-10	11.33	0.006027	±2.5	PASS
Band2	9400	NV	0	11.61	0.006176	±2.5	PASS
Band2	9400	NV	10	11.40	0.006064	±2.5	PASS
Band2	9400	NV	20	11.64	0.006191	±2.5	PASS
Band2	9400	NV	30	11.51	0.006122	±2.5	PASS
Band2	9400	NV	40	11.23	0.005973	±2.5	PASS
Band2	9400	NV	50	11.67	0.006207	±2.5	PASS
Band2	9538	NV	-30	9.16	0.004802	±2.5	PASS

Band2	9538	NV	-20	9.03	0.004734	±2.5	PASS
Band2	9538	NV	-10	8.93	0.004681	±2.5	PASS
Band2	9538	NV	0	8.90	0.004666	±2.5	PASS
Band2	9538	NV	10	8.83	0.004629	±2.5	PASS
Band2	9538	NV	20	9.18	0.004812	±2.5	PASS
Band2	9538	NV	30	8.50	0.004456	±2.5	PASS
Band2	9538	NV	40	8.97	0.004702	±2.5	PASS
Band2	9538	NV	50	8.75	0.004587	±2.5	PASS



Voltage								
Band	Channel	Sub Test	Voltage (Vdc)	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
Band2	9262	1	VL	NT	15.44	0.008335	±2.5	PASS
Band2	9262	1	VN	NT	14.73	0.007952	±2.5	PASS
Band2	9262	1	VH	NT	15.31	0.008265	±2.5	PASS
Band2	9262	2	VL	NT	14.56	0.007860	±2.5	PASS
Band2	9262	2	VN	NT	14.86	0.008022	±2.5	PASS
Band2	9262	2	VH	NT	15.24	0.008227	±2.5	PASS
Band2	9262	3	VL	NT	14.92	0.008054	±2.5	PASS
Band2	9262	3	VN	NT	15.31	0.008265	±2.5	PASS
Band2	9262	3	VH	NT	14.75	0.007963	±2.5	PASS
Band2	9262	4	VL	NT	15.08	0.008141	±2.5	PASS
Band2	9262	4	VN	NT	15.22	0.008216	±2.5	PASS
Band2	9262	4	VH	NT	14.95	0.008071	±2.5	PASS
Band2	9400	1	VL	NT	15.30	0.008138	±2.5	PASS
Band2	9400	1	VN	NT	15.30	0.008138	±2.5	PASS
Band2	9400	1	VH	NT	15.50	0.008245	±2.5	PASS
Band2	9400	2	VL	NT	15.06	0.008011	±2.5	PASS
Band2	9400	2	VN	NT	15.22	0.008096	±2.5	PASS
Band2	9400	2	VH	NT	15.51	0.008250	±2.5	PASS
Band2	9400	3	VL	NT	15.26	0.008117	±2.5	PASS
Band2	9400	3	VN	NT	15.23	0.008101	±2.5	PASS
Band2	9400	3	VH	NT	15.00	0.007979	±2.5	PASS
Band2	9400	4	VL	NT	15.16	0.008064	±2.5	PASS
Band2	9400	4	VN	NT	15.21	0.008090	±2.5	PASS
Band2	9400	4	VH	NT	15.16	0.008064	±2.5	PASS
Band2	9538	1	VL	NT	15.33	0.008036	±2.5	PASS
Band2	9538	1	VN	NT	15.32	0.008031	±2.5	PASS
Band2	9538	1	VH	NT	15.01	0.007869	±2.5	PASS
Band2	9538	2	VL	NT	15.02	0.007874	±2.5	PASS
Band2	9538	2	VN	NT	14.69	0.007701	±2.5	PASS
Band2	9538	2	VH	NT	14.91	0.007816	±2.5	PASS
Band2	9538	3	VL	NT	15.03	0.007879	±2.5	PASS
Band2	9538	3	VN	NT	15.05	0.007889	±2.5	PASS
Band2	9538	3	VH	NT	15.49	0.008120	±2.5	PASS

Band2	9538	4	VL	NT	15.11	0.007921	±2.5	PASS
Band2	9538	4	VN	NT	15.07	0.007900	±2.5	PASS
Band2	9538	4	VH	NT	15.33	0.008036	±2.5	PASS

Temperature								
Band	Channel	Sub Test	Voltage (Vdc)	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
Band2	9262	1	NV	-30	14.96	0.008076	±2.5	PASS
Band2	9262	1	NV	-20	15.20	0.008206	±2.5	PASS
Band2	9262	1	NV	-10	15.15	0.008179	±2.5	PASS
Band2	9262	1	NV	0	14.78	0.007979	±2.5	PASS
Band2	9262	1	NV	10	15.66	0.008454	±2.5	PASS
Band2	9262	1	NV	20	14.73	0.007952	±2.5	PASS
Band2	9262	1	NV	30	14.91	0.008049	±2.5	PASS
Band2	9262	1	NV	40	15.33	0.008276	±2.5	PASS
Band2	9262	1	NV	50	15.34	0.008281	±2.5	PASS
Band2	9262	2	NV	-30	14.91	0.008049	±2.5	PASS
Band2	9262	2	NV	-20	14.61	0.007887	±2.5	PASS
Band2	9262	2	NV	-10	15.44	0.008335	±2.5	PASS
Band2	9262	2	NV	0	15.21	0.008211	±2.5	PASS
Band2	9262	2	NV	10	14.93	0.008060	±2.5	PASS
Band2	9262	2	NV	20	15.64	0.008443	±2.5	PASS
Band2	9262	2	NV	30	14.32	0.007731	±2.5	PASS
Band2	9262	2	NV	40	15.18	0.008195	±2.5	PASS
Band2	9262	2	NV	50	14.86	0.008022	±2.5	PASS
Band2	9262	3	NV	-30	15.12	0.008162	±2.5	PASS
Band2	9262	3	NV	-20	15.24	0.008227	±2.5	PASS
Band2	9262	3	NV	-10	15.50	0.008368	±2.5	PASS
Band2	9262	3	NV	0	15.23	0.008222	±2.5	PASS
Band2	9262	3	NV	10	15.09	0.008146	±2.5	PASS
Band2	9262	3	NV	20	15.25	0.008233	±2.5	PASS
Band2	9262	3	NV	30	15.22	0.008216	±2.5	PASS
Band2	9262	3	NV	40	15.03	0.008114	±2.5	PASS
Band2	9262	3	NV	50	15.68	0.008465	±2.5	PASS
Band2	9262	4	NV	-30	14.95	0.008071	±2.5	PASS
Band2	9262	4	NV	-20	15.58	0.008411	±2.5	PASS

Band2	9262	4	NV	-10	14.98	0.008087	±2.5	PASS
Band2	9262	4	NV	0	14.93	0.008060	±2.5	PASS
Band2	9262	4	NV	10	14.61	0.007887	±2.5	PASS
Band2	9262	4	NV	20	15.12	0.008162	±2.5	PASS
Band2	9262	4	NV	30	15.42	0.008324	±2.5	PASS
Band2	9262	4	NV	40	15.62	0.008432	±2.5	PASS
Band2	9262	4	NV	50	15.39	0.008308	±2.5	PASS
Band2	9400	1	NV	-30	15.26	0.008117	±2.5	PASS
Band2	9400	1	NV	-20	15.20	0.008085	±2.5	PASS
Band2	9400	1	NV	-10	15.07	0.008016	±2.5	PASS
Band2	9400	1	NV	0	14.77	0.007856	±2.5	PASS
Band2	9400	1	NV	10	15.01	0.007984	±2.5	PASS
Band2	9400	1	NV	20	15.16	0.008064	±2.5	PASS
Band2	9400	1	NV	30	15.07	0.008016	±2.5	PASS
Band2	9400	1	NV	40	15.31	0.008144	±2.5	PASS
Band2	9400	1	NV	50	14.93	0.007941	±2.5	PASS
Band2	9400	2	NV	-30	15.53	0.008261	±2.5	PASS
Band2	9400	2	NV	-20	15.18	0.008074	±2.5	PASS
Band2	9400	2	NV	-10	15.21	0.008090	±2.5	PASS
Band2	9400	2	NV	0	14.58	0.007755	±2.5	PASS
Band2	9400	2	NV	10	15.03	0.007995	±2.5	PASS
Band2	9400	2	NV	20	14.91	0.007931	±2.5	PASS
Band2	9400	2	NV	30	15.08	0.008021	±2.5	PASS
Band2	9400	2	NV	40	14.82	0.007883	±2.5	PASS
Band2	9400	2	NV	50	15.17	0.008069	±2.5	PASS
Band2	9400	3	NV	-30	14.96	0.007957	±2.5	PASS
Band2	9400	3	NV	-20	14.83	0.007888	±2.5	PASS
Band2	9400	3	NV	-10	15.56	0.008277	±2.5	PASS
Band2	9400	3	NV	0	14.96	0.007957	±2.5	PASS
Band2	9400	3	NV	10	15.74	0.008372	±2.5	PASS
Band2	9400	3	NV	20	15.49	0.008239	±2.5	PASS
Band2	9400	3	NV	30	15.14	0.008053	±2.5	PASS
Band2	9400	3	NV	40	15.04	0.008000	±2.5	PASS
Band2	9400	3	NV	50	15.21	0.008090	±2.5	PASS
Band2	9400	4	NV	-30	15.36	0.008170	±2.5	PASS
Band2	9400	4	NV	-20	15.59	0.008293	±2.5	PASS

Band2	9400	4	NV	-10	15.01	0.007984	±2.5	PASS
Band2	9400	4	NV	0	14.67	0.007803	±2.5	PASS
Band2	9400	4	NV	10	15.18	0.008074	±2.5	PASS
Band2	9400	4	NV	20	15.49	0.008239	±2.5	PASS
Band2	9400	4	NV	30	15.37	0.008176	±2.5	PASS
Band2	9400	4	NV	40	15.86	0.008436	±2.5	PASS
Band2	9400	4	NV	50	15.17	0.008069	±2.5	PASS
Band2	9538	1	NV	-30	15.55	0.008152	±2.5	PASS
Band2	9538	1	NV	-20	15.66	0.008209	±2.5	PASS
Band2	9538	1	NV	-10	15.21	0.007973	±2.5	PASS
Band2	9538	1	NV	0	15.28	0.008010	±2.5	PASS
Band2	9538	1	NV	10	15.44	0.008094	±2.5	PASS
Band2	9538	1	NV	20	14.74	0.007727	±2.5	PASS
Band2	9538	1	NV	30	15.02	0.007874	±2.5	PASS
Band2	9538	1	NV	40	15.16	0.007947	±2.5	PASS
Band2	9538	1	NV	50	14.78	0.007748	±2.5	PASS
Band2	9538	2	NV	-30	15.04	0.007884	±2.5	PASS
Band2	9538	2	NV	-20	14.96	0.007842	±2.5	PASS
Band2	9538	2	NV	-10	14.96	0.007842	±2.5	PASS
Band2	9538	2	NV	0	15.22	0.007979	±2.5	PASS
Band2	9538	2	NV	10	15.57	0.008162	±2.5	PASS
Band2	9538	2	NV	20	14.98	0.007853	±2.5	PASS
Band2	9538	2	NV	30	14.56	0.007633	±2.5	PASS
Band2	9538	2	NV	40	15.18	0.007958	±2.5	PASS
Band2	9538	2	NV	50	14.95	0.007837	±2.5	PASS
Band2	9538	3	NV	-30	14.52	0.007612	±2.5	PASS
Band2	9538	3	NV	-20	15.36	0.008052	±2.5	PASS
Band2	9538	3	NV	-10	14.96	0.007842	±2.5	PASS
Band2	9538	3	NV	0	15.02	0.007874	±2.5	PASS
Band2	9538	3	NV	10	15.64	0.008199	±2.5	PASS
Band2	9538	3	NV	20	15.84	0.008304	±2.5	PASS
Band2	9538	3	NV	30	15.08	0.007905	±2.5	PASS
Band2	9538	3	NV	40	15.39	0.008068	±2.5	PASS
Band2	9538	3	NV	50	14.86	0.007790	±2.5	PASS
Band2	9538	4	NV	-30	15.25	0.007994	±2.5	PASS
Band2	9538	4	NV	-20	15.03	0.007879	±2.5	PASS

Band2	9538	4	NV	-10	15.00	0.007863	±2.5	PASS
Band2	9538	4	NV	0	15.29	0.008015	±2.5	PASS
Band2	9538	4	NV	10	15.14	0.007937	±2.5	PASS
Band2	9538	4	NV	20	15.77	0.008267	±2.5	PASS
Band2	9538	4	NV	30	15.12	0.007926	±2.5	PASS
Band2	9538	4	NV	40	15.47	0.008110	±2.5	PASS
Band2	9538	4	NV	50	15.12	0.007926	±2.5	PASS



Voltage								
Band	Channel	Sub Test	Voltage (Vdc)	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
Band2	9262	1	VL	NT	14.08	0.007601	±2.5	PASS
Band2	9262	1	VN	NT	13.77	0.007434	±2.5	PASS
Band2	9262	1	VH	NT	14.17	0.007650	±2.5	PASS
Band2	9262	2	VL	NT	14.55	0.007855	±2.5	PASS
Band2	9262	2	VN	NT	14.22	0.007677	±2.5	PASS
Band2	9262	2	VH	NT	14.76	0.007968	±2.5	PASS
Band2	9262	3	VL	NT	14.63	0.007898	±2.5	PASS
Band2	9262	3	VN	NT	14.40	0.007774	±2.5	PASS
Band2	9262	3	VH	NT	14.90	0.008044	±2.5	PASS
Band2	9262	4	VL	NT	15.01	0.008103	±2.5	PASS
Band2	9262	4	VN	NT	14.88	0.008033	±2.5	PASS
Band2	9262	4	VH	NT	15.09	0.008146	±2.5	PASS
Band2	9262	5	VL	NT	15.26	0.008238	±2.5	PASS
Band2	9262	5	VN	NT	14.94	0.008065	±2.5	PASS
Band2	9262	5	VH	NT	14.93	0.008060	±2.5	PASS
Band2	9400	1	VL	NT	15.01	0.007984	±2.5	PASS
Band2	9400	1	VN	NT	15.00	0.007979	±2.5	PASS
Band2	9400	1	VH	NT	15.11	0.008037	±2.5	PASS
Band2	9400	2	VL	NT	15.26	0.008117	±2.5	PASS
Band2	9400	2	VN	NT	15.12	0.008043	±2.5	PASS
Band2	9400	2	VH	NT	15.37	0.008176	±2.5	PASS
Band2	9400	3	VL	NT	14.94	0.007947	±2.5	PASS
Band2	9400	3	VN	NT	15.04	0.008000	±2.5	PASS
Band2	9400	3	VH	NT	15.12	0.008043	±2.5	PASS
Band2	9400	4	VL	NT	15.21	0.008090	±2.5	PASS
Band2	9400	4	VN	NT	15.07	0.008016	±2.5	PASS
Band2	9400	4	VH	NT	15.09	0.008027	±2.5	PASS
Band2	9400	5	VL	NT	15.06	0.008011	±2.5	PASS
Band2	9400	5	VN	NT	15.06	0.008011	±2.5	PASS
Band2	9400	5	VH	NT	14.88	0.007915	±2.5	PASS
Band2	9538	1	VL	NT	14.93	0.007827	±2.5	PASS
Band2	9538	1	VN	NT	15.01	0.007869	±2.5	PASS
Band2	9538	1	VH	NT	15.23	0.007984	±2.5	PASS

Band2	9538	2	VL	NT	15.01	0.007869	±2.5	PASS
Band2	9538	2	VN	NT	14.92	0.007821	±2.5	PASS
Band2	9538	2	VH	NT	15.29	0.008015	±2.5	PASS
Band2	9538	3	VL	NT	14.96	0.007842	±2.5	PASS
Band2	9538	3	VN	NT	15.19	0.007963	±2.5	PASS
Band2	9538	3	VH	NT	15.12	0.007926	±2.5	PASS
Band2	9538	4	VL	NT	15.23	0.007984	±2.5	PASS
Band2	9538	4	VN	NT	15.39	0.008068	±2.5	PASS
Band2	9538	4	VH	NT	15.15	0.007942	±2.5	PASS
Band2	9538	5	VL	NT	15.01	0.007869	±2.5	PASS
Band2	9538	5	VN	NT	15.12	0.007926	±2.5	PASS
Band2	9538	5	VH	NT	15.33	0.008036	±2.5	PASS

Temperature								
Band	Channel	Sub Test	Voltage (Vdc)	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
Band2	9262	1	NV	-30	14.37	0.007758	±2.5	PASS
Band2	9262	1	NV	-20	14.43	0.007790	±2.5	PASS
Band2	9262	1	NV	-10	14.54	0.007849	±2.5	PASS
Band2	9262	1	NV	0	14.56	0.007860	±2.5	PASS
Band2	9262	1	NV	10	14.57	0.007865	±2.5	PASS
Band2	9262	1	NV	20	14.48	0.007817	±2.5	PASS
Band2	9262	1	NV	30	14.37	0.007758	±2.5	PASS
Band2	9262	1	NV	40	14.72	0.007946	±2.5	PASS
Band2	9262	1	NV	50	14.62	0.007892	±2.5	PASS
Band2	9262	2	NV	-30	14.76	0.007968	±2.5	PASS
Band2	9262	2	NV	-20	15.00	0.008098	±2.5	PASS
Band2	9262	2	NV	-10	14.75	0.007963	±2.5	PASS
Band2	9262	2	NV	0	14.70	0.007936	±2.5	PASS
Band2	9262	2	NV	10	14.89	0.008038	±2.5	PASS
Band2	9262	2	NV	20	14.61	0.007887	±2.5	PASS
Band2	9262	2	NV	30	14.68	0.007925	±2.5	PASS
Band2	9262	2	NV	40	14.90	0.008044	±2.5	PASS
Band2	9262	2	NV	50	14.76	0.007968	±2.5	PASS
Band2	9262	3	NV	-30	15.01	0.008103	±2.5	PASS
Band2	9262	3	NV	-20	14.70	0.007936	±2.5	PASS

Band2	9262	3	NV	-10	14.55	0.007855	±2.5	PASS
Band2	9262	3	NV	0	14.71	0.007941	±2.5	PASS
Band2	9262	3	NV	10	14.89	0.008038	±2.5	PASS
Band2	9262	3	NV	20	14.87	0.008027	±2.5	PASS
Band2	9262	3	NV	30	14.91	0.008049	±2.5	PASS
Band2	9262	3	NV	40	14.93	0.008060	±2.5	PASS
Band2	9262	3	NV	50	14.83	0.008006	±2.5	PASS
Band2	9262	4	NV	-30	14.90	0.008044	±2.5	PASS
Band2	9262	4	NV	-20	14.76	0.007968	±2.5	PASS
Band2	9262	4	NV	-10	14.99	0.008092	±2.5	PASS
Band2	9262	4	NV	0	14.92	0.008054	±2.5	PASS
Band2	9262	4	NV	10	15.14	0.008173	±2.5	PASS
Band2	9262	4	NV	20	14.96	0.008076	±2.5	PASS
Band2	9262	4	NV	30	15.03	0.008114	±2.5	PASS
Band2	9262	4	NV	40	15.13	0.008168	±2.5	PASS
Band2	9262	4	NV	50	15.16	0.008184	±2.5	PASS
Band2	9262	5	NV	-30	14.98	0.008087	±2.5	PASS
Band2	9262	5	NV	-20	15.01	0.008103	±2.5	PASS
Band2	9262	5	NV	-10	15.13	0.008168	±2.5	PASS
Band2	9262	5	NV	0	14.94	0.008065	±2.5	PASS
Band2	9262	5	NV	10	14.96	0.008076	±2.5	PASS
Band2	9262	5	NV	20	15.21	0.008211	±2.5	PASS
Band2	9262	5	NV	30	15.03	0.008114	±2.5	PASS
Band2	9262	5	NV	40	15.13	0.008168	±2.5	PASS
Band2	9262	5	NV	50	15.02	0.008108	±2.5	PASS
Band2	9400	1	NV	-30	14.78	0.007862	±2.5	PASS
Band2	9400	1	NV	-20	15.28	0.008128	±2.5	PASS
Band2	9400	1	NV	-10	15.01	0.007984	±2.5	PASS
Band2	9400	1	NV	0	15.09	0.008027	±2.5	PASS
Band2	9400	1	NV	10	14.89	0.007920	±2.5	PASS
Band2	9400	1	NV	20	15.12	0.008043	±2.5	PASS
Band2	9400	1	NV	30	15.26	0.008117	±2.5	PASS
Band2	9400	1	NV	40	15.08	0.008021	±2.5	PASS
Band2	9400	1	NV	50	15.18	0.008074	±2.5	PASS
Band2	9400	2	NV	-30	14.98	0.007968	±2.5	PASS
Band2	9400	2	NV	-20	15.10	0.008032	±2.5	PASS

Band2	9400	2	NV	-10	14.91	0.007931	±2.5	PASS
Band2	9400	2	NV	0	15.05	0.008005	±2.5	PASS
Band2	9400	2	NV	10	15.24	0.008106	±2.5	PASS
Band2	9400	2	NV	20	15.13	0.008048	±2.5	PASS
Band2	9400	2	NV	30	15.06	0.008011	±2.5	PASS
Band2	9400	2	NV	40	15.03	0.007995	±2.5	PASS
Band2	9400	2	NV	50	14.96	0.007957	±2.5	PASS
Band2	9400	3	NV	-30	15.06	0.008011	±2.5	PASS
Band2	9400	3	NV	-20	14.98	0.007968	±2.5	PASS
Band2	9400	3	NV	-10	15.08	0.008021	±2.5	PASS
Band2	9400	3	NV	0	15.13	0.008048	±2.5	PASS
Band2	9400	3	NV	10	14.96	0.007957	±2.5	PASS
Band2	9400	3	NV	20	15.13	0.008048	±2.5	PASS
Band2	9400	3	NV	30	15.03	0.007995	±2.5	PASS
Band2	9400	3	NV	40	15.06	0.008011	±2.5	PASS
Band2	9400	3	NV	50	15.18	0.008074	±2.5	PASS
Band2	9400	4	NV	-30	14.98	0.007968	±2.5	PASS
Band2	9400	4	NV	-20	14.88	0.007915	±2.5	PASS
Band2	9400	4	NV	-10	15.13	0.008048	±2.5	PASS
Band2	9400	4	NV	0	14.88	0.007915	±2.5	PASS
Band2	9400	4	NV	10	15.02	0.007989	±2.5	PASS
Band2	9400	4	NV	20	15.34	0.008160	±2.5	PASS
Band2	9400	4	NV	30	15.16	0.008064	±2.5	PASS
Band2	9400	4	NV	40	14.96	0.007957	±2.5	PASS
Band2	9400	4	NV	50	14.95	0.007952	±2.5	PASS
Band2	9400	5	NV	-30	14.98	0.007968	±2.5	PASS
Band2	9400	5	NV	-20	15.15	0.008059	±2.5	PASS
Band2	9400	5	NV	-10	15.03	0.007995	±2.5	PASS
Band2	9400	5	NV	0	14.96	0.007957	±2.5	PASS
Band2	9400	5	NV	10	15.35	0.008165	±2.5	PASS
Band2	9400	5	NV	20	14.89	0.007920	±2.5	PASS
Band2	9400	5	NV	30	15.05	0.008005	±2.5	PASS
Band2	9400	5	NV	40	15.26	0.008117	±2.5	PASS
Band2	9400	5	NV	50	15.13	0.008048	±2.5	PASS
Band2	9538	1	NV	-30	15.03	0.007879	±2.5	PASS
Band2	9538	1	NV	-20	15.17	0.007952	±2.5	PASS

Band2	9538	1	NV	-10	14.95	0.007837	±2.5	PASS
Band2	9538	1	NV	0	14.95	0.007837	±2.5	PASS
Band2	9538	1	NV	10	15.09	0.007910	±2.5	PASS
Band2	9538	1	NV	20	15.08	0.007905	±2.5	PASS
Band2	9538	1	NV	30	15.18	0.007958	±2.5	PASS
Band2	9538	1	NV	40	15.19	0.007963	±2.5	PASS
Band2	9538	1	NV	50	14.94	0.007832	±2.5	PASS
Band2	9538	2	NV	-30	15.23	0.007984	±2.5	PASS
Band2	9538	2	NV	-20	15.21	0.007973	±2.5	PASS
Band2	9538	2	NV	-10	15.23	0.007984	±2.5	PASS
Band2	9538	2	NV	0	15.14	0.007937	±2.5	PASS
Band2	9538	2	NV	10	15.09	0.007910	±2.5	PASS
Band2	9538	2	NV	20	15.29	0.008015	±2.5	PASS
Band2	9538	2	NV	30	15.06	0.007895	±2.5	PASS
Band2	9538	2	NV	40	15.23	0.007984	±2.5	PASS
Band2	9538	2	NV	50	15.00	0.007863	±2.5	PASS
Band2	9538	3	NV	-30	15.07	0.007900	±2.5	PASS
Band2	9538	3	NV	-20	15.08	0.007905	±2.5	PASS
Band2	9538	3	NV	-10	15.09	0.007910	±2.5	PASS
Band2	9538	3	NV	0	15.23	0.007984	±2.5	PASS
Band2	9538	3	NV	10	14.92	0.007821	±2.5	PASS
Band2	9538	3	NV	20	15.11	0.007921	±2.5	PASS
Band2	9538	3	NV	30	15.40	0.008073	±2.5	PASS
Band2	9538	3	NV	40	15.26	0.008000	±2.5	PASS
Band2	9538	3	NV	50	15.07	0.007900	±2.5	PASS
Band2	9538	4	NV	-30	15.23	0.007984	±2.5	PASS
Band2	9538	4	NV	-20	15.02	0.007874	±2.5	PASS
Band2	9538	4	NV	-10	15.06	0.007895	±2.5	PASS
Band2	9538	4	NV	0	15.16	0.007947	±2.5	PASS
Band2	9538	4	NV	10	15.02	0.007874	±2.5	PASS
Band2	9538	4	NV	20	15.20	0.007968	±2.5	PASS
Band2	9538	4	NV	30	15.25	0.007994	±2.5	PASS
Band2	9538	4	NV	40	15.10	0.007916	±2.5	PASS
Band2	9538	4	NV	50	15.16	0.007947	±2.5	PASS
Band2	9538	5	NV	-30	15.08	0.007905	±2.5	PASS
Band2	9538	5	NV	-20	15.00	0.007863	±2.5	PASS

Band2	9538	5	NV	-10	15.05	0.007889	±2.5	PASS
Band2	9538	5	NV	0	15.13	0.007931	±2.5	PASS
Band2	9538	5	NV	10	15.06	0.007895	±2.5	PASS
Band2	9538	5	NV	20	15.36	0.008052	±2.5	PASS
Band2	9538	5	NV	30	15.18	0.007958	±2.5	PASS
Band2	9538	5	NV	40	15.34	0.008042	±2.5	PASS
Band2	9538	5	NV	50	15.14	0.007937	±2.5	PASS

--- The End---

