




PEP Testing Laboratory

CONDUCTED TEST CONFIGURATION PHOTO.

< FRONT VIEW >







PEP Testing Laboratory

RADIATED TEST CONFIGURATION PHOTO.

< FRONT VIEW >



< REAR VIEW >





PEP Testing Laboratory

RADIATED EMISSIONS TEST DATA

Antenna polarization : HORIZONTAL ; Test distance : 3 m ;

Freq. (MHz)	Level (dB)	Over Limit (dB)	Limit Line (dB)	Read Level (dB)	Probe Factor (dB)	Cable Loss (dB)	Preamp Factor (dB)
72.016	20.90	-19.10	40.00	30.84	9.16	0.90	20.00
120.740	21.94	-21.56	43.50	28.95	11.82	1.17	20.00
137.036	18.25	-25.25	43.50	24.42	12.48	1.36	20.00
206.700	21.25	-22.25	43.50	23.96	15.43	1.86	20.00
234.690	19.34	-26.66	46.00	19.35	17.91	2.08	20.00
305.031	19.35	-26.65	46.00	22.04	14.60	2.71	20.00
348.344	17.83	-28.17	46.00	19.87	15.20	2.75	20.00
475.022	21.16	-24.84	46.00	20.56	17.50	3.10	20.00
508.949	24.65	-21.35	46.00	23.57	17.85	3.24	20.00
744.111	24.72	-21.28	46.00	19.12	21.58	4.02	20.00

Note :

1. Level = Read Level + Probe Factor + Cable Loss - Preamp Factor
2. Over Limit = Level - Limit Line



PEP Testing Laboratory

RADIATED EMISSIONS TEST DATA

Antenna polarization : VERTICAL ; Test distance : 3 m ;

Freq. (MHz)	Level (dB)	Over Limit (dB)	Limit Line (dB)	Read Level (dB)	Probe Factor (dB)	Cable Loss (dB)	Preamp Factor (dB)
44.840	16.76	-23.24	40.00	25.28	10.97	0.50	20.00
115.275	18.71	-24.79	43.50	26.03	11.56	1.13	20.00
134.349	18.80	-24.70	43.50	25.10	12.38	1.33	20.00
156.344	20.82	-22.68	43.50	26.34	13.02	1.46	20.00
168.025	19.88	-23.62	43.50	25.14	13.18	1.55	20.00
310.183	17.70	-28.30	46.00	20.60	14.39	2.71	20.00
323.300	17.61	-28.39	46.00	21.03	13.86	2.73	20.00
332.876	19.96	-26.04	46.00	22.94	14.28	2.74	20.00
465.922	29.04	-16.96	46.00	28.54	17.42	3.07	20.00
511.819	23.39	-22.61	46.00	22.25	17.89	3.25	20.00

Note :

1. Level = Read Level + Probe Factor + Cable Loss - Preamp Factor
2. Over Limit = Level - Limit Line



PEP Testing Laboratory

APPENDIX A. PHOTOS OF EUT APPEARANCE <EUT FRONT VIEW>



<EUT REAR VIEW>

