













Receiver Results: 120VAC, 60Hz								
Conductor	Frequency (MHz)	Detector	Emission Level (dBuV)	LISN Loss (dB)	Cable Loss (dB)	Result (dBuV)	Limit (dBuV)	Margin (dB)
Phase	0.1500	Quasi Peak	40.2	0.20	0.00	40.40	66.0	25.6
		Average	34.5	0.20	0.00	34.70	56.0	21.3
Neutral	0.1500	Quasi Peak	39.3	0.20	0.00	39.50	66.0	26.5
		Average	33.7	0.20	0.00	33.90	56.0	22.1
	0.4928	Quasi Peak	41.0	0.10	0.10	41.20	56.1	14.9
		Average	38.6	0.10	0.10	38.80	46.1	7.3
	4.8585	Quasi Peak	39.4	0.00	0.60	40.00	56.0	16.0
		Average	38.7	0.00	0.60	39.30	46.0	6.7
	4.5763	Quasi Peak	39.6	0.00	0.58	40.18	56.0	15.8
		Average	38.5	0.00	0.58	39.08	46.0	6.9
	0.6340	Quasi Peak	39.6	0.00	0.27	39.87	56.0	16.1
		Average	39.1	0.00	0.27	39.37	46.0	6.6
	0.7038	Quasi Peak	38.3	0.00	0.20	38.50	56.0	17.5
		Average	37.9	0.00	0.20	38.10	46.0	7.9
	4.7868	Quasi Peak	39.2	0.00	0.60	39.80	56.0	16.2
		Average	38.4	0.00	0.60	39.00	46.0	7.0
	4.5050	Quasi Peak	39.5	0.00	0.50	40.00	56.0	16.0
		Average	38.7	0.00	0.50	39.20	46.0	6.8

Equipment List – Conducted Emissions

CAL Cycle	Equipment	Manufacturer	Model No.	Asset/Serial No.	Next Cal.
1 Year	LISN	FCC	FCC-LISN-50-100-1-02	FA001775	May 01/07
1 Year	LISN	FCC	FCC-LISN-50-100-1-02	FA001777	May 01/07
1 Year	Receiver	Rohde & Schwarz	ESHS 10	FA001929	May 26/07
1 Year	Spectrum Analyzer	Hewlett-Packard	8566B	FA001431	May 16/07
1 Year	Spectrum Analyzer Display	Hewlett-Packard	85662A	FA001432	May 16/07
1 Year	Transient Limiter	Hewlett-Packard	1194 7A	FA001150	May 18/07
1 Year	Power Source	California Instruments	5001ix	FA001770	May 23/07

Note: N/A = Not Applicable, NCR = No Cal Required, COU = CAL On Use, OUT = Out For CAL/Repair

