



6.5 TEST CONFIGURATIONS PHOTOS : SmartTLP3 POWERED BY MOUSE PS/2 PORT




FRONT VIEW

6.5 TEST CONFIGURATIONS PHOTOS : SmarTLP3 POWERED BY MOUSE PS/2 PORT




REAR VIEW

6.5 TEST CONFIGURATIONS PHOTOS : SmarTLP3 POWERED BY KEYBOARD PS/2 PORT




FRONT VIEW

6.5 TEST CONFIGURATIONS PHOTOS : SmartTLP3 POWERED BY KEYBOARD PS/2 PORT




REAR VIEW

6.5 TEST CONFIGURATIONS PHOTOS : SmarTLP3 POWERED BY EXTERNAL DC POWER SUPPLY




FRONT VIEW

6.5 TEST CONFIGURATIONS PHOTOS : SmartTLP3 POWERED BY EXTERNAL DC POWER SUPPLY




REAR VIEW

5.4 POWER LINE CONDUCTED PHOTOS: SmartLP3 POWERED BY MOUSE PS/2 PORT




FRONT VIEW

5.4 POWER LINE CONDUCTED PHOTOS: SmarTLP3 POWERED BY MOUSE PS/2 PORT(cont'd)




REAR VIEW




5VDC derived from PS/2 mouse port to feed
SmarTLP3 through RS232 data cable

5.5 POWER LINE CONDUCTED PHOTOS: SmarTLP3 POWERED BY KEYBOARD PS/2 PORT




FRONT VIEW

**5.5 POWER LINE CONDUCTED PHOTOS: SmartTLP3 POWERED BY KEYBOARD
PS/2 PORT(cont'd)**




REAR VIEW




5VDC derived from PS/2 keyboard port to
feed SmartTLP3 through RS232 data cable

5.6 POWER LINE CONDUCTED PHOTOS: SmartLP3 POWERED BY EXTERNAL DC POWER SUPPLY




FRONT VIEW

5.6 POWER LINE CONDUCTED PHOTOS: SmarTLP3 POWERED BY EXTERNAL DC POWER SUPPLY (Cont'd)



REAR VIEW



SmarTLP3 powered by external DC power supply through RS232 data cable