

6c.b MOTotalk 900 MHz ISM Band Radiated Spurious Emissions -- Pursuant 47 CFR 2.1051, §2.1053, and §15.247.

FCC Limits:

§15.247. In any 100 kHz bandwidth outside the frequency bands, the radio frequency power that is produced by the modulation products of the spreading sequence, the information sequence and the carrier frequency shall be either at least 20 dB below that in any 100 kHz bandwidth within the band that contains the highest level of the desired power or shall not exceed the general levels specified in Sec. 15.209, whichever results in the lesser attenuation. All other emissions outside these bands shall not exceed the general radiated emission limits specified in Sec. 15.209.

§15.35. States the peak of the harmonics shall not exceed 20 dB above the limits specified in §15.209.

Restricted bands specified in §15.205 in the table below:

MHz	MHz	MHz	GHz
0.090-0.110	16.42-16.423	399.9-410	4.5-5.15
¹ 0.495-0.505	16.89475-16.89525	608-814	5.35-5.48
2.1735-2.1905	16.80425-16.80475	960-1240	7.25-7.75
4.125-4.128	25.5-25.67	1300-1427	8.025-8.5
4.17725-4.17775	37.5-38.25	1435-1628.5	9.0-9.2
4.20725-4.20775	73-74.6	1645.5-1648.5	9.3-9.5
6.215-6.218	74.8-75.2	1660-1710	10.6-12.7
6.26775-6.26825	108-121.94	1718.8-1722.2	13.25-13.4
6.31175-6.31225	123-138	2200-2300	14.47-14.5
8.291-8.294	149.9-150.05	2310-2390	15.35-16.2
8.362-8.368	156.52475-156.52525	2483.5-2500	17.7-21.4
8.37625-8.38675	156.7-156.9	2655-2900	22.01-23.12
8.41425-8.41475	162.0125-167.17	3260-3267	23.6-24.0
12.29-12.293	167.72-173.2	3332-3339	31.2-31.8
12.51975-12.52025	240-285	3345.8-3358	36.43-36.5
12.57675-12.57725	322-335.4	3600-4400	(²)
13.36-13.41			

¹ Until February 1, 1999, this restricted band shall be 0.490-0.510 MHz.

² Above 38.6

NOTE 1: Spurious emissions are dependent on the linearity of the Power Amplifier (U501) and are independent of modulation type or TDM interleaving.

NOTE 2: Spurious emission levels were measured with the non-detachable antenna mounted on the radio product, as in intended use.

NOTE 3: An asterisk () in the data indicates the spurious emission could not be detected due to noise limitations or ambient conditions.*

*NOTE 4: Two asterisks (**) after the frequency indicates the harmonic falls in the restricted bands specified in §15.205. Emissions limit is 500 µV/m (54 dBµV/m) at 3 meter distance. Emissions not in the restricted band must be better than 20 dBc.*

NOTE 5: The duty cycle correction factor (see Exhibit 7a) was not applied to these data.

NOTE 6: Emissions resulting from intermodulation products possible due to the simultaneous operation of the MOTotalk and Bluetooth transmitters were investigated and those of significance are shown in the graphs below. All were compliant with Part 15 emissions requirements, including those of the restricted bands.

Motorola Inc.

FCC ID: IHDP56HJ1

Transmitter Radiated Spurious Emissions : i365IS MOTotalk ISM

902.525 MHz		Ch.Sp.: 25 kHz	890 mW Watts S/N 364VJG32X8	
Frequency (MHz)	FCC Maximum Emission Limit (dBuV/m)		Horizontal Measured Electric Field Intensity (dBuV/m)	Vertical Measured Electric Field Intensity (dBuV/m)
1805.0500	Hor. / Vert.		48.16	47.36
2707.5750**	54		49.19	47.21
3610.1000**	54		44.56	43.51
4512.6250**	54		37.13	37.67
5415.1500**	54		45.37	45.75
6317.6750	54		*	*
7220.2000**	54		45.25	45.69
8122.7250**	54		*	*
9025.2500**	54		*	*

915.525 MHz			890 mW Watts S/N 364VJG32X8	
Frequency (MHz)	FCC Maximum Emission Limit (dBuV/m)		Horizontal Measured Electric Field Intensity (dBuV/m)	Vertical Measured Electric Field Intensity (dBuV/m)
1831.05	Hor. / Vert.		49.55	46.28
2746.5750*	54		52.76	45.16
3662.1000**	54		44.21	44.03
4577.6250**	54		39.59	40.39
5493.1500**	54		45.47	45.68
6408.6750	54		*	*
7324.2000**	54		46.04	45.86
8239.7250**	54		*	*
9155.2500**	54		*	*

927.475 MHz		Ch.Sp.: 25 kHz	890 mW Watts S/N 364VJG32X8	
Frequency (MHz)	FCC Maximum Emission Limit (dBuV/m)		Horizontal Measured Electric Field Intensity (dBuV/m)	Vertical Measured Electric Field Intensity (dBuV/m)
1854.9500	Hor. / Vert.		49.39	48.80
2782.4250	54		45.91	46.92
3709.9000	54		45.23	43.39
4637.3750	54		39.16	39.34
5564.8500	54		45.25	45.66
6492.3250	54		*	*
7419.8000	54		44.52	45.10
8347.2750	54		*	-
9274.7500	54		*	-

* Indicates the spurious emission could not be detected due to noise limitations or ambients.

Motorola Plantation EMC Lab – Test Performed by: Frank Baader
 FCC Registration: 91932 / Industry Canada: IC3679A-1

April 23, 2008

Motorola Inc.

FCC ID: IHDP56HJ1

Transmitter Radiated Spurious Emissions : i365 MOTotalk ISM

902.525 MHz Ch.Sp.: 25 kHz 890 mW Watts | S/N 364VJG1B47

Frequency (MHz)	FCC Maximum Emission Limit (dBuV/m)	Horizontal Measured Electric Field Intensity (dBuV/m)	Vertical Measured Electric Field Intensity (dBuV/m)
1805.0500	Hor. / Vert.	39.95	43.41
2707.5750	54	44.37	47.05
3610.1000	54	49.31	47.43
4512.6250	54	37.49	38.70
5415.1500	54	46.65	45.93
6317.6750	54	*	*
7220.2000	54	49.07	47.85
8122.7250	54	*	*
9025.2500	54	*	*

915.525 MHz 890 mW Watts | S/N 364VJG1B47

Frequency (MHz)	FCC Maximum Emission Limit (dBuV/m)	Horizontal Measured Electric Field Intensity (dBuV/m)	Vertical Measured Electric Field Intensity (dBuV/m)
1831.05	Hor. / Vert.	42.32	41.29
2746.5750	54	42.22	42.42
3662.1000	54	47.25	44.46
4577.6250	54	37.57	38.68
5493.1500	54	48.03	47.54
6408.6750	54	*	*
7324.2000	54	45.91	45.65
8239.7250	54	*	*
9155.2500	54	*	*

927.475 MHz Ch.Sp.: 25 kHz 890 mW Watts | S/N 364VJG1B47

Frequency (MHz)	FCC Maximum Emission Limit (dBuV/m)	Horizontal Measured Electric Field Intensity (dBuV/m)	Vertical Measured Electric Field Intensity (dBuV/m)
1854.9500	Hor. / Vert.	45.85	44.85
2782.4250	54	47.33	43.33
3709.9000	54	44.96	43.47
4637.3750	54	40.59	39.63
5564.8500	54	46.39	46.05
6492.3250	54	*	*
7419.8000	54	44.40	44.36
8347.2750	54	*	*
9274.7500	54	*	*

* Indicates the spurious emission could not be detected due to noise limitations or ambients.

Motorola Plantation EMC Lab – Test Performed by: Frank Baader
 FCC Registration: 91932 / Industry Canada: IC3679A-1

April 17, 2008