



MOTOROLA

*Mobile Devices business
iDEN Mobile Devices Operations*

RF Test Report

FCC Rule Parts: 15C (WiFi)
Industry Canada: RSS-Gen, RSS-210

Product Name: i1
FCC ID: IHDP56KV1
IC ID: 1090-KV1

Date: February 3, 2010

Table of Contents

Test Report Details	6b0-1
WiFi Conducted Performance	6bc-1
Radiated Performance	TIMCO Report

Test Report Details

Tests Performed by: TIMCO Engineering
Laboratory details in report
FCC Registration Number: **95517**
Industry Canada Number: **2056A**

Signaling Capabilities: 802.11b/g WiFi Transceiver (2.4 GHz ISM)

FCC ID: IHDP56KV1

IC ID: 1090-KV1

Applicable Standards

All tests and measurements indicated in this document were performed in accordance with the United States Code of Federal Regulations, Title 47 Part 2, Sub-part J, as well as the following parts:

- X Part 15 Subpart C – Radio Frequency Devices.
- X RSS-210 – Low-power License-exempt Radiocommunication Devices (All Frequency Bands): Category I Equipment.

Applicable Standards: TIA/EIA-603-A, TIA/EIA-603-B, ANSI C63.4-2003, and ANSI C63.10.

Exhibit 6c: IEEE802.11b/g WiFi Measured Data– Pursuant 47 CFR 2.1041; RSS-Gen Section 3.

WiFi/WLAN conducted measurement setup and procedure is provided in Exhibit 7.

6c.1. Spectrum Bandwidth (IEEE 802.11b) – Pursuant 47 CFR 15.247(a)(1); RSS-210 Section A8.1.

The 20 dB bandwidth of the emission is 13.7 MHz.






Figure 6c.1-1: Plot of 6 dB bandwidth (Channel 1, 11 Mbps data rate)




Date: 02.FEB.2010 08:24:07

Figure 6c.1-2: Plot of 6 dB bandwidth (Channel 6, 11 Mbps data rate)




Date: 02.FEB.2010 08:29:52

Figure 6c.1-3: Plot of 6 dB bandwidth (Channel 11, 11 Mbps data rate)




Date: 02.FEB.2010 08:17:55

Figure 6c.1-4: Plot of 20 dB bandwidth (Channel 1, 11 Mbps data rate)



Date: 02.FEB.2010 08:25:14

Figure 6c.1-5: Plot of 20 dB bandwidth (Channel 6, 11 Mbps data rate)




Date: 02.FEB.2010 08:30:55

Figure 6c.1-6: Plot of 20 dB bandwidth (Channel 11, 11 Mbps data rate)


6c.2. Spectrum Bandwidth (IEEE 802.11g) – Pursuant 47 CFR 15.247(a)(1); RSS-210 Section A8.1.

The 20 dB bandwidth of the emission is 17.0 MHz.




Date: 02.FEB.2010 08:45:37

Figure 6c.2-1: Plot of 6 dB bandwidth (Channel 1, 54 Mbps data rate)




Date: 02.FEB.2010 08:53:47

Figure 6c.2-2: Plot of 6 dB bandwidth (Channel 6, 54 Mbps data rate)




Date: 02.FEB.2010 08:59:34

Figure 6c.2-3: Plot of 6 dB bandwidth (Channel 11, 54 Mbps data rate)




Date: 02.FEB.2010 08:47:22

Figure 6c.2-4: Plot of 20 dB bandwidth (Channel 1, 54 Mbps data rate)



Date: 02.FEB.2010 08:59:34

Figure 6c.2-5: Plot of 20 dB bandwidth (Channel 6, 54 Mbps data rate)




Date: 02.FEB.2010 09:00:53

Figure 6c.2-6: Plot of 20 dB bandwidth (Channel 11, 54 Mbps data rate)


6c.3. Peak Output Power – Pursuant 47 CFR 15.247; RSS-210.

The peak output power is 17.76 dBm, which is equivalent to 60 mW.




Date: 02.FEB.2010 09:58:00

Figure 6c.3-1: Peak Output Power (Channel 1, 11 Mbps data rate)




Date: 02.FEB.2010 09:59:53

Figure 6c.3-2: Peak Output Power (Channel 6, 11 Mbps data rate)




Date: 02.FEB.2010 10:01:35

Figure 6c.3-3: Peak Output Power (Channel 11, 11 Mbps data rate)




Date: 02.FEB.2010 10:03:16

Figure 6c.3-4: Peak Output Power (Channel 1, 54 Mbps data rate)



Date: 02.FEB.2010 10:04:31

Figure 6c.3-5: Peak Output Power (Channel 6, 54 Mbps data rate)



Date: 02.FEB.2010 10:17:08

Figure 6c.3-6: Peak Output Power (Channel 11, 54 Mbps data rate)

6c.4. Power Spectral Density – Pursuant 47 CFR 15.247(d); RSS-210.

The measured results are given in the tables below:

Table 6c4-1: IEEE 802.11b (11 Mbps data rate)		
2412 MHz	2437 MHz	2462 MHz
-2.94 dBm	-2.06 dBm	-3.12 dBm

Table 6c4-2: IEEE 802.11g (54 Mbps data rate)		
2412 MHz	2437 MHz	2462 MHz
-17.22 dBm	-17.74 dBm	-18.48 dBm

6c.5. Conducted Spurious Emissions – Pursuant 47 CFR 15.247(d); RSS-210 Section A8.1.

Criterion: In any 100 kHz bandwidth outside the frequency band in which the spread spectrum or digitally modulated intentional radiator is operating, the radio frequency power that is produced by the intentional radiator shall be at least 20 dB below that in the 100 kHz bandwidth within the band that contains the highest level of the desired power, based on either an RF conducted or a radiated measurement.




Figure 6c.5-1: Plot of Conducted Spurious Emissions, 30 – 3000 MHz (11 Mbps data rate, Ch 1).




Figure 6c.5-2: Plot of Conducted Spurious Emissions, 2 – 10 GHz (11 Mbps data rate, Ch 1).




Figure 6c.5-3: Plot of Conducted Spurious Emissions, 10 – 20 GHz (11 Mbps data rate, Ch 1).




Figure 6c.5-4: Plot of Conducted Spurious Emissions, 20 – 26.5 GHz (11 Mbps data rate, Ch 1).




Figure 6c.5-5: Plot of Conducted Spurious Emissions, 30 – 3000 MHz (11 Mbps data rate, Ch 6).




Figure 6c.5-6: Plot of Conducted Spurious Emissions, 2 – 10 GHz (11 Mbps data rate, Ch 6).




Figure 6c.5-7: Plot of Conducted Spurious Emissions, 10 – 20 GHz (11 Mbps data rate, Ch 6).




Figure 6c.5-8: Plot of Conducted Spurious Emissions, 20 – 26.5 GHz (11 Mbps data rate, Ch 6).




Figure 6c.5-9: Plot of Conducted Spurious Emissions, 30 – 3000 MHz (11 Mbps data rate, Ch 11).




Figure 6c.5-10: Plot of Conducted Spurious Emissions, 2 – 10 GHz (11 Mbps data rate, Ch 11).




Figure 6c.5-11: Plot of Conducted Spurious Emissions, 10 – 20 GHz (11 Mbps data rate, Ch 11).




Figure 6c.5-12: Plot of Conducted Spurious Emissions, 20 – 26.5 GHz (5 Mbps data rate, Ch 11).




Figure 6c.5-13: Plot of Conducted Spurious Emissions, 30 – 3000 MHz (54 Mbps data rate, Ch 1).




Figure 6c.5-14: Plot of Conducted Spurious Emissions, 2 – 10 GHz (54 Mbps data rate, Ch 1).




Figure 6c.5-15: Plot of Conducted Spurious Emissions, 10 – 20 GHz (54 Mbps data rate, Ch 1).




Figure 6c.5-16: Plot of Conducted Spurious Emissions, 20 – 26.5 GHz (54 Mbps data rate, Ch 1).




Figure 6c.5-17: Plot of Conducted Spurious Emissions, 30 – 3000 MHz (54 Mbps data rate, Ch 6).




Figure 6c.5-18: Plot of Conducted Spurious Emissions, 2 – 10 GHz (54 Mbps data rate, Ch 6).




Figure 6c.5-19: Plot of Conducted Spurious Emissions, 10 – 20 GHz (54 Mbps data rate, Ch 6).




Figure 6c.5-20: Plot of Conducted Spurious Emissions, 20 – 26.5 GHz (54 Mbps data rate, Ch 6).




Figure 6c.5-21: Plot of Conducted Spurious Emissions, 30 – 3000 MHz (54 Mbps data rate, Ch 11).




Figure 6c.5-22: Plot of Conducted Spurious Emissions, 2 – 10 GHz (54 Mbps data rate, Ch 11).




Figure 6c.5-23: Plot of Conducted Spurious Emissions, 10 – 20 GHz (54 Mbps data rate, Ch 11).




Figure 6c.5-24: Plot of Conducted Spurious Emissions, 20 – 26.5 GHz (54 Mbps data rate, Ch 11).

6c.6. Band-Edge Compliance of RF Conducted Emissions – Pursuant 47 CFR 15.247(d); RSS-210 Section A8.1.

Criterion: In any 100 kHz bandwidth outside the frequency band in which the spread spectrum or digitally modulated intentional radiator is operating, the radio frequency power that is produced by the intentional radiator shall be at least 20 dB below that in the 100 kHz bandwidth within the band that contains the highest level of the desired power, based on either an RF conducted or a radiated measurement.




Figure 6c.6-1: Plot of Lower Band Edge Spurious Emission (11 Mbps data rate).




Figure 6c.6-2: Plot of Upper Band Edge Spurious Emission (11 Mbps data rate).




Figure 6c.6-31: Plot of Lower Band Edge Spurious Emission (54 Mbps data rate).




Figure 6c.6-1: Plot of Upper Band Edge Spurious Emission (54 Mbps data rate).