



ANNEX B TEST LAYOUT



Picture B1: Specific Absorption Rate Test Layout



Picture B2: Liquid depth in the Head Phantom (850 MHz)



Picture B3 Liquid depth in the Flat Phantom (1900MHz)




Picture B4 Liquid depth in the Flat Phantom (2450MHz)



Picture B5: Left Hand Touch Cheek Position – Slide down




Picture B6: Left Hand Tilt 15° Position – Slide down



Picture B7: Right Hand Touch Cheek Position – Slide down




Picture B8: Right Hand Tilt 15° Position – Slide down



Picture B9: Left Hand Touch Cheek Position – Slide up




Picture B10: Left Hand Tilt 15° Position – Slide up




Picture B11: Right Hand Touch Cheek Position – Slide up




Picture B12: Right Hand Tilt 15° Position – Slide up




Picture B13: Body-worn Position (towards ground, the distance from handset to the bottom of the Phantom is 1.5cm) – Slide down




Picture B14: Body-worn Position (towards phantom, the distance from handset to the bottom of the Phantom is 1.5cm) – Slide down




Picture B15: Body-worn Position (towards ground, the distance from handset to the bottom of the Phantom is 1.5cm) – Slide up



Picture B16: Body-worn Position (towards phantom, the distance from handset to the bottom of the Phantom is 1.5cm) – Slide up



Picture B17: Body-worn Position with Headset (towards ground, the distance from handset to the bottom of the Phantom is 1.5cm) – Slide down



Picture B18: Body-worn Position with Headset (towards ground, the distance from handset to the bottom of the Phantom is 1.5cm) – Slide up