



# RF EXPOSURE REPORT

**REPORT NO.:** SA980624L24

**MODEL NO.:** GC450

**ACCORDING:** FCC Guidelines for Human Exposure  
IEEE C95.1

**APPLICANT:** Motorola, Inc.

**ADDRESS:** 600 NORTH US HIGHWAY 45 LIBERTYVILLE, IL  
60048

**ISSUED BY:** Bureau Veritas Consumer Products Services (H.K.)  
Ltd., Taoyuan Branch

**LAB ADDRESS:** No. 47, 14th Ling, Chia Pau Tsuen, Lin Kou Hsiang,  
Taipei Hsien 244, Taiwan, R.O.C.

**TEST LOCATION:** No. 19, Hwa Ya 2nd Rd, Wen Hwa Tsuen, Kwei  
Shan Hsiang, Taoyuan Hsien 333, Taiwan, R.O.C.



No Evaluation Required if power is below this threshold:

F(GHz)		mW
Low	2.402	24.580
High	2.480	

Maximum measured transmitter power:

	Pout (dBm)	Pout (mW)
Conducted Power	3.82	2.410
EIRP Power	5.82	3.819

**\*Note:** The antenna is PIFA antenna with 2.0dBi gain

Threshold for no SAR evaluation is 24.580mW

Transmitter power is 3.819mW

Conclusion: No SAR evaluation required since Transmitter Pout is below FCC threshold