



RF EXPOSURE REPORT

REPORT NO.: SA980624L26

MODEL NO.: GC550

ACCORDING: FCC Guidelines for Human Exposure
IEEE C95.1

APPLICANT: Motorola, Inc.

ADDRESS: 600 NORTH US HIGHWAY 45 LIBERTYVILLE, IL
60048

ISSUED BY: Bureau Veritas Consumer Products Services (H.K.)
Ltd., Taoyuan Branch

LAB ADDRESS: No. 47, 14th Ling, Chia Pau Tsuen, Lin Kou Hsiang,
Taipei Hsien 244, Taiwan, R.O.C.

TEST LOCATION: No. 19, Hwa Ya 2nd Rd, Wen Hwa Tsuen, Kwei
Shan Hsiang, Taoyuan Hsien 333, Taiwan, R.O.C.



No Evaluation Required if power is below this threshold:

F(GHz)		mW
Low	2.402	24.580
High	2.480	

Maximum measured transmitter power:

Pout (dBm)		Pout (mW)
Conducted Power	3.98	2.500
EIRP Power	5.38	3.451

***Note:** The antenna is PIFA antenna with 1.4dBi gain

Threshold for no SAR evaluation is 24.580mW

Transmitter power is 3.451mW

Conclusion: No SAR evaluation required since Transmitter Pout is below FCC threshold