




N71(15M)_DFT-s-OFDM_PI-2-BPSK_Outer_Full_Mid_CH




N71(15M)_DFT-s-OFDM_QPSK_Outer_Full_Mid_CH




N71(15M)_CP-OFDM_QPSK_Outer_Full_Mid_CH




N71(15M)_CP-OFDM_16QAM_Outer_Full_Mid_CH




N71(15M)_CP-OFDM_64QAM_Outer_Full_Mid_CH




N71(15M)_CP-OFDM_256QAM_Outer_Full_Mid_CH




N71(20M)_DFT-s-OFDM_PI_2-BPSK_Outer_Full_Mid_CH




N71(20M)_DFT-s-OFDM_QPSK_Outer_Full_Mid_CH




N71(20M)_CP-OFDM_QPSK_Outer_Full_Mid_CH




N71(20M)_CP-OFDM_16QAM_Outer_Full_Mid_CH



N71(20M)_CP-OFDM_64QAM_Outer_Full_Mid_CH



N71(20M)_CP-OFDM_256QAM_Outer_Full_Mid_CH



Conducted Spurious Emissions

NR Band	SCS (kHz)	Bandwidth (MHz)	Arfcn	Freq (MHz)	Modulation	RB	Result	Verdict
71	15	5	133100	665.5	DFT-s-OFDM BPSK	1@0	see graph	---
71	15	5	133100	665.5	DFT-s-OFDM BPSK	1@0	see graph	PASS
71	15	5	133100	665.5	DFT-s-OFDM QPSK	1@0	see graph	---
71	15	5	133100	665.5	DFT-s-OFDM QPSK	1@0	see graph	PASS
71	15	5	136100	680.5	DFT-s-OFDM BPSK	1@0	see graph	---
71	15	5	136100	680.5	DFT-s-OFDM BPSK	1@0	see graph	PASS
71	15	5	136100	680.5	DFT-s-OFDM QPSK	1@0	see graph	---
71	15	5	136100	680.5	DFT-s-OFDM QPSK	1@0	see graph	PASS
71	15	5	139100	695.5	DFT-s-OFDM BPSK	1@0	see graph	---
71	15	5	139100	695.5	DFT-s-OFDM BPSK	1@0	see graph	PASS
71	15	5	139100	695.5	DFT-s-OFDM QPSK	1@0	see graph	---
71	15	5	139100	695.5	DFT-s-OFDM QPSK	1@0	see graph	PASS
71	15	10	133600	668.0	DFT-s-OFDM BPSK	1@0	see graph	---
71	15	10	133600	668.0	DFT-s-OFDM BPSK	1@0	see graph	PASS
71	15	10	133600	668.0	DFT-s-OFDM QPSK	1@0	see graph	---
71	15	10	133600	668.0	DFT-s-OFDM QPSK	1@0	see graph	PASS
71	15	10	136100	680.5	DFT-s-OFDM BPSK	1@0	see graph	---
71	15	10	136100	680.5	DFT-s-OFDM BPSK	1@0	see graph	PASS
71	15	10	136100	680.5	DFT-s-OFDM QPSK	1@0	see graph	---
71	15	10	136100	680.5	DFT-s-OFDM QPSK	1@0	see graph	PASS
71	15	10	138600	693.0	DFT-s-OFDM BPSK	1@0	see graph	---
71	15	10	138600	693.0	DFT-s-OFDM BPSK	1@0	see graph	PASS

71	15	10	138600	693.0	DFT-s-OFDM QPSK	1@0	see graph	---
71	15	10	138600	693.0	DFT-s-OFDM QPSK	1@0	see graph	PASS
71	15	20	134600	673.0	DFT-s-OFDM BPSK	1@0	see graph	---
71	15	20	134600	673.0	DFT-s-OFDM BPSK	1@0	see graph	PASS
71	15	20	134600	673.0	DFT-s-OFDM QPSK	1@0	see graph	---
71	15	20	134600	673.0	DFT-s-OFDM QPSK	1@0	see graph	PASS
71	15	20	136100	680.5	DFT-s-OFDM BPSK	1@0	see graph	---
71	15	20	136100	680.5	DFT-s-OFDM BPSK	1@0	see graph	PASS
71	15	20	136100	680.5	DFT-s-OFDM QPSK	1@0	see graph	---
71	15	20	136100	680.5	DFT-s-OFDM QPSK	1@0	see graph	PASS
71	15	20	137600	688.0	DFT-s-OFDM BPSK	1@0	see graph	---
71	15	20	137600	688.0	DFT-s-OFDM BPSK	1@0	see graph	PASS
71	15	20	137600	688.0	DFT-s-OFDM QPSK	1@0	see graph	---
71	15	20	137600	688.0	DFT-s-OFDM QPSK	1@0	see graph	PASS

N71(5M)_DFT-s-OFDM_BPSK_Edge_1RB_Left_Low_CH




N71(5M)_DFT-s-OFDM_QPSK_Edge_1RB_Left_Low_CH




N71(5M)_DFT-s-OFDM_BPSK_Edge_1RB_Left_Mid_CH




N71(5M)_DFT-s-OFDM_QPSK_Edge_1RB_Left_Mid_CH



N71(5M)_DFT-s-OFDM_BPSK_Edge_1RB_Left_High_CH




N71(5M)_DFT-s-OFDM_QPSK_Edge_1RB_Left_High_CH




N71(10M)_DFT-s-OFDM_BPSK_Edge_1RB_Left_Low_CH




N71(10M)_DFT-s-OFDM_QPSK_Edge_1RB_Left_Low_CH




N71(10M)_DFT-s-OFDM_BPSK_Edge_1RB_Left_Mid_CH




N71(10M)_DFT-s-OFDM_QPSK_Edge_1RB_Left_Mid_CH



N71(10M)_DFT-s-OFDM_BPSK_Edge_1RB_Left_High_CH



N71(10M)_DFT-s-OFDM_QPSK_Edge_1RB_Left_High_CH



N71(20M)_DFT-s-OFDM_BPSK_Edge_1RB_Left_Low_CH



N71(20M)_DFT-s-OFDM_QPSK_Edge_1RB_Left_Low_CH




N71(20M)_DFT-s-OFDM_BPSK_Edge_1RB_Left_Mid_CH




N71(20M)_DFT-s-OFDM_QPSK_Edge_1RB_Left_Mid_CH



N71(20M)_DFT-s-OFDM_BPSK_Edge_1RB_Left_High_CH



N71(20M)_DFT-s-OFDM_QPSK_Edge_1RB_Left_High_CH




Conducted Band Edge

NR Band	SCS (kHz)	Bandwidth (MHz)	Arfcn	Freq (MHz)	Modulation	RB	Result	Verdict
71	15	5	133100	665.5	DFT-s-OFDM BPSK	1@0	see graph	PASS
71	15	5	133100	665.5	DFT-s-OFDM QPSK	1@0	see graph	PASS
71	15	5	133100	665.5	DFT-s-OFDM BPSK	25@0	see graph	PASS
71	15	5	133100	665.5	DFT-s-OFDM QPSK	25@0	see graph	PASS
71	15	5	139100	695.5	DFT-s-OFDM BPSK	1@24	see graph	PASS
71	15	5	139100	695.5	DFT-s-OFDM QPSK	1@24	see graph	PASS
71	15	5	139100	695.5	DFT-s-OFDM BPSK	25@0	see graph	PASS
71	15	5	139100	695.5	DFT-s-OFDM QPSK	25@0	see graph	PASS
71	15	10	133600	668.0	DFT-s-OFDM BPSK	1@0	see graph	PASS
71	15	10	133600	668.0	DFT-s-OFDM QPSK	1@0	see graph	PASS
71	15	10	133600	668.0	DFT-s-OFDM BPSK	50@0	see graph	PASS
71	15	10	133600	668.0	DFT-s-OFDM QPSK	50@0	see graph	PASS
71	15	10	138600	693.0	DFT-s-OFDM BPSK	1@51	see graph	PASS
71	15	10	138600	693.0	DFT-s-OFDM QPSK	1@51	see graph	PASS
71	15	10	138600	693.0	DFT-s-OFDM BPSK	50@0	see graph	PASS
71	15	10	138600	693.0	DFT-s-OFDM QPSK	50@0	see graph	PASS
71	15	20	134600	673.0	DFT-s-OFDM BPSK	1@0	see graph	PASS
71	15	20	134600	673.0	DFT-s-OFDM QPSK	1@0	see graph	PASS
71	15	20	134600	673.0	DFT-s-OFDM BPSK	100@0	see graph	PASS
71	15	20	134600	673.0	DFT-s-OFDM QPSK	100@0	see graph	PASS
71	15	20	137600	688.0	DFT-s-OFDM BPSK	1@105	see graph	PASS
71	15	20	137600	688.0	DFT-s-OFDM QPSK	1@105	see graph	PASS
71	15	20	137600	688.0	DFT-s-OFDM BPSK	100@0	see graph	PASS
71	15	20	137600	688.0	DFT-s-OFDM QPSK	100@0	see graph	PASS

N71(5M)_DFT-s-OFDM_BPSK_Edge_1RB_Left_Low_CH




N71(5M)_DFT-s-OFDM_QPSK_Edge_1RB_Left_Low_CH




N71(5M)_DFT-s-OFDM_BPSK_Outer_Full_Low_CH




N71(5M)_DFT-s-OFDM_QPSK_Outer_Full_Low_CH



N71(5M)_DFT-s-OFDM_BPSK_Edge_1RB_Right_High_CH



N71(5M)_DFT-s-OFDM_QPSK_Edge_1RB_Right_High_CH



N71(5M)_DFT-s-OFDM_BPSK_Outer_Full_High_CH




N71(5M)_DFT-s-OFDM_QPSK_Outer_Full_High_CH




N71(10M)_DFT-s-OFDM_BPSK_Edge_1RB_Left_Low_CH




N71(10M)_DFT-s-OFDM_QPSK_Edge_1RB_Left_Low_CH



N71(10M)_DFT-s-OFDM_BPSK_Outer_Full_Low_CH



N71(10M)_DFT-s-OFDM_QPSK_Outer_Full_Low_CH



N71(10M)_DFT-s-
OFDM_BPSK_Edge_1RB_Right_High_CH



N71(10M)_DFT-s-
OFDM_QPSK_Edge_1RB_Right_High_CH




N71(10M)_DFT-s-
OFDM_BPSK_Outer_Full_High_CH




N71(10M)_DFT-s-
OFDM_QPSK_Outer_Full_High_CH




N71(20M)_DFT-s-
OFDM_BPSK_Edge_1RB_Left_Low_CH




N71(20M)_DFT-s-
OFDM_QPSK_Edge_1RB_Left_Low_CH



N71(20M)_DFT-s- OFDM_BPSK_Outer_Full_Low_CH



N71(20M)_DFT-s- OFDM_QPSK_Outer_Full_Low_CH




N71(20M)_DFT-s- OFDM_BPSK_Edge_1RB_Right_High_CH




N71(20M)_DFT-s- OFDM_QPSK_Edge_1RB_Right_High_CH



N71(20M)_DFT-s- OFDM_BPSK_Outer_Full_High_CH



N71(20M)_DFT-s- OFDM_QPSK_Outer_Full_High_CH





Appendix B. Test Results of Radiated Test

Radiated Spurious Emission

Test Engineer :	Carl Ni	Temperature :	23~25°C
		Relative Humidity :	41~42%

Note: Pre-scanned harmonic for the different antenna combinations, we choose the worst antenna mode to perform final test.

SA n5 / NR 25MHz / QPSK / ANT0(NR)								
Channel	Frequency (MHz)	ERP (dBm)	Limit (dBm)	Over Limit (dB)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Middle	1656	-65.51	-13	-52.51	-72.48	1.58	10.70	H
	2480	-61.65	-13	-48.65	-69.90	2.102	12.50	H
	3312	-60.84	-13	-47.84	-69.73	2.856	13.90	H
	1656	-64.35	-13	-51.35	-71.32	1.58	10.70	V
	2480	-59.90	-13	-46.90	-68.15	2.10	12.50	V
	3312	-60.40	-13	-47.40	-69.29	2.86	13.90	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.

EN-DC 48A_n5A / LTE 20MHz + NR 25MHz / QPSK / ANT2(LTE) & ANT0(NR)								
Channel	Frequency (MHz)	ERP (dBm)	Limit (dBm)	Over Limit (dB)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Middle	1648	-65.94	-13	-52.94	-72.91	1.58	10.70	H
	2472	-61.56	-13	-48.56	-69.81	2.102	12.50	H
	3304	-60.58	-13	-47.58	-69.47	2.856	13.90	H
	1648	-65.03	-13	-52.03	-72.00	1.58	10.70	V
	2472	-59.74	-13	-46.74	-67.99	2.10	12.50	V
	3304	-60.39	-13	-47.39	-69.28	2.86	13.90	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



SA n12 / NR 15MHz / QPSK / ANT1(NR)								
Channel	Frequency (MHz)	ERP (dBm)	Limit (dBm)	Over Limit (dB)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Low	1400	-67.78	-13	-54.78	-74.75	1.58	10.70	H
	2096	-63.25	-13	-50.25	-71.50	2.102	12.50	H
	2800	-59.80	-13	-46.80	-68.69	2.856	13.90	H
	1400	-67.19	-13	-54.19	-74.16	1.58	10.70	V
	2096	-62.35	-13	-49.35	-70.60	2.10	12.50	V
	2800	-59.68	-13	-46.68	-68.57	2.86	13.90	V
Middle	1400	-67.83	-13	-54.83	-74.80	1.58	10.70	H
	2104	-62.78	-13	-49.78	-71.03	2.102	12.50	H
	2800	-59.94	-13	-46.94	-68.83	2.856	13.90	H
	1400	-66.98	-13	-53.98	-73.95	1.58	10.70	V
	2104	-61.98	-13	-48.98	-70.23	2.10	12.50	V
	2800	-59.61	-13	-46.61	-68.50	2.86	13.90	V
High	1400	-67.69	-13	-54.69	-74.66	1.58	10.70	H
	2104	-62.75	-13	-49.75	-71.00	2.102	12.50	H
	2808	-60.53	-13	-47.53	-69.42	2.856	13.90	H
	1400	-67.45	-13	-54.45	-74.42	1.58	10.70	V
	2104	-61.99	-13	-48.99	-70.24	2.10	12.50	V
	2808	-60.18	-13	-47.18	-69.07	2.86	13.90	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.

SA n25 / NR 40MHz / QPSK / ANT1(NR)								
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Low	3705	-60.30	-13	-47.30	-72.56	2.641	14.90	H
	5550	-57.48	-13	-44.48	-69.34	2.94	14.80	H
	7410	-54.77	-13	-41.77	-64.54	3.39	13.16	H
	3705	-60.06	-13	-47.06	-72.32	2.64	14.90	V
	5550	-57.72	-13	-44.72	-69.58	2.94	14.80	V
	7410	-54.92	-13	-41.92	-64.69	3.39	13.16	V
Middle	3735	-60.52	-13	-47.52	-72.78	2.64	14.90	H
	5595	-58.45	-13	-45.45	-70.31	2.94	14.80	H
	7455	-55.72	-13	-42.72	-65.49	3.39	13.16	H
	3735	-60.35	-13	-47.35	-72.61	2.64	14.90	V
	5595	-58.41	-13	-45.41	-70.27	2.94	14.80	V
	7455	-55.94	-13	-42.94	-65.71	3.39	13.16	V
High	3750	-61.18	-13	-48.18	-73.44	2.64	14.90	H
	5625	-58.89	-13	-45.89	-70.75	2.94	14.80	H
	7515	-54.81	-13	-41.81	-64.58	3.39	13.16	H
	3750	-61.16	-13	-48.16	-73.42	2.64	14.90	V
	5625	-58.98	-13	-45.98	-70.84	2.94	14.80	V
	7515	-54.78	-13	-41.78	-64.55	3.39	13.16	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



EN-DC_66A_n25A / LTE 20MHz + NR 40MHz / QPSK / ANT0(LTE) & ANT1(NR)								
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Low	3705	-57.22	-13	-44.22	-69.48	2.64	14.90	H
	5550	-55.70	-13	-42.70	-67.56	2.94	14.80	H
	7410	-53.14	-13	-40.14	-62.91	3.39	13.16	H
	3705	-57.00	-13	-44.00	-69.26	2.64	14.90	V
	5550	-55.58	-13	-42.58	-67.44	2.94	14.80	V
	7410	-53.02	-13	-40.02	-62.79	3.39	13.16	V
Middle	3735	-57.50	-13	-44.50	-69.76	2.64	14.90	H
	5595	-55.57	-13	-42.57	-67.43	2.94	14.80	H
	7455	-52.77	-13	-39.77	-62.54	3.39	13.16	H
	3735	-57.21	-13	-44.21	-69.47	2.64	14.90	V
	5595	-55.71	-13	-42.71	-67.57	2.94	14.80	V
	7455	-52.97	-13	-39.97	-62.74	3.39	13.16	V
High	3750	-57.55	-13	-44.55	-69.81	2.64	14.90	H
	5625	-55.84	-13	-42.84	-67.70	2.94	14.80	H
	7515	-52.53	-13	-39.53	-62.30	3.39	13.16	H
	3750	-57.10	-13	-44.10	-69.36	2.64	14.90	V
	5625	-56.19	-13	-43.19	-68.05	2.94	14.80	V
	7515	-52.77	-13	-39.77	-62.54	3.39	13.16	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.

SA n26 / NR 20MHz / QPSK / ANT0(NR)								
Channel	Frequency (MHz)	ERP (dBm)	Limit (dBm)	Over Limit (dB)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Low	1630	-65.81	-13	-52.81	-72.78	1.58	10.70	H
	2445	-60.67	-13	-47.67	-68.92	2.102	12.50	H
	3260	-61.23	-13	-48.23	-70.12	2.856	13.90	H
	1630	-65.92	-13	-52.92	-72.89	1.58	10.70	V
	2445	-60.27	-13	-47.27	-68.52	2.10	12.50	V
	3260	-61.64	-13	-48.64	-70.53	2.86	13.90	V
Middle	1656	-65.02	-13	-52.02	-71.99	1.58	10.70	H
	2480	-60.67	-13	-47.67	-68.92	2.102	12.50	H
	3312	-61.38	-13	-48.38	-70.27	2.856	13.90	H
	1656	-65.40	-13	-52.40	-72.37	1.58	10.70	V
	2480	-60.85	-13	-47.85	-69.10	2.10	12.50	V
	3312	-61.47	-13	-48.47	-70.36	2.86	13.90	V
High	1664	-66.22	-13	-53.22	-73.19	1.58	10.70	H
	2496	-62.11	-13	-49.11	-70.36	2.102	12.50	H
	3328	-61.74	-13	-48.74	-70.63	2.856	13.90	H
	1664	-65.37	-13	-52.37	-72.34	1.58	10.70	V
	2496	-60.70	-13	-47.70	-68.95	2.10	12.50	V
	3328	-61.95	-13	-48.95	-70.84	2.86	13.90	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



SA n71 / NR 20MHz / QPSK / ANT1(NR)								
Channel	Frequency (MHz)	ERP (dBm)	Limit (dBm)	Over Limit (dB)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Low	1328	-68.48	-13	-55.48	-70.23	1.02	4.92	H
	1992	-59.63	-13	-46.63	-61.60	1.27	5.39	H
	2656	-60.84	-13	-47.84	-63.77	1.49	6.57	H
	1328	-67.59	-13	-54.59	-69.34	1.02	4.92	V
	1992	-61.58	-13	-48.58	-63.55	1.27	5.39	V
	2656	-60.12	-13	-47.12	-63.05	1.49	6.57	V
Middle	1344	-67.96	-13	-54.96	-69.71	1.02	4.92	H
	2016	-59.06	-13	-46.06	-61.03	1.27	5.39	H
	2688	-60.41	-13	-47.41	-63.34	1.49	6.57	H
	1344	-67.06	-13	-54.06	-68.81	1.02	4.92	V
	2016	-60.37	-13	-47.37	-62.34	1.27	5.39	V
	2688	-59.75	-13	-46.75	-62.68	1.49	6.57	V
High	1360	-67.78	-13	-54.78	-69.53	1.02	4.92	H
	2037	-60.13	-13	-47.13	-62.10	1.27	5.39	H
	2712	-60.54	-13	-47.54	-63.47	1.49	6.57	H
	1360	-67.17	-13	-54.17	-68.92	1.02	4.92	V
	2037	-61.22	-13	-48.22	-63.19	1.27	5.39	V
	2712	-59.88	-13	-46.88	-62.81	1.49	6.57	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.

EN-DC 48A n71A / LTE 20MHz + NR 20MHz / QPSK / ANT2(LTE) & ANT1(NR)								
Channel	Frequency (MHz)	ERP (dBm)	Limit (dBm)	Over Limit (dB)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Low	1328	-68.28	-13	-55.28	-70.03	1.02	4.92	H
	1992	-63.12	-13	-50.12	-65.09	1.27	5.39	H
	2656	-60.38	-13	-47.38	-63.31	1.49	6.57	H
	1328	-67.84	-13	-54.84	-69.59	1.02	4.92	V
	1992	-62.41	-13	-49.41	-64.38	1.27	5.39	V
	2656	-60.26	-13	-47.26	-63.19	1.49	6.57	V
Middle	1343	-68.27	-13	-55.27	-70.02	1.02	4.92	H
	2014	-62.57	-13	-49.57	-64.54	1.27	5.39	H
	2686	-60.46	-13	-47.46	-63.39	1.49	6.57	H
	1343	-67.79	-13	-54.79	-69.54	1.02	4.92	V
	2014	-61.86	-13	-48.86	-63.83	1.27	5.39	V
	2686	-59.98	-13	-46.98	-62.91	1.49	6.57	V
High	1360	-67.55	-13	-54.55	-69.30	1.02	4.92	H
	2037	-62.92	-13	-49.92	-64.89	1.27	5.39	H
	2716	-60.34	-13	-47.34	-63.27	1.49	6.57	H
	1360	-67.06	-13	-54.06	-68.81	1.02	4.92	V
	2037	-62.19	-13	-49.19	-64.16	1.27	5.39	V
	2716	-59.95	-13	-46.95	-62.88	1.49	6.57	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.