



Ant 0-Open

Ant 0-Open																						
Mode	Service/Modulation	Channel	Frequency (MHz)	RB Size	RB Offset	Test Position	Spacing	Measured 1g SAR (W/kg)	Average Value of Time Sweep (W/kg)													
									Auto-Tune state 23	1	12	23	34	45	56	67	78	89	100	111	122	133
LTE Band 12	QPSK	23095	707.5	1	0	Back	5mm	0.693	0.735	0.005	0.132	0.892	0.892	0.184	0.527	0.243	0.101	0.101	0.3	0.161	0.101	0.169
Mode	Service/Modulation	Channel	Frequency (MHz)	RB Size	RB Offset	Test Position	Spacing	Measured 1g SAR (W/kg)	Average Value of Time Sweep (W/kg)													
									Auto-Tune state 11	2	13	24	35	46	57	68	79	90	101	112	123	134
LTE Band 12	QPSK	23095	707.5	1	0	Bottom Side	0mm	2.46	5.91	4.31	4.96	2.89	3.15	3.74	1.97	4.01	5.02	3.1	1.24	1.41	1.88	4.39
Mode	Service/Modulation	Channel	Frequency (MHz)	RB Size	RB Offset	Test Position	Spacing	Measured 1g SAR (W/kg)	Average Value of Time Sweep (W/kg)													
									Auto-Tune state 34	3	14	25	36	47	58	69	80	91	102	113	124	135
LTE Band 12	QPSK	23095	707.5	1	0	Right Cheek	0mm	0.237	0.001	0.001	0.001	0.122	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
Mode	Service/Modulation	Channel	Frequency (MHz)	RB Size	RB Offset	Test Position	Spacing	Measured 1g SAR (W/kg)	Average Value of Time Sweep (W/kg)													
									Auto-Tune state 64	4	15	26	37	48	59	70	81	92	103	114	125	136
LTE Band 13	QPSK	23230	782	1	0	Back	5mm	0.945	1.13	0.236	0.279	0.001	0.513	0.001	0.12	0.816	0.187	0.313	0.651	0.001	0.001	0.4
Mode	Service/Modulation	Channel	Frequency (MHz)	RB Size	RB Offset	Test Position	Spacing	Measured 10g SAR (W/kg)	Average Value of Time Sweep (W/kg)													
									Auto-Tune state 50	5	16	27	38	49	60	71	82	93	104	115	126	137
LTE Band 13	QPSK	23230	782	1	0	Bottom Side	0mm	2.53	4.31	0.41	0.821	1.36	2.56	3.69	3.2	1.45	3.05	0.056	3.1	1.51	1.55	2.51
Mode	Service/Modulation	Channel	Frequency (MHz)	RB Size	RB Offset	Test Position	Spacing	Measured 1g SAR (W/kg)	Average Value of Time Sweep (W/kg)													
									Auto-Tune state 20	6	17	28	39	50	61	72	83	94	105	116	127	138
LTE Band 13	QPSK	23230	782	1	0	Right Cheek	0mm	0.191	0.001	0.001	0.001	0.059	0.072	0.072	0.001	0.114	0.001	0.086	0.001	0.001	0.001	0.001
Mode	Service/Modulation	Channel	Frequency (MHz)	RB Size	RB Offset	Test Position	Spacing	Measured 1g SAR (W/kg)	Average Value of Time Sweep (W/kg)													
									Auto-Tune state 131	7	18	29	40	51	62	73	84	95	106	117	128	139
LTE Band 26	QPSK	26865	831.5	1	0	Bottom Side	5mm	0.94	1.12	0.436	1.028	0.435	0.509	0.703	0.568	0.683	0.516	0.817	0.814	0.591	0.799	0.925
Mode	Service/Modulation	Channel	Frequency (MHz)	RB Size	RB Offset	Test Position	Spacing	Measured 10g SAR (W/kg)	Average Value of Time Sweep (W/kg)													
									Auto-Tune state 121	8	19	30	41	52	63	74	85	96	107	118	129	140
LTE Band 26	QPSK	26865	831.5	1	0	Bottom Side	0mm	1.7	5.34	0.164	4.36	2.06	2.79	2.13	0.436	2.03	0.513	4.01	5.23	4.52	0.173	0.988
Mode	Service/Modulation	Channel	Frequency (MHz)	RB Size	RB Offset	Test Position	Spacing	Measured 1g SAR (W/kg)	Average Value of Time Sweep (W/kg)													
									Auto-Tune state 20	9	20	31	42	53	64	75	86	97	108	119	130	141
LTE Band 26	QPSK	26865	831.5	1	0	Right Cheek	0mm	0.237	0.001	0.054	0.001	0.073	0.001	0.001	0.124	0.069	0.171	0.001	0.052	0.15	0.145	0.001
Mode	Service/Modulation	Channel	Frequency (MHz)	RB Size	RB Offset	Test Position	Spacing	Measured 1g SAR (W/kg)	Average Value of Time Sweep (W/kg)													
									Auto-Tune state 116	10	21	32	43	54	65	76	87	98	109	120	131	142
FR1 n26	QPSK	166300	831.5	50	28	Bottom Side	5 mm	0.996	1.1	0.275	0.121	0.312	0.001	0.336	0.545	0.364	0.724	0.212	0.417	1.02	1.01	0.828
Mode	Service/Modulation	Channel	Frequency (MHz)	RB Size	RB Offset	Test Position	Spacing	Measured 1g SAR (W/kg)	Average Value of Time Sweep (W/kg)													
									Auto-Tune state 116	11	22	33	44	55	66	77	88	99	110	121	132	143
FR1 n26	QPSK	166300	831.5	50	28	Right Cheek	0mm	0.183	0.13	0.055	0.001	0.066	0.06	0.068	0.103	0.063	0.136	0.001	0.001	0.144	0.113	0.001
Mode	Service/Modulation	Channel	Frequency (MHz)	RB Size	RB Offset	Test Position	Spacing	Measured 10g SAR (W/kg)	Average Value of Time Sweep (W/kg)													
									Auto-Tune state 107	12	23	34	45	56	67	78	89	100	111	122	133	144
FR1 n26	QPSK	166300	831.5	1	1	Bottom Side	0mm	1.060	4.73	3.05	2.16	1.98	0.974	0.001	3.87	78	89	0.028	3.01	2.03	3.87	3.95





Ann 0- Close

Model	Service/ Maintenance	Channel	Frequency (Perd)	HS Size	HS Office	Dist. Region	Service LG/SA/ O/S/SA	Percentage Value of Total Expense (Perd)																											
								Perd-1	Perd-2	Perd-3	Perd-4	Perd-5	Perd-6	Perd-7	Perd-8	Perd-9	Perd-10	Perd-11	Perd-12	Perd-13	Perd-14	Perd-15	Perd-16	Perd-17	Perd-18	Perd-19	Perd-20	Perd-21	Perd-22	Perd-23	Perd-24	Perd-25	Perd-26	Perd-27	Perd-28
Model 1	Service/ Maintenance	Channel 1	Frequency (Perd) 1	HS Size 1	HS Office 1	Dist. Region 1	Service LG/SA/ O/S/SA 1	Perd-1	Perd-2	Perd-3	Perd-4	Perd-5	Perd-6	Perd-7	Perd-8	Perd-9	Perd-10	Perd-11	Perd-12	Perd-13	Perd-14	Perd-15	Perd-16	Perd-17	Perd-18	Perd-19	Perd-20	Perd-21	Perd-22	Perd-23	Perd-24	Perd-25	Perd-26	Perd-27	Perd-28
Model 2	Service/ Maintenance	Channel 2	Frequency (Perd) 2	HS Size 2	HS Office 2	Dist. Region 2	Service LG/SA/ O/S/SA 2	Perd-1	Perd-2	Perd-3	Perd-4	Perd-5	Perd-6	Perd-7	Perd-8	Perd-9	Perd-10	Perd-11	Perd-12	Perd-13	Perd-14	Perd-15	Perd-16	Perd-17	Perd-18	Perd-19	Perd-20	Perd-21	Perd-22	Perd-23	Perd-24	Perd-25	Perd-26	Perd-27	Perd-28
Model 3	Service/ Maintenance	Channel 3	Frequency (Perd) 3	HS Size 3	HS Office 3	Dist. Region 3	Service LG/SA/ O/S/SA 3	Perd-1	Perd-2	Perd-3	Perd-4	Perd-5	Perd-6	Perd-7	Perd-8	Perd-9	Perd-10	Perd-11	Perd-12	Perd-13	Perd-14	Perd-15	Perd-16	Perd-17	Perd-18	Perd-19	Perd-20	Perd-21	Perd-22	Perd-23	Perd-24	Perd-25	Perd-26	Perd-27	Perd-28
Model 4	Service/ Maintenance	Channel 4	Frequency (Perd) 4	HS Size 4	HS Office 4	Dist. Region 4	Service LG/SA/ O/S/SA 4	Perd-1	Perd-2	Perd-3	Perd-4	Perd-5	Perd-6	Perd-7	Perd-8	Perd-9	Perd-10	Perd-11	Perd-12	Perd-13	Perd-14	Perd-15	Perd-16	Perd-17	Perd-18	Perd-19	Perd-20	Perd-21	Perd-22	Perd-23	Perd-24	Perd-25	Perd-26	Perd-27	Perd-28



Ant 1-Open

Mode	Service/Modulation	Channel	Frequency (MHz)	RB Size	RB Offset	Test Position	Spacing	Measured 1g SAR (W/kg)	Average Value of Time Sweep (W/kg)					
									Auto-Tune state 26	1	35	69	103	137
LTE Band 12	QPSK	2305	707.5	1	0	Back	5mm	0.72	1.03	0.022	0.022	0.785	0.484	0.176
Mode	Service/Modulation	Channel	Frequency (MHz)	RB Size	RB Offset	Test Position	Spacing	Measured 1g SAR (W/kg)	Average Value of Time Sweep (W/kg)					
LTE Band 12	QPSK	2305	707.5	1	0	Left Side	0mm	1.79	Auto-Tune state 23	2	36	70	104	138
Mode	Service/Modulation	Channel	Frequency (MHz)	RB Size	RB Offset	Test Position	Spacing	Measured 1g SAR (W/kg)	Average Value of Time Sweep (W/kg)					
LTE Band 12	QPSK	2305	707.5	1	0	Right Cheek	0mm	0.719	Auto-Tune state 22	3	37	71	105	139
Mode	Service/Modulation	Channel	Frequency (MHz)	RB Size	RB Offset	Test Position	Spacing	Measured 1g SAR (W/kg)	Average Value of Time Sweep (W/kg)					
LTE Band 13	QPSK	2320	782	1	0	Back	5mm	0.739	Auto-Tune state 49	4	38	72	106	140
Mode	Service/Modulation	Channel	Frequency (MHz)	RB Size	RB Offset	Test Position	Spacing	Measured 1g SAR (W/kg)	Average Value of Time Sweep (W/kg)					
LTE Band 13	QPSK	2320	782	1	0	Back	0mm	1.46	Auto-Tune state 42	5	39	73	107	141
Mode	Service/Modulation	Channel	Frequency (MHz)	RB Size	RB Offset	Test Position	Spacing	Measured 1g SAR (W/kg)	Average Value of Time Sweep (W/kg)					
LTE Band 13	QPSK	2320	782	25	0	Right Cheek	0mm	0.727	Auto-Tune state 45	6	40	74	108	142
Mode	Service/Modulation	Channel	Frequency (MHz)	RB Size	RB Offset	Test Position	Spacing	Measured 1g SAR (W/kg)	Average Value of Time Sweep (W/kg)					
LTE Band 26	QPSK	2685	831.5	1	0	Back	5mm	0.72	Auto-Tune state 66	7	41	75	109	143
Mode	Service/Modulation	Channel	Frequency (MHz)	RB Size	RB Offset	Test Position	Spacing	Measured 1g SAR (W/kg)	Average Value of Time Sweep (W/kg)					
LTE Band 26	QPSK	2685	831.5	1	0	Left Side	0mm	1.71	Auto-Tune state 69	8	42	76	110	144
Mode	Service/Modulation	Channel	Frequency (MHz)	RB Size	RB Offset	Test Position	Spacing	Measured 1g SAR (W/kg)	Average Value of Time Sweep (W/kg)					
LTE Band 26	QPSK	2685	831.5	1	0	Right Cheek	0mm	0.762	Auto-Tune state 66	9	43	77	111	
Mode	Service/Modulation	Channel	Frequency (MHz)	RB Size	RB Offset	Test Position	Spacing	Measured 1g SAR (W/kg)	Average Value of Time Sweep (W/kg)					
LTE Band 66	QPSK	13252	1770	1	0	Back	5mm	0.722	Auto-Tune state 114	10	44	78	112	
Mode	Service/Modulation	Channel	Frequency (MHz)	RB Size	RB Offset	Test Position	Spacing	Measured 1g SAR (W/kg)	Average Value of Time Sweep (W/kg)					
LTE Band 66	QPSK	13222	1745	1	0	Front	0mm	1.87	Auto-Tune state 74	11	45	79	113	
Mode	Service/Modulation	Channel	Frequency (MHz)	RB Size	RB Offset	Test Position	Spacing	Measured 1g SAR (W/kg)	Average Value of Time Sweep (W/kg)					
LTE Band 66	QPSK	13252	1770	1	0	Right Cheek	0mm	0.703	Auto-Tune state 113	12	46	80	114	
Mode	Service/Modulation	Channel	Frequency (MHz)	RB Size	RB Offset	Test Position	Spacing	Measured 1g SAR (W/kg)	Average Value of Time Sweep (W/kg)					
LTE Band 25	QPSK	26140	1800	1	0	Front	5mm	0.719	Auto-Tune state 35	13	47	81	115	
Mode	Service/Modulation	Channel	Frequency (MHz)	RB Size	RB Offset	Test Position	Spacing	Measured 1g SAR (W/kg)	Average Value of Time Sweep (W/kg)					
LTE Band 25	QPSK	26340	1800	1	0	Front	0mm	1.88	Auto-Tune state 90	14	48	82	116	
Mode	Service/Modulation	Channel	Frequency (MHz)	RB Size	RB Offset	Test Position	Spacing	Measured 1g SAR (W/kg)	Average Value of Time Sweep (W/kg)					
LTE Band 25	QPSK	26140	1800	1	0	Right Cheek	0mm	0.708	Auto-Tune state 35	15	49	83	117	
Mode	Service/Modulation	Channel	Frequency (MHz)	RB Size	RB Offset	Test Position	Spacing	Measured 1g SAR (W/kg)	Average Value of Time Sweep (W/kg)					
LTE Band 7	QPSK	21100	2535	1	0	Front	5mm	0.754	Auto-Tune state 35	16	50	84	118	
Mode	Service/Modulation	Channel	Frequency (MHz)	RB Size	RB Offset	Test Position	Spacing	Measured 1g SAR (W/kg)	Average Value of Time Sweep (W/kg)					
LTE Band 7	QPSK	21100	2535	1	0	Left Side	0mm	1.24	Auto-Tune state 91	17	51	85	119	
Mode	Service/Modulation	Channel	Frequency (MHz)	RB Size	RB Offset	Test Position	Spacing	Measured 1g SAR (W/kg)	Average Value of Time Sweep (W/kg)					
LTE Band 7	QPSK	21100	2535	1	0	Right Cheek	0mm	0.708	Auto-Tune state 0	18	52	86	120	
Mode	Service/Modulation	Channel	Frequency (MHz)	RB Size	RB Offset	Test Position	Spacing	Measured 1g SAR (W/kg)	Average Value of Time Sweep (W/kg)					
LTE Band 41 HPUE	QPSK	40520	2503	1	0	Front	5mm	0.798	Auto-Tune state 35	19	53	87	121	
Mode	Service/Modulation	Channel	Frequency (MHz)	RB Size	RB Offset	Test Position	Spacing	Measured 1g SAR (W/kg)	Average Value of Time Sweep (W/kg)					
LTE Band 41 HPUE	QPSK	40520	2503	1	0	Left Side	0mm	2.08	Auto-Tune state 61	20	54	88	122	
Mode	Service/Modulation	Channel	Frequency (MHz)	RB Size	RB Offset	Test Position	Spacing	Measured 1g SAR (W/kg)	Average Value of Time Sweep (W/kg)					
LTE Band 41	QPSK	40520	2503	1	0	Right Cheek	0mm	0.67	Auto-Tune state 35	21	55	89	123	
Mode	Service/Modulation	Channel	Frequency (MHz)	RB Size	RB Offset	Test Position	Spacing	Measured 1g SAR (W/kg)	Average Value of Time Sweep (W/kg)					
FR1 n26	QPSK	166300	831.5	100	0	Front	5mm	0.701	Auto-Tune state 5	22	56	90	124	
Mode	Service/Modulation	Channel	Frequency (MHz)	RB Size	RB Offset	Test Position	Spacing	Measured 1g SAR (W/kg)	Average Value of Time Sweep (W/kg)					
FR1 n26	QPSK	166300	831.5	100	0	Right Cheek	0mm	0.737	Auto-Tune state 5	23	57	91	125	
Mode	Service/Modulation	Channel	Frequency (MHz)	RB Size	RB Offset	Test Position	Spacing	Measured 1g SAR (W/kg)	Average Value of Time Sweep (W/kg)					
FR1 n26	QPSK	166800	831.5	100	0	Back	0mm	1.71	Auto-Tune state 15	24	58	92	126	
Mode	Service/Modulation	Channel	Frequency (MHz)	RB Size	RB Offset	Test Position	Spacing	Measured 1g SAR (W/kg)	Average Value of Time Sweep (W/kg)					
FR1 n66	QPSK	345000	1745	108	54	Front	5mm	0.755	Auto-Tune state 144	25	59	93	127	
Mode	Service/Modulation	Channel	Frequency (MHz)	RB Size	RB Offset	Test Position	Spacing	Measured 1g SAR (W/kg)	Average Value of Time Sweep (W/kg)					
FR1 n66	QPSK	349000	1745	108	54	Front	0mm	1.92	Auto-Tune state 130	26	60	94	128	
Mode	Service/Modulation	Channel	Frequency (MHz)	RB Size	RB Offset	Test Position	Spacing	Measured 1g SAR (W/kg)	Average Value of Time Sweep (W/kg)					
FR1 n66	QPSK	345000	1745	108	54	Right Cheek	0mm	0.723	Auto-Tune state 1	27	61	95	129	
Mode	Service/Modulation	Channel	Frequency (MHz)	RB Size	RB Offset	Test Position	Spacing	Measured 1g SAR (W/kg)	Average Value of Time Sweep (W/kg)					
FR1 n2	QPSK	376000	1800	90	38	Front	5mm	0.773	Auto-Tune state 36	28	62	96	130	
Mode	Service/Modulation	Channel	Frequency (MHz)	RB Size	RB Offset	Test Position	Spacing	Measured 1g SAR (W/kg)	Average Value of Time Sweep (W/kg)					
FR1 n2	QPSK	376000	1800	1	1	Back	0mm	1.89	Auto-Tune state 144	27	61	95	129	
Mode	Service/Modulation	Channel	Frequency (MHz)	RB Size	RB Offset	Test Position	Spacing	Measured 1g SAR (W/kg)	Average Value of Time Sweep (W/kg)					
FR1 n2	QPSK	376000	1800	1	1	Right Cheek	0mm	0.794	Auto-Tune state 36	28	62	96	130	
Mode	Service/Modulation	Channel	Frequency (MHz)	RB Size	RB Offset	Test Position	Spacing	Measured 1g SAR (W/kg)	Average Value of Time Sweep (W/kg)					
FR1 n7	QPSK	507000	2535	108	54	Back	5mm	0.744	Auto-Tune state 1	29	63	97	131	
Mode	Service/Modulation	Channel	Frequency (MHz)	RB Size	RB Offset	Test Position	Spacing	Measured 1g SAR (W/kg)	Average Value of Time Sweep (W/kg)					
FR1 n7	QPSK	507000	2535	108	54	Left Side	0mm	2.06	Auto-Tune state 91	30	64	98	132	
Mode	Service/Modulation	Channel	Frequency (MHz)	RB Size	RB Offset	Test Position	Spacing	Measured 1g SAR (W/kg)	Average Value of Time Sweep (W/kg)					
FR1 n7	QPSK	507000	2535	1	1	Right Cheek	0mm	0.737	Auto-Tune state 1	31	65	99	133	
Mode	Service/Modulation	Channel	Frequency (MHz)	RB Size	RB Offset	Test Position	Spacing	Measured 1g SAR (W/kg)	Average Value of Time Sweep (W/kg)					
FR1 n41	QPSK	518598	2552.99	1	1	Back	5mm	0.666	Auto-Tune state 36	32	66	100	134	
Mode	Service/Modulation	Channel	Frequency (MHz)	RB Size	RB Offset	Test Position	Spacing	Measured 1g SAR (W/kg)	Average Value of Time Sweep (W/kg)					
FR1 n41	QPSK	518598	2552.99	1	1	Left Side	0mm	1.81	Auto-Tune state 90	33	67	101	135	
Mode	Service/Modulation	Channel	Frequency (MHz)	RB Size	RB Offset	Test Position	Spacing	Measured 1g SAR (W/kg)	Average Value of Time Sweep (W/kg)					
FR1 n41	QPSK	518598	2552.99	135	69	Right Cheek	0mm	0.745	Auto-Tune state 30	34	68	102	136	



Body>1.2 Ant 1-open

Table with columns: Mode, Service/Modulation, Channel, Frequency (MHz), RB Size, RB Offset, Test Position, Spacing, Measured 10g SAR (W/kg), Auto-Tune state 33, and Average Value of Time Sweep (W/kg) with 20 sub-columns.

Table with columns: Mode, Service/Modulation, Channel, Frequency (MHz), RB Size, RB Offset, Test Position, Spacing, Measured 10g SAR (W/kg), Auto-Tune state 42, and Average Value of Time Sweep (W/kg) with 20 sub-columns.

Table with columns: Mode, Service/Modulation, Channel, Frequency (MHz), RB Size, RB Offset, Test Position, Spacing, Measured 10g SAR (W/kg), Auto-Tune state 122, and Average Value of Time Sweep (W/kg) with 20 sub-columns.

Table with columns: Mode, Service/Modulation, Channel, Frequency (MHz), RB Size, RB Offset, Test Position, Spacing, Measured 10g SAR (W/kg), Auto-Tune state 74, and Average Value of Time Sweep (W/kg) with 20 sub-columns.

Table with columns: Mode, Service/Modulation, Channel, Frequency (MHz), RB Size, RB Offset, Test Position, Spacing, Measured 10g SAR (W/kg), Auto-Tune state 90, and Average Value of Time Sweep (W/kg) with 20 sub-columns.

Table with columns: Mode, Service/Modulation, Channel, Frequency (MHz), RB Size, RB Offset, Test Position, Spacing, Measured 10g SAR (W/kg), Auto-Tune state 91, and Average Value of Time Sweep (W/kg) with 20 sub-columns.

Table with columns: Mode, Service/Modulation, Channel, Frequency (MHz), RB Size, RB Offset, Test Position, Spacing, Measured 10g SAR (W/kg), Auto-Tune state 61, and Average Value of Time Sweep (W/kg) with 20 sub-columns.

Table with columns: Mode, Service/Modulation, Channel, Frequency (MHz), RB Size, RB Offset, Test Position, Spacing, Measured 10g SAR (W/kg), Auto-Tune state 130, and Average Value of Time Sweep (W/kg) with 20 sub-columns.





**Ant 1-Close**

Average Value of Time Sweep (W/kg)																					
Mode	Service/Modulation	Channel	Frequency (MHz)	RB Size	RB Offset	Test Position	Spacing	Measured 1g SAR (W/kg)	Auto-Tune state 21	1	13	25	37	49	61	73	85	97	109	121	133
LTE Band 12	QPSK	23095	707.5	1	0	Front	5mm	0.708	0.91	0.037	0.22	0.841	0.037	0.423	0.475	0.347	0.236	0.398	0.48	0.422	0.446
Average Value of Time Sweep (W/kg)																					
Mode	Service/Modulation	Channel	Frequency (MHz)	RB Size	RB Offset	Test Position	Spacing	Measured 1g SAR (W/kg)	Auto-Tune state 46	2	14	26	38	50	62	74	86	98	110	122	134
LTE Band 13	QPSK	23230	782	1	0	Front	5mm	0.702	0.985	0.255	0.784	0.495	0.475	0.981	0.848	0.538	0.626	0.373	0.554	0.247	0.158
Average Value of Time Sweep (W/kg)																					
Mode	Service/Modulation	Channel	Frequency (MHz)	RB Size	RB Offset	Test Position	Spacing	Measured 1g SAR (W/kg)	Auto-Tune state 56	3	15	27	39	51	63	75	87	99	111	123	135
LTE Band 26	QPSK	26865	831.5	1	0	Front	5mm	1.08	0.681	0.649	0.978	0.398	0.955	0.535	0.205	0.627	0.62	0.63	0.22	0.65	0.34
Average Value of Time Sweep (W/kg)																					
Mode	Service/Modulation	Channel	Frequency (MHz)	RB Size	RB Offset	Test Position	Spacing	Measured 1g SAR (W/kg)	Auto-Tune state 113	4	16	28	40	52	64	76	88	100	112	124	136
LTE Band 66	QPSK	132572	1770	1	0	Front	5mm	0.69	0.918	0.432	0.312	0.367	0.292	0.394	0.743	0.353	0.56	0.83	0.3	0.872	0.36
Average Value of Time Sweep (W/kg)																					
Mode	Service/Modulation	Channel	Frequency (MHz)	RB Size	RB Offset	Test Position	Spacing	Measured 1g SAR (W/kg)	Auto-Tune state 0	5	17	29	41	53	65	77	89	101	113	125	137
LTE Band 25	QPSK	26340	1880	1	0	Front	5mm	0.718	0.959	0.27	0.238	0.398	0.48	0.422	0.446	0.504	0.51	0.68	0.46	0.72	0.47
Average Value of Time Sweep (W/kg)																					
Mode	Service/Modulation	Channel	Frequency (MHz)	RB Size	RB Offset	Test Position	Spacing	Measured 1g SAR (W/kg)	Auto-Tune state 34	6	18	30	42	54	66	78	90	102	114	126	138
LTE Band 7	QPSK	21100	2535	1	0	Front	5mm	0.767	0.941	0.615	0.728	0.478	0.767	0.557	0.478	0.555	0.68	0.85	0.06	0.72	0.56
Average Value of Time Sweep (W/kg)																					
Mode	Service/Modulation	Channel	Frequency (MHz)	RB Size	RB Offset	Test Position	Spacing	Measured 1g SAR (W/kg)	Auto-Tune state 35	7	19	31	43	55	67	79	91	103	115	127	139
LTE Band 41	QPSK	40620	2593	1	0	Front	5mm	0.684	0.872	0.591	0.616	0.597	0.641	0.574	0.651	0.797	0.58	0.678	0.43	0.67	0.42
Average Value of Time Sweep (W/kg)																					
Mode	Service/Modulation	Channel	Frequency (MHz)	RB Size	RB Offset	Test Position	Spacing	Measured 1g SAR (W/kg)	Auto-Tune state 8	8	20	32	44	56	68	80	92	104	116	128	140
FR1 n26	QPSK	166300	831.5	50	28	Front	5 mm	0.782	0.935	0.882	0.125	0.438	0.25	0.665	0.001	0.65	0.69	0.34	0.7	0.57	0.22
Average Value of Time Sweep (W/kg)																					
Mode	Service/Modulation	Channel	Frequency (MHz)	RB Size	RB Offset	Test Position	Spacing	Measured 1g SAR (W/kg)	Auto-Tune state 114	9	21	33	45	57	69	81	93	105	117	129	141
FR1 n66	QPSK	349000	1745	108	54	Front	5mm	0.699	0.813	0.882	0.109	0.381	0.217	0.578	0.001	0.33	0.72	0.76	0.4	0.69	0.66
Average Value of Time Sweep (W/kg)																					
Mode	Service/Modulation	Channel	Frequency (MHz)	RB Size	RB Offset	Test Position	Spacing	Measured 1g SAR (W/kg)	Auto-Tune state 36	10	22	34	46	58	70	82	94	106	118	130	142
FR1 n2	QPSK	376000	1880	1	1	Front	5mm	0.991	0.381	0.219	0.596	0.261	0.317	0.304	0.41	0.8	0.52	0.69	0.45	0.241	
Average Value of Time Sweep (W/kg)																					
Mode	Service/Modulation	Channel	Frequency (MHz)	RB Size	RB Offset	Test Position	Spacing	Measured 1g SAR (W/kg)	Auto-Tune state 1	11	23	35	47	59	71	83	95	107	119	131	143
FR1 n7	QPSK	507000	2535	108	54	Front	5mm	0.672	0.951	0.598	0.658	0.935	0.688	0.585	0.59	0.7	0.83	0.22	0.63	0.53	0.578
Average Value of Time Sweep (W/kg)																					
Mode	Service/Modulation	Channel	Frequency (MHz)	RB Size	RB Offset	Test Position	Spacing	Measured 1g SAR (W/kg)	Auto-Tune state 36	12	24	36	48	60	72	84	96	108	120	132	144
FR1 n41	QPSK	518598	2592.99	135	69	Front	5 mm	0.697	0.951	0.598	0.658	0.935	0.688	0.585	0.59	0.51	0.85	0.11	0.69	0.25	0.321