









Test Graphs













Date: 1.FEB.2024 18:30:07






Date: 1.FEB.2024 18:32:45














Date: 1.FEB.2024 18:55:52





Date: 1.FEB.2024 18:52:13







Date: 1.FEB.2024 18:54:11







Date: 1.FEB.2024 18:56:10


















Date: 1.FEB.2024 19:06:05




Date: 1.FEB.2024 19:08:43










Date: 1.FEB.2024 19:14:21




Date: 1.FEB.2024 19:10:42









Date: 1.FEB.2024 22:01:04





Date: 1.FEB.2024 21:56:47




Date: 1.FEB.2024 21:58:46




Date: 1.FEB.2024 22:01:22











Date: 1.FEB.2024 19:20:57





Date: 1.FEB.2024 19:16:37












Appendix B. AC Conducted Emission Test Results

Test Engineer :	FangMing Liang	Temperature :	22~24°C
		Relative Humidity :	44~50%
Test Voltage :	120Vac / 60Hz	Phase :	Line
Remark :	All emissions not reported here are more than 10 dB below the prescribed limit.		




Site : C001-SZ
 Condition: FCC 15E_QP AC LISN 100063_L LINE

	Freq	Level	Over Limit	Limit Line	Read Level	LISN Factor	Cable Loss	Remark
	MHz	dBuV	dB	dBuV	dBuV	dB	dB	
1	0.16	32.47	-23.13	55.60	12.00	10.33	10.14	Average
2	0.16	49.37	-16.23	65.60	28.90	10.33	10.14	QP
3	0.24	27.98	-24.28	52.26	7.61	10.22	10.15	Average
4	0.24	41.48	-20.78	62.26	21.11	10.22	10.15	QP
5 *	0.31	39.13	-10.84	49.97	18.90	10.08	10.15	Average
6	0.31	35.43	-24.54	59.97	15.20	10.08	10.15	QP
7	0.39	26.76	-21.32	48.08	6.19	10.41	10.16	Average
8	0.39	42.66	-15.42	58.08	22.09	10.41	10.16	QP
9	0.47	25.37	-21.12	46.49	4.90	10.31	10.16	Average
10	0.47	34.87	-21.62	56.49	14.40	10.31	10.16	QP
11	22.06	35.20	-14.80	50.00	14.39	10.16	10.65	Average
12	22.06	40.10	-19.90	60.00	19.29	10.16	10.65	QP



Test Engineer :	FangMing Liang	Temperature :	22~24°C
		Relative Humidity :	44~50%
Test Voltage :	120Vac / 60Hz	Phase :	Neutral
Remark :	All emissions not reported here are more than 10 dB below the prescribed limit.		



Site : CO01-SZ
 Condition: FCC 15E QP AC LISN 100063 N NEUTRAL

	Freq	Level	Over	Limit	Read	LISN	Cable	
	MHz	dBuV	Limit	Line	Level	Factor	Loss	Remark
			dB	dBuV	dBuV	dB	dB	
1	0.15	38.51	-17.36	55.87	18.20	10.18	10.13	Average
2	0.15	44.91	-20.96	65.87	24.60	10.18	10.13	QP
3	0.22	35.57	-17.31	52.88	15.20	10.22	10.15	Average
4	0.22	41.37	-21.51	62.88	21.00	10.22	10.15	QP
5	0.61	27.83	-18.17	46.00	7.50	10.17	10.16	Average
6	0.61	38.83	-17.17	56.00	18.50	10.17	10.16	QP
7 *	0.75	30.86	-15.14	46.00	10.40	10.30	10.16	Average
8	0.75	39.26	-16.74	56.00	18.80	10.30	10.16	QP
9	0.99	24.99	-21.01	46.00	4.60	10.23	10.16	Average
10	0.99	35.89	-20.11	56.00	15.50	10.23	10.16	QP
11	20.92	32.71	-17.29	50.00	12.01	10.10	10.60	Average
12	20.92	37.81	-22.19	60.00	17.11	10.10	10.60	QP

Note:

- Level(dBμV) = Read Level(dBμV) + LISN Factor(dB) + Cable Loss(dB)
- Over Limit(dB) = Level(dBμV) – Limit Line(dBμV)



Appendix C. Radiated Spurious Emission Test Data

Test Engineer :	Shunping You	Relative Humidity :	50%
		Temperature :	23~24

Radiated Spurious Emission Test Modes

Mode	Band	Band (GHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 1	U-NII-5	5.925-6.425	5+7	802.11a	1	5955	6Mbps	-	-
Mode 2	U-NII-5	5.925-6.425	5+7	802.11a	45	6175	6Mbps	-	-
Mode 3	U-NII-5	5.925-6.425	5+7	802.11a	93	6415	6Mbps	-	-
Mode 4	U-NII-6	6.425-6.525	5+7	802.11a	97	6435	6Mbps	-	-
Mode 5	U-NII-6	6.425-6.525	5+7	802.11a	105	6475	6Mbps	-	-
Mode 6	U-NII-6	6.425-6.525	5+7	802.11a	113	6515	6Mbps	-	-
Mode 7	U-NII-7	6.525-6.875	5+7	802.11a	117	6535	6Mbps	-	-
Mode 8	U-NII-7	6.525-6.875	5+7	802.11a	149	6695	6Mbps	-	-
Mode 9	U-NII-7	6.525-6.875	5+7	802.11a	181	6855	6Mbps	-	-
Mode 10	U-NII-8	6.875-7.125	5+7	802.11a	189	6895	6Mbps	-	-
Mode 11	U-NII-8	6.875-7.125	5+7	802.11a	209	6995	6Mbps	-	-
Mode 12	U-NII-8	6.875-7.125	5+7	802.11a	229	7095	MCS0	-	-
Mode 13	U-NII-8	6.875-7.125	5+7	802.11a	185	6525	MCS0	-	-
Mode 14	U-NII-5	5.925-6.425	5+7	802.11ax HE20	1	5955	MCS0	Full RU	-
Mode 15	U-NII-5	5.925-6.425	5+7	802.11ax HE20	45	6175	MCS0	Full RU	-
Mode 16	U-NII-5	5.925-6.425	5+7	802.11ax HE20	93	6415	MCS0	Full RU	-
Mode 17	U-NII-6	6.425-6.525	5+7	802.11ax HE20	97	6435	MCS0	Full RU	-
Mode 18	U-NII-6	6.425-6.525	5+7	802.11ax HE20	105	6475	MCS0	Full RU	-
Mode 19	U-NII-6	6.425-6.525	5+7	802.11ax HE20	113	6515	MCS0	Full RU	-
Mode 20	U-NII-7	6.525-6.875	5+7	802.11ax HE20	117	6535	MCS0	Full RU	-
Mode 21	U-NII-7	6.525-6.875	5+7	802.11ax HE20	149	6695	MCS0	Full RU	-
Mode 22	U-NII-7	6.525-6.875	5+7	802.11ax HE20	181	6855	MCS0	Full RU	-
Mode 23	U-NII-8	6.875-7.125	5+7	802.11ax HE20	189	6895	MCS0	Full RU	-
Mode 24	U-NII-8	6.875-7.125	5+7	802.11ax HE20	209	6995	MCS0	Full RU	-
Mode 25	U-NII-8	6.875-7.125	5+7	802.11ax HE20	229	7095	MCS0	Full RU	-
Mode 26	U-NII-5	5.925-6.425	5+7	802.11ax HE40	3	5965	MCS0	Full RU	-
Mode 27	U-NII-5	5.925-6.425	5+7	802.11ax HE40	43	6165	MCS0	Full RU	-
Mode 28	U-NII-5	5.925-6.425	5+7	802.11ax HE40	91	6405	MCS0	Full RU	-
Mode 29	U-NII-6	6.425-6.525	5+7	802.11ax HE40	99	6445	MCS0	Full RU	-
Mode 30	U-NII-6	6.425-6.525	5+7	802.11ax HE40	107	6485	MCS0	Full RU	-
Mode 31	U-NII-7	6.525-6.875	5+7	802.11ax HE40	123	6565	MCS0	Full RU	-
Mode 32	U-NII-7	6.525-6.875	5+7	802.11ax HE40	147	6685	MCS0	Full RU	-
Mode 33	U-NII-7	6.525-6.875	5+7	802.11ax HE40	179	6845	MCS0	Full RU	-
Mode 34	U-NII-8	6.875-7.125	5+7	802.11ax HE40	195	6925	MCS0	Full RU	-
Mode 35	U-NII-8	6.875-7.125	5+7	802.11ax HE40	203	6965	MCS0	Full RU	-
Mode 36	U-NII-8	6.875-7.125	5+7	802.11ax HE40	227	7085	MCS0	Full RU	-
Mode 37	U-NII-5	5.925-6.425	5+7	802.11ax HE80	7	5985	MCS0	Full RU	-
Mode 38	U-NII-5	5.925-6.425	5+7	802.11ax HE80	39	6145	MCS0	Full RU	-
Mode 39	U-NII-5	5.925-6.425	5+7	802.11ax HE80	87	6385	MCS0	Full RU	-



Mode	Band	Band (GHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 40	U-NII-6	6.425-6.525	5+7	802.11ax HE80	103	6465	MCS0	Full RU	-
Mode 41	U-NII-7	6.525-6.875	5+7	802.11ax HE80	135	6625	MCS0	Full RU	-
Mode 42	U-NII-7	6.525-6.875	5+7	802.11ax HE80	151	6705	MCS0	Full RU	-
Mode 43	U-NII-7	6.525-6.875	5+7	802.11ax HE80	167	6785	MCS0	Full RU	-
Mode 44	U-NII-8	6.875-7.125	5+7	802.11ax HE80	199	6945	MCS0	Full RU	-
Mode 45	U-NII-8	6.875-7.125	5+7	802.11ax HE80	215	7025	MCS0	Full RU	-
Mode 46	U-NII-5	5.925-6.425	5+7	802.11ax HE160	15	6025	MCS0	Full RU	-
Mode 47	U-NII-5	5.925-6.425	5+7	802.11ax HE160	47	6185	MCS0	Full RU	-
Mode 48	U-NII-5	5.925-6.425	5+7	802.11ax HE160	79	6345	MCS0	Full RU	-
Mode 49	U-NII-7	6.525-6.875	5+7	802.11ax HE160	143	6665	MCS0	Full RU	-
Mode 50	U-NII-8	6.875-7.125	5+7	802.11ax HE160	207	6985	MCS0	Full RU	-
Mode 51	UNII-7-8	6525-7125	5+7	802.11ax HE20	185	6525	MCS0	Full RU	-
Mode 52	UNII-7-8	6525-7125	5+7	802.11ax HE40	187	6885	MCS0	Full RU	-
Mode 53	UNII-7-8	6525-7125	5+7	802.11ax HE80	183	6865	MCS0	Full RU	-
Mode 54	UNII-7-8	6525-7125	5+7	802.11ax HE160	175	6825	MCS0	Full RU	-
Mode 55	UNII-6-7	6425-6875	5+7	802.11ax HE40	115	6525	MCS0	Full RU	-
Mode 56	UNII-6-7	6425-6875	5+7	802.11ax HE80	119	6545	MCS0	Full RU	-
Mode 57	UNII-6-7	6425-6875	5+7	802.11ax HE160	111	6505	MCS0	Full RU	-
Mode 58	U-NII-5	5.925-6.425	5+7	802.11ax HE20	1	5955	MCS0	Partial RU26/0	
Mode 59	U-NII-8	6.875-7.125	5+7	802.11ax HE20	229	7095	MCS0	Partial RU52/40	
Mode 60	U-NII-8	6.875-7.125	5+7	802.11ax HE160	207	6985	MCS0	-	LF
Mode 61	Co-location	2400-2483.5	3	Bluetooth-LE_GSKF	00	2402	2Mbps	-	-
		6.875-7.125	5+7	802.11ax HE160	207	6985	MCS0	Full RU	
		-	6	LTE Band 41	-	-	-	-	-



Summary of each worse mode

Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
1	802.11a	1	5891.43	41.04	68.20	-27.16	V	AVERAGE	Pass	Band Edge
1	802.11a	1	17865.00	49.39	74.00	-24.61	H	Peak	Pass	Harmonic
2	802.11a	45	-	-	-	-	-	-	-	Band Edge
2	802.11a	45	12350.00	48.27	74.00	-25.73	V	Peak	Pass	Harmonic
3	802.11a	93	-	-	-	-	-	-	-	Band Edge
3	802.11a	93	12830.00	48.28	88.20	-39.92	H	Peak	Pass	Harmonic
4	802.11a	97	-	-	-	-	-	-	-	Band Edge
4	802.11a	97	12870.00	47.08	88.20	-41.12	V	Peak	Pass	Harmonic
5	802.11a	105	-	-	-	-	-	-	-	Band Edge
5	802.11a	105	12950.00	47.78	88.20	-40.42	H	Peak	Pass	Harmonic
6	802.11a	113	-	-	-	-	-	-	-	Band Edge
6	802.11a	113	13030.00	46.91	88.20	-41.29	V	Peak	Pass	Harmonic
7	802.11a	117	-	-	-	-	-	-	-	Band Edge
7	802.11a	117	13070.00	47.70	88.20	-40.50	H	Peak	Pass	Harmonic
8	802.11a	149	-	-	-	-	-	-	-	Band Edge
8	802.11a	149	13390.00	47.48	74.00	-26.52	H	Peak	Pass	Harmonic
9	802.11a	181	-	-	-	-	-	-	-	Band Edge
9	802.11a	181	13710.00	47.25	88.20	-40.95	H	Peak	Pass	Harmonic
10	802.11a	189	-	-	-	-	-	-	-	Band Edge
10	802.11a	189	13790.00	47.85	88.20	-40.35	V	Peak	Pass	Harmonic
11	802.11a	209	-	-	-	-	-	-	-	Band Edge
11	802.11a	209	13990.00	47.12	88.20	-41.08	V	Peak	Pass	Harmonic
12	802.11a	229	7262.79	41.37	54.00	-12.63	V	AVERAGE	Pass	Band Edge
12	802.11a	229	14190.00	48.60	88.20	-39.60	V	Peak	Pass	Harmonic
13	802.11a	185	-	-	-	-	-	-	-	Band Edge
13	802.11a	185	13750	47.24	88.2	-40.96	V	Peak	Pass	Harmonic
14	802.11ax HE20	1	5910.41	40.92	68.20	-27.28	V	AVERAGE	Pass	Band Edge
14	802.11ax HE20	1	17865.00	47.74	74.00	-26.26	H	Peak	Pass	Harmonic
15	802.11ax HE20	45	-	-	-	-	-	-	-	Band Edge
15	802.11ax HE20	45	12350.00	47.61	74.00	-26.39	V	Peak	Pass	Harmonic
16	802.11ax HE20	93	-	-	-	-	-	-	-	Band Edge
16	802.11ax HE20	93	12830.00	46.31	88.20	-41.89	V	Peak	Pass	Harmonic
17	802.11ax HE20	97	-	-	-	-	-	-	-	Band Edge
17	802.11ax HE20	97	12870.00	45.81	88.20	-42.39	H	Peak	Pass	Harmonic
18	802.11ax HE20	105	-	-	-	-	-	-	-	Band Edge
18	802.11ax HE20	105	12950.00	47.28	88.20	-40.92	H	Peak	Pass	Harmonic
19	802.11ax HE20	113	-	-	-	-	-	-	-	Band Edge
19	802.11ax HE20	113	13030.00	46.82	88.20	-41.38	V	Peak	Pass	Harmonic
20	802.11ax HE20	117	-	-	-	-	-	-	-	Band Edge
20	802.11ax HE20	117	13070.00	48.13	88.20	-40.07	H	Peak	Pass	Harmonic
21	802.11ax HE20	149	-	-	-	-	-	-	-	Band Edge
21	802.11ax HE20	149	13390.00	45.41	74.00	-28.59	H	Peak	Pass	Harmonic
22	802.11ax HE20	181	-	-	-	-	-	-	-	Band Edge
22	802.11ax HE20	181	13710.00	48.03	88.20	-40.17	V	Peak	Pass	Harmonic



Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
23	802.11ax HE20	189	-	-	-	-	-	-	-	Band Edge
23	802.11ax HE20	189	13790.00	47.19	88.20	-41.01	V	Peak	Pass	Harmonic
24	802.11ax HE20	209	-	-	-	-	-	-	-	Band Edge
24	802.11ax HE20	209	13990.00	48.46	88.20	-39.74	V	Peak	Pass	Harmonic
25	802.11ax HE20	229	7264.58	41.57	54.00	-12.43	H	AVERAGE	Pass	Band Edge
25	802.11ax HE20	229	14190.00	49.00	88.20	-39.20	V	Peak	Pass	Harmonic
26	802.11ax HE40	3	5924.84	42.84	68.20	-25.36	V	AVERAGE	Pass	Band Edge
26	802.11ax HE40	3	11930.00	46.73	74.00	-27.27	H	Peak	Pass	Harmonic
27	802.11ax HE40	43	-	-	-	-	-	-	-	Band Edge
27	802.11ax HE40	43	12330.00	46.25	74.00	-27.75	H	Peak	Pass	Harmonic
28	802.11ax HE40	91	-	-	-	-	-	-	-	Band Edge
28	802.11ax HE40	91	12810.00	46.60	88.20	-41.60	H	Peak	Pass	Harmonic
29	802.11ax HE40	99	-	-	-	-	-	-	-	Band Edge
29	802.11ax HE40	99	12890.00	48.08	88.20	-40.12	V	Peak	Pass	Harmonic
30	802.11ax HE40	107	-	-	-	-	-	-	-	Band Edge
30	802.11ax HE40	107	12970.00	45.92	88.20	-42.28	V	Peak	Pass	Harmonic
31	802.11ax HE40	123	-	-	-	-	-	-	-	Band Edge
31	802.11ax HE40	123	13130.00	46.88	88.20	-41.32	H	Peak	Pass	Harmonic
32	802.11ax HE40	147	-	-	-	-	-	-	-	Band Edge
32	802.11ax HE40	147	13370.00	46.42	74.00	-27.58	V	Peak	Pass	Harmonic
33	802.11ax HE40	179	-	-	-	-	-	-	-	Band Edge
33	802.11ax HE40	179	13690.00	48.57	88.20	-39.63	H	Peak	Pass	Harmonic
34	802.11ax HE40	195	-	-	-	-	-	-	-	Band Edge
34	802.11ax HE40	195	13850.00	47.86	88.20	-40.34	V	Peak	Pass	Harmonic
35	802.11ax HE40	203	-	-	-	-	-	-	-	Band Edge
35	802.11ax HE40	203	13930.00	46.92	88.20	-41.28	V	Peak	Pass	Harmonic
36	802.11ax HE40	227	7263.88	41.40	54.00	-12.60	H	AVERAGE	Pass	Band Edge
36	802.11ax HE40	227	14170.00	47.50	88.20	-40.70	V	Peak	Pass	Harmonic
37	802.11ax HE80	7	5915.40	43.25	68.20	-24.95	V	AVERAGE	Pass	Band Edge
37	802.11ax HE80	7	11970.00	48.62	74.00	-25.38	H	Peak	Pass	Harmonic
38	802.11ax HE80	39	-	-	-	-	-	-	-	Band Edge
38	802.11ax HE80	39	12290.00	44.96	74.00	-29.04	V	Peak	Pass	Harmonic
39	802.11ax HE80	87	-	-	-	-	-	-	-	Band Edge
39	802.11ax HE80	87	12770.00	46.64	88.20	-41.56	H	Peak	Pass	Harmonic
40	802.11ax HE80	103	-	-	-	-	-	-	-	Band Edge
40	802.11ax HE80	103	12930.00	46.55	88.20	-41.65	H	Peak	Pass	Harmonic
41	802.11ax HE80	135	-	-	-	-	-	-	-	Band Edge
41	802.11ax HE80	135	13250.00	47.52	74.00	-26.48	V	Peak	Pass	Harmonic
42	802.11ax HE80	151	-	-	-	-	-	-	-	Band Edge
42	802.11ax HE80	151	13410.00	45.47	88.20	-42.73	V	Peak	Pass	Harmonic
43	802.11ax HE80	167	-	-	-	-	-	-	-	Band Edge
43	802.11ax HE80	167	13570.00	47.00	88.20	-41.20	V	Peak	Pass	Harmonic
44	802.11ax HE80	199	-	-	-	-	-	-	-	Band Edge
44	802.11ax HE80	199	13890.00	48.56	88.20	-39.64	H	Peak	Pass	Harmonic
45	802.11ax HE80	215	7270.70	41.40	54.00	-12.60	H	AVERAGE	Pass	Band Edge



Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
45	802.11ax HE80	215	14050.00	48.21	88.20	-39.99	H	Peak	Pass	Harmonic
46	802.11ax HE160	15	5907.32	44.94	68.20	-23.26	V	AVERAGE	Pass	Band Edge
46	802.11ax HE160	15	12050.00	45.59	74.00	-28.41	H	Peak	Pass	Harmonic
47	802.11ax HE160	47	-	-	-	-	-	-	-	Band Edge
47	802.11ax HE160	47	12370.00	46.90	74.00	-27.10	V	Peak	Pass	Harmonic
48	802.11ax HE160	79	-	-	-	-	-	-	-	Band Edge
48	802.11ax HE160	79	12690.00	46.18	74.00	-27.82	V	Peak	Pass	Harmonic
49	802.11ax HE160	143	-	-	-	-	-	-	-	Band Edge
49	802.11ax HE160	143	13330.00	46.77	74.00	-27.23	V	Peak	Pass	Harmonic
50	802.11ax HE160	207	7275.00	41.69	54.00	-12.31	V	AVERAGE	Pass	Band Edge
50	802.11ax HE160	207	13970.00	49.07	88.20	-39.13	V	Peak	Pass	Harmonic
51	802.11ax HE20	185	-	-	-	-	-	-	-	Band Edge
51	802.11ax HE20	185	13750	47.31	88.2	-40.89	V	Peak	Pass	Harmonic
52	802.11ax HE40	187	-	-	-	-	-	-	-	Band Edge
52	802.11ax HE40	187	13680	47.67	88.2	-40.53	V	Peak	Pass	Harmonic
53	802.11ax HE80	183	-	-	-	-	-	-	-	Band Edge
53	802.11ax HE80	183	13730.00	47.88	88.20	-40.32	H	Peak	Pass	Harmonic
54	802.11ax HE160	175	-	-	-	-	-	-	-	Band Edge
54	802.11ax HE160	175	13650.00	47.77	88.20	-40.43	H	Peak	Pass	Harmonic
55	802.11ax HE40	115	-	-	-	-	-	-	-	Band Edge
55	802.11ax HE40	115	13050.00	46.53	88.20	-41.67	V	Peak	Pass	Harmonic
56	802.11ax HE80	119	-	-	-	-	-	-	-	Band Edge
56	802.11ax HE80	119	13090.00	46.89	88.20	-41.31	H	Peak	Pass	Harmonic
57	802.11ax HE160	111	-	-	-	-	-	-	-	Band Edge
57	802.11ax HE160	111	13010.00	46.17	88.20	-42.03	H	Peak	Pass	Harmonic
58	802.11ax HE20	1	5913.79	40.47	68.20	-27.73	V	AVERAGE	Pass	Band Edge
58	802.11ax HE20	1	-	-	-	-	-	-	-	Harmonic
59	802.11ax HE20	229	7270.19	41.09	54.00	-12.91	V	AVERAGE	Pass	Band Edge
59	802.11ax HE20	229	-	-	-	-	-	-	-	Harmonic
60	802.11ax HE160	207	948.59	31.41	46	-14.59	H	Peak	Pass	LF
61	Co-location	207	7251.89	42.50	54.00	-11.50	V	Average	Pass	Band Edge
61		207	13970.00	48.00	88.20	-40.20	V	Peak	Pass	Harmonic



Mode	1																																																																																																																																	
	Band Edge																																																																																																																																	
	U-NII-5_5.925-6.425_802.11a_CH1_5955MHz																																																																																																																																	
ANT	5+7																																																																																																																																	
Pol.	Horizontal	Fundamental																																																																																																																																
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5832.28</td> <td>50.90</td> <td>88.20</td> <td>-37.30</td> <td>40.10</td> <td>35.23</td> <td>8.90</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>33.33</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>400</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>238</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1	5832.28	50.90	88.20	-37.30	40.10	35.23	8.90								33.33								400								238								PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5955.00</td> <td>87.58</td> <td>-----</td> <td>-----</td> <td>76.70</td> <td>35.44</td> <td>8.75</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>33.31</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>400</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>238</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1	5955.00	87.58	-----	-----	76.70	35.44	8.75								33.31								400								238								PEAK
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																										
Freq	Level	Line Margin	Level	Factor	Loss Factor																																																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																																																																											
1	5832.28	50.90	88.20	-37.30	40.10	35.23	8.90																																																																																																																											
							33.33																																																																																																																											
							400																																																																																																																											
							238																																																																																																																											
							PEAK																																																																																																																											
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																											
Freq	Level	Line Margin	Level	Factor	Loss Factor																																																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																																																																											
1	5955.00	87.58	-----	-----	76.70	35.44	8.75																																																																																																																											
							33.31																																																																																																																											
							400																																																																																																																											
							238																																																																																																																											
							PEAK																																																																																																																											
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5912.36</td> <td>41.00</td> <td>68.20</td> <td>-27.20</td> <td>30.16</td> <td>35.36</td> <td>8.80</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>33.32</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>400</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>238</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1	5912.36	41.00	68.20	-27.20	30.16	35.36	8.80								33.32								400								238								AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5955.00</td> <td>80.34</td> <td>-----</td> <td>-----</td> <td>69.46</td> <td>35.44</td> <td>8.75</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>33.31</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>400</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>238</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1	5955.00	80.34	-----	-----	69.46	35.44	8.75								33.31								400								238								AVERAGE
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																										
Freq	Level	Line Margin	Level	Factor	Loss Factor																																																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																																																																											
1	5912.36	41.00	68.20	-27.20	30.16	35.36	8.80																																																																																																																											
							33.32																																																																																																																											
							400																																																																																																																											
							238																																																																																																																											
							AVERAGE																																																																																																																											
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																											
Freq	Level	Line Margin	Level	Factor	Loss Factor																																																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																																																																											
1	5955.00	80.34	-----	-----	69.46	35.44	8.75																																																																																																																											
							33.31																																																																																																																											
							400																																																																																																																											
							238																																																																																																																											
							AVERAGE																																																																																																																											



Mode	1																																																																											
	Band Edge																																																																											
	U-NII-5_5.925-6.425_802.11a_CH1_5955MHz																																																																											
ANT	5+7																																																																											
Pol.	Vertical	Fundamental																																																																										
Peak	<p>Date: 2024-02-07</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5829.68</td> <td>50.73</td> <td>88.20</td> <td>-37.47</td> <td>39.94</td> <td>35.23</td> <td>8.90</td> <td>33.34</td> <td>126</td> <td>0</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5829.68	50.73	88.20	-37.47	39.94	35.23	8.90	33.34	126	0	PEAK	<p>Date: 2024-02-07</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5955.00</td> <td>97.45</td> <td>-----</td> <td>-----</td> <td>86.57</td> <td>35.43</td> <td>8.76</td> <td>33.31</td> <td>126</td> <td>0</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5955.00	97.45	-----	-----	86.57	35.43	8.76	33.31	126	0	PEAK
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																				
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																				
1	5829.68	50.73	88.20	-37.47	39.94	35.23	8.90	33.34	126	0	PEAK																																																																	
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																				
1	5955.00	97.45	-----	-----	86.57	35.43	8.76	33.31	126	0	PEAK																																																																	
Avg	<p>Date: 2024-02-07</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5891.43</td> <td>41.04</td> <td>68.20</td> <td>-27.16</td> <td>30.20</td> <td>35.33</td> <td>8.83</td> <td>33.32</td> <td>126</td> <td>0</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5891.43	41.04	68.20	-27.16	30.20	35.33	8.83	33.32	126	0	AVERAGE	<p>Date: 2024-02-07</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5955.00</td> <td>88.43</td> <td>-----</td> <td>-----</td> <td>77.55</td> <td>35.43</td> <td>8.76</td> <td>33.31</td> <td>126</td> <td>0</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5955.00	88.43	-----	-----	77.55	35.43	8.76	33.31	126	0	AVERAGE
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																				
1	5891.43	41.04	68.20	-27.16	30.20	35.33	8.83	33.32	126	0	AVERAGE																																																																	
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																				
1	5955.00	88.43	-----	-----	77.55	35.43	8.76	33.31	126	0	AVERAGE																																																																	



Mode	1																																																																																														
	Harmonic																																																																																														
	U-NII-5_5.925-6.425_802.11a_CH1_5955MHz																																																																																														
ANT	5+7																																																																																														
Pol.	Horizontal	Vertical																																																																																													
Peak Avg																																																																																															
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>Tpos</th> <th colspan="2"></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11910.00</td> <td>47.08</td> <td>74.00</td> <td>-26.92</td> <td>53.63</td> <td>39.09</td> <td>11.66</td> <td>57.30</td> <td>-- -- Peak</td> </tr> <tr> <td>2</td> <td>17865.00</td> <td>49.39</td> <td>74.00</td> <td>-24.61</td> <td>51.62</td> <td>41.55</td> <td>13.31</td> <td>57.09</td> <td>-- -- Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Apos	Tpos			Freq	Level	Line Margin	Level	Factor	Loss Factor		cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	deg	1	11910.00	47.08	74.00	-26.92	53.63	39.09	11.66	57.30	-- -- Peak	2	17865.00	49.39	74.00	-24.61	51.62	41.55	13.31	57.09	-- -- Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>Tpos</th> <th colspan="2"></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11910.00</td> <td>46.41</td> <td>74.00</td> <td>-27.59</td> <td>52.96</td> <td>39.09</td> <td>11.66</td> <td>57.30</td> <td>-- -- Peak</td> </tr> <tr> <td>2</td> <td>17865.00</td> <td>49.36</td> <td>74.00</td> <td>-24.64</td> <td>51.59</td> <td>41.55</td> <td>13.31</td> <td>57.09</td> <td>-- -- Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Apos	Tpos			Freq	Level	Line Margin	Level	Factor	Loss Factor		cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	deg	1	11910.00	46.41	74.00	-27.59	52.96	39.09	11.66	57.30	-- -- Peak	2	17865.00	49.36	74.00	-24.64	51.59	41.55	13.31	57.09
Limit	Read	Ant	Cable	Preamp	Apos	Tpos																																																																																									
Freq	Level	Line Margin	Level	Factor	Loss Factor		cm	deg																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	deg																																																																																							
1	11910.00	47.08	74.00	-26.92	53.63	39.09	11.66	57.30	-- -- Peak																																																																																						
2	17865.00	49.39	74.00	-24.61	51.62	41.55	13.31	57.09	-- -- Peak																																																																																						
Limit	Read	Ant	Cable	Preamp	Apos	Tpos																																																																																									
Freq	Level	Line Margin	Level	Factor	Loss Factor		cm	deg																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	deg																																																																																							
1	11910.00	46.41	74.00	-27.59	52.96	39.09	11.66	57.30	-- -- Peak																																																																																						
2	17865.00	49.36	74.00	-24.64	51.59	41.55	13.31	57.09	-- -- Peak																																																																																						



Mode	2																																																																						
	Harmonic																																																																						
	U-NII-5_5.925-6.425_802.11a_CH45_6175MHz																																																																						
ANT	5+7																																																																						
Pol.	Horizontal	Vertical																																																																					
Peak Avg	<p>Date: 2024-02-19</p>	<p>Date: 2024-02-19</p>																																																																					
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 12350.00</td> <td>47.20</td> <td>74.00</td> <td>-26.80</td> <td>53.53</td> <td>39.34</td> <td>11.77</td> <td>57.44</td> <td>--</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1 12350.00	47.20	74.00	-26.80	53.53	39.34	11.77	57.44	--	Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 12350.00</td> <td>48.27</td> <td>74.00</td> <td>-25.73</td> <td>54.60</td> <td>39.34</td> <td>11.77</td> <td>57.44</td> <td>--</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1 12350.00	48.27	74.00	-25.73	54.60	39.34	11.77	57.44	--
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																															
1 12350.00	47.20	74.00	-26.80	53.53	39.34	11.77	57.44	--	Peak																																																														
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																															
1 12350.00	48.27	74.00	-25.73	54.60	39.34	11.77	57.44	--	Peak																																																														



Mode	3																																																																						
	Harmonic																																																																						
	U-NII-5_5.925-6.425_802.11a_CH93_6415MHz																																																																						
ANT	5+7																																																																						
Pol.	Horizontal	Vertical																																																																					
Peak Avg																																																																							
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 12830.00</td> <td>48.28</td> <td>88.20</td> <td>-39.92</td> <td>54.72</td> <td>39.47</td> <td>11.87</td> <td>57.78</td> <td>--</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1 12830.00	48.28	88.20	-39.92	54.72	39.47	11.87	57.78	--	Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 12830.00</td> <td>47.58</td> <td>88.20</td> <td>-40.62</td> <td>54.02</td> <td>39.47</td> <td>11.87</td> <td>57.78</td> <td>--</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1 12830.00	47.58	88.20	-40.62	54.02	39.47	11.87	57.78	--
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																															
1 12830.00	48.28	88.20	-39.92	54.72	39.47	11.87	57.78	--	Peak																																																														
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																															
1 12830.00	47.58	88.20	-40.62	54.02	39.47	11.87	57.78	--	Peak																																																														



Mode	4																																																																						
	Harmonic																																																																						
	U-NII-6_6.425-6.525_802.11a_CH97_6435MHz																																																																						
ANT	5+7																																																																						
Pol.	Horizontal	Vertical																																																																					
Peak Avg																																																																							
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 12870.00</td> <td>46.59</td> <td>88.20</td> <td>-41.61</td> <td>53.05</td> <td>39.47</td> <td>11.88</td> <td>57.81</td> <td>--</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1 12870.00	46.59	88.20	-41.61	53.05	39.47	11.88	57.81	--	Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 12870.00</td> <td>47.08</td> <td>88.20</td> <td>-41.12</td> <td>53.54</td> <td>39.47</td> <td>11.88</td> <td>57.81</td> <td>--</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1 12870.00	47.08	88.20	-41.12	53.54	39.47	11.88	57.81	--
Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																	
Freq	Level	Line Margin	Level Factor	Loss Factor			Remark																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																															
1 12870.00	46.59	88.20	-41.61	53.05	39.47	11.88	57.81	--	Peak																																																														
Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																	
Freq	Level	Line Margin	Level Factor	Loss Factor			Remark																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																															
1 12870.00	47.08	88.20	-41.12	53.54	39.47	11.88	57.81	--	Peak																																																														



Mode	5																																																																						
	Harmonic																																																																						
	U-NII-6_6.425-6.525_802.11a_CH105_6475MHz																																																																						
ANT	5+7																																																																						
Pol.	Horizontal	Vertical																																																																					
Peak Avg																																																																							
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 12950.00</td> <td>47.78</td> <td>88.20</td> <td>-40.42</td> <td>54.25</td> <td>39.49</td> <td>11.90</td> <td>57.86</td> <td>--</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1 12950.00	47.78	88.20	-40.42	54.25	39.49	11.90	57.86	--	Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 12950.00</td> <td>46.71</td> <td>88.20</td> <td>-41.49</td> <td>53.18</td> <td>39.49</td> <td>11.90</td> <td>57.86</td> <td>--</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1 12950.00	46.71	88.20	-41.49	53.18	39.49	11.90	57.86	--
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																															
1 12950.00	47.78	88.20	-40.42	54.25	39.49	11.90	57.86	--	Peak																																																														
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																															
1 12950.00	46.71	88.20	-41.49	53.18	39.49	11.90	57.86	--	Peak																																																														



Mode	6																																																																							
	Harmonic																																																																							
	U-NII-6_6.425-6.525_802.11a_CH113_6515MHz																																																																							
ANT	5+7																																																																							
Pol.	Horizontal	Vertical																																																																						
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 13030.00</td> <td>46.68</td> <td>88.20</td> <td>-41.52</td> <td>53.18</td> <td>39.50</td> <td>11.93</td> <td>57.93</td> <td>--</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1 13030.00	46.68	88.20	-41.52	53.18	39.50	11.93	57.93	--	Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 13030.00</td> <td>46.91</td> <td>88.20</td> <td>-41.29</td> <td>53.41</td> <td>39.50</td> <td>11.93</td> <td>57.93</td> <td>--</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1 13030.00	46.91	88.20	-41.29	53.41	39.50	11.93	57.93	--	Peak
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																
1 13030.00	46.68	88.20	-41.52	53.18	39.50	11.93	57.93	--	Peak																																																															
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																	
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																
1 13030.00	46.91	88.20	-41.29	53.41	39.50	11.93	57.93	--	Peak																																																															



Mode	7																																																																							
	Harmonic																																																																							
	U-NII-7_6.525-6.875_802.11a_CH117_6535MHz																																																																							
ANT	5+7																																																																							
Pol.	Horizontal	Vertical																																																																						
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 13070.00</td> <td>47.70</td> <td>88.20</td> <td>-40.50</td> <td>54.21</td> <td>39.50</td> <td>11.96</td> <td>57.97</td> <td>--</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1 13070.00	47.70	88.20	-40.50	54.21	39.50	11.96	57.97	--	Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 13070.00</td> <td>47.48</td> <td>88.20</td> <td>-40.72</td> <td>53.99</td> <td>39.50</td> <td>11.96</td> <td>57.97</td> <td>--</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1 13070.00	47.48	88.20	-40.72	53.99	39.50	11.96	57.97	--	Peak
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																
1 13070.00	47.70	88.20	-40.50	54.21	39.50	11.96	57.97	--	Peak																																																															
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																	
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																
1 13070.00	47.48	88.20	-40.72	53.99	39.50	11.96	57.97	--	Peak																																																															



Mode	8																																																																					
	Harmonic																																																																					
	U-NII-7_6.525-6.875_802.11a_CH149_6695MHz																																																																					
ANT	5+7																																																																					
Pol.	Horizontal	Vertical																																																																				
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 13390.00</td> <td>47.48</td> <td>74.00</td> <td>-26.52</td> <td>54.08</td> <td>39.50</td> <td>12.23</td> <td>58.33</td> <td>-- -- Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1 13390.00	47.48	74.00	-26.52	54.08	39.50	12.23	58.33	-- -- Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 13390.00</td> <td>46.95</td> <td>74.00</td> <td>-27.05</td> <td>53.55</td> <td>39.50</td> <td>12.23</td> <td>58.33</td> <td>-- -- Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1 13390.00	46.95	74.00	-27.05	53.55	39.50	12.23	58.33	-- -- Peak
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																														
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																														
1 13390.00	47.48	74.00	-26.52	54.08	39.50	12.23	58.33	-- -- Peak																																																														
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																															
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																														
1 13390.00	46.95	74.00	-27.05	53.55	39.50	12.23	58.33	-- -- Peak																																																														



Mode	9																																																																							
	Harmonic																																																																							
	U-NII-7_6.525-6.875_802.11a_CH181_6855MHz																																																																							
ANT	5+7																																																																							
Pol.	Horizontal	Vertical																																																																						
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 13710.00</td> <td>47.25</td> <td>88.20</td> <td>-40.95</td> <td>53.85</td> <td>39.58</td> <td>12.50</td> <td>58.68</td> <td>--</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1 13710.00	47.25	88.20	-40.95	53.85	39.58	12.50	58.68	--	Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 13710.00</td> <td>46.59</td> <td>88.20</td> <td>-41.61</td> <td>53.19</td> <td>39.58</td> <td>12.50</td> <td>58.68</td> <td>--</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1 13710.00	46.59	88.20	-41.61	53.19	39.58	12.50	58.68	--	Peak
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																
1 13710.00	47.25	88.20	-40.95	53.85	39.58	12.50	58.68	--	Peak																																																															
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																	
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																
1 13710.00	46.59	88.20	-41.61	53.19	39.58	12.50	58.68	--	Peak																																																															







Mode	10																																																																							
	Harmonic																																																																							
	U-NII-8_6.875-7.125_802.11a_CH189_6895MHz																																																																							
ANT	5+7																																																																							
Pol.	Horizontal	Vertical																																																																						
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 13790.00</td> <td>47.26</td> <td>88.20</td> <td>-40.94</td> <td>53.84</td> <td>39.62</td> <td>12.56</td> <td>58.76</td> <td>--</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1 13790.00	47.26	88.20	-40.94	53.84	39.62	12.56	58.76	--	Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 13790.00</td> <td>47.85</td> <td>88.20</td> <td>-40.35</td> <td>54.43</td> <td>39.62</td> <td>12.56</td> <td>58.76</td> <td>--</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1 13790.00	47.85	88.20	-40.35	54.43	39.62	12.56	58.76	--	Peak
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																
1 13790.00	47.26	88.20	-40.94	53.84	39.62	12.56	58.76	--	Peak																																																															
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																	
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																
1 13790.00	47.85	88.20	-40.35	54.43	39.62	12.56	58.76	--	Peak																																																															



Mode	11																																																																					
	Harmonic																																																																					
	U-NII-8_6.875-7.125_802.11a_CH209_6995MHz																																																																					
ANT	5+7																																																																					
Pol.	Horizontal	Vertical																																																																				
Peak Avg	<p>Date: 2024-02-19</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 13990.00</td> <td>46.68</td> <td>88.20</td> <td>-41.52</td> <td>53.24</td> <td>39.69</td> <td>12.73</td> <td>58.98</td> <td>-- -- Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1 13990.00	46.68	88.20	-41.52	53.24	39.69	12.73	58.98	-- -- Peak	<p>Date: 2024-02-19</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 13990.00</td> <td>47.12</td> <td>88.20</td> <td>-41.08</td> <td>53.68</td> <td>39.69</td> <td>12.73</td> <td>58.98</td> <td>-- -- Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1 13990.00	47.12	88.20	-41.08	53.68	39.69	12.73	58.98	-- -- Peak
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																														
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																														
1 13990.00	46.68	88.20	-41.52	53.24	39.69	12.73	58.98	-- -- Peak																																																														
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																															
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																														
1 13990.00	47.12	88.20	-41.08	53.68	39.69	12.73	58.98	-- -- Peak																																																														



		12																																																																																										
Mode	Band Edge																																																																																											
	U-NII-8_6.875-7.125_802.11a_CH229_7095MHz																																																																																											
ANT	5+7																																																																																											
Pol.	Horizontal	Fundamental																																																																																										
Peak	 <p style="text-align: right;">Date: 2024-02-07</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th colspan="2"></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7134.02</td> <td>50.85</td> <td>88.20</td> <td>-37.35</td> <td>39.64</td> <td>36.19</td> <td>8.67</td> <td>33.65</td> <td>100</td> <td>328</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>7314.56</td> <td>50.85</td> <td>74.00</td> <td>-23.15</td> <td>39.59</td> <td>36.05</td> <td>8.94</td> <td>33.73</td> <td>100</td> <td>328</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos			Freq	Level	Line Margin	Level	Factor	Loss Factor		cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	7134.02	50.85	88.20	-37.35	39.64	36.19	8.67	33.65	100	328	PEAK	2	7314.56	50.85	74.00	-23.15	39.59	36.05	8.94	33.73	100	328	PEAK	 <p style="text-align: right;">Date: 2024-02-07</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th colspan="2"></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7095.00</td> <td>83.81</td> <td>-----</td> <td>-----</td> <td>72.51</td> <td>36.22</td> <td>8.72</td> <td>33.64</td> <td>100</td> <td>328</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos			Freq	Level	Line Margin	Level	Factor	Loss Factor		cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	7095.00	83.81	-----	-----	72.51	36.22	8.72	33.64	100	328	PEAK
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line Margin	Level	Factor	Loss Factor		cm	deg																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																				
1	7134.02	50.85	88.20	-37.35	39.64	36.19	8.67	33.65	100	328	PEAK																																																																																	
2	7314.56	50.85	74.00	-23.15	39.59	36.05	8.94	33.73	100	328	PEAK																																																																																	
Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																						
Freq	Level	Line Margin	Level	Factor	Loss Factor		cm	deg																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																				
1	7095.00	83.81	-----	-----	72.51	36.22	8.72	33.64	100	328	PEAK																																																																																	
Avg	 <p style="text-align: right;">Date: 2024-02-07</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th colspan="2"></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7197.26</td> <td>41.19</td> <td>68.20</td> <td>-27.01</td> <td>30.15</td> <td>36.14</td> <td>8.58</td> <td>33.68</td> <td>100</td> <td>328</td> <td>AVERAGE</td> </tr> <tr> <td>2</td> <td>7262.03</td> <td>41.22</td> <td>54.00</td> <td>-12.78</td> <td>30.07</td> <td>36.09</td> <td>8.77</td> <td>33.71</td> <td>100</td> <td>328</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos			Freq	Level	Line Margin	Level	Factor	Loss Factor		cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	7197.26	41.19	68.20	-27.01	30.15	36.14	8.58	33.68	100	328	AVERAGE	2	7262.03	41.22	54.00	-12.78	30.07	36.09	8.77	33.71	100	328	AVERAGE	 <p style="text-align: right;">Date: 2024-02-07</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th colspan="2"></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7095.00</td> <td>76.58</td> <td>-----</td> <td>-----</td> <td>65.28</td> <td>36.22</td> <td>8.72</td> <td>33.64</td> <td>100</td> <td>328</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos			Freq	Level	Line Margin	Level	Factor	Loss Factor		cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	7095.00	76.58	-----	-----	65.28	36.22	8.72	33.64	100	328	AVERAGE
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line Margin	Level	Factor	Loss Factor		cm	deg																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																				
1	7197.26	41.19	68.20	-27.01	30.15	36.14	8.58	33.68	100	328	AVERAGE																																																																																	
2	7262.03	41.22	54.00	-12.78	30.07	36.09	8.77	33.71	100	328	AVERAGE																																																																																	
Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																						
Freq	Level	Line Margin	Level	Factor	Loss Factor		cm	deg																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																				
1	7095.00	76.58	-----	-----	65.28	36.22	8.72	33.64	100	328	AVERAGE																																																																																	



Mode	12																																																																						
	Band Edge																																																																						
	U-NII-8_6.875-7.125_802.11a_CH229_7095MHz																																																																						
ANT	5+7																																																																						
Pol.	Vertical	Fundamental																																																																					
Peak	<p style="text-align: right;">Date: 2024-02-07</p> <table border="1"> <thead> <tr> <th>Limit Freq</th> <th>Limit Level</th> <th>Read Level</th> <th>Line Margin</th> <th>Ant Level</th> <th>Cable Loss</th> <th>Preamp Loss</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 7143.71</td> <td>50.32</td> <td>88.20</td> <td>-37.88</td> <td>39.14</td> <td>36.18</td> <td>8.66</td> <td>33.66</td> <td>218</td> <td>274 PEAK</td> </tr> <tr> <td>2 7296.20</td> <td>51.03</td> <td>74.00</td> <td>-22.97</td> <td>39.81</td> <td>36.06</td> <td>8.88</td> <td>33.72</td> <td>218</td> <td>274 PEAK</td> </tr> </tbody> </table>	Limit Freq	Limit Level	Read Level	Line Margin	Ant Level	Cable Loss	Preamp Loss	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 7143.71	50.32	88.20	-37.88	39.14	36.18	8.66	33.66	218	274 PEAK	2 7296.20	51.03	74.00	-22.97	39.81	36.06	8.88	33.72	218	274 PEAK	<p style="text-align: right;">Date: 2024-02-07</p> <table border="1"> <thead> <tr> <th>Limit Freq</th> <th>Limit Level</th> <th>Read Level</th> <th>Line Margin</th> <th>Ant Level</th> <th>Cable Loss</th> <th>Preamp Loss</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 7095.00</td> <td>98.28</td> <td>86.98</td> <td>-11.30</td> <td>36.22</td> <td>8.72</td> <td>33.64</td> <td>218</td> <td>274 PEAK</td> </tr> </tbody> </table>	Limit Freq	Limit Level	Read Level	Line Margin	Ant Level	Cable Loss	Preamp Loss	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 7095.00	98.28	86.98	-11.30	36.22	8.72	33.64	218	274 PEAK
	Limit Freq	Limit Level	Read Level	Line Margin	Ant Level	Cable Loss	Preamp Loss	APos	TPos	Remark																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																														
1 7143.71	50.32	88.20	-37.88	39.14	36.18	8.66	33.66	218	274 PEAK																																																														
2 7296.20	51.03	74.00	-22.97	39.81	36.06	8.88	33.72	218	274 PEAK																																																														
Limit Freq	Limit Level	Read Level	Line Margin	Ant Level	Cable Loss	Preamp Loss	APos	TPos	Remark																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																														
1 7095.00	98.28	86.98	-11.30	36.22	8.72	33.64	218	274 PEAK																																																															
Avg	<p style="text-align: right;">Date: 2024-02-07</p> <table border="1"> <thead> <tr> <th>Limit Freq</th> <th>Limit Level</th> <th>Read Level</th> <th>Line Margin</th> <th>Ant Level</th> <th>Cable Loss</th> <th>Preamp Loss</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 7219.95</td> <td>41.33</td> <td>68.20</td> <td>-26.87</td> <td>30.26</td> <td>36.12</td> <td>8.64</td> <td>33.69</td> <td>218</td> <td>274 AVERAGE</td> </tr> <tr> <td>2 7262.79</td> <td>41.37</td> <td>54.00</td> <td>-12.63</td> <td>30.21</td> <td>36.09</td> <td>8.78</td> <td>33.71</td> <td>218</td> <td>274 AVERAGE</td> </tr> </tbody> </table>	Limit Freq	Limit Level	Read Level	Line Margin	Ant Level	Cable Loss	Preamp Loss	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 7219.95	41.33	68.20	-26.87	30.26	36.12	8.64	33.69	218	274 AVERAGE	2 7262.79	41.37	54.00	-12.63	30.21	36.09	8.78	33.71	218	274 AVERAGE	<p style="text-align: right;">Date: 2024-02-07</p> <table border="1"> <thead> <tr> <th>Limit Freq</th> <th>Limit Level</th> <th>Read Level</th> <th>Line Margin</th> <th>Ant Level</th> <th>Cable Loss</th> <th>Preamp Loss</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 7095.00</td> <td>90.09</td> <td>78.79</td> <td>-11.30</td> <td>36.22</td> <td>8.72</td> <td>33.64</td> <td>218</td> <td>274 AVERAGE</td> </tr> </tbody> </table>	Limit Freq	Limit Level	Read Level	Line Margin	Ant Level	Cable Loss	Preamp Loss	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 7095.00	90.09	78.79	-11.30	36.22	8.72	33.64	218	274 AVERAGE
Limit Freq	Limit Level	Read Level	Line Margin	Ant Level	Cable Loss	Preamp Loss	APos	TPos	Remark																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																														
1 7219.95	41.33	68.20	-26.87	30.26	36.12	8.64	33.69	218	274 AVERAGE																																																														
2 7262.79	41.37	54.00	-12.63	30.21	36.09	8.78	33.71	218	274 AVERAGE																																																														
Limit Freq	Limit Level	Read Level	Line Margin	Ant Level	Cable Loss	Preamp Loss	APos	TPos	Remark																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																														
1 7095.00	90.09	78.79	-11.30	36.22	8.72	33.64	218	274 AVERAGE																																																															







Mode	12																																																																							
	Harmonic																																																																							
	U-NII-8_6.875-7.125_802.11a_CH229_7095MHz																																																																							
ANT	5+7																																																																							
Pol.	Horizontal	Vertical																																																																						
Peak Avg	<p>Date: 2024-02-19</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 14190.00</td> <td>47.90</td> <td>88.20</td> <td>-40.30</td> <td>54.21</td> <td>39.85</td> <td>12.73</td> <td>58.89</td> <td>--</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1 14190.00	47.90	88.20	-40.30	54.21	39.85	12.73	58.89	--	Peak	<p>Date: 2024-02-19</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 14190.00</td> <td>48.60</td> <td>88.20</td> <td>-39.60</td> <td>54.91</td> <td>39.85</td> <td>12.73</td> <td>58.89</td> <td>--</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1 14190.00	48.60	88.20	-39.60	54.91	39.85	12.73	58.89	--	Peak
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																
1 14190.00	47.90	88.20	-40.30	54.21	39.85	12.73	58.89	--	Peak																																																															
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																	
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																
1 14190.00	48.60	88.20	-39.60	54.91	39.85	12.73	58.89	--	Peak																																																															



Mode	13																																																																						
	Harmonic																																																																						
	U-NII-8_6.875-7.125_802.11a_CH185_6525MHz																																																																						
ANT	5+7																																																																						
Pol.	Horizontal	Vertical																																																																					
Peak Avg	<p>Date: 2024-02-19</p>	<p>Date: 2024-02-19</p>																																																																					
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 13750.00</td> <td>46.97</td> <td>88.20</td> <td>-41.23</td> <td>53.56</td> <td>39.60</td> <td>12.53</td> <td>58.72</td> <td>--</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1 13750.00	46.97	88.20	-41.23	53.56	39.60	12.53	58.72	--	Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 13750.00</td> <td>47.24</td> <td>88.20</td> <td>-40.96</td> <td>53.83</td> <td>39.60</td> <td>12.53</td> <td>58.72</td> <td>--</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1 13750.00	47.24	88.20	-40.96	53.83	39.60	12.53	58.72	--
Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																	
Freq	Level	Line Margin	Level Factor	Loss Factor			Remark																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																															
1 13750.00	46.97	88.20	-41.23	53.56	39.60	12.53	58.72	--	Peak																																																														
Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																	
Freq	Level	Line Margin	Level Factor	Loss Factor			Remark																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																															
1 13750.00	47.24	88.20	-40.96	53.83	39.60	12.53	58.72	--	Peak																																																														



		14																																																																								
Mode	Band Edge																																																																									
	U-NII-5_5.925-6.425_802.11ax HE20_CH1_Full RU_5955MHz																																																																									
ANT	5+7																																																																									
Pol.	Horizontal	Fundamental																																																																								
Peak	 <p style="text-align: right;">Date: 2024-02-07</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5906.77</td> <td>50.59</td> <td>88.20</td> <td>-37.61</td> <td>39.75</td> <td>35.35</td> <td>8.81</td> <td>33.32</td> <td>200</td> <td>6</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1	5906.77	50.59	88.20	-37.61	39.75	35.35	8.81	33.32	200	6	PEAK	 <p style="text-align: right;">Date: 2024-02-07</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5955.00</td> <td>90.17</td> <td>-----</td> <td>-----</td> <td>79.29</td> <td>35.44</td> <td>8.75</td> <td>33.31</td> <td>200</td> <td>6</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1	5955.00	90.17	-----	-----	79.29	35.44	8.75	33.31	200	6	PEAK
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line Margin	Level	Factor	Loss Factor																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																			
1	5906.77	50.59	88.20	-37.61	39.75	35.35	8.81	33.32	200	6	PEAK																																																															
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																			
Freq	Level	Line Margin	Level	Factor	Loss Factor																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																			
1	5955.00	90.17	-----	-----	79.29	35.44	8.75	33.31	200	6	PEAK																																																															
Avg	 <p style="text-align: right;">Date: 2024-02-07</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5868.55</td> <td>40.85</td> <td>68.20</td> <td>-27.35</td> <td>30.03</td> <td>35.29</td> <td>8.86</td> <td>33.33</td> <td>200</td> <td>6</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1	5868.55	40.85	68.20	-27.35	30.03	35.29	8.86	33.33	200	6	AVERAGE	 <p style="text-align: right;">Date: 2024-02-07</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5955.00</td> <td>79.33</td> <td>-----</td> <td>-----</td> <td>68.45</td> <td>35.44</td> <td>8.75</td> <td>33.31</td> <td>200</td> <td>6</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1	5955.00	79.33	-----	-----	68.45	35.44	8.75	33.31	200	6	AVERAGE
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line Margin	Level	Factor	Loss Factor																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																			
1	5868.55	40.85	68.20	-27.35	30.03	35.29	8.86	33.33	200	6	AVERAGE																																																															
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																			
Freq	Level	Line Margin	Level	Factor	Loss Factor																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																			
1	5955.00	79.33	-----	-----	68.45	35.44	8.75	33.31	200	6	AVERAGE																																																															



		14																																																																								
Mode	Band Edge																																																																									
	U-NII-5_5.925-6.425_802.11ax HE20_CH1_Full RU_5955MHz																																																																									
ANT	5+7																																																																									
Pol.	Vertical	Fundamental																																																																								
Peak	<p style="text-align: right;">Date: 2024-02-07</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5877.39</td> <td>50.27</td> <td>88.20</td> <td>-37.93</td> <td>39.45</td> <td>35.30</td> <td>8.85</td> <td>33.33</td> <td>200</td> <td>335</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1	5877.39	50.27	88.20	-37.93	39.45	35.30	8.85	33.33	200	335	PEAK	<p style="text-align: right;">Date: 2024-02-07</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5955.00</td> <td>95.97</td> <td>-----</td> <td>-----</td> <td>85.09</td> <td>35.44</td> <td>8.75</td> <td>33.31</td> <td>200</td> <td>335</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1	5955.00	95.97	-----	-----	85.09	35.44	8.75	33.31	200	335	PEAK
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line Margin	Level	Factor	Loss Factor																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																			
1	5877.39	50.27	88.20	-37.93	39.45	35.30	8.85	33.33	200	335	PEAK																																																															
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																			
Freq	Level	Line Margin	Level	Factor	Loss Factor																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																			
1	5955.00	95.97	-----	-----	85.09	35.44	8.75	33.31	200	335	PEAK																																																															
Avg	<p style="text-align: right;">Date: 2024-02-07</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5910.41</td> <td>40.92</td> <td>68.20</td> <td>-27.28</td> <td>30.07</td> <td>35.36</td> <td>8.81</td> <td>33.32</td> <td>200</td> <td>335</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1	5910.41	40.92	68.20	-27.28	30.07	35.36	8.81	33.32	200	335	AVERAGE	<p style="text-align: right;">Date: 2024-02-07</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5955.00</td> <td>87.62</td> <td>-----</td> <td>-----</td> <td>76.74</td> <td>35.44</td> <td>8.75</td> <td>33.31</td> <td>200</td> <td>335</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1	5955.00	87.62	-----	-----	76.74	35.44	8.75	33.31	200	335	AVERAGE
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																			
Freq	Level	Line Margin	Level	Factor	Loss Factor																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																			
1	5910.41	40.92	68.20	-27.28	30.07	35.36	8.81	33.32	200	335	AVERAGE																																																															
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																			
Freq	Level	Line Margin	Level	Factor	Loss Factor																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																			
1	5955.00	87.62	-----	-----	76.74	35.44	8.75	33.31	200	335	AVERAGE																																																															



Mode	14																																																																																															
	Harmonic																																																																																															
	U-NII-5_5.925-6.425_802.11ax HE20_CH1_Full RU_5955MHz																																																																																															
ANT	5+7																																																																																															
Pol.	Horizontal	Vertical																																																																																														
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>Tpos</th> <th colspan="2"></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11910.00</td> <td>47.33</td> <td>74.00</td> <td>-26.67</td> <td>53.88</td> <td>39.09</td> <td>11.66</td> <td>57.30</td> <td>-- -- Peak</td> </tr> <tr> <td>2</td> <td>17865.00</td> <td>47.74</td> <td>74.00</td> <td>-26.26</td> <td>49.97</td> <td>41.55</td> <td>13.31</td> <td>57.09</td> <td>-- -- Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Apos	Tpos			Freq	Level	Line Margin	Level	Factor	Loss Factor		cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	deg	1	11910.00	47.33	74.00	-26.67	53.88	39.09	11.66	57.30	-- -- Peak	2	17865.00	47.74	74.00	-26.26	49.97	41.55	13.31	57.09	-- -- Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>Tpos</th> <th colspan="2"></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11910.00</td> <td>47.44</td> <td>74.00</td> <td>-26.56</td> <td>53.99</td> <td>39.09</td> <td>11.66</td> <td>57.30</td> <td>-- -- Peak</td> </tr> <tr> <td>2</td> <td>17865.00</td> <td>47.24</td> <td>74.00</td> <td>-26.76</td> <td>49.47</td> <td>41.55</td> <td>13.31</td> <td>57.09</td> <td>-- -- Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Apos	Tpos			Freq	Level	Line Margin	Level	Factor	Loss Factor		cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	deg	1	11910.00	47.44	74.00	-26.56	53.99	39.09	11.66	57.30	-- -- Peak	2	17865.00	47.24	74.00	-26.76	49.47	41.55	13.31	57.09	-- -- Peak
	Limit	Read	Ant	Cable	Preamp	Apos	Tpos																																																																																									
Freq	Level	Line Margin	Level	Factor	Loss Factor		cm	deg																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	deg																																																																																								
1	11910.00	47.33	74.00	-26.67	53.88	39.09	11.66	57.30	-- -- Peak																																																																																							
2	17865.00	47.74	74.00	-26.26	49.97	41.55	13.31	57.09	-- -- Peak																																																																																							
Limit	Read	Ant	Cable	Preamp	Apos	Tpos																																																																																										
Freq	Level	Line Margin	Level	Factor	Loss Factor		cm	deg																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	deg																																																																																								
1	11910.00	47.44	74.00	-26.56	53.99	39.09	11.66	57.30	-- -- Peak																																																																																							
2	17865.00	47.24	74.00	-26.76	49.47	41.55	13.31	57.09	-- -- Peak																																																																																							



Mode	15																																																																							
	Harmonic																																																																							
	U-NII-5_5.925-6.425_802.11ax_HE20_CH45_Full_RU_6175MHz																																																																							
ANT	5+7																																																																							
Pol.	Horizontal	Vertical																																																																						
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 12350.00</td> <td>46.90</td> <td>74.00</td> <td>-27.10</td> <td>53.23</td> <td>39.34</td> <td>11.77</td> <td>57.44</td> <td>--</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1 12350.00	46.90	74.00	-27.10	53.23	39.34	11.77	57.44	--	Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 12350.00</td> <td>47.61</td> <td>74.00</td> <td>-26.39</td> <td>53.94</td> <td>39.34</td> <td>11.77</td> <td>57.44</td> <td>--</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1 12350.00	47.61	74.00	-26.39	53.94	39.34	11.77	57.44	--	Peak
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																
1 12350.00	46.90	74.00	-27.10	53.23	39.34	11.77	57.44	--	Peak																																																															
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																	
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																
1 12350.00	47.61	74.00	-26.39	53.94	39.34	11.77	57.44	--	Peak																																																															



Mode	16																																																																							
	Harmonic																																																																							
	U-NII-5_5.925-6.425_802.11ax HE20_CH93_Full RU_6415MHz																																																																							
ANT	5+7																																																																							
Pol.	Horizontal	Vertical																																																																						
Peak Avg	<p>Date: 2024-02-19</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 12830.00</td> <td>45.77</td> <td>88.20</td> <td>-42.43</td> <td>52.21</td> <td>39.47</td> <td>11.87</td> <td>57.78</td> <td>--</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1 12830.00	45.77	88.20	-42.43	52.21	39.47	11.87	57.78	--	Peak	<p>Date: 2024-02-19</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 12830.00</td> <td>46.31</td> <td>88.20</td> <td>-41.89</td> <td>52.75</td> <td>39.47</td> <td>11.87</td> <td>57.78</td> <td>--</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1 12830.00	46.31	88.20	-41.89	52.75	39.47	11.87	57.78	--	Peak
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																
1 12830.00	45.77	88.20	-42.43	52.21	39.47	11.87	57.78	--	Peak																																																															
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																	
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																
1 12830.00	46.31	88.20	-41.89	52.75	39.47	11.87	57.78	--	Peak																																																															



Mode	17																																																																							
	Harmonic																																																																							
	U-NII-6_6.425-6.525_802.11ax HE20_CH97_Full RU_6435MHz																																																																							
ANT	5+7																																																																							
Pol.	Horizontal	Vertical																																																																						
Peak Avg	<p>Date: 2024-02-19</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 12870.00</td> <td>45.81</td> <td>88.20</td> <td>-42.39</td> <td>52.27</td> <td>39.47</td> <td>11.88</td> <td>57.81</td> <td>--</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1 12870.00	45.81	88.20	-42.39	52.27	39.47	11.88	57.81	--	Peak	<p>Date: 2024-02-19</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 12870.00</td> <td>45.77</td> <td>88.20</td> <td>-42.43</td> <td>52.23</td> <td>39.47</td> <td>11.88</td> <td>57.81</td> <td>--</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1 12870.00	45.77	88.20	-42.43	52.23	39.47	11.88	57.81	--	Peak
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																
1 12870.00	45.81	88.20	-42.39	52.27	39.47	11.88	57.81	--	Peak																																																															
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																	
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																
1 12870.00	45.77	88.20	-42.43	52.23	39.47	11.88	57.81	--	Peak																																																															



Mode	18																																																																							
	Harmonic																																																																							
	U-NII-6_6.425-6.525_802.11ax HE20_CH105_Full RU_6475MHz																																																																							
ANT	5+7																																																																							
Pol.	Horizontal	Vertical																																																																						
Peak Avg	<p style="text-align: right;">Date: 2024-02-19</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 12950.00</td> <td>47.28</td> <td>88.20</td> <td>-40.92</td> <td>53.75</td> <td>39.49</td> <td>11.90</td> <td>57.86</td> <td>--</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1 12950.00	47.28	88.20	-40.92	53.75	39.49	11.90	57.86	--	Peak	<p style="text-align: right;">Date: 2024-02-19</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 12950.00</td> <td>47.25</td> <td>88.20</td> <td>-40.95</td> <td>53.72</td> <td>39.49</td> <td>11.90</td> <td>57.86</td> <td>--</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1 12950.00	47.25	88.20	-40.95	53.72	39.49	11.90	57.86	--	Peak
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																
1 12950.00	47.28	88.20	-40.92	53.75	39.49	11.90	57.86	--	Peak																																																															
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																	
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																
1 12950.00	47.25	88.20	-40.95	53.72	39.49	11.90	57.86	--	Peak																																																															



Mode	19																																																																						
	Harmonic																																																																						
	U-NII-6_6.425-6.525_802.11ax HE20_CH113_Full RU_6515MHz																																																																						
ANT	5+7																																																																						
Pol.	Horizontal	Vertical																																																																					
Peak Avg	<p>Date: 2024-02-19</p>	<p>Date: 2024-02-19</p>																																																																					
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 13030.00</td> <td>46.27</td> <td>88.20</td> <td>-41.93</td> <td>52.77</td> <td>39.50</td> <td>11.93</td> <td>57.93</td> <td>--</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1 13030.00	46.27	88.20	-41.93	52.77	39.50	11.93	57.93	--	Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 13030.00</td> <td>46.82</td> <td>88.20</td> <td>-41.38</td> <td>53.32</td> <td>39.50</td> <td>11.93</td> <td>57.93</td> <td>--</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1 13030.00	46.82	88.20	-41.38	53.32	39.50	11.93	57.93	--
Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																	
Freq	Level	Line Margin	Level Factor	Loss Factor			Remark																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																															
1 13030.00	46.27	88.20	-41.93	52.77	39.50	11.93	57.93	--	Peak																																																														
Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																	
Freq	Level	Line Margin	Level Factor	Loss Factor			Remark																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																															
1 13030.00	46.82	88.20	-41.38	53.32	39.50	11.93	57.93	--	Peak																																																														



Mode	20																																																																						
	Harmonic																																																																						
	U-NII-7_6.525-6.875_802.11ax HE20_CH117_Full RU_6535MHz																																																																						
ANT	5+7																																																																						
Pol.	Horizontal	Vertical																																																																					
Peak Avg																																																																							
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 13070.00</td> <td>48.13</td> <td>88.20</td> <td>-40.07</td> <td>54.64</td> <td>39.50</td> <td>11.96</td> <td>57.97</td> <td>--</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1 13070.00	48.13	88.20	-40.07	54.64	39.50	11.96	57.97	--	Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 13070.00</td> <td>46.48</td> <td>88.20</td> <td>-41.72</td> <td>52.99</td> <td>39.50</td> <td>11.96</td> <td>57.97</td> <td>--</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1 13070.00	46.48	88.20	-41.72	52.99	39.50	11.96	57.97	--
Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																	
Freq	Level	Line Margin	Level Factor	Loss Factor			Remark																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																															
1 13070.00	48.13	88.20	-40.07	54.64	39.50	11.96	57.97	--	Peak																																																														
Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																	
Freq	Level	Line Margin	Level Factor	Loss Factor			Remark																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																															
1 13070.00	46.48	88.20	-41.72	52.99	39.50	11.96	57.97	--	Peak																																																														



Mode	21																																																																						
	Harmonic																																																																						
	U-NII-7_6.525-6.875_802.11ax HE20_CH149_Full RU_6695MHz																																																																						
ANT	5+7																																																																						
Pol.	Horizontal	Vertical																																																																					
Peak Avg																																																																							
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 13390.00</td> <td>45.41</td> <td>74.00</td> <td>-28.59</td> <td>52.01</td> <td>39.50</td> <td>12.23</td> <td>58.33</td> <td>--</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1 13390.00	45.41	74.00	-28.59	52.01	39.50	12.23	58.33	--	Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 13390.00</td> <td>45.14</td> <td>74.00</td> <td>-28.86</td> <td>51.74</td> <td>39.50</td> <td>12.23</td> <td>58.33</td> <td>--</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1 13390.00	45.14	74.00	-28.86	51.74	39.50	12.23	58.33	--
Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																	
Freq	Level	Line Margin	Level Factor	Loss Factor			Remark																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																															
1 13390.00	45.41	74.00	-28.59	52.01	39.50	12.23	58.33	--	Peak																																																														
Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																	
Freq	Level	Line Margin	Level Factor	Loss Factor			Remark																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																															
1 13390.00	45.14	74.00	-28.86	51.74	39.50	12.23	58.33	--	Peak																																																														



Mode	22																																																																						
	Harmonic																																																																						
	U-NII-7_6.525-6.875_802.11ax HE20_CH181_Full RU_6855MHz																																																																						
ANT	5+7																																																																						
Pol.	Horizontal	Vertical																																																																					
Peak Avg																																																																							
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 13710.00</td> <td>47.07</td> <td>88.20</td> <td>-41.13</td> <td>53.67</td> <td>39.58</td> <td>12.50</td> <td>58.68</td> <td>--</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1 13710.00	47.07	88.20	-41.13	53.67	39.58	12.50	58.68	--	Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 13710.00</td> <td>48.03</td> <td>88.20</td> <td>-40.17</td> <td>54.63</td> <td>39.58</td> <td>12.50</td> <td>58.68</td> <td>--</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1 13710.00	48.03	88.20	-40.17	54.63	39.58	12.50	58.68	--
Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																	
Freq	Level	Line Margin	Level Factor	Loss Factor			Remark																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																															
1 13710.00	47.07	88.20	-41.13	53.67	39.58	12.50	58.68	--	Peak																																																														
Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																	
Freq	Level	Line Margin	Level Factor	Loss Factor			Remark																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																															
1 13710.00	48.03	88.20	-40.17	54.63	39.58	12.50	58.68	--	Peak																																																														







Mode	23																																																																							
	Harmonic																																																																							
	U-NII-8_6.875-7.125_802.11ax HE20_CH189_Full RU_6895MHz																																																																							
ANT	5+7																																																																							
Pol.	Horizontal	Vertical																																																																						
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 13790.00</td> <td>46.45</td> <td>88.20</td> <td>-41.75</td> <td>53.03</td> <td>39.62</td> <td>12.56</td> <td>58.76</td> <td>--</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1 13790.00	46.45	88.20	-41.75	53.03	39.62	12.56	58.76	--	Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 13790.00</td> <td>47.19</td> <td>88.20</td> <td>-41.01</td> <td>53.77</td> <td>39.62</td> <td>12.56</td> <td>58.76</td> <td>--</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1 13790.00	47.19	88.20	-41.01	53.77	39.62	12.56	58.76	--	Peak
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																
1 13790.00	46.45	88.20	-41.75	53.03	39.62	12.56	58.76	--	Peak																																																															
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																	
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																
1 13790.00	47.19	88.20	-41.01	53.77	39.62	12.56	58.76	--	Peak																																																															



Mode	24																																																																							
	Harmonic																																																																							
	U-NII-8_6.875-7.125_802.11ax HE20_CH209_Full RU_6995MHz																																																																							
ANT	5+7																																																																							
Pol.	Horizontal	Vertical																																																																						
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 13990.00</td> <td>46.92</td> <td>88.20</td> <td>-41.28</td> <td>53.48</td> <td>39.69</td> <td>12.73</td> <td>58.98</td> <td>--</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1 13990.00	46.92	88.20	-41.28	53.48	39.69	12.73	58.98	--	Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 13990.00</td> <td>48.46</td> <td>88.20</td> <td>-39.74</td> <td>55.02</td> <td>39.69</td> <td>12.73</td> <td>58.98</td> <td>--</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1 13990.00	48.46	88.20	-39.74	55.02	39.69	12.73	58.98	--	Peak
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																
1 13990.00	46.92	88.20	-41.28	53.48	39.69	12.73	58.98	--	Peak																																																															
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																	
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																
1 13990.00	48.46	88.20	-39.74	55.02	39.69	12.73	58.98	--	Peak																																																															



		25																																																																																										
Mode	Band Edge																																																																																											
	U-NII-8_6.875-7.125_802.11ax HE20_CH229_Full RU_7095MHz																																																																																											
ANT	5+7																																																																																											
Pol.	Horizontal	Fundamental																																																																																										
Peak	 <p style="text-align: right;">Date: 2024-02-07</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th colspan="2"></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7125.86</td> <td>51.95</td> <td>88.20</td> <td>-36.25</td> <td>40.72</td> <td>36.20</td> <td>8.68</td> <td>33.65</td> <td>200</td> <td>257</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>7270.95</td> <td>51.64</td> <td>74.00</td> <td>-22.36</td> <td>40.47</td> <td>36.08</td> <td>8.80</td> <td>33.71</td> <td>200</td> <td>257</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos			Freq	Level	Line Margin	Level	Factor	Loss Factor		cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB		1	7125.86	51.95	88.20	-36.25	40.72	36.20	8.68	33.65	200	257	PEAK	2	7270.95	51.64	74.00	-22.36	40.47	36.08	8.80	33.71	200	257	PEAK	 <p style="text-align: right;">Date: 2024-02-07</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th colspan="2"></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7095.00</td> <td>97.94</td> <td>-----</td> <td>-----</td> <td>86.62</td> <td>36.23</td> <td>8.73</td> <td>33.64</td> <td>200</td> <td>257</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos			Freq	Level	Line Margin	Level	Factor	Loss Factor		cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB		1	7095.00	97.94	-----	-----	86.62	36.23	8.73	33.64	200	257	PEAK
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line Margin	Level	Factor	Loss Factor		cm	deg																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																					
1	7125.86	51.95	88.20	-36.25	40.72	36.20	8.68	33.65	200	257	PEAK																																																																																	
2	7270.95	51.64	74.00	-22.36	40.47	36.08	8.80	33.71	200	257	PEAK																																																																																	
Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																						
Freq	Level	Line Margin	Level	Factor	Loss Factor		cm	deg																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																					
1	7095.00	97.94	-----	-----	86.62	36.23	8.73	33.64	200	257	PEAK																																																																																	
Avg	 <p style="text-align: right;">Date: 2024-02-07</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th colspan="2"></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7199.55</td> <td>41.61</td> <td>68.20</td> <td>-26.59</td> <td>30.57</td> <td>36.14</td> <td>8.58</td> <td>33.68</td> <td>200</td> <td>257</td> <td>AVERAGE</td> </tr> <tr> <td>2</td> <td>7264.58</td> <td>41.57</td> <td>54.00</td> <td>-12.43</td> <td>30.41</td> <td>36.09</td> <td>8.78</td> <td>33.71</td> <td>200</td> <td>257</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos			Freq	Level	Line Margin	Level	Factor	Loss Factor		cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB		1	7199.55	41.61	68.20	-26.59	30.57	36.14	8.58	33.68	200	257	AVERAGE	2	7264.58	41.57	54.00	-12.43	30.41	36.09	8.78	33.71	200	257	AVERAGE	 <p style="text-align: right;">Date: 2024-02-07</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th colspan="2"></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7095.00</td> <td>90.06</td> <td>-----</td> <td>-----</td> <td>78.77</td> <td>36.22</td> <td>8.71</td> <td>33.64</td> <td>200</td> <td>257</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos			Freq	Level	Line Margin	Level	Factor	Loss Factor		cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB		1	7095.00	90.06	-----	-----	78.77	36.22	8.71	33.64	200	257	AVERAGE
Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																						
Freq	Level	Line Margin	Level	Factor	Loss Factor		cm	deg																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																					
1	7199.55	41.61	68.20	-26.59	30.57	36.14	8.58	33.68	200	257	AVERAGE																																																																																	
2	7264.58	41.57	54.00	-12.43	30.41	36.09	8.78	33.71	200	257	AVERAGE																																																																																	
Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																						
Freq	Level	Line Margin	Level	Factor	Loss Factor		cm	deg																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																					
1	7095.00	90.06	-----	-----	78.77	36.22	8.71	33.64	200	257	AVERAGE																																																																																	







Mode	25																																																																																							
	Band Edge																																																																																							
	U-NII-8_6.875-7.125_802.11ax HE20_CH229_Full RU_7095MHZ																																																																																							
ANT	5+7																																																																																							
Pol.	Vertical	Fundamental																																																																																						
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7171.76</td> <td>50.73</td> <td>88.20</td> <td>-37.47</td> <td>39.62</td> <td>36.16</td> <td>8.62</td> <td>33.67</td> <td>108</td> <td>360</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>7339.55</td> <td>50.76</td> <td>74.00</td> <td>-23.24</td> <td>39.45</td> <td>36.03</td> <td>9.02</td> <td>33.74</td> <td>108</td> <td>360</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	7171.76	50.73	88.20	-37.47	39.62	36.16	8.62	33.67	108	360	PEAK	2	7339.55	50.76	74.00	-23.24	39.45	36.03	9.02	33.74	108	360	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7095.00</td> <td>92.33</td> <td>-----</td> <td>-----</td> <td>81.03</td> <td>36.22</td> <td>8.72</td> <td>33.64</td> <td>108</td> <td>360</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	7095.00	92.33	-----	-----	81.03	36.22	8.72	33.64	108	360	PEAK
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																
1	7171.76	50.73	88.20	-37.47	39.62	36.16	8.62	33.67	108	360	PEAK																																																																													
2	7339.55	50.76	74.00	-23.24	39.45	36.03	9.02	33.74	108	360	PEAK																																																																													
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																	
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																
1	7095.00	92.33	-----	-----	81.03	36.22	8.72	33.64	108	360	PEAK																																																																													
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7178.64</td> <td>41.50</td> <td>68.20</td> <td>-26.70</td> <td>30.40</td> <td>36.16</td> <td>8.61</td> <td>33.67</td> <td>108</td> <td>360</td> <td>AVERAGE</td> </tr> <tr> <td>2</td> <td>7266.62</td> <td>41.32</td> <td>54.00</td> <td>-12.68</td> <td>30.16</td> <td>36.08</td> <td>8.79</td> <td>33.71</td> <td>108</td> <td>360</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	7178.64	41.50	68.20	-26.70	30.40	36.16	8.61	33.67	108	360	AVERAGE	2	7266.62	41.32	54.00	-12.68	30.16	36.08	8.79	33.71	108	360	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7095.00</td> <td>84.14</td> <td>-----</td> <td>-----</td> <td>72.82</td> <td>36.23</td> <td>8.73</td> <td>33.64</td> <td>108</td> <td>360</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	7095.00	84.14	-----	-----	72.82	36.23	8.73	33.64	108	360	AVERAGE
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																	
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																
1	7178.64	41.50	68.20	-26.70	30.40	36.16	8.61	33.67	108	360	AVERAGE																																																																													
2	7266.62	41.32	54.00	-12.68	30.16	36.08	8.79	33.71	108	360	AVERAGE																																																																													
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																	
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																
1	7095.00	84.14	-----	-----	72.82	36.23	8.73	33.64	108	360	AVERAGE																																																																													



Mode	25																																																																							
	Harmonic																																																																							
	U-NII-8_6.875-7.125_802.11ax HE20_CH229_Full RU_7095MHz																																																																							
ANT	5+7																																																																							
Pol.	Horizontal	Vertical																																																																						
Peak Avg	<p>Date: 2024-02-19</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 14190.00</td> <td>47.83</td> <td>88.20</td> <td>-40.37</td> <td>54.14</td> <td>39.85</td> <td>12.73</td> <td>58.89</td> <td>--</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1 14190.00	47.83	88.20	-40.37	54.14	39.85	12.73	58.89	--	Peak	<p>Date: 2024-02-19</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 14190.00</td> <td>49.00</td> <td>88.20</td> <td>-39.20</td> <td>55.31</td> <td>39.85</td> <td>12.73</td> <td>58.89</td> <td>--</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1 14190.00	49.00	88.20	-39.20	55.31	39.85	12.73	58.89	--	Peak
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																
1 14190.00	47.83	88.20	-40.37	54.14	39.85	12.73	58.89	--	Peak																																																															
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																	
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																
1 14190.00	49.00	88.20	-39.20	55.31	39.85	12.73	58.89	--	Peak																																																															



		26																																																																								
Mode	Band Edge																																																																									
	U-NII-5_5.925-6.425_802.11ax HE40_CH3_Full RU_5965MHz																																																																									
ANT	5+7																																																																									
Pol.	Horizontal	Fundamental																																																																								
Peak	 <p style="text-align: right;">Date: 2024-02-07</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5909.00</td> <td>50.87</td> <td>88.20</td> <td>-37.33</td> <td>40.02</td> <td>35.36</td> <td>8.81</td> <td>33.32</td> <td>200</td> <td>317</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1	5909.00	50.87	88.20	-37.33	40.02	35.36	8.81	33.32	200	317	PEAK	 <p style="text-align: right;">Date: 2024-02-07</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5965.00</td> <td>93.03</td> <td>-----</td> <td>-----</td> <td>82.15</td> <td>35.46</td> <td>8.73</td> <td>33.31</td> <td>200</td> <td>317</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1	5965.00	93.03	-----	-----	82.15	35.46	8.73	33.31	200	317	PEAK
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line Margin	Level	Factor	Loss Factor																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																			
1	5909.00	50.87	88.20	-37.33	40.02	35.36	8.81	33.32	200	317	PEAK																																																															
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																			
Freq	Level	Line Margin	Level	Factor	Loss Factor																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																			
1	5965.00	93.03	-----	-----	82.15	35.46	8.73	33.31	200	317	PEAK																																																															
Avg	 <p style="text-align: right;">Date: 2024-02-07</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5920.52</td> <td>40.96</td> <td>68.20</td> <td>-27.24</td> <td>30.12</td> <td>35.37</td> <td>8.79</td> <td>33.32</td> <td>200</td> <td>317</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1	5920.52	40.96	68.20	-27.24	30.12	35.37	8.79	33.32	200	317	AVERAGE	 <p style="text-align: right;">Date: 2024-02-07</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5965.00</td> <td>83.93</td> <td>-----</td> <td>-----</td> <td>73.05</td> <td>35.46</td> <td>8.73</td> <td>33.31</td> <td>200</td> <td>317</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1	5965.00	83.93	-----	-----	73.05	35.46	8.73	33.31	200	317	AVERAGE
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																			
Freq	Level	Line Margin	Level	Factor	Loss Factor																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																			
1	5920.52	40.96	68.20	-27.24	30.12	35.37	8.79	33.32	200	317	AVERAGE																																																															
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																			
Freq	Level	Line Margin	Level	Factor	Loss Factor																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																			
1	5965.00	83.93	-----	-----	73.05	35.46	8.73	33.31	200	317	AVERAGE																																																															



Mode	26																																																																									
	Band Edge																																																																									
	U-NII-5_5.925-6.425_802.11ax HE40_CH3_Full RU_5965MHz																																																																									
ANT	5+7																																																																									
Pol.	Vertical	Fundamental																																																																								
Peak	<p style="text-align: right;">Date: 2024-02-07</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5925.00</td> <td>52.20</td> <td>88.20</td> <td>-36.00</td> <td>41.35</td> <td>35.38</td> <td>8.79</td> <td>33.32</td> <td>145</td> <td>275</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5925.00	52.20	88.20	-36.00	41.35	35.38	8.79	33.32	145	275	PEAK	<p style="text-align: right;">Date: 2024-02-07</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5965.00</td> <td>97.32</td> <td>-----</td> <td>-----</td> <td>86.44</td> <td>35.43</td> <td>8.76</td> <td>33.31</td> <td>145</td> <td>275</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5965.00	97.32	-----	-----	86.44	35.43	8.76	33.31	145	275	PEAK
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																			
1	5925.00	52.20	88.20	-36.00	41.35	35.38	8.79	33.32	145	275	PEAK																																																															
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																			
1	5965.00	97.32	-----	-----	86.44	35.43	8.76	33.31	145	275	PEAK																																																															
Avg	<p style="text-align: right;">Date: 2024-02-07</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5924.84</td> <td>42.84</td> <td>68.20</td> <td>-25.36</td> <td>31.99</td> <td>35.38</td> <td>8.79</td> <td>33.32</td> <td>145</td> <td>275</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5924.84	42.84	68.20	-25.36	31.99	35.38	8.79	33.32	145	275	AVERAGE	<p style="text-align: right;">Date: 2024-02-07</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5965.00</td> <td>88.85</td> <td>-----</td> <td>-----</td> <td>77.97</td> <td>35.43</td> <td>8.76</td> <td>33.31</td> <td>145</td> <td>275</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5965.00	88.85	-----	-----	77.97	35.43	8.76	33.31	145	275	AVERAGE
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																			
1	5924.84	42.84	68.20	-25.36	31.99	35.38	8.79	33.32	145	275	AVERAGE																																																															
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																			
1	5965.00	88.85	-----	-----	77.97	35.43	8.76	33.31	145	275	AVERAGE																																																															



Mode	26																																																																						
	Harmonic																																																																						
	U-NII-5_5.925-6.425_802.11ax HE40_CH3_Full RU_5965MHz																																																																						
ANT	5+7																																																																						
Pol.	Horizontal	Vertical																																																																					
Peak Avg																																																																							
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 11930.00</td> <td>46.73</td> <td>74.00</td> <td>-27.27</td> <td>53.22</td> <td>39.12</td> <td>11.67</td> <td>57.28</td> <td>--</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1 11930.00	46.73	74.00	-27.27	53.22	39.12	11.67	57.28	--	Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 11930.00</td> <td>45.31</td> <td>74.00</td> <td>-28.69</td> <td>51.80</td> <td>39.12</td> <td>11.67</td> <td>57.28</td> <td>--</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1 11930.00	45.31	74.00	-28.69	51.80	39.12	11.67	57.28	--
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																															
1 11930.00	46.73	74.00	-27.27	53.22	39.12	11.67	57.28	--	Peak																																																														
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																															
1 11930.00	45.31	74.00	-28.69	51.80	39.12	11.67	57.28	--	Peak																																																														



Mode	27																																																																						
	Harmonic																																																																						
	U-NII-5_5.925-6.425_802.11ax HE40_CH43_Full RU_6165MHz																																																																						
ANT	5+7																																																																						
Pol.	Horizontal	Vertical																																																																					
Peak Avg																																																																							
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 12330.00</td> <td>46.25</td> <td>74.00</td> <td>-27.75</td> <td>52.58</td> <td>39.33</td> <td>11.77</td> <td>57.43</td> <td>--</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1 12330.00	46.25	74.00	-27.75	52.58	39.33	11.77	57.43	--	Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 12330.00</td> <td>45.53</td> <td>74.00</td> <td>-28.47</td> <td>51.86</td> <td>39.33</td> <td>11.77</td> <td>57.43</td> <td>--</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1 12330.00	45.53	74.00	-28.47	51.86	39.33	11.77	57.43	--
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																															
1 12330.00	46.25	74.00	-27.75	52.58	39.33	11.77	57.43	--	Peak																																																														
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																															
1 12330.00	45.53	74.00	-28.47	51.86	39.33	11.77	57.43	--	Peak																																																														



Mode	28																																																																							
	Harmonic																																																																							
	U-NII-5_5.925-6.425_802.11ax HE40_CH91_Full RU_6405MHz																																																																							
ANT	5+7																																																																							
Pol.	Horizontal	Vertical																																																																						
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 12810.00</td> <td>46.60</td> <td>88.20</td> <td>-41.60</td> <td>53.04</td> <td>39.46</td> <td>11.87</td> <td>57.77</td> <td>--</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1 12810.00	46.60	88.20	-41.60	53.04	39.46	11.87	57.77	--	Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 12810.00</td> <td>46.28</td> <td>88.20</td> <td>-41.92</td> <td>52.72</td> <td>39.46</td> <td>11.87</td> <td>57.77</td> <td>--</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1 12810.00	46.28	88.20	-41.92	52.72	39.46	11.87	57.77	--	Peak
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																
1 12810.00	46.60	88.20	-41.60	53.04	39.46	11.87	57.77	--	Peak																																																															
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																	
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																
1 12810.00	46.28	88.20	-41.92	52.72	39.46	11.87	57.77	--	Peak																																																															



Mode	29																																																																							
	Harmonic																																																																							
	U-NII-6_6.425-6.525_802.11ax HE40_CH99_Full RU_6445MHz																																																																							
ANT	5+7																																																																							
Pol.	Horizontal	Vertical																																																																						
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 12890.00</td> <td>47.43</td> <td>88.20</td> <td>-40.77</td> <td>53.89</td> <td>39.48</td> <td>11.88</td> <td>57.82</td> <td>--</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1 12890.00	47.43	88.20	-40.77	53.89	39.48	11.88	57.82	--	Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 12890.00</td> <td>48.08</td> <td>88.20</td> <td>-40.12</td> <td>54.54</td> <td>39.48</td> <td>11.88</td> <td>57.82</td> <td>--</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1 12890.00	48.08	88.20	-40.12	54.54	39.48	11.88	57.82	--	Peak
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																
1 12890.00	47.43	88.20	-40.77	53.89	39.48	11.88	57.82	--	Peak																																																															
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																	
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																
1 12890.00	48.08	88.20	-40.12	54.54	39.48	11.88	57.82	--	Peak																																																															



Mode	30																																																																							
	Harmonic																																																																							
	U-NII-6_6.425-6.525_802.11ax HE40_CH107_Full RU_6485MHz																																																																							
ANT	5+7																																																																							
Pol.	Horizontal	Vertical																																																																						
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 12970.00</td> <td>45.84</td> <td>88.20</td> <td>-42.36</td> <td>52.33</td> <td>39.49</td> <td>11.90</td> <td>57.88</td> <td>--</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1 12970.00	45.84	88.20	-42.36	52.33	39.49	11.90	57.88	--	Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 12970.00</td> <td>45.92</td> <td>88.20</td> <td>-42.28</td> <td>52.41</td> <td>39.49</td> <td>11.90</td> <td>57.88</td> <td>--</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1 12970.00	45.92	88.20	-42.28	52.41	39.49	11.90	57.88	--	Peak
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																
1 12970.00	45.84	88.20	-42.36	52.33	39.49	11.90	57.88	--	Peak																																																															
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																	
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																
1 12970.00	45.92	88.20	-42.28	52.41	39.49	11.90	57.88	--	Peak																																																															



Mode	31																																																																						
	Harmonic																																																																						
	U-NII-7_6.525-6.875_802.11ax HE40_CH123_Full RU_6565MHz																																																																						
ANT	5+7																																																																						
Pol.	Horizontal	Vertical																																																																					
Peak Avg																																																																							
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 13130.00</td> <td>46.88</td> <td>88.20</td> <td>-41.32</td> <td>53.41</td> <td>39.50</td> <td>12.01</td> <td>58.04</td> <td>--</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1 13130.00	46.88	88.20	-41.32	53.41	39.50	12.01	58.04	--	Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 13130.00</td> <td>46.58</td> <td>88.20</td> <td>-41.62</td> <td>53.11</td> <td>39.50</td> <td>12.01</td> <td>58.04</td> <td>--</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1 13130.00	46.58	88.20	-41.62	53.11	39.50	12.01	58.04	--
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																															
1 13130.00	46.88	88.20	-41.32	53.41	39.50	12.01	58.04	--	Peak																																																														
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																															
1 13130.00	46.58	88.20	-41.62	53.11	39.50	12.01	58.04	--	Peak																																																														