

































































<802.11be Multi-RU & Puncture mode>

Maximum conducted output power

Test Result

Test Mode	Ant.	CH.	MRU Size	MRU Index	Set Power	CH. Power [dBm]	Result [dBm]	Limit [dBm]	Gain [dBi]	EIRP [dBm]	EIRP Limit [dBm]	Verdict
11BE20 MIMO	Ant7	5935	52+26 OFDMA	1	-12	-13.10	-13.08	≤27.90	-3.90	-16.98	≤24.00	PASS
			106+26 OFDMA	1	-9.5	-10.30	-10.29	≤27.90	-3.90	-14.19	≤24.00	PASS
	Ant5	5935	52+26 OFDMA	1	-12	-10.79	-10.77	≤27.70	-3.70	-14.47	≤24.00	PASS
			106+26 OFDMA	1	-9.5	-8.10	-8.08	≤27.70	-3.70	-11.78	≤24.00	PASS
	total	5935	52+26 OFDMA	1	---	---	-8.76	≤27.70	-3.70	-12.46	≤24.00	PASS
			106+26 OFDMA	1	---	---	-6.04	≤27.70	-3.70	-9.74	≤24.00	PASS
	Ant7	5955	52+26 OFDMA	1	3	2.36	2.38	≤27.90	-3.90	-1.52	≤24.00	PASS
			106+26 OFDMA	1	5	4.60	4.61	≤27.90	-3.90	0.71	≤24.00	PASS
	Ant5	5955	52+26 OFDMA	1	3	2.63	2.65	≤27.70	-3.70	-1.05	≤24.00	PASS
			106+26 OFDMA	1	5	4.91	4.93	≤27.70	-3.70	1.23	≤24.00	PASS
	total	5955	52+26 OFDMA	1	---	---	5.53	≤27.70	-3.70	1.83	≤24.00	PASS
			106+26 OFDMA	1	---	---	7.78	≤27.70	-3.70	4.08	≤24.00	PASS
	Ant7	6435	52+26 OFDMA	1	4.5	3.72	3.74	≤28.70	-4.70	-0.96	≤24.00	PASS
			106+26 OFDMA	1	6.5	6.07	6.08	≤28.70	-4.70	1.38	≤24.00	PASS
	Ant5	6435	52+26 OFDMA	1	4.5	4.29	4.31	≤29.50	-5.50	-1.19	≤24.00	PASS
			106+26 OFDMA	1	6.5	7.01	7.03	≤29.50	-5.50	1.53	≤24.00	PASS
	total	6435	52+26 OFDMA	1	---	---	7.04	≤28.70	-4.70	2.34	≤24.00	PASS
			106+26 OFDMA	1	---	---	9.59	≤28.70	-4.70	4.89	≤24.00	PASS
	Ant7	6535	52+26 OFDMA	1	5	4.73	4.75	≤29.10	-5.10	-0.35	≤24.00	PASS
			106+26 OFDMA	1	7	6.80	6.81	≤29.10	-5.10	1.71	≤24.00	PASS
	Ant5	6535	52+26 OFDMA	1	5	4.47	4.49	≤30.60	-6.60	-2.11	≤24.00	PASS
			106+26 OFDMA	1	7	6.93	6.95	≤30.60	-6.60	0.35	≤24.00	PASS
	total	6535	52+26 OFDMA	1	---	---	7.63	≤29.10	-5.10	2.53	≤24.00	PASS
			106+26 OFDMA	1	---	---	9.89	≤29.10	-5.10	4.79	≤24.00	PASS
	Ant7	7095	52+26 OFDMA	3	6.5	6.23	6.25	≤30.21	-6.21	0.04	≤24.00	PASS
			106+26 OFDMA	2	8.5	8.39	8.41	≤30.21	-6.21	2.20	≤24.00	PASS
	Ant5	7095	52+26 OFDMA	3	6.5	6.14	6.16	≤29.30	-5.30	0.86	≤24.00	PASS
			106+26 OFDMA	2	8.5	8.49	8.51	≤29.30	-5.30	3.21	≤24.00	PASS
	total	7095	52+26 OFDMA	3	---	---	9.22	≤29.30	-5.30	3.92	≤24.00	PASS
			106+26 OFDMA	2	---	---	11.47	≤29.30	-5.30	6.17	≤24.00	PASS
	Ant7	7115	52+26 OFDMA	3	-7.5	-8.94	-8.92	≤30.21	-6.21	-15.13	≤24.00	PASS
			106+26 OFDMA	2	-5.5	-6.59	-6.57	≤30.21	-6.21	-12.78	≤24.00	PASS
	Ant5	7115	52+26 OFDMA	3	-7.5	-6.29	-6.27	≤29.30	-5.30	-11.57	≤24.00	PASS
			106+26 OFDMA	2	-5.5	-4.06	-4.04	≤29.30	-5.30	-9.34	≤24.00	PASS
	total	7115	52+26 OFDMA	3	---	---	-4.39	≤29.30	-5.30	-9.69	≤24.00	PASS
			106+26 OFDMA	2	---	---	-2.11	≤29.30	-5.30	-7.41	≤24.00	PASS
11BE80 MIMO	Ant7	5985	Large RU 484+242	4	8.5	10.35	10.39	≤27.90	-3.90	6.49	≤24.00	PASS
			Puncturing 20M	4	9	9.67	9.69	≤27.90	-3.90	5.79	≤24.00	PASS
	Ant5	5985	Large RU 484+242	4	8.5	10.21	10.29	≤27.70	-3.70	6.59	≤24.00	PASS
			Puncturing 20M	4	9	9.62	9.64	≤27.70	-3.70	5.94	≤24.00	PASS
	total	5985	Large RU 484+242	4	---	---	13.35	≤27.70	-3.70	9.65	≤24.00	PASS
			Puncturing 20M	4	---	---	12.68	≤27.70	-3.70	8.98	≤24.00	PASS
	Ant7	7025	Large RU 484+242	1	7.5	9.21	9.29	≤30.21	-6.21	3.08	≤24.00	PASS
			Puncturing 20M	1	8.5	9.18	9.20	≤30.21	-6.21	2.99	≤24.00	PASS
	Ant5	7025	Large RU 484+242	1	7.5	9.60	9.68	≤29.30	-5.30	4.38	≤24.00	PASS
			Puncturing 20M	1	8.5	9.38	9.39	≤29.30	-5.30	4.09	≤24.00	PASS
	total	7025	Large RU	1	---	---	12.50	≤29.30	-5.30	7.20	≤24.00	PASS



			484+242									
			Puncturing 20M	1	---	---	12.31	≤29.30	-5.30	7.01	≤24.00	PASS

11BE160 MIMO	Ant7	6025	Large RU 996+484	4	7.5	9.41	9.46	≤27.90	-3.90	5.56	≤24.00	PASS
			Puncturing 40M	4	8	9.05	9.07	≤27.90	-3.90	5.17	≤24.00	PASS
			Puncturing 20M	8	9	9.94	9.96	≤27.90	-3.90	6.06	≤24.00	PASS
	Ant5	6025	Large RU 996+484	4	7.5	9.51	9.60	≤27.70	-3.70	5.90	≤24.00	PASS
			Puncturing 40M	4	8	9.23	9.24	≤27.70	-3.70	5.54	≤24.00	PASS
			Puncturing 20M	8	9	10.07	10.09	≤27.70	-3.70	6.39	≤24.00	PASS
	total	6025	Large RU 996+484	4	---	---	12.54	≤27.70	-3.70	8.84	≤24.00	PASS
			Puncturing 40M	4	---	---	12.17	≤27.70	-3.70	8.47	≤24.00	PASS
			Puncturing 20M	8	---	---	13.04	≤27.70	-3.70	9.34	≤24.00	PASS
	Ant7	6985	Large RU 996+484	1	7.5	9.41	9.50	≤30.21	-6.21	3.29	≤24.00	PASS
			Puncturing 40M	1	8	8.94	8.96	≤30.21	-6.21	2.75	≤24.00	PASS
			Puncturing 20M	1	8.5	9.34	9.36	≤30.21	-6.21	3.15	≤24.00	PASS
	Ant5	6985	Large RU 996+484	1	7.5	9.42	9.51	≤29.30	-5.30	4.21	≤24.00	PASS
			Puncturing 40M	1	8	9.05	9.06	≤29.30	-5.30	3.76	≤24.00	PASS
			Puncturing 20M	1	8.5	9.57	9.59	≤29.30	-5.30	4.29	≤24.00	PASS
	total	6985	Large RU 996+484	1	---	---	12.52	≤29.30	-5.30	7.22	≤24.00	PASS
			Puncturing 40M	1	---	---	12.02	≤29.30	-5.30	6.72	≤24.00	PASS
			Puncturing 20M	1	---	---	12.49	≤29.30	-5.30	7.19	≤24.00	PASS
11BE320 MIMO	Ant7	6105	Large RU 2*996+484	6	6.5	9.17	9.24	≤27.90	-3.90	5.34	≤24.00	PASS
			Large RU 3*996	4	8	9.67	9.76	≤27.90	-3.90	5.86	≤24.00	PASS
			Large RU 3*996+484	8	9	10.18	10.38	≤27.90	-3.90	6.48	≤24.00	PASS
			Puncturing 80+40M	6	7.5	8.41	8.42	≤27.90	-3.90	4.52	≤24.00	PASS
			Puncturing 80M	4	8.5	9.22	9.24	≤27.90	-3.90	5.34	≤24.00	PASS
			Puncturing 40M	8	9	9.76	9.77	≤27.90	-3.90	5.87	≤24.00	PASS
	Ant5	6105	Large RU 2*996+484	6	6.5	9.64	9.79	≤27.70	-3.70	6.09	≤24.00	PASS
			Large RU 3*996	4	8	9.87	10.04	≤27.70	-3.70	6.34	≤24.00	PASS
			Large RU 3*996+484	8	9	10.29	10.49	≤27.70	-3.70	6.79	≤24.00	PASS
			Puncturing 80+40M	6	7.5	8.64	8.66	≤27.70	-3.70	4.96	≤24.00	PASS
			Puncturing 80M	4	8.5	9.46	9.48	≤27.70	-3.70	5.78	≤24.00	PASS
			Puncturing 40M	8	9	10.01	10.03	≤27.70	-3.70	6.33	≤24.00	PASS
	total	6105	Large RU 2*996+484	6	---	---	12.53	≤27.70	-3.70	8.83	≤24.00	PASS
			Large RU 3*996	4	---	---	12.91	≤27.70	-3.70	9.21	≤24.00	PASS
			Large RU 3*996+484	8	---	---	13.45	≤27.70	-3.70	9.75	≤24.00	PASS
			Puncturing 80+40M	6	---	---	11.55	≤27.70	-3.70	7.85	≤24.00	PASS
			Puncturing 80M	4	---	---	12.37	≤27.70	-3.70	8.67	≤24.00	PASS
			Puncturing 40M	8	---	---	12.91	≤27.70	-3.70	9.21	≤24.00	PASS
	Ant7	6905	Large RU 2*996+484	7	7	9.56	9.71	≤29.10	-5.10	4.61	≤24.00	PASS
			Large RU 3*996	1	8.5	10.24	10.50	≤29.10	-5.10	5.40	≤24.00	PASS
			Large RU 3*996+484	1	9.5	10.67	10.96	≤29.10	-5.10	5.86	≤24.00	PASS
			Puncturing 80+40M	7	8.5	9.40	9.42	≤29.10	-5.10	4.32	≤24.00	PASS
			Puncturing 80M	1	9.5	10.31	10.33	≤29.10	-5.10	5.23	≤24.00	PASS
			Puncturing 40M	1	10	10.85	10.87	≤29.10	-5.10	5.77	≤24.00	PASS



	Ant5	6905	Large RU 2*996+484	7	7.0	9.55	9.70	≤29.30	-5.30	4.40	≤24.00	PASS
			Large RU 3*996	1	8.5	10.26	10.52	≤29.30	-5.30	5.22	≤24.00	PASS
			Large RU 3*996+484	1	9.5	10.58	10.87	≤29.30	-5.30	5.57	≤24.00	PASS
			Puncturing 80+40M	7	8.5	9.36	9.38	≤29.30	-5.30	4.08	≤24.00	PASS
			Puncturing 80M	1	9.5	10.20	10.22	≤29.30	-5.30	4.92	≤24.00	PASS
			Puncturing 40M	1	10	10.82	10.84	≤29.30	-5.30	5.54	≤24.00	PASS
	total	6905	Large RU 2*996+484	7	---	---	12.72	≤29.10	-5.10	7.62	≤24.00	PASS
			Large RU 3*996	1	---	---	13.52	≤29.10	-5.10	8.42	≤24.00	PASS
			Large RU 3*996+484	1	---	---	13.93	≤29.10	-5.10	8.83	≤24.00	PASS
			Puncturing 80+40M	7	---	---	12.41	≤29.10	-5.10	7.31	≤24.00	PASS
			Puncturing 80M	1	---	---	13.29	≤29.10	-5.10	8.19	≤24.00	PASS
			Puncturing 40M	1	---	---	13.87	≤29.10	-5.10	8.77	≤24.00	PASS

Note: the duty cycle factor have been compensated in the final results.



Maximum power spectral density

Test Result

Test Mode	Ant	Channel	MRU Size	MRU Index	Result [dBm/MHz]	Limit [dBm/MHz]	Gain [dBi]	EIRP [dBm/MHz]	Limit [dBm/MHz]	Verdict
11BE20 MIMO	Ant7	5935	52+26_OFDMA	1	-19.03	≤2.90	-3.90	-22.93	≤-1.00	PASS
			106+26_OFDMA	1	-18.81	≤2.90	-3.90	-22.71	≤-1.00	PASS
	Ant5	5935	52+26_OFDMA	1	-17.55	≤2.70	-3.70	-21.25	≤-1.00	PASS
			106+26_OFDMA	1	-17.20	≤2.70	-3.70	-20.90	≤-1.00	PASS
	total	5935	52+26_OFDMA	1	-15.22	≤-0.21	-0.79	-16.01	≤-1.00	PASS
			106+26_OFDMA	1	-14.92	≤-0.21	-0.79	-15.71	≤-1.00	PASS
	Ant7	5955	52+26_OFDMA	1	-4.54	≤2.90	-3.90	-8.44	≤-1.00	PASS
			106+26_OFDMA	1	-4.72	≤2.90	-3.90	-8.62	≤-1.00	PASS
	Ant5	5955	52+26_OFDMA	1	-4.84	≤2.70	-3.70	-8.54	≤-1.00	PASS
			106+26_OFDMA	1	-4.95	≤2.70	-3.70	-8.65	≤-1.00	PASS
	total	5955	52+26_OFDMA	1	-1.68	≤-0.21	-0.79	-2.47	≤-1.00	PASS
			106+26_OFDMA	1	-1.82	≤-0.21	-0.79	-2.61	≤-1.00	PASS
	Ant7	6435	52+26_OFDMA	1	-3.38	≤3.70	-4.70	-8.08	≤-1.00	PASS
			106+26_OFDMA	1	-3.50	≤3.70	-4.70	-8.20	≤-1.00	PASS
	Ant5	6435	52+26_OFDMA	1	-3.35	≤4.50	-5.50	-8.85	≤-1.00	PASS
			106+26_OFDMA	1	-3.08	≤4.50	-5.50	-8.58	≤-1.00	PASS
	total	6435	52+26_OFDMA	1	-0.35	≤1.08	-2.08	-2.43	≤-1.00	PASS
			106+26_OFDMA	1	-0.27	≤1.08	-2.08	-2.35	≤-1.00	PASS
	Ant7	6535	52+26_OFDMA	1	-2.21	≤4.10	-5.10	-7.31	≤-1.00	PASS
			106+26_OFDMA	1	-2.45	≤4.10	-5.10	-7.55	≤-1.00	PASS
	Ant5	6535	52+26_OFDMA	1	-3.05	≤5.60	-6.60	-9.65	≤-1.00	PASS
			106+26_OFDMA	1	-2.99	≤5.60	-6.60	-9.59	≤-1.00	PASS
	total	6535	52+26_OFDMA	1	0.40	≤1.81	-2.81	-2.41	≤-1.00	PASS
			106+26_OFDMA	1	0.30	≤1.81	-2.81	-2.51	≤-1.00	PASS
	Ant7	7095	52+26_OFDMA	3	-2.19	≤5.21	-6.21	-8.40	≤-1.00	PASS
			106+26_OFDMA	2	-2.49	≤5.21	-6.21	-8.70	≤-1.00	PASS
	Ant5	7095	52+26_OFDMA	3	-2.72	≤4.30	-5.30	-8.02	≤-1.00	PASS
			106+26_OFDMA	2	-2.80	≤4.30	-5.30	-8.10	≤-1.00	PASS
	total	7095	52+26_OFDMA	3	0.56	≤1.73	-2.73	-2.17	≤-1.00	PASS
			106+26_OFDMA	2	0.37	≤1.73	-2.73	-2.36	≤-1.00	PASS
	Ant7	7115	52+26_OFDMA	3	-16.72	≤5.21	-6.21	-22.93	≤-1.00	PASS
			106+26_OFDMA	2	-16.90	≤5.21	-6.21	-23.11	≤-1.00	PASS
	Ant5	7115	52+26_OFDMA	3	-14.69	≤4.30	-5.30	-19.99	≤-1.00	PASS
			106+26_OFDMA	2	-14.87	≤4.30	-5.30	-20.17	≤-1.00	PASS
	total	7115	52+26_OFDMA	3	-12.58	≤1.73	-2.73	-15.31	≤-1.00	PASS
			106+26_OFDMA	2	-12.76	≤1.73	-2.73	-15.49	≤-1.00	PASS
11BE80 MIMO	Ant7	5985	Large RU 484+242	4	-4.33	≤2.90	-3.90	-8.23	≤-1.00	PASS
			Puncturing 20M	4	-4.46	≤2.90	-3.90	-8.36	≤-1.00	PASS
	Ant5	5985	Large RU 484+242	4	-4.91	≤2.70	-3.70	-8.61	≤-1.00	PASS
			Puncturing 20M	4	-5.21	≤2.70	-3.70	-8.91	≤-1.00	PASS




	total	5985	Large RU 484+242	4	-1.60	≤-0.21	-0.79	-2.39	≤-1.00	PASS
			Puncturing 20M	4	-1.81	≤-0.21	-0.79	-2.60	≤-1.00	PASS
	Ant7	7025	Large RU 484+242	1	-3.37	≤5.21	-6.21	-9.58	≤-1.00	PASS
			Puncturing 20M	1	-2.93	≤5.21	-6.21	-9.14	≤-1.00	PASS
	Ant5	7025	Large RU 484+242	1	-3.53	≤4.30	-5.30	-8.83	≤-1.00	PASS
			Puncturing 20M	1	-3.42	≤4.30	-5.30	-8.72	≤-1.00	PASS
	total	7025	Large RU 484+242	1	-0.44	≤1.73	-2.73	-3.17	≤-1.00	PASS
			Puncturing 20M	1	-0.16	≤1.73	-2.73	-2.89	≤-1.00	PASS
11BE16 0MIMO	Ant7	6025	Large RU 996+484	4	-6.17	≤2.90	-3.90	-10.07	≤-1.00	PASS
			Puncturing 40M	4	-6.04	≤2.90	-3.90	-9.94	≤-1.00	PASS
			Puncturing 20M	8	-5.57	≤2.90	-3.90	-9.47	≤-1.00	PASS
	Ant5	6025	Large RU 996+484	4	-6.26	≤2.70	-3.70	-9.96	≤-1.00	PASS
			Puncturing 40M	4	-6.32	≤2.70	-3.70	-10.02	≤-1.00	PASS
			Puncturing 20M	8	-5.85	≤2.70	-3.70	-9.55	≤-1.00	PASS
	total	6025	Large RU 996+484	4	-3.20	≤-0.21	-0.79	-3.99	≤-1.00	PASS
			Puncturing 40M	4	-3.17	≤-0.21	-0.79	-3.96	≤-1.00	PASS
			Puncturing 20M	8	-2.70	≤-0.21	-0.79	-3.49	≤-1.00	PASS
	Ant7	6985	Large RU 996+484	1	-6.25	≤5.21	-6.21	-12.46	≤-1.00	PASS
			Puncturing 40M	1	-6.26	≤5.21	-6.21	-12.47	≤-1.00	PASS
			Puncturing 20M	1	-6.33	≤5.21	-6.21	-12.54	≤-1.00	PASS
	Ant5	6985	Large RU 996+484	1	-6.47	≤4.30	-5.30	-11.77	≤-1.00	PASS
			Puncturing 40M	1	-6.58	≤4.30	-5.30	-11.88	≤-1.00	PASS
			Puncturing 20M	1	-6.70	≤4.30	-5.30	-12.00	≤-1.00	PASS
	total	6985	Large RU 996+484	1	-3.35	≤1.73	-2.73	-6.08	≤-1.00	PASS
			Puncturing 40M	1	-3.41	≤1.73	-2.73	-6.14	≤-1.00	PASS
			Puncturing 20M	1	-3.50	≤1.73	-2.73	-6.23	≤-1.00	PASS
11BE32 0MIMO	Ant7	6105	Large RU 2*996+484	6	-8.46	≤2.90	-3.90	-12.36	≤-1.00	PASS
			Large RU 3*996	4	-8.59	≤2.90	-3.90	-12.49	≤-1.00	PASS
			Large RU 3*996+484	8	-8.57	≤2.90	-3.90	-12.47	≤-1.00	PASS
			Puncturing 80+40M	6	-8.56	≤2.90	-3.90	-12.46	≤-1.00	PASS
			Puncturing 80M	4	-8.53	≤2.90	-3.90	-12.43	≤-1.00	PASS
			Puncturing 40M	8	-8.53	≤2.90	-3.90	-12.43	≤-1.00	PASS
	Ant5	6105	Large RU 2*996+484	6	-8.45	≤2.70	-3.70	-12.15	≤-1.00	PASS
			Large RU 3*996	4	-8.68	≤2.70	-3.70	-12.38	≤-1.00	PASS
			Large RU 3*996+484	8	-8.65	≤2.70	-3.70	-12.35	≤-1.00	PASS







			Puncturing 80+40M	6	-8.84	≤ 2.70	-3.70	-12.54	≤ -1.00	PASS
			Puncturing 80M	4	-8.82	≤ 2.70	-3.70	-12.52	≤ -1.00	PASS
			Puncturing 40M	8	-8.81	≤ 2.70	-3.70	-12.51	≤ -1.00	PASS
	total	6105	Large RU 2*996+484	6	-5.44	≤ -0.21	-0.79	-6.23	≤ -1.00	PASS
			Large RU 3*996	4	-5.62	≤ -0.21	-0.79	-6.41	≤ -1.00	PASS
			Large RU 3*996+484	8	-5.60	≤ -0.21	-0.79	-6.39	≤ -1.00	PASS
			Puncturing 80+40M	6	-5.69	≤ -0.21	-0.79	-6.48	≤ -1.00	PASS
			Puncturing 80M	4	-5.66	≤ -0.21	-0.79	-6.45	≤ -1.00	PASS
			Puncturing 40M	8	-5.66	≤ -0.21	-0.79	-6.45	≤ -1.00	PASS
	Ant7	6905	Large RU 2*996+484	7	-11.76	≤ 4.10	-5.10	-16.86	≤ -1.00	PASS
			Large RU 3*996	1	-12.36	≤ 4.10	-5.10	-17.46	≤ -1.00	PASS
			Large RU 3*996+484	1	-12.29	≤ 4.10	-5.10	-17.39	≤ -1.00	PASS
			Puncturing 80+40M	7	-11.65	≤ 4.10	-5.10	-16.75	≤ -1.00	PASS
			Puncturing 80M	1	-11.87	≤ 4.10	-5.10	-16.97	≤ -1.00	PASS
			Puncturing 40M	1	-11.91	≤ 4.10	-5.10	-17.01	≤ -1.00	PASS
	Ant5	6905	Large RU 2*996+484	7	-11.92	≤ 4.30	-5.30	-17.22	≤ -1.00	PASS
			Large RU 3*996	1	-12.18	≤ 4.30	-5.30	-17.48	≤ -1.00	PASS
			Large RU 3*996+484	1	-12.24	≤ 4.30	-5.30	-17.54	≤ -1.00	PASS
			Puncturing 80+40M	7	-11.91	≤ 4.30	-5.30	-17.21	≤ -1.00	PASS
			Puncturing 80M	1	-12.09	≤ 4.30	-5.30	-17.39	≤ -1.00	PASS
			Puncturing 40M	1	-12.04	≤ 4.30	-5.30	-17.34	≤ -1.00	PASS
	total	6905	Large RU 2*996+484	7	-8.83	≤ 1.19	-2.19	-11.02	≤ -1.00	PASS
			Large RU 3*996	1	-9.26	≤ 1.19	-2.19	-11.45	≤ -1.00	PASS
			Large RU 3*996+484	1	-9.25	≤ 1.19	-2.19	-11.44	≤ -1.00	PASS
			Puncturing 80+40M	7	-8.77	≤ 1.19	-2.19	-10.96	≤ -1.00	PASS
			Puncturing 80M	1	-8.97	≤ 1.19	-2.19	-11.16	≤ -1.00	PASS
			Puncturing 40M	1	-8.96	≤ 1.19	-2.19	-11.15	≤ -1.00	PASS







Test Graphs
































































































































In-Band Emissions

Test Result


TestMode	Ant	Channel	MRU Size	MRU Index	Result	Limit	Verdict
11BE20 MIMO	Ant7	5935	52+26_OFDMA	1	See test graph	See test graph	PASS
			106+26_OFDMA	1	See test graph	See test graph	PASS
	Ant5	5935	52+26_OFDMA	1	See test graph	See test graph	PASS
			106+26_OFDMA	1	See test graph	See test graph	PASS
	Ant7	5955	52+26_OFDMA	1	See test graph	See test graph	PASS
			106+26_OFDMA	1	See test graph	See test graph	PASS
	Ant5	5955	52+26_OFDMA	1	See test graph	See test graph	PASS
			106+26_OFDMA	1	See test graph	See test graph	PASS
	Ant7	6435	52+26_OFDMA	1	See test graph	See test graph	PASS
			106+26_OFDMA	1	See test graph	See test graph	PASS
	Ant5	6435	52+26_OFDMA	1	See test graph	See test graph	PASS
			106+26_OFDMA	1	See test graph	See test graph	PASS
	Ant7	6535	52+26_OFDMA	1	See test graph	See test graph	PASS
			106+26_OFDMA	1	See test graph	See test graph	PASS
	Ant5	6535	52+26_OFDMA	1	See test graph	See test graph	PASS
			106+26_OFDMA	1	See test graph	See test graph	PASS
	Ant7	7095	52+26_OFDMA	3	See test graph	See test graph	PASS
			106+26_OFDMA	2	See test graph	See test graph	PASS
	Ant5	7095	52+26_OFDMA	3	See test graph	See test graph	PASS
			106+26_OFDMA	2	See test graph	See test graph	PASS
	Ant7	7115	52+26_OFDMA	3	See test graph	See test graph	PASS
			106+26_OFDMA	2	See test graph	See test graph	PASS
	Ant5	7115	52+26_OFDMA	3	See test graph	See test graph	PASS
			106+26_OFDMA	2	See test graph	See test graph	PASS
11BE80 MIMO	Ant7	5985	Large RU 484+242	4	See test graph	See test graph	PASS
			Puncturing 20M	4	See test graph	See test graph	PASS
	Ant5	5985	Large RU 484+242	4	See test graph	See test graph	PASS
			Puncturing 20M	4	See test graph	See test graph	PASS
	Ant7	7025	Large RU 484+242	1	See test graph	See test graph	PASS
			Puncturing 20M	1	See test graph	See test graph	PASS
	Ant5	7025	Large RU 484+242	1	See test graph	See test graph	PASS
			Puncturing 20M	1	See test graph	See test graph	PASS
11BE160 MIMO	Ant7	6025	Large RU 996+484	4	See test graph	See test graph	PASS
			Puncturing 40M	4	See test graph	See test graph	PASS
			Puncturing 20M	8	See test graph	See test graph	PASS
	Ant5	6025	Large RU 996+484	4	See test graph	See test graph	PASS
			Puncturing 40M	4	See test graph	See test graph	PASS
			Puncturing 20M	8	See test graph	See test graph	PASS





11BE320 MIMO	Ant7	6985	Large RU 996+484	1	See test graph	See test graph	PASS
			Puncturing 40M	1	See test graph	See test graph	PASS
			Puncturing 20M	1	See test graph	See test graph	PASS
	Ant5	6985	Large RU 996+484	1	See test graph	See test graph	PASS
			Puncturing 40M	1	See test graph	See test graph	PASS
			Puncturing 20M	1	See test graph	See test graph	PASS
	Ant7	6105	Large RU 2*996+484	6	See test graph	See test graph	PASS
			Large RU 3*996	4	See test graph	See test graph	PASS
			Large RU 3*996+484	8	See test graph	See test graph	PASS
			Puncturing 80+40M	6	See test graph	See test graph	PASS
			Puncturing 80M	4	See test graph	See test graph	PASS
			Puncturing 40M	8	See test graph	See test graph	PASS
	Ant5	6105	Large RU 2*996+484	6	See test graph	See test graph	PASS
			Large RU 3*996	4	See test graph	See test graph	PASS
			Large RU 3*996+484	8	See test graph	See test graph	PASS
			Puncturing 80+40M	6	See test graph	See test graph	PASS
			Puncturing 80M	4	See test graph	See test graph	PASS
			Puncturing 40M	8	See test graph	See test graph	PASS
11BE320 MIMO	Ant7	6905	Large RU 2*996+484	7	See test graph	See test graph	PASS
			Large RU 3*996	1	See test graph	See test graph	PASS
			Large RU 3*996+484	1	See test graph	See test graph	PASS
			Puncturing 80+40M	7	See test graph	See test graph	PASS
			Puncturing 80M	1	See test graph	See test graph	PASS
			Puncturing 40M	1	See test graph	See test graph	PASS
	Ant5	6905	Large RU 2*996+484	7	See test graph	See test graph	PASS
			Large RU 3*996	1	See test graph	See test graph	PASS
			Large RU 3*996+484	1	See test graph	See test graph	PASS
			Puncturing 80+40M	7	See test graph	See test graph	PASS
			Puncturing 80M	1	See test graph	See test graph	PASS
			Puncturing 40M	1	See test graph	See test graph	PASS




Test Graphs












11BE20MIMO_Ant7_5955_52+26_OFDMA_1







11BE20MIMO_Ant7_5955_106+26_OFDMA_1

















































































11BE320MIMO_Ant7_6105_Puncturing 80M_4

Spectrum

Ref Level 5.00 dBm Offset 15.31 dB Mode Auto Sweep
Count 100/100

Spectrum Emission Mask

Standard: None

Peak Power -1.73 dBm


RBW 5.000 MHz

Range Low	Range Up	RBW	Frequency	Power Abs	Power Rel	ΔLimit
-800.000 MHz	-508.800 MHz	5.000 MHz	5.59540 GHz	-51.72 dBm	-49.99 dB	-9.99 dB
-508.800 MHz	-339.200 MHz	5.000 MHz	5.59700 GHz	-51.69 dBm	-49.96 dB	-10.02 dB
-339.200 MHz	-170.600 MHz	5.000 MHz	5.79711 GHz	-40.97 dBm	-39.24 dB	-12.73 dB
-170.600 MHz	-169.600 MHz	5.000 MHz	5.93490 GHz	-36.98 dBm	-35.25 dB	-15.25 dB
-169.600 MHz	170.600 MHz	5.000 MHz	6.27510 GHz	-37.59 dBm	-35.85 dB	-15.85 dB
170.600 MHz	339.200 MHz	5.000 MHz	6.27640 GHz	-37.65 dBm	-35.92 dB	-15.88 dB
339.200 MHz	508.800 MHz	5.000 MHz	6.61300 GHz	-54.35 dBm	-52.62 dB	-12.68 dB
508.800 MHz	800.000 MHz	5.000 MHz	6.61620 GHz	-54.38 dBm	-52.65 dB	-12.65 dB

Date: 19.MAR.2024 15:01:16

11BE320MIMO_Ant7_6105_Puncturing 40M_8

Spectrum

Ref Level 5.00 dBm Offset 15.31 dB Mode Auto Sweep
Count 100/100

Spectrum Emission Mask



Standard: None



Peak Power -2.21 dBm

RBW 5.000 MHz

Range Low	Range Up	RBW	Frequency	Power Abs	Power Rel	ΔLimit
-800.000 MHz	-508.800 MHz	5.000 MHz	5.59540 GHz	-50.54 dBm	-48.33 dB	-8.33 dB
-508.800 MHz	-339.200 MHz	5.000 MHz	5.59700 GHz	-50.43 dBm	-48.21 dB	-8.27 dB
-339.200 MHz	-170.600 MHz	5.000 MHz	5.79872 GHz	-39.51 dBm	-37.29 dB	-10.86 dB
-170.600 MHz	-169.600 MHz	5.000 MHz	5.93490 GHz	-37.10 dBm	-34.88 dB	-14.88 dB
-169.600 MHz	170.600 MHz	5.000 MHz	6.27510 GHz	-36.16 dBm	-33.95 dB	-13.95 dB
170.600 MHz	339.200 MHz	5.000 MHz	6.34063 GHz	-38.69 dBm	-36.47 dB	-13.39 dB
339.200 MHz	508.800 MHz	5.000 MHz	6.61300 GHz	-54.03 dBm	-51.81 dB	-11.87 dB
508.800 MHz	800.000 MHz	5.000 MHz	6.61940 GHz	-54.07 dBm	-51.86 dB	-11.86 dB

Date: 19.MAR.2024 15:02:31








11BE320MIMO_Ant5_6105_Puncturing 80M_4

Spectrum

Ref Level 5.00 dBm Offset 15.43 dB Mode Auto Sweep
Count 100/100

CF 6.105 GHz 1001 pts Span 1.6 GHz

Spectrum Emission Mask

Standard: None

Peak Power -2.11 dBm


RBW 5.000 MHz

Range Low	Range Up	RBW	Frequency	Power Abs	Power Rel	ΔLimit
-800.000 MHz	-504.000 MHz	5.000 MHz	5.59700 GHz	-50.25 dBm	-48.14 dB	-8.14 dB
-504.000 MHz	-336.000 MHz	5.000 MHz	5.62740 GHz	-47.91 dBm	-45.80 dB	-7.69 dB
-336.000 MHz	-169.000 MHz	5.000 MHz	5.79228 GHz	-42.97 dBm	-40.86 dB	-13.98 dB
-169.000 MHz	-168.000 MHz	5.000 MHz	5.93650 GHz	-37.51 dBm	-35.40 dB	-15.40 dB
-168.000 MHz	169.000 MHz	5.000 MHz	6.27350 GHz	-40.55 dBm	-38.43 dB	-18.43 dB
169.000 MHz	336.000 MHz	5.000 MHz	6.30692 GHz	-42.24 dBm	-40.12 dB	-18.55 dB
336.000 MHz	504.000 MHz	5.000 MHz	6.60820 GHz	-52.99 dBm	-50.88 dB	-10.93 dB
504.000 MHz	800.000 MHz	5.000 MHz	6.60980 GHz	-53.00 dBm	-50.88 dB	-10.88 dB

Date: 19.MAR.2024 15:01:41

11BE320MIMO_Ant5_6105_Puncturing 40M_8

Spectrum

Ref Level 5.00 dBm Offset 15.43 dB Mode Auto Sweep
Count 100/100

CF 6.105 GHz 1001 pts Span 1.6 GHz

Spectrum Emission Mask



Standard: None



Peak Power -2.55 dBm



RBW 5.000 MHz



Range Low	Range Up	RBW	Frequency	Power Abs	Power Rel	ΔLimit
-800.000 MHz	-504.000 MHz	5.000 MHz	5.60020 GHz	-49.93 dBm	-47.38 dB	-7.38 dB
-504.000 MHz	-336.000 MHz	5.000 MHz	5.62740 GHz	-48.02 dBm	-45.47 dB	-7.35 dB
-336.000 MHz	-169.000 MHz	5.000 MHz	5.79389 GHz	-41.69 dBm	-39.14 dB	-12.33 dB
-169.000 MHz	-168.000 MHz	5.000 MHz	5.93650 GHz	-37.92 dBm	-35.37 dB	-15.37 dB
-168.000 MHz	169.000 MHz	5.000 MHz	6.27350 GHz	-39.41 dBm	-36.86 dB	-16.86 dB
169.000 MHz	336.000 MHz	5.000 MHz	6.38239 GHz	-43.49 dBm	-40.94 dB	-15.75 dB
336.000 MHz	504.000 MHz	5.000 MHz	6.58100 GHz	-50.78 dBm	-48.23 dB	-10.23 dB
504.000 MHz	800.000 MHz	5.000 MHz	6.61140 GHz	-52.81 dBm	-50.26 dB	-10.26 dB



Date: 19.MAR.2024 15:02:56














11BE320MIMO_Ant5_6905_Puncturing 80M_1

Spectrum

Ref Level 5.00 dBm Offset 16.56 dB Mode Auto Sweep
Count 100/100

CF 6.905 GHz 1001 pts Span 1.6 GHz

Spectrum Emission Mask Standard: None

Peak Power -5.45 dBm


RBW 5.000 MHz

Range Low	Range Up	RBW	Frequency	Power Abs	Power Rel	ΔLimit
-800.000 MHz	-506.400 MHz	5.000 MHz	6.38817 GHz	-53.62 dBm	-48.17 dB	-8.17 dB
-506.400 MHz	-337.600 MHz	5.000 MHz	6.39940 GHz	-53.67 dBm	-48.22 dB	-8.28 dB
-337.600 MHz	-169.800 MHz	5.000 MHz	6.70374 GHz	-43.62 dBm	-38.17 dB	-16.67 dB
-169.800 MHz	-168.800 MHz	5.000 MHz	6.73570 GHz	-42.27 dBm	-36.82 dB	-16.82 dB
-168.800 MHz	169.800 MHz	5.000 MHz	7.07430 GHz	-50.41 dBm	-44.96 dB	-24.96 dB
169.800 MHz	337.600 MHz	5.000 MHz	7.24018 GHz	-56.03 dBm	-50.58 dB	-22.70 dB
337.600 MHz	506.400 MHz	5.000 MHz	7.41060 GHz	-59.26 dBm	-53.81 dB	-13.86 dB
506.400 MHz	800.000 MHz	5.000 MHz	7.45712 GHz	-59.23 dBm	-53.78 dB	-13.78 dB

Date: 19.MAR.2024 15:11:52

11BE320MIMO_Ant5_6905_Puncturing 40M_1

Spectrum

Ref Level 5.00 dBm Offset 16.56 dB Mode Auto Sweep
Count 100/100

CF 6.905 GHz 1001 pts Span 1.6 GHz

Spectrum Emission Mask Standard: None

Peak Power -5.40 dBm


RBW 5.000 MHz

Range Low	Range Up	RBW	Frequency	Power Abs	Power Rel	ΔLimit
-800.000 MHz	-506.400 MHz	5.000 MHz	6.39138 GHz	-53.42 dBm	-48.03 dB	-8.03 dB
-506.400 MHz	-337.600 MHz	5.000 MHz	6.39940 GHz	-53.47 dBm	-48.08 dB	-8.13 dB
-337.600 MHz	-169.800 MHz	5.000 MHz	6.64404 GHz	-42.65 dBm	-37.26 dB	-12.91 dB
-169.800 MHz	-168.800 MHz	5.000 MHz	6.73570 GHz	-39.89 dBm	-34.49 dB	-14.49 dB
-168.800 MHz	169.800 MHz	5.000 MHz	7.07430 GHz	-50.02 dBm	-44.62 dB	-24.62 dB
169.800 MHz	337.600 MHz	5.000 MHz	7.24179 GHz	-55.22 dBm	-49.82 dB	-21.86 dB
337.600 MHz	506.400 MHz	5.000 MHz	7.41060 GHz	-59.23 dBm	-53.84 dB	-13.90 dB
506.400 MHz	800.000 MHz	5.000 MHz	7.45873 GHz	-59.19 dBm	-53.79 dB	-13.79 dB

Date: 19.MAR.2024 15:14:08

Appendix B. AC Conducted Emission Test Results


Test Engineer:	FangMing Liang	Temperature:	22~24°C
		Relative Humidity:	44~50%
Test Voltage:	120Vac / 60Hz	Phase:	Line
Remark:	All emissions not reported here are more than 10 dB below the prescribed limit.		



Site : CO01-SZ
Condition: FCC 15E_QP AC LISN 100063_L LINE

	Freq	Level	Over Limit	Limit Line	Read Level	LISN Factor	Cable Loss	Remark
	MHz	dBuV	dB	dBuV	dBuV	dB	dB	
1	0.15	37.92	-18.08	56.00	17.40	10.39	10.13	Average
2 *	0.15	52.32	-13.68	66.00	31.80	10.39	10.13	QP
3	0.20	37.51	-16.25	53.76	16.90	10.46	10.15	Average
4	0.20	49.01	-14.75	63.76	28.40	10.46	10.15	QP
5	0.22	37.62	-15.39	53.01	17.10	10.37	10.15	Average
6	0.22	47.02	-15.99	63.01	26.50	10.37	10.15	QP
7	0.26	29.57	-21.94	51.51	9.31	10.11	10.15	Average
8	0.26	40.47	-21.04	61.51	20.21	10.11	10.15	QP
9	1.00	26.41	-19.59	46.00	6.00	10.25	10.16	Average
10	1.00	35.91	-20.09	56.00	15.50	10.25	10.16	QP
11	21.83	33.39	-16.61	50.00	12.60	10.15	10.64	Average
12	21.83	38.49	-21.51	60.00	17.70	10.15	10.64	QP

Test Engineer:	FangMing Liang	Temperature:	22~24°C
		Relative Humidity:	44~50%
Test Voltage:	120Vac / 60Hz	Phase:	Neutral
Remark :	All emissions not reported here are more than 10 dB below the prescribed limit.		



Site : CO01-SZ
Condition: FCC 15E_QP AC LISN 100063_N NEUTRAL

	Freq	Level	Over	Limit	Read	LISN	Cable	
	MHz	dBuV	Limit	Line	Level	Factor	Loss	Remark
			dB	dBuV	dBuV	dB	dB	
1	0.15	35.38	-20.58	55.96	15.10	10.15	10.13	Average
2	0.15	47.58	-18.38	65.96	27.30	10.15	10.13	QP
3	0.20	35.94	-17.82	53.76	15.50	10.29	10.15	Average
4	0.20	44.74	-19.02	63.76	24.30	10.29	10.15	QP
5	0.22	33.86	-18.84	52.70	13.50	10.21	10.15	Average
6	0.22	42.86	-19.84	62.70	22.50	10.21	10.15	QP
7 *	0.61	29.12	-16.88	46.00	8.80	10.16	10.16	Average
8	0.61	37.22	-18.78	56.00	16.90	10.16	10.16	QP
9	0.98	23.81	-22.19	46.00	3.40	10.25	10.16	Average
10	0.98	34.11	-21.89	56.00	13.70	10.25	10.16	QP
11	22.06	28.17	-21.83	50.00	7.40	10.12	10.65	Average
12	22.06	33.37	-26.63	60.00	12.60	10.12	10.65	QP

Note:

- Level(dBμV) = Read Level(dBμV) + LISN Factor(dB) + Cable Loss(dB)
- Over Limit(dB) = Level(dBμV) – Limit Line(dBμV)



Appendix C. Radiated Spurious Emission Test Data

Test Engineer:	ZhangXu	Relative Humidity:	50%
		Temperature:	20°C~22°C

Radiated Spurious Emission Test Modes

Mode	Band	Band (GHz)	Ant	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 1	U-NII-5	5.925-6.425	5+7	802.11a	1	5955	6Mbps	-	-
Mode 2	U-NII-5	5.925-6.425	5+7	802.11a	45	6175	6Mbps	-	-
Mode 3	U-NII-5	5.925-6.425	5+7	802.11a	93	6415	6Mbps	-	-
Mode 4	U-NII-5	5.925-6.425	5+7	802.11a	97	6435	6Mbps	-	-
Mode 5	U-NII-6	6.425-6.525	5+7	802.11a	105	6475	6Mbps	-	-
Mode 6	U-NII-6	6.425-6.525	5+7	802.11a	113	6515	6Mbps	-	-
Mode 7	U-NII-7	6.525-6.875	5+7	802.11a	117	6535	6Mbps	-	-
Mode 8	U-NII-7	6.525-6.875	5+7	802.11a	149	6695	6Mbps	-	-
Mode 9	U-NII-7	6.525-6.875	5+7	802.11a	181	6855	6Mbps	-	-
Mode 10	U-NII-8	6.875-7.125	5+7	802.11a	189	6895	6Mbps	-	-
Mode 11	U-NII-8	6.875-7.125	5+7	802.11a	209	6995	6Mbps	-	-
Mode 12	U-NII-8	6.875-7.125	5+7	802.11a	229	7095	6Mbps	-	-
Mode 13	U-NII-5	5.925-6.425	5+7	802.11ax HE20	1	5955	MCS0	Full RU	-
Mode 14	U-NII-5	5.925-6.425	5+7	802.11ax HE20	45	6175	MCS0	Full RU	-
Mode 15	U-NII-5	5.925-6.425	5+7	802.11ax HE20	93	6415	MCS0	Full RU	-
Mode 16	U-NII-5	5.925-6.425	5+7	802.11ax HE20	97	6435	MCS0	Full RU	-
Mode 17	U-NII-6	6.425-6.525	5+7	802.11ax HE20	105	6475	MCS0	Full RU	-
Mode 18	U-NII-6	6.425-6.525	5+7	802.11ax HE20	113	6515	MCS0	Full RU	-
Mode 19	U-NII-7	6.525-6.875	5+7	802.11ax HE20	117	6535	MCS0	Full RU	-
Mode 20	U-NII-7	6.525-6.875	5+7	802.11ax HE20	149	6695	MCS0	Full RU	-
Mode 21	U-NII-7	6.525-6.875	5+7	802.11ax HE20	181	6855	MCS0	Full RU	-
Mode 22	U-NII-8	6.875-7.125	5+7	802.11ax HE20	189	6895	MCS0	Full RU	-
Mode 23	U-NII-8	6.875-7.125	5+7	802.11ax HE20	209	6995	MCS0	Full RU	-
Mode 24	U-NII-8	6.875-7.125	5+7	802.11ax HE20	229	7095	MCS0	Full RU	-
Mode 25	U-NII-5	5.925-6.425	5+7	802.11ax HE40	3	5965	MCS0	Full RU	-
Mode 26	U-NII-5	5.925-6.425	5+7	802.11ax HE40	43	6165	MCS0	Full RU	-
Mode 27	U-NII-5	5.925-6.425	5+7	802.11ax HE40	91	6405	MCS0	Full RU	-
Mode 28	U-NII-6	6.425-6.525	5+7	802.11ax HE40	99	6445	MCS0	Full RU	-
Mode 29	U-NII-6	6.425-6.525	5+7	802.11ax HE40	107	6485	MCS0	Full RU	-
Mode 30	U-NII-7	6.525-6.875	5+7	802.11ax HE40	123	6565	MCS0	Full RU	-
Mode 31	U-NII-7	6.525-6.875	5+7	802.11ax HE40	147	6685	MCS0	Full RU	-
Mode 32	U-NII-7	6.525-6.875	5+7	802.11ax HE40	179	6845	MCS0	Full RU	-
Mode 33	U-NII-8	6.875-7.125	5+7	802.11ax HE40	195	6925	MCS0	Full RU	-
Mode 34	U-NII-8	6.875-7.125	5+7	802.11ax HE40	203	6965	MCS0	Full RU	-
Mode 35	U-NII-8	6.875-7.125	5+7	802.11ax HE40	227	7085	MCS0	Full RU	-
Mode 36	U-NII-5	5.925-6.425	5+7	802.11ax HE80	7	5985	MCS0	Full RU	-
Mode 37	U-NII-5	5.925-6.425	5+7	802.11ax HE80	39	6145	MCS0	Full RU	-
Mode 38	U-NII-5	5.925-6.425	5+7	802.11ax HE80	87	6385	MCS0	Full RU	-
Mode 39	U-NII-6	6.425-6.525	5+7	802.11ax HE80	103	6465	MCS0	Full RU	-
Mode 40	U-NII-7	6.525-6.875	5+7	802.11ax HE80	135	6625	MCS0	Full RU	-
Mode 41	U-NII-7	6.525-6.875	5+7	802.11ax HE80	151	6705	MCS0	Full RU	-
Mode 42	U-NII-7	6.525-6.875	5+7	802.11ax HE80	167	6785	MCS0	Full RU	-
Mode 43	U-NII-8	6.875-7.125	5+7	802.11ax HE80	199	6945	MCS0	Full RU	-
Mode 44	U-NII-8	6.875-7.125	5+7	802.11ax HE80	215	7025	MCS0	Full RU	-
Mode 45	U-NII-5	5.925-6.425	5+7	802.11ax HE160	15	6025	MCS0	Full RU	-
Mode 46	U-NII-5	5.925-6.425	5+7	802.11ax HE160	47	6185	MCS0	Full RU	-
Mode 47	U-NII-5	5.925-6.425	5+7	802.11ax HE160	79	6345	MCS0	Full RU	-
Mode 48	U-NII-7	6.525-6.875	5+7	802.11ax HE160	143	6665	MCS0	Full RU	-



Mode 49	U-NII-8	6.875-7.125	5+7	802.11ax HE160	207	6985	MCS0	Full RU	-
Mode 50	U-NII-7-8	6.525-7.125	5+7	802.11ax HE20	185	6525	MCS0	Full RU	-
Mode 51	U-NII-7-8	6.525-7.125	5+7	802.11ax HE40	187	6885	MCS0	Full RU	-
Mode 52	U-NII-7-8	6.525-7.125	5+7	802.11ax HE80	183	6865	MCS0	Full RU	-
Mode 53	U-NII-7-8	6.525-7.125	5+7	802.11ax HE160	175	6825	MCS0	Full RU	-
Mode 54	U-NII-6-7	6.425-6.875	5+7	802.11ax HE40	115	6525	MCS0	Full RU	-
Mode 55	U-NII-6-7	6.425-6.875	5+7	802.11ax HE80	119	6545	MCS0	Full RU	-
Mode 56	U-NII-6-7	6.425-6.875	5+7	802.11ax HE160	111	6505	MCS0	Full RU	-
Mode 57	U-NII-5	5.925-6.425	5+7	802.11ax HE20	1	5955	MCS0	Partial RU	52/37
Mode 58	U-NII-8	6.875-7.125	5+7	802.11ax HE20	229	7095	MCS0	Partial RU	26/8
Mode 59	U-NII-5	5.925-6.425	5+7	802.11be EHT20	1	5955	MCS0	-	-
Mode 60	U-NII-5	5.925-6.425	5+7	802.11be EHT20	45	6175	MCS0	-	-
Mode 61	U-NII-5	5.925-6.425	5+7	802.11be EHT20	93	6415	MCS0	-	-
Mode 62	U-NII-5	5.925-6.425	5+7	802.11be EHT20	97	6435	MCS0	-	-
Mode 63	U-NII-6	6.425-6.525	5+7	802.11be EHT20	105	6475	MCS0	-	-
Mode 64	U-NII-6	6.425-6.525	5+7	802.11be EHT20	113	6515	MCS0	-	-
Mode 65	U-NII-7	6.525-6.875	5+7	802.11be EHT20	117	6535	MCS0	Full RU	-
Mode 66	U-NII-7	6.525-6.875	5+7	802.11be EHT20	149	6695	MCS0	Full RU	-
Mode 67	U-NII-7	6.525-6.875	5+7	802.11be EHT20	181	6855	MCS0	Full RU	-
Mode 68	U-NII-8	6.875-7.125	5+7	802.11be EHT20	189	6895	MCS0	Full RU	-
Mode 69	U-NII-8	6.875-7.125	5+7	802.11be EHT20	209	6995	MCS0	Full RU	-
Mode 70	U-NII-8	6.875-7.125	5+7	802.11be EHT20	229	7095	MCS0	Full RU	-
Mode 71	U-NII-5	5.925-6.425	5+7	802.11be EHT40	3	5965	MCS0	Full RU	-
Mode 72	U-NII-5	5.925-6.425	5+7	802.11be EHT40	43	6165	MCS0	Full RU	-
Mode 73	U-NII-5	5.925-6.425	5+7	802.11be EHT40	91	6405	MCS0	Full RU	-
Mode 74	U-NII-6	6.425-6.525	5+7	802.11be EHT40	99	6445	MCS0	Full RU	-
Mode 75	U-NII-6	6.425-6.525	5+7	802.11be EHT40	107	6485	MCS0	Full RU	-
Mode 76	U-NII-7	6.525-6.875	5+7	802.11be EHT40	123	6565	MCS0	Full RU	-
Mode 77	U-NII-7	6.525-6.875	5+7	802.11be EHT40	147	6685	MCS0	Full RU	-
Mode 78	U-NII-7	6.525-6.875	5+7	802.11be EHT40	179	6845	MCS0	Full RU	-
Mode 79	U-NII-8	6.875-7.125	5+7	802.11be EHT40	195	6925	MCS0	Full RU	-
Mode 80	U-NII-8	6.875-7.125	5+7	802.11be EHT40	203	6965	MCS0	Full RU	-
Mode 81	U-NII-8	6.875-7.125	5+7	802.11be EHT40	227	7085	MCS0	Full RU	-
Mode 82	U-NII-5	5.925-6.425	5+7	802.11be EHT80	7	5985	MCS0	Full RU	-
Mode 83	U-NII-5	5.925-6.425	5+7	802.11be EHT80	39	6145	MCS0	Full RU	-
Mode 84	U-NII-5	5.925-6.425	5+7	802.11be EHT80	87	6385	MCS0	Full RU	-
Mode 85	U-NII-6	6.425-6.525	5+7	802.11be EHT80	103	6465	MCS0	Full RU	-
Mode 86	U-NII-7	6.525-6.875	5+7	802.11be EHT80	135	6625	MCS0	Full RU	-
Mode 87	U-NII-7	6.525-6.875	5+7	802.11be EHT80	151	6705	MCS0	Full RU	-
Mode 88	U-NII-7	6.525-6.875	5+7	802.11be EHT80	167	6785	MCS0	Full RU	-
Mode 89	U-NII-8	6.875-7.125	5+7	802.11be EHT80	199	6945	MCS0	Full RU	-
Mode 90	U-NII-8	6.875-7.125	5+7	802.11be EHT80	215	7025	MCS0	Full RU	-
Mode 91	U-NII-5	5.925-6.425	5+7	802.11be EHT160	15	6025	MCS0	Full RU	-
Mode 92	U-NII-5	5.925-6.425	5+7	802.11be EHT160	47	6185	MCS0	Full RU	-
Mode 93	U-NII-5	5.925-6.425	5+7	802.11be EHT160	79	6345	MCS0	Full RU	-
Mode 94	U-NII-7	6.525-6.875	5+7	802.11be EHT160	143	6665	MCS0	Full RU	-
Mode 95	U-NII-8	6.875-7.125	5+7	802.11be EHT160	207	6985	MCS0	Full RU	-
Mode 96	U-NII-5	5.925-6.425	5+7	802.11be EHT320	31	6105	MCS0	Full RU	-
Mode 97	U-NII-5	5.925-6.425	5+7	802.11be EHT320	63	6265	MCS0	Full RU	-
Mode 98	U-NII-7-8	6.525-7.125	5+7	802.11a	185	6525	MCS0	Full RU	-
Mode 99	U-NII-7-8	6.525-7.125	5+7	802.11be EHT20	185	6525	MCS0	Full RU	-
Mode 100	U-NII-7-8	6.525-7.125	5+7	802.11be EHT40	187	6885	MCS0	Full RU	-
Mode 101	U-NII-7-8	6.525-7.125	5+7	802.11be EHT80	183	6865	MCS0	Full RU	-
Mode 102	U-NII-7-8	6.525-7.125	5+7	802.11be	175	6825	MCS0	Full RU	-



				EHT160					
Mode 103	U-NII-7-8	6.525-7.125	5+7	802.11be EHT320	159	6745	MCS0	Full RU	-
Mode 104	U-NII-5	5.925-6.425	5+7	802.11be EHT320	191	6905	MCS0	Full RU	-
Mode 105	U-NII-6-7	6.425-6.875	5+7	802.11be EHT40	115	6525	MCS0	Full RU	-
Mode 106	U-NII-6-7	6.425-6.875	5+7	802.11be EHT80	119	6545	MCS0	Full RU	-
Mode 107	U-NII-6-7	6.425-6.875	5+7	802.11be EHT160	111	6505	MCS0	Full RU	-
Mode 108	U-NII-5-6	5.925-6.425	5+7	802.11be EHT320	95	6425	MCS0	Full RU	-
Mode 109	U-NII-6-7	6.425-6.875	5+7	802.11be EHT320	127	6585	MCS0	Full RU	-
Mode 110	U-NII-5	5.925-6.425	5+7	802.11be EHT20	1	5955	MCS0	Single RU	26/0
Mode 111	U-NII-8	6.875-7.125	5+7	802.11be EHT20	229	7095	MCS0	Single RU	26/8
Mode 112	U-NII-5	5.925-6.425	5+7	802.11be EHT20	1	5955	MCS0	Small RU	52+26-3 8+1
Mode 113	U-NII-8	6.875-7.125	5+7	802.11be EHT20	229	7095	MCS0	Small RU	52+26-3 9+7-
Mode 114	U-NII-5	5.925-6.425	5+7	802.11be EHT80	7	5985	MCS0	Large RU 484+242	④
Mode 115	U-NII-8	6.875-7.125	5+7	802.11be EHT80	215	7025	MCS0	Large RU 484+242	①
Mode 116	U-NII-5	5.925-6.425	5+7	802.11be EHT160	15	6025	MCS0	Large RU 996+484	④
Mode 117	U-NII-8	6.875-7.125	5+7	802.11be EHT160	207	6985	MCS0	Large RU 996+484	①
Mode 118	U-NII-5	5.925-6.425	5+7	802.11be EHT320	31	6105	MCS0	Large RU 996*2+48 4	⑥
Mode 119	U-NII-8	6.525-7.125	5+7	802.11be EHT320	191	6905	MCS0	Large RU 996*2+48 4	⑦
Mode 120	U-NII-5	5.925-6.425	5+7	802.11be EHT320	31	6105	MCS0	Large RU 996*3	④
Mode 121	U-NII-8	6.525-7.125	5+7	802.11be EHT320	191	6905	MCS0	Large RU 996*3	①
Mode 122	U-NII-5	5.925-6.425	5+7	802.11be EHT320	31	6105	MCS0	Large RU 996*3+48 4	⑧
Mode 123	U-NII-8	6.525-7.125	5+7	802.11be EHT320	191	6905	MCS0	Large RU 996*3+48 4	①
Mode 124	U-NII-5	5.925-6.425	5+7	802.11be EHT80	7	5985	MCS0	Puncturing 20M	④
Mode 125	U-NII-8	6.875-7.125	5+7	802.11be EHT80	215	7025	MCS0	Puncturing 20M	①
Mode 126	U-NII-5	5.925-6.425	5+7	802.11be EHT160	15	6025	MCS0	Puncturing 40M	④
Mode 127	U-NII-8	6.875-7.125	5+7	802.11be EHT160	207	6985	MCS0	Puncturing 40M	①
Mode 128	U-NII-5	5.925-6.425	5+7	802.11be EHT160	15	6025	MCS0	Puncturing 20M	⑧
Mode 129	U-NII-8	6.875-7.125	5+7	802.11be EHT160	207	6985	MCS0	Puncturing 20M	①
Mode 130	U-NII-5	5.925-6.425	5+7	802.11be EHT320	31	6105	MCS0	Puncturing 80M+40M	⑥
Mode 131	U-NII-8	6.525-7.125	5+7	802.11be EHT320	191	6905	MCS0	Puncturing 80M+40M	⑦
Mode 132	U-NII-5	5.925-6.425	5+7	802.11be EHT320	31	6105	MCS0	Puncturing 80M	④
Mode 133	U-NII-8	6.525-7.125	5+7	802.11be EHT320	191	6905	MCS0	Puncturing 80M	①
Mode 134	U-NII-5	5.925-6.425	5+7	802.11be EHT320	31	6105	MCS0	Puncturing 40M	⑧
Mode 135	U-NII-8	6.525-7.125	5+7	802.11be EHT320	191	6905	MCS0	Puncturing 40M	①
Mode 136	U-NII-8	6.875-7.125	5+7	802.11ax HE20	233	7115	MCS0	Full RU	LF
Mode 139	U-NII-5	5.925-6.425	5+7	802.11a	2	5935	6Mbps	-	-
Mode 140	U-NII-5	5.925-6.425	5+7	802.11ax HE20	2	5935	MCS0	Full RU	-

Mode 141	U-NII-5	5.925-6.425	5+7	802.11ax HE20	2	5935	MCS0	Partial RU	52/37
Mode 142	U-NII-5	5.925-6.425	5+7	802.11be EHT20	2	5935	MCS0	Full RU	-
Mode 143	U-NII-5	5.925-6.425	5+7	802.11be EHT20	2	5935	MCS0	Single RU	52/37
Mode 144	U-NII-5	5.925-6.425	5+7	802.11be EHT20	2	5935	MCS0	Small RU	106+26
Mode 145	U-NII-8	6.875-7.125	5+7	802.11a	233	7115	6Mbps	-	-
Mode 146	U-NII-8	6.875-7.125	5+7	802.11ax HE20	233	7115	MCS0	Full RU	-
Mode 147	U-NII-8	6.875-7.125	5+7	802.11ax HE20	233	7115	MCS0	Partial RU	52/40
Mode 148	U-NII-8	6.875-7.125	5+7	802.11be EHT20	233	7115	MCS0	Full RU	-
Mode 149	U-NII-8	6.875-7.125	5+7	802.11be EHT20	233	7115	MCS0	Single RU	52/40
Mode 150	U-NII-8	6.875-7.125	5+7	802.11be EHT20	233	7115	MCS0	Small RU	106+26 54+4
Mode 153	U-NII-8	6.875-7.125	5+7	802.11ax HE20	233	7115	MCS0	Full RU	-

Simultaneous transmission

Mode	Band	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 154	Co-location	4	LTE B48 Link	-	-	-	-	
		5+7	802.11ax HE20	233	7115	MCS0	Full RU	-
		5+7	802.11ax HE20	01	2412	MCS0	Full RU	
Mode 155	Co-location	4	LTE B48 Link	-	-	-	-	
		5+7	802.11ax HE20	233	7115	MCS0	Full RU	-
		5+7	Bluetooth-LE_GSFK	39	2480	2Mbps	-	



Summary of each worse mode

Mod e	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
1	802.11a	1	-	-	-	-	-	-	-	Band Edge
1	802.11a	1	17865.00	49.80	74.00	-24.20	H	Peak	Pass	Harmonic
2	802.11a	45	-	-	-	-	-	-	-	Band Edge
2	802.11a	45	12350.00	46.88	74.00	-27.12	V	Peak	Pass	Harmonic
3	802.11a	93	-	-	-	-	-	-	-	Band Edge
3	802.11a	93	12830.00	48.09	88.20	-40.11	V	Peak	Pass	Harmonic
4	802.11a	97	-	-	-	-	-	-	-	Band Edge
4	802.11a	97	12870.00	48.13	88.20	-40.07	H	Peak	Pass	Harmonic
5	802.11a	105	-	-	-	-	-	-	-	Band Edge
5	802.11a	105	12950.00	48.06	88.20	-40.14	V	Peak	Pass	Harmonic
6	802.11a	113	-	-	-	-	-	-	-	Band Edge
6	802.11a	113	13030.00	46.65	88.20	-41.55	V	Peak	Pass	Harmonic
7	802.11a	117	-	-	-	-	-	-	-	Band Edge
7	802.11a	117	13070.00	46.97	88.20	-41.23	V	Peak	Pass	Harmonic
8	802.11a	149	-	-	-	-	-	-	-	Band Edge
8	802.11a	149	13390.00	47.77	74.00	-26.23	H	Peak	Pass	Harmonic
9	802.11a	181	-	-	-	-	-	-	-	Band Edge
9	802.11a	181	13710.00	47.60	88.20	-40.60	H	Peak	Pass	Harmonic
10	802.11a	189	-	-	-	-	-	-	-	Band Edge
10	802.11a	189	13790.00	48.60	88.20	-39.60	V	Peak	Pass	Harmonic
11	802.11a	209	-	-	-	-	-	-	-	Band Edge
11	802.11a	209	13990.00	47.25	88.20	-40.95	V	Peak	Pass	Harmonic
12	802.11a	229	-	-	-	-	-	-	-	Band Edge
12	802.11a	229	14190.00	48.32	88.20	-39.88	V	Peak	Pass	Harmonic
13	802.11ax HE20	1	5922.50	43.03	68.20	-25.17	V	AVERAGE	Pass	Band Edge
13	802.11ax HE20	1	11910.00	47.92	74.00	-26.08	H	Peak	Pass	Harmonic
14	802.11ax HE20	45	-	-	-	-	-	-	-	Band Edge
14	802.11ax HE20	45	12350.00	48.20	74.00	-25.80	H	Peak	Pass	Harmonic
15	802.11ax HE20	93	-	-	-	-	-	-	-	Band Edge
15	802.11ax HE20	93	12830.00	47.16	88.20	-41.04	H	Peak	Pass	Harmonic
16	802.11ax HE20	97	-	-	-	-	-	-	-	Band Edge
16	802.11ax HE20	97	12870.00	46.79	88.20	-41.41	V	Peak	Pass	Harmonic
17	802.11ax HE20	105	-	-	-	-	-	-	-	Band Edge
17	802.11ax HE20	105	12950.00	47.88	88.20	-40.32	H	Peak	Pass	Harmonic
18	802.11ax HE20	113	-	-	-	-	-	-	-	Band Edge
18	802.11ax HE20	113	13030.00	46.95	88.20	-41.25	V	Peak	Pass	Harmonic
19	802.11ax HE20	117	-	-	-	-	-	-	-	Band Edge
19	802.11ax HE20	117	13070.00	49.18	88.20	-39.02	H	Peak	Pass	Harmonic
20	802.11ax HE20	149	-	-	-	-	-	-	-	Band Edge
20	802.11ax HE20	149	13390.00	46.64	74.00	-27.36	H	Peak	Pass	Harmonic
21	802.11ax HE20	181	-	-	-	-	-	-	-	Band Edge
21	802.11ax HE20	181	13710.00	47.78	88.20	-40.42	H	Peak	Pass	Harmonic
22	802.11ax HE20	189	-	-	-	-	-	-	-	Band Edge
22	802.11ax HE20	189	13790.00	48.38	88.20	-39.82	H	Peak	Pass	Harmonic
23	802.11ax HE20	209	-	-	-	-	-	-	-	Band Edge
23	802.11ax HE20	209	13990.00	48.54	88.20	-39.66	H	Peak	Pass	Harmonic
24	802.11ax HE20	229	7257.89	43.26	54.00	-10.74	V	AVERAGE	Pass	Band Edge
24	802.11ax HE20	229	14190.00	48.45	88.20	-39.75	H	Peak	Pass	Harmonic
25	802.11ax HE40	3	5923.24	46.74	68.20	-21.46	H	AVERAGE	Pass	Band Edge
25	802.11ax HE40	3	17895.00	48.92	74.00	-25.08	H	Peak	Pass	Harmonic



26	802.11ax HE40	43	-	-	-	-	-	-	-	Band Edge
26	802.11ax HE40	43	12330.00	45.76	74.00	-28.24	V	Peak	Pass	Harmonic
27	802.11ax HE40	91	-	-	-	-	-	-	-	Band Edge
27	802.11ax HE40	91	12810.00	48.92	88.20	-39.28	V	Peak	Pass	Harmonic
28	802.11ax HE40	99	-	-	-	-	-	-	-	Band Edge
28	802.11ax HE40	99	12890.00	47.68	88.20	-40.52	V	Peak	Pass	Harmonic
29	802.11ax HE40	107	-	-	-	-	-	-	-	Band Edge
29	802.11ax HE40	107	12970.00	47.70	88.20	-40.50	V	Peak	Pass	Harmonic
30	802.11ax HE40	123	-	-	-	-	-	-	-	Band Edge
30	802.11ax HE40	123	13130.00	47.42	88.20	-40.78	H	Peak	Pass	Harmonic
31	802.11ax HE40	147	-	-	-	-	-	-	-	Band Edge
31	802.11ax HE40	147	13370.00	46.61	74.00	-27.39	V	Peak	Pass	Harmonic
32	802.11ax HE40	179	-	-	-	-	-	-	-	Band Edge
32	802.11ax HE40	179	13690.00	47.06	88.20	-41.14	V	Peak	Pass	Harmonic
33	802.11ax HE40	195	-	-	-	-	-	-	-	Band Edge
33	802.11ax HE40	195	13850.00	47.57	88.20	-40.63	H	Peak	Pass	Harmonic
34	802.11ax HE40	203	-	-	-	-	-	-	-	Band Edge
34	802.11ax HE40	203	13930.00	48.06	88.20	-40.14	V	Peak	Pass	Harmonic
35	802.11ax HE40	227	7252.75	43.10	54.00	-10.90	H	AVERAGE	Pass	Band Edge
35	802.11ax HE40	227	14170.00	48.16	88.20	-40.04	H	Peak	Pass	Harmonic
36	802.11ax HE80	7	5918.76	45.68	68.20	-22.52	V	AVERAGE	Pass	Band Edge
36	802.11ax HE80	7	17955.00	49.93	74.00	-24.07	V	Peak	Pass	Harmonic
37	802.11ax HE80	39	-	-	-	-	-	-	-	Band Edge
37	802.11ax HE80	39	12290.00	47.37	74.00	-26.63	V	Peak	Pass	Harmonic
38	802.11ax HE80	87	-	-	-	-	-	-	-	Band Edge
38	802.11ax HE80	87	12770.00	46.22	88.20	-41.98	V	Peak	Pass	Harmonic
39	802.11ax HE80	103	-	-	-	-	-	-	-	Band Edge
39	802.11ax HE80	103	12930.00	46.19	88.20	-42.01	H	Peak	Pass	Harmonic
40	802.11ax HE80	135	-	-	-	-	-	-	-	Band Edge
40	802.11ax HE80	135	13250.00	47.47	74.00	-26.53	V	Peak	Pass	Harmonic
41	802.11ax HE80	151	-	-	-	-	-	-	-	Band Edge
41	802.11ax HE80	151	13410.00	47.11	88.20	-41.09	V	Peak	Pass	Harmonic
42	802.11ax HE80	167	-	-	-	-	-	-	-	Band Edge
42	802.11ax HE80	167	13570.00	47.51	88.20	-40.69	V	Peak	Pass	Harmonic
43	802.11ax HE80	199	-	-	-	-	-	-	-	Band Edge
43	802.11ax HE80	199	13890.00	48.15	88.20	-40.05	V	Peak	Pass	Harmonic
44	802.11ax HE80	215	7254.78	43.26	54.00	-10.74	V	AVERAGE	Pass	Band Edge
44	802.11ax HE80	215	14050.00	48.08	88.20	-40.12	V	Peak	Pass	Harmonic
45	802.11ax HE160	15	5912.92	50.28	68.20	-17.92	V	AVERAGE	Pass	Band Edge
45	802.11ax HE160	15	12049.20	47.40	74.00	-26.60	H	Peak	Pass	Harmonic
46	802.11ax HE160	47	-	-	-	-	-	-	-	Band Edge
46	802.11ax HE160	47	12370.00	48.85	74.00	-25.15	H	Peak	Pass	Harmonic
47	802.11ax HE160	79	-	-	-	-	-	-	-	Band Edge
47	802.11ax HE160	79	12690.00	48.35	74.00	-25.65	V	Peak	Pass	Harmonic
48	802.11ax HE160	143	-	-	-	-	-	-	-	Band Edge
48	802.11ax HE160	143	13330.00	47.72	74.00	-26.28	H	Peak	Pass	Harmonic
49	802.11ax HE160	207	7251.42	44.07	54.00	-9.93	V	AVERAGE	Pass	Band Edge
49	802.11ax HE160	207	13970.00	50.01	88.20	-38.19	V	Peak	Pass	Harmonic
50	802.11ax HE20	185	-	-	-	-	-	-	-	Band Edge
50	802.11ax HE20	185	13750.00	49.58	88.20	-38.62	H	Peak	Pass	Harmonic
51	802.11ax HE40	187	-	-	-	-	-	-	-	Band Edge
51	802.11ax HE40	187	13770.00	49.70	88.20	-38.50	V	Peak	Pass	Harmonic
52	802.11ax HE80	183	-	-	-	-	-	-	-	Band Edge
52	802.11ax HE80	183	13730.00	49.26	88.20	-38.94	V	Peak	Pass	Harmonic
53	802.11ax HE160	175	-	-	-	-	-	-	-	Band Edge



53	802.11ax HE160	175	13650.00	49.78	88.20	-38.42	V	Peak	Pass	Harmonic
54	802.11ax HE40	115	-	-	-	-	-	-	-	Band Edge
54	802.11ax HE40	115	13050.00	48.75	88.20	-39.45	H	Peak	Pass	Harmonic
55	802.11ax HE80	119	-	-	-	-	-	-	-	Band Edge
55	802.11ax HE80	119	13090.00	49.12	88.20	-39.08	V	Peak	Pass	Harmonic
56	802.11ax HE160	111	-	-	-	-	-	-	-	Band Edge
56	802.11ax HE160	111	13010.00	48.66	88.20	-39.54	V	Peak	Pass	Harmonic
57	802.11ax HE20	1	5903.82	44.01	68.20	-24.19	H	AVERAGE	Pass	Band Edge
57	802.11ax HE20	1	-	-	-	-	-	-	-	Harmonic
58	802.11ax HE20	229	7261.45	43.27	54.00	-10.73	V	AVERAGE	Pass	Band Edge
58	802.11ax HE20	229	-	-	-	-	-	-	-	Harmonic
59	802.11be EHT20	1	5924.84	44.43	68.20	-23.77	H	AVERAGE	Pass	Band Edge
59	802.11be EHT20	1	17865.00	49.19	74.00	-24.81	V	Peak	Pass	Harmonic
60	802.11be EHT20	45	-	-	-	-	-	-	-	Band Edge
60	802.11be EHT20	45	12350.00	48.22	74.00	-25.78	H	Peak	Pass	Harmonic
61	802.11be EHT20	93	-	-	-	-	-	-	-	Band Edge
61	802.11be EHT20	93	12830.00	48.81	88.20	-39.39	V	Peak	Pass	Harmonic
62	802.11be EHT20	97	-	-	-	-	-	-	-	Band Edge
62	802.11be EHT20	97	12870.00	48.57	88.20	-39.63	H	Peak	Pass	Harmonic
63	802.11be EHT20	105	-	-	-	-	-	-	-	Band Edge
63	802.11be EHT20	105	12950.00	48.94	88.20	-39.26	V	Peak	Pass	Harmonic
64	802.11be EHT20	113	-	-	-	-	-	-	-	Band Edge
64	802.11be EHT20	113	13030.00	47.25	88.20	-40.95	H	Peak	Pass	Harmonic
65	802.11be EHT20	117	-	-	-	-	-	-	-	Band Edge
65	802.11be EHT20	117	13070.00	48.55	88.20	-39.65	H	Peak	Pass	Harmonic
66	802.11be EHT20	149	-	-	-	-	-	-	-	Band Edge
66	802.11be EHT20	149	13390.00	47.14	74.00	-26.86	H	Peak	Pass	Harmonic
67	802.11be EHT20	181	-	-	-	-	-	-	-	Band Edge
67	802.11be EHT20	181	13710.00	49.17	88.20	-39.03	V	Peak	Pass	Harmonic
68	802.11be EHT20	189	-	-	-	-	-	-	-	Band Edge
68	802.11be EHT20	189	13788.00	50.28	88.20	-37.92	H	Peak	Pass	Harmonic
69	802.11be EHT20	209	-	-	-	-	-	-	-	Band Edge
69	802.11be EHT20	209	13990.00	49.72	88.20	-38.48	V	Peak	Pass	Harmonic
70	802.11be EHT20	229	7261.00	43.15	54.00	-10.85	V	AVERAGE	Pass	Band Edge
70	802.11be EHT20	229	14190.00	49.38	88.20	-38.82	H	Peak	Pass	Harmonic
71	802.11be EHT40	3	5917.16	44.84	68.20	-23.36	H	AVERAGE	Pass	Band Edge
71	802.11be EHT40	3	11930.00	48.81	74.00	-25.19	H	Peak	Pass	Harmonic
72	802.11be EHT40	43	-	-	-	-	-	-	-	Band Edge
72	802.11be EHT40	43	12330.00	47.52	74.00	-26.48	V	Peak	Pass	Harmonic
73	802.11be EHT40	91	-	-	-	-	-	-	-	Band Edge
73	802.11be EHT40	91	12810.00	47.59	88.20	-40.61	H	Peak	Pass	Harmonic
74	802.11be EHT40	99	-	-	-	-	-	-	-	Band Edge
74	802.11be EHT40	99	12890.00	48.68	88.20	-39.52	H	Peak	Pass	Harmonic
75	802.11be EHT40	107	-	-	-	-	-	-	-	Band Edge
75	802.11be EHT40	107	12970.00	48.21	88.20	-39.99	V	Peak	Pass	Harmonic
76	802.11be EHT40	123	-	-	-	-	-	-	-	Band Edge
76	802.11be EHT40	123	13130.00	48.99	88.20	-39.21	V	Peak	Pass	Harmonic
77	802.11be EHT40	147	-	-	-	-	-	-	-	Band Edge
77	802.11be EHT40	147	13370.00	46.59	74.00	-27.41	V	Peak	Pass	Harmonic
78	802.11be EHT40	179	-	-	-	-	-	-	-	Band Edge
78	802.11be EHT40	179	13690.00	49.43	88.20	-38.77	H	Peak	Pass	Harmonic
79	802.11be EHT40	195	-	-	-	-	-	-	-	Band Edge
79	802.11be EHT40	195	13850.00	49.64	88.20	-38.56	H	Peak	Pass	Harmonic
80	802.11be EHT40	203	-	-	-	-	-	-	-	Band Edge
80	802.11be EHT40	203	13930.00	49.87	88.20	-38.33	V	Peak	Pass	Harmonic



81	802.11be EHT40	227	7255.13	43.01	54.00	-10.99	H	AVERAGE	Pass	Band Edge
81	802.11be EHT40	227	14170.00	49.44	88.20	-38.76	H	Peak	Pass	Harmonic
82	802.11be EHT80	7	5911.40	47.15	68.20	-21.05	V	AVERAGE	Pass	Band Edge
82	802.11be EHT80	7	11970.00	49.63	74.00	-24.37	H	Peak	Pass	Harmonic
83	802.11be EHT80	39	-	-	-	-	-	-	-	Band Edge
83	802.11be EHT80	39	12290.00	48.30	74.00	-25.70	V	Peak	Pass	Harmonic
84	802.11be EHT80	87	-	-	-	-	-	-	-	Band Edge
84	802.11be EHT80	87	12770.00	47.59	88.20	-40.61	V	Peak	Pass	Harmonic
85	802.11be EHT80	103	-	-	-	-	-	-	-	Band Edge
85	802.11be EHT80	103	12930.00	49.67	88.20	-38.53	H	Peak	Pass	Harmonic
86	802.11be EHT80	135	-	-	-	-	-	-	-	Band Edge
86	802.11be EHT80	135	13250.00	48.46	74.00	-25.54	V	Peak	Pass	Harmonic
87	802.11be EHT80	151	-	-	-	-	-	-	-	Band Edge
87	802.11be EHT80	151	13410.00	48.12	88.20	-40.08	H	Peak	Pass	Harmonic
88	802.11be EHT80	167	-	-	-	-	-	-	-	Band Edge
88	802.11be EHT80	167	13570.00	48.74	88.20	-39.46	V	Peak	Pass	Harmonic
89	802.11be EHT80	199	-	-	-	-	-	-	-	Band Edge
89	802.11be EHT80	199	13890.00	49.19	88.20	-39.01	V	Peak	Pass	Harmonic
90	802.11be EHT80	215	7257.70	43.20	54.00	-10.80	V	AVERAGE	Pass	Band Edge
90	802.11be EHT80	215	14050.00	49.20	88.20	-39.00	V	Peak	Pass	Harmonic
91	802.11be EHT160	15	5887.44	47.28	68.20	-20.92	V	AVERAGE	Pass	Band Edge
91	802.11be EHT160	15	12050.00	48.37	74.00	-25.63	V	Peak	Pass	Harmonic
92	802.11be EHT160	47	-	-	-	-	-	-	-	Band Edge
92	802.11be EHT160	47	12370.00	48.44	74.00	-25.56	V	Peak	Pass	Harmonic
93	802.11be EHT160	79	-	-	-	-	-	-	-	Band Edge
93	802.11be EHT160	79	12690.00	47.92	74.00	-26.08	H	Peak	Pass	Harmonic
94	802.11be EHT160	143	-	-	-	-	-	-	-	Band Edge
94	802.11be EHT160	143	13330.00	48.35	74.00	-25.65	H	Peak	Pass	Harmonic
95	802.11be EHT160	207	7255.14	43.67	54.00	-10.33	V	AVERAGE	Pass	Band Edge
95	802.11be EHT160	207	13970.00	49.55	88.20	-38.65	H	Peak	Pass	Harmonic
96	802.11be EHT320	31	5833.52	50.33	68.20	-17.87	H	AVERAGE	Pass	Band Edge
96	802.11be EHT320	31	12210.00	48.27	74.00	-25.73	V	Peak	Pass	Harmonic
97	802.11be EHT320	63	-	-	-	-	-	-	-	Band Edge
97	802.11be EHT320	63	12530.00	47.47	74.00	-26.53	H	Peak	Pass	Harmonic
98	802.11a	185	-	-	-	-	-	-	-	Band Edge
98	802.11a	185	13744.80	50.88	88.20	-37.32	H	Peak	Pass	Harmonic
99	802.11be EHT20	185	-	-	-	-	-	-	-	Band Edge
99	802.11be EHT20	185	13750.00	49.66	88.20	-38.54	H	Peak	Pass	Harmonic
100	802.11be EHT40	187	-	-	-	-	-	-	-	Band Edge
100	802.11be EHT40	187	13770.00	50.00	88.20	-38.20	H	Peak	Pass	Harmonic
101	802.11be EHT80	183	-	-	-	-	-	-	-	Band Edge
101	802.11be EHT80	183	13730.00	50.86	88.20	-37.34	V	Peak	Pass	Harmonic
102	802.11be EHT160	175	-	-	-	-	-	-	-	Band Edge
102	802.11be EHT160	175	13650.00	50.64	88.20	-37.56	H	Peak	Pass	Harmonic
103	802.11be EHT320	159	-	-	-	-	-	-	-	Band Edge
103	802.11be EHT320	159	13490.00	48.53	88.20	-39.67	H	Peak	Pass	Harmonic
104	802.11be EHT320	191	7252.60	50.83	54.00	-3.17	V	AVERAGE	Pass	Band Edge
104	802.11be EHT320	191	13810.00	49.94	88.20	-38.26	V	Peak	Pass	Harmonic
105	802.11be EHT40	115	-	-	-	-	-	-	-	Band Edge
105	802.11be EHT40	115	13050.00	49.88	88.20	-38.32	V	Peak	Pass	Harmonic
106	802.11be EHT80	119	-	-	-	-	-	-	-	Band Edge
106	802.11be EHT80	119	13090.00	49.31	88.20	-38.89	V	Peak	Pass	Harmonic
107	802.11be EHT160	111	-	-	-	-	-	-	-	Band Edge
107	802.11be EHT160	111	13010.00	48.50	88.20	-39.70	H	Peak	Pass	Harmonic
108	802.11be EHT320	95	-	-	-	-	-	-	-	Band Edge