







Mode	142																																																																																		
	Band Edge																																																																																		
	U-NII-5_5.925-6.425_802.11be EHT20_CH2_Full RU_5935MHz																																																																																		
ANT	5+7																																																																																		
Pol.	Horizontal						Fundamental																																																																												
Peak	Date: 2024-03-09  PEAK_BE(UINI)_6E						Date: 2024-03-09  PEAK_BE(UINI)_6E																																																																												
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th></th></tr></thead><tbody><tr><td>1 5924.84</td><td>70.56</td><td>88.20</td><td>-17.64</td><td>56.05</td><td>36.49</td><td>10.44</td><td>32.42</td><td>184 329 PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB		1 5924.84	70.56	88.20	-17.64	56.05	36.49	10.44	32.42	184 329 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th></th></tr></thead><tbody><tr><td>1 5935.00</td><td>80.23</td><td>-----</td><td>-----</td><td>65.71</td><td>36.50</td><td>10.45</td><td>32.43</td><td>184 329 PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB		1 5935.00	80.23	-----	-----	65.71	36.50	10.45	32.43
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																												
1 5924.84	70.56	88.20	-17.64	56.05	36.49	10.44	32.42	184 329 PEAK																																																																											
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																												
1 5935.00	80.23	-----	-----	65.71	36.50	10.45	32.43	184 329 PEAK																																																																											
Avg	Date: 2024-03-09  AVG_BE(UINI)_6E						Date: 2024-03-09  AVG_BE(UINI)_6E																																																																												
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th></th></tr></thead><tbody><tr><td>1 5924.97</td><td>64.34</td><td>68.20</td><td>-3.86</td><td>49.83</td><td>36.49</td><td>10.44</td><td>32.42</td><td>184 329 AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB		1 5924.97	64.34	68.20	-3.86	49.83	36.49	10.44	32.42	184 329 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th></th></tr></thead><tbody><tr><td>1 5935.00</td><td>73.63</td><td>99.20</td><td>-25.57</td><td>59.11</td><td>36.50</td><td>10.45</td><td>32.43</td><td>184 329 AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB		1 5935.00	73.63	99.20	-25.57	59.11	36.50	10.45	32.43
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																												
1 5924.97	64.34	68.20	-3.86	49.83	36.49	10.44	32.42	184 329 AVERAGE																																																																											
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																												
1 5935.00	73.63	99.20	-25.57	59.11	36.50	10.45	32.43	184 329 AVERAGE																																																																											







Mode	142																																																																					
	Band Edge																																																																					
	U-NII-5_5.925-6.425_802.11be EHT20_CH2_Full RU_5935MHz																																																																					
ANT	5+7																																																																					
Pol.	Vertical					Fundamental																																																																
Peak	Level (dBuV/m) Date: 2024-03-09 PEAK_BE(UNII)_6E <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5924.84</td><td>70.66</td><td>88.20</td><td>-17.54</td><td>56.15</td><td>36.49</td><td>10.44</td><td>32.42</td><td>400</td><td>254 PEAK</td></tr></table>					Freq	Level	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5924.84	70.66	88.20	-17.54	56.15	36.49	10.44	32.42	400	254 PEAK	Level (dBuV/m) Date: 2024-03-09 PEAK_BE(UNII)_6E <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5935.00</td><td>80.91</td><td>-----</td><td>66.36</td><td>36.52</td><td>10.47</td><td>32.44</td><td>400</td><td>254 PEAK</td></tr></table>					Freq	Level	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5935.00	80.91	-----	66.36	36.52	10.47	32.44	400	254 PEAK	
	Freq	Level	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																													
1 5924.84	70.66	88.20	-17.54	56.15	36.49	10.44	32.42	400	254 PEAK																																																													
Freq	Level	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																													
1 5935.00	80.91	-----	66.36	36.52	10.47	32.44	400	254 PEAK																																																														
Avg	Level (dBuV/m) Date: 2024-03-09 AVG_BE(UNII)_6E <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5924.97</td><td>64.79</td><td>68.20</td><td>-3.41</td><td>50.28</td><td>36.49</td><td>10.44</td><td>32.42</td><td>400</td><td>254 AVERAGE</td></tr></table>					Freq	Level	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5924.97	64.79	68.20	-3.41	50.28	36.49	10.44	32.42	400	254 AVERAGE	Level (dBuV/m) Date: 2024-03-09 AVG_BE(UNII)_6E <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5935.00</td><td>73.16</td><td>99.20</td><td>-26.04</td><td>58.61</td><td>36.52</td><td>10.47</td><td>32.44</td><td>400</td><td>254 AVERAGE</td></tr></table>					Freq	Level	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5935.00	73.16	99.20	-26.04	58.61	36.52	10.47	32.44	400	254 AVERAGE
	Freq	Level	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																													
1 5924.97	64.79	68.20	-3.41	50.28	36.49	10.44	32.42	400	254 AVERAGE																																																													
Freq	Level	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																													
1 5935.00	73.16	99.20	-26.04	58.61	36.52	10.47	32.44	400	254 AVERAGE																																																													



Mode	142																																																																																																																																	
	Harmonic																																																																																																																																	
	U-NII-5_5.925-6.425_802.11be EHT20_CH2_Full RU_5935MHz																																																																																																																																	
ANT	5+7																																																																																																																																	
Pol.	Horizontal						Vertical																																																																																																																											
Peak Avg	Level (dBuV/m) Date: 2024-03-11 PEAK(U-NII_6E) AVG(U-NII_6E) <table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th colspan="2">Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th colspan="2"></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11870.00</td><td>47.72</td><td>74.00</td><td>-26.28</td><td>58.68</td><td>39.35</td><td>13.15</td><td>63.46</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>17805.00</td><td>48.21</td><td>74.00</td><td>-25.79</td><td>55.17</td><td>42.49</td><td>16.15</td><td>65.60</td><td>---</td><td>---</td><td>Peak</td></tr></table>								Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq		Level	Line	Margin	Level	Factor	Loss	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11870.00	47.72	74.00	-26.28	58.68	39.35	13.15	63.46	---	---	Peak	2	17805.00	48.21	74.00	-25.79	55.17	42.49	16.15	65.60	---	---	Peak	Level (dBuV/m) Date: 2024-03-11 PEAK(U-NII_6E) AVG(U-NII_6E) <table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th colspan="2">Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th colspan="2"></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11870.00</td><td>47.45</td><td>74.00</td><td>-26.55</td><td>58.41</td><td>39.35</td><td>13.15</td><td>63.46</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>17805.00</td><td>48.37</td><td>74.00</td><td>-25.63</td><td>55.33</td><td>42.49</td><td>16.15</td><td>65.60</td><td>---</td><td>---</td><td>Peak</td></tr></table>								Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq		Level	Line	Margin	Level	Factor	Loss	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11870.00	47.45	74.00	-26.55	58.41	39.35	13.15	63.46	---	---	Peak	2	17805.00	48.37	74.00	-25.63	55.33	42.49	16.15	65.60	---	---	Peak
			Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																						
	Freq		Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																									
		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																							
1	11870.00	47.72	74.00	-26.28	58.68	39.35	13.15	63.46	---	---	Peak																																																																																																																							
2	17805.00	48.21	74.00	-25.79	55.17	42.49	16.15	65.60	---	---	Peak																																																																																																																							
		Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																							
Freq		Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																										
		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																							
1	11870.00	47.45	74.00	-26.55	58.41	39.35	13.15	63.46	---	---	Peak																																																																																																																							
2	17805.00	48.37	74.00	-25.63	55.33	42.49	16.15	65.60	---	---	Peak																																																																																																																							



Mode	143																																																																																									
	Band Edge																																																																																									
	U-NII-5_5.925-6.425_802.11be EHT20_CH2_Single RU_5935MHz																																																																																									
ANT	5+7																																																																																									
Pol.	Horizontal					Fundamental																																																																																				
Peak	 Level (dBuV/m) Date: 2024-03-21 140 122.5 105.0 87.5 70.0 52.5 35.0 17.5 0 5825 5851. 5877. 5903. 5929. 5955 Frequency (MHz) PEAK_BE(U-NII)_6E <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5924.97</td><td>70.16</td><td>88.20</td><td>-18.04</td><td>55.65</td><td>36.49</td><td>10.44</td><td>32.42</td><td>205 337 PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5924.97	70.16	88.20	-18.04	55.65	36.49	10.44	32.42	205 337 PEAK	 Level (dBuV/m) Date: 2024-03-21 140 122.5 105.0 87.5 70.0 52.5 35.0 17.5 0 1000 2240. 3480. 4720. 5960. 7200 Frequency (MHz) PEAK_BE(U-NII)_6E <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5935.00</td><td>79.53</td><td>-----</td><td>-----</td><td>65.01</td><td>36.50</td><td>10.45</td><td>32.43</td><td>205 337 PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5935.00	79.53	-----	-----	65.01	36.50	10.45	32.43	205 337 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																	
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																	
1	5924.97	70.16	88.20	-18.04	55.65	36.49	10.44	32.42	205 337 PEAK																																																																																	
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																	
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																	
1	5935.00	79.53	-----	-----	65.01	36.50	10.45	32.43	205 337 PEAK																																																																																	
Avg	 Level (dBuV/m) Date: 2024-03-21 140 122.5 105.0 87.5 70.0 52.5 35.0 17.5 0 5825 5851. 5877. 5903. 5929. 5955 Frequency (MHz) AVG_BE(U-NII)_6E <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5924.97</td><td>60.21</td><td>68.20</td><td>-7.99</td><td>45.70</td><td>36.49</td><td>10.44</td><td>32.42</td><td>205 337 AVERAGE</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5924.97	60.21	68.20	-7.99	45.70	36.49	10.44	32.42	205 337 AVERAGE	 Level (dBuV/m) Date: 2024-03-21 140 122.5 105.0 87.5 70.0 52.5 35.0 17.5 0 1000 2240. 3480. 4720. 5960. 7200 Frequency (MHz) AVG_BE(U-NII)_6E <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5935.00</td><td>71.55</td><td>-----</td><td>-----</td><td>57.03</td><td>36.50</td><td>10.45</td><td>32.43</td><td>205 337 AVERAGE</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5935.00	71.55	-----	-----	57.03	36.50	10.45	32.43	205 337 AVERAGE
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																	
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																	
1	5924.97	60.21	68.20	-7.99	45.70	36.49	10.44	32.42	205 337 AVERAGE																																																																																	
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																	
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																	
1	5935.00	71.55	-----	-----	57.03	36.50	10.45	32.43	205 337 AVERAGE																																																																																	



Mode	143																																																																																	
	Band Edge																																																																																	
	U-NII-5_5.925-6.425_802.11be EHT20_CH2_Single RU_5935MHz																																																																																	
ANT	5+7																																																																																	
Pol.	Vertical	Fundamental																																																																																
Peak	Level (dBuV/m) Date: 2024-03-21 140 122.5 105.0 87.5 70.0 52.5 35.0 17.5 0 5825 5851. 5877. 5903. 5929. 5955 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5924.97</td><td>71.21</td><td>88.20</td><td>-16.99</td><td>56.70</td><td>36.49</td><td>10.44</td><td>32.42</td><td>375</td><td>93 PEAK</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5924.97	71.21	88.20	-16.99	56.70	36.49	10.44	32.42	375	93 PEAK	Level (dBuV/m) Date: 2024-03-21 140 122.5 105.0 87.5 70.0 52.5 35.0 17.5 0 1000 2240. 3480. 4720. 5960. 7200 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5935.00</td><td>80.07</td><td>-----</td><td>-----</td><td>65.55</td><td>36.50</td><td>10.45</td><td>32.43</td><td>375</td><td>93 PEAK</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5935.00	80.07	-----	-----	65.55	36.50	10.45	32.43	375	93 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																									
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																									
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																									
1 5924.97	71.21	88.20	-16.99	56.70	36.49	10.44	32.42	375	93 PEAK																																																																									
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																									
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																									
1 5935.00	80.07	-----	-----	65.55	36.50	10.45	32.43	375	93 PEAK																																																																									
Avg	Level (dBuV/m) Date: 2024-03-21 140 122.5 105.0 87.5 70.0 52.5 35.0 17.5 0 5825 5851. 5877. 5903. 5929. 5955 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5924.97</td><td>61.78</td><td>68.20</td><td>-6.42</td><td>47.27</td><td>36.49</td><td>10.44</td><td>32.42</td><td>375</td><td>93 AVERAGE</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5924.97	61.78	68.20	-6.42	47.27	36.49	10.44	32.42	375	93 AVERAGE	Level (dBuV/m) Date: 2024-03-21 140 122.5 105.0 87.5 70.0 52.5 35.0 17.5 0 1000 2240. 3480. 4720. 5960. 7200 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5935.00</td><td>72.68</td><td>-----</td><td>-----</td><td>58.16</td><td>36.50</td><td>10.45</td><td>32.43</td><td>375</td><td>93 AVERAGE</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5935.00	72.68	-----	-----	58.16	36.50	10.45	32.43	375	93 AVERAGE
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																									
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																									
1 5924.97	61.78	68.20	-6.42	47.27	36.49	10.44	32.42	375	93 AVERAGE																																																																									
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																									
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																									
1 5935.00	72.68	-----	-----	58.16	36.50	10.45	32.43	375	93 AVERAGE																																																																									



Mode	144																																																																																								
	Band Edge																																																																																								
	U-NII-5_5.925-6.425_802.11be EHT20_CH2_Small RU_5935MHz																																																																																								
ANT	5+7																																																																																								
Pol.	Horizontal					Fundamental																																																																																			
Peak	Level (dBuV/m) Date: 2024-03-21 PEAK_BE(U-NII)_6E					Level (dBuV/m) Date: 2024-03-21 PEAK_BE(U-NII)_6E																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5924.97</td><td>67.72</td><td>88.20</td><td>-20.48</td><td>53.21</td><td>36.49</td><td>10.44</td><td>32.42</td><td>205 334 PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5924.97	67.72	88.20	-20.48	53.21	36.49	10.44	32.42	205 334 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5935.00</td><td>78.14</td><td>-----</td><td>-----</td><td>63.62</td><td>36.50</td><td>10.45</td><td>32.43</td><td>205 334 PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5935.00	78.14	-----	-----	63.62	36.50	10.45	32.43
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																
1	5924.97	67.72	88.20	-20.48	53.21	36.49	10.44	32.42	205 334 PEAK																																																																																
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																
1	5935.00	78.14	-----	-----	63.62	36.50	10.45	32.43	205 334 PEAK																																																																																
Avg	Level (dBuV/m) Date: 2024-03-21 AVG_BE(U-NII)_6E					Level (dBuV/m) Date: 2024-03-21 AVG_BE(U-NII)_6E																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5924.97</td><td>61.67</td><td>68.20</td><td>-6.53</td><td>47.16</td><td>36.49</td><td>10.44</td><td>32.42</td><td>205 334 AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5924.97	61.67	68.20	-6.53	47.16	36.49	10.44	32.42	205 334 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5935.00</td><td>70.93</td><td>-----</td><td>-----</td><td>56.41</td><td>36.50</td><td>10.45</td><td>32.43</td><td>205 334 AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5935.00	70.93	-----	-----	56.41	36.50	10.45	32.43
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																
1	5924.97	61.67	68.20	-6.53	47.16	36.49	10.44	32.42	205 334 AVERAGE																																																																																
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																
1	5935.00	70.93	-----	-----	56.41	36.50	10.45	32.43	205 334 AVERAGE																																																																																







Mode	144	
	Band Edge	
	U-NII-5_5.925-6.425_802.11be EHT20_CH2_Small RU_5935MHz	
ANT	5+7	
Pol.	Vertical	Fundamental
Peak	Level (dBuV/m) Date: 2024-03-21 Limit Margin Read Ant Cable Preamp APos TPos Freq Level Line (dB) Level Factor Loss Factor Remark MHz dBuV/m dBuV/m dBuV dB/m dB dB cm deg 1 5924.97 69.69 88.20 -18.51 55.18 36.49 10.44 32.42 400 81 PEAK	Level (dBuV/m) Date: 2024-03-21 Limit Margin Read Ant Cable Preamp APos TPos Freq Level Line (dB) Level Factor Loss Factor Remark MHz dBuV/m dBuV/m dBuV dB/m dB dB cm deg 1 5935.00 80.81 ----- 66.29 36.50 10.45 32.43 400 81 PEAK
	Level (dBuV/m) Date: 2024-03-21 Limit Margin Read Ant Cable Preamp APos TPos Freq Level Line (dB) Level Factor Loss Factor Remark MHz dBuV/m dBuV/m dBuV dB/m dB dB cm deg 1 5924.97 63.88 68.20 -4.32 49.37 36.49 10.44 32.42 400 81 AVERAGE	Level (dBuV/m) Date: 2024-03-21 Limit Margin Read Ant Cable Preamp APos TPos Freq Level Line (dB) Level Factor Loss Factor Remark MHz dBuV/m dBuV/m dBuV dB/m dB dB cm deg 1 5935.00 73.39 ----- 58.87 36.50 10.45 32.43 400 81 AVERAGE



Mode	145																																																															
	Band Edge																																																															
	U-NII-8_6.875-7.125_802.11a_CH233_7115MHz																																																															
ANT	5+7																																																															
Pol.	Horizontal																																																															
Peak	Level (dBuV/m) Date: 2024-02-29 PEAK_BE(UNII)_6E <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7125.28</td><td>72.87</td><td>88.20</td><td>-15.33</td><td>59.30</td><td>36.95</td><td>10.20</td><td>33.58</td><td>272</td><td>16</td><td>PEAK</td></tr><tr><td>2</td><td>7287.26</td><td>51.67</td><td>74.00</td><td>-22.33</td><td>38.27</td><td>36.89</td><td>10.18</td><td>33.67</td><td>272</td><td>16</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7125.28	72.87	88.20	-15.33	59.30	36.95	10.20	33.58	272	16	PEAK	2	7287.26	51.67	74.00	-22.33	38.27	36.89	10.18	33.67	272	16	PEAK
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																								
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																						
1	7125.28	72.87	88.20	-15.33	59.30	36.95	10.20	33.58	272	16	PEAK																																																					
2	7287.26	51.67	74.00	-22.33	38.27	36.89	10.18	33.67	272	16	PEAK																																																					
Fundamental	Level (dBuV/m) Date: 2024-02-29 PEAK_BE(UNII)_6E <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7115.00</td><td>88.67</td><td>-----</td><td>-----</td><td>75.09</td><td>36.95</td><td>10.20</td><td>33.57</td><td>272</td><td>16</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7115.00	88.67	-----	-----	75.09	36.95	10.20	33.57	272	16	PEAK												
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																								
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																						
1	7115.00	88.67	-----	-----	75.09	36.95	10.20	33.57	272	16	PEAK																																																					
Avg	Level (dBuV/m) Date: 2024-02-29 AVG_BE(UNII)_6E <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7125.28</td><td>62.68</td><td>68.20</td><td>-5.52</td><td>49.11</td><td>36.95</td><td>10.20</td><td>33.58</td><td>272</td><td>16</td><td>AVERAGE</td></tr><tr><td>2</td><td>7329.98</td><td>41.14</td><td>54.00</td><td>-12.86</td><td>27.79</td><td>36.87</td><td>10.18</td><td>33.70</td><td>272</td><td>16</td><td>AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7125.28	62.68	68.20	-5.52	49.11	36.95	10.20	33.58	272	16	AVERAGE	2	7329.98	41.14	54.00	-12.86	27.79	36.87	10.18	33.70	272	16	AVERAGE
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																								
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																						
1	7125.28	62.68	68.20	-5.52	49.11	36.95	10.20	33.58	272	16	AVERAGE																																																					
2	7329.98	41.14	54.00	-12.86	27.79	36.87	10.18	33.70	272	16	AVERAGE																																																					
Fundamental	Level (dBuV/m) Date: 2024-02-29 AVG_BE(UNII)_6E <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7115.00</td><td>81.78</td><td>-----</td><td>-----</td><td>68.20</td><td>36.95</td><td>10.20</td><td>33.57</td><td>272</td><td>16</td><td>AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7115.00	81.78	-----	-----	68.20	36.95	10.20	33.57	272	16	AVERAGE												
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																								
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																						
1	7115.00	81.78	-----	-----	68.20	36.95	10.20	33.57	272	16	AVERAGE																																																					







		145																																																																																																				
Mode		Band Edge																																																																																																				
		U-NII-8_6.875-7.125_802.11a_CH233_7115MHz																																																																																																				
ANT		5+7																																																																																																				
Pol.		Vertical					Fundamental																																																																																															
Peak	 Level (dBuV/m) Date: 2024-02-29 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7125.28</td><td>74.33</td><td>88.20</td><td>-13.87</td><td>60.76</td><td>36.95</td><td>10.20</td><td>33.58</td><td>204</td><td>360</td><td>PEAK</td></tr><tr><td>2</td><td>7291.71</td><td>51.45</td><td>74.00</td><td>-22.55</td><td>38.07</td><td>36.88</td><td>10.18</td><td>33.68</td><td>204</td><td>360</td><td>PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	7125.28	74.33	88.20	-13.87	60.76	36.95	10.20	33.58	204	360	PEAK	2	7291.71	51.45	74.00	-22.55	38.07	36.88	10.18	33.68	204	360	PEAK	 Level (dBuV/m) Date: 2024-02-29 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7115.00</td><td>91.24</td><td>-----</td><td>-----</td><td>77.66</td><td>36.95</td><td>10.20</td><td>33.57</td><td>204</td><td>360</td><td>PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	7115.00	91.24	-----	-----	77.66	36.95	10.20	33.57	204	360	PEAK
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																													
1	7125.28	74.33	88.20	-13.87	60.76	36.95	10.20	33.58	204	360	PEAK																																																																																											
2	7291.71	51.45	74.00	-22.55	38.07	36.88	10.18	33.68	204	360	PEAK																																																																																											
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																													
1	7115.00	91.24	-----	-----	77.66	36.95	10.20	33.57	204	360	PEAK																																																																																											
Avg	 Level (dBuV/m) Date: 2024-02-29 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7125.28</td><td>64.62</td><td>68.20</td><td>-3.58</td><td>51.05</td><td>36.95</td><td>10.20</td><td>33.58</td><td>204</td><td>360</td><td>AVERAGE</td></tr><tr><td>2</td><td>7251.66</td><td>41.13</td><td>54.00</td><td>-12.87</td><td>27.70</td><td>36.90</td><td>10.18</td><td>33.65</td><td>204</td><td>360</td><td>AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	7125.28	64.62	68.20	-3.58	51.05	36.95	10.20	33.58	204	360	AVERAGE	2	7251.66	41.13	54.00	-12.87	27.70	36.90	10.18	33.65	204	360	AVERAGE	 Level (dBuV/m) Date: 2024-02-29 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7115.00</td><td>84.22</td><td>-----</td><td>-----</td><td>70.64</td><td>36.95</td><td>10.20</td><td>33.57</td><td>204</td><td>360</td><td>AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	7115.00	84.22	-----	-----	70.64	36.95	10.20	33.57	204	360	AVERAGE
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																													
1	7125.28	64.62	68.20	-3.58	51.05	36.95	10.20	33.58	204	360	AVERAGE																																																																																											
2	7251.66	41.13	54.00	-12.87	27.70	36.90	10.18	33.65	204	360	AVERAGE																																																																																											
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																													
1	7115.00	84.22	-----	-----	70.64	36.95	10.20	33.57	204	360	AVERAGE																																																																																											







Mode	145																																																																																												
	Harmonic																																																																																												
	U-NII-8_6.875-7.125_802.11a_CH233_7115MHz																																																																																												
ANT	5+7																																																																																												
Pol.	Horizontal						Vertical																																																																																						
Peak Avg	Level (dBuV/m) Date: 2024-03-11 PEAK(U-NII_6E) AVG(U-NII_6E)						Level (dBuV/m) Date: 2024-03-11 PEAK(U-NII_6E) AVG(U-NII_6E)																																																																																						
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>14230.00</td><td>49.06</td><td>88.20</td><td>-39.14</td><td>58.59</td><td>40.38</td><td>13.98</td><td>63.89</td><td>---</td><td>---</td><td>Peak</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	14230.00	49.06	88.20	-39.14	58.59	40.38	13.98	63.89	---	---	Peak	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>14230.00</td><td>48.83</td><td>88.20</td><td>-39.37</td><td>58.36</td><td>40.38</td><td>13.98</td><td>63.89</td><td>---</td><td>---</td><td>Peak</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	14230.00	48.83	88.20	-39.37	58.36	40.38	13.98	63.89	---	---
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	14230.00	49.06	88.20	-39.14	58.59	40.38	13.98	63.89	---	---	Peak																																																																																		
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	14230.00	48.83	88.20	-39.37	58.36	40.38	13.98	63.89	---	---	Peak																																																																																		





		146																																																																																																												
Mode		Band Edge																																																																																																												
		U-NII-8_6.875-7.125_802.11ax HE20_CH233_Full RU_7115MHz																																																																																																												
ANT		5+7																																																																																																												
Pol.		Horizontal					Fundamental																																																																																																							
Peak		Level (dBuV/m) Date: 2024-02-29  PEAK_BE(UNII)_6E 2 7319.30 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7125.28</td><td>69.96</td><td>88.20</td><td>-18.24</td><td>56.39</td><td>36.95</td><td>10.20</td><td>33.58</td><td>300</td><td>71 PEAK</td></tr><tr><td>2</td><td>7319.30</td><td>50.24</td><td>74.00</td><td>-23.76</td><td>36.88</td><td>36.87</td><td>10.18</td><td>33.69</td><td>300</td><td>71 PEAK</td></tr></tbody></table>											Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	7125.28	69.96	88.20	-18.24	56.39	36.95	10.20	33.58	300	71 PEAK	2	7319.30	50.24	74.00	-23.76	36.88	36.87	10.18	33.69	300	71 PEAK	Level (dBuV/m) Date: 2024-02-29  PEAK_BE(UNII)_6E 1											Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	7115.00	81.53	-----	-----	67.96	36.95	10.20	33.58	300	71 PEAK
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																																					
1	7125.28	69.96	88.20	-18.24	56.39	36.95	10.20	33.58	300	71 PEAK																																																																																																				
2	7319.30	50.24	74.00	-23.76	36.88	36.87	10.18	33.69	300	71 PEAK																																																																																																				
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																																					
1	7115.00	81.53	-----	-----	67.96	36.95	10.20	33.58	300	71 PEAK																																																																																																				
Avg		Level (dBuV/m) Date: 2024-02-29  AVG_BE(UNII)_6E 2 7331.76 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7125.28</td><td>62.35</td><td>68.20</td><td>-5.85</td><td>48.78</td><td>36.95</td><td>10.20</td><td>33.58</td><td>300</td><td>71 AVERAGE</td></tr><tr><td>2</td><td>7331.76</td><td>41.21</td><td>54.00</td><td>-12.79</td><td>27.86</td><td>36.87</td><td>10.18</td><td>33.70</td><td>300</td><td>71 AVERAGE</td></tr></tbody></table>											Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	7125.28	62.35	68.20	-5.85	48.78	36.95	10.20	33.58	300	71 AVERAGE	2	7331.76	41.21	54.00	-12.79	27.86	36.87	10.18	33.70	300	71 AVERAGE	Level (dBuV/m) Date: 2024-03-09  AVG_BE(UNII)_6E 1											Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	7115.00	73.66	99.20	-25.54	60.08	36.95	10.20	33.57	100	131 AVERAGE
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																																					
1	7125.28	62.35	68.20	-5.85	48.78	36.95	10.20	33.58	300	71 AVERAGE																																																																																																				
2	7331.76	41.21	54.00	-12.79	27.86	36.87	10.18	33.70	300	71 AVERAGE																																																																																																				
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																																					
1	7115.00	73.66	99.20	-25.54	60.08	36.95	10.20	33.57	100	131 AVERAGE																																																																																																				



Mode	146																																																																
	Band Edge																																																																
	U-NII-8_6.875-7.125_802.11ax HE20_CH233_Full RU_7115MHz																																																																
ANT	5+7																																																																
Pol.	Vertical																																																																
Peak	Date: 2024-02-29 																																																																
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7125.28</td><td>72.55</td><td>88.20</td><td>-15.65</td><td>58.98</td><td>36.95</td><td>10.20</td><td>33.58</td><td>251</td><td>68</td><td>PEAK</td></tr><tr><td>2</td><td>7310.84</td><td>51.22</td><td>74.00</td><td>-22.78</td><td>37.85</td><td>36.88</td><td>10.18</td><td>33.69</td><td>251</td><td>68</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7125.28	72.55	88.20	-15.65	58.98	36.95	10.20	33.58	251	68	PEAK	2	7310.84	51.22	74.00	-22.78	37.85	36.88	10.18	33.69	251	68	PEAK
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																									
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																							
1	7125.28	72.55	88.20	-15.65	58.98	36.95	10.20	33.58	251	68	PEAK																																																						
2	7310.84	51.22	74.00	-22.78	37.85	36.88	10.18	33.69	251	68	PEAK																																																						
Fundamental	Date: 2024-02-29 																																																																
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7115.00</td><td>83.97</td><td>-----</td><td>-----</td><td>70.40</td><td>36.95</td><td>10.20</td><td>33.58</td><td>251</td><td>68</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7115.00	83.97	-----	-----	70.40	36.95	10.20	33.58	251	68	PEAK												
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																									
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																							
1	7115.00	83.97	-----	-----	70.40	36.95	10.20	33.58	251	68	PEAK																																																						
Avg	Date: 2024-02-29 																																																																
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7125.28</td><td>65.15</td><td>68.20</td><td>-3.05</td><td>51.58</td><td>36.95</td><td>10.20</td><td>33.58</td><td>251</td><td>68</td><td>AVERAGE</td></tr><tr><td>2</td><td>7325.97</td><td>41.14</td><td>54.00</td><td>-12.86</td><td>27.79</td><td>36.87</td><td>10.18</td><td>33.70</td><td>251</td><td>68</td><td>AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7125.28	65.15	68.20	-3.05	51.58	36.95	10.20	33.58	251	68	AVERAGE	2	7325.97	41.14	54.00	-12.86	27.79	36.87	10.18	33.70	251	68	AVERAGE
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																									
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																							
1	7125.28	65.15	68.20	-3.05	51.58	36.95	10.20	33.58	251	68	AVERAGE																																																						
2	7325.97	41.14	54.00	-12.86	27.79	36.87	10.18	33.70	251	68	AVERAGE																																																						
Fundamental	Date: 2024-03-09 																																																																
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7115.00</td><td>76.56</td><td>99.20</td><td>-22.64</td><td>62.96</td><td>36.96</td><td>10.20</td><td>33.56</td><td>263</td><td>247</td><td>AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7115.00	76.56	99.20	-22.64	62.96	36.96	10.20	33.56	263	247	AVERAGE												
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																									
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																							
1	7115.00	76.56	99.20	-22.64	62.96	36.96	10.20	33.56	263	247	AVERAGE																																																						



Mode	146																																																																																												
	Harmonic																																																																																												
	U-NII-8_6.875-7.125_802.11ax HE20_CH233_Full RU_7115MHz																																																																																												
ANT	5+7																																																																																												
Pol.	Horizontal						Vertical																																																																																						
Peak Avg	Level (dBuV/m) Date: 2024-03-11 						Level (dBuV/m) Date: 2024-03-11 																																																																																						
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>14230.00</td><td>49.36</td><td>88.20</td><td>-38.84</td><td>58.89</td><td>40.38</td><td>13.98</td><td>63.89</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	14230.00	49.36	88.20	-38.84	58.89	40.38	13.98	63.89	---	---	Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>14230.00</td><td>48.85</td><td>88.20</td><td>-39.35</td><td>58.38</td><td>40.38</td><td>13.98</td><td>63.89</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	14230.00	48.85	88.20	-39.35	58.38	40.38	13.98	63.89	---	---
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	14230.00	49.36	88.20	-38.84	58.89	40.38	13.98	63.89	---	---	Peak																																																																																		
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	14230.00	48.85	88.20	-39.35	58.38	40.38	13.98	63.89	---	---	Peak																																																																																		







Mode	147																																																																																																						
	Band Edge																																																																																																						
	U-NII-8_6.875-7.125_802.11ax HE20_CH233_Partial RU_7115MHz																																																																																																						
ANT	5+7																																																																																																						
Pol.	Horizontal					Fundamental																																																																																																	
Peak	Level (dBuV/m) Date: 2024-03-21 PEAK_BE(U-NII)_6E <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7125.28</td><td>67.01</td><td>88.20</td><td>-21.19</td><td>53.44</td><td>36.95</td><td>10.20</td><td>33.58</td><td>100</td><td>162 PEAK</td></tr><tr><td>2</td><td>7296.16</td><td>53.16</td><td>74.00</td><td>-20.84</td><td>39.78</td><td>36.88</td><td>10.18</td><td>33.68</td><td>100</td><td>162 PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	7125.28	67.01	88.20	-21.19	53.44	36.95	10.20	33.58	100	162 PEAK	2	7296.16	53.16	74.00	-20.84	39.78	36.88	10.18	33.68	100	162 PEAK	Level (dBuV/m) Date: 2024-03-21 PEAK_BE(U-NII)_6E <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7115.00</td><td>81.32</td><td>-----</td><td>-----</td><td>67.75</td><td>36.95</td><td>10.20</td><td>33.58</td><td>100</td><td>162 PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	7115.00	81.32	-----	-----	67.75	36.95	10.20	33.58	100	162 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																														
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																														
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																														
1	7125.28	67.01	88.20	-21.19	53.44	36.95	10.20	33.58	100	162 PEAK																																																																																													
2	7296.16	53.16	74.00	-20.84	39.78	36.88	10.18	33.68	100	162 PEAK																																																																																													
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																															
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																														
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																														
1	7115.00	81.32	-----	-----	67.75	36.95	10.20	33.58	100	162 PEAK																																																																																													
Avg	Level (dBuV/m) Date: 2024-03-21 AVG_BE(U-NII)_6E <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7125.28</td><td>59.70</td><td>68.20</td><td>-8.50</td><td>46.13</td><td>36.95</td><td>10.20</td><td>33.58</td><td>100</td><td>162 AVERAGE</td></tr><tr><td>2</td><td>7289.48</td><td>43.22</td><td>54.00</td><td>-10.78</td><td>29.83</td><td>36.88</td><td>10.18</td><td>33.67</td><td>100</td><td>162 AVERAGE</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	7125.28	59.70	68.20	-8.50	46.13	36.95	10.20	33.58	100	162 AVERAGE	2	7289.48	43.22	54.00	-10.78	29.83	36.88	10.18	33.67	100	162 AVERAGE	Level (dBuV/m) Date: 2024-03-21 AVG_BE(U-NII)_6E <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7115.00</td><td>73.41</td><td>-----</td><td>-----</td><td>59.84</td><td>36.95</td><td>10.20</td><td>33.58</td><td>100</td><td>162 AVERAGE</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	7115.00	73.41	-----	-----	59.84	36.95	10.20	33.58	100	162 AVERAGE
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																														
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																														
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																														
1	7125.28	59.70	68.20	-8.50	46.13	36.95	10.20	33.58	100	162 AVERAGE																																																																																													
2	7289.48	43.22	54.00	-10.78	29.83	36.88	10.18	33.67	100	162 AVERAGE																																																																																													
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																															
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																														
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																														
1	7115.00	73.41	-----	-----	59.84	36.95	10.20	33.58	100	162 AVERAGE																																																																																													







Mode	147																																																																																																									
	Band Edge																																																																																																									
	U-NII-8_6.875-7.125_802.11ax HE20_CH233_Partial RU_7115MHz																																																																																																									
ANT	5+7																																																																																																									
Pol.	Vertical					Fundamental																																																																																																				
Peak	Level (dBuV/m) Date: 2024-03-21 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7125.28</td><td>74.64</td><td>88.20</td><td>-13.56</td><td>61.07</td><td>36.95</td><td>10.20</td><td>33.58</td><td>161</td><td>318</td><td>PEAK</td></tr><tr><td>2</td><td>7283.25</td><td>52.75</td><td>74.00</td><td>-21.25</td><td>39.35</td><td>36.89</td><td>10.18</td><td>33.67</td><td>161</td><td>318</td><td>PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	7125.28	74.64	88.20	-13.56	61.07	36.95	10.20	33.58	161	318	PEAK	2	7283.25	52.75	74.00	-21.25	39.35	36.89	10.18	33.67	161	318	PEAK	Level (dBuV/m) Date: 2024-03-21 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7115.00</td><td>83.78</td><td>-----</td><td>-----</td><td>70.20</td><td>36.95</td><td>10.20</td><td>33.57</td><td>161</td><td>318</td><td>PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	7115.00	83.78	-----	-----	70.20	36.95	10.20	33.57	161	318	PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																																	
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																	
1	7125.28	74.64	88.20	-13.56	61.07	36.95	10.20	33.58	161	318	PEAK																																																																																															
2	7283.25	52.75	74.00	-21.25	39.35	36.89	10.18	33.67	161	318	PEAK																																																																																															
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																																	
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																	
1	7115.00	83.78	-----	-----	70.20	36.95	10.20	33.57	161	318	PEAK																																																																																															
Avg	Level (dBuV/m) Date: 2024-03-21 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7125.28</td><td>63.40</td><td>68.20</td><td>-4.80</td><td>49.83</td><td>36.95</td><td>10.20</td><td>33.58</td><td>161</td><td>318</td><td>AVERAGE</td></tr><tr><td>2</td><td>7292.60</td><td>43.29</td><td>54.00</td><td>-10.71</td><td>29.91</td><td>36.88</td><td>10.18</td><td>33.68</td><td>161</td><td>318</td><td>AVERAGE</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	7125.28	63.40	68.20	-4.80	49.83	36.95	10.20	33.58	161	318	AVERAGE	2	7292.60	43.29	54.00	-10.71	29.91	36.88	10.18	33.68	161	318	AVERAGE	Level (dBuV/m) Date: 2024-03-21 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7115.00</td><td>76.86</td><td>-----</td><td>-----</td><td>63.29</td><td>36.95</td><td>10.20</td><td>33.58</td><td>161</td><td>318</td><td>AVERAGE</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	7115.00	76.86	-----	-----	63.29	36.95	10.20	33.58	161	318	AVERAGE
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																																	
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																	
1	7125.28	63.40	68.20	-4.80	49.83	36.95	10.20	33.58	161	318	AVERAGE																																																																																															
2	7292.60	43.29	54.00	-10.71	29.91	36.88	10.18	33.68	161	318	AVERAGE																																																																																															
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																																	
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																	
1	7115.00	76.86	-----	-----	63.29	36.95	10.20	33.58	161	318	AVERAGE																																																																																															





		148																																																																																																																			
Mode		Band Edge																																																																																																																			
		U-NII-8_6.875-7.125_802.11be EHT20_CH233_Full RU_7115MHz																																																																																																																			
ANT		5+7																																																																																																																			
Pol.		Horizontal					Fundamental																																																																																																														
Peak		Level (dBuV/m) Date: 2024-03-09  PEAK_BE(UNII)_6E Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>7125.28</td><td>72.09</td><td>88.20</td><td>-16.11</td><td>58.52</td><td>36.95</td><td>10.20</td><td>33.58</td><td>100</td><td>131</td><td>PEAK</td></tr><tr><td>2</td><td>7252.10</td><td>53.10</td><td>74.00</td><td>-20.90</td><td>39.67</td><td>36.90</td><td>10.18</td><td>33.65</td><td>100</td><td>131</td><td>PEAK</td></tr></tbody></table>											Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	7125.28	72.09	88.20	-16.11	58.52	36.95	10.20	33.58	100	131	PEAK	2	7252.10	53.10	74.00	-20.90	39.67	36.90	10.18	33.65	100	131	PEAK	Level (dBuV/m) Date: 2024-03-09  PEAK_BE(UNII)_6E Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>7115.00</td><td>82.67</td><td>-----</td><td>-----</td><td>69.09</td><td>36.95</td><td>10.20</td><td>33.57</td><td>100</td><td>131</td><td>PEAK</td></tr></tbody></table>											Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	7115.00	82.67	-----	-----	69.09	36.95	10.20	33.57	100	131	PEAK
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																											
1	7125.28	72.09	88.20	-16.11	58.52	36.95	10.20	33.58	100	131	PEAK																																																																																																										
2	7252.10	53.10	74.00	-20.90	39.67	36.90	10.18	33.65	100	131	PEAK																																																																																																										
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																											
1	7115.00	82.67	-----	-----	69.09	36.95	10.20	33.57	100	131	PEAK																																																																																																										
Avg		Level (dBuV/m) Date: 2024-03-09  AVG_BE(UNII)_6E Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>7125.28</td><td>62.77</td><td>68.20</td><td>-5.43</td><td>49.20</td><td>36.95</td><td>10.20</td><td>33.58</td><td>100</td><td>131</td><td>AVERAGE</td></tr><tr><td>2</td><td>7255.22</td><td>43.22</td><td>54.00</td><td>-10.78</td><td>29.79</td><td>36.90</td><td>10.18</td><td>33.65</td><td>100</td><td>131</td><td>AVERAGE</td></tr></tbody></table>											Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	7125.28	62.77	68.20	-5.43	49.20	36.95	10.20	33.58	100	131	AVERAGE	2	7255.22	43.22	54.00	-10.78	29.79	36.90	10.18	33.65	100	131	AVERAGE	Level (dBuV/m) Date: 2024-03-09  AVG_BE(UNII)_6E Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>7115.00</td><td>73.66</td><td>99.20</td><td>-25.54</td><td>60.08</td><td>36.95</td><td>10.20</td><td>33.57</td><td>100</td><td>131</td><td>AVERAGE</td></tr></tbody></table>											Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	7115.00	73.66	99.20	-25.54	60.08	36.95	10.20	33.57	100	131	AVERAGE
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																											
1	7125.28	62.77	68.20	-5.43	49.20	36.95	10.20	33.58	100	131	AVERAGE																																																																																																										
2	7255.22	43.22	54.00	-10.78	29.79	36.90	10.18	33.65	100	131	AVERAGE																																																																																																										
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																											
1	7115.00	73.66	99.20	-25.54	60.08	36.95	10.20	33.57	100	131	AVERAGE																																																																																																										



		148																																																																																																		
Mode		Band Edge																																																																																																		
		U-NII-8_6.875-7.125_802.11be EHT20_CH233_Full RU_7115MHz																																																																																																		
ANT		5+7																																																																																																		
Pol.		Vertical					Fundamental																																																																																													
Peak	 Level (dBuV/m) Date: 2024-03-09 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7125.28</td><td>73.37</td><td>88.20</td><td>-14.83</td><td>59.80</td><td>36.95</td><td>10.20</td><td>33.58</td><td>263</td><td>247</td><td>PEAK</td></tr><tr><td>2</td><td>7289.48</td><td>52.97</td><td>74.00</td><td>-21.03</td><td>39.58</td><td>36.88</td><td>10.18</td><td>33.67</td><td>263</td><td>247</td><td>PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	7125.28	73.37	88.20	-14.83	59.80	36.95	10.20	33.58	263	247	PEAK	2	7289.48	52.97	74.00	-21.03	39.58	36.88	10.18	33.67	263	247	PEAK	 Level (dBuV/m) Date: 2024-03-09 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7115.00</td><td>85.67</td><td>-----</td><td>-----</td><td>72.09</td><td>36.95</td><td>10.20</td><td>33.57</td><td>263</td><td>247</td><td>PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	7115.00	85.67	-----	-----	72.09	36.95	10.20	33.57	263	247	PEAK
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																												
1	7125.28	73.37	88.20	-14.83	59.80	36.95	10.20	33.58	263	247	PEAK																																																																																									
2	7289.48	52.97	74.00	-21.03	39.58	36.88	10.18	33.67	263	247	PEAK																																																																																									
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																												
1	7115.00	85.67	-----	-----	72.09	36.95	10.20	33.57	263	247	PEAK																																																																																									
Avg	 Level (dBuV/m) Date: 2024-03-09 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7125.28</td><td>65.10</td><td>68.20</td><td>-3.10</td><td>51.53</td><td>36.95</td><td>10.20</td><td>33.58</td><td>263</td><td>247</td><td>AVERAGE</td></tr><tr><td>2</td><td>7257.44</td><td>43.21</td><td>54.00</td><td>-10.79</td><td>29.78</td><td>36.90</td><td>10.18</td><td>33.65</td><td>263</td><td>247</td><td>AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	7125.28	65.10	68.20	-3.10	51.53	36.95	10.20	33.58	263	247	AVERAGE	2	7257.44	43.21	54.00	-10.79	29.78	36.90	10.18	33.65	263	247	AVERAGE	 Level (dBuV/m) Date: 2024-03-09 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7115.00</td><td>76.56</td><td>99.20</td><td>-22.64</td><td>62.96</td><td>36.96</td><td>10.20</td><td>33.56</td><td>263</td><td>247</td><td>AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	7115.00	76.56	99.20	-22.64	62.96	36.96	10.20	33.56	263	247	AVERAGE
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																												
1	7125.28	65.10	68.20	-3.10	51.53	36.95	10.20	33.58	263	247	AVERAGE																																																																																									
2	7257.44	43.21	54.00	-10.79	29.78	36.90	10.18	33.65	263	247	AVERAGE																																																																																									
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																												
1	7115.00	76.56	99.20	-22.64	62.96	36.96	10.20	33.56	263	247	AVERAGE																																																																																									







Mode	148																																																																																												
	Harmonic																																																																																												
	U-NII-8_6.875-7.125_802.11be EHT20_CH233_Full RU_7115MHz																																																																																												
ANT	5+7																																																																																												
Pol.	Horizontal						Vertical																																																																																						
Peak Avg	Level (dBuV/m) Date: 2024-03-11 						Level (dBuV/m) Date: 2024-03-11 																																																																																						
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>14230.00</td><td>48.98</td><td>88.20</td><td>-39.22</td><td>58.51</td><td>40.38</td><td>13.98</td><td>63.89</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	14230.00	48.98	88.20	-39.22	58.51	40.38	13.98	63.89	---	---	Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>14230.00</td><td>49.31</td><td>88.20</td><td>-38.89</td><td>58.84</td><td>40.38</td><td>13.98</td><td>63.89</td><td>---</td><td>---</td><td>Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	14230.00	49.31	88.20	-38.89	58.84	40.38	13.98	63.89	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	14230.00	48.98	88.20	-39.22	58.51	40.38	13.98	63.89	---	---	Peak																																																																																		
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	14230.00	49.31	88.20	-38.89	58.84	40.38	13.98	63.89	---	---	Peak																																																																																		



Mode	149																																																																																																						
	Band Edge																																																																																																						
	U-NII-8_6.875-7.125_802.11be EHT20_CH233_Single RU_7115MHz																																																																																																						
ANT	5+7																																																																																																						
Pol.	Horizontal					Fundamental																																																																																																	
Peak	Level (dBuV/m) Date: 2024-03-21 PEAK_BE(U)NI_6E <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7125.28</td><td>68.53</td><td>88.20</td><td>-19.67</td><td>54.96</td><td>36.95</td><td>10.20</td><td>33.58</td><td>100</td><td>163 PEAK</td></tr><tr><td>2</td><td>7275.69</td><td>52.25</td><td>74.00</td><td>-21.75</td><td>38.85</td><td>36.89</td><td>10.18</td><td>33.67</td><td>100</td><td>163 PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	7125.28	68.53	88.20	-19.67	54.96	36.95	10.20	33.58	100	163 PEAK	2	7275.69	52.25	74.00	-21.75	38.85	36.89	10.18	33.67	100	163 PEAK	Level (dBuV/m) Date: 2024-03-21 PEAK_BE(U)NI_6E <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7115.00</td><td>82.35</td><td>-----</td><td>-----</td><td>68.77</td><td>36.95</td><td>10.20</td><td>33.57</td><td>100</td><td>163 PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	7115.00	82.35	-----	-----	68.77	36.95	10.20	33.57	100	163 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																														
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																														
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																														
1	7125.28	68.53	88.20	-19.67	54.96	36.95	10.20	33.58	100	163 PEAK																																																																																													
2	7275.69	52.25	74.00	-21.75	38.85	36.89	10.18	33.67	100	163 PEAK																																																																																													
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																															
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																														
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																														
1	7115.00	82.35	-----	-----	68.77	36.95	10.20	33.57	100	163 PEAK																																																																																													
Avg	Level (dBuV/m) Date: 2024-03-21 AVG_BE(U)NI_6E <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7125.28</td><td>59.20</td><td>68.20</td><td>-9.00</td><td>45.63</td><td>36.95</td><td>10.20</td><td>33.58</td><td>100</td><td>163 AVERAGE</td></tr><tr><td>2</td><td>7260.56</td><td>43.11</td><td>54.00</td><td>-10.89</td><td>29.69</td><td>36.90</td><td>10.18</td><td>33.66</td><td>100</td><td>163 AVERAGE</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	7125.28	59.20	68.20	-9.00	45.63	36.95	10.20	33.58	100	163 AVERAGE	2	7260.56	43.11	54.00	-10.89	29.69	36.90	10.18	33.66	100	163 AVERAGE	Level (dBuV/m) Date: 2024-03-21 AVG_BE(U)NI_6E <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7115.00</td><td>72.83</td><td>-----</td><td>-----</td><td>59.25</td><td>36.95</td><td>10.20</td><td>33.57</td><td>100</td><td>163 AVERAGE</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	7115.00	72.83	-----	-----	59.25	36.95	10.20	33.57	100	163 AVERAGE
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																															
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																														
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																														
1	7125.28	59.20	68.20	-9.00	45.63	36.95	10.20	33.58	100	163 AVERAGE																																																																																													
2	7260.56	43.11	54.00	-10.89	29.69	36.90	10.18	33.66	100	163 AVERAGE																																																																																													
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																															
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																														
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																														
1	7115.00	72.83	-----	-----	59.25	36.95	10.20	33.57	100	163 AVERAGE																																																																																													







		149																																																																																																		
Mode		Band Edge																																																																																																		
		U-NII-8_6.875-7.125_802.11be EHT20_CH233_Single RU_7115MHz																																																																																																		
ANT		5+7																																																																																																		
Pol.		Vertical					Fundamental																																																																																													
Peak	 Level (dBuV/m) Date: 2024-03-21 122.5 105.0 87.5 70.0 52.5 35.0 17.5 0 6905 6994. 7083. 7172. 7261. 7350 Frequency (MHz) PEAK_BE(U)NI_6E <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 7125.28</td><td>66.71</td><td>88.20</td><td>-21.49</td><td>53.14</td><td>36.95</td><td>10.20</td><td>33.58</td><td>400</td><td>102 PEAK</td></tr><tr><td>2 7252.55</td><td>53.34</td><td>74.00</td><td>-20.66</td><td>39.91</td><td>36.90</td><td>10.18</td><td>33.65</td><td>400</td><td>102 PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 7125.28	66.71	88.20	-21.49	53.14	36.95	10.20	33.58	400	102 PEAK	2 7252.55	53.34	74.00	-20.66	39.91	36.90	10.18	33.65	400	102 PEAK	 Level (dBuV/m) Date: 2024-03-21 122.5 105.0 87.5 70.0 52.5 35.0 17.5 0 1000 2240. 3480. 4720. 5960. 7200 Frequency (MHz) PEAK_BE(U)NI_6E <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 7115.00</td><td>81.40</td><td>-----</td><td>-----</td><td>67.82</td><td>36.95</td><td>10.20</td><td>33.57</td><td>400</td><td>102 PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 7115.00	81.40	-----	-----	67.82	36.95	10.20	33.57	400	102 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																											
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																											
1 7125.28	66.71	88.20	-21.49	53.14	36.95	10.20	33.58	400	102 PEAK																																																																																											
2 7252.55	53.34	74.00	-20.66	39.91	36.90	10.18	33.65	400	102 PEAK																																																																																											
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																												
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																											
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																											
1 7115.00	81.40	-----	-----	67.82	36.95	10.20	33.57	400	102 PEAK																																																																																											
Avg	 Level (dBuV/m) Date: 2024-03-21 122.5 105.0 87.5 70.0 52.5 35.0 17.5 0 6905 6994. 7083. 7172. 7261. 7350 Frequency (MHz) AVG_BE(U)NI_6E <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 7125.28</td><td>60.29</td><td>68.20</td><td>-7.91</td><td>46.72</td><td>36.95</td><td>10.20</td><td>33.58</td><td>400</td><td>102 AVERAGE</td></tr><tr><td>2 7256.11</td><td>43.10</td><td>54.00</td><td>-10.90</td><td>29.67</td><td>36.90</td><td>10.18</td><td>33.65</td><td>400</td><td>102 AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 7125.28	60.29	68.20	-7.91	46.72	36.95	10.20	33.58	400	102 AVERAGE	2 7256.11	43.10	54.00	-10.90	29.67	36.90	10.18	33.65	400	102 AVERAGE	 Level (dBuV/m) Date: 2024-03-21 122.5 105.0 87.5 70.0 52.5 35.0 17.5 0 1000 2240. 3480. 4720. 5960. 7200 Frequency (MHz) AVG_BE(U)NI_6E <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 7115.00</td><td>74.24</td><td>-----</td><td>-----</td><td>60.66</td><td>36.95</td><td>10.20</td><td>33.57</td><td>400</td><td>102 AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 7115.00	74.24	-----	-----	60.66	36.95	10.20	33.57	400	102 AVERAGE
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																												
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																											
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																											
1 7125.28	60.29	68.20	-7.91	46.72	36.95	10.20	33.58	400	102 AVERAGE																																																																																											
2 7256.11	43.10	54.00	-10.90	29.67	36.90	10.18	33.65	400	102 AVERAGE																																																																																											
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																												
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																											
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																											
1 7115.00	74.24	-----	-----	60.66	36.95	10.20	33.57	400	102 AVERAGE																																																																																											



Mode	150																																																																																																											
	Band Edge																																																																																																											
	U-NII-8_6.875-7.125_802.11be EHT20_CH233_Small RU_7115MHz																																																																																																											
ANT	5+7																																																																																																											
Pol.	Horizontal						Fundamental																																																																																																					
Peak	Level (dBuV/m) Date: 2024-03-21 PEAK_BE(UINI)_6E <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7125.28</td><td>66.97</td><td>88.20</td><td>-21.23</td><td>53.40</td><td>36.95</td><td>10.20</td><td>33.58</td><td>100</td><td>160</td><td>PEAK</td></tr><tr><td>2</td><td>7328.20</td><td>52.48</td><td>74.00</td><td>-21.52</td><td>39.13</td><td>36.87</td><td>10.18</td><td>33.70</td><td>100</td><td>160</td><td>PEAK</td></tr></table>							Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	7125.28	66.97	88.20	-21.23	53.40	36.95	10.20	33.58	100	160	PEAK	2	7328.20	52.48	74.00	-21.52	39.13	36.87	10.18	33.70	100	160	PEAK	Level (dBuV/m) Date: 2024-03-21 PEAK_BE(UINI)_6E <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7115.00</td><td>80.40</td><td>-----</td><td>-----</td><td>66.82</td><td>36.95</td><td>10.20</td><td>33.57</td><td>100</td><td>160</td><td>PEAK</td></tr></table>							Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	7115.00	80.40	-----	-----	66.82	36.95	10.20	33.57	100	160	PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																																			
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																																			
1	7125.28	66.97	88.20	-21.23	53.40	36.95	10.20	33.58	100	160	PEAK																																																																																																	
2	7328.20	52.48	74.00	-21.52	39.13	36.87	10.18	33.70	100	160	PEAK																																																																																																	
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																																				
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																																			
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																																			
1	7115.00	80.40	-----	-----	66.82	36.95	10.20	33.57	100	160	PEAK																																																																																																	
Avg	Level (dBuV/m) Date: 2024-03-21 AVG_BE(UINI)_6E <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7125.28</td><td>60.75</td><td>68.20</td><td>-7.45</td><td>47.18</td><td>36.95</td><td>10.20</td><td>33.58</td><td>100</td><td>160</td><td>AVERAGE</td></tr><tr><td>2</td><td>7260.56</td><td>43.10</td><td>54.00</td><td>-10.90</td><td>29.68</td><td>36.90</td><td>10.18</td><td>33.66</td><td>100</td><td>160</td><td>AVERAGE</td></tr></table>							Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	7125.28	60.75	68.20	-7.45	47.18	36.95	10.20	33.58	100	160	AVERAGE	2	7260.56	43.10	54.00	-10.90	29.68	36.90	10.18	33.66	100	160	AVERAGE	Level (dBuV/m) Date: 2024-03-21 AVG_BE(UINI)_6E <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7115.00</td><td>72.35</td><td>-----</td><td>-----</td><td>58.77</td><td>36.95</td><td>10.20</td><td>33.57</td><td>100</td><td>160</td><td>AVERAGE</td></tr></table>							Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	7115.00	72.35	-----	-----	58.77	36.95	10.20	33.57	100	160	AVERAGE
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																																			
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																																			
1	7125.28	60.75	68.20	-7.45	47.18	36.95	10.20	33.58	100	160	AVERAGE																																																																																																	
2	7260.56	43.10	54.00	-10.90	29.68	36.90	10.18	33.66	100	160	AVERAGE																																																																																																	
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																																				
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																																			
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																																			
1	7115.00	72.35	-----	-----	58.77	36.95	10.20	33.57	100	160	AVERAGE																																																																																																	



Mode	150																																										
	Band Edge																																										
	U-NII-8_6.875-7.125_802.11be EHT20_CH233_Small RU_7115MHz																																										
ANT	5+7																																										
Pol.	Vertical					Fundamental																																					
Peak	Level (dBuV/m) Date: 2024-03-21  PEAK_BE(U)NI_6E Freq Level Line Limit (dB) Read Level Ant Factor Cable Loss Factor Preamp dB APos dB TPos cm Remark <table><tr><td>1</td><td>7125.28</td><td>70.99</td><td>88.20</td><td>-17.21</td><td>57.42</td><td>36.95</td><td>10.20</td><td>33.58</td><td>135</td><td>321 PEAK</td></tr><tr><td>2</td><td>7326.42</td><td>52.42</td><td>74.00</td><td>-21.58</td><td>39.07</td><td>36.87</td><td>10.18</td><td>33.70</td><td>135</td><td>321 PEAK</td></tr></table>					1	7125.28	70.99	88.20	-17.21	57.42	36.95	10.20	33.58	135	321 PEAK	2	7326.42	52.42	74.00	-21.58	39.07	36.87	10.18	33.70	135	321 PEAK	Level (dBuV/m) Date: 2024-03-21  PEAK_BE(U)NI_6E Freq Level Line Limit (dB) Read Level Ant Factor Cable Loss Factor Preamp dB APos dB TPos cm Remark <table><tr><td>1</td><td>7115.00</td><td>82.01</td><td>-----</td><td>-----</td><td>68.44</td><td>36.95</td><td>10.20</td><td>33.58</td><td>135</td><td>321 PEAK</td></tr></table>					1	7115.00	82.01	-----	-----	68.44	36.95	10.20	33.58	135	321 PEAK
	1	7125.28	70.99	88.20	-17.21	57.42	36.95	10.20	33.58	135	321 PEAK																																
2	7326.42	52.42	74.00	-21.58	39.07	36.87	10.18	33.70	135	321 PEAK																																	
1	7115.00	82.01	-----	-----	68.44	36.95	10.20	33.58	135	321 PEAK																																	
Avg	Level (dBuV/m) Date: 2024-03-21  AVG_BE(U)NI_6E Freq Level Line Limit (dB) Read Level Ant Factor Cable Loss Factor Preamp dB APos dB TPos cm Remark <table><tr><td>1</td><td>7125.28</td><td>63.71</td><td>68.20</td><td>-4.49</td><td>50.14</td><td>36.95</td><td>10.20</td><td>33.58</td><td>135</td><td>321 AVERAGE</td></tr><tr><td>2</td><td>7252.55</td><td>43.29</td><td>54.00</td><td>-10.71</td><td>29.86</td><td>36.90</td><td>10.18</td><td>33.65</td><td>135</td><td>321 AVERAGE</td></tr></table>					1	7125.28	63.71	68.20	-4.49	50.14	36.95	10.20	33.58	135	321 AVERAGE	2	7252.55	43.29	54.00	-10.71	29.86	36.90	10.18	33.65	135	321 AVERAGE	Level (dBuV/m) Date: 2024-03-21  AVG_BE(U)NI_6E Freq Level Line Limit (dB) Read Level Ant Factor Cable Loss Factor Preamp dB APos dB TPos cm Remark <table><tr><td>1</td><td>7115.00</td><td>75.16</td><td>-----</td><td>-----</td><td>61.59</td><td>36.95</td><td>10.20</td><td>33.58</td><td>135</td><td>321 AVERAGE</td></tr></table>					1	7115.00	75.16	-----	-----	61.59	36.95	10.20	33.58	135	321 AVERAGE
	1	7125.28	63.71	68.20	-4.49	50.14	36.95	10.20	33.58	135	321 AVERAGE																																
2	7252.55	43.29	54.00	-10.71	29.86	36.90	10.18	33.65	135	321 AVERAGE																																	
1	7115.00	75.16	-----	-----	61.59	36.95	10.20	33.58	135	321 AVERAGE																																	





Mode	153																																																																																																								
	Band Edge																																																																																																								
	U-NII-8_6.875-7.125_802.11ax HE20_CH233_Full RU_7115MHz																																																																																																								
ANT	5+7																																																																																																								
Pol.	Horizontal						Fundamental																																																																																																		
Peak	Level (dBuV/m) Date: 2024-03-13 PEAK_BE(UNII)_6E <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7125.28</td><td>69.80</td><td>88.20</td><td>-18.40</td><td>56.23</td><td>36.95</td><td>10.20</td><td>33.58</td><td>394</td><td>126</td><td>PEAK</td></tr><tr><td>2</td><td>7266.46</td><td>52.58</td><td>74.00</td><td>-21.42</td><td>39.17</td><td>36.89</td><td>10.18</td><td>33.66</td><td>394</td><td>126</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7125.28	69.80	88.20	-18.40	56.23	36.95	10.20	33.58	394	126	PEAK	2	7266.46	52.58	74.00	-21.42	39.17	36.89	10.18	33.66	394	126	PEAK	Level (dBuV/m) Date: 2024-03-13 PEAK_BE(UNII)_6E <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7115.00</td><td>83.78</td><td>-----</td><td>-----</td><td>70.21</td><td>36.95</td><td>10.20</td><td>33.58</td><td>394</td><td>126</td><td>PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7115.00	83.78	-----	-----	70.21	36.95	10.20	33.58	394	126	PEAK
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																															
1	7125.28	69.80	88.20	-18.40	56.23	36.95	10.20	33.58	394	126	PEAK																																																																																														
2	7266.46	52.58	74.00	-21.42	39.17	36.89	10.18	33.66	394	126	PEAK																																																																																														
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																															
1	7115.00	83.78	-----	-----	70.21	36.95	10.20	33.58	394	126	PEAK																																																																																														
Avg	Level (dBuV/m) Date: 2024-03-13 AVG_BE(UNII)_6E <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7125.28</td><td>63.53</td><td>68.20</td><td>-4.67</td><td>49.96</td><td>36.95</td><td>10.20</td><td>33.58</td><td>394</td><td>126</td><td>AVERAGE</td></tr><tr><td>2</td><td>7266.79</td><td>43.19</td><td>54.00</td><td>-10.81</td><td>29.78</td><td>36.89</td><td>10.18</td><td>33.66</td><td>394</td><td>126</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7125.28	63.53	68.20	-4.67	49.96	36.95	10.20	33.58	394	126	AVERAGE	2	7266.79	43.19	54.00	-10.81	29.78	36.89	10.18	33.66	394	126	AVERAGE	Level (dBuV/m) Date: 2024-03-13 AVG_BE(UNII)_6E <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7115.00</td><td>74.76</td><td>68.20</td><td>6.56</td><td>61.19</td><td>36.95</td><td>10.20</td><td>33.58</td><td>394</td><td>126</td><td>AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7115.00	74.76	68.20	6.56	61.19	36.95	10.20	33.58	394	126	AVERAGE
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																															
1	7125.28	63.53	68.20	-4.67	49.96	36.95	10.20	33.58	394	126	AVERAGE																																																																																														
2	7266.79	43.19	54.00	-10.81	29.78	36.89	10.18	33.66	394	126	AVERAGE																																																																																														
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																															
1	7115.00	74.76	68.20	6.56	61.19	36.95	10.20	33.58	394	126	AVERAGE																																																																																														



Mode	153																																																																																																							
	Band Edge																																																																																																							
	U-NII-8_6.875-7.125_802.11ax HE20_CH233_Full RU_7115MHz																																																																																																							
ANT	5+7																																																																																																							
Pol.	Vertical						Fundamental																																																																																																	
Peak	Level (dBuV/m) Date: 2024-03-13 PEAK_BE(UNII)_6E <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7125.28</td><td>72.36</td><td>88.20</td><td>-15.84</td><td>58.79</td><td>36.95</td><td>10.20</td><td>33.58</td><td>100</td><td>221</td><td>PEAK</td></tr><tr><td>2</td><td>7317.52</td><td>52.35</td><td>74.00</td><td>-21.65</td><td>38.99</td><td>36.87</td><td>10.18</td><td>33.69</td><td>100</td><td>221</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	7125.28	72.36	88.20	-15.84	58.79	36.95	10.20	33.58	100	221	PEAK	2	7317.52	52.35	74.00	-21.65	38.99	36.87	10.18	33.69	100	221	PEAK	Level (dBuV/m) Date: 2024-03-13 PEAK_BE(UNII)_6E <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7115.00</td><td>84.55</td><td>-----</td><td>-----</td><td>70.97</td><td>36.95</td><td>10.20</td><td>33.57</td><td>100</td><td>221</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	7115.00	84.55	-----	-----	70.97	36.95	10.20	33.57	100	221	PEAK
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																															
1	7125.28	72.36	88.20	-15.84	58.79	36.95	10.20	33.58	100	221	PEAK																																																																																													
2	7317.52	52.35	74.00	-21.65	38.99	36.87	10.18	33.69	100	221	PEAK																																																																																													
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																															
1	7115.00	84.55	-----	-----	70.97	36.95	10.20	33.57	100	221	PEAK																																																																																													
Avg	Level (dBuV/m) Date: 2024-03-13 AVG_BE(UNII)_6E <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7125.28</td><td>62.67</td><td>68.20</td><td>-5.53</td><td>49.10</td><td>36.95</td><td>10.20</td><td>33.58</td><td>100</td><td>221</td><td>AVERAGE</td></tr><tr><td>2</td><td>7259.67</td><td>43.24</td><td>54.00</td><td>-10.76</td><td>29.82</td><td>36.90</td><td>10.18</td><td>33.66</td><td>100</td><td>221</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	7125.28	62.67	68.20	-5.53	49.10	36.95	10.20	33.58	100	221	AVERAGE	2	7259.67	43.24	54.00	-10.76	29.82	36.90	10.18	33.66	100	221	AVERAGE	Level (dBuV/m) Date: 2024-03-13 AVG_BE(UNII)_6E <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7115.00</td><td>74.63</td><td>99.20</td><td>-24.57</td><td>61.05</td><td>36.95</td><td>10.20</td><td>33.57</td><td>100</td><td>221</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	7115.00	74.63	99.20	-24.57	61.05	36.95	10.20	33.57	100	221	AVERAGE
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																															
1	7125.28	62.67	68.20	-5.53	49.10	36.95	10.20	33.58	100	221	AVERAGE																																																																																													
2	7259.67	43.24	54.00	-10.76	29.82	36.90	10.18	33.66	100	221	AVERAGE																																																																																													
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																															
1	7115.00	74.63	99.20	-24.57	61.05	36.95	10.20	33.57	100	221	AVERAGE																																																																																													



Mode	153																																																			
	Harmonic																																																			
	U-NII-8_6.875-7.125_802.11ax HE20_CH233_Full RU_7115MHz																																																			
ANT	5+7																																																			
Pol.	Horizontal																																																			
Peak Avg	Level (dBuV/m) Date: 2024-03-28  PEAK(U-NII_6E) AVG(U-NII_6E) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>14230.00</td><td>49.74</td><td>88.20</td><td>-38.46</td><td>59.27</td><td>40.38</td><td>13.98</td><td>63.89</td><td>---</td><td>---</td><td>Peak</td></tr></table>												Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	14230.00	49.74	88.20	-38.46	59.27	40.38	13.98	63.89	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																												
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																											
		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																									
1	14230.00	49.74	88.20	-38.46	59.27	40.38	13.98	63.89	---	---	Peak																																									
Level (dBuV/m) Date: 2024-03-28  PEAK(U-NII_6E) AVG(U-NII_6E) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>14230.00</td><td>49.71</td><td>88.20</td><td>-38.49</td><td>59.24</td><td>40.38</td><td>13.98</td><td>63.89</td><td>---</td><td>---</td><td>Peak</td></tr></table>												Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	14230.00	49.71	88.20	-38.49	59.24	40.38	13.98	63.89	---	---	Peak	
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																										
1	14230.00	49.71	88.20	-38.49	59.24	40.38	13.98	63.89	---	---	Peak																																									



Mode	154																																																														
	Band Edge																																																														
	U-NII-8_6.875-7.125_802.11ax HE20_CH233_Full RU_7115MHz+802.11ax HE20_CH01+LTE B48 Link																																																														
ANT	5+7																																																														
Pol.	Horizontal																																																														
Peak	Fundamental																																																														
	Date: 2024-03-27																																																														
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Apos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7125.28</td><td>69.72</td><td>88.20</td><td>-18.48</td><td>56.15</td><td>36.95</td><td>10.20</td><td>33.58</td><td>300</td><td>350</td><td>PEAK</td></tr><tr><td>2</td><td>7299.27</td><td>52.84</td><td>74.00</td><td>-21.16</td><td>39.46</td><td>36.88</td><td>10.18</td><td>33.68</td><td>300</td><td>350</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Apos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	7125.28	69.72	88.20	-18.48	56.15	36.95	10.20	33.58	300	350	PEAK	2	7299.27	52.84	74.00	-21.16	39.46	36.88	10.18	33.68	300	350	PEAK
	Limit	Read	Ant	Cable	Preamp	Apos	TPos																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																						
1	7125.28	69.72	88.20	-18.48	56.15	36.95	10.20	33.58	300	350	PEAK																																																				
2	7299.27	52.84	74.00	-21.16	39.46	36.88	10.18	33.68	300	350	PEAK																																																				
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Apos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7115.00</td><td>81.96</td><td>-----</td><td>-----</td><td>74.58</td><td>33.06</td><td>6.78</td><td>32.46</td><td>300</td><td>350</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Apos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	7115.00	81.96	-----	-----	74.58	33.06	6.78	32.46	300	350	PEAK												
	Limit	Read	Ant	Cable	Preamp	Apos	TPos																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																						
1	7115.00	81.96	-----	-----	74.58	33.06	6.78	32.46	300	350	PEAK																																																				
Avg	Horizontal																																																														
	Date: 2024-03-27																																																														
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Apos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7125.28</td><td>61.74</td><td>68.20</td><td>-6.46</td><td>48.17</td><td>36.95</td><td>10.20</td><td>33.58</td><td>300</td><td>350</td><td>AVERAGE</td></tr><tr><td>2</td><td>7273.91</td><td>43.31</td><td>54.00</td><td>-10.69</td><td>29.90</td><td>36.89</td><td>10.18</td><td>33.66</td><td>300</td><td>350</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Apos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	7125.28	61.74	68.20	-6.46	48.17	36.95	10.20	33.58	300	350	AVERAGE	2	7273.91	43.31	54.00	-10.69	29.90	36.89	10.18	33.66	300	350	AVERAGE
	Limit	Read	Ant	Cable	Preamp	Apos	TPos																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																						
1	7125.28	61.74	68.20	-6.46	48.17	36.95	10.20	33.58	300	350	AVERAGE																																																				
2	7273.91	43.31	54.00	-10.69	29.90	36.89	10.18	33.66	300	350	AVERAGE																																																				
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Apos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7115.00</td><td>72.81</td><td>-----</td><td>-----</td><td>65.43</td><td>33.06</td><td>6.78</td><td>32.46</td><td>300</td><td>350</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Apos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	7115.00	72.81	-----	-----	65.43	33.06	6.78	32.46	300	350	AVERAGE												
	Limit	Read	Ant	Cable	Preamp	Apos	TPos																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																						
1	7115.00	72.81	-----	-----	65.43	33.06	6.78	32.46	300	350	AVERAGE																																																				



Mode	154																																																																																																											
	Band Edge																																																																																																											
	U-NII-8_6.875-7.125_802.11ax HE20_CH233_Full RU_7115MHz+802.11ax HE20_CH01+LTE B48 Link																																																																																																											
ANT	5+7																																																																																																											
Pol.	Vertical						Fundamental																																																																																																					
Peak	Level (dBuV/m) Date: 2024-03-27 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>7125.28</td><td>70.69</td><td>88.20</td><td>-17.51</td><td>57.12</td><td>36.95</td><td>10.20</td><td>33.58</td><td>347</td><td>305</td><td>PEAK</td></tr><tr><td>2</td><td>7257.00</td><td>54.13</td><td>74.00</td><td>-19.87</td><td>40.70</td><td>36.90</td><td>10.18</td><td>33.65</td><td>347</td><td>305</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	7125.28	70.69	88.20	-17.51	57.12	36.95	10.20	33.58	347	305	PEAK	2	7257.00	54.13	74.00	-19.87	40.70	36.90	10.18	33.65	347	305	PEAK	Level (dBuV/m) Date: 2024-03-27 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>7115.00</td><td>84.66</td><td>-----</td><td>-----</td><td>77.28</td><td>33.06</td><td>6.78</td><td>32.46</td><td>347</td><td>305</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	7115.00	84.66	-----	-----	77.28	33.06	6.78	32.46	347	305	PEAK
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																		
1	7125.28	70.69	88.20	-17.51	57.12	36.95	10.20	33.58	347	305	PEAK																																																																																																	
2	7257.00	54.13	74.00	-19.87	40.70	36.90	10.18	33.65	347	305	PEAK																																																																																																	
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																		
1	7115.00	84.66	-----	-----	77.28	33.06	6.78	32.46	347	305	PEAK																																																																																																	
Avg	Level (dBuV/m) Date: 2024-03-27 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>7125.28</td><td>63.98</td><td>68.20</td><td>-4.22</td><td>50.41</td><td>36.95</td><td>10.20</td><td>33.58</td><td>347</td><td>305</td><td>AVERAGE</td></tr><tr><td>2</td><td>7289.93</td><td>43.13</td><td>54.00</td><td>-10.87</td><td>29.74</td><td>36.88</td><td>10.18</td><td>33.67</td><td>347</td><td>305</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	7125.28	63.98	68.20	-4.22	50.41	36.95	10.20	33.58	347	305	AVERAGE	2	7289.93	43.13	54.00	-10.87	29.74	36.88	10.18	33.67	347	305	AVERAGE	Level (dBuV/m) Date: 2024-03-27 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>7115.00</td><td>75.91</td><td>-----</td><td>-----</td><td>68.53</td><td>33.06</td><td>6.78</td><td>32.46</td><td>347</td><td>305</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	7115.00	75.91	-----	-----	68.53	33.06	6.78	32.46	347	305	AVERAGE
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																		
1	7125.28	63.98	68.20	-4.22	50.41	36.95	10.20	33.58	347	305	AVERAGE																																																																																																	
2	7289.93	43.13	54.00	-10.87	29.74	36.88	10.18	33.67	347	305	AVERAGE																																																																																																	
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																		
1	7115.00	75.91	-----	-----	68.53	33.06	6.78	32.46	347	305	AVERAGE																																																																																																	





Mode	154																																									
	Band Edge																																									
	U-NII-8_6.875-7.125_802.11ax HE20_CH233_Full RU_7115MHz+802.11ax HE20_CH01+LTE B48 Link																																									
ANT	5+7																																									
Pol.	Horizontal	Fundamental																																								
Peak	Level (dBuV/m) Date: 2024-03-26 Limit Margin Read Ant Cable Preamp APos TPos Freq Level Line (dB) Level Factor Loss Factor Remark <table><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th>Remark</th></tr><tr><td>1 2389.43</td><td>62.98</td><td>74.00</td><td>-11.02</td><td>60.15</td><td>30.72</td><td>5.36</td><td>33.25</td><td>400</td><td>123 PEAK</td></tr></table>	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	Remark	1 2389.43	62.98	74.00	-11.02	60.15	30.72	5.36	33.25	400	123 PEAK	Level (dBuV/m) Date: 2024-03-26 Limit Margin Read Ant Cable Preamp APos TPos Freq Level Line (dB) Level Factor Loss Factor Remark <table><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th>Remark</th></tr><tr><td>1 2412.00</td><td>103.45</td><td>-----</td><td>-----</td><td>100.59</td><td>30.72</td><td>5.37</td><td>33.23</td><td>400</td><td>123 PEAK</td></tr></table>	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	Remark	1 2412.00	103.45	-----	-----	100.59	30.72	5.37	33.23	400	123 PEAK
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	Remark																																
1 2389.43	62.98	74.00	-11.02	60.15	30.72	5.36	33.25	400	123 PEAK																																	
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	Remark																																	
1 2412.00	103.45	-----	-----	100.59	30.72	5.37	33.23	400	123 PEAK																																	
Avg	Level (dBuV/m) Date: 2024-03-26 Limit Margin Read Ant Cable Preamp APos TPos Freq Level Line (dB) Level Factor Loss Factor Remark <table><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th>Remark</th></tr><tr><td>1 2389.95</td><td>50.34</td><td>54.00</td><td>-3.66</td><td>47.51</td><td>30.72</td><td>5.36</td><td>33.25</td><td>400</td><td>123 AVERAGE</td></tr></table>	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	Remark	1 2389.95	50.34	54.00	-3.66	47.51	30.72	5.36	33.25	400	123 AVERAGE	Level (dBuV/m) Date: 2024-03-26 Limit Margin Read Ant Cable Preamp APos TPos Freq Level Line (dB) Level Factor Loss Factor Remark <table><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th>Remark</th></tr><tr><td>1 2412.00</td><td>95.04</td><td>-----</td><td>-----</td><td>92.18</td><td>30.72</td><td>5.37</td><td>33.23</td><td>400</td><td>123 AVERAGE</td></tr></table>	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	Remark	1 2412.00	95.04	-----	-----	92.18	30.72	5.37	33.23	400	123 AVERAGE
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	Remark																																	
1 2389.95	50.34	54.00	-3.66	47.51	30.72	5.36	33.25	400	123 AVERAGE																																	
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	Remark																																	
1 2412.00	95.04	-----	-----	92.18	30.72	5.37	33.23	400	123 AVERAGE																																	



Mode	154																																																																																														
	Band Edge																																																																																														
	U-NII-8_6.875-7.125_802.11ax HE20_CH233_Full RU_7115MHz+802.11ax HE20_CH01+LTE B48 Link																																																																																														
ANT	5+7																																																																																														
Pol.	Vertical						Fundamental																																																																																								
Peak	Level (dBuV/m) Date: 2024-03-26 <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2388.00</td><td>61.98</td><td>74.00</td><td>-12.02</td><td>59.16</td><td>30.72</td><td>5.36</td><td>33.26</td><td>400</td><td>187</td><td>PEAK</td></tr></table>							Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2388.00	61.98	74.00	-12.02	59.16	30.72	5.36	33.26	400	187	PEAK	Level (dBuV/m) Date: 2024-03-26 <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2412.00</td><td>103.56</td><td>-----</td><td>-----</td><td>100.70</td><td>30.72</td><td>5.37</td><td>33.23</td><td>400</td><td>187</td><td>PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2412.00	103.56	-----	-----	100.70	30.72	5.37	33.23	400	187	PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																						
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																						
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	2388.00	61.98	74.00	-12.02	59.16	30.72	5.36	33.26	400	187	PEAK																																																																																				
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																							
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																						
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	2412.00	103.56	-----	-----	100.70	30.72	5.37	33.23	400	187	PEAK																																																																																				
Avg	Level (dBuV/m) Date: 2024-03-26 <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2389.95</td><td>48.36</td><td>54.00</td><td>-5.64</td><td>45.53</td><td>30.72</td><td>5.36</td><td>33.25</td><td>400</td><td>187</td><td>AVERAGE</td></tr></table>							Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2389.95	48.36	54.00	-5.64	45.53	30.72	5.36	33.25	400	187	AVERAGE	Level (dBuV/m) Date: 2024-03-26 <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2412.00</td><td>94.26</td><td>-----</td><td>-----</td><td>91.40</td><td>30.72</td><td>5.37</td><td>33.23</td><td>400</td><td>187</td><td>AVERAGE</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2412.00	94.26	-----	-----	91.40	30.72	5.37	33.23	400	187	AVERAGE
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																						
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																						
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	2389.95	48.36	54.00	-5.64	45.53	30.72	5.36	33.25	400	187	AVERAGE																																																																																				
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																							
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																						
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	2412.00	94.26	-----	-----	91.40	30.72	5.37	33.23	400	187	AVERAGE																																																																																				







Mode	154																																																																																							
	Harmonic																																																																																							
	U-NII-8_6.875-7.125_802.11ax HE20_CH233_Full RU_7115MHz+802.11ax HE20_CH01+LTE B48 Link																																																																																							
ANT	5+7																																																																																							
Pol.	Horizontal						Vertical																																																																																	
Peak Avg																																																																																								
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr></thead><tbody><tr><td>1</td><td>4824.00</td><td>48.56</td><td>74.00</td><td>-25.44</td><td>36.88</td><td>35.78</td><td>8.88</td><td>32.98</td><td>--- Peak</td></tr><tr><td>2</td><td>14230.00</td><td>47.87</td><td>88.20</td><td>-40.33</td><td>28.19</td><td>40.38</td><td>13.98</td><td>34.68</td><td>--- Peak</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	1	4824.00	48.56	74.00	-25.44	36.88	35.78	8.88	32.98	--- Peak	2	14230.00	47.87	88.20	-40.33	28.19	40.38	13.98	34.68	--- Peak	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr></thead><tbody><tr><td>1</td><td>4824.00</td><td>48.82</td><td>74.00</td><td>-25.18</td><td>37.14</td><td>35.78</td><td>8.88</td><td>32.98</td><td>--- Peak</td></tr><tr><td>2</td><td>14230.00</td><td>49.00</td><td>88.20</td><td>-39.20</td><td>29.32</td><td>40.38</td><td>13.98</td><td>34.68</td><td>--- Peak</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	1	4824.00	48.82	74.00	-25.18	37.14	35.78	8.88	32.98	--- Peak	2	14230.00	49.00	88.20	-39.20	29.32	40.38	13.98	34.68	--- Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																
1	4824.00	48.56	74.00	-25.44	36.88	35.78	8.88	32.98	--- Peak																																																																															
2	14230.00	47.87	88.20	-40.33	28.19	40.38	13.98	34.68	--- Peak																																																																															
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																
1	4824.00	48.82	74.00	-25.18	37.14	35.78	8.88	32.98	--- Peak																																																																															
2	14230.00	49.00	88.20	-39.20	29.32	40.38	13.98	34.68	--- Peak																																																																															

Note: the three highest signals over limit are WWAN + WLAN 2.4G + WLAN 6G fundamental signals.



Mode	155																																																																
	Band Edge																																																																
	U-NII-8_6.875-7.125_802.11ax HE20_CH233_Full RU_7115MHz+ Bluetooth-LE_GSKF_CH39+LTE B48 Link																																																																
ANT	5+7																																																																
Pol.	Horizontal																																																																
Peak	Fundamental																																																																
	Level (dBuV/m) Date: 2024-03-26 Frequency (MHz)																																																																
	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7125.28</td><td>70.93</td><td>88.20</td><td>-17.27</td><td>57.36</td><td>36.95</td><td>10.20</td><td>33.58</td><td>400</td><td>286</td><td>PEAK</td></tr><tr><td>2</td><td>7317.96</td><td>52.66</td><td>74.00</td><td>-21.34</td><td>39.30</td><td>36.87</td><td>10.18</td><td>33.69</td><td>400</td><td>286</td><td>PEAK</td></tr></table>												Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	7125.28	70.93	88.20	-17.27	57.36	36.95	10.20	33.58	400	286	PEAK	2	7317.96	52.66	74.00	-21.34	39.30	36.87	10.18	33.69	400	286	PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																									
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																								
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																								
1	7125.28	70.93	88.20	-17.27	57.36	36.95	10.20	33.58	400	286	PEAK																																																						
2	7317.96	52.66	74.00	-21.34	39.30	36.87	10.18	33.69	400	286	PEAK																																																						
Avg	Level (dBuV/m) Date: 2024-03-26 Frequency (MHz)																																																																
	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7125.28</td><td>61.93</td><td>68.20</td><td>-6.27</td><td>48.36</td><td>36.95</td><td>10.20</td><td>33.58</td><td>400</td><td>286</td><td>AVERAGE</td></tr><tr><td>2</td><td>7251.21</td><td>43.18</td><td>54.00</td><td>-10.82</td><td>29.75</td><td>36.90</td><td>10.18</td><td>33.65</td><td>400</td><td>286</td><td>AVERAGE</td></tr></table>												Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	7125.28	61.93	68.20	-6.27	48.36	36.95	10.20	33.58	400	286	AVERAGE	2	7251.21	43.18	54.00	-10.82	29.75	36.90	10.18	33.65	400	286	AVERAGE
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																								
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																								
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																								
1	7125.28	61.93	68.20	-6.27	48.36	36.95	10.20	33.58	400	286	AVERAGE																																																						
2	7251.21	43.18	54.00	-10.82	29.75	36.90	10.18	33.65	400	286	AVERAGE																																																						
Peak	Level (dBuV/m) Date: 2024-03-26 Frequency (MHz)																																																																
	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7115.00</td><td>110.29</td><td>-----</td><td>-----</td><td>102.91</td><td>33.06</td><td>6.78</td><td>32.46</td><td>400</td><td>286</td><td>PEAK</td></tr></table>												Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	7115.00	110.29	-----	-----	102.91	33.06	6.78	32.46	400	286	PEAK												
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																								
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																								
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																								
1	7115.00	110.29	-----	-----	102.91	33.06	6.78	32.46	400	286	PEAK																																																						
Avg	Level (dBuV/m) Date: 2024-03-26 Frequency (MHz)																																																																
	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7115.00</td><td>106.56</td><td>-----</td><td>-----</td><td>99.18</td><td>33.06</td><td>6.78</td><td>32.46</td><td>400</td><td>286</td><td>AVERAGE</td></tr></table>												Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	7115.00	106.56	-----	-----	99.18	33.06	6.78	32.46	400	286	AVERAGE												
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																								
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																								
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																								
1	7115.00	106.56	-----	-----	99.18	33.06	6.78	32.46	400	286	AVERAGE																																																						



Mode	152																																																																																																						
	Band Edge																																																																																																						
	U-NII-8_6.875-7.125_802.11ax HE20_CH233_Full RU_7115MHz+ Bluetooth-LE_GSKF_CH39+LTE B48 Link																																																																																																						
ANT	5+7																																																																																																						
Pol.	Vertical					Fundamental																																																																																																	
Peak	Level (dBuV/m) Date: 2024-03-26  PEAK_BE(U)NI_6E Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7125.28</td><td>70.28</td><td>88.20</td><td>-17.92</td><td>56.71</td><td>36.95</td><td>10.20</td><td>33.58</td><td>300</td><td>306 PEAK</td></tr><tr><td>2</td><td>7285.92</td><td>53.17</td><td>74.00</td><td>-20.83</td><td>39.77</td><td>36.89</td><td>10.18</td><td>33.67</td><td>300</td><td>306 PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	7125.28	70.28	88.20	-17.92	56.71	36.95	10.20	33.58	300	306 PEAK	2	7285.92	53.17	74.00	-20.83	39.77	36.89	10.18	33.67	300	306 PEAK	Level (dBuV/m) Date: 2024-03-26  PEAK_BE(U)NI_6E Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7115.00</td><td>111.17</td><td>-----</td><td>-----</td><td>103.79</td><td>33.06</td><td>6.78</td><td>32.46</td><td>300</td><td>306 PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	7115.00	111.17	-----	-----	103.79	33.06	6.78	32.46	300	306 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																														
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																														
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																														
1	7125.28	70.28	88.20	-17.92	56.71	36.95	10.20	33.58	300	306 PEAK																																																																																													
2	7285.92	53.17	74.00	-20.83	39.77	36.89	10.18	33.67	300	306 PEAK																																																																																													
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																															
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																														
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																														
1	7115.00	111.17	-----	-----	103.79	33.06	6.78	32.46	300	306 PEAK																																																																																													
Avg	Level (dBuV/m) Date: 2024-03-26  AVG_BE(U)NI_6E Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7125.28</td><td>63.14</td><td>68.20</td><td>-5.06</td><td>49.57</td><td>36.95</td><td>10.20</td><td>33.58</td><td>300</td><td>306 AVERAGE</td></tr><tr><td>2</td><td>7251.66</td><td>43.22</td><td>54.00</td><td>-10.78</td><td>29.79</td><td>36.90</td><td>10.18</td><td>33.65</td><td>300</td><td>306 AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	7125.28	63.14	68.20	-5.06	49.57	36.95	10.20	33.58	300	306 AVERAGE	2	7251.66	43.22	54.00	-10.78	29.79	36.90	10.18	33.65	300	306 AVERAGE	Level (dBuV/m) Date: 2024-03-26  AVG_BE(U)NI_6E Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7115.00</td><td>107.62</td><td>-----</td><td>-----</td><td>100.24</td><td>33.06</td><td>6.78</td><td>32.46</td><td>300</td><td>306 AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	7115.00	107.62	-----	-----	100.24	33.06	6.78	32.46	300	306 AVERAGE
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																														
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																														
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																														
1	7125.28	63.14	68.20	-5.06	49.57	36.95	10.20	33.58	300	306 AVERAGE																																																																																													
2	7251.66	43.22	54.00	-10.78	29.79	36.90	10.18	33.65	300	306 AVERAGE																																																																																													
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																															
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																														
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																														
1	7115.00	107.62	-----	-----	100.24	33.06	6.78	32.46	300	306 AVERAGE																																																																																													





Mode	152																																																																											
	Band Edge																																																																											
	U-NII-8_6.875-7.125_802.11ax HE20_CH233_Full RU_7115MHz+ Bluetooth-LE_GSKF_CH39+LTE B48 Link																																																																											
ANT	5+7																																																																											
Pol.	Horizontal					Fundamental																																																																						
Peak	Level (dBuV/m) Date: 2024-03-26 PEAK_BE_74 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>(dB)</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 2483.52</td><td>60.51</td><td>74.00</td><td>-13.49</td><td>57.47</td><td>30.70</td><td>5.46</td><td>33.12</td><td>379</td><td>298</td><td>PEAK</td></tr></table>					Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg		1 2483.52	60.51	74.00	-13.49	57.47	30.70	5.46	33.12	379	298	PEAK	Level (dBuV/m) Date: 2024-03-26 PEAK_74 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>(dB)</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 2480.00</td><td>102.16</td><td>-----</td><td>-----</td><td>99.13</td><td>30.70</td><td>5.46</td><td>33.13</td><td>379</td><td>298</td><td>PEAK</td></tr></table>					Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg		1 2480.00	102.16	-----	-----	99.13	30.70	5.46	33.13	379	298	PEAK
	Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																	
MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg																																																																			
1 2483.52	60.51	74.00	-13.49	57.47	30.70	5.46	33.12	379	298	PEAK																																																																		
Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg																																																																			
1 2480.00	102.16	-----	-----	99.13	30.70	5.46	33.13	379	298	PEAK																																																																		
Avg	Level (dBuV/m) Date: 2024-03-26 AVG_BE_54 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>(dB)</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 2483.52</td><td>47.79</td><td>54.00</td><td>-6.21</td><td>44.75</td><td>30.70</td><td>5.46</td><td>33.12</td><td>379</td><td>298</td><td>AVERAGE</td></tr></table>					Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg		1 2483.52	47.79	54.00	-6.21	44.75	30.70	5.46	33.12	379	298	AVERAGE	Level (dBuV/m) Date: 2024-03-26 AVG_54 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>(dB)</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 2480.00</td><td>100.99</td><td>-----</td><td>-----</td><td>97.96</td><td>30.70</td><td>5.46</td><td>33.13</td><td>379</td><td>298</td><td>AVERAGE</td></tr></table>					Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg		1 2480.00	100.99	-----	-----	97.96	30.70	5.46	33.13	379	298	AVERAGE
Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg																																																																			
1 2483.52	47.79	54.00	-6.21	44.75	30.70	5.46	33.12	379	298	AVERAGE																																																																		
Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg																																																																			
1 2480.00	100.99	-----	-----	97.96	30.70	5.46	33.13	379	298	AVERAGE																																																																		



Mode	152	
	Band Edge	
	U-NII-8_6.875-7.125_802.11ax HE20_CH233_Full RU_7115MHz+ Bluetooth-LE_GSKF_CH39+LTE B48 Link	
ANT	5+7	
Pol.	Vertical	Fundamental
Peak	Level (dBuV/m) Date: 2024-03-26 1 2483.52 63.72 74.00 -10.28 60.68 30.70 5.46 33.12 200 268 PEAK	Level (dBuV/m) Date: 2024-03-26 1 2480.00 105.50 ----- 102.47 30.70 5.46 33.13 200 268 PEAK
	Level (dBuV/m) Date: 2024-03-26 1 2483.52 50.88 54.00 -3.12 47.84 30.70 5.46 33.12 200 268 AVERAGE	Level (dBuV/m) Date: 2024-03-26 1 2480.00 103.94 ----- 100.91 30.70 5.46 33.13 200 268 AVERAGE




Mode	152																																																																																																																																																																																																	
	Harmonic																																																																																																																																																																																																	
	U-NII-8_6.875-7.125_802.11ax HE20_CH233_Full RU_7115MHz+ Bluetooth-LE_GSKF_CH39+LTE B48 Link																																																																																																																																																																																																	
ANT	5+7																																																																																																																																																																																																	
Pol.	Horizontal								Vertical																																																																																																																																																																																									
Peak Avg																																																																																																																																																																																																		
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th colspan="2">Ant</th><th colspan="2">Cable Preamp</th><th colspan="2">APos</th><th colspan="2">TPos</th><th rowspan="6">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th colspan="5"></th></tr><tr><td>1</td><td>4960.00</td><td>49.82</td><td>74.00</td><td>-24.18</td><td>38.02</td><td>36.10</td><td>8.46</td><td>32.76</td><td>---</td><td>---</td><td>Peak</td><td colspan="3"></td></tr><tr><td>2</td><td>7440.00</td><td>42.37</td><td>74.00</td><td>-31.63</td><td>28.70</td><td>36.82</td><td>10.17</td><td>33.32</td><td>---</td><td>---</td><td>Peak</td><td colspan="3"></td></tr><tr><td>3</td><td>14230.00</td><td>46.88</td><td>88.20</td><td>-41.32</td><td>27.20</td><td>40.38</td><td>13.98</td><td>34.68</td><td>---</td><td>---</td><td>Peak</td><td colspan="3"></td></tr></table>										Limit		Read		Ant		Cable Preamp		APos		TPos		Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor							MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg						1	4960.00	49.82	74.00	-24.18	38.02	36.10	8.46	32.76	---	---	Peak				2	7440.00	42.37	74.00	-31.63	28.70	36.82	10.17	33.32	---	---	Peak				3	14230.00	46.88	88.20	-41.32	27.20	40.38	13.98	34.68	---	---	Peak				<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th colspan="2">Ant</th><th colspan="2">Cable Preamp</th><th colspan="2">APos</th><th colspan="2">TPos</th><th rowspan="6">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th colspan="5"></th></tr><tr><td>1</td><td>4960.00</td><td>48.79</td><td>74.00</td><td>-25.21</td><td>36.99</td><td>36.10</td><td>8.46</td><td>32.76</td><td>---</td><td>---</td><td>Peak</td><td colspan="3"></td></tr><tr><td>2</td><td>7440.00</td><td>42.76</td><td>74.00</td><td>-31.24</td><td>29.09</td><td>36.82</td><td>10.17</td><td>33.32</td><td>---</td><td>---</td><td>Peak</td><td colspan="3"></td></tr><tr><td>3</td><td>14230.00</td><td>47.54</td><td>88.20</td><td>-40.66</td><td>27.86</td><td>40.38</td><td>13.98</td><td>34.68</td><td>---</td><td>---</td><td>Peak</td><td colspan="3"></td></tr></table>										Limit		Read		Ant		Cable Preamp		APos		TPos		Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor							MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg						1	4960.00	48.79	74.00	-25.21	36.99	36.10	8.46	32.76	---	---	Peak				2	7440.00	42.76	74.00	-31.24	29.09	36.82	10.17	33.32	---	---	Peak				3	14230.00	47.54	88.20	-40.66	27.86	40.38	13.98	34.68	---	---	Peak			
			Limit		Read		Ant		Cable Preamp		APos		TPos		Remark																																																																																																																																																																																			
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																																									
1	4960.00	49.82	74.00	-24.18	38.02	36.10	8.46	32.76	---	---	Peak																																																																																																																																																																																							
2	7440.00	42.37	74.00	-31.63	28.70	36.82	10.17	33.32	---	---	Peak																																																																																																																																																																																							
3	14230.00	46.88	88.20	-41.32	27.20	40.38	13.98	34.68	---	---	Peak																																																																																																																																																																																							
		Limit		Read		Ant		Cable Preamp		APos		TPos		Remark																																																																																																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																																									
1	4960.00	48.79	74.00	-25.21	36.99	36.10	8.46	32.76	---	---	Peak																																																																																																																																																																																							
2	7440.00	42.76	74.00	-31.24	29.09	36.82	10.17	33.32	---	---	Peak																																																																																																																																																																																							
3	14230.00	47.54	88.20	-40.66	27.86	40.38	13.98	34.68	---	---	Peak																																																																																																																																																																																							

Note: the three highest signals over limit are WWAN + BLE + WLAN 6G fundamental signals.


Appendix D. Duty Cycle Plots

Band	Duty Cycle(%)	T(ms)	1/T(kHz)	VBW Setting
11a	99.05	-	-	10Hz
11ax HE20	99.62	-	-	10Hz
11ax HE40	99.63	-	-	10Hz
11ax HE80	99.62	-	-	10Hz
11ax HE160	99.77	-	-	10Hz
11be EHT20	99.62	-	-	10Hz
11be EHT40	99.81	-	-	10Hz
11be EHT80	99.62	-	-	10Hz
11be EHT160	99.55	-	-	10Hz
11be EHT320	98.85	-	-	10Hz


802.11a




802.11ax HE20




802.11ax HE40




802.11ax HE80




802.11ax HE160




802.11be EHT20




802.11be EHT40



802.11be EHT80



802.11be EHT160



802.11be EHT320

