





11G-CDD_Ant8_2417_30~1000



Date: 22.JUN.2024 09:10:01


11G-CDD_Ant8_2417_1000~26500




Date: 22.JUN.2024 09:10:17



11G-CDD_Ant6_2422_30~1000




11G-CDD_Ant6_2422_1000~26500






11G-CDD_Ant8_2422_30~1000



Date: 22.JUN.2024 09:13:25


11G-CDD_Ant8_2422_1000~26500



Date: 22.JUN.2024 09:13:41




11G-CDD_Ant6_2437_30~1000



Date: 29.MAY.2024 18:34:17


11G-CDD_Ant6_2437_1000~26500



Date: 29.MAY.2024 18:34:32




11G-CDD_Ant8_2437_30~1000



Date: 29.MAY.2024 18:35:35


11G-CDD_Ant8_2437_1000~26500



Date: 29.MAY.2024 18:35:50




11G-CDD_Ant6_2457_30~1000



Date: 22.JUN.2024 10:08:12


11G-CDD_Ant6_2457_1000~26500



Date: 22.JUN.2024 10:08:27




11G-CDD_Ant8_2457_30~1000



Date: 22.JUN.2024 10:09:49


11G-CDD_Ant8_2457_1000~26500



Date: 22.JUN.2024 10:10:05




11G-CDD_Ant6_2462_30~1000



Date: 29.MAY.2024 18:37:20


11G-CDD_Ant6_2462_1000~26500



Date: 29.MAY.2024 18:37:35




11G-CDD_Ant8_2462_30~1000



Date: 29.MAY.2024 18:38:56


11G-CDD_Ant8_2462_1000~26500




Date: 29.MAY.2024 18:39:12



11AX20MIMO_Ant6_2412_30~1000




11AX20MIMO_Ant6_2412_1000~26500






11AX20MIMO_Ant8_2412_30~1000



Date: 29.MAY.2024 18:42:51


11AX20MIMO_Ant8_2412_1000~26500



Date: 29.MAY.2024 18:43:06




11AX20MIMO_Ant6_2417_30~1000



Date: 22.JUN.2024 10:14:47


11AX20MIMO_Ant6_2417_1000~26500




Date: 22.JUN.2024 10:15:03



11AX20MIMO_Ant8_2417_30~1000




11AX20MIMO_Ant8_2417_1000~26500






11AX20MIMO_Ant6_2422_30~1000



Date: 22.JUN.2024 10:18:49


11AX20MIMO_Ant6_2422_1000~26500



Date: 22.JUN.2024 10:19:04




11AX20MIMO_Ant8_2422_30~1000



Date: 22.JUN.2024 10:20:26


11AX20MIMO_Ant8_2422_1000~26500



Date: 22.JUN.2024 10:20:42




11AX20MIMO_Ant6_2437_30~1000



Date: 29.MAY.2024 18:44:41


11AX20MIMO_Ant6_2437_1000~26500




Date: 29.MAY.2024 18:44:57



11AX20MIMO_Ant8_2437_30~1000




11AX20MIMO_Ant8_2437_1000~26500






11AX20MIMO_Ant6_2457_30~1000



Date: 22.JUN.2024 10:43:17


11AX20MIMO_Ant6_2457_1000~26500




Date: 22.JUN.2024 10:43:33



11AX20MIMO_Ant8_2457_30~1000




11AX20MIMO_Ant8_2457_1000~26500






11AX20MIMO_Ant6_2462_30~1000




11AX20MIMO_Ant6_2462_1000~26500






11AX20MIMO_Ant8_2462_30~1000



Date: 29.MAY.2024 18:49:23


11AX20MIMO_Ant8_2462_1000~26500



Date: 29.MAY.2024 18:49:38




11AX40MIMO_Ant6_2422_30~1000



Date: 29.MAY.2024 18:51:27


11AX40MIMO_Ant6_2422_1000~26500



Date: 29.MAY.2024 18:51:42




11AX40MIMO_Ant8_2422_30~1000



Date: 29.MAY.2024 18:53:04


11AX40MIMO_Ant8_2422_1000~26500



Date: 29.MAY.2024 18:53:19




11AX40MIMO_Ant6_2437_30~1000




Date: 29.MAY.2024 18:54:32

11AX40MIMO_Ant6_2437_1000~26500




Date: 29.MAY.2024 18:54:47






11AX40MIMO_Ant6_2452_30~1000



Date: 29.MAY.2024 18:57:40


11AX40MIMO_Ant6_2452_1000~26500




Date: 29.MAY.2024 18:57:56



11AX40MIMO_Ant8_2452_30~1000



11AX40MIMO_Ant8_2452_1000~26500






Maximum power spectral density

Test Result

TestMode	Antenna	Freq(MHz)	RuSize	RuIndex	Result [dBm/3kHz]	Limit [dBm/3kHz]	Verdict
11AX20MIMO	Ant6	2412	26Tone	RU0	-12.20	≤8.00	PASS
			52Tone	RU37	-11.37	≤8.00	PASS
			106Tone	RU53	-11.69	≤8.00	PASS
	Ant8	2412	26Tone	RU0	-14.69	≤8.00	PASS
			52Tone	RU37	-14.91	≤8.00	PASS
			106Tone	RU53	-14.69	≤8.00	PASS
	total	2412	26Tone	RU0	-10.26	≤8.00	PASS
			52Tone	RU37	-9.78	≤8.00	PASS
			106Tone	RU53	-9.93	≤8.00	PASS
	Ant6	2437	26Tone	RU0	-6.25	≤8.00	PASS
			52Tone	RU37	-6.47	≤8.00	PASS
			106Tone	RU53	-6.50	≤8.00	PASS
	Ant8	2437	26Tone	RU0	-6.18	≤8.00	PASS
			52Tone	RU37	-6.32	≤8.00	PASS
			106Tone	RU53	-6.21	≤8.00	PASS
	total	2437	26Tone	RU0	-3.20	≤8.00	PASS
			52Tone	RU37	-3.38	≤8.00	PASS
			106Tone	RU53	-3.34	≤8.00	PASS
	Ant6	2462	26Tone	RU8	-11.09	≤8.00	PASS
			52Tone	RU40	-11.54	≤8.00	PASS
			106Tone	RU54	-11.54	≤8.00	PASS
	Ant8	2462	26Tone	RU8	-11.83	≤8.00	PASS
			52Tone	RU40	-11.90	≤8.00	PASS
			106Tone	RU54	-11.62	≤8.00	PASS
	total	2462	26Tone	RU8	-8.43	≤8.00	PASS
			52Tone	RU40	-8.71	≤8.00	PASS
			106Tone	RU54	-8.57	≤8.00	PASS




Test Graphs






11AX20MIMO_Ant6_2412_106Tone_RU53



Date: 22.JUN.2024 12:22:26


11AX20MIMO_Ant8_2412_26Tone_RU0




Date: 22.JUN.2024 12:18:14



11AX20MIMO_Ant8_2412_52Tone_RU37




11AX20MIMO_Ant8_2412_106Tone_RU53






11AX20MIMO_Ant6_2437_26Tone_RU0



Date: 29.MAY.2024 19:48:41


11AX20MIMO_Ant6_2437_52Tone_RU37




Date: 29.MAY.2024 19:50:32



11AX20MIMO_Ant6_2437_106Tone_RU53




11AX20MIMO_Ant8_2437_26Tone_RU0






11AX20MIMO_Ant8_2437_52Tone_RU37



Date: 29.MAY.2024 19:51:12


11AX20MIMO_Ant8_2437_106Tone_RU53



Date: 29.MAY.2024 19:52:27




11AX20MIMO_Ant6_2462_26Tone_RU8



Date: 22.JUN.2024 12:36:18


11AX20MIMO_Ant6_2462_52Tone_RU40



Date: 22.JUN.2024 12:41:07




11AX20MIMO_Ant6_2462_106Tone_RU54



Date: 22 JUN.2024 12:46:42


11AX20MIMO_Ant8_2462_26Tone_RU8




Date: 22 JUN.2024 12:38:33



11AX20MIMO_Ant8_2462_52Tone_RU40



11AX20MIMO_Ant8_2462_106Tone_RU54






Reference level measurement

Test Result

TestMode	Antenna	Freq(MHz)	Max.Point[MHz]	Result[dBm/100KHZ]
11AX20MIMO	Ant6	2412	2403.53	6.44
			2404.62	7.54
			2408.27	7.55
	Ant8	2412	2403.27	4.57
			2406.40	5.19
			2405.75	6.18
	Ant6	2462	2470.51	6.65
			2468.47	7.40
			2466.08	6.83
	Ant8	2462	2469.82	5.03
			2468.47	7.64
			2468.25	7.34




Test Graphs






11AX20MIMO_Ant6_2412_106Tone_RU53



Date: 29.MAY.2024 19:44:53


11AX20MIMO_Ant8_2412_26Tone_RU0




Date: 29.MAY.2024 19:34:24



11AX20MIMO_Ant8_2412_52Tone_RU37




11AX20MIMO_Ant8_2412_106Tone_RU53






11AX20MIMO_Ant6_2462_26Tone_RU8



Date: 29.MAY.2024 19:55:51


11AX20MIMO_Ant6_2462_52Tone_RU40



Date: 29.MAY.2024 19:59:03




11AX20MIMO_Ant6_2462_106Tone_RU54



Date: 29.MAY.2024 20:01:17


11AX20MIMO_Ant8_2462_26Tone_RU8




Date: 29.MAY.2024 19:57:21



11AX20MIMO_Ant8_2462_52Tone_RU40



11AX20MIMO_Ant8_2462_106Tone_RU54







Band edge measurements

Test Result

TestMode	Antenna	ChName	Freq(MHz)	Ru Size	Ru Index	RefLevel [dBm/100KHZ]	Result [dBm/100KHZ]	Limit [dBm/100KHZ]	Verdict
11AX20MIMO	Ant6	Low	2412	26Tone	RU0	6.44	-26.99	≤-13.56	PASS
				52Tone	RU37	7.54	-24.07	≤-12.46	PASS
				106Tone	RU53	7.55	-20.81	≤-12.45	PASS
	Ant8	Low	2412	26Tone	RU0	4.57	-27.08	≤-15.43	PASS
				52Tone	RU37	5.19	-25.38	≤-14.81	PASS
				106Tone	RU53	6.18	-20.06	≤-13.82	PASS
	Ant6	High	2462	26Tone	RU8	6.65	-43.36	≤-13.35	PASS
				52Tone	RU40	7.40	-43.46	≤-12.6	PASS
				106Tone	RU54	6.83	-39.39	≤-13.17	PASS
	Ant8	High	2462	26Tone	RU8	5.03	-42.75	≤-14.97	PASS
				52Tone	RU40	7.64	-43.66	≤-12.36	PASS
				106Tone	RU54	7.34	-43.45	≤-12.66	PASS




Test Graphs






11AX20MIMO_Ant6_Low_2412_106Tone_RU53



Date: 29.MAY.2024 19:45:11


11AX20MIMO_Ant8_Low_2412_26Tone_RU0



Date: 29.MAY.2024 19:34:42




11AX20MIMO_Ant8_Low_2412_52Tone_RU37



Date: 29.MAY.2024 19:41:10


11AX20MIMO_Ant8_Low_2412_106Tone_RU53



Date: 29.MAY.2024 19:47:16




11AX20MIMO_Ant6_High_2462_26Tone_RU8



Date: 29.MAY.2024 19:56:05


11AX20MIMO_Ant6_High_2462_52Tone_RU40



Date: 29.MAY.2024 19:59:16




11AX20MIMO_Ant6_High_2462_106Tone_RU54



Date: 29.MAY.2024 20:01:35


11AX20MIMO_Ant8_High_2462_26Tone_RU8




Date: 29.MAY.2024 19:57:37



11AX20MIMO_Ant8_High_2462_52Tone_RU40




11AX20MIMO_Ant8_High_2462_106Tone_RU54





Appendix B. AC Conducted Emission Test Results

Test Engineer :	Amos Zhang	Temperature :	25.3~26.2°C
		Relative Humidity :	38~40%
Test Voltage :	120Vac / 60Hz	Phase :	Line
Remark :	All emissions not reported here are more than 10 dB below the prescribed limit.		




Site : CO01-KS
 Condition : 15C RSS247-QP LISN-060105-L 2024 LINE

	Freq	Level	Over	Limit	Read	LISN	Cable	Remark
	MHz	dBuV	Limit	Line	Level	Factor	Loss	
			dB	dBuV	dBuV	dB	dB	
1 *	0.159	62.33	-3.19	65.52	51.80	0.11	10.42	QP
2	0.159	42.43	-13.09	55.52	31.90	0.11	10.42	Average
3	0.168	57.72	-7.36	65.08	47.20	0.10	10.42	QP
4	0.168	43.12	-11.96	55.08	32.60	0.10	10.42	Average
5	0.232	51.07	-11.32	62.39	40.61	0.08	10.38	QP
6	0.232	32.07	-20.32	52.39	21.61	0.08	10.38	Average
7	0.251	50.05	-11.68	61.73	39.59	0.09	10.37	QP
8	0.251	33.75	-17.98	51.73	23.29	0.09	10.37	Average
9	0.341	43.85	-15.33	59.18	33.50	0.04	10.31	QP
10	0.341	28.55	-20.63	49.18	18.20	0.04	10.31	Average
11	0.471	42.35	-14.14	56.49	32.20	-0.09	10.24	QP
12	0.471	26.45	-20.04	46.49	16.30	-0.09	10.24	Average
13	0.564	38.57	-17.43	56.00	28.50	-0.12	10.19	QP
14	0.564	24.27	-21.73	46.00	14.20	-0.12	10.19	Average



Test Engineer :	Amos Zhang	Temperature :	25.3~26.2°C
		Relative Humidity :	38~40%
Test Voltage :	120Vac / 60Hz	Phase :	Neutral
Remark :	All emissions not reported here are more than 10 dB below the prescribed limit.		



Site : CO01-KS
 Condition : 15C RSS247-QP LISN-060105-N 2024 NEUTRAL

	Freq	Level	Over	Limit	Read	LISN	Cable	Remark
	MHz	dBuV	dB	dBuV	dBuV	dB	dB	
1	0.247	47.27	-14.59	61.86	36.90	0.00	10.37	QP
2	0.247	30.87	-20.99	51.86	20.50	0.00	10.37	Average
3 *	0.336	46.39	-12.92	59.31	36.21	-0.13	10.31	QP
4	0.336	29.79	-19.52	49.31	19.61	-0.13	10.31	Average
5	0.454	41.30	-15.50	56.80	31.19	-0.14	10.25	QP
6	0.454	32.30	-14.50	46.80	22.19	-0.14	10.25	Average
7	0.532	40.65	-15.35	56.00	30.59	-0.15	10.21	QP
8	0.532	29.65	-16.35	46.00	19.59	-0.15	10.21	Average
9	0.694	40.18	-15.82	56.00	30.20	-0.16	10.14	QP
10	0.694	27.18	-18.82	46.00	17.20	-0.16	10.14	Average
11	0.899	38.82	-17.18	56.00	28.90	-0.18	10.10	QP
12	0.899	28.12	-17.88	46.00	18.20	-0.18	10.10	Average

Note:

- Level(dBμV) = Read Level(dBμV) + LISN Factor(dB) + Cable Loss(dB)
- Over Limit(dB) = Level(dBμV) – Limit Line(dBμV)



Appendix C. Radiated Spurious Emission Test Data

Test Engineer :	Levi zhao	Relative Humidity :	41 ~ 42 %
		Temperature :	22 ~ 23 °C

Radiated Spurious Emission Test Modes

Mode	Band (MHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 1	2400-2483.5	CDD 6+8	802.11b	01	2412	1Mbps	-	-
Mode 2	2400-2483.5	CDD 6+8	802.11b	06	2437	1Mbps	-	-
Mode 3	2400-2483.5	CDD 6+8	802.11b	11	2462	1Mbps	-	-
Mode 4	2400-2483.5	CDD 6+8	802.11g	01	2412	6Mbps	-	-
Mode 5	2400-2483.5	CDD 6+8	802.11g	06	2437	6Mbps	-	-
Mode 6	2400-2483.5	CDD 6+8	802.11g	11	2462	6Mbps	-	-
Mode 7	2400-2483.5	CDD 6+8	802.11ax HE20	01	2412	MCS0	Full RU	-
Mode 8	2400-2483.5	CDD 6+8	802.11ax HE20	06	2437	MCS0	Full RU	-
Mode 0	2400-2483.5	CDD 6+8	802.11ax HE20	11	2462	MCS0	Full RU	-
Mode 10	2400-2483.5	CDD 6+8	802.11ax HE20	01	2412	MCS0	26/0	-
Mode 11	2400-2483.5	CDD 6+8	802.11ax HE20	01	2412	MCS0	52/37	-
Mode 12	2400-2483.5	CDD 6+8	802.11ax HE20	01	2412	MCS0	106/53	-
Mode 13	2400-2483.5	CDD 6+8	802.11ax HE20	11	2462	MCS0	26/0	-
Mode 14	2400-2483.5	CDD 6+8	802.11ax HE20	11	2462	MCS0	52/37	-
Mode 15	2400-2483.5	CDD 6+8	802.11ax HE20	11	2462	MCS0	106/53	-
Mode 16	2400-2483.5	CDD 6+8	802.11ax HE40	03	2422	MCS0	Full RU	-
Mode 17	2400-2483.5	CDD 6+8	802.11ax HE40	06	2437	MCS0	Full RU	-
Mode 18	2400-2483.5	CDD 6+8	802.11ax HE40	09	2452	MCS0	Full RU	-
Mode 19	2400-2483.5	CDD 6+8	802.11g	2	2417	6Mbps	-	-
Mode 20	2400-2483.5	CDD 6+8	802.11g	3	2422	6Mbps	-	-
Mode 21	2400-2483.5	CDD 6+8	802.11g	10	2457	6Mbps	-	-
Mode 22	2400-2483.5	CDD 6+8	802.11ax HE20	2	2417	MCS0	-	-
Mode 23	2400-2483.5	CDD 6+8	802.11ax HE20	3	2422	MCS0	-	-
Mode 24	2400-2483.5	CDD 6+8	802.11ax HE20	10	2457	MCS0	-	-
Mode 25	2400-2483.5	6	Bluetooth-LE_GSKF	38	2478	2Mbps	-	-
	2400-2483.5	8	802.11ax HE40	09	2452	MCS0	Full RU	-
Part 27F LTE Band 13 - BW 5M								







Summary of each worse mode

Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
1	802.11b	01	2389.82	43.80	54.00	-10.20	H	AVERAGE	Pass	Band Edge
	802.11b	01	4824.00	42.80	74.00	-31.20	V	PEAK	Pass	Harmonic
2	802.11b	06	-	-	-	-	-	-	-	Band Edge
	802.11b	06	7311.00	45.35	74.00	-28.65	V	PEAK	Pass	Harmonic
3	802.11b	11	2483.51	43.39	54.00	-10.61	V	AVERAGE	Pass	Band Edge
	802.11b	11	4924.00	47.44	54.00	-6.56	H	AVERAGE	Pass	Harmonic
4	802.11g	01	2389.30	50.10	54.00	-3.90	H	AVERAGE	Pass	Band Edge
	802.11g	01	4824.00	40.46	54.00	-13.54	H	AVERAGE	Pass	Harmonic
5	802.11g	06	-	-	-	-	-	-	-	Band Edge
	802.11g	06	4874.00	45.03	54.00	-8.97	H	AVERAGE	Pass	Harmonic
6	802.11g	11	2483.89	50.42	54.00	-3.58	H	AVERAGE	Pass	Band Edge
	802.11g	11	4924.00	45.62	74.00	-28.38	H	PEAK	Pass	Harmonic
7	802.11ax HE20	01	2388.78	50.10	54.00	-3.90	H	AVERAGE	Pass	Band Edge
	802.11ax HE20	01	4824.00	46.75	74.00	-27.25	H	PEAK	Pass	Harmonic
8	802.11ax HE20	06	-	-	-	-	-	-	-	Band Edge
	802.11ax HE20	06	4874.00	44.43	54.00	-9.57	H	AVERAGE	Pass	Harmonic
9	802.11ax HE20	11	2483.51	50.00	54.00	-4.00	H	AVERAGE	Pass	Band Edge
	802.11ax HE20	11	4924.00	44.50	74.00	-29.50	H	PEAK	Pass	Harmonic
10	802.11ax HE20	01	2387.48	45.08	54.00	-8.92	H	AVERAGE	Pass	Band Edge
	802.11ax HE20	01	-	-	-	-	-	-	-	Harmonic
11	802.11ax HE20	01	2389.82	49.43	54.00	-4.57	H	AVERAGE	Pass	Band Edge
	802.11ax HE20	01	-	-	-	-	-	-	-	Harmonic
12	802.11ax HE20	01	2388.78	48.51	54.00	-5.49	H	AVERAGE	Pass	Band Edge
	802.11ax HE20	01	-	-	-	-	-	-	-	Harmonic
13	802.11ax HE20	11	2483.51	45.56	54.00	-8.44	H	AVERAGE	Pass	Band Edge
	802.11ax HE20	11	-	-	-	-	-	-	-	Harmonic
14	802.11ax HE20	11	2483.66	49.22	54.00	-4.78	H	AVERAGE	Pass	Band Edge
	802.11ax HE20	11	-	-	-	-	-	-	-	Harmonic
15	802.11ax HE20	11	2483.55	48.35	54.00	-5.65	H	AVERAGE	Pass	Band Edge
	802.11ax HE20	11	-	-	-	-	-	-	-	Harmonic
16	802.11ax HE40	03	2389.30	49.56	54.00	-4.44	H	AVERAGE	Pass	Band Edge
	802.11ax HE40	03	4844.00	44.42	74.00	-29.58	H	PEAK	Pass	Harmonic
17	802.11ax HE40	06	2483.81	49.93	54.00	-4.07	H	AVERAGE	Pass	Band Edge
	802.11ax HE40	06	4874.00	37.65	54.00	-16.35	H	AVERAGE	Pass	Harmonic
18	802.11ax HE40	09	2485.36	50.78	54.00	-3.22	H	AVERAGE	Pass	Band Edge
	802.11ax HE40	09	4904.00	43.95	74.00	-30.05	H	PEAK	Pass	Harmonic
19	802.11g	2	2389.95	50.64	54.00	-3.36	H	AVERAGE	Pass	Band Edge
	802.11g	2	7251.00	44.45	74.00	-29.55	V	PEAK	Pass	Harmonic



Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
20	802.11g	3	2389.95	50.67	54.00	-3.33	H	AVERAGE	Pass	Band Edge
	802.11g	3	7266.00	45.58	74.00	-28.42	H	PEAK	Pass	Harmonic
21	802.11g	10	2483.55	50.30	54.00	-3.70	H	AVERAGE	Pass	Band Edge
	802.11g	10	7371.00	44.80	74.00	-29.20	H	PEAK	Pass	Harmonic
22	802.11ax HE20	2	2388.52	49.89	54.00	-4.11	H	AVERAGE	Pass	Band Edge
	802.11ax HE20	2	7251.00	43.49	74.00	-30.51	V	PEAK	Pass	Harmonic
23	802.11ax HE20	3	2389.95	50.29	54.00	-3.71	H	AVERAGE	Pass	Band Edge
	802.11ax HE20	3	7266.00	45.65	74.00	-28.35	H	PEAK	Pass	Harmonic
24	802.11ax HE20	10	2484.27	49.49	54.00	-4.51	H	AVERAGE	Pass	Band Edge
	802.11ax HE20	10	7371.00	44.16	74.00	-29.84	H	PEAK	Pass	Harmonic
25	Bluetooth-LE_GSFK	38	2484.10	48.30	54.00	-5.70	H	AVERAGE	Pass	Band Edge
	Bluetooth-LE_GSFK	38	7434.00	43.70	74.00	-30.30	V	PEAK	Pass	Harmonic
	802.11ax HE40	09	2484.26	47.83	54.00	-6.17	H	AVERAGE	Pass	Band Edge
	802.11ax HE40	09	7356.00	43.48	74.00	-30.52	H	PEAK	Pass	Harmonic



		1																																																																																										
Mode		Band Edge																																																																																										
		2400-2483.5_802.11b_CH01_2412MHz																																																																																										
ANT		CDD 6+8																																																																																										
Pol.		Horizontal					Fundamental																																																																																					
Peak	 <p>Level (dBuV/m)</p> <p>Frequency (MHz)</p> <p>FCC PART 15C</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2">Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2388.65</td> <td>54.77</td> <td>74.00</td> <td>-19.23</td> <td>42.57</td> <td>31.78</td> <td>6.60</td> <td>32.18</td> <td>6.00</td> <td>100</td> <td>148 PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2388.65	54.77	74.00	-19.23	42.57	31.78	6.60	32.18	6.00	100	148 PEAK	 <p>Level (dBuV/m)</p> <p>Frequency (MHz)</p> <p>FCC PART 15C</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2">Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2412.00</td> <td>108.54</td> <td>-----</td> <td>-----</td> <td>96.26</td> <td>31.83</td> <td>6.64</td> <td>32.19</td> <td>6.00</td> <td>100</td> <td>148 PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2412.00	108.54	-----	-----	96.26	31.83	6.64	32.19	6.00	100	148 PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																		
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	cm	deg																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																		
1	2388.65	54.77	74.00	-19.23	42.57	31.78	6.60	32.18	6.00	100	148 PEAK																																																																																	
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	cm	deg																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																		
1	2412.00	108.54	-----	-----	96.26	31.83	6.64	32.19	6.00	100	148 PEAK																																																																																	
Avg	 <p>Level (dBuV/m)</p> <p>Frequency (MHz)</p> <p>FCC PART 15C (AVG)</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2">Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2389.82</td> <td>43.80</td> <td>54.00</td> <td>-10.20</td> <td>31.60</td> <td>31.78</td> <td>6.60</td> <td>32.18</td> <td>6.00</td> <td>100</td> <td>148 AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2389.82	43.80	54.00	-10.20	31.60	31.78	6.60	32.18	6.00	100	148 AVERAGE	 <p>Level (dBuV/m)</p> <p>Frequency (MHz)</p> <p>FCC PART 15C (AVG)</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2">Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2412.00</td> <td>104.10</td> <td>-----</td> <td>-----</td> <td>91.82</td> <td>31.83</td> <td>6.64</td> <td>32.19</td> <td>6.00</td> <td>100</td> <td>148 AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2412.00	104.10	-----	-----	91.82	31.83	6.64	32.19	6.00	100	148 AVERAGE
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	cm	deg																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																		
1	2389.82	43.80	54.00	-10.20	31.60	31.78	6.60	32.18	6.00	100	148 AVERAGE																																																																																	
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	cm	deg																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																		
1	2412.00	104.10	-----	-----	91.82	31.83	6.64	32.19	6.00	100	148 AVERAGE																																																																																	



		1																																																																																									
Mode		Band Edge																																																																																									
		2400-2483.5_802.11b_CH01_2412MHz																																																																																									
ANT		CDD 6+8																																																																																									
Pol.		Vertical					Fundamental																																																																																				
Peak																																																																																											
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2">Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2389.43</td> <td>54.82</td> <td>74.00</td> <td>-19.18</td> <td>42.62</td> <td>31.78</td> <td>6.60</td> <td>32.18</td> <td>6.00</td> <td>348</td> <td>71 PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2389.43	54.82	74.00	-19.18	42.62	31.78	6.60	32.18	6.00	348	71 PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2">Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2412.00</td> <td>107.93</td> <td>-----</td> <td>-----</td> <td>95.65</td> <td>31.83</td> <td>6.64</td> <td>32.19</td> <td>6.00</td> <td>348</td> <td>71 PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2412.00	107.93	-----	-----	95.65	31.83	6.64	32.19	6.00	348
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																		
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	cm	deg																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																	
1	2389.43	54.82	74.00	-19.18	42.62	31.78	6.60	32.18	6.00	348	71 PEAK																																																																																
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																		
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	cm	deg																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																	
1	2412.00	107.93	-----	-----	95.65	31.83	6.64	32.19	6.00	348	71 PEAK																																																																																
Avg																																																																																											
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2">Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2389.82</td> <td>42.71</td> <td>54.00</td> <td>-11.29</td> <td>30.51</td> <td>31.78</td> <td>6.60</td> <td>32.18</td> <td>6.00</td> <td>348</td> <td>71 AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2389.82	42.71	54.00	-11.29	30.51	31.78	6.60	32.18	6.00	348	71 AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2">Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2412.00</td> <td>103.50</td> <td>-----</td> <td>-----</td> <td>91.22</td> <td>31.83</td> <td>6.64</td> <td>32.19</td> <td>6.00</td> <td>348</td> <td>71 AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2412.00	103.50	-----	-----	91.22	31.83	6.64	32.19	6.00	348
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																		
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	cm	deg																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																	
1	2389.82	42.71	54.00	-11.29	30.51	31.78	6.60	32.18	6.00	348	71 AVERAGE																																																																																
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																		
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	cm	deg																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																	
1	2412.00	103.50	-----	-----	91.22	31.83	6.64	32.19	6.00	348	71 AVERAGE																																																																																



Mode	1																																																																																									
	Harmonic																																																																																									
	2400-2483.5_802.11b_CH01_2412MHz																																																																																									
ANT	CDD 6+8																																																																																									
Pol.	Horizontal	Vertical																																																																																								
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4824.00</td> <td>41.82</td> <td>74.00</td> <td>-32.18</td> <td>59.27</td> <td>34.35</td> <td>9.47</td> <td>61.27</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4824.00	41.82	74.00	-32.18	59.27	34.35	9.47	61.27	0.00	---	---	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4824.00</td> <td>42.80</td> <td>74.00</td> <td>-31.20</td> <td>60.25</td> <td>34.35</td> <td>9.47</td> <td>61.27</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4824.00	42.80	74.00	-31.20	60.25	34.35	9.47	61.27	0.00	---	---	PEAK
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																
1	4824.00	41.82	74.00	-32.18	59.27	34.35	9.47	61.27	0.00	---	---	PEAK																																																																														
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																
1	4824.00	42.80	74.00	-31.20	60.25	34.35	9.47	61.27	0.00	---	---	PEAK																																																																														



Mode	2																																																																																																																			
	Harmonic																																																																																																																			
	2400-2483.5_802.11b_CH06_2437MHz																																																																																																																			
ANT	CDD 6+8																																																																																																																			
Pol.	Horizontal	Vertical																																																																																																																		
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4874.00</td> <td>42.48</td> <td>74.00</td> <td>-31.52</td> <td>59.84</td> <td>34.35</td> <td>9.52</td> <td>61.23</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>7311.00</td> <td>44.63</td> <td>74.00</td> <td>-29.37</td> <td>57.87</td> <td>35.80</td> <td>11.69</td> <td>60.73</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4874.00	42.48	74.00	-31.52	59.84	34.35	9.52	61.23	0.00	---	---	PEAK	2	7311.00	44.63	74.00	-29.37	57.87	35.80	11.69	60.73	0.00	---	---	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4874.00</td> <td>41.24</td> <td>74.00</td> <td>-32.76</td> <td>58.60</td> <td>34.35</td> <td>9.52</td> <td>61.23</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>7311.00</td> <td>45.35</td> <td>74.00</td> <td>-28.65</td> <td>58.59</td> <td>35.80</td> <td>11.69</td> <td>60.73</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4874.00	41.24	74.00	-32.76	58.60	34.35	9.52	61.23	0.00	---	---	PEAK	2	7311.00	45.35	74.00	-28.65	58.59	35.80	11.69	60.73	0.00	---	---	PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																										
1	4874.00	42.48	74.00	-31.52	59.84	34.35	9.52	61.23	0.00	---	---	PEAK																																																																																																								
2	7311.00	44.63	74.00	-29.37	57.87	35.80	11.69	60.73	0.00	---	---	PEAK																																																																																																								
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																										
1	4874.00	41.24	74.00	-32.76	58.60	34.35	9.52	61.23	0.00	---	---	PEAK																																																																																																								
2	7311.00	45.35	74.00	-28.65	58.59	35.80	11.69	60.73	0.00	---	---	PEAK																																																																																																								



Mode	3																																																																																							
	Band Edge																																																																																							
	2400-2483.5_802.11b_CH11_2462MHz																																																																																							
ANT	CDD 6+8																																																																																							
Pol.	Horizontal	Fundamental																																																																																						
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2483.62</td> <td>55.81</td> <td>74.00</td> <td>-18.19</td> <td>43.34</td> <td>31.97</td> <td>6.73</td> <td>32.23</td> <td>6.00</td> <td>100</td> <td>144</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2483.62	55.81	74.00	-18.19	43.34	31.97	6.73	32.23	6.00	100	144	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2462.00</td> <td>107.00</td> <td>74.00</td> <td>33.00</td> <td>94.58</td> <td>31.93</td> <td>6.71</td> <td>32.22</td> <td>6.00</td> <td>100</td> <td>144</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2462.00	107.00	74.00	33.00	94.58	31.93	6.71	32.22	6.00	100	144	PEAK
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																														
1	2483.62	55.81	74.00	-18.19	43.34	31.97	6.73	32.23	6.00	100	144	PEAK																																																																												
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																														
1	2462.00	107.00	74.00	33.00	94.58	31.93	6.71	32.22	6.00	100	144	PEAK																																																																												
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2486.70</td> <td>43.29</td> <td>54.00</td> <td>-10.71</td> <td>30.82</td> <td>31.97</td> <td>6.74</td> <td>32.24</td> <td>6.00</td> <td>100</td> <td>144</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2486.70	43.29	54.00	-10.71	30.82	31.97	6.74	32.24	6.00	100	144	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2462.00</td> <td>102.77</td> <td>54.00</td> <td>48.77</td> <td>90.35</td> <td>31.93</td> <td>6.71</td> <td>32.22</td> <td>6.00</td> <td>100</td> <td>144</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2462.00	102.77	54.00	48.77	90.35	31.93	6.71	32.22	6.00	100	144	AVERAGE
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																														
1	2486.70	43.29	54.00	-10.71	30.82	31.97	6.74	32.24	6.00	100	144	AVERAGE																																																																												
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																														
1	2462.00	102.77	54.00	48.77	90.35	31.93	6.71	32.22	6.00	100	144	AVERAGE																																																																												







Mode	3																																																																																							
	Band Edge																																																																																							
	2400-2483.5_802.11b_CH11_2462MHz																																																																																							
ANT	CDD 6+8																																																																																							
Pol.	Vertical	Fundamental																																																																																						
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2486.51</td> <td>55.03</td> <td>74.00</td> <td>-18.97</td> <td>42.56</td> <td>31.97</td> <td>6.74</td> <td>32.24</td> <td>6.00</td> <td>336</td> <td>65</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2486.51	55.03	74.00	-18.97	42.56	31.97	6.74	32.24	6.00	336	65	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2462.00</td> <td>105.00</td> <td>-----</td> <td>-----</td> <td>92.58</td> <td>31.93</td> <td>6.71</td> <td>32.22</td> <td>6.00</td> <td>336</td> <td>65</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2462.00	105.00	-----	-----	92.58	31.93	6.71	32.22	6.00	336	65	PEAK
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																														
1	2486.51	55.03	74.00	-18.97	42.56	31.97	6.74	32.24	6.00	336	65	PEAK																																																																												
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																														
1	2462.00	105.00	-----	-----	92.58	31.93	6.71	32.22	6.00	336	65	PEAK																																																																												
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2483.51</td> <td>43.39</td> <td>54.00</td> <td>-10.61</td> <td>30.92</td> <td>31.97</td> <td>6.73</td> <td>32.23</td> <td>6.00</td> <td>336</td> <td>65</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2483.51	43.39	54.00	-10.61	30.92	31.97	6.73	32.23	6.00	336	65	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2462.00</td> <td>100.78</td> <td>-----</td> <td>-----</td> <td>88.36</td> <td>31.93</td> <td>6.71</td> <td>32.22</td> <td>6.00</td> <td>336</td> <td>65</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2462.00	100.78	-----	-----	88.36	31.93	6.71	32.22	6.00	336	65	AVERAGE
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																														
1	2483.51	43.39	54.00	-10.61	30.92	31.97	6.73	32.23	6.00	336	65	AVERAGE																																																																												
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																														
1	2462.00	100.78	-----	-----	88.36	31.93	6.71	32.22	6.00	336	65	AVERAGE																																																																												



Mode	3																																																																																																																															
	Harmonic																																																																																																																															
	2400-2483.5_802.11b_CH11_2462MHz																																																																																																																															
ANT	CDD 6+8																																																																																																																															
Pol.	Horizontal	Vertical																																																																																																																														
Peak Avg	<p>Level (dBuV/m)</p> <p>Frequency (MHz)</p> <p>FCC PART 15C</p> <p>FCC PART 15C (AVG)</p>	<p>Level (dBuV/m)</p> <p>Frequency (MHz)</p> <p>FCC PART 15C</p> <p>FCC PART 15C (AVG)</p>																																																																																																																														
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4924.00</td> <td>50.17</td> <td>74.00</td> <td>-23.83</td> <td>67.54</td> <td>34.25</td> <td>9.57</td> <td>61.19</td> <td>0.00</td> <td>100</td> <td>32</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>4924.00</td> <td>47.44</td> <td>54.00</td> <td>-6.56</td> <td>64.81</td> <td>34.25</td> <td>9.57</td> <td>61.19</td> <td>0.00</td> <td>100</td> <td>32</td> <td>AVERAGE</td> </tr> <tr> <td>3</td> <td>7386.00</td> <td>44.44</td> <td>74.00</td> <td>-29.56</td> <td>57.88</td> <td>35.73</td> <td>11.72</td> <td>60.89</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4924.00	50.17	74.00	-23.83	67.54	34.25	9.57	61.19	0.00	100	32	PEAK	2	4924.00	47.44	54.00	-6.56	64.81	34.25	9.57	61.19	0.00	100	32	AVERAGE	3	7386.00	44.44	74.00	-29.56	57.88	35.73	11.72	60.89	0.00	---	---	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4924.00</td> <td>44.59</td> <td>74.00</td> <td>-29.41</td> <td>61.96</td> <td>34.25</td> <td>9.57</td> <td>61.19</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>7386.00</td> <td>44.28</td> <td>74.00</td> <td>-29.72</td> <td>57.72</td> <td>35.73</td> <td>11.72</td> <td>60.89</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4924.00	44.59	74.00	-29.41	61.96	34.25	9.57	61.19	0.00	---	---	PEAK	2	7386.00	44.28	74.00	-29.72	57.72	35.73	11.72	60.89	0.00	---	---
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																						
1	4924.00	50.17	74.00	-23.83	67.54	34.25	9.57	61.19	0.00	100	32	PEAK																																																																																																																				
2	4924.00	47.44	54.00	-6.56	64.81	34.25	9.57	61.19	0.00	100	32	AVERAGE																																																																																																																				
3	7386.00	44.44	74.00	-29.56	57.88	35.73	11.72	60.89	0.00	---	---	PEAK																																																																																																																				
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																						
1	4924.00	44.59	74.00	-29.41	61.96	34.25	9.57	61.19	0.00	---	---	PEAK																																																																																																																				
2	7386.00	44.28	74.00	-29.72	57.72	35.73	11.72	60.89	0.00	---	---	PEAK																																																																																																																				



Mode	4																																																																																							
	Band Edge																																																																																							
	2400-2483.5_802.11g_CH01_2412MHz																																																																																							
ANT	CDD 6+8																																																																																							
Pol.	Horizontal	Fundamental																																																																																						
Peak	 <table border="1" data-bbox="268 1133 794 1256"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2389.82</td> <td>65.34</td> <td>74.00</td> <td>-8.66</td> <td>52.86</td> <td>32.06</td> <td>6.60</td> <td>32.18</td> <td>6.00</td> <td>110</td> <td>284 PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2389.82	65.34	74.00	-8.66	52.86	32.06	6.60	32.18	6.00	110	284 PEAK	 <table border="1" data-bbox="906 1133 1433 1256"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2412.00</td> <td>111.88</td> <td>-----</td> <td>-----</td> <td>99.15</td> <td>32.28</td> <td>6.64</td> <td>32.19</td> <td>6.00</td> <td>110</td> <td>284 PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2412.00	111.88	-----	-----	99.15	32.28	6.64	32.19	6.00	110	284 PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																														
1	2389.82	65.34	74.00	-8.66	52.86	32.06	6.60	32.18	6.00	110	284 PEAK																																																																													
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																														
1	2412.00	111.88	-----	-----	99.15	32.28	6.64	32.19	6.00	110	284 PEAK																																																																													
Avg	 <table border="1" data-bbox="268 1809 794 1933"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2389.30</td> <td>50.10</td> <td>54.00</td> <td>-3.90</td> <td>37.63</td> <td>32.05</td> <td>6.60</td> <td>32.18</td> <td>6.00</td> <td>110</td> <td>284 AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2389.30	50.10	54.00	-3.90	37.63	32.05	6.60	32.18	6.00	110	284 AVERAGE	 <table border="1" data-bbox="906 1809 1433 1933"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2412.00</td> <td>103.54</td> <td>-----</td> <td>-----</td> <td>90.81</td> <td>32.28</td> <td>6.64</td> <td>32.19</td> <td>6.00</td> <td>110</td> <td>284 AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2412.00	103.54	-----	-----	90.81	32.28	6.64	32.19	6.00	110	284 AVERAGE
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																														
1	2389.30	50.10	54.00	-3.90	37.63	32.05	6.60	32.18	6.00	110	284 AVERAGE																																																																													
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																														
1	2412.00	103.54	-----	-----	90.81	32.28	6.64	32.19	6.00	110	284 AVERAGE																																																																													



Mode	4																																																																																							
	Band Edge																																																																																							
	2400-2483.5_802.11g_CH01_2412MHz																																																																																							
ANT	CDD 6+8																																																																																							
Pol.	Vertical	Fundamental																																																																																						
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2389.95</td> <td>62.05</td> <td>74.00</td> <td>-11.95</td> <td>49.57</td> <td>32.06</td> <td>6.60</td> <td>32.18</td> <td>6.00</td> <td>376</td> <td>246</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2389.95	62.05	74.00	-11.95	49.57	32.06	6.60	32.18	6.00	376	246	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2412.00</td> <td>109.36</td> <td>-----</td> <td>-----</td> <td>96.63</td> <td>32.28</td> <td>6.64</td> <td>32.19</td> <td>6.00</td> <td>376</td> <td>246</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2412.00	109.36	-----	-----	96.63	32.28	6.64	32.19	6.00	376	246	PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																														
1	2389.95	62.05	74.00	-11.95	49.57	32.06	6.60	32.18	6.00	376	246	PEAK																																																																												
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																														
1	2412.00	109.36	-----	-----	96.63	32.28	6.64	32.19	6.00	376	246	PEAK																																																																												
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2389.56</td> <td>48.02</td> <td>54.00</td> <td>-5.98</td> <td>35.55</td> <td>32.05</td> <td>6.60</td> <td>32.18</td> <td>6.00</td> <td>376</td> <td>246</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2389.56	48.02	54.00	-5.98	35.55	32.05	6.60	32.18	6.00	376	246	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2412.00</td> <td>100.61</td> <td>-----</td> <td>-----</td> <td>87.88</td> <td>32.28</td> <td>6.64</td> <td>32.19</td> <td>6.00</td> <td>376</td> <td>246</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2412.00	100.61	-----	-----	87.88	32.28	6.64	32.19	6.00	376	246	AVERAGE
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																														
1	2389.56	48.02	54.00	-5.98	35.55	32.05	6.60	32.18	6.00	376	246	AVERAGE																																																																												
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																														
1	2412.00	100.61	-----	-----	87.88	32.28	6.64	32.19	6.00	376	246	AVERAGE																																																																												