





DH5\_Ant8\_2402\_30~1000





Date: 23 JUL 2024 09:39:43

DH5\_Ant8\_2402\_1000~26500




Date: 23 JUL 2024 09:39:58






DH5\_Ant6\_2441\_1000~26500



Date: 23 JUL 2024 09:21:28


DH5\_Ant8\_2441\_0~Reference



Date: 23 JUL 2024 09:40:30




DH5\_Ant8\_2441\_30~1000



Date: 23 JUL 2024 09:40:36


DH5\_Ant8\_2441\_1000~26500



Date: 23 JUL 2024 09:40:51




DH5\_Ant6\_2480\_0~Reference



Date: 23 JUL 2024 09:22:12


DH5\_Ant6\_2480\_30~1000



Date: 23 JUL 2024 09:22:18




DH5\_Ant6\_2480\_1000~26500



Date: 23 JUL 2024 09:22:33


DH5\_Ant8\_2480\_0~Reference



Date: 23 JUL 2024 09:41:37




DH5\_Ant8\_2480\_30~1000



Date: 23 JUL 2024 09:41:43


DH5\_Ant8\_2480\_1000~26500



Date: 23 JUL 2024 09:41:58




2DH1\_Ant6\_2402\_0~Reference



Date: 23 JUL 2024 09:23:18


2DH1\_Ant6\_2402\_30~1000



Date: 23 JUL 2024 09:23:23




2DH1\_Ant6\_2402\_1000~26500



Date: 23 JUL 2024 09:23:38


2DH1\_Ant8\_2402\_0~Reference



Date: 23 JUL 2024 09:42:44




2DH1\_Ant8\_2402\_30~1000



Date: 23 JUL 2024 09:42:49


2DH1\_Ant8\_2402\_1000~26500



Date: 23 JUL 2024 09:44:58




2DH1\_Ant6\_2441\_0~Reference



Date: 23 JUL 2024 09:24:11


2DH1\_Ant6\_2441\_30~1000



Date: 23 JUL 2024 09:24:16




2DH1\_Ant6\_2441\_1000~26500



Date: 23 JUL 2024 09:24:32


2DH1\_Ant8\_2441\_0~Reference



Date: 23 JUL 2024 09:45:30




2DH1\_Ant8\_2441\_30~1000





Date: 23 JUL 2024 09:45:35

2DH1\_Ant8\_2441\_1000~26500




Date: 23 JUL 2024 09:45:50






2DH1\_Ant6\_2480\_1000~26500



Date: 23 JUL 2024 09:25:38


2DH1\_Ant8\_2480\_0~Reference



Date: 23 JUL 2024 09:46:36




2DH1\_Ant8\_2480\_30~1000



Date: 23 JUL 2024 09:46:42


2DH1\_Ant8\_2480\_1000~26500



Date: 23 JUL 2024 09:46:57




3DH1\_Ant6\_2402\_0~Reference



Date: 23 JUL 2024 09:26:23


3DH1\_Ant6\_2402\_30~1000



Date: 23 JUL 2024 09:26:28




3DH1\_Ant6\_2402\_1000~26500



Date: 23 JUL 2024 09:26:44


3DH1\_Ant8\_2402\_0~Reference



Date: 23 JUL 2024 09:47:43




3DH1\_Ant8\_2402\_30~1000



Date: 23 JUL 2024 09:47:48


3DH1\_Ant8\_2402\_1000~26500



Date: 23 JUL 2024 09:48:04




3DH1\_Ant6\_2441\_0~Reference



Date: 23 JUL 2024 09:27:16


3DH1\_Ant6\_2441\_30~1000



Date: 23 JUL 2024 09:27:21




3DH1\_Ant6\_2441\_1000~26500



Date: 23 JUL 2024 09:27:37


3DH1\_Ant8\_2441\_0~Reference



Date: 23 JUL 2024 09:48:35




3DH1\_Ant8\_2441\_30~1000





Date: 23 JUL 2024 09:48:40

3DH1\_Ant8\_2441\_1000~26500




Date: 23 JUL 2024 09:48:56






3DH1\_Ant6\_2480\_1000~26500



Date: 23 JUL 2024 09:28:43


3DH1\_Ant8\_2480\_0~Reference



Date: 23 JUL 2024 09:49:41




3DH1\_Ant8\_2480\_30~1000



Date: 23 JUL 2024 09:49:47

3DH1\_Ant8\_2480\_1000~26500




Date: 23 JUL 2024 09:50:02



## Appendix B. AC Conducted Emission Test Results

Test Engineer :	Amos	Temperature :	25.3~26.2°C
		Relative Humidity :	38~40%
Test Voltage :	120Vac / 60Hz	Phase :	Line
Remark :	All emissions not reported here are more than 10 dB below the prescribed limit.		




Site : CO01-KS  
 Condition : 15C RSS247-QP LISN-060105-L 2024 LINE

	Freq	Level	Over	Limit	Read	LISN	Cable	Remark
	MHz	dBuV	Limit	Line	Level	Factor	Loss	
			dB	dBuV	dBuV	dB	dB	
1	0.182	49.31	-15.06	64.37	38.81	0.09	10.41	QP
2	0.182	29.11	-25.26	54.37	18.61	0.09	10.41	Average
3	0.318	46.29	-13.46	59.75	35.91	0.06	10.32	QP
4	0.318	28.59	-21.16	49.75	18.21	0.06	10.32	Average
5 *	0.476	46.04	-10.37	56.41	35.90	-0.09	10.23	QP
6	0.476	33.34	-13.07	46.41	23.20	-0.09	10.23	Average
7	0.830	45.54	-10.46	56.00	35.59	-0.16	10.11	QP
8	0.830	31.24	-14.76	46.00	21.29	-0.16	10.11	Average
9	2.201	43.77	-12.23	56.00	33.90	-0.21	10.08	QP
10	2.201	29.47	-16.53	46.00	19.60	-0.21	10.08	Average
11	3.509	43.09	-12.91	56.00	33.20	-0.18	10.07	QP
12	3.509	30.69	-15.31	46.00	20.80	-0.18	10.07	Average
13	7.769	43.55	-16.45	60.00	33.41	-0.23	10.37	QP
14	7.769	34.05	-15.95	50.00	23.91	-0.23	10.37	Average



Test Engineer :	Amos	Temperature :	25.3~26.2°C
		Relative Humidity :	38~40%
Test Voltage :	120Vac / 60Hz	Phase :	Neutral
Remark :	All emissions not reported here are more than 10 dB below the prescribed limit.		



Site : CO01-KS  
 Condition : 15C RSS247-QP LISN-060105-N 2024 NEUTRAL

	Freq	Level	Over	Limit	Read	LISN	Cable	
	MHz	dBuV	Limit	Line	Level	Factor	Loss	Remark
			dB	dBuV	dBuV	dB	dB	
1	0.189	48.44	-15.62	64.06	37.90	0.13	10.41	QP
2	0.189	29.84	-24.22	54.06	19.30	0.13	10.41	Average
3 *	0.381	46.65	-11.60	58.25	36.49	-0.13	10.29	QP
4	0.381	29.75	-18.50	48.25	19.59	-0.13	10.29	Average
5	0.484	44.64	-11.63	56.27	34.56	-0.15	10.23	QP
6	0.484	25.68	-20.59	46.27	15.60	-0.15	10.23	Average
7	0.839	43.83	-12.17	56.00	33.89	-0.17	10.11	QP
8	0.839	28.03	-17.97	46.00	18.09	-0.17	10.11	Average
9	2.201	39.98	-16.02	56.00	30.09	-0.19	10.08	QP
10	2.201	24.98	-21.02	46.00	15.09	-0.19	10.08	Average
11	3.156	39.66	-16.34	56.00	29.80	-0.21	10.07	QP
12	3.156	25.46	-20.54	46.00	15.60	-0.21	10.07	Average
13	8.279	40.52	-19.48	60.00	30.31	-0.23	10.44	QP
14	8.279	29.32	-20.68	50.00	19.11	-0.23	10.44	Average

Note:

- Level(dBμV) = Read Level(dBμV) + LISN Factor(dB) + Cable Loss(dB)
- Over Limit(dB) = Level(dBμV) – Limit Line(dBμV)



## Appendix C. Radiated Spurious Emission Test Data

Test Engineer :	Koi Ji	Relative Humidity :	41~42%
		Temperature :	22 ~23°C

### Radiated Spurious Emission Test Modes

Mode	Band (MHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 1	2400-2483.5	6	Bluetooth BR_GFSK	0	2402	DH5	-	-
Mode 2	2400-2483.5	6	Bluetooth BR_GFSK	39	2441	DH5	-	-
Mode 3	2400-2483.5	6	Bluetooth BR_GFSK	78	2480	DH5	-	-
Mode 4	2400-2483.5	8	Bluetooth BR_GFSK	0	2402	DH5	-	-
Mode 5	2400-2483.5	8	Bluetooth BR_GFSK	39	2441	DH5	-	-
Mode 6	2400-2483.5	8	Bluetooth BR_GFSK	78	2480	DH5	-	-

### Summary of each worse mode

Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
1	Bluetooth BR_GFSK	0	2375.13	55.47	74.00	-18.53	V	PEAK	Pass	Band Edge
1	Bluetooth BR_GFSK	0	4804.00	42.19	74.00	-31.81	H	PEAK	Pass	Harmonic
2	Bluetooth BR_GFSK	39	-	-	-	-	-	-	-	Band Edge
2	Bluetooth BR_GFSK	39	7323.00	45.07	74.00	-28.93	V	PEAK	Pass	Harmonic
3	Bluetooth BR_GFSK	78	2486.84	56.36	74.00	-17.64	H	PEAK	Pass	Band Edge
3	Bluetooth BR_GFSK	78	7440.00	43.96	74.00	-30.04	V	PEAK	Pass	Harmonic
4	Bluetooth BR_GFSK	0	2386.05	56.01	74.00	-17.99	H	PEAK	Pass	Band Edge
4	Bluetooth BR_GFSK	0	4804.00	45.20	74.00	-28.80	V	PEAK	Pass	Harmonic
5	Bluetooth BR_GFSK	39	-	-	-	-	-	-	-	Band Edge
5	Bluetooth BR_GFSK	39	7323.00	46.54	74.00	-27.46	H	PEAK	Pass	Harmonic
6	Bluetooth BR_GFSK	78	2499.12	56.01	74.00	-17.99	H	PEAK	Pass	Band Edge
6	Bluetooth BR_GFSK	78	7440.00	44.91	74.00	-29.09	V	PEAK	Pass	Harmonic



Mode	1																																																																																																															
	Band Edge																																																																																																															
	2400-2483.5_Bluetooth BR_GFSK_CH0_2402MHz																																																																																																															
ANT	6																																																																																																															
Pol.	Horizontal	Fundamental																																																																																																														
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2337.95</td> <td>55.17</td> <td>74.00</td> <td>-18.83</td> <td>42.97</td> <td>31.88</td> <td>6.52</td> <td>32.20</td> <td>6.00</td> <td>307</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>2337.95</td> <td>30.38</td> <td>54.00</td> <td>-23.62</td> <td>18.18</td> <td>31.88</td> <td>6.52</td> <td>32.20</td> <td>6.00</td> <td>307</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2337.95	55.17	74.00	-18.83	42.97	31.88	6.52	32.20	6.00	307	PEAK	2	2337.95	30.38	54.00	-23.62	18.18	31.88	6.52	32.20	6.00	307	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2402.00</td> <td>102.34</td> <td>-----</td> <td>-----</td> <td>89.31</td> <td>32.59</td> <td>6.62</td> <td>32.18</td> <td>6.00</td> <td>300</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>2402.00</td> <td>77.55</td> <td>-----</td> <td>-----</td> <td>64.52</td> <td>32.59</td> <td>6.62</td> <td>32.18</td> <td>6.00</td> <td>300</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2402.00	102.34	-----	-----	89.31	32.59	6.62	32.18	6.00	300	PEAK	2	2402.00	77.55	-----	-----	64.52	32.59	6.62	32.18	6.00	300	AVERAGE
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																						
1	2337.95	55.17	74.00	-18.83	42.97	31.88	6.52	32.20	6.00	307	PEAK																																																																																																					
2	2337.95	30.38	54.00	-23.62	18.18	31.88	6.52	32.20	6.00	307	AVERAGE																																																																																																					
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																						
1	2402.00	102.34	-----	-----	89.31	32.59	6.62	32.18	6.00	300	PEAK																																																																																																					
2	2402.00	77.55	-----	-----	64.52	32.59	6.62	32.18	6.00	300	AVERAGE																																																																																																					



Mode	1																																																																																																															
	Band Edge																																																																																																															
	2400-2483.5_Bluetooth BR_GFSK_CH0_2402MHz																																																																																																															
ANT	6																																																																																																															
Pol.	Vertical	Fundamental																																																																																																														
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2375.13</td> <td>55.47</td> <td>74.00</td> <td>-18.53</td> <td>42.78</td> <td>32.30</td> <td>6.58</td> <td>32.19</td> <td>6.00</td> <td>131</td> <td>286 PEAK</td> </tr> <tr> <td>2</td> <td>2375.13</td> <td>30.68</td> <td>54.00</td> <td>-23.32</td> <td>17.99</td> <td>32.30</td> <td>6.58</td> <td>32.19</td> <td>6.00</td> <td>131</td> <td>286 AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2375.13	55.47	74.00	-18.53	42.78	32.30	6.58	32.19	6.00	131	286 PEAK	2	2375.13	30.68	54.00	-23.32	17.99	32.30	6.58	32.19	6.00	131	286 AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2402.00</td> <td>106.95</td> <td>-----</td> <td>-----</td> <td>93.92</td> <td>32.59</td> <td>6.62</td> <td>32.18</td> <td>6.00</td> <td>131</td> <td>286 PEAK</td> </tr> <tr> <td>2</td> <td>2402.00</td> <td>82.16</td> <td>-----</td> <td>-----</td> <td>69.13</td> <td>32.59</td> <td>6.62</td> <td>32.18</td> <td>6.00</td> <td>131</td> <td>286 AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2402.00	106.95	-----	-----	93.92	32.59	6.62	32.18	6.00	131	286 PEAK	2	2402.00	82.16	-----	-----	69.13	32.59	6.62	32.18	6.00	131	286 AVERAGE
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																						
1	2375.13	55.47	74.00	-18.53	42.78	32.30	6.58	32.19	6.00	131	286 PEAK																																																																																																					
2	2375.13	30.68	54.00	-23.32	17.99	32.30	6.58	32.19	6.00	131	286 AVERAGE																																																																																																					
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																						
1	2402.00	106.95	-----	-----	93.92	32.59	6.62	32.18	6.00	131	286 PEAK																																																																																																					
2	2402.00	82.16	-----	-----	69.13	32.59	6.62	32.18	6.00	131	286 AVERAGE																																																																																																					



Mode	1																																																																																									
	Harmonic																																																																																									
	2400-2483.5_Bluetooth BR_GFSK_CH0_2402MHz																																																																																									
ANT	6																																																																																									
Pol.	Horizontal	Vertical																																																																																								
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4804.00</td> <td>42.19</td> <td>74.00</td> <td>-31.81</td> <td>59.83</td> <td>34.20</td> <td>9.44</td> <td>61.28</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4804.00	42.19	74.00	-31.81	59.83	34.20	9.44	61.28	0.00	---	---	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4804.00</td> <td>41.30</td> <td>74.00</td> <td>-32.70</td> <td>58.94</td> <td>34.20</td> <td>9.44</td> <td>61.28</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4804.00	41.30	74.00	-32.70	58.94	34.20	9.44	61.28	0.00	---	---	PEAK
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																
1	4804.00	42.19	74.00	-31.81	59.83	34.20	9.44	61.28	0.00	---	---	PEAK																																																																														
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																
1	4804.00	41.30	74.00	-32.70	58.94	34.20	9.44	61.28	0.00	---	---	PEAK																																																																														



Mode	2																																																																																																																			
	Harmonic																																																																																																																			
	2400-2483.5_Bluetooth BR_GFSK_CH39_2441MHz																																																																																																																			
ANT	6																																																																																																																			
Pol.	Horizontal	Vertical																																																																																																																		
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4882.00</td> <td>42.30</td> <td>74.00</td> <td>-31.70</td> <td>59.85</td> <td>34.14</td> <td>9.53</td> <td>61.22</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>7323.00</td> <td>44.49</td> <td>74.00</td> <td>-29.51</td> <td>57.85</td> <td>35.70</td> <td>11.69</td> <td>60.75</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4882.00	42.30	74.00	-31.70	59.85	34.14	9.53	61.22	0.00	---	---	PEAK	2	7323.00	44.49	74.00	-29.51	57.85	35.70	11.69	60.75	0.00	---	---	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4882.00</td> <td>40.55</td> <td>74.00</td> <td>-33.45</td> <td>58.10</td> <td>34.14</td> <td>9.53</td> <td>61.22</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>7323.00</td> <td>45.07</td> <td>74.00</td> <td>-28.93</td> <td>58.43</td> <td>35.70</td> <td>11.69</td> <td>60.75</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4882.00	40.55	74.00	-33.45	58.10	34.14	9.53	61.22	0.00	---	---	PEAK	2	7323.00	45.07	74.00	-28.93	58.43	35.70	11.69	60.75	0.00	---	---	PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																										
1	4882.00	42.30	74.00	-31.70	59.85	34.14	9.53	61.22	0.00	---	---	PEAK																																																																																																								
2	7323.00	44.49	74.00	-29.51	57.85	35.70	11.69	60.75	0.00	---	---	PEAK																																																																																																								
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																										
1	4882.00	40.55	74.00	-33.45	58.10	34.14	9.53	61.22	0.00	---	---	PEAK																																																																																																								
2	7323.00	45.07	74.00	-28.93	58.43	35.70	11.69	60.75	0.00	---	---	PEAK																																																																																																								



Mode	3																																																																																																																		
	Band Edge																																																																																																																		
	2400-2483.5_Bluetooth BR_GFSK_CH78_2480MHz																																																																																																																		
ANT	6																																																																																																																		
Pol.	Horizontal	Fundamental																																																																																																																	
Peak																																																																																																																			
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2486.84</td> <td>56.36</td> <td>74.00</td> <td>-17.64</td> <td>43.24</td> <td>32.62</td> <td>6.74</td> <td>32.24</td> <td>6.00</td> <td>100</td> <td>222</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>2486.84</td> <td>31.57</td> <td>54.00</td> <td>-22.43</td> <td>18.45</td> <td>32.62</td> <td>6.74</td> <td>32.24</td> <td>6.00</td> <td>100</td> <td>222</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2486.84	56.36	74.00	-17.64	43.24	32.62	6.74	32.24	6.00	100	222	PEAK	2	2486.84	31.57	54.00	-22.43	18.45	32.62	6.74	32.24	6.00	100	222	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2480.00</td> <td>103.06</td> <td>-----</td> <td>-----</td> <td>89.98</td> <td>32.58</td> <td>6.73</td> <td>32.23</td> <td>6.00</td> <td>100</td> <td>222</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>2480.00</td> <td>78.27</td> <td>-----</td> <td>-----</td> <td>65.19</td> <td>32.58</td> <td>6.73</td> <td>32.23</td> <td>6.00</td> <td>100</td> <td>222</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2480.00	103.06	-----	-----	89.98	32.58	6.73	32.23	6.00	100	222	PEAK	2	2480.00	78.27	-----	-----	65.19	32.58	6.73	32.23	6.00	100	222
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																									
1	2486.84	56.36	74.00	-17.64	43.24	32.62	6.74	32.24	6.00	100	222	PEAK																																																																																																							
2	2486.84	31.57	54.00	-22.43	18.45	32.62	6.74	32.24	6.00	100	222	AVERAGE																																																																																																							
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																									
1	2480.00	103.06	-----	-----	89.98	32.58	6.73	32.23	6.00	100	222	PEAK																																																																																																							
2	2480.00	78.27	-----	-----	65.19	32.58	6.73	32.23	6.00	100	222	AVERAGE																																																																																																							



Mode	3																																																																																																																			
	Band Edge																																																																																																																			
	2400-2483.5_Bluetooth BR_GFSK_CH78_2480MHz																																																																																																																			
ANT	6																																																																																																																			
Pol.	Vertical	Fundamental																																																																																																																		
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2488.50</td> <td>56.06</td> <td>74.00</td> <td>-17.94</td> <td>42.93</td> <td>32.63</td> <td>6.74</td> <td>32.24</td> <td>6.00</td> <td>100</td> <td>272</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>2488.50</td> <td>31.27</td> <td>54.00</td> <td>-22.73</td> <td>18.14</td> <td>32.63</td> <td>6.74</td> <td>32.24</td> <td>6.00</td> <td>100</td> <td>272</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2488.50	56.06	74.00	-17.94	42.93	32.63	6.74	32.24	6.00	100	272	PEAK	2	2488.50	31.27	54.00	-22.73	18.14	32.63	6.74	32.24	6.00	100	272	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2480.00</td> <td>106.79</td> <td>-----</td> <td>-----</td> <td>93.71</td> <td>32.58</td> <td>6.73</td> <td>32.23</td> <td>6.00</td> <td>100</td> <td>272</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>2480.00</td> <td>82.00</td> <td>-----</td> <td>-----</td> <td>68.92</td> <td>32.58</td> <td>6.73</td> <td>32.23</td> <td>6.00</td> <td>100</td> <td>272</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2480.00	106.79	-----	-----	93.71	32.58	6.73	32.23	6.00	100	272	PEAK	2	2480.00	82.00	-----	-----	68.92	32.58	6.73	32.23	6.00	100	272	AVERAGE
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																										
1	2488.50	56.06	74.00	-17.94	42.93	32.63	6.74	32.24	6.00	100	272	PEAK																																																																																																								
2	2488.50	31.27	54.00	-22.73	18.14	32.63	6.74	32.24	6.00	100	272	AVERAGE																																																																																																								
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																										
1	2480.00	106.79	-----	-----	93.71	32.58	6.73	32.23	6.00	100	272	PEAK																																																																																																								
2	2480.00	82.00	-----	-----	68.92	32.58	6.73	32.23	6.00	100	272	AVERAGE																																																																																																								



Mode	3																																																																																																																		
	Harmonic																																																																																																																		
	2400-2483.5_Bluetooth BR_GFSK_CH78_2480MHz																																																																																																																		
ANT	6																																																																																																																		
Pol.	Horizontal	Vertical																																																																																																																	
Peak Avg																																																																																																																			
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4960.00</td> <td>42.14</td> <td>74.00</td> <td>-31.86</td> <td>59.69</td> <td>34.00</td> <td>9.61</td> <td>61.16</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>7440.00</td> <td>43.55</td> <td>74.00</td> <td>-30.45</td> <td>57.10</td> <td>35.70</td> <td>11.77</td> <td>61.02</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4960.00	42.14	74.00	-31.86	59.69	34.00	9.61	61.16	0.00	---	---	PEAK	2	7440.00	43.55	74.00	-30.45	57.10	35.70	11.77	61.02	0.00	---	---	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4960.00</td> <td>41.47</td> <td>74.00</td> <td>-32.53</td> <td>59.02</td> <td>34.00</td> <td>9.61</td> <td>61.16</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>7440.00</td> <td>43.96</td> <td>74.00</td> <td>-30.04</td> <td>57.51</td> <td>35.70</td> <td>11.77</td> <td>61.02</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4960.00	41.47	74.00	-32.53	59.02	34.00	9.61	61.16	0.00	---	---	PEAK	2	7440.00	43.96	74.00	-30.04	57.51	35.70	11.77	61.02	0.00	---	---
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																									
1	4960.00	42.14	74.00	-31.86	59.69	34.00	9.61	61.16	0.00	---	---	PEAK																																																																																																							
2	7440.00	43.55	74.00	-30.45	57.10	35.70	11.77	61.02	0.00	---	---	PEAK																																																																																																							
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																									
1	4960.00	41.47	74.00	-32.53	59.02	34.00	9.61	61.16	0.00	---	---	PEAK																																																																																																							
2	7440.00	43.96	74.00	-30.04	57.51	35.70	11.77	61.02	0.00	---	---	PEAK																																																																																																							



Mode	4																																																																																																																		
	Band Edge																																																																																																																		
	2400-2483.5_Bluetooth BR_GFSK_CH0_2402MHz																																																																																																																		
ANT	8																																																																																																																		
Pol.	Horizontal	Fundamental																																																																																																																	
Peak																																																																																																																			
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2386.05</td> <td>56.01</td> <td>74.00</td> <td>-17.99</td> <td>43.16</td> <td>32.43</td> <td>6.60</td> <td>32.18</td> <td>6.00</td> <td>102</td> <td>220</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>2386.05</td> <td>31.22</td> <td>54.00</td> <td>-22.78</td> <td>18.37</td> <td>32.43</td> <td>6.60</td> <td>32.18</td> <td>6.00</td> <td>102</td> <td>220</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2386.05	56.01	74.00	-17.99	43.16	32.43	6.60	32.18	6.00	102	220	PEAK	2	2386.05	31.22	54.00	-22.78	18.37	32.43	6.60	32.18	6.00	102	220	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2402.00</td> <td>105.83</td> <td>-----</td> <td>-----</td> <td>92.80</td> <td>32.59</td> <td>6.62</td> <td>32.18</td> <td>6.00</td> <td>102</td> <td>220</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>2402.00</td> <td>81.04</td> <td>-----</td> <td>-----</td> <td>68.01</td> <td>32.59</td> <td>6.62</td> <td>32.18</td> <td>6.00</td> <td>102</td> <td>220</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2402.00	105.83	-----	-----	92.80	32.59	6.62	32.18	6.00	102	220	PEAK	2	2402.00	81.04	-----	-----	68.01	32.59	6.62	32.18	6.00	102	220
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																									
1	2386.05	56.01	74.00	-17.99	43.16	32.43	6.60	32.18	6.00	102	220	PEAK																																																																																																							
2	2386.05	31.22	54.00	-22.78	18.37	32.43	6.60	32.18	6.00	102	220	AVERAGE																																																																																																							
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																									
1	2402.00	105.83	-----	-----	92.80	32.59	6.62	32.18	6.00	102	220	PEAK																																																																																																							
2	2402.00	81.04	-----	-----	68.01	32.59	6.62	32.18	6.00	102	220	AVERAGE																																																																																																							



Mode	4																																																																																																																		
	Band Edge																																																																																																																		
	2400-2483.5_Bluetooth BR_GFSK_CH0_2402MHz																																																																																																																		
ANT	8																																																																																																																		
Pol.	Vertical	Fundamental																																																																																																																	
Peak																																																																																																																			
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2378.25</td> <td>55.37</td> <td>74.00</td> <td>-18.63</td> <td>42.63</td> <td>32.34</td> <td>6.59</td> <td>32.19</td> <td>6.00</td> <td>249</td> <td>269</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>2378.25</td> <td>30.58</td> <td>54.00</td> <td>-23.42</td> <td>17.84</td> <td>32.34</td> <td>6.59</td> <td>32.19</td> <td>6.00</td> <td>249</td> <td>269</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2378.25	55.37	74.00	-18.63	42.63	32.34	6.59	32.19	6.00	249	269	PEAK	2	2378.25	30.58	54.00	-23.42	17.84	32.34	6.59	32.19	6.00	249	269	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2402.00</td> <td>107.70</td> <td>-----</td> <td>-----</td> <td>94.67</td> <td>32.59</td> <td>6.62</td> <td>32.18</td> <td>6.00</td> <td>249</td> <td>269</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>2402.00</td> <td>82.91</td> <td>-----</td> <td>-----</td> <td>69.88</td> <td>32.59</td> <td>6.62</td> <td>32.18</td> <td>6.00</td> <td>249</td> <td>269</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2402.00	107.70	-----	-----	94.67	32.59	6.62	32.18	6.00	249	269	PEAK	2	2402.00	82.91	-----	-----	69.88	32.59	6.62	32.18	6.00	249	269
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																									
1	2378.25	55.37	74.00	-18.63	42.63	32.34	6.59	32.19	6.00	249	269	PEAK																																																																																																							
2	2378.25	30.58	54.00	-23.42	17.84	32.34	6.59	32.19	6.00	249	269	AVERAGE																																																																																																							
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																									
1	2402.00	107.70	-----	-----	94.67	32.59	6.62	32.18	6.00	249	269	PEAK																																																																																																							
2	2402.00	82.91	-----	-----	69.88	32.59	6.62	32.18	6.00	249	269	AVERAGE																																																																																																							



Mode	4																																																																																									
	Harmonic																																																																																									
	2400-2483.5_Bluetooth BR_GFSK_CH0_2402MHz																																																																																									
ANT	8																																																																																									
Pol.	Horizontal	Vertical																																																																																								
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4804.00</td> <td>41.97</td> <td>74.00</td> <td>-32.03</td> <td>59.61</td> <td>34.20</td> <td>9.44</td> <td>61.28</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4804.00	41.97	74.00	-32.03	59.61	34.20	9.44	61.28	0.00	---	---	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4804.00</td> <td>45.20</td> <td>74.00</td> <td>-28.80</td> <td>62.84</td> <td>34.20</td> <td>9.44</td> <td>61.28</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4804.00	45.20	74.00	-28.80	62.84	34.20	9.44	61.28	0.00	---	---	PEAK
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																
1	4804.00	41.97	74.00	-32.03	59.61	34.20	9.44	61.28	0.00	---	---	PEAK																																																																														
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																
1	4804.00	45.20	74.00	-28.80	62.84	34.20	9.44	61.28	0.00	---	---	PEAK																																																																														



Mode	5																																																																																																																			
	Harmonic																																																																																																																			
	2400-2483.5_Bluetooth BR_GFSK_CH39_2441MHz																																																																																																																			
ANT	8																																																																																																																			
Pol.	Horizontal	Vertical																																																																																																																		
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4882.00</td> <td>43.10</td> <td>74.00</td> <td>-30.90</td> <td>60.65</td> <td>34.14</td> <td>9.53</td> <td>61.22</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>7323.00</td> <td>46.54</td> <td>74.00</td> <td>-27.46</td> <td>59.90</td> <td>35.70</td> <td>11.69</td> <td>60.75</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4882.00	43.10	74.00	-30.90	60.65	34.14	9.53	61.22	0.00	---	---	PEAK	2	7323.00	46.54	74.00	-27.46	59.90	35.70	11.69	60.75	0.00	---	---	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4882.00</td> <td>43.02</td> <td>74.00</td> <td>-30.98</td> <td>60.57</td> <td>34.14</td> <td>9.53</td> <td>61.22</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>7323.00</td> <td>44.28</td> <td>74.00</td> <td>-29.72</td> <td>57.64</td> <td>35.70</td> <td>11.69</td> <td>60.75</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4882.00	43.02	74.00	-30.98	60.57	34.14	9.53	61.22	0.00	---	---	PEAK	2	7323.00	44.28	74.00	-29.72	57.64	35.70	11.69	60.75	0.00	---	---	PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																										
1	4882.00	43.10	74.00	-30.90	60.65	34.14	9.53	61.22	0.00	---	---	PEAK																																																																																																								
2	7323.00	46.54	74.00	-27.46	59.90	35.70	11.69	60.75	0.00	---	---	PEAK																																																																																																								
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																										
1	4882.00	43.02	74.00	-30.98	60.57	34.14	9.53	61.22	0.00	---	---	PEAK																																																																																																								
2	7323.00	44.28	74.00	-29.72	57.64	35.70	11.69	60.75	0.00	---	---	PEAK																																																																																																								



Mode	6																																																																																																																		
	Band Edge																																																																																																																		
	2400-2483.5_Bluetooth BR_GFSK_CH78_2480MHz																																																																																																																		
ANT	8																																																																																																																		
Pol.	Horizontal	Fundamental																																																																																																																	
Peak																																																																																																																			
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2499.12</td> <td>56.01</td> <td>74.00</td> <td>-17.99</td> <td>42.81</td> <td>32.69</td> <td>6.75</td> <td>32.24</td> <td>6.00</td> <td>100</td> <td>222</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>2499.12</td> <td>31.22</td> <td>54.00</td> <td>-22.78</td> <td>18.02</td> <td>32.69</td> <td>6.75</td> <td>32.24</td> <td>6.00</td> <td>100</td> <td>222</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2499.12	56.01	74.00	-17.99	42.81	32.69	6.75	32.24	6.00	100	222	PEAK	2	2499.12	31.22	54.00	-22.78	18.02	32.69	6.75	32.24	6.00	100	222	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2480.00</td> <td>106.87</td> <td>-----</td> <td>-----</td> <td>93.79</td> <td>32.58</td> <td>6.73</td> <td>32.23</td> <td>6.00</td> <td>100</td> <td>222</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>2480.00</td> <td>82.00</td> <td>-----</td> <td>-----</td> <td>69.00</td> <td>32.58</td> <td>6.73</td> <td>32.23</td> <td>6.00</td> <td>100</td> <td>222</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2480.00	106.87	-----	-----	93.79	32.58	6.73	32.23	6.00	100	222	PEAK	2	2480.00	82.00	-----	-----	69.00	32.58	6.73	32.23	6.00	100	222
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																									
1	2499.12	56.01	74.00	-17.99	42.81	32.69	6.75	32.24	6.00	100	222	PEAK																																																																																																							
2	2499.12	31.22	54.00	-22.78	18.02	32.69	6.75	32.24	6.00	100	222	AVERAGE																																																																																																							
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																									
1	2480.00	106.87	-----	-----	93.79	32.58	6.73	32.23	6.00	100	222	PEAK																																																																																																							
2	2480.00	82.00	-----	-----	69.00	32.58	6.73	32.23	6.00	100	222	AVERAGE																																																																																																							





Mode	6																																																																																																																		
	Band Edge																																																																																																																		
	2400-2483.5_Bluetooth BR_GFSK_CH78_2480MHz																																																																																																																		
ANT	8																																																																																																																		
Pol.	Vertical	Fundamental																																																																																																																	
Peak																																																																																																																			
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2496.17</td> <td>55.96</td> <td>74.00</td> <td>-18.04</td> <td>42.77</td> <td>32.68</td> <td>6.75</td> <td>32.24</td> <td>6.00</td> <td>200</td> <td>271</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>2496.17</td> <td>31.17</td> <td>54.00</td> <td>-22.83</td> <td>17.98</td> <td>32.68</td> <td>6.75</td> <td>32.24</td> <td>6.00</td> <td>200</td> <td>271</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2496.17	55.96	74.00	-18.04	42.77	32.68	6.75	32.24	6.00	200	271	PEAK	2	2496.17	31.17	54.00	-22.83	17.98	32.68	6.75	32.24	6.00	200	271	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2480.00</td> <td>108.36</td> <td>-----</td> <td>-----</td> <td>95.28</td> <td>32.58</td> <td>6.73</td> <td>32.23</td> <td>6.00</td> <td>200</td> <td>271</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>2480.00</td> <td>83.57</td> <td>-----</td> <td>-----</td> <td>70.49</td> <td>32.58</td> <td>6.73</td> <td>32.23</td> <td>6.00</td> <td>200</td> <td>271</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2480.00	108.36	-----	-----	95.28	32.58	6.73	32.23	6.00	200	271	PEAK	2	2480.00	83.57	-----	-----	70.49	32.58	6.73	32.23	6.00	200	271
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																									
1	2496.17	55.96	74.00	-18.04	42.77	32.68	6.75	32.24	6.00	200	271	PEAK																																																																																																							
2	2496.17	31.17	54.00	-22.83	17.98	32.68	6.75	32.24	6.00	200	271	AVERAGE																																																																																																							
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																									
1	2480.00	108.36	-----	-----	95.28	32.58	6.73	32.23	6.00	200	271	PEAK																																																																																																							
2	2480.00	83.57	-----	-----	70.49	32.58	6.73	32.23	6.00	200	271	AVERAGE																																																																																																							



Mode	6																																																																																																																			
	Harmonic																																																																																																																			
	2400-2483.5_Bluetooth BR_GFSK_CH78_2480MHz																																																																																																																			
ANT	8																																																																																																																			
Pol.	Horizontal	Vertical																																																																																																																		
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4960.00</td> <td>43.29</td> <td>74.00</td> <td>-30.71</td> <td>60.84</td> <td>34.00</td> <td>9.61</td> <td>61.16</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>7440.00</td> <td>44.78</td> <td>74.00</td> <td>-29.22</td> <td>58.33</td> <td>35.70</td> <td>11.77</td> <td>61.02</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4960.00	43.29	74.00	-30.71	60.84	34.00	9.61	61.16	0.00	---	---	PEAK	2	7440.00	44.78	74.00	-29.22	58.33	35.70	11.77	61.02	0.00	---	---	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4960.00</td> <td>42.77</td> <td>74.00</td> <td>-31.23</td> <td>60.32</td> <td>34.00</td> <td>9.61</td> <td>61.16</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>7440.00</td> <td>44.91</td> <td>74.00</td> <td>-29.09</td> <td>58.46</td> <td>35.70</td> <td>11.77</td> <td>61.02</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4960.00	42.77	74.00	-31.23	60.32	34.00	9.61	61.16	0.00	---	---	PEAK	2	7440.00	44.91	74.00	-29.09	58.46	35.70	11.77	61.02	0.00	---	---	PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																										
1	4960.00	43.29	74.00	-30.71	60.84	34.00	9.61	61.16	0.00	---	---	PEAK																																																																																																								
2	7440.00	44.78	74.00	-29.22	58.33	35.70	11.77	61.02	0.00	---	---	PEAK																																																																																																								
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																										
1	4960.00	42.77	74.00	-31.23	60.32	34.00	9.61	61.16	0.00	---	---	PEAK																																																																																																								
2	7440.00	44.91	74.00	-29.09	58.46	35.70	11.77	61.02	0.00	---	---	PEAK																																																																																																								




Mode	3	
	18G-25G	
	2400-2483.5_Bluetooth BR_GFSK_CH78_2480MHz	
ANT	6	
Pol.	Horizontal	Vertical
Peak Avg		




Mode	3																																																																																																																																																																																																																
	30M-1G																																																																																																																																																																																																																
	2400-2483.5_Bluetooth BR_GFSK_CH78_2480MHz																																																																																																																																																																																																																
ANT	6																																																																																																																																																																																																																
Pol.	Horizontal	Vertical																																																																																																																																																																																																															
QP																																																																																																																																																																																																																	
	<table border="1"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr><td>1</td><td>30.00</td><td>21.62</td><td>40.00</td><td>-18.18</td><td>28.27</td><td>25.74</td><td>0.76</td><td>32.95</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr> <tr><td>2</td><td>84.32</td><td>21.06</td><td>40.00</td><td>-18.94</td><td>38.35</td><td>14.08</td><td>1.32</td><td>32.69</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr> <tr><td>3</td><td>130.88</td><td>22.15</td><td>43.50</td><td>-21.35</td><td>35.61</td><td>17.56</td><td>1.69</td><td>32.71</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr> <tr><td>4</td><td>228.85</td><td>22.55</td><td>46.00</td><td>-23.45</td><td>37.21</td><td>16.25</td><td>2.09</td><td>33.00</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr> <tr><td>5</td><td>340.40</td><td>28.46</td><td>46.00</td><td>-17.54</td><td>38.34</td><td>20.37</td><td>2.72</td><td>32.97</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr> <tr><td>6</td><td>738.10</td><td>28.54</td><td>46.00</td><td>-17.46</td><td>30.57</td><td>27.28</td><td>4.04</td><td>33.35</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr> </tbody> </table>	Peak	Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	30.00	21.62	40.00	-18.18	28.27	25.74	0.76	32.95	0.00	---	---	Peak	2	84.32	21.06	40.00	-18.94	38.35	14.08	1.32	32.69	0.00	---	---	Peak	3	130.88	22.15	43.50	-21.35	35.61	17.56	1.69	32.71	0.00	---	---	Peak	4	228.85	22.55	46.00	-23.45	37.21	16.25	2.09	33.00	0.00	---	---	Peak	5	340.40	28.46	46.00	-17.54	38.34	20.37	2.72	32.97	0.00	---	---	Peak	6	738.10	28.54	46.00	-17.46	30.57	27.28	4.04	33.35	0.00	---	---	Peak	<table border="1"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr><td>1</td><td>32.91</td><td>30.66</td><td>40.00</td><td>-9.34</td><td>39.16</td><td>23.71</td><td>0.76</td><td>32.97</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr> <tr><td>2</td><td>74.62</td><td>24.84</td><td>40.00</td><td>-15.16</td><td>41.02</td><td>14.67</td><td>1.20</td><td>32.05</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr> <tr><td>3</td><td>166.77</td><td>20.59</td><td>43.50</td><td>-22.91</td><td>35.38</td><td>16.04</td><td>1.88</td><td>32.71</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr> <tr><td>4</td><td>338.46</td><td>24.77</td><td>46.00</td><td>-21.23</td><td>34.70</td><td>20.32</td><td>2.71</td><td>32.96</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr> <tr><td>5</td><td>548.95</td><td>25.45</td><td>46.00</td><td>-20.55</td><td>30.74</td><td>25.08</td><td>3.19</td><td>33.56</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr> <tr><td>6</td><td>848.68</td><td>28.61</td><td>46.00</td><td>-17.39</td><td>28.51</td><td>28.63</td><td>4.26</td><td>32.79</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr> </tbody> </table>	Peak	Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	32.91	30.66	40.00	-9.34	39.16	23.71	0.76	32.97	0.00	---	---	Peak	2	74.62	24.84	40.00	-15.16	41.02	14.67	1.20	32.05	0.00	---	---	Peak	3	166.77	20.59	43.50	-22.91	35.38	16.04	1.88	32.71	0.00	---	---	Peak	4	338.46	24.77	46.00	-21.23	34.70	20.32	2.71	32.96	0.00	---	---	Peak	5	548.95	25.45	46.00	-20.55	30.74	25.08	3.19	33.56	0.00	---	---	Peak	6	848.68	28.61	46.00	-17.39	28.51	28.63	4.26	32.79	0.00	---	---
Peak	Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																																																																						
1	30.00	21.62	40.00	-18.18	28.27	25.74	0.76	32.95	0.00	---	---	Peak																																																																																																																																																																																																					
2	84.32	21.06	40.00	-18.94	38.35	14.08	1.32	32.69	0.00	---	---	Peak																																																																																																																																																																																																					
3	130.88	22.15	43.50	-21.35	35.61	17.56	1.69	32.71	0.00	---	---	Peak																																																																																																																																																																																																					
4	228.85	22.55	46.00	-23.45	37.21	16.25	2.09	33.00	0.00	---	---	Peak																																																																																																																																																																																																					
5	340.40	28.46	46.00	-17.54	38.34	20.37	2.72	32.97	0.00	---	---	Peak																																																																																																																																																																																																					
6	738.10	28.54	46.00	-17.46	30.57	27.28	4.04	33.35	0.00	---	---	Peak																																																																																																																																																																																																					
Peak	Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																																																																						
1	32.91	30.66	40.00	-9.34	39.16	23.71	0.76	32.97	0.00	---	---	Peak																																																																																																																																																																																																					
2	74.62	24.84	40.00	-15.16	41.02	14.67	1.20	32.05	0.00	---	---	Peak																																																																																																																																																																																																					
3	166.77	20.59	43.50	-22.91	35.38	16.04	1.88	32.71	0.00	---	---	Peak																																																																																																																																																																																																					
4	338.46	24.77	46.00	-21.23	34.70	20.32	2.71	32.96	0.00	---	---	Peak																																																																																																																																																																																																					
5	548.95	25.45	46.00	-20.55	30.74	25.08	3.19	33.56	0.00	---	---	Peak																																																																																																																																																																																																					
6	848.68	28.61	46.00	-17.39	28.51	28.63	4.26	32.79	0.00	---	---	Peak																																																																																																																																																																																																					

## Appendix D. Duty Cycle Plots

### DH5 on time (One Pulse) Plot on Channel 00



### DH5 on time (Count Pulses) Plot on Channel 00



**Note:**

1. Worst case Duty cycle = on time/100 milliseconds =  $2 * 2.88 / 100 = 5.76 \%$
2. Worst case Duty cycle correction factor =  $20 * \log(\text{Duty cycle}) = -24.79 \text{ dB}$
3. DH5 has the highest duty cycle worst case and is reported.