










DC_2A_n7A / 15KHz / 30MHz



















6. Conducted Spurious Emission




6.1. Test Plots
























7. Frequency Stability

7.1. Test Results

7.1.1. Frequency Error Vs Voltage

SCS	Bandwidth	Channel	RB Config	Modulation	Temperature	Voltage	Deviation Result		Verdict
							(Hz)	(ppm)	
15KHz	40MHz	MCH	Outer_Full	DFT-QPSK	NT	LV	-5.10	-0.002012	Pass
15KHz	40MHz	MCH	Outer_Full	DFT-QPSK	NT	NV	-5.40	-0.002130	Pass
15KHz	40MHz	MCH	Outer_Full	DFT-QPSK	NT	HV	-2.70	-0.001065	Pass

7.1.2. Frequency Error Vs Temperature

SCS	Bandwidth	Channel	RB Config	Modulation	Temperature	Voltage	Deviation Result		Verdict
							(Hz)	(ppm)	
15KHz	40MHz	MCH	Outer_Full	DFT-QPSK	-30°C	NV	-0.80	-0.000316	Pass
15KHz	40MHz	MCH	Outer_Full	DFT-QPSK	-20°C	NV	-2.50	-0.000986	Pass
15KHz	40MHz	MCH	Outer_Full	DFT-QPSK	-10°C	NV	-8.10	-0.003195	Pass
15KHz	40MHz	MCH	Outer_Full	DFT-QPSK	0°C	NV	2.00	0.000789	Pass
15KHz	40MHz	MCH	Outer_Full	DFT-QPSK	10°C	NV	-4.20	-0.001657	Pass
15KHz	40MHz	MCH	Outer_Full	DFT-QPSK	20°C	NV	1.00	0.000394	Pass
15KHz	40MHz	MCH	Outer_Full	DFT-QPSK	30°C	NV	-1.40	-0.000552	Pass
15KHz	40MHz	MCH	Outer_Full	DFT-QPSK	40°C	NV	9.30	0.003669	Pass
15KHz	40MHz	MCH	Outer_Full	DFT-QPSK	50°C	NV	-1.60	-0.000631	Pass

The End