





BLE\_2M\_Ant6\_Low\_2402



Date: 23 JUL 2024 10:10:23


BLE\_2M\_Ant8\_Low\_2402



Date: 23 JUL 2024 10:21:29




BLE\_2M\_Ant6\_High\_2480



Date: 23 JUL 2024 10:14:00

BLE\_2M\_Ant8\_High\_2480



Date: 23 JUL 2024 10:29:03





### Conducted Spurious Emission

#### Test Result

| TestMode | Antenna | Freq(MHz) | FreqRange [MHz] | RefLevel [dBm/100KHz] | Result [dBm/100KHz] | Limit [dBm/100KHz] | Verdict |
|----------|---------|-----------|-----------------|-----------------------|---------------------|--------------------|---------|
| BLE_1M   | Ant6    | 2402      | 30~1000         | 3.77                  | -56.32              | ≤-16.23            | PASS    |
|          |         |           | 1000~26500      | 3.77                  | -51.62              | ≤-16.23            | PASS    |
|          | Ant8    | 2402      | 30~1000         | 4.09                  | -55.53              | ≤-15.91            | PASS    |
|          |         |           | 1000~26500      | 4.09                  | -51.37              | ≤-15.91            | PASS    |
|          | Ant6    | 2440      | 30~1000         | 5.10                  | -56.51              | ≤-14.9             | PASS    |
|          |         |           | 1000~26500      | 5.10                  | -51.68              | ≤-14.9             | PASS    |
|          | Ant8    | 2440      | 30~1000         | 3.57                  | -56                 | ≤-16.43            | PASS    |
|          |         |           | 1000~26500      | 3.57                  | -51.38              | ≤-16.43            | PASS    |
|          | Ant6    | 2480      | 30~1000         | 5.16                  | -56.55              | ≤-14.84            | PASS    |
|          |         |           | 1000~26500      | 5.16                  | -51.4               | ≤-14.84            | PASS    |
|          | Ant8    | 2480      | 30~1000         | 4.59                  | -56.06              | ≤-15.41            | PASS    |
|          |         |           | 1000~26500      | 4.59                  | -50.79              | ≤-15.41            | PASS    |
| BLE_2M   | Ant6    | 2402      | 30~1000         | 3.74                  | -55.9               | ≤-16.26            | PASS    |
|          |         |           | 1000~26500      | 3.74                  | -51.09              | ≤-16.26            | PASS    |
|          | Ant8    | 2402      | 30~1000         | 4.04                  | -56.17              | ≤-15.96            | PASS    |
|          |         |           | 1000~26500      | 4.04                  | -51.32              | ≤-15.96            | PASS    |
|          | Ant6    | 2440      | 30~1000         | 5.09                  | -56.35              | ≤-14.91            | PASS    |
|          |         |           | 1000~26500      | 5.09                  | -50.72              | ≤-14.91            | PASS    |
|          | Ant8    | 2440      | 30~1000         | 3.52                  | -55.85              | ≤-16.48            | PASS    |
|          |         |           | 1000~26500      | 3.52                  | -51.58              | ≤-16.48            | PASS    |
|          | Ant6    | 2480      | 30~1000         | 5.13                  | -56.42              | ≤-14.87            | PASS    |
|          |         |           | 1000~26500      | 5.13                  | -50.63              | ≤-14.87            | PASS    |
|          | Ant8    | 2480      | 30~1000         | 4.55                  | -56.33              | ≤-15.45            | PASS    |
|          |         |           | 1000~26500      | 4.55                  | -50.89              | ≤-15.45            | PASS    |




Test Graphs






BLE\_1M\_Ant8\_2402\_30~1000



Date: 23 JUL 2024 10:15:57


BLE\_1M\_Ant8\_2402\_1000~26500



Date: 23 JUL 2024 10:16:13




BLE\_1M\_Ant6\_2440\_30~1000



Date: 23 JUL 2024 10:07:08


BLE\_1M\_Ant6\_2440\_1000~26500



Date: 23 JUL 2024 10:07:23




BLE\_1M\_Ant8\_2440\_30~1000



Date: 23 JUL 2024 10:18:08


BLE\_1M\_Ant8\_2440\_1000~26500



Date: 23 JUL 2024 10:18:24




BLE\_1M\_Ant6\_2480\_30~1000



Date: 23 JUL 2024 10:08:42


BLE\_1M\_Ant6\_2480\_1000~26500



Date: 23 JUL 2024 10:08:58




BLE\_1M\_Ant8\_2480\_30~1000



Date: 23 JUL 2024 10:19:56


BLE\_1M\_Ant8\_2480\_1000~26500



Date: 23 JUL 2024 10:20:11




BLE\_2M\_Ant6\_2402\_30~1000



Date: 23 JUL 2024 10:10:29


BLE\_2M\_Ant6\_2402\_1000~26500



Date: 23 JUL 2024 10:10:45




BLE\_2M\_Ant8\_2402\_30~1000



Date: 23 JUL 2024 10:21:36


BLE\_2M\_Ant8\_2402\_1000~26500



Date: 23 JUL 2024 10:21:52




BLE\_2M\_Ant6\_2440\_30~1000



Date: 23 JUL 2024 10:12:19


BLE\_2M\_Ant6\_2440\_1000~26500



Date: 23 JUL 2024 10:12:34




BLE\_2M\_Ant8\_2440\_30~1000



Date: 23 JUL 2024 10:27:26


BLE\_2M\_Ant8\_2440\_1000~26500



Date: 23 JUL 2024 10:27:41




BLE\_2M\_Ant6\_2480\_30~1000



Date: 23 JUL 2024 10:14:07


BLE\_2M\_Ant6\_2480\_1000~26500



Date: 23 JUL 2024 10:14:22




BLE\_2M\_Ant8\_2480\_30~1000



Date: 23 JUL 2024 10:29:10

BLE\_2M\_Ant8\_2480\_1000~26500




Date: 23 JUL 2024 10:29:25



## Appendix B. AC Conducted Emission Test Results

|                 |   |                     |             |
|-----------------|---|---------------------|-------------|
| Test Engineer : | Amos  | Temperature :       | 25.3~26.2°C |
|                 |   | Relative Humidity : | 38~40%      |
| Test Voltage :  | 120Vac / 60Hz   | Phase :             | Line        |
| Remark :        | All emissions not reported here are more than 10 dB below the prescribed limit. |                     |             |




Site : CO01-KS  
 Condition : 15C RSS247-QP LISN-060105-L 2024 LINE

|     | Freq  | Level | Over   | Limit | Read  | LISN   | Cable | Remark  |
|-----|-------|-------|--------|-------|-------|--------|-------|---------|
|     | MHz   | dBuV  | Limit  | Line  | Level | Factor | Loss  |         |
|     |       |       | dB     | dBuV  | dBuV  | dB     | dB    |         |
| 1   | 0.182 | 49.31 | -15.06 | 64.37 | 38.81 | 0.09   | 10.41 | QP      |
| 2   | 0.182 | 29.11 | -25.26 | 54.37 | 18.61 | 0.09   | 10.41 | Average |
| 3   | 0.318 | 46.29 | -13.46 | 59.75 | 35.91 | 0.06   | 10.32 | QP      |
| 4   | 0.318 | 28.59 | -21.16 | 49.75 | 18.21 | 0.06   | 10.32 | Average |
| 5 * | 0.476 | 46.04 | -10.37 | 56.41 | 35.90 | -0.09  | 10.23 | QP      |
| 6   | 0.476 | 33.34 | -13.07 | 46.41 | 23.20 | -0.09  | 10.23 | Average |
| 7   | 0.830 | 45.54 | -10.46 | 56.00 | 35.59 | -0.16  | 10.11 | QP      |
| 8   | 0.830 | 31.24 | -14.76 | 46.00 | 21.29 | -0.16  | 10.11 | Average |
| 9   | 2.201 | 43.77 | -12.23 | 56.00 | 33.90 | -0.21  | 10.08 | QP      |
| 10  | 2.201 | 29.47 | -16.53 | 46.00 | 19.60 | -0.21  | 10.08 | Average |
| 11  | 3.509 | 43.09 | -12.91 | 56.00 | 33.20 | -0.18  | 10.07 | QP      |
| 12  | 3.509 | 30.69 | -15.31 | 46.00 | 20.80 | -0.18  | 10.07 | Average |
| 13  | 7.769 | 43.55 | -16.45 | 60.00 | 33.41 | -0.23  | 10.37 | QP      |
| 14  | 7.769 | 34.05 | -15.95 | 50.00 | 23.91 | -0.23  | 10.37 | Average |



|                 |   |                     |             |
|-----------------|---|---------------------|-------------|
| Test Engineer : | Amos  | Temperature :       | 25.3~26.2°C |
|                 |   | Relative Humidity : | 38~40%      |
| Test Voltage :  | 120Vac / 60Hz   | Phase :             | Neutral     |
| Remark :        | All emissions not reported here are more than 10 dB below the prescribed limit. |                     |             |



Site : CO01-KS  
 Condition : 15C RSS247-QP LISN-060105-N 2024 NEUTRAL

|     | Freq  | Level | Over   | Limit | Read  | LISN   | Cable | Remark  |
|-----|-------|-------|--------|-------|-------|--------|-------|---------|
|     | MHz   | dBuV  | Limit  | Line  | Level | Factor | Loss  |         |
|     |       |       | dB     | dBuV  | dBuV  | dB     | dB    |         |
| 1   | 0.189 | 48.44 | -15.62 | 64.06 | 37.90 | 0.13   | 10.41 | QP      |
| 2   | 0.189 | 29.84 | -24.22 | 54.06 | 19.30 | 0.13   | 10.41 | Average |
| 3 * | 0.381 | 46.65 | -11.60 | 58.25 | 36.49 | -0.13  | 10.29 | QP      |
| 4   | 0.381 | 29.75 | -18.50 | 48.25 | 19.59 | -0.13  | 10.29 | Average |
| 5   | 0.484 | 44.64 | -11.63 | 56.27 | 34.56 | -0.15  | 10.23 | QP      |
| 6   | 0.484 | 25.68 | -20.59 | 46.27 | 15.60 | -0.15  | 10.23 | Average |
| 7   | 0.839 | 43.83 | -12.17 | 56.00 | 33.89 | -0.17  | 10.11 | QP      |
| 8   | 0.839 | 28.03 | -17.97 | 46.00 | 18.09 | -0.17  | 10.11 | Average |
| 9   | 2.201 | 39.98 | -16.02 | 56.00 | 30.09 | -0.19  | 10.08 | QP      |
| 10  | 2.201 | 24.98 | -21.02 | 46.00 | 15.09 | -0.19  | 10.08 | Average |
| 11  | 3.156 | 39.66 | -16.34 | 56.00 | 29.80 | -0.21  | 10.07 | QP      |
| 12  | 3.156 | 25.46 | -20.54 | 46.00 | 15.60 | -0.21  | 10.07 | Average |
| 13  | 8.279 | 40.52 | -19.48 | 60.00 | 30.31 | -0.23  | 10.44 | QP      |
| 14  | 8.279 | 29.32 | -20.68 | 50.00 | 19.11 | -0.23  | 10.44 | Average |

Note:

- Level(dBμV) = Read Level(dBμV) + LISN Factor(dB) + Cable Loss(dB)
- Over Limit(dB) = Level(dBμV) – Limit Line(dBμV)



### Appendix C. Radiated Spurious Emission Test Data

|                 |        |                     |          |
|-----------------|--------|---------------------|----------|
| Test Engineer : | Koi Ji | Relative Humidity : | 41~42%   |
|                 |        | Temperature :       | 22 ~23°C |

#### Radiated Spurious Emission Test Modes

| Mode    | Band (MHz)  | Antenna | Modulation        | Channel | Frequency | Data Rate | RU | Remark |
|---------|-------------|---------|-------------------|---------|-----------|-----------|----|--------|
| Mode 1  | 2400-2483.5 | 6       | Bluetooth-LE_GSKF | 0       | 2402      | 1Mbps     | -  | -      |
| Mode 2  | 2400-2483.5 | 6       | Bluetooth-LE_GSKF | 19      | 2440      | 1Mbps     | -  | -      |
| Mode 3  | 2400-2483.5 | 6       | Bluetooth-LE_GSKF | 39      | 2480      | 1Mbps     | -  | -      |
| Mode 4  | 2400-2483.5 | 6       | Bluetooth-LE_GSKF | 0       | 2402      | 2Mbps     | -  | -      |
| Mode 5  | 2400-2483.5 | 6       | Bluetooth-LE_GSKF | 19      | 2440      | 2Mbps     | -  | -      |
| Mode 6  | 2400-2483.5 | 6       | Bluetooth-LE_GSKF | 39      | 2480      | 2Mbps     | -  | -      |
| Mode 7  | 2400-2483.5 | 8       | Bluetooth-LE_GSKF | 0       | 2402      | 1Mbps     | -  | -      |
| Mode 8  | 2400-2483.5 | 8       | Bluetooth-LE_GSKF | 19      | 2440      | 1Mbps     | -  | -      |
| Mode 9  | 2400-2483.5 | 8       | Bluetooth-LE_GSKF | 39      | 2480      | 1Mbps     | -  | -      |
| Mode 10 | 2400-2483.5 | 8       | Bluetooth-LE_GSKF | 0       | 2402      | 2Mbps     | -  | -      |
| Mode 11 | 2400-2483.5 | 8       | Bluetooth-LE_GSKF | 19      | 2440      | 2Mbps     | -  | -      |
| Mode 12 | 2400-2483.5 | 8       | Bluetooth-LE_GSKF | 39      | 2480      | 2Mbps     | -  | -      |



Summary of each worse mode

| Mode | Modulation        | Ch. | Freq. (MHz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Pol. | Peak Avg. | Result | Remark    |
|------|-------------------|-----|-------------|----------------|----------------|-------------|------|-----------|--------|-----------|
| 1    | Bluetooth-LE_GSKF | 0   | 2374.22     | 44.86          | 54.00          | -9.14       | V    | AVERAGE   | Pass   | Band Edge |
|      | Bluetooth-LE_GSKF | 0   | 4804.00     | 41.83          | 74.00          | -32.17      | V    | PEAK      | Pass   | Harmonic  |
| 2    | Bluetooth-LE_GSKF | 19  | -           | -              | -              | -           | -    | -         | -      | Band Edge |
|      | Bluetooth-LE_GSKF | 19  | 7320.00     | 44.84          | 74.00          | -29.16      | H    | PEAK      | Pass   | Harmonic  |
| 3    | Bluetooth-LE_GSKF | 39  | 2496.88     | 45.44          | 54.00          | -8.56       | H    | AVERAGE   | Pass   | Band Edge |
|      | Bluetooth-LE_GSKF | 39  | 7440.00     | 43.74          | 74.00          | -30.26      | V    | PEAK      | Pass   | Harmonic  |
| 4    | Bluetooth-LE_GSKF | 0   | 2385.66     | 45.35          | 54.00          | -8.65       | V    | AVERAGE   | Pass   | Band Edge |
|      | Bluetooth-LE_GSKF | 0   | 4804.00     | 41.84          | 74.00          | -32.16      | V    | PEAK      | Pass   | Harmonic  |
| 5    | Bluetooth-LE_GSKF | 19  | -           | -              | -              | -           | -    | -         | -      | Band Edge |
|      | Bluetooth-LE_GSKF | 19  | 7320.00     | 44.65          | 74.00          | -29.35      | V    | PEAK      | Pass   | Harmonic  |
| 6    | Bluetooth-LE_GSKF | 39  | 2491.78     | 45.97          | 54.00          | -8.03       | V    | AVERAGE   | Pass   | Band Edge |
|      | Bluetooth-LE_GSKF | 39  | 7440.00     | 44.17          | 74.00          | -29.83      | H    | PEAK      | Pass   | Harmonic  |
| 7    | Bluetooth-LE_GSKF | 0   | 2384.10     | 44.60          | 54.00          | -9.40       | H    | AVERAGE   | Pass   | Band Edge |
|      | Bluetooth-LE_GSKF | 0   | 4804.00     | 41.59          | 74.00          | -32.41      | V    | PEAK      | Pass   | Harmonic  |
| 8    | Bluetooth-LE_GSKF | 19  | -           | -              | -              | -           | -    | -         | -      | Band Edge |
|      | Bluetooth-LE_GSKF | 19  | 7320.00     | 43.96          | 74.00          | -30.04      | H    | PEAK      | Pass   | Harmonic  |
| 9    | Bluetooth-LE_GSKF | 39  | 2496.04     | 45.02          | 54.00          | -8.98       | V    | AVERAGE   | Pass   | Band Edge |
|      | Bluetooth-LE_GSKF | 39  | 7440.00     | 44.51          | 74.00          | -29.49      | V    | PEAK      | Pass   | Harmonic  |
| 10   | Bluetooth-LE_GSKF | 0   | 2383.19     | 45.51          | 54.00          | -8.49       | H    | AVERAGE   | Pass   | Band Edge |
|      | Bluetooth-LE_GSKF | 0   | 4804.00     | 41.71          | 74.00          | -32.29      | V    | PEAK      | Pass   | Harmonic  |
| 11   | Bluetooth-LE_GSKF | 19  | -           | -              | -              | -           | -    | -         | -      | Band Edge |
|      | Bluetooth-LE_GSKF | 19  | 7320.00     | 44.17          | 74.00          | -29.83      | V    | PEAK      | Pass   | Harmonic  |
| 12   | Bluetooth-LE_GSKF | 39  | 2497.96     | 45.76          | 54.00          | -8.24       | V    | AVERAGE   | Pass   | Band Edge |
|      | Bluetooth-LE_GSKF | 39  | 7440.00     | 43.89          | 74.00          | -30.11      | H    | PEAK      | Pass   | Harmonic  |



| Mode  | 1  |             |       |        |        |       |        |        |      |      |      |         |      |       |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |      |       |      |     |     |         |  |       |      |      |     |       |        |     |      |      |      |       |      |       |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |       |       |       |      |       |      |     |     |         |
|-------|--|-------------|-------|--------|--------|-------|--------|--------|------|------|------|---------|------|-------|-------|--------|------|--------|--------|-----|--------|--------|----|------|------|----|----|----|---|---------|-------|-------|--------|-------|-------|------|-------|------|-----|-----|---------|--|-------|------|------|-----|-------|--------|-----|------|------|------|-------|------|-------|-------|--------|------|--------|--------|-----|--------|--------|----|------|------|----|----|----|---|---------|-------|-------|-------|-------|-------|------|-------|------|-----|-----|---------|
|       | Band Edge  |             |       |        |        |       |        |        |      |      |      |         |      |       |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |      |       |      |     |     |         |  |       |      |      |     |       |        |     |      |      |      |       |      |       |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |       |       |       |      |       |      |     |     |         |
|       | 2400-2483.5_Bluetooth-LE_GSKF_CH0_2402MHz  |             |       |        |        |       |        |        |      |      |      |         |      |       |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |      |       |      |     |     |         |  |       |      |      |     |       |        |     |      |      |      |       |      |       |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |       |       |       |      |       |      |     |     |         |
| ANT   | 6  |             |       |        |        |       |        |        |      |      |      |         |      |       |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |      |       |      |     |     |         |  |       |      |      |     |       |        |     |      |      |      |       |      |       |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |       |       |       |      |       |      |     |     |         |
| Pol.  | Horizontal   | Fundamental |       |        |        |       |        |        |      |      |      |         |      |       |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |      |       |      |     |     |         |  |       |      |      |     |       |        |     |      |      |      |       |      |       |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |       |       |       |      |       |      |     |     |         |
| Peak  | <table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2377.99</td> <td>55.61</td> <td>74.00</td> <td>-18.39</td> <td>42.87</td> <td>32.34</td> <td>6.59</td> <td>32.19</td> <td>6.00</td> <td>108</td> <td>307</td> <td>PEAK</td> </tr> </tbody> </table>   | Limit       | Over  | Read   | Ant    | Cable | Preamp | Aux    | APos | TPos | Freq | Level   | Line | Limit | Level | Factor | Loss | Factor | Factor | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | dB | 1 | 2377.99 | 55.61 | 74.00 | -18.39 | 42.87 | 32.34 | 6.59 | 32.19 | 6.00 | 108 | 307 | PEAK    | <table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2402.00</td> <td>94.09</td> <td>74.00</td> <td>20.10</td> <td>42.87</td> <td>32.34</td> <td>6.59</td> <td>32.19</td> <td>6.00</td> <td>108</td> <td>307</td> <td>PEAK</td> </tr> </tbody> </table>    | Limit | Over | Read | Ant | Cable | Preamp | Aux | APos | TPos | Freq | Level | Line | Limit | Level | Factor | Loss | Factor | Factor | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | dB | 1 | 2402.00 | 94.09 | 74.00 | 20.10 | 42.87 | 32.34 | 6.59 | 32.19 | 6.00 | 108 | 307 | PEAK    |
| Limit | Over   | Read        | Ant   | Cable  | Preamp | Aux   | APos   | TPos   |      |      |      |         |      |       |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |      |       |      |     |     |         |  |       |      |      |     |       |        |     |      |      |      |       |      |       |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |       |       |       |      |       |      |     |     |         |
| Freq  | Level  | Line        | Limit | Level  | Factor | Loss  | Factor | Factor |      |      |      |         |      |       |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |      |       |      |     |     |         |  |       |      |      |     |       |        |     |      |      |      |       |      |       |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |       |       |       |      |       |      |     |     |         |
| MHz   | dBuV/m   | dBuV/m      | dB    | dBuV   | dB/m   | dB    | dB     | dB     |      |      |      |         |      |       |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |      |       |      |     |     |         |  |       |      |      |     |       |        |     |      |      |      |       |      |       |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |       |       |       |      |       |      |     |     |         |
| 1     | 2377.99  | 55.61       | 74.00 | -18.39 | 42.87  | 32.34 | 6.59   | 32.19  | 6.00 | 108  | 307  | PEAK    |      |       |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |      |       |      |     |     |         |  |       |      |      |     |       |        |     |      |      |      |       |      |       |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |       |       |       |      |       |      |     |     |         |
| Limit | Over   | Read        | Ant   | Cable  | Preamp | Aux   | APos   | TPos   |      |      |      |         |      |       |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |      |       |      |     |     |         |  |       |      |      |     |       |        |     |      |      |      |       |      |       |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |       |       |       |      |       |      |     |     |         |
| Freq  | Level  | Line        | Limit | Level  | Factor | Loss  | Factor | Factor |      |      |      |         |      |       |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |      |       |      |     |     |         |  |       |      |      |     |       |        |     |      |      |      |       |      |       |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |       |       |       |      |       |      |     |     |         |
| MHz   | dBuV/m   | dBuV/m      | dB    | dBuV   | dB/m   | dB    | dB     | dB     |      |      |      |         |      |       |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |      |       |      |     |     |         |  |       |      |      |     |       |        |     |      |      |      |       |      |       |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |       |       |       |      |       |      |     |     |         |
| 1     | 2402.00  | 94.09       | 74.00 | 20.10  | 42.87  | 32.34 | 6.59   | 32.19  | 6.00 | 108  | 307  | PEAK    |      |       |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |      |       |      |     |     |         |  |       |      |      |     |       |        |     |      |      |      |       |      |       |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |       |       |       |      |       |      |     |     |         |
| Avg   | <table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2387.74</td> <td>44.71</td> <td>54.00</td> <td>-9.29</td> <td>31.84</td> <td>32.45</td> <td>6.60</td> <td>32.18</td> <td>6.00</td> <td>108</td> <td>307</td> <td>AVERAGE</td> </tr> </tbody> </table> | Limit       | Over  | Read   | Ant    | Cable | Preamp | Aux    | APos | TPos | Freq | Level   | Line | Limit | Level | Factor | Loss | Factor | Factor | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | dB | 1 | 2387.74 | 44.71 | 54.00 | -9.29  | 31.84 | 32.45 | 6.60 | 32.18 | 6.00 | 108 | 307 | AVERAGE | <table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2402.00</td> <td>93.11</td> <td>54.00</td> <td>39.11</td> <td>42.87</td> <td>32.34</td> <td>6.59</td> <td>32.19</td> <td>6.00</td> <td>108</td> <td>307</td> <td>AVERAGE</td> </tr> </tbody> </table> | Limit | Over | Read | Ant | Cable | Preamp | Aux | APos | TPos | Freq | Level | Line | Limit | Level | Factor | Loss | Factor | Factor | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | dB | 1 | 2402.00 | 93.11 | 54.00 | 39.11 | 42.87 | 32.34 | 6.59 | 32.19 | 6.00 | 108 | 307 | AVERAGE |
| Limit | Over   | Read        | Ant   | Cable  | Preamp | Aux   | APos   | TPos   |      |      |      |         |      |       |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |      |       |      |     |     |         |  |       |      |      |     |       |        |     |      |      |      |       |      |       |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |       |       |       |      |       |      |     |     |         |
| Freq  | Level  | Line        | Limit | Level  | Factor | Loss  | Factor | Factor |      |      |      |         |      |       |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |      |       |      |     |     |         |  |       |      |      |     |       |        |     |      |      |      |       |      |       |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |       |       |       |      |       |      |     |     |         |
| MHz   | dBuV/m   | dBuV/m      | dB    | dBuV   | dB/m   | dB    | dB     | dB     |      |      |      |         |      |       |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |      |       |      |     |     |         |  |       |      |      |     |       |        |     |      |      |      |       |      |       |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |       |       |       |      |       |      |     |     |         |
| 1     | 2387.74  | 44.71       | 54.00 | -9.29  | 31.84  | 32.45 | 6.60   | 32.18  | 6.00 | 108  | 307  | AVERAGE |      |       |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |      |       |      |     |     |         |  |       |      |      |     |       |        |     |      |      |      |       |      |       |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |       |       |       |      |       |      |     |     |         |
| Limit | Over   | Read        | Ant   | Cable  | Preamp | Aux   | APos   | TPos   |      |      |      |         |      |       |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |      |       |      |     |     |         |  |       |      |      |     |       |        |     |      |      |      |       |      |       |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |       |       |       |      |       |      |     |     |         |
| Freq  | Level  | Line        | Limit | Level  | Factor | Loss  | Factor | Factor |      |      |      |         |      |       |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |      |       |      |     |     |         |  |       |      |      |     |       |        |     |      |      |      |       |      |       |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |       |       |       |      |       |      |     |     |         |
| MHz   | dBuV/m   | dBuV/m      | dB    | dBuV   | dB/m   | dB    | dB     | dB     |      |      |      |         |      |       |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |      |       |      |     |     |         |  |       |      |      |     |       |        |     |      |      |      |       |      |       |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |       |       |       |      |       |      |     |     |         |
| 1     | 2402.00  | 93.11       | 54.00 | 39.11  | 42.87  | 32.34 | 6.59   | 32.19  | 6.00 | 108  | 307  | AVERAGE |      |       |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |      |       |      |     |     |         |  |       |      |      |     |       |        |     |      |      |      |       |      |       |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |       |       |       |      |       |      |     |     |         |



| Mode  | 1   |             |       |        |        |        |        |        |        |        |        |         |       |      |       |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |         |   |       |      |      |     |       |        |     |      |      |        |      |       |      |       |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |       |       |       |      |       |      |     |     |         |
|-------|---|-------------|-------|--------|--------|--------|--------|--------|--------|--------|--------|---------|-------|------|-------|-------|--------|------|--------|--------|--|-----|--------|--------|----|------|------|----|----|----|----|-----|---|---------|-------|-------|--------|-------|-------|------|-------|------|-----|-----|---------|---|-------|------|------|-----|-------|--------|-----|------|------|--------|------|-------|------|-------|-------|--------|------|--------|--------|--|-----|--------|--------|----|------|------|----|----|----|----|-----|---|---------|-------|-------|-------|-------|-------|------|-------|------|-----|-----|---------|
|       | Band Edge   |             |       |        |        |        |        |        |        |        |        |         |       |      |       |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |         |   |       |      |      |     |       |        |     |      |      |        |      |       |      |       |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |       |       |       |      |       |      |     |     |         |
|       | 2400-2483.5_Bluetooth-LE_GSKF_CH0_2402MHz   |             |       |        |        |        |        |        |        |        |        |         |       |      |       |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |         |   |       |      |      |     |       |        |     |      |      |        |      |       |      |       |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |       |       |       |      |       |      |     |     |         |
| ANT   | 6   |             |       |        |        |        |        |        |        |        |        |         |       |      |       |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |         |   |       |      |      |     |       |        |     |      |      |        |      |       |      |       |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |       |       |       |      |       |      |     |     |         |
| Pol.  | Vertical  | Fundamental |       |        |        |        |        |        |        |        |        |         |       |      |       |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |         |   |       |      |      |     |       |        |     |      |      |        |      |       |      |       |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |       |       |       |      |       |      |     |     |         |
| Peak  | <table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2386.18</td> <td>55.29</td> <td>74.00</td> <td>-18.71</td> <td>42.44</td> <td>32.43</td> <td>6.60</td> <td>32.18</td> <td>6.00</td> <td>131</td> <td>288</td> <td>PEAK</td> </tr> </tbody> </table>   | Limit       | Over  | Read   | Ant    | Cable  | Preamp | Aux    | APos   | TPos   | Remark | Freq    | Level | Line | Limit | Level | Factor | Loss | Factor | Factor |  | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | dB | cm | deg | 1 | 2386.18 | 55.29 | 74.00 | -18.71 | 42.44 | 32.43 | 6.60 | 32.18 | 6.00 | 131 | 288 | PEAK    | <table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2402.00</td> <td>99.14</td> <td>74.00</td> <td>25.14</td> <td>42.44</td> <td>32.43</td> <td>6.60</td> <td>32.18</td> <td>6.00</td> <td>131</td> <td>288</td> <td>PEAK</td> </tr> </tbody> </table>    | Limit | Over | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | Freq | Level | Line | Limit | Level | Factor | Loss | Factor | Factor |  | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | dB | cm | deg | 1 | 2402.00 | 99.14 | 74.00 | 25.14 | 42.44 | 32.43 | 6.60 | 32.18 | 6.00 | 131 | 288 | PEAK    |
|       | Limit   | Over        | Read  | Ant    | Cable  | Preamp | Aux    | APos   | TPos   | Remark |        |         |       |      |       |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |         |   |       |      |      |     |       |        |     |      |      |        |      |       |      |       |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |       |       |       |      |       |      |     |     |         |
| Freq  | Level   | Line        | Limit | Level  | Factor | Loss   | Factor | Factor |        |        |        |         |       |      |       |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |         |   |       |      |      |     |       |        |     |      |      |        |      |       |      |       |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |       |       |       |      |       |      |     |     |         |
| MHz   | dBuV/m  | dBuV/m      | dB    | dBuV   | dB/m   | dB     | dB     | dB     | cm     | deg    |        |         |       |      |       |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |         |   |       |      |      |     |       |        |     |      |      |        |      |       |      |       |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |       |       |       |      |       |      |     |     |         |
| 1     | 2386.18   | 55.29       | 74.00 | -18.71 | 42.44  | 32.43  | 6.60   | 32.18  | 6.00   | 131    | 288    | PEAK    |       |      |       |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |         |   |       |      |      |     |       |        |     |      |      |        |      |       |      |       |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |       |       |       |      |       |      |     |     |         |
| Limit | Over  | Read        | Ant   | Cable  | Preamp | Aux    | APos   | TPos   | Remark |        |        |         |       |      |       |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |         |   |       |      |      |     |       |        |     |      |      |        |      |       |      |       |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |       |       |       |      |       |      |     |     |         |
| Freq  | Level   | Line        | Limit | Level  | Factor | Loss   | Factor | Factor |        |        |        |         |       |      |       |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |         |   |       |      |      |     |       |        |     |      |      |        |      |       |      |       |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |       |       |       |      |       |      |     |     |         |
| MHz   | dBuV/m  | dBuV/m      | dB    | dBuV   | dB/m   | dB     | dB     | dB     | cm     | deg    |        |         |       |      |       |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |         |   |       |      |      |     |       |        |     |      |      |        |      |       |      |       |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |       |       |       |      |       |      |     |     |         |
| 1     | 2402.00   | 99.14       | 74.00 | 25.14  | 42.44  | 32.43  | 6.60   | 32.18  | 6.00   | 131    | 288    | PEAK    |       |      |       |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |         |   |       |      |      |     |       |        |     |      |      |        |      |       |      |       |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |       |       |       |      |       |      |     |     |         |
| Avg   | <table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2374.22</td> <td>44.86</td> <td>54.00</td> <td>-9.14</td> <td>32.18</td> <td>32.29</td> <td>6.58</td> <td>32.19</td> <td>6.00</td> <td>131</td> <td>288</td> <td>AVERAGE</td> </tr> </tbody> </table> | Limit       | Over  | Read   | Ant    | Cable  | Preamp | Aux    | APos   | TPos   | Remark | Freq    | Level | Line | Limit | Level | Factor | Loss | Factor | Factor |  | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | dB | cm | deg | 1 | 2374.22 | 44.86 | 54.00 | -9.14  | 32.18 | 32.29 | 6.58 | 32.19 | 6.00 | 131 | 288 | AVERAGE | <table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2402.00</td> <td>98.24</td> <td>54.00</td> <td>44.24</td> <td>42.44</td> <td>32.43</td> <td>6.60</td> <td>32.18</td> <td>6.00</td> <td>131</td> <td>288</td> <td>AVERAGE</td> </tr> </tbody> </table> | Limit | Over | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | Freq | Level | Line | Limit | Level | Factor | Loss | Factor | Factor |  | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | dB | cm | deg | 1 | 2402.00 | 98.24 | 54.00 | 44.24 | 42.44 | 32.43 | 6.60 | 32.18 | 6.00 | 131 | 288 | AVERAGE |
| Limit | Over  | Read        | Ant   | Cable  | Preamp | Aux    | APos   | TPos   | Remark |        |        |         |       |      |       |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |         |   |       |      |      |     |       |        |     |      |      |        |      |       |      |       |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |       |       |       |      |       |      |     |     |         |
| Freq  | Level   | Line        | Limit | Level  | Factor | Loss   | Factor | Factor |        |        |        |         |       |      |       |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |         |   |       |      |      |     |       |        |     |      |      |        |      |       |      |       |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |       |       |       |      |       |      |     |     |         |
| MHz   | dBuV/m  | dBuV/m      | dB    | dBuV   | dB/m   | dB     | dB     | dB     | cm     | deg    |        |         |       |      |       |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |         |   |       |      |      |     |       |        |     |      |      |        |      |       |      |       |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |       |       |       |      |       |      |     |     |         |
| 1     | 2374.22   | 44.86       | 54.00 | -9.14  | 32.18  | 32.29  | 6.58   | 32.19  | 6.00   | 131    | 288    | AVERAGE |       |      |       |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |         |   |       |      |      |     |       |        |     |      |      |        |      |       |      |       |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |       |       |       |      |       |      |     |     |         |
| Limit | Over  | Read        | Ant   | Cable  | Preamp | Aux    | APos   | TPos   | Remark |        |        |         |       |      |       |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |         |   |       |      |      |     |       |        |     |      |      |        |      |       |      |       |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |       |       |       |      |       |      |     |     |         |
| Freq  | Level   | Line        | Limit | Level  | Factor | Loss   | Factor | Factor |        |        |        |         |       |      |       |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |         |   |       |      |      |     |       |        |     |      |      |        |      |       |      |       |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |       |       |       |      |       |      |     |     |         |
| MHz   | dBuV/m  | dBuV/m      | dB    | dBuV   | dB/m   | dB     | dB     | dB     | cm     | deg    |        |         |       |      |       |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |         |   |       |      |      |     |       |        |     |      |      |        |      |       |      |       |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |       |       |       |      |       |      |     |     |         |
| 1     | 2402.00   | 98.24       | 54.00 | 44.24  | 42.44  | 32.43  | 6.60   | 32.18  | 6.00   | 131    | 288    | AVERAGE |       |      |       |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |         |   |       |      |      |     |       |        |     |      |      |        |      |       |      |       |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |       |       |       |      |       |      |     |     |         |



| Mode     | 1  |          |       |        |        |       |        |        |      |      |      |       |      |       |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |      |       |      |     |     |      |  |       |      |      |     |       |        |     |      |      |      |       |      |       |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |      |       |      |     |     |      |
|----------|--|----------|-------|--------|--------|-------|--------|--------|------|------|------|-------|------|-------|-------|--------|------|--------|--------|-----|--------|--------|----|------|------|----|----|----|---|---------|-------|-------|--------|-------|-------|------|-------|------|-----|-----|------|--|-------|------|------|-----|-------|--------|-----|------|------|------|-------|------|-------|-------|--------|------|--------|--------|-----|--------|--------|----|------|------|----|----|----|---|---------|-------|-------|--------|-------|-------|------|-------|------|-----|-----|------|
|          | Harmonic   |          |       |        |        |       |        |        |      |      |      |       |      |       |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |      |       |      |     |     |      |  |       |      |      |     |       |        |     |      |      |      |       |      |       |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |      |       |      |     |     |      |
|          | 2400-2483.5_Bluetooth-LE_GSKF_CH0_2402MHz  |          |       |        |        |       |        |        |      |      |      |       |      |       |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |      |       |      |     |     |      |  |       |      |      |     |       |        |     |      |      |      |       |      |       |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |      |       |      |     |     |      |
| ANT      | 6  |          |       |        |        |       |        |        |      |      |      |       |      |       |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |      |       |      |     |     |      |  |       |      |      |     |       |        |     |      |      |      |       |      |       |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |      |       |      |     |     |      |
| Pol.     | Horizontal   | Vertical |       |        |        |       |        |        |      |      |      |       |      |       |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |      |       |      |     |     |      |  |       |      |      |     |       |        |     |      |      |      |       |      |       |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |      |       |      |     |     |      |
| Peak Avg | <table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4804.00</td> <td>41.73</td> <td>74.00</td> <td>-32.27</td> <td>59.37</td> <td>34.20</td> <td>9.44</td> <td>61.28</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table> | Limit    | Over  | Read   | Ant    | Cable | Preamp | Aux    | APos | TPos | Freq | Level | Line | Limit | Level | Factor | Loss | Factor | Factor | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | dB | 1 | 4804.00 | 41.73 | 74.00 | -32.27 | 59.37 | 34.20 | 9.44 | 61.28 | 0.00 | --- | --- | PEAK | <table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4804.00</td> <td>41.83</td> <td>74.00</td> <td>-32.17</td> <td>59.47</td> <td>34.20</td> <td>9.44</td> <td>61.28</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table> | Limit | Over | Read | Ant | Cable | Preamp | Aux | APos | TPos | Freq | Level | Line | Limit | Level | Factor | Loss | Factor | Factor | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | dB | 1 | 4804.00 | 41.83 | 74.00 | -32.17 | 59.47 | 34.20 | 9.44 | 61.28 | 0.00 | --- | --- | PEAK |
| Limit    | Over   | Read     | Ant   | Cable  | Preamp | Aux   | APos   | TPos   |      |      |      |       |      |       |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |      |       |      |     |     |      |  |       |      |      |     |       |        |     |      |      |      |       |      |       |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |      |       |      |     |     |      |
| Freq     | Level  | Line     | Limit | Level  | Factor | Loss  | Factor | Factor |      |      |      |       |      |       |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |      |       |      |     |     |      |  |       |      |      |     |       |        |     |      |      |      |       |      |       |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |      |       |      |     |     |      |
| MHz      | dBuV/m   | dBuV/m   | dB    | dBuV   | dB/m   | dB    | dB     | dB     |      |      |      |       |      |       |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |      |       |      |     |     |      |  |       |      |      |     |       |        |     |      |      |      |       |      |       |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |      |       |      |     |     |      |
| 1        | 4804.00  | 41.73    | 74.00 | -32.27 | 59.37  | 34.20 | 9.44   | 61.28  | 0.00 | ---  | ---  | PEAK  |      |       |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |      |       |      |     |     |      |  |       |      |      |     |       |        |     |      |      |      |       |      |       |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |      |       |      |     |     |      |
| Limit    | Over   | Read     | Ant   | Cable  | Preamp | Aux   | APos   | TPos   |      |      |      |       |      |       |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |      |       |      |     |     |      |  |       |      |      |     |       |        |     |      |      |      |       |      |       |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |      |       |      |     |     |      |
| Freq     | Level  | Line     | Limit | Level  | Factor | Loss  | Factor | Factor |      |      |      |       |      |       |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |      |       |      |     |     |      |  |       |      |      |     |       |        |     |      |      |      |       |      |       |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |      |       |      |     |     |      |
| MHz      | dBuV/m   | dBuV/m   | dB    | dBuV   | dB/m   | dB    | dB     | dB     |      |      |      |       |      |       |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |      |       |      |     |     |      |  |       |      |      |     |       |        |     |      |      |      |       |      |       |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |      |       |      |     |     |      |
| 1        | 4804.00  | 41.83    | 74.00 | -32.17 | 59.47  | 34.20 | 9.44   | 61.28  | 0.00 | ---  | ---  | PEAK  |      |       |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |      |       |      |     |     |      |  |       |      |      |     |       |        |     |      |      |      |       |      |       |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |      |       |      |     |     |      |



| Mode     | 2  |          |       |        |        |        |        |        |        |        |        |      |       |      |       |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |  |       |      |      |     |       |        |     |      |      |        |      |       |      |       |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |
|----------|--|----------|-------|--------|--------|--------|--------|--------|--------|--------|--------|------|-------|------|-------|-------|--------|------|--------|--------|--|-----|--------|--------|----|------|------|----|----|----|----|-----|---|---------|-------|-------|--------|-------|-------|------|-------|------|-----|-----|------|---|---------|-------|-------|--------|-------|-------|-------|-------|------|-----|-----|------|--|-------|------|------|-----|-------|--------|-----|------|------|--------|------|-------|------|-------|-------|--------|------|--------|--------|--|-----|--------|--------|----|------|------|----|----|----|----|-----|---|---------|-------|-------|--------|-------|-------|------|-------|------|-----|-----|------|---|---------|-------|-------|--------|-------|-------|-------|-------|------|-----|-----|------|
|          | Harmonic   |          |       |        |        |        |        |        |        |        |        |      |       |      |       |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |  |       |      |      |     |       |        |     |      |      |        |      |       |      |       |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |
|          | 2400-2483.5_Bluetooth-LE_GSKF_CH19_2440MHz   |          |       |        |        |        |        |        |        |        |        |      |       |      |       |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |  |       |      |      |     |       |        |     |      |      |        |      |       |      |       |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |
| ANT      | 6  |          |       |        |        |        |        |        |        |        |        |      |       |      |       |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |  |       |      |      |     |       |        |     |      |      |        |      |       |      |       |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |
| Pol.     | Horizontal   | Vertical |       |        |        |        |        |        |        |        |        |      |       |      |       |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |  |       |      |      |     |       |        |     |      |      |        |      |       |      |       |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |
| Peak Avg | <table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4880.00</td> <td>41.22</td> <td>74.00</td> <td>-32.78</td> <td>58.77</td> <td>34.14</td> <td>9.53</td> <td>61.22</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>7320.00</td> <td>44.84</td> <td>74.00</td> <td>-29.16</td> <td>58.20</td> <td>35.70</td> <td>11.69</td> <td>60.75</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table> | Limit    | Over  | Read   | Ant    | Cable  | Preamp | Aux    | APos   | TPos   | Remark | Freq | Level | Line | Limit | Level | Factor | Loss | Factor | Factor |  | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | dB | cm | deg | 1 | 4880.00 | 41.22 | 74.00 | -32.78 | 58.77 | 34.14 | 9.53 | 61.22 | 0.00 | --- | --- | PEAK | 2 | 7320.00 | 44.84 | 74.00 | -29.16 | 58.20 | 35.70 | 11.69 | 60.75 | 0.00 | --- | --- | PEAK | <table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4880.00</td> <td>40.66</td> <td>74.00</td> <td>-33.34</td> <td>58.21</td> <td>34.14</td> <td>9.53</td> <td>61.22</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>7320.00</td> <td>44.61</td> <td>74.00</td> <td>-29.39</td> <td>57.97</td> <td>35.70</td> <td>11.69</td> <td>60.75</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table> | Limit | Over | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | Freq | Level | Line | Limit | Level | Factor | Loss | Factor | Factor |  | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | dB | cm | deg | 1 | 4880.00 | 40.66 | 74.00 | -33.34 | 58.21 | 34.14 | 9.53 | 61.22 | 0.00 | --- | --- | PEAK | 2 | 7320.00 | 44.61 | 74.00 | -29.39 | 57.97 | 35.70 | 11.69 | 60.75 | 0.00 | --- | --- | PEAK |
|          | Limit  | Over     | Read  | Ant    | Cable  | Preamp | Aux    | APos   | TPos   | Remark |        |      |       |      |       |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |  |       |      |      |     |       |        |     |      |      |        |      |       |      |       |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |
| Freq     | Level  | Line     | Limit | Level  | Factor | Loss   | Factor | Factor |        |        |        |      |       |      |       |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |  |       |      |      |     |       |        |     |      |      |        |      |       |      |       |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |
| MHz      | dBuV/m   | dBuV/m   | dB    | dBuV   | dB/m   | dB     | dB     | dB     | cm     | deg    |        |      |       |      |       |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |  |       |      |      |     |       |        |     |      |      |        |      |       |      |       |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |
| 1        | 4880.00  | 41.22    | 74.00 | -32.78 | 58.77  | 34.14  | 9.53   | 61.22  | 0.00   | ---    | ---    | PEAK |       |      |       |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |  |       |      |      |     |       |        |     |      |      |        |      |       |      |       |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |
| 2        | 7320.00  | 44.84    | 74.00 | -29.16 | 58.20  | 35.70  | 11.69  | 60.75  | 0.00   | ---    | ---    | PEAK |       |      |       |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |  |       |      |      |     |       |        |     |      |      |        |      |       |      |       |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |
| Limit    | Over   | Read     | Ant   | Cable  | Preamp | Aux    | APos   | TPos   | Remark |        |        |      |       |      |       |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |  |       |      |      |     |       |        |     |      |      |        |      |       |      |       |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |
| Freq     | Level  | Line     | Limit | Level  | Factor | Loss   | Factor | Factor |        |        |        |      |       |      |       |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |  |       |      |      |     |       |        |     |      |      |        |      |       |      |       |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |
| MHz      | dBuV/m   | dBuV/m   | dB    | dBuV   | dB/m   | dB     | dB     | dB     | cm     | deg    |        |      |       |      |       |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |  |       |      |      |     |       |        |     |      |      |        |      |       |      |       |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |
| 1        | 4880.00  | 40.66    | 74.00 | -33.34 | 58.21  | 34.14  | 9.53   | 61.22  | 0.00   | ---    | ---    | PEAK |       |      |       |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |  |       |      |      |     |       |        |     |      |      |        |      |       |      |       |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |
| 2        | 7320.00  | 44.61    | 74.00 | -29.39 | 57.97  | 35.70  | 11.69  | 60.75  | 0.00   | ---    | ---    | PEAK |       |      |       |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |  |       |      |      |     |       |        |     |      |      |        |      |       |      |       |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |



| Mode  | 3  |             |       |        |        |        |        |        |      |      |      |         |      |       |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |      |       |      |     |     |         |  |       |      |      |     |       |        |     |      |      |      |       |      |       |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |       |       |       |      |       |      |     |     |         |
|-------|--|-------------|-------|--------|--------|--------|--------|--------|------|------|------|---------|------|-------|-------|--------|------|--------|--------|-----|--------|--------|----|------|------|----|----|----|---|---------|-------|-------|--------|-------|-------|------|-------|------|-----|-----|---------|--|-------|------|------|-----|-------|--------|-----|------|------|------|-------|------|-------|-------|--------|------|--------|--------|-----|--------|--------|----|------|------|----|----|----|---|---------|-------|-------|-------|-------|-------|------|-------|------|-----|-----|---------|
|       | Band Edge  |             |       |        |        |        |        |        |      |      |      |         |      |       |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |      |       |      |     |     |         |  |       |      |      |     |       |        |     |      |      |      |       |      |       |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |       |       |       |      |       |      |     |     |         |
|       | 2400-2483.5_Bluetooth-LE_GSKF_CH39_2480MHz   |             |       |        |        |        |        |        |      |      |      |         |      |       |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |      |       |      |     |     |         |  |       |      |      |     |       |        |     |      |      |      |       |      |       |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |       |       |       |      |       |      |     |     |         |
| ANT   | 6  |             |       |        |        |        |        |        |      |      |      |         |      |       |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |      |       |      |     |     |         |  |       |      |      |     |       |        |     |      |      |      |       |      |       |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |       |       |       |      |       |      |     |     |         |
| Pol.  | Horizontal   | Fundamental |       |        |        |        |        |        |      |      |      |         |      |       |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |      |       |      |     |     |         |  |       |      |      |     |       |        |     |      |      |      |       |      |       |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |       |       |       |      |       |      |     |     |         |
| Peak  | <table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2484.40</td> <td>56.27</td> <td>74.00</td> <td>-17.73</td> <td>43.16</td> <td>32.61</td> <td>6.73</td> <td>32.23</td> <td>6.00</td> <td>121</td> <td>311</td> <td>PEAK</td> </tr> </tbody> </table>   | Limit       | Over  | Read   | Ant    | Cable  | Preamp | Aux    | APos | TPos | Freq | Level   | Line | Limit | Level | Factor | Loss | Factor | Factor | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | 1 | 2484.40 | 56.27 | 74.00 | -17.73 | 43.16 | 32.61 | 6.73 | 32.23 | 6.00 | 121 | 311 | PEAK    | <table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2480.00</td> <td>97.87</td> <td>74.00</td> <td>23.87</td> <td>84.79</td> <td>32.58</td> <td>6.73</td> <td>32.23</td> <td>6.00</td> <td>121</td> <td>311</td> <td>PEAK</td> </tr> </tbody> </table>    | Limit | Over | Read | Ant | Cable | Preamp | Aux | APos | TPos | Freq | Level | Line | Limit | Level | Factor | Loss | Factor | Factor | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | 1 | 2480.00 | 97.87 | 74.00 | 23.87 | 84.79 | 32.58 | 6.73 | 32.23 | 6.00 | 121 | 311 | PEAK    |
|       | Limit  | Over        | Read  | Ant    | Cable  | Preamp | Aux    | APos   | TPos |      |      |         |      |       |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |      |       |      |     |     |         |  |       |      |      |     |       |        |     |      |      |      |       |      |       |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |       |       |       |      |       |      |     |     |         |
| Freq  | Level  | Line        | Limit | Level  | Factor | Loss   | Factor | Factor |      |      |      |         |      |       |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |      |       |      |     |     |         |  |       |      |      |     |       |        |     |      |      |      |       |      |       |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |       |       |       |      |       |      |     |     |         |
| MHz   | dBuV/m   | dBuV/m      | dB    | dBuV   | dB/m   | dB     | dB     | cm     |      |      |      |         |      |       |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |      |       |      |     |     |         |  |       |      |      |     |       |        |     |      |      |      |       |      |       |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |       |       |       |      |       |      |     |     |         |
| 1     | 2484.40  | 56.27       | 74.00 | -17.73 | 43.16  | 32.61  | 6.73   | 32.23  | 6.00 | 121  | 311  | PEAK    |      |       |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |      |       |      |     |     |         |  |       |      |      |     |       |        |     |      |      |      |       |      |       |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |       |       |       |      |       |      |     |     |         |
| Limit | Over   | Read        | Ant   | Cable  | Preamp | Aux    | APos   | TPos   |      |      |      |         |      |       |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |      |       |      |     |     |         |  |       |      |      |     |       |        |     |      |      |      |       |      |       |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |       |       |       |      |       |      |     |     |         |
| Freq  | Level  | Line        | Limit | Level  | Factor | Loss   | Factor | Factor |      |      |      |         |      |       |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |      |       |      |     |     |         |  |       |      |      |     |       |        |     |      |      |      |       |      |       |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |       |       |       |      |       |      |     |     |         |
| MHz   | dBuV/m   | dBuV/m      | dB    | dBuV   | dB/m   | dB     | dB     | cm     |      |      |      |         |      |       |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |      |       |      |     |     |         |  |       |      |      |     |       |        |     |      |      |      |       |      |       |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |       |       |       |      |       |      |     |     |         |
| 1     | 2480.00  | 97.87       | 74.00 | 23.87  | 84.79  | 32.58  | 6.73   | 32.23  | 6.00 | 121  | 311  | PEAK    |      |       |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |      |       |      |     |     |         |  |       |      |      |     |       |        |     |      |      |      |       |      |       |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |       |       |       |      |       |      |     |     |         |
| Avg   | <table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2496.88</td> <td>45.44</td> <td>54.00</td> <td>-8.56</td> <td>32.25</td> <td>32.68</td> <td>6.75</td> <td>32.24</td> <td>6.00</td> <td>121</td> <td>311</td> <td>AVERAGE</td> </tr> </tbody> </table> | Limit       | Over  | Read   | Ant    | Cable  | Preamp | Aux    | APos | TPos | Freq | Level   | Line | Limit | Level | Factor | Loss | Factor | Factor | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | 1 | 2496.88 | 45.44 | 54.00 | -8.56  | 32.25 | 32.68 | 6.75 | 32.24 | 6.00 | 121 | 311 | AVERAGE | <table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2480.00</td> <td>96.87</td> <td>54.00</td> <td>42.87</td> <td>83.79</td> <td>32.58</td> <td>6.73</td> <td>32.23</td> <td>6.00</td> <td>121</td> <td>311</td> <td>AVERAGE</td> </tr> </tbody> </table> | Limit | Over | Read | Ant | Cable | Preamp | Aux | APos | TPos | Freq | Level | Line | Limit | Level | Factor | Loss | Factor | Factor | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | 1 | 2480.00 | 96.87 | 54.00 | 42.87 | 83.79 | 32.58 | 6.73 | 32.23 | 6.00 | 121 | 311 | AVERAGE |
| Limit | Over   | Read        | Ant   | Cable  | Preamp | Aux    | APos   | TPos   |      |      |      |         |      |       |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |      |       |      |     |     |         |  |       |      |      |     |       |        |     |      |      |      |       |      |       |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |       |       |       |      |       |      |     |     |         |
| Freq  | Level  | Line        | Limit | Level  | Factor | Loss   | Factor | Factor |      |      |      |         |      |       |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |      |       |      |     |     |         |  |       |      |      |     |       |        |     |      |      |      |       |      |       |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |       |       |       |      |       |      |     |     |         |
| MHz   | dBuV/m   | dBuV/m      | dB    | dBuV   | dB/m   | dB     | dB     | cm     |      |      |      |         |      |       |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |      |       |      |     |     |         |  |       |      |      |     |       |        |     |      |      |      |       |      |       |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |       |       |       |      |       |      |     |     |         |
| 1     | 2496.88  | 45.44       | 54.00 | -8.56  | 32.25  | 32.68  | 6.75   | 32.24  | 6.00 | 121  | 311  | AVERAGE |      |       |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |      |       |      |     |     |         |  |       |      |      |     |       |        |     |      |      |      |       |      |       |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |       |       |       |      |       |      |     |     |         |
| Limit | Over   | Read        | Ant   | Cable  | Preamp | Aux    | APos   | TPos   |      |      |      |         |      |       |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |      |       |      |     |     |         |  |       |      |      |     |       |        |     |      |      |      |       |      |       |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |       |       |       |      |       |      |     |     |         |
| Freq  | Level  | Line        | Limit | Level  | Factor | Loss   | Factor | Factor |      |      |      |         |      |       |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |      |       |      |     |     |         |  |       |      |      |     |       |        |     |      |      |      |       |      |       |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |       |       |       |      |       |      |     |     |         |
| MHz   | dBuV/m   | dBuV/m      | dB    | dBuV   | dB/m   | dB     | dB     | cm     |      |      |      |         |      |       |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |      |       |      |     |     |         |  |       |      |      |     |       |        |     |      |      |      |       |      |       |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |       |       |       |      |       |      |     |     |         |
| 1     | 2480.00  | 96.87       | 54.00 | 42.87  | 83.79  | 32.58  | 6.73   | 32.23  | 6.00 | 121  | 311  | AVERAGE |      |       |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |      |       |      |     |     |         |  |       |      |      |     |       |        |     |      |      |      |       |      |       |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |       |       |       |      |       |      |     |     |         |



| Mode  | 3  |             |       |        |        |       |        |        |      |      |      |         |      |       |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |      |       |      |     |     |         |  |       |      |      |     |       |        |     |      |      |      |       |      |       |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |       |       |       |      |       |      |     |     |         |
|-------|--|-------------|-------|--------|--------|-------|--------|--------|------|------|------|---------|------|-------|-------|--------|------|--------|--------|-----|--------|--------|----|------|------|----|----|----|---|---------|-------|-------|--------|-------|-------|------|-------|------|-----|-----|---------|--|-------|------|------|-----|-------|--------|-----|------|------|------|-------|------|-------|-------|--------|------|--------|--------|-----|--------|--------|----|------|------|----|----|----|---|---------|-------|-------|-------|-------|-------|------|-------|------|-----|-----|---------|
|       | Band Edge  |             |       |        |        |       |        |        |      |      |      |         |      |       |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |      |       |      |     |     |         |  |       |      |      |     |       |        |     |      |      |      |       |      |       |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |       |       |       |      |       |      |     |     |         |
|       | 2400-2483.5_Bluetooth-LE_GSKF_CH39_2480MHz   |             |       |        |        |       |        |        |      |      |      |         |      |       |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |      |       |      |     |     |         |  |       |      |      |     |       |        |     |      |      |      |       |      |       |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |       |       |       |      |       |      |     |     |         |
| ANT   | 6  |             |       |        |        |       |        |        |      |      |      |         |      |       |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |      |       |      |     |     |         |  |       |      |      |     |       |        |     |      |      |      |       |      |       |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |       |       |       |      |       |      |     |     |         |
| Pol.  | Vertical   | Fundamental |       |        |        |       |        |        |      |      |      |         |      |       |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |      |       |      |     |     |         |  |       |      |      |     |       |        |     |      |      |      |       |      |       |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |       |       |       |      |       |      |     |     |         |
| Peak  | <table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2486.92</td> <td>55.49</td> <td>74.00</td> <td>-18.51</td> <td>42.37</td> <td>32.62</td> <td>6.74</td> <td>32.24</td> <td>6.00</td> <td>100</td> <td>271</td> <td>PEAK</td> </tr> </tbody> </table>   | Limit       | Over  | Read   | Ant    | Cable | Preamp | Aux    | APos | TPos | Freq | Level   | Line | Limit | Level | Factor | Loss | Factor | Factor | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | 1 | 2486.92 | 55.49 | 74.00 | -18.51 | 42.37 | 32.62 | 6.74 | 32.24 | 6.00 | 100 | 271 | PEAK    | <table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2480.00</td> <td>99.42</td> <td>-----</td> <td>-----</td> <td>86.34</td> <td>32.58</td> <td>6.73</td> <td>32.23</td> <td>6.00</td> <td>100</td> <td>271</td> <td>PEAK</td> </tr> </tbody> </table>    | Limit | Over | Read | Ant | Cable | Preamp | Aux | APos | TPos | Freq | Level | Line | Limit | Level | Factor | Loss | Factor | Factor | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | 1 | 2480.00 | 99.42 | ----- | ----- | 86.34 | 32.58 | 6.73 | 32.23 | 6.00 | 100 | 271 | PEAK    |
| Limit | Over   | Read        | Ant   | Cable  | Preamp | Aux   | APos   | TPos   |      |      |      |         |      |       |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |      |       |      |     |     |         |  |       |      |      |     |       |        |     |      |      |      |       |      |       |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |       |       |       |      |       |      |     |     |         |
| Freq  | Level  | Line        | Limit | Level  | Factor | Loss  | Factor | Factor |      |      |      |         |      |       |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |      |       |      |     |     |         |  |       |      |      |     |       |        |     |      |      |      |       |      |       |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |       |       |       |      |       |      |     |     |         |
| MHz   | dBuV/m   | dBuV/m      | dB    | dBuV   | dB/m   | dB    | dB     | cm     |      |      |      |         |      |       |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |      |       |      |     |     |         |  |       |      |      |     |       |        |     |      |      |      |       |      |       |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |       |       |       |      |       |      |     |     |         |
| 1     | 2486.92  | 55.49       | 74.00 | -18.51 | 42.37  | 32.62 | 6.74   | 32.24  | 6.00 | 100  | 271  | PEAK    |      |       |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |      |       |      |     |     |         |  |       |      |      |     |       |        |     |      |      |      |       |      |       |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |       |       |       |      |       |      |     |     |         |
| Limit | Over   | Read        | Ant   | Cable  | Preamp | Aux   | APos   | TPos   |      |      |      |         |      |       |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |      |       |      |     |     |         |  |       |      |      |     |       |        |     |      |      |      |       |      |       |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |       |       |       |      |       |      |     |     |         |
| Freq  | Level  | Line        | Limit | Level  | Factor | Loss  | Factor | Factor |      |      |      |         |      |       |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |      |       |      |     |     |         |  |       |      |      |     |       |        |     |      |      |      |       |      |       |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |       |       |       |      |       |      |     |     |         |
| MHz   | dBuV/m   | dBuV/m      | dB    | dBuV   | dB/m   | dB    | dB     | cm     |      |      |      |         |      |       |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |      |       |      |     |     |         |  |       |      |      |     |       |        |     |      |      |      |       |      |       |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |       |       |       |      |       |      |     |     |         |
| 1     | 2480.00  | 99.42       | ----- | -----  | 86.34  | 32.58 | 6.73   | 32.23  | 6.00 | 100  | 271  | PEAK    |      |       |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |      |       |      |     |     |         |  |       |      |      |     |       |        |     |      |      |      |       |      |       |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |       |       |       |      |       |      |     |     |         |
| Avg   | <table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2499.10</td> <td>45.29</td> <td>54.00</td> <td>-8.71</td> <td>32.09</td> <td>32.69</td> <td>6.75</td> <td>32.24</td> <td>6.00</td> <td>100</td> <td>271</td> <td>AVERAGE</td> </tr> </tbody> </table> | Limit       | Over  | Read   | Ant    | Cable | Preamp | Aux    | APos | TPos | Freq | Level   | Line | Limit | Level | Factor | Loss | Factor | Factor | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | 1 | 2499.10 | 45.29 | 54.00 | -8.71  | 32.09 | 32.69 | 6.75 | 32.24 | 6.00 | 100 | 271 | AVERAGE | <table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2480.00</td> <td>98.53</td> <td>-----</td> <td>-----</td> <td>85.45</td> <td>32.58</td> <td>6.73</td> <td>32.23</td> <td>6.00</td> <td>100</td> <td>271</td> <td>AVERAGE</td> </tr> </tbody> </table> | Limit | Over | Read | Ant | Cable | Preamp | Aux | APos | TPos | Freq | Level | Line | Limit | Level | Factor | Loss | Factor | Factor | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | 1 | 2480.00 | 98.53 | ----- | ----- | 85.45 | 32.58 | 6.73 | 32.23 | 6.00 | 100 | 271 | AVERAGE |
| Limit | Over   | Read        | Ant   | Cable  | Preamp | Aux   | APos   | TPos   |      |      |      |         |      |       |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |      |       |      |     |     |         |  |       |      |      |     |       |        |     |      |      |      |       |      |       |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |       |       |       |      |       |      |     |     |         |
| Freq  | Level  | Line        | Limit | Level  | Factor | Loss  | Factor | Factor |      |      |      |         |      |       |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |      |       |      |     |     |         |  |       |      |      |     |       |        |     |      |      |      |       |      |       |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |       |       |       |      |       |      |     |     |         |
| MHz   | dBuV/m   | dBuV/m      | dB    | dBuV   | dB/m   | dB    | dB     | cm     |      |      |      |         |      |       |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |      |       |      |     |     |         |  |       |      |      |     |       |        |     |      |      |      |       |      |       |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |       |       |       |      |       |      |     |     |         |
| 1     | 2499.10  | 45.29       | 54.00 | -8.71  | 32.09  | 32.69 | 6.75   | 32.24  | 6.00 | 100  | 271  | AVERAGE |      |       |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |      |       |      |     |     |         |  |       |      |      |     |       |        |     |      |      |      |       |      |       |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |       |       |       |      |       |      |     |     |         |
| Limit | Over   | Read        | Ant   | Cable  | Preamp | Aux   | APos   | TPos   |      |      |      |         |      |       |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |      |       |      |     |     |         |  |       |      |      |     |       |        |     |      |      |      |       |      |       |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |       |       |       |      |       |      |     |     |         |
| Freq  | Level  | Line        | Limit | Level  | Factor | Loss  | Factor | Factor |      |      |      |         |      |       |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |      |       |      |     |     |         |  |       |      |      |     |       |        |     |      |      |      |       |      |       |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |       |       |       |      |       |      |     |     |         |
| MHz   | dBuV/m   | dBuV/m      | dB    | dBuV   | dB/m   | dB    | dB     | cm     |      |      |      |         |      |       |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |      |       |      |     |     |         |  |       |      |      |     |       |        |     |      |      |      |       |      |       |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |       |       |       |      |       |      |     |     |         |
| 1     | 2480.00  | 98.53       | ----- | -----  | 85.45  | 32.58 | 6.73   | 32.23  | 6.00 | 100  | 271  | AVERAGE |      |       |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |      |       |      |     |     |         |  |       |      |      |     |       |        |     |      |      |      |       |      |       |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |       |       |       |      |       |      |     |     |         |



| Mode     | 3  |          |       |        |        |        |        |        |        |        |        |      |       |      |       |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |  |       |      |      |     |       |        |     |      |      |        |      |       |      |       |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |
|----------|--|----------|-------|--------|--------|--------|--------|--------|--------|--------|--------|------|-------|------|-------|-------|--------|------|--------|--------|--|-----|--------|--------|----|------|------|----|----|----|----|-----|---|---------|-------|-------|--------|-------|-------|------|-------|------|-----|-----|------|---|---------|-------|-------|--------|-------|-------|-------|-------|------|-----|-----|------|--|-------|------|------|-----|-------|--------|-----|------|------|--------|------|-------|------|-------|-------|--------|------|--------|--------|--|-----|--------|--------|----|------|------|----|----|----|----|-----|---|---------|-------|-------|--------|-------|-------|------|-------|------|-----|-----|------|---|---------|-------|-------|--------|-------|-------|-------|-------|------|-----|-----|------|
|          | Harmonic   |          |       |        |        |        |        |        |        |        |        |      |       |      |       |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |  |       |      |      |     |       |        |     |      |      |        |      |       |      |       |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |
|          | 2400-2483.5_Bluetooth-LE_GSKF_CH39_2480MHz   |          |       |        |        |        |        |        |        |        |        |      |       |      |       |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |  |       |      |      |     |       |        |     |      |      |        |      |       |      |       |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |
| ANT      | 6  |          |       |        |        |        |        |        |        |        |        |      |       |      |       |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |  |       |      |      |     |       |        |     |      |      |        |      |       |      |       |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |
| Pol.     | Horizontal   | Vertical |       |        |        |        |        |        |        |        |        |      |       |      |       |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |  |       |      |      |     |       |        |     |      |      |        |      |       |      |       |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |
| Peak Avg | <table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4960.00</td> <td>41.78</td> <td>74.00</td> <td>-32.22</td> <td>59.33</td> <td>34.00</td> <td>9.61</td> <td>61.16</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>7440.00</td> <td>43.71</td> <td>74.00</td> <td>-30.29</td> <td>57.26</td> <td>35.70</td> <td>11.77</td> <td>61.02</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table> | Limit    | Over  | Read   | Ant    | Cable  | Preamp | Aux    | APos   | TPos   | Remark | Freq | Level | Line | Limit | Level | Factor | Loss | Factor | Factor |  | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | dB | cm | deg | 1 | 4960.00 | 41.78 | 74.00 | -32.22 | 59.33 | 34.00 | 9.61 | 61.16 | 0.00 | --- | --- | PEAK | 2 | 7440.00 | 43.71 | 74.00 | -30.29 | 57.26 | 35.70 | 11.77 | 61.02 | 0.00 | --- | --- | PEAK | <table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4960.00</td> <td>41.35</td> <td>74.00</td> <td>-32.65</td> <td>58.90</td> <td>34.00</td> <td>9.61</td> <td>61.16</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>7440.00</td> <td>43.74</td> <td>74.00</td> <td>-30.26</td> <td>57.29</td> <td>35.70</td> <td>11.77</td> <td>61.02</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table> | Limit | Over | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | Freq | Level | Line | Limit | Level | Factor | Loss | Factor | Factor |  | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | dB | cm | deg | 1 | 4960.00 | 41.35 | 74.00 | -32.65 | 58.90 | 34.00 | 9.61 | 61.16 | 0.00 | --- | --- | PEAK | 2 | 7440.00 | 43.74 | 74.00 | -30.26 | 57.29 | 35.70 | 11.77 | 61.02 | 0.00 | --- | --- | PEAK |
|          | Limit  | Over     | Read  | Ant    | Cable  | Preamp | Aux    | APos   | TPos   | Remark |        |      |       |      |       |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |  |       |      |      |     |       |        |     |      |      |        |      |       |      |       |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |
| Freq     | Level  | Line     | Limit | Level  | Factor | Loss   | Factor | Factor |        |        |        |      |       |      |       |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |  |       |      |      |     |       |        |     |      |      |        |      |       |      |       |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |
| MHz      | dBuV/m   | dBuV/m   | dB    | dBuV   | dB/m   | dB     | dB     | dB     | cm     | deg    |        |      |       |      |       |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |  |       |      |      |     |       |        |     |      |      |        |      |       |      |       |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |
| 1        | 4960.00  | 41.78    | 74.00 | -32.22 | 59.33  | 34.00  | 9.61   | 61.16  | 0.00   | ---    | ---    | PEAK |       |      |       |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |  |       |      |      |     |       |        |     |      |      |        |      |       |      |       |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |
| 2        | 7440.00  | 43.71    | 74.00 | -30.29 | 57.26  | 35.70  | 11.77  | 61.02  | 0.00   | ---    | ---    | PEAK |       |      |       |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |  |       |      |      |     |       |        |     |      |      |        |      |       |      |       |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |
| Limit    | Over   | Read     | Ant   | Cable  | Preamp | Aux    | APos   | TPos   | Remark |        |        |      |       |      |       |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |  |       |      |      |     |       |        |     |      |      |        |      |       |      |       |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |
| Freq     | Level  | Line     | Limit | Level  | Factor | Loss   | Factor | Factor |        |        |        |      |       |      |       |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |  |       |      |      |     |       |        |     |      |      |        |      |       |      |       |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |
| MHz      | dBuV/m   | dBuV/m   | dB    | dBuV   | dB/m   | dB     | dB     | dB     | cm     | deg    |        |      |       |      |       |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |  |       |      |      |     |       |        |     |      |      |        |      |       |      |       |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |
| 1        | 4960.00  | 41.35    | 74.00 | -32.65 | 58.90  | 34.00  | 9.61   | 61.16  | 0.00   | ---    | ---    | PEAK |       |      |       |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |  |       |      |      |     |       |        |     |      |      |        |      |       |      |       |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |
| 2        | 7440.00  | 43.74    | 74.00 | -30.26 | 57.29  | 35.70  | 11.77  | 61.02  | 0.00   | ---    | ---    | PEAK |       |      |       |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |  |       |      |      |     |       |        |     |      |      |        |      |       |      |       |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |



| Mode  | 4   |             |       |        |        |       |        |        |        |      |      |         |      |       |       |        |      |        |        |        |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |         |   |       |      |      |     |       |        |     |      |      |      |       |      |       |       |        |      |        |        |        |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |       |       |       |      |       |      |     |     |         |
|-------|---|-------------|-------|--------|--------|-------|--------|--------|--------|------|------|---------|------|-------|-------|--------|------|--------|--------|--------|-----|--------|--------|----|------|------|----|----|----|----|-----|---|---------|-------|-------|--------|-------|-------|------|-------|------|-----|-----|---------|---|-------|------|------|-----|-------|--------|-----|------|------|------|-------|------|-------|-------|--------|------|--------|--------|--------|-----|--------|--------|----|------|------|----|----|----|----|-----|---|---------|-------|-------|-------|-------|-------|------|-------|------|-----|-----|---------|
|       | Band Edge   |             |       |        |        |       |        |        |        |      |      |         |      |       |       |        |      |        |        |        |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |         |   |       |      |      |     |       |        |     |      |      |      |       |      |       |       |        |      |        |        |        |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |       |       |       |      |       |      |     |     |         |
|       | 2400-2483.5_Bluetooth-LE_GSKF_CH0_2402MHz   |             |       |        |        |       |        |        |        |      |      |         |      |       |       |        |      |        |        |        |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |         |   |       |      |      |     |       |        |     |      |      |      |       |      |       |       |        |      |        |        |        |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |       |       |       |      |       |      |     |     |         |
| ANT   | 6   |             |       |        |        |       |        |        |        |      |      |         |      |       |       |        |      |        |        |        |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |         |   |       |      |      |     |       |        |     |      |      |      |       |      |       |       |        |      |        |        |        |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |       |       |       |      |       |      |     |     |         |
| Pol.  | Horizontal  | Fundamental |       |        |        |       |        |        |        |      |      |         |      |       |       |        |      |        |        |        |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |         |   |       |      |      |     |       |        |     |      |      |      |       |      |       |       |        |      |        |        |        |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |       |       |       |      |       |      |     |     |         |
| Peak  | <table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2385.01</td> <td>55.22</td> <td>74.00</td> <td>-18.78</td> <td>42.39</td> <td>32.42</td> <td>6.60</td> <td>32.19</td> <td>6.00</td> <td>108</td> <td>309</td> <td>PEAK</td> </tr> </tbody> </table>   | Limit       | Over  | Read   | Ant    | Cable | Preamp | Aux    | APos   | TPos | Freq | Level   | Line | Limit | Level | Factor | Loss | Factor | Factor | Remark | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | dB | cm | deg | 1 | 2385.01 | 55.22 | 74.00 | -18.78 | 42.39 | 32.42 | 6.60 | 32.19 | 6.00 | 108 | 309 | PEAK    | <table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2402.00</td> <td>94.41</td> <td>-----</td> <td>-----</td> <td>81.38</td> <td>32.59</td> <td>6.62</td> <td>32.18</td> <td>6.00</td> <td>108</td> <td>309</td> <td>PEAK</td> </tr> </tbody> </table>    | Limit | Over | Read | Ant | Cable | Preamp | Aux | APos | TPos | Freq | Level | Line | Limit | Level | Factor | Loss | Factor | Factor | Remark | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | dB | cm | deg | 1 | 2402.00 | 94.41 | ----- | ----- | 81.38 | 32.59 | 6.62 | 32.18 | 6.00 | 108 | 309 | PEAK    |
| Limit | Over  | Read        | Ant   | Cable  | Preamp | Aux   | APos   | TPos   |        |      |      |         |      |       |       |        |      |        |        |        |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |         |   |       |      |      |     |       |        |     |      |      |      |       |      |       |       |        |      |        |        |        |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |       |       |       |      |       |      |     |     |         |
| Freq  | Level   | Line        | Limit | Level  | Factor | Loss  | Factor | Factor | Remark |      |      |         |      |       |       |        |      |        |        |        |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |         |   |       |      |      |     |       |        |     |      |      |      |       |      |       |       |        |      |        |        |        |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |       |       |       |      |       |      |     |     |         |
| MHz   | dBuV/m  | dBuV/m      | dB    | dBuV   | dB/m   | dB    | dB     | dB     | cm     | deg  |      |         |      |       |       |        |      |        |        |        |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |         |   |       |      |      |     |       |        |     |      |      |      |       |      |       |       |        |      |        |        |        |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |       |       |       |      |       |      |     |     |         |
| 1     | 2385.01   | 55.22       | 74.00 | -18.78 | 42.39  | 32.42 | 6.60   | 32.19  | 6.00   | 108  | 309  | PEAK    |      |       |       |        |      |        |        |        |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |         |   |       |      |      |     |       |        |     |      |      |      |       |      |       |       |        |      |        |        |        |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |       |       |       |      |       |      |     |     |         |
| Limit | Over  | Read        | Ant   | Cable  | Preamp | Aux   | APos   | TPos   |        |      |      |         |      |       |       |        |      |        |        |        |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |         |   |       |      |      |     |       |        |     |      |      |      |       |      |       |       |        |      |        |        |        |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |       |       |       |      |       |      |     |     |         |
| Freq  | Level   | Line        | Limit | Level  | Factor | Loss  | Factor | Factor | Remark |      |      |         |      |       |       |        |      |        |        |        |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |         |   |       |      |      |     |       |        |     |      |      |      |       |      |       |       |        |      |        |        |        |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |       |       |       |      |       |      |     |     |         |
| MHz   | dBuV/m  | dBuV/m      | dB    | dBuV   | dB/m   | dB    | dB     | dB     | cm     | deg  |      |         |      |       |       |        |      |        |        |        |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |         |   |       |      |      |     |       |        |     |      |      |      |       |      |       |       |        |      |        |        |        |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |       |       |       |      |       |      |     |     |         |
| 1     | 2402.00   | 94.41       | ----- | -----  | 81.38  | 32.59 | 6.62   | 32.18  | 6.00   | 108  | 309  | PEAK    |      |       |       |        |      |        |        |        |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |         |   |       |      |      |     |       |        |     |      |      |      |       |      |       |       |        |      |        |        |        |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |       |       |       |      |       |      |     |     |         |
| Avg   | <table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2378.77</td> <td>45.35</td> <td>54.00</td> <td>-8.65</td> <td>32.60</td> <td>32.35</td> <td>6.59</td> <td>32.19</td> <td>6.00</td> <td>108</td> <td>309</td> <td>AVERAGE</td> </tr> </tbody> </table> | Limit       | Over  | Read   | Ant    | Cable | Preamp | Aux    | APos   | TPos | Freq | Level   | Line | Limit | Level | Factor | Loss | Factor | Factor | Remark | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | dB | cm | deg | 1 | 2378.77 | 45.35 | 54.00 | -8.65  | 32.60 | 32.35 | 6.59 | 32.19 | 6.00 | 108 | 309 | AVERAGE | <table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2402.00</td> <td>92.15</td> <td>-----</td> <td>-----</td> <td>79.12</td> <td>32.59</td> <td>6.62</td> <td>32.18</td> <td>6.00</td> <td>108</td> <td>309</td> <td>AVERAGE</td> </tr> </tbody> </table> | Limit | Over | Read | Ant | Cable | Preamp | Aux | APos | TPos | Freq | Level | Line | Limit | Level | Factor | Loss | Factor | Factor | Remark | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | dB | cm | deg | 1 | 2402.00 | 92.15 | ----- | ----- | 79.12 | 32.59 | 6.62 | 32.18 | 6.00 | 108 | 309 | AVERAGE |
| Limit | Over  | Read        | Ant   | Cable  | Preamp | Aux   | APos   | TPos   |        |      |      |         |      |       |       |        |      |        |        |        |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |         |   |       |      |      |     |       |        |     |      |      |      |       |      |       |       |        |      |        |        |        |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |       |       |       |      |       |      |     |     |         |
| Freq  | Level   | Line        | Limit | Level  | Factor | Loss  | Factor | Factor | Remark |      |      |         |      |       |       |        |      |        |        |        |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |         |   |       |      |      |     |       |        |     |      |      |      |       |      |       |       |        |      |        |        |        |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |       |       |       |      |       |      |     |     |         |
| MHz   | dBuV/m  | dBuV/m      | dB    | dBuV   | dB/m   | dB    | dB     | dB     | cm     | deg  |      |         |      |       |       |        |      |        |        |        |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |         |   |       |      |      |     |       |        |     |      |      |      |       |      |       |       |        |      |        |        |        |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |       |       |       |      |       |      |     |     |         |
| 1     | 2378.77   | 45.35       | 54.00 | -8.65  | 32.60  | 32.35 | 6.59   | 32.19  | 6.00   | 108  | 309  | AVERAGE |      |       |       |        |      |        |        |        |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |         |   |       |      |      |     |       |        |     |      |      |      |       |      |       |       |        |      |        |        |        |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |       |       |       |      |       |      |     |     |         |
| Limit | Over  | Read        | Ant   | Cable  | Preamp | Aux   | APos   | TPos   |        |      |      |         |      |       |       |        |      |        |        |        |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |         |   |       |      |      |     |       |        |     |      |      |      |       |      |       |       |        |      |        |        |        |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |       |       |       |      |       |      |     |     |         |
| Freq  | Level   | Line        | Limit | Level  | Factor | Loss  | Factor | Factor | Remark |      |      |         |      |       |       |        |      |        |        |        |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |         |   |       |      |      |     |       |        |     |      |      |      |       |      |       |       |        |      |        |        |        |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |       |       |       |      |       |      |     |     |         |
| MHz   | dBuV/m  | dBuV/m      | dB    | dBuV   | dB/m   | dB    | dB     | dB     | cm     | deg  |      |         |      |       |       |        |      |        |        |        |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |         |   |       |      |      |     |       |        |     |      |      |      |       |      |       |       |        |      |        |        |        |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |       |       |       |      |       |      |     |     |         |
| 1     | 2402.00   | 92.15       | ----- | -----  | 79.12  | 32.59 | 6.62   | 32.18  | 6.00   | 108  | 309  | AVERAGE |      |       |       |        |      |        |        |        |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |         |   |       |      |      |     |       |        |     |      |      |      |       |      |       |       |        |      |        |        |        |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |       |       |       |      |       |      |     |     |         |



| Mode  | 4   |             |       |        |        |        |        |        |        |      |      |         |      |       |       |        |      |        |        |        |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |         |   |       |      |      |     |       |        |     |      |      |      |       |      |       |       |        |      |        |        |        |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |       |       |       |      |       |      |     |     |         |
|-------|---|-------------|-------|--------|--------|--------|--------|--------|--------|------|------|---------|------|-------|-------|--------|------|--------|--------|--------|-----|--------|--------|----|------|------|----|----|----|----|-----|---|---------|-------|-------|--------|-------|-------|------|-------|------|-----|-----|---------|---|-------|------|------|-----|-------|--------|-----|------|------|------|-------|------|-------|-------|--------|------|--------|--------|--------|-----|--------|--------|----|------|------|----|----|----|----|-----|---|---------|-------|-------|-------|-------|-------|------|-------|------|-----|-----|---------|
|       | Band Edge   |             |       |        |        |        |        |        |        |      |      |         |      |       |       |        |      |        |        |        |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |         |   |       |      |      |     |       |        |     |      |      |      |       |      |       |       |        |      |        |        |        |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |       |       |       |      |       |      |     |     |         |
|       | 2400-2483.5_Bluetooth-LE_GSKF_CH0_2402MHz   |             |       |        |        |        |        |        |        |      |      |         |      |       |       |        |      |        |        |        |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |         |   |       |      |      |     |       |        |     |      |      |      |       |      |       |       |        |      |        |        |        |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |       |       |       |      |       |      |     |     |         |
| ANT   | 6   |             |       |        |        |        |        |        |        |      |      |         |      |       |       |        |      |        |        |        |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |         |   |       |      |      |     |       |        |     |      |      |      |       |      |       |       |        |      |        |        |        |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |       |       |       |      |       |      |     |     |         |
| Pol.  | Vertical  | Fundamental |       |        |        |        |        |        |        |      |      |         |      |       |       |        |      |        |        |        |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |         |   |       |      |      |     |       |        |     |      |      |      |       |      |       |       |        |      |        |        |        |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |       |       |       |      |       |      |     |     |         |
| Peak  | <table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2354.33</td> <td>56.85</td> <td>74.00</td> <td>-17.15</td> <td>44.45</td> <td>32.05</td> <td>6.55</td> <td>32.20</td> <td>6.00</td> <td>131</td> <td>289</td> <td>PEAK</td> </tr> </tbody> </table>   | Limit       | Over  | Read   | Ant    | Cable  | Preamp | Aux    | APos   | TPos | Freq | Level   | Line | Limit | Level | Factor | Loss | Factor | Factor | Remark | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | dB | cm | deg | 1 | 2354.33 | 56.85 | 74.00 | -17.15 | 44.45 | 32.05 | 6.55 | 32.20 | 6.00 | 131 | 289 | PEAK    | <table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2402.00</td> <td>99.20</td> <td>-----</td> <td>-----</td> <td>86.17</td> <td>32.59</td> <td>6.62</td> <td>32.18</td> <td>6.00</td> <td>131</td> <td>289</td> <td>PEAK</td> </tr> </tbody> </table>    | Limit | Over | Read | Ant | Cable | Preamp | Aux | APos | TPos | Freq | Level | Line | Limit | Level | Factor | Loss | Factor | Factor | Remark | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | dB | cm | deg | 1 | 2402.00 | 99.20 | ----- | ----- | 86.17 | 32.59 | 6.62 | 32.18 | 6.00 | 131 | 289 | PEAK    |
|       | Limit   | Over        | Read  | Ant    | Cable  | Preamp | Aux    | APos   | TPos   |      |      |         |      |       |       |        |      |        |        |        |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |         |   |       |      |      |     |       |        |     |      |      |      |       |      |       |       |        |      |        |        |        |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |       |       |       |      |       |      |     |     |         |
| Freq  | Level   | Line        | Limit | Level  | Factor | Loss   | Factor | Factor | Remark |      |      |         |      |       |       |        |      |        |        |        |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |         |   |       |      |      |     |       |        |     |      |      |      |       |      |       |       |        |      |        |        |        |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |       |       |       |      |       |      |     |     |         |
| MHz   | dBuV/m  | dBuV/m      | dB    | dBuV   | dB/m   | dB     | dB     | dB     | cm     | deg  |      |         |      |       |       |        |      |        |        |        |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |         |   |       |      |      |     |       |        |     |      |      |      |       |      |       |       |        |      |        |        |        |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |       |       |       |      |       |      |     |     |         |
| 1     | 2354.33   | 56.85       | 74.00 | -17.15 | 44.45  | 32.05  | 6.55   | 32.20  | 6.00   | 131  | 289  | PEAK    |      |       |       |        |      |        |        |        |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |         |   |       |      |      |     |       |        |     |      |      |      |       |      |       |       |        |      |        |        |        |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |       |       |       |      |       |      |     |     |         |
| Limit | Over  | Read        | Ant   | Cable  | Preamp | Aux    | APos   | TPos   |        |      |      |         |      |       |       |        |      |        |        |        |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |         |   |       |      |      |     |       |        |     |      |      |      |       |      |       |       |        |      |        |        |        |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |       |       |       |      |       |      |     |     |         |
| Freq  | Level   | Line        | Limit | Level  | Factor | Loss   | Factor | Factor | Remark |      |      |         |      |       |       |        |      |        |        |        |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |         |   |       |      |      |     |       |        |     |      |      |      |       |      |       |       |        |      |        |        |        |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |       |       |       |      |       |      |     |     |         |
| MHz   | dBuV/m  | dBuV/m      | dB    | dBuV   | dB/m   | dB     | dB     | dB     | cm     | deg  |      |         |      |       |       |        |      |        |        |        |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |         |   |       |      |      |     |       |        |     |      |      |      |       |      |       |       |        |      |        |        |        |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |       |       |       |      |       |      |     |     |         |
| 1     | 2402.00   | 99.20       | ----- | -----  | 86.17  | 32.59  | 6.62   | 32.18  | 6.00   | 131  | 289  | PEAK    |      |       |       |        |      |        |        |        |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |         |   |       |      |      |     |       |        |     |      |      |      |       |      |       |       |        |      |        |        |        |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |       |       |       |      |       |      |     |     |         |
| Avg   | <table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2385.66</td> <td>45.35</td> <td>54.00</td> <td>-8.65</td> <td>32.51</td> <td>32.43</td> <td>6.60</td> <td>32.19</td> <td>6.00</td> <td>131</td> <td>289</td> <td>AVERAGE</td> </tr> </tbody> </table> | Limit       | Over  | Read   | Ant    | Cable  | Preamp | Aux    | APos   | TPos | Freq | Level   | Line | Limit | Level | Factor | Loss | Factor | Factor | Remark | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | dB | cm | deg | 1 | 2385.66 | 45.35 | 54.00 | -8.65  | 32.51 | 32.43 | 6.60 | 32.19 | 6.00 | 131 | 289 | AVERAGE | <table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2402.00</td> <td>97.00</td> <td>-----</td> <td>-----</td> <td>83.97</td> <td>32.59</td> <td>6.62</td> <td>32.18</td> <td>6.00</td> <td>131</td> <td>289</td> <td>AVERAGE</td> </tr> </tbody> </table> | Limit | Over | Read | Ant | Cable | Preamp | Aux | APos | TPos | Freq | Level | Line | Limit | Level | Factor | Loss | Factor | Factor | Remark | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | dB | cm | deg | 1 | 2402.00 | 97.00 | ----- | ----- | 83.97 | 32.59 | 6.62 | 32.18 | 6.00 | 131 | 289 | AVERAGE |
|       | Limit   | Over        | Read  | Ant    | Cable  | Preamp | Aux    | APos   | TPos   |      |      |         |      |       |       |        |      |        |        |        |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |         |   |       |      |      |     |       |        |     |      |      |      |       |      |       |       |        |      |        |        |        |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |       |       |       |      |       |      |     |     |         |
| Freq  | Level   | Line        | Limit | Level  | Factor | Loss   | Factor | Factor | Remark |      |      |         |      |       |       |        |      |        |        |        |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |         |   |       |      |      |     |       |        |     |      |      |      |       |      |       |       |        |      |        |        |        |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |       |       |       |      |       |      |     |     |         |
| MHz   | dBuV/m  | dBuV/m      | dB    | dBuV   | dB/m   | dB     | dB     | dB     | cm     | deg  |      |         |      |       |       |        |      |        |        |        |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |         |   |       |      |      |     |       |        |     |      |      |      |       |      |       |       |        |      |        |        |        |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |       |       |       |      |       |      |     |     |         |
| 1     | 2385.66   | 45.35       | 54.00 | -8.65  | 32.51  | 32.43  | 6.60   | 32.19  | 6.00   | 131  | 289  | AVERAGE |      |       |       |        |      |        |        |        |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |         |   |       |      |      |     |       |        |     |      |      |      |       |      |       |       |        |      |        |        |        |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |       |       |       |      |       |      |     |     |         |
| Limit | Over  | Read        | Ant   | Cable  | Preamp | Aux    | APos   | TPos   |        |      |      |         |      |       |       |        |      |        |        |        |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |         |   |       |      |      |     |       |        |     |      |      |      |       |      |       |       |        |      |        |        |        |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |       |       |       |      |       |      |     |     |         |
| Freq  | Level   | Line        | Limit | Level  | Factor | Loss   | Factor | Factor | Remark |      |      |         |      |       |       |        |      |        |        |        |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |         |   |       |      |      |     |       |        |     |      |      |      |       |      |       |       |        |      |        |        |        |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |       |       |       |      |       |      |     |     |         |
| MHz   | dBuV/m  | dBuV/m      | dB    | dBuV   | dB/m   | dB     | dB     | dB     | cm     | deg  |      |         |      |       |       |        |      |        |        |        |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |         |   |       |      |      |     |       |        |     |      |      |      |       |      |       |       |        |      |        |        |        |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |       |       |       |      |       |      |     |     |         |
| 1     | 2402.00   | 97.00       | ----- | -----  | 83.97  | 32.59  | 6.62   | 32.18  | 6.00   | 131  | 289  | AVERAGE |      |       |       |        |      |        |        |        |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |         |   |       |      |      |     |       |        |     |      |      |      |       |      |       |       |        |      |        |        |        |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |       |       |       |      |       |      |     |     |         |



| Mode     | 4   |          |       |        |        |       |        |        |        |      |        |      |       |      |       |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |      |   |       |      |      |     |       |        |     |      |      |        |      |       |      |       |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |      |
|----------|---|----------|-------|--------|--------|-------|--------|--------|--------|------|--------|------|-------|------|-------|-------|--------|------|--------|--------|--|-----|--------|--------|----|------|------|----|----|----|----|-----|---|---------|-------|-------|--------|-------|-------|------|-------|------|-----|-----|------|---|-------|------|------|-----|-------|--------|-----|------|------|--------|------|-------|------|-------|-------|--------|------|--------|--------|--|-----|--------|--------|----|------|------|----|----|----|----|-----|---|---------|-------|-------|--------|-------|-------|------|-------|------|-----|-----|------|
|          | Harmonic  |          |       |        |        |       |        |        |        |      |        |      |       |      |       |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |      |   |       |      |      |     |       |        |     |      |      |        |      |       |      |       |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |      |
|          | 2400-2483.5_Bluetooth-LE_GSKF_CH0_2402MHz   |          |       |        |        |       |        |        |        |      |        |      |       |      |       |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |      |   |       |      |      |     |       |        |     |      |      |        |      |       |      |       |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |      |
| ANT      | 6   |          |       |        |        |       |        |        |        |      |        |      |       |      |       |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |      |   |       |      |      |     |       |        |     |      |      |        |      |       |      |       |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |      |
| Pol.     | Horizontal  | Vertical |       |        |        |       |        |        |        |      |        |      |       |      |       |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |      |   |       |      |      |     |       |        |     |      |      |        |      |       |      |       |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |      |
| Peak Avg | <table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4804.00</td> <td>41.64</td> <td>74.00</td> <td>-32.36</td> <td>59.28</td> <td>34.20</td> <td>9.44</td> <td>61.28</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table> | Limit    | Over  | Read   | Ant    | Cable | Preamp | Aux    | APos   | TPos | Remark | Freq | Level | Line | Limit | Level | Factor | Loss | Factor | Factor |  | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | dB | cm | deg | 1 | 4804.00 | 41.64 | 74.00 | -32.36 | 59.28 | 34.20 | 9.44 | 61.28 | 0.00 | --- | --- | PEAK | <table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4804.00</td> <td>41.84</td> <td>74.00</td> <td>-32.16</td> <td>59.48</td> <td>34.20</td> <td>9.44</td> <td>61.28</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table> | Limit | Over | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | Freq | Level | Line | Limit | Level | Factor | Loss | Factor | Factor |  | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | dB | cm | deg | 1 | 4804.00 | 41.84 | 74.00 | -32.16 | 59.48 | 34.20 | 9.44 | 61.28 | 0.00 | --- | --- | PEAK |
| Limit    | Over  | Read     | Ant   | Cable  | Preamp | Aux   | APos   | TPos   | Remark |      |        |      |       |      |       |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |      |   |       |      |      |     |       |        |     |      |      |        |      |       |      |       |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |      |
| Freq     | Level   | Line     | Limit | Level  | Factor | Loss  | Factor | Factor |        |      |        |      |       |      |       |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |      |   |       |      |      |     |       |        |     |      |      |        |      |       |      |       |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |      |
| MHz      | dBuV/m  | dBuV/m   | dB    | dBuV   | dB/m   | dB    | dB     | dB     | cm     | deg  |        |      |       |      |       |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |      |   |       |      |      |     |       |        |     |      |      |        |      |       |      |       |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |      |
| 1        | 4804.00   | 41.64    | 74.00 | -32.36 | 59.28  | 34.20 | 9.44   | 61.28  | 0.00   | ---  | ---    | PEAK |       |      |       |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |      |   |       |      |      |     |       |        |     |      |      |        |      |       |      |       |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |      |
| Limit    | Over  | Read     | Ant   | Cable  | Preamp | Aux   | APos   | TPos   | Remark |      |        |      |       |      |       |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |      |   |       |      |      |     |       |        |     |      |      |        |      |       |      |       |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |      |
| Freq     | Level   | Line     | Limit | Level  | Factor | Loss  | Factor | Factor |        |      |        |      |       |      |       |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |      |   |       |      |      |     |       |        |     |      |      |        |      |       |      |       |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |      |
| MHz      | dBuV/m  | dBuV/m   | dB    | dBuV   | dB/m   | dB    | dB     | dB     | cm     | deg  |        |      |       |      |       |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |      |   |       |      |      |     |       |        |     |      |      |        |      |       |      |       |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |      |
| 1        | 4804.00   | 41.84    | 74.00 | -32.16 | 59.48  | 34.20 | 9.44   | 61.28  | 0.00   | ---  | ---    | PEAK |       |      |       |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |      |   |       |      |      |     |       |        |     |      |      |        |      |       |      |       |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |      |



| Mode     | 5  |          |       |        |        |        |        |        |        |        |        |      |       |      |       |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |  |       |      |      |     |       |        |     |      |      |        |      |       |      |       |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |
|----------|--|----------|-------|--------|--------|--------|--------|--------|--------|--------|--------|------|-------|------|-------|-------|--------|------|--------|--------|--|-----|--------|--------|----|------|------|----|----|----|----|-----|---|---------|-------|-------|--------|-------|-------|------|-------|------|-----|-----|------|---|---------|-------|-------|--------|-------|-------|-------|-------|------|-----|-----|------|--|-------|------|------|-----|-------|--------|-----|------|------|--------|------|-------|------|-------|-------|--------|------|--------|--------|--|-----|--------|--------|----|------|------|----|----|----|----|-----|---|---------|-------|-------|--------|-------|-------|------|-------|------|-----|-----|------|---|---------|-------|-------|--------|-------|-------|-------|-------|------|-----|-----|------|
|          | Harmonic   |          |       |        |        |        |        |        |        |        |        |      |       |      |       |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |  |       |      |      |     |       |        |     |      |      |        |      |       |      |       |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |
|          | 2400-2483.5_Bluetooth-LE_GSKF_CH19_2440MHz   |          |       |        |        |        |        |        |        |        |        |      |       |      |       |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |  |       |      |      |     |       |        |     |      |      |        |      |       |      |       |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |
| ANT      | 6  |          |       |        |        |        |        |        |        |        |        |      |       |      |       |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |  |       |      |      |     |       |        |     |      |      |        |      |       |      |       |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |
| Pol.     | Horizontal   | Vertical |       |        |        |        |        |        |        |        |        |      |       |      |       |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |  |       |      |      |     |       |        |     |      |      |        |      |       |      |       |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |
| Peak Avg | <table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4880.00</td> <td>41.21</td> <td>74.00</td> <td>-32.79</td> <td>58.76</td> <td>34.14</td> <td>9.53</td> <td>61.22</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>7320.00</td> <td>44.04</td> <td>74.00</td> <td>-29.96</td> <td>57.40</td> <td>35.70</td> <td>11.69</td> <td>60.75</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table> | Limit    | Over  | Read   | Ant    | Cable  | Preamp | Aux    | APos   | TPos   | Remark | Freq | Level | Line | Limit | Level | Factor | Loss | Factor | Factor |  | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | dB | cm | deg | 1 | 4880.00 | 41.21 | 74.00 | -32.79 | 58.76 | 34.14 | 9.53 | 61.22 | 0.00 | --- | --- | PEAK | 2 | 7320.00 | 44.04 | 74.00 | -29.96 | 57.40 | 35.70 | 11.69 | 60.75 | 0.00 | --- | --- | PEAK | <table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4880.00</td> <td>40.77</td> <td>74.00</td> <td>-33.23</td> <td>58.32</td> <td>34.14</td> <td>9.53</td> <td>61.22</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>7320.00</td> <td>44.65</td> <td>74.00</td> <td>-29.35</td> <td>58.01</td> <td>35.70</td> <td>11.69</td> <td>60.75</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table> | Limit | Over | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | Freq | Level | Line | Limit | Level | Factor | Loss | Factor | Factor |  | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | dB | cm | deg | 1 | 4880.00 | 40.77 | 74.00 | -33.23 | 58.32 | 34.14 | 9.53 | 61.22 | 0.00 | --- | --- | PEAK | 2 | 7320.00 | 44.65 | 74.00 | -29.35 | 58.01 | 35.70 | 11.69 | 60.75 | 0.00 | --- | --- | PEAK |
|          | Limit  | Over     | Read  | Ant    | Cable  | Preamp | Aux    | APos   | TPos   | Remark |        |      |       |      |       |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |  |       |      |      |     |       |        |     |      |      |        |      |       |      |       |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |
| Freq     | Level  | Line     | Limit | Level  | Factor | Loss   | Factor | Factor |        |        |        |      |       |      |       |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |  |       |      |      |     |       |        |     |      |      |        |      |       |      |       |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |
| MHz      | dBuV/m   | dBuV/m   | dB    | dBuV   | dB/m   | dB     | dB     | dB     | cm     | deg    |        |      |       |      |       |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |  |       |      |      |     |       |        |     |      |      |        |      |       |      |       |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |
| 1        | 4880.00  | 41.21    | 74.00 | -32.79 | 58.76  | 34.14  | 9.53   | 61.22  | 0.00   | ---    | ---    | PEAK |       |      |       |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |  |       |      |      |     |       |        |     |      |      |        |      |       |      |       |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |
| 2        | 7320.00  | 44.04    | 74.00 | -29.96 | 57.40  | 35.70  | 11.69  | 60.75  | 0.00   | ---    | ---    | PEAK |       |      |       |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |  |       |      |      |     |       |        |     |      |      |        |      |       |      |       |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |
| Limit    | Over   | Read     | Ant   | Cable  | Preamp | Aux    | APos   | TPos   | Remark |        |        |      |       |      |       |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |  |       |      |      |     |       |        |     |      |      |        |      |       |      |       |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |
| Freq     | Level  | Line     | Limit | Level  | Factor | Loss   | Factor | Factor |        |        |        |      |       |      |       |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |  |       |      |      |     |       |        |     |      |      |        |      |       |      |       |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |
| MHz      | dBuV/m   | dBuV/m   | dB    | dBuV   | dB/m   | dB     | dB     | dB     | cm     | deg    |        |      |       |      |       |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |  |       |      |      |     |       |        |     |      |      |        |      |       |      |       |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |
| 1        | 4880.00  | 40.77    | 74.00 | -33.23 | 58.32  | 34.14  | 9.53   | 61.22  | 0.00   | ---    | ---    | PEAK |       |      |       |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |  |       |      |      |     |       |        |     |      |      |        |      |       |      |       |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |
| 2        | 7320.00  | 44.65    | 74.00 | -29.35 | 58.01  | 35.70  | 11.69  | 60.75  | 0.00   | ---    | ---    | PEAK |       |      |       |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |  |       |      |      |     |       |        |     |      |      |        |      |       |      |       |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |



| Mode  | 6   |             |       |        |        |       |        |        |        |      |      |         |      |       |       |        |      |        |        |        |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |         |   |       |      |      |     |       |        |     |      |      |      |       |      |       |       |        |      |        |        |        |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |      |       |      |     |     |         |
|-------|---|-------------|-------|--------|--------|-------|--------|--------|--------|------|------|---------|------|-------|-------|--------|------|--------|--------|--------|-----|--------|--------|----|------|------|----|----|----|-----|---|---------|-------|-------|--------|-------|-------|------|-------|------|-----|-----|---------|---|-------|------|------|-----|-------|--------|-----|------|------|------|-------|------|-------|-------|--------|------|--------|--------|--------|-----|--------|--------|----|------|------|----|----|----|-----|---|---------|-------|-------|-------|-------|-------|------|-------|------|-----|-----|---------|
|       | Band Edge   |             |       |        |        |       |        |        |        |      |      |         |      |       |       |        |      |        |        |        |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |         |   |       |      |      |     |       |        |     |      |      |      |       |      |       |       |        |      |        |        |        |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |      |       |      |     |     |         |
|       | 2400-2483.5_Bluetooth-LE_GSKF_CH39_2480MHz  |             |       |        |        |       |        |        |        |      |      |         |      |       |       |        |      |        |        |        |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |         |   |       |      |      |     |       |        |     |      |      |      |       |      |       |       |        |      |        |        |        |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |      |       |      |     |     |         |
| ANT   | 6   |             |       |        |        |       |        |        |        |      |      |         |      |       |       |        |      |        |        |        |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |         |   |       |      |      |     |       |        |     |      |      |      |       |      |       |       |        |      |        |        |        |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |      |       |      |     |     |         |
| Pol.  | Horizontal  | Fundamental |       |        |        |       |        |        |        |      |      |         |      |       |       |        |      |        |        |        |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |         |   |       |      |      |     |       |        |     |      |      |      |       |      |       |       |        |      |        |        |        |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |      |       |      |     |     |         |
| Peak  | <table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2499.34</td> <td>55.80</td> <td>74.00</td> <td>-18.20</td> <td>42.59</td> <td>32.70</td> <td>6.75</td> <td>32.24</td> <td>6.00</td> <td>120</td> <td>311</td> <td>PEAK</td> </tr> </tbody> </table>   | Limit       | Over  | Read   | Ant    | Cable | Preamp | Aux    | APos   | TPos | Freq | Level   | Line | Limit | Level | Factor | Loss | Factor | Factor | Remark | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 | 2499.34 | 55.80 | 74.00 | -18.20 | 42.59 | 32.70 | 6.75 | 32.24 | 6.00 | 120 | 311 | PEAK    | <table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2480.00</td> <td>97.84</td> <td>74.00</td> <td>23.84</td> <td>84.76</td> <td>32.58</td> <td>6.73</td> <td>32.23</td> <td>6.00</td> <td>120</td> <td>311</td> <td>PEAK</td> </tr> </tbody> </table>    | Limit | Over | Read | Ant | Cable | Preamp | Aux | APos | TPos | Freq | Level | Line | Limit | Level | Factor | Loss | Factor | Factor | Remark | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 | 2480.00 | 97.84 | 74.00 | 23.84 | 84.76 | 32.58 | 6.73 | 32.23 | 6.00 | 120 | 311 | PEAK    |
| Limit | Over  | Read        | Ant   | Cable  | Preamp | Aux   | APos   | TPos   |        |      |      |         |      |       |       |        |      |        |        |        |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |         |   |       |      |      |     |       |        |     |      |      |      |       |      |       |       |        |      |        |        |        |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |      |       |      |     |     |         |
| Freq  | Level   | Line        | Limit | Level  | Factor | Loss  | Factor | Factor | Remark |      |      |         |      |       |       |        |      |        |        |        |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |         |   |       |      |      |     |       |        |     |      |      |      |       |      |       |       |        |      |        |        |        |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |      |       |      |     |     |         |
| MHz   | dBuV/m  | dBuV/m      | dB    | dBuV   | dB/m   | dB    | dB     | cm     | deg    |      |      |         |      |       |       |        |      |        |        |        |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |         |   |       |      |      |     |       |        |     |      |      |      |       |      |       |       |        |      |        |        |        |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |      |       |      |     |     |         |
| 1     | 2499.34   | 55.80       | 74.00 | -18.20 | 42.59  | 32.70 | 6.75   | 32.24  | 6.00   | 120  | 311  | PEAK    |      |       |       |        |      |        |        |        |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |         |   |       |      |      |     |       |        |     |      |      |      |       |      |       |       |        |      |        |        |        |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |      |       |      |     |     |         |
| Limit | Over  | Read        | Ant   | Cable  | Preamp | Aux   | APos   | TPos   |        |      |      |         |      |       |       |        |      |        |        |        |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |         |   |       |      |      |     |       |        |     |      |      |      |       |      |       |       |        |      |        |        |        |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |      |       |      |     |     |         |
| Freq  | Level   | Line        | Limit | Level  | Factor | Loss  | Factor | Factor | Remark |      |      |         |      |       |       |        |      |        |        |        |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |         |   |       |      |      |     |       |        |     |      |      |      |       |      |       |       |        |      |        |        |        |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |      |       |      |     |     |         |
| MHz   | dBuV/m  | dBuV/m      | dB    | dBuV   | dB/m   | dB    | dB     | cm     | deg    |      |      |         |      |       |       |        |      |        |        |        |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |         |   |       |      |      |     |       |        |     |      |      |      |       |      |       |       |        |      |        |        |        |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |      |       |      |     |     |         |
| 1     | 2480.00   | 97.84       | 74.00 | 23.84  | 84.76  | 32.58 | 6.73   | 32.23  | 6.00   | 120  | 311  | PEAK    |      |       |       |        |      |        |        |        |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |         |   |       |      |      |     |       |        |     |      |      |      |       |      |       |       |        |      |        |        |        |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |      |       |      |     |     |         |
| Avg   | <table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2488.78</td> <td>45.78</td> <td>54.00</td> <td>-8.22</td> <td>32.65</td> <td>32.63</td> <td>6.74</td> <td>32.24</td> <td>6.00</td> <td>120</td> <td>311</td> <td>AVERAGE</td> </tr> </tbody> </table> | Limit       | Over  | Read   | Ant    | Cable | Preamp | Aux    | APos   | TPos | Freq | Level   | Line | Limit | Level | Factor | Loss | Factor | Factor | Remark | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 | 2488.78 | 45.78 | 54.00 | -8.22  | 32.65 | 32.63 | 6.74 | 32.24 | 6.00 | 120 | 311 | AVERAGE | <table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2480.00</td> <td>95.65</td> <td>54.00</td> <td>41.65</td> <td>82.57</td> <td>32.58</td> <td>6.73</td> <td>32.23</td> <td>6.00</td> <td>120</td> <td>311</td> <td>AVERAGE</td> </tr> </tbody> </table> | Limit | Over | Read | Ant | Cable | Preamp | Aux | APos | TPos | Freq | Level | Line | Limit | Level | Factor | Loss | Factor | Factor | Remark | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 | 2480.00 | 95.65 | 54.00 | 41.65 | 82.57 | 32.58 | 6.73 | 32.23 | 6.00 | 120 | 311 | AVERAGE |
| Limit | Over  | Read        | Ant   | Cable  | Preamp | Aux   | APos   | TPos   |        |      |      |         |      |       |       |        |      |        |        |        |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |         |   |       |      |      |     |       |        |     |      |      |      |       |      |       |       |        |      |        |        |        |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |      |       |      |     |     |         |
| Freq  | Level   | Line        | Limit | Level  | Factor | Loss  | Factor | Factor | Remark |      |      |         |      |       |       |        |      |        |        |        |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |         |   |       |      |      |     |       |        |     |      |      |      |       |      |       |       |        |      |        |        |        |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |      |       |      |     |     |         |
| MHz   | dBuV/m  | dBuV/m      | dB    | dBuV   | dB/m   | dB    | dB     | cm     | deg    |      |      |         |      |       |       |        |      |        |        |        |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |         |   |       |      |      |     |       |        |     |      |      |      |       |      |       |       |        |      |        |        |        |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |      |       |      |     |     |         |
| 1     | 2488.78   | 45.78       | 54.00 | -8.22  | 32.65  | 32.63 | 6.74   | 32.24  | 6.00   | 120  | 311  | AVERAGE |      |       |       |        |      |        |        |        |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |         |   |       |      |      |     |       |        |     |      |      |      |       |      |       |       |        |      |        |        |        |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |      |       |      |     |     |         |
| Limit | Over  | Read        | Ant   | Cable  | Preamp | Aux   | APos   | TPos   |        |      |      |         |      |       |       |        |      |        |        |        |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |         |   |       |      |      |     |       |        |     |      |      |      |       |      |       |       |        |      |        |        |        |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |      |       |      |     |     |         |
| Freq  | Level   | Line        | Limit | Level  | Factor | Loss  | Factor | Factor | Remark |      |      |         |      |       |       |        |      |        |        |        |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |         |   |       |      |      |     |       |        |     |      |      |      |       |      |       |       |        |      |        |        |        |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |      |       |      |     |     |         |
| MHz   | dBuV/m  | dBuV/m      | dB    | dBuV   | dB/m   | dB    | dB     | cm     | deg    |      |      |         |      |       |       |        |      |        |        |        |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |         |   |       |      |      |     |       |        |     |      |      |      |       |      |       |       |        |      |        |        |        |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |      |       |      |     |     |         |
| 1     | 2480.00   | 95.65       | 54.00 | 41.65  | 82.57  | 32.58 | 6.73   | 32.23  | 6.00   | 120  | 311  | AVERAGE |      |       |       |        |      |        |        |        |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |         |   |       |      |      |     |       |        |     |      |      |      |       |      |       |       |        |      |        |        |        |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |      |       |      |     |     |         |



| Mode  | 6  |             |       |        |        |       |        |        |      |      |      |         |      |       |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |      |       |      |     |     |         |  |       |      |      |     |       |        |     |      |      |      |       |      |       |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |       |       |       |      |       |      |     |     |         |
|-------|--|-------------|-------|--------|--------|-------|--------|--------|------|------|------|---------|------|-------|-------|--------|------|--------|--------|-----|--------|--------|----|------|------|----|----|----|---|---------|-------|-------|--------|-------|-------|------|-------|------|-----|-----|---------|--|-------|------|------|-----|-------|--------|-----|------|------|------|-------|------|-------|-------|--------|------|--------|--------|-----|--------|--------|----|------|------|----|----|----|---|---------|-------|-------|-------|-------|-------|------|-------|------|-----|-----|---------|
|       | Band Edge  |             |       |        |        |       |        |        |      |      |      |         |      |       |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |      |       |      |     |     |         |  |       |      |      |     |       |        |     |      |      |      |       |      |       |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |       |       |       |      |       |      |     |     |         |
|       | 2400-2483.5_Bluetooth-LE_GSKF_CH39_2480MHz   |             |       |        |        |       |        |        |      |      |      |         |      |       |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |      |       |      |     |     |         |  |       |      |      |     |       |        |     |      |      |      |       |      |       |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |       |       |       |      |       |      |     |     |         |
| ANT   | 6  |             |       |        |        |       |        |        |      |      |      |         |      |       |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |      |       |      |     |     |         |  |       |      |      |     |       |        |     |      |      |      |       |      |       |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |       |       |       |      |       |      |     |     |         |
| Pol.  | Vertical   | Fundamental |       |        |        |       |        |        |      |      |      |         |      |       |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |      |       |      |     |     |         |  |       |      |      |     |       |        |     |      |      |      |       |      |       |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |       |       |       |      |       |      |     |     |         |
| Peak  | <table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2487.10</td> <td>55.62</td> <td>74.00</td> <td>-18.38</td> <td>42.50</td> <td>32.62</td> <td>6.74</td> <td>32.24</td> <td>6.00</td> <td>145</td> <td>272</td> <td>PEAK</td> </tr> </tbody> </table>   | Limit       | Over  | Read   | Ant    | Cable | Preamp | Aux    | APos | TPos | Freq | Level   | Line | Limit | Level | Factor | Loss | Factor | Factor | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | 1 | 2487.10 | 55.62 | 74.00 | -18.38 | 42.50 | 32.62 | 6.74 | 32.24 | 6.00 | 145 | 272 | PEAK    | <table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2480.00</td> <td>99.69</td> <td>-----</td> <td>-----</td> <td>86.61</td> <td>32.58</td> <td>6.73</td> <td>32.23</td> <td>6.00</td> <td>145</td> <td>272</td> <td>PEAK</td> </tr> </tbody> </table>    | Limit | Over | Read | Ant | Cable | Preamp | Aux | APos | TPos | Freq | Level | Line | Limit | Level | Factor | Loss | Factor | Factor | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | 1 | 2480.00 | 99.69 | ----- | ----- | 86.61 | 32.58 | 6.73 | 32.23 | 6.00 | 145 | 272 | PEAK    |
| Limit | Over   | Read        | Ant   | Cable  | Preamp | Aux   | APos   | TPos   |      |      |      |         |      |       |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |      |       |      |     |     |         |  |       |      |      |     |       |        |     |      |      |      |       |      |       |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |       |       |       |      |       |      |     |     |         |
| Freq  | Level  | Line        | Limit | Level  | Factor | Loss  | Factor | Factor |      |      |      |         |      |       |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |      |       |      |     |     |         |  |       |      |      |     |       |        |     |      |      |      |       |      |       |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |       |       |       |      |       |      |     |     |         |
| MHz   | dBuV/m   | dBuV/m      | dB    | dBuV   | dB/m   | dB    | dB     | cm     |      |      |      |         |      |       |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |      |       |      |     |     |         |  |       |      |      |     |       |        |     |      |      |      |       |      |       |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |       |       |       |      |       |      |     |     |         |
| 1     | 2487.10  | 55.62       | 74.00 | -18.38 | 42.50  | 32.62 | 6.74   | 32.24  | 6.00 | 145  | 272  | PEAK    |      |       |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |      |       |      |     |     |         |  |       |      |      |     |       |        |     |      |      |      |       |      |       |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |       |       |       |      |       |      |     |     |         |
| Limit | Over   | Read        | Ant   | Cable  | Preamp | Aux   | APos   | TPos   |      |      |      |         |      |       |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |      |       |      |     |     |         |  |       |      |      |     |       |        |     |      |      |      |       |      |       |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |       |       |       |      |       |      |     |     |         |
| Freq  | Level  | Line        | Limit | Level  | Factor | Loss  | Factor | Factor |      |      |      |         |      |       |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |      |       |      |     |     |         |  |       |      |      |     |       |        |     |      |      |      |       |      |       |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |       |       |       |      |       |      |     |     |         |
| MHz   | dBuV/m   | dBuV/m      | dB    | dBuV   | dB/m   | dB    | dB     | cm     |      |      |      |         |      |       |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |      |       |      |     |     |         |  |       |      |      |     |       |        |     |      |      |      |       |      |       |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |       |       |       |      |       |      |     |     |         |
| 1     | 2480.00  | 99.69       | ----- | -----  | 86.61  | 32.58 | 6.73   | 32.23  | 6.00 | 145  | 272  | PEAK    |      |       |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |      |       |      |     |     |         |  |       |      |      |     |       |        |     |      |      |      |       |      |       |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |       |       |       |      |       |      |     |     |         |
| Avg   | <table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2491.78</td> <td>45.97</td> <td>54.00</td> <td>-8.03</td> <td>32.82</td> <td>32.65</td> <td>6.74</td> <td>32.24</td> <td>6.00</td> <td>145</td> <td>272</td> <td>AVERAGE</td> </tr> </tbody> </table> | Limit       | Over  | Read   | Ant    | Cable | Preamp | Aux    | APos | TPos | Freq | Level   | Line | Limit | Level | Factor | Loss | Factor | Factor | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | 1 | 2491.78 | 45.97 | 54.00 | -8.03  | 32.82 | 32.65 | 6.74 | 32.24 | 6.00 | 145 | 272 | AVERAGE | <table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2480.00</td> <td>97.53</td> <td>-----</td> <td>-----</td> <td>84.45</td> <td>32.58</td> <td>6.73</td> <td>32.23</td> <td>6.00</td> <td>145</td> <td>272</td> <td>AVERAGE</td> </tr> </tbody> </table> | Limit | Over | Read | Ant | Cable | Preamp | Aux | APos | TPos | Freq | Level | Line | Limit | Level | Factor | Loss | Factor | Factor | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | 1 | 2480.00 | 97.53 | ----- | ----- | 84.45 | 32.58 | 6.73 | 32.23 | 6.00 | 145 | 272 | AVERAGE |
| Limit | Over   | Read        | Ant   | Cable  | Preamp | Aux   | APos   | TPos   |      |      |      |         |      |       |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |      |       |      |     |     |         |  |       |      |      |     |       |        |     |      |      |      |       |      |       |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |       |       |       |      |       |      |     |     |         |
| Freq  | Level  | Line        | Limit | Level  | Factor | Loss  | Factor | Factor |      |      |      |         |      |       |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |      |       |      |     |     |         |  |       |      |      |     |       |        |     |      |      |      |       |      |       |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |       |       |       |      |       |      |     |     |         |
| MHz   | dBuV/m   | dBuV/m      | dB    | dBuV   | dB/m   | dB    | dB     | cm     |      |      |      |         |      |       |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |      |       |      |     |     |         |  |       |      |      |     |       |        |     |      |      |      |       |      |       |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |       |       |       |      |       |      |     |     |         |
| 1     | 2491.78  | 45.97       | 54.00 | -8.03  | 32.82  | 32.65 | 6.74   | 32.24  | 6.00 | 145  | 272  | AVERAGE |      |       |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |      |       |      |     |     |         |  |       |      |      |     |       |        |     |      |      |      |       |      |       |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |       |       |       |      |       |      |     |     |         |
| Limit | Over   | Read        | Ant   | Cable  | Preamp | Aux   | APos   | TPos   |      |      |      |         |      |       |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |      |       |      |     |     |         |  |       |      |      |     |       |        |     |      |      |      |       |      |       |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |       |       |       |      |       |      |     |     |         |
| Freq  | Level  | Line        | Limit | Level  | Factor | Loss  | Factor | Factor |      |      |      |         |      |       |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |      |       |      |     |     |         |  |       |      |      |     |       |        |     |      |      |      |       |      |       |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |       |       |       |      |       |      |     |     |         |
| MHz   | dBuV/m   | dBuV/m      | dB    | dBuV   | dB/m   | dB    | dB     | cm     |      |      |      |         |      |       |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |      |       |      |     |     |         |  |       |      |      |     |       |        |     |      |      |      |       |      |       |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |       |       |       |      |       |      |     |     |         |
| 1     | 2480.00  | 97.53       | ----- | -----  | 84.45  | 32.58 | 6.73   | 32.23  | 6.00 | 145  | 272  | AVERAGE |      |       |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |      |       |      |     |     |         |  |       |      |      |     |       |        |     |      |      |      |       |      |       |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |       |       |       |      |       |      |     |     |         |



| Mode     | 6  |          |       |        |        |        |        |        |        |        |        |      |       |      |       |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |  |       |      |      |     |       |        |     |      |      |        |      |       |      |       |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |
|----------|--|----------|-------|--------|--------|--------|--------|--------|--------|--------|--------|------|-------|------|-------|-------|--------|------|--------|--------|--|-----|--------|--------|----|------|------|----|----|----|----|-----|---|---------|-------|-------|--------|-------|-------|------|-------|------|-----|-----|------|---|---------|-------|-------|--------|-------|-------|-------|-------|------|-----|-----|------|--|-------|------|------|-----|-------|--------|-----|------|------|--------|------|-------|------|-------|-------|--------|------|--------|--------|--|-----|--------|--------|----|------|------|----|----|----|----|-----|---|---------|-------|-------|--------|-------|-------|------|-------|------|-----|-----|------|---|---------|-------|-------|--------|-------|-------|-------|-------|------|-----|-----|------|
|          | Harmonic   |          |       |        |        |        |        |        |        |        |        |      |       |      |       |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |  |       |      |      |     |       |        |     |      |      |        |      |       |      |       |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |
|          | 2400-2483.5_Bluetooth-LE_GSKF_CH39_2480MHz   |          |       |        |        |        |        |        |        |        |        |      |       |      |       |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |  |       |      |      |     |       |        |     |      |      |        |      |       |      |       |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |
| ANT      | 6  |          |       |        |        |        |        |        |        |        |        |      |       |      |       |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |  |       |      |      |     |       |        |     |      |      |        |      |       |      |       |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |
| Pol.     | Horizontal   | Vertical |       |        |        |        |        |        |        |        |        |      |       |      |       |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |  |       |      |      |     |       |        |     |      |      |        |      |       |      |       |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |
| Peak Avg | <table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4960.00</td> <td>40.97</td> <td>74.00</td> <td>-33.03</td> <td>58.52</td> <td>34.00</td> <td>9.61</td> <td>61.16</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>7440.00</td> <td>44.17</td> <td>74.00</td> <td>-29.83</td> <td>57.72</td> <td>35.70</td> <td>11.77</td> <td>61.02</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table> | Limit    | Over  | Read   | Ant    | Cable  | Preamp | Aux    | APos   | TPos   | Remark | Freq | Level | Line | Limit | Level | Factor | Loss | Factor | Factor |  | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | dB | cm | deg | 1 | 4960.00 | 40.97 | 74.00 | -33.03 | 58.52 | 34.00 | 9.61 | 61.16 | 0.00 | --- | --- | PEAK | 2 | 7440.00 | 44.17 | 74.00 | -29.83 | 57.72 | 35.70 | 11.77 | 61.02 | 0.00 | --- | --- | PEAK | <table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4960.00</td> <td>41.28</td> <td>74.00</td> <td>-32.72</td> <td>58.83</td> <td>34.00</td> <td>9.61</td> <td>61.16</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>7440.00</td> <td>43.89</td> <td>74.00</td> <td>-30.11</td> <td>57.44</td> <td>35.70</td> <td>11.77</td> <td>61.02</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table> | Limit | Over | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | Freq | Level | Line | Limit | Level | Factor | Loss | Factor | Factor |  | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | dB | cm | deg | 1 | 4960.00 | 41.28 | 74.00 | -32.72 | 58.83 | 34.00 | 9.61 | 61.16 | 0.00 | --- | --- | PEAK | 2 | 7440.00 | 43.89 | 74.00 | -30.11 | 57.44 | 35.70 | 11.77 | 61.02 | 0.00 | --- | --- | PEAK |
|          | Limit  | Over     | Read  | Ant    | Cable  | Preamp | Aux    | APos   | TPos   | Remark |        |      |       |      |       |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |  |       |      |      |     |       |        |     |      |      |        |      |       |      |       |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |
| Freq     | Level  | Line     | Limit | Level  | Factor | Loss   | Factor | Factor |        |        |        |      |       |      |       |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |  |       |      |      |     |       |        |     |      |      |        |      |       |      |       |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |
| MHz      | dBuV/m   | dBuV/m   | dB    | dBuV   | dB/m   | dB     | dB     | dB     | cm     | deg    |        |      |       |      |       |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |  |       |      |      |     |       |        |     |      |      |        |      |       |      |       |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |
| 1        | 4960.00  | 40.97    | 74.00 | -33.03 | 58.52  | 34.00  | 9.61   | 61.16  | 0.00   | ---    | ---    | PEAK |       |      |       |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |  |       |      |      |     |       |        |     |      |      |        |      |       |      |       |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |
| 2        | 7440.00  | 44.17    | 74.00 | -29.83 | 57.72  | 35.70  | 11.77  | 61.02  | 0.00   | ---    | ---    | PEAK |       |      |       |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |  |       |      |      |     |       |        |     |      |      |        |      |       |      |       |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |
| Limit    | Over   | Read     | Ant   | Cable  | Preamp | Aux    | APos   | TPos   | Remark |        |        |      |       |      |       |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |  |       |      |      |     |       |        |     |      |      |        |      |       |      |       |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |
| Freq     | Level  | Line     | Limit | Level  | Factor | Loss   | Factor | Factor |        |        |        |      |       |      |       |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |  |       |      |      |     |       |        |     |      |      |        |      |       |      |       |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |
| MHz      | dBuV/m   | dBuV/m   | dB    | dBuV   | dB/m   | dB     | dB     | dB     | cm     | deg    |        |      |       |      |       |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |  |       |      |      |     |       |        |     |      |      |        |      |       |      |       |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |
| 1        | 4960.00  | 41.28    | 74.00 | -32.72 | 58.83  | 34.00  | 9.61   | 61.16  | 0.00   | ---    | ---    | PEAK |       |      |       |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |  |       |      |      |     |       |        |     |      |      |        |      |       |      |       |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |
| 2        | 7440.00  | 43.89    | 74.00 | -30.11 | 57.44  | 35.70  | 11.77  | 61.02  | 0.00   | ---    | ---    | PEAK |       |      |       |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |  |       |      |      |     |       |        |     |      |      |        |      |       |      |       |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |



| Mode  | 7   |             |       |        |        |        |        |        |        |      |      |         |      |       |       |        |      |        |        |        |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |         |   |       |      |      |     |       |        |     |      |      |      |       |      |       |       |        |      |        |        |        |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |       |       |       |      |       |      |     |     |         |
|-------|---|-------------|-------|--------|--------|--------|--------|--------|--------|------|------|---------|------|-------|-------|--------|------|--------|--------|--------|-----|--------|--------|----|------|------|----|----|----|----|-----|---|---------|-------|-------|--------|-------|-------|------|-------|------|-----|-----|---------|---|-------|------|------|-----|-------|--------|-----|------|------|------|-------|------|-------|-------|--------|------|--------|--------|--------|-----|--------|--------|----|------|------|----|----|----|----|-----|---|---------|-------|-------|-------|-------|-------|------|-------|------|-----|-----|---------|
|       | Band Edge   |             |       |        |        |        |        |        |        |      |      |         |      |       |       |        |      |        |        |        |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |         |   |       |      |      |     |       |        |     |      |      |      |       |      |       |       |        |      |        |        |        |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |       |       |       |      |       |      |     |     |         |
|       | 2400-2483.5_Bluetooth-LE_GSKF_CH0_2402MHz   |             |       |        |        |        |        |        |        |      |      |         |      |       |       |        |      |        |        |        |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |         |   |       |      |      |     |       |        |     |      |      |      |       |      |       |       |        |      |        |        |        |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |       |       |       |      |       |      |     |     |         |
| ANT   | 8   |             |       |        |        |        |        |        |        |      |      |         |      |       |       |        |      |        |        |        |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |         |   |       |      |      |     |       |        |     |      |      |      |       |      |       |       |        |      |        |        |        |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |       |       |       |      |       |      |     |     |         |
| Pol.  | Horizontal  | Fundamental |       |        |        |        |        |        |        |      |      |         |      |       |       |        |      |        |        |        |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |         |   |       |      |      |     |       |        |     |      |      |      |       |      |       |       |        |      |        |        |        |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |       |       |       |      |       |      |     |     |         |
| Peak  | <table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2383.97</td> <td>55.51</td> <td>74.00</td> <td>-18.49</td> <td>42.70</td> <td>32.41</td> <td>6.59</td> <td>32.19</td> <td>6.00</td> <td>351</td> <td>307</td> <td>PEAK</td> </tr> </tbody> </table>   | Limit       | Over  | Read   | Ant    | Cable  | Preamp | Aux    | APos   | TPos | Freq | Level   | Line | Limit | Level | Factor | Loss | Factor | Factor | Remark | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | dB | cm | deg | 1 | 2383.97 | 55.51 | 74.00 | -18.49 | 42.70 | 32.41 | 6.59 | 32.19 | 6.00 | 351 | 307 | PEAK    | <table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2402.00</td> <td>94.55</td> <td>74.00</td> <td>20.55</td> <td>42.70</td> <td>32.41</td> <td>6.59</td> <td>32.19</td> <td>6.00</td> <td>351</td> <td>307</td> <td>PEAK</td> </tr> </tbody> </table>    | Limit | Over | Read | Ant | Cable | Preamp | Aux | APos | TPos | Freq | Level | Line | Limit | Level | Factor | Loss | Factor | Factor | Remark | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | dB | cm | deg | 1 | 2402.00 | 94.55 | 74.00 | 20.55 | 42.70 | 32.41 | 6.59 | 32.19 | 6.00 | 351 | 307 | PEAK    |
|       | Limit   | Over        | Read  | Ant    | Cable  | Preamp | Aux    | APos   | TPos   |      |      |         |      |       |       |        |      |        |        |        |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |         |   |       |      |      |     |       |        |     |      |      |      |       |      |       |       |        |      |        |        |        |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |       |       |       |      |       |      |     |     |         |
| Freq  | Level   | Line        | Limit | Level  | Factor | Loss   | Factor | Factor | Remark |      |      |         |      |       |       |        |      |        |        |        |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |         |   |       |      |      |     |       |        |     |      |      |      |       |      |       |       |        |      |        |        |        |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |       |       |       |      |       |      |     |     |         |
| MHz   | dBuV/m  | dBuV/m      | dB    | dBuV   | dB/m   | dB     | dB     | dB     | cm     | deg  |      |         |      |       |       |        |      |        |        |        |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |         |   |       |      |      |     |       |        |     |      |      |      |       |      |       |       |        |      |        |        |        |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |       |       |       |      |       |      |     |     |         |
| 1     | 2383.97   | 55.51       | 74.00 | -18.49 | 42.70  | 32.41  | 6.59   | 32.19  | 6.00   | 351  | 307  | PEAK    |      |       |       |        |      |        |        |        |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |         |   |       |      |      |     |       |        |     |      |      |      |       |      |       |       |        |      |        |        |        |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |       |       |       |      |       |      |     |     |         |
| Limit | Over  | Read        | Ant   | Cable  | Preamp | Aux    | APos   | TPos   |        |      |      |         |      |       |       |        |      |        |        |        |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |         |   |       |      |      |     |       |        |     |      |      |      |       |      |       |       |        |      |        |        |        |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |       |       |       |      |       |      |     |     |         |
| Freq  | Level   | Line        | Limit | Level  | Factor | Loss   | Factor | Factor | Remark |      |      |         |      |       |       |        |      |        |        |        |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |         |   |       |      |      |     |       |        |     |      |      |      |       |      |       |       |        |      |        |        |        |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |       |       |       |      |       |      |     |     |         |
| MHz   | dBuV/m  | dBuV/m      | dB    | dBuV   | dB/m   | dB     | dB     | dB     | cm     | deg  |      |         |      |       |       |        |      |        |        |        |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |         |   |       |      |      |     |       |        |     |      |      |      |       |      |       |       |        |      |        |        |        |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |       |       |       |      |       |      |     |     |         |
| 1     | 2402.00   | 94.55       | 74.00 | 20.55  | 42.70  | 32.41  | 6.59   | 32.19  | 6.00   | 351  | 307  | PEAK    |      |       |       |        |      |        |        |        |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |         |   |       |      |      |     |       |        |     |      |      |      |       |      |       |       |        |      |        |        |        |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |       |       |       |      |       |      |     |     |         |
| Avg   | <table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2384.10</td> <td>44.60</td> <td>54.00</td> <td>-9.40</td> <td>31.79</td> <td>32.41</td> <td>6.59</td> <td>32.19</td> <td>6.00</td> <td>351</td> <td>307</td> <td>AVERAGE</td> </tr> </tbody> </table> | Limit       | Over  | Read   | Ant    | Cable  | Preamp | Aux    | APos   | TPos | Freq | Level   | Line | Limit | Level | Factor | Loss | Factor | Factor | Remark | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | dB | cm | deg | 1 | 2384.10 | 44.60 | 54.00 | -9.40  | 31.79 | 32.41 | 6.59 | 32.19 | 6.00 | 351 | 307 | AVERAGE | <table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2402.00</td> <td>93.60</td> <td>54.00</td> <td>39.60</td> <td>42.70</td> <td>32.41</td> <td>6.59</td> <td>32.19</td> <td>6.00</td> <td>351</td> <td>307</td> <td>AVERAGE</td> </tr> </tbody> </table> | Limit | Over | Read | Ant | Cable | Preamp | Aux | APos | TPos | Freq | Level | Line | Limit | Level | Factor | Loss | Factor | Factor | Remark | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | dB | cm | deg | 1 | 2402.00 | 93.60 | 54.00 | 39.60 | 42.70 | 32.41 | 6.59 | 32.19 | 6.00 | 351 | 307 | AVERAGE |
| Limit | Over  | Read        | Ant   | Cable  | Preamp | Aux    | APos   | TPos   |        |      |      |         |      |       |       |        |      |        |        |        |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |         |   |       |      |      |     |       |        |     |      |      |      |       |      |       |       |        |      |        |        |        |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |       |       |       |      |       |      |     |     |         |
| Freq  | Level   | Line        | Limit | Level  | Factor | Loss   | Factor | Factor | Remark |      |      |         |      |       |       |        |      |        |        |        |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |         |   |       |      |      |     |       |        |     |      |      |      |       |      |       |       |        |      |        |        |        |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |       |       |       |      |       |      |     |     |         |
| MHz   | dBuV/m  | dBuV/m      | dB    | dBuV   | dB/m   | dB     | dB     | dB     | cm     | deg  |      |         |      |       |       |        |      |        |        |        |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |         |   |       |      |      |     |       |        |     |      |      |      |       |      |       |       |        |      |        |        |        |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |       |       |       |      |       |      |     |     |         |
| 1     | 2384.10   | 44.60       | 54.00 | -9.40  | 31.79  | 32.41  | 6.59   | 32.19  | 6.00   | 351  | 307  | AVERAGE |      |       |       |        |      |        |        |        |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |         |   |       |      |      |     |       |        |     |      |      |      |       |      |       |       |        |      |        |        |        |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |       |       |       |      |       |      |     |     |         |
| Limit | Over  | Read        | Ant   | Cable  | Preamp | Aux    | APos   | TPos   |        |      |      |         |      |       |       |        |      |        |        |        |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |         |   |       |      |      |     |       |        |     |      |      |      |       |      |       |       |        |      |        |        |        |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |       |       |       |      |       |      |     |     |         |
| Freq  | Level   | Line        | Limit | Level  | Factor | Loss   | Factor | Factor | Remark |      |      |         |      |       |       |        |      |        |        |        |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |         |   |       |      |      |     |       |        |     |      |      |      |       |      |       |       |        |      |        |        |        |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |       |       |       |      |       |      |     |     |         |
| MHz   | dBuV/m  | dBuV/m      | dB    | dBuV   | dB/m   | dB     | dB     | dB     | cm     | deg  |      |         |      |       |       |        |      |        |        |        |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |         |   |       |      |      |     |       |        |     |      |      |      |       |      |       |       |        |      |        |        |        |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |       |       |       |      |       |      |     |     |         |
| 1     | 2402.00   | 93.60       | 54.00 | 39.60  | 42.70  | 32.41  | 6.59   | 32.19  | 6.00   | 351  | 307  | AVERAGE |      |       |       |        |      |        |        |        |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |         |   |       |      |      |     |       |        |     |      |      |      |       |      |       |       |        |      |        |        |        |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |       |       |       |      |       |      |     |     |         |



| Mode  | 7   |             |       |        |        |       |        |        |        |      |      |         |      |       |       |        |      |        |        |        |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |         |   |       |      |      |     |       |        |     |      |      |      |       |      |       |       |        |      |        |        |        |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |       |       |       |      |       |      |     |     |         |
|-------|---|-------------|-------|--------|--------|-------|--------|--------|--------|------|------|---------|------|-------|-------|--------|------|--------|--------|--------|-----|--------|--------|----|------|------|----|----|----|----|-----|---|---------|-------|-------|--------|-------|-------|------|-------|------|-----|-----|---------|---|-------|------|------|-----|-------|--------|-----|------|------|------|-------|------|-------|-------|--------|------|--------|--------|--------|-----|--------|--------|----|------|------|----|----|----|----|-----|---|---------|-------|-------|-------|-------|-------|------|-------|------|-----|-----|---------|
|       | Band Edge   |             |       |        |        |       |        |        |        |      |      |         |      |       |       |        |      |        |        |        |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |         |   |       |      |      |     |       |        |     |      |      |      |       |      |       |       |        |      |        |        |        |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |       |       |       |      |       |      |     |     |         |
|       | 2400-2483.5_Bluetooth-LE_GSKF_CH0_2402MHz   |             |       |        |        |       |        |        |        |      |      |         |      |       |       |        |      |        |        |        |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |         |   |       |      |      |     |       |        |     |      |      |      |       |      |       |       |        |      |        |        |        |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |       |       |       |      |       |      |     |     |         |
| ANT   | 8   |             |       |        |        |       |        |        |        |      |      |         |      |       |       |        |      |        |        |        |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |         |   |       |      |      |     |       |        |     |      |      |      |       |      |       |       |        |      |        |        |        |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |       |       |       |      |       |      |     |     |         |
| Pol.  | Vertical  | Fundamental |       |        |        |       |        |        |        |      |      |         |      |       |       |        |      |        |        |        |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |         |   |       |      |      |     |       |        |     |      |      |      |       |      |       |       |        |      |        |        |        |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |       |       |       |      |       |      |     |     |         |
| Peak  | <table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2382.28</td> <td>55.50</td> <td>74.00</td> <td>-18.50</td> <td>42.71</td> <td>32.39</td> <td>6.59</td> <td>32.19</td> <td>6.00</td> <td>112</td> <td>271</td> <td>PEAK</td> </tr> </tbody> </table>   | Limit       | Over  | Read   | Ant    | Cable | Preamp | Aux    | APos   | TPos | Freq | Level   | Line | Limit | Level | Factor | Loss | Factor | Factor | Remark | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | dB | cm | deg | 1 | 2382.28 | 55.50 | 74.00 | -18.50 | 42.71 | 32.39 | 6.59 | 32.19 | 6.00 | 112 | 271 | PEAK    | <table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2402.00</td> <td>98.47</td> <td>-----</td> <td>-----</td> <td>85.44</td> <td>32.59</td> <td>6.62</td> <td>32.18</td> <td>6.00</td> <td>112</td> <td>271</td> <td>PEAK</td> </tr> </tbody> </table>    | Limit | Over | Read | Ant | Cable | Preamp | Aux | APos | TPos | Freq | Level | Line | Limit | Level | Factor | Loss | Factor | Factor | Remark | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | dB | cm | deg | 1 | 2402.00 | 98.47 | ----- | ----- | 85.44 | 32.59 | 6.62 | 32.18 | 6.00 | 112 | 271 | PEAK    |
| Limit | Over  | Read        | Ant   | Cable  | Preamp | Aux   | APos   | TPos   |        |      |      |         |      |       |       |        |      |        |        |        |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |         |   |       |      |      |     |       |        |     |      |      |      |       |      |       |       |        |      |        |        |        |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |       |       |       |      |       |      |     |     |         |
| Freq  | Level   | Line        | Limit | Level  | Factor | Loss  | Factor | Factor | Remark |      |      |         |      |       |       |        |      |        |        |        |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |         |   |       |      |      |     |       |        |     |      |      |      |       |      |       |       |        |      |        |        |        |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |       |       |       |      |       |      |     |     |         |
| MHz   | dBuV/m  | dBuV/m      | dB    | dBuV   | dB/m   | dB    | dB     | dB     | cm     | deg  |      |         |      |       |       |        |      |        |        |        |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |         |   |       |      |      |     |       |        |     |      |      |      |       |      |       |       |        |      |        |        |        |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |       |       |       |      |       |      |     |     |         |
| 1     | 2382.28   | 55.50       | 74.00 | -18.50 | 42.71  | 32.39 | 6.59   | 32.19  | 6.00   | 112  | 271  | PEAK    |      |       |       |        |      |        |        |        |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |         |   |       |      |      |     |       |        |     |      |      |      |       |      |       |       |        |      |        |        |        |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |       |       |       |      |       |      |     |     |         |
| Limit | Over  | Read        | Ant   | Cable  | Preamp | Aux   | APos   | TPos   |        |      |      |         |      |       |       |        |      |        |        |        |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |         |   |       |      |      |     |       |        |     |      |      |      |       |      |       |       |        |      |        |        |        |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |       |       |       |      |       |      |     |     |         |
| Freq  | Level   | Line        | Limit | Level  | Factor | Loss  | Factor | Factor | Remark |      |      |         |      |       |       |        |      |        |        |        |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |         |   |       |      |      |     |       |        |     |      |      |      |       |      |       |       |        |      |        |        |        |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |       |       |       |      |       |      |     |     |         |
| MHz   | dBuV/m  | dBuV/m      | dB    | dBuV   | dB/m   | dB    | dB     | dB     | cm     | deg  |      |         |      |       |       |        |      |        |        |        |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |         |   |       |      |      |     |       |        |     |      |      |      |       |      |       |       |        |      |        |        |        |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |       |       |       |      |       |      |     |     |         |
| 1     | 2402.00   | 98.47       | ----- | -----  | 85.44  | 32.59 | 6.62   | 32.18  | 6.00   | 112  | 271  | PEAK    |      |       |       |        |      |        |        |        |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |         |   |       |      |      |     |       |        |     |      |      |      |       |      |       |       |        |      |        |        |        |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |       |       |       |      |       |      |     |     |         |
| Avg   | <table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2379.81</td> <td>44.55</td> <td>54.00</td> <td>-9.45</td> <td>31.79</td> <td>32.36</td> <td>6.59</td> <td>32.19</td> <td>6.00</td> <td>112</td> <td>271</td> <td>AVERAGE</td> </tr> </tbody> </table> | Limit       | Over  | Read   | Ant    | Cable | Preamp | Aux    | APos   | TPos | Freq | Level   | Line | Limit | Level | Factor | Loss | Factor | Factor | Remark | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | dB | cm | deg | 1 | 2379.81 | 44.55 | 54.00 | -9.45  | 31.79 | 32.36 | 6.59 | 32.19 | 6.00 | 112 | 271 | AVERAGE | <table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2402.00</td> <td>97.59</td> <td>-----</td> <td>-----</td> <td>84.56</td> <td>32.59</td> <td>6.62</td> <td>32.18</td> <td>6.00</td> <td>112</td> <td>271</td> <td>AVERAGE</td> </tr> </tbody> </table> | Limit | Over | Read | Ant | Cable | Preamp | Aux | APos | TPos | Freq | Level | Line | Limit | Level | Factor | Loss | Factor | Factor | Remark | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | dB | cm | deg | 1 | 2402.00 | 97.59 | ----- | ----- | 84.56 | 32.59 | 6.62 | 32.18 | 6.00 | 112 | 271 | AVERAGE |
| Limit | Over  | Read        | Ant   | Cable  | Preamp | Aux   | APos   | TPos   |        |      |      |         |      |       |       |        |      |        |        |        |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |         |   |       |      |      |     |       |        |     |      |      |      |       |      |       |       |        |      |        |        |        |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |       |       |       |      |       |      |     |     |         |
| Freq  | Level   | Line        | Limit | Level  | Factor | Loss  | Factor | Factor | Remark |      |      |         |      |       |       |        |      |        |        |        |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |         |   |       |      |      |     |       |        |     |      |      |      |       |      |       |       |        |      |        |        |        |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |       |       |       |      |       |      |     |     |         |
| MHz   | dBuV/m  | dBuV/m      | dB    | dBuV   | dB/m   | dB    | dB     | dB     | cm     | deg  |      |         |      |       |       |        |      |        |        |        |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |         |   |       |      |      |     |       |        |     |      |      |      |       |      |       |       |        |      |        |        |        |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |       |       |       |      |       |      |     |     |         |
| 1     | 2379.81   | 44.55       | 54.00 | -9.45  | 31.79  | 32.36 | 6.59   | 32.19  | 6.00   | 112  | 271  | AVERAGE |      |       |       |        |      |        |        |        |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |         |   |       |      |      |     |       |        |     |      |      |      |       |      |       |       |        |      |        |        |        |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |       |       |       |      |       |      |     |     |         |
| Limit | Over  | Read        | Ant   | Cable  | Preamp | Aux   | APos   | TPos   |        |      |      |         |      |       |       |        |      |        |        |        |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |         |   |       |      |      |     |       |        |     |      |      |      |       |      |       |       |        |      |        |        |        |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |       |       |       |      |       |      |     |     |         |
| Freq  | Level   | Line        | Limit | Level  | Factor | Loss  | Factor | Factor | Remark |      |      |         |      |       |       |        |      |        |        |        |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |         |   |       |      |      |     |       |        |     |      |      |      |       |      |       |       |        |      |        |        |        |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |       |       |       |      |       |      |     |     |         |
| MHz   | dBuV/m  | dBuV/m      | dB    | dBuV   | dB/m   | dB    | dB     | dB     | cm     | deg  |      |         |      |       |       |        |      |        |        |        |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |         |   |       |      |      |     |       |        |     |      |      |      |       |      |       |       |        |      |        |        |        |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |       |       |       |      |       |      |     |     |         |
| 1     | 2402.00   | 97.59       | ----- | -----  | 84.56  | 32.59 | 6.62   | 32.18  | 6.00   | 112  | 271  | AVERAGE |      |       |       |        |      |        |        |        |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |         |   |       |      |      |     |       |        |     |      |      |      |       |      |       |       |        |      |        |        |        |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |       |       |       |      |       |      |     |     |         |



| Mode     | 7   |          |       |        |        |       |        |        |        |      |        |      |       |      |       |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |      |   |       |      |      |     |       |        |     |      |      |        |      |       |      |       |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |      |
|----------|---|----------|-------|--------|--------|-------|--------|--------|--------|------|--------|------|-------|------|-------|-------|--------|------|--------|--------|--|-----|--------|--------|----|------|------|----|----|----|----|-----|---|---------|-------|-------|--------|-------|-------|------|-------|------|-----|-----|------|---|-------|------|------|-----|-------|--------|-----|------|------|--------|------|-------|------|-------|-------|--------|------|--------|--------|--|-----|--------|--------|----|------|------|----|----|----|----|-----|---|---------|-------|-------|--------|-------|-------|------|-------|------|-----|-----|------|
|          | Harmonic  |          |       |        |        |       |        |        |        |      |        |      |       |      |       |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |      |   |       |      |      |     |       |        |     |      |      |        |      |       |      |       |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |      |
|          | 2400-2483.5_Bluetooth-LE_GSKF_CH0_2402MHz   |          |       |        |        |       |        |        |        |      |        |      |       |      |       |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |      |   |       |      |      |     |       |        |     |      |      |        |      |       |      |       |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |      |
| ANT      | 8   |          |       |        |        |       |        |        |        |      |        |      |       |      |       |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |      |   |       |      |      |     |       |        |     |      |      |        |      |       |      |       |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |      |
| Pol.     | Horizontal  | Vertical |       |        |        |       |        |        |        |      |        |      |       |      |       |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |      |   |       |      |      |     |       |        |     |      |      |        |      |       |      |       |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |      |
| Peak Avg | <table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4804.00</td> <td>41.56</td> <td>74.00</td> <td>-32.44</td> <td>59.20</td> <td>34.20</td> <td>9.44</td> <td>61.28</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table> | Limit    | Over  | Read   | Ant    | Cable | Preamp | Aux    | APos   | TPos | Remark | Freq | Level | Line | Limit | Level | Factor | Loss | Factor | Factor |  | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | dB | cm | deg | 1 | 4804.00 | 41.56 | 74.00 | -32.44 | 59.20 | 34.20 | 9.44 | 61.28 | 0.00 | --- | --- | PEAK | <table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4804.00</td> <td>41.59</td> <td>74.00</td> <td>-32.41</td> <td>59.23</td> <td>34.20</td> <td>9.44</td> <td>61.28</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table> | Limit | Over | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | Freq | Level | Line | Limit | Level | Factor | Loss | Factor | Factor |  | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | dB | cm | deg | 1 | 4804.00 | 41.59 | 74.00 | -32.41 | 59.23 | 34.20 | 9.44 | 61.28 | 0.00 | --- | --- | PEAK |
| Limit    | Over  | Read     | Ant   | Cable  | Preamp | Aux   | APos   | TPos   | Remark |      |        |      |       |      |       |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |      |   |       |      |      |     |       |        |     |      |      |        |      |       |      |       |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |      |
| Freq     | Level   | Line     | Limit | Level  | Factor | Loss  | Factor | Factor |        |      |        |      |       |      |       |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |      |   |       |      |      |     |       |        |     |      |      |        |      |       |      |       |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |      |
| MHz      | dBuV/m  | dBuV/m   | dB    | dBuV   | dB/m   | dB    | dB     | dB     | cm     | deg  |        |      |       |      |       |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |      |   |       |      |      |     |       |        |     |      |      |        |      |       |      |       |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |      |
| 1        | 4804.00   | 41.56    | 74.00 | -32.44 | 59.20  | 34.20 | 9.44   | 61.28  | 0.00   | ---  | ---    | PEAK |       |      |       |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |      |   |       |      |      |     |       |        |     |      |      |        |      |       |      |       |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |      |
| Limit    | Over  | Read     | Ant   | Cable  | Preamp | Aux   | APos   | TPos   | Remark |      |        |      |       |      |       |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |      |   |       |      |      |     |       |        |     |      |      |        |      |       |      |       |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |      |
| Freq     | Level   | Line     | Limit | Level  | Factor | Loss  | Factor | Factor |        |      |        |      |       |      |       |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |      |   |       |      |      |     |       |        |     |      |      |        |      |       |      |       |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |      |
| MHz      | dBuV/m  | dBuV/m   | dB    | dBuV   | dB/m   | dB    | dB     | dB     | cm     | deg  |        |      |       |      |       |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |      |   |       |      |      |     |       |        |     |      |      |        |      |       |      |       |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |      |
| 1        | 4804.00   | 41.59    | 74.00 | -32.41 | 59.23  | 34.20 | 9.44   | 61.28  | 0.00   | ---  | ---    | PEAK |       |      |       |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |      |   |       |      |      |     |       |        |     |      |      |        |      |       |      |       |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |      |



| Mode     | 8  |          |       |        |        |        |        |        |        |        |        |      |       |      |       |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |  |       |      |      |     |       |        |     |      |      |        |      |       |      |       |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |
|----------|--|----------|-------|--------|--------|--------|--------|--------|--------|--------|--------|------|-------|------|-------|-------|--------|------|--------|--------|--|-----|--------|--------|----|------|------|----|----|----|----|-----|---|---------|-------|-------|--------|-------|-------|------|-------|------|-----|-----|------|---|---------|-------|-------|--------|-------|-------|-------|-------|------|-----|-----|------|--|-------|------|------|-----|-------|--------|-----|------|------|--------|------|-------|------|-------|-------|--------|------|--------|--------|--|-----|--------|--------|----|------|------|----|----|----|----|-----|---|---------|-------|-------|--------|-------|-------|------|-------|------|-----|-----|------|---|---------|-------|-------|--------|-------|-------|-------|-------|------|-----|-----|------|
|          | Harmonic   |          |       |        |        |        |        |        |        |        |        |      |       |      |       |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |  |       |      |      |     |       |        |     |      |      |        |      |       |      |       |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |
|          | 2400-2483.5_Bluetooth-LE_GSKF_CH19_2440MHz   |          |       |        |        |        |        |        |        |        |        |      |       |      |       |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |  |       |      |      |     |       |        |     |      |      |        |      |       |      |       |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |
| ANT      | 8  |          |       |        |        |        |        |        |        |        |        |      |       |      |       |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |  |       |      |      |     |       |        |     |      |      |        |      |       |      |       |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |
| Pol.     | Horizontal   | Vertical |       |        |        |        |        |        |        |        |        |      |       |      |       |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |  |       |      |      |     |       |        |     |      |      |        |      |       |      |       |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |
| Peak Avg | <table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4880.00</td> <td>41.95</td> <td>74.00</td> <td>-32.05</td> <td>59.50</td> <td>34.14</td> <td>9.53</td> <td>61.22</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>7320.00</td> <td>43.96</td> <td>74.00</td> <td>-30.04</td> <td>57.32</td> <td>35.70</td> <td>11.69</td> <td>60.75</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table> | Limit    | Over  | Read   | Ant    | Cable  | Preamp | Aux    | APos   | TPos   | Remark | Freq | Level | Line | Limit | Level | Factor | Loss | Factor | Factor |  | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | dB | cm | deg | 1 | 4880.00 | 41.95 | 74.00 | -32.05 | 59.50 | 34.14 | 9.53 | 61.22 | 0.00 | --- | --- | PEAK | 2 | 7320.00 | 43.96 | 74.00 | -30.04 | 57.32 | 35.70 | 11.69 | 60.75 | 0.00 | --- | --- | PEAK | <table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4880.00</td> <td>41.05</td> <td>74.00</td> <td>-32.95</td> <td>58.60</td> <td>34.14</td> <td>9.53</td> <td>61.22</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>7320.00</td> <td>43.94</td> <td>74.00</td> <td>-30.06</td> <td>57.30</td> <td>35.70</td> <td>11.69</td> <td>60.75</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table> | Limit | Over | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | Freq | Level | Line | Limit | Level | Factor | Loss | Factor | Factor |  | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | dB | cm | deg | 1 | 4880.00 | 41.05 | 74.00 | -32.95 | 58.60 | 34.14 | 9.53 | 61.22 | 0.00 | --- | --- | PEAK | 2 | 7320.00 | 43.94 | 74.00 | -30.06 | 57.30 | 35.70 | 11.69 | 60.75 | 0.00 | --- | --- | PEAK |
|          | Limit  | Over     | Read  | Ant    | Cable  | Preamp | Aux    | APos   | TPos   | Remark |        |      |       |      |       |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |  |       |      |      |     |       |        |     |      |      |        |      |       |      |       |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |
| Freq     | Level  | Line     | Limit | Level  | Factor | Loss   | Factor | Factor |        |        |        |      |       |      |       |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |  |       |      |      |     |       |        |     |      |      |        |      |       |      |       |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |
| MHz      | dBuV/m   | dBuV/m   | dB    | dBuV   | dB/m   | dB     | dB     | dB     | cm     | deg    |        |      |       |      |       |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |  |       |      |      |     |       |        |     |      |      |        |      |       |      |       |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |
| 1        | 4880.00  | 41.95    | 74.00 | -32.05 | 59.50  | 34.14  | 9.53   | 61.22  | 0.00   | ---    | ---    | PEAK |       |      |       |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |  |       |      |      |     |       |        |     |      |      |        |      |       |      |       |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |
| 2        | 7320.00  | 43.96    | 74.00 | -30.04 | 57.32  | 35.70  | 11.69  | 60.75  | 0.00   | ---    | ---    | PEAK |       |      |       |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |  |       |      |      |     |       |        |     |      |      |        |      |       |      |       |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |
| Limit    | Over   | Read     | Ant   | Cable  | Preamp | Aux    | APos   | TPos   | Remark |        |        |      |       |      |       |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |  |       |      |      |     |       |        |     |      |      |        |      |       |      |       |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |
| Freq     | Level  | Line     | Limit | Level  | Factor | Loss   | Factor | Factor |        |        |        |      |       |      |       |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |  |       |      |      |     |       |        |     |      |      |        |      |       |      |       |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |
| MHz      | dBuV/m   | dBuV/m   | dB    | dBuV   | dB/m   | dB     | dB     | dB     | cm     | deg    |        |      |       |      |       |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |  |       |      |      |     |       |        |     |      |      |        |      |       |      |       |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |
| 1        | 4880.00  | 41.05    | 74.00 | -32.95 | 58.60  | 34.14  | 9.53   | 61.22  | 0.00   | ---    | ---    | PEAK |       |      |       |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |  |       |      |      |     |       |        |     |      |      |        |      |       |      |       |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |
| 2        | 7320.00  | 43.94    | 74.00 | -30.06 | 57.30  | 35.70  | 11.69  | 60.75  | 0.00   | ---    | ---    | PEAK |       |      |       |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |  |       |      |      |     |       |        |     |      |      |        |      |       |      |       |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |



| Mode  | 9   |             |       |        |        |       |        |        |        |      |      |         |      |       |       |        |      |        |        |        |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |         |   |       |      |      |     |       |        |     |      |      |      |       |      |       |       |        |      |        |        |        |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |      |       |      |     |     |         |
|-------|---|-------------|-------|--------|--------|-------|--------|--------|--------|------|------|---------|------|-------|-------|--------|------|--------|--------|--------|-----|--------|--------|----|------|------|----|----|----|-----|---|---------|-------|-------|--------|-------|-------|------|-------|------|-----|-----|---------|---|-------|------|------|-----|-------|--------|-----|------|------|------|-------|------|-------|-------|--------|------|--------|--------|--------|-----|--------|--------|----|------|------|----|----|----|-----|---|---------|-------|-------|-------|-------|-------|------|-------|------|-----|-----|---------|
|       | Band Edge   |             |       |        |        |       |        |        |        |      |      |         |      |       |       |        |      |        |        |        |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |         |   |       |      |      |     |       |        |     |      |      |      |       |      |       |       |        |      |        |        |        |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |      |       |      |     |     |         |
|       | 2400-2483.5_Bluetooth-LE_GSKF_CH39_2480MHz  |             |       |        |        |       |        |        |        |      |      |         |      |       |       |        |      |        |        |        |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |         |   |       |      |      |     |       |        |     |      |      |      |       |      |       |       |        |      |        |        |        |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |      |       |      |     |     |         |
| ANT   | 8   |             |       |        |        |       |        |        |        |      |      |         |      |       |       |        |      |        |        |        |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |         |   |       |      |      |     |       |        |     |      |      |      |       |      |       |       |        |      |        |        |        |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |      |       |      |     |     |         |
| Pol.  | Horizontal  | Fundamental |       |        |        |       |        |        |        |      |      |         |      |       |       |        |      |        |        |        |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |         |   |       |      |      |     |       |        |     |      |      |      |       |      |       |       |        |      |        |        |        |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |      |       |      |     |     |         |
| Peak  | <table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2483.98</td> <td>55.73</td> <td>74.00</td> <td>-18.27</td> <td>42.63</td> <td>32.60</td> <td>6.73</td> <td>32.23</td> <td>6.00</td> <td>100</td> <td>233</td> <td>PEAK</td> </tr> </tbody> </table>   | Limit       | Over  | Read   | Ant    | Cable | Preamp | Aux    | APos   | TPos | Freq | Level   | Line | Limit | Level | Factor | Loss | Factor | Factor | Remark | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 | 2483.98 | 55.73 | 74.00 | -18.27 | 42.63 | 32.60 | 6.73 | 32.23 | 6.00 | 100 | 233 | PEAK    | <table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2480.00</td> <td>95.59</td> <td>-----</td> <td>-----</td> <td>82.51</td> <td>32.58</td> <td>6.73</td> <td>32.23</td> <td>6.00</td> <td>100</td> <td>233</td> <td>PEAK</td> </tr> </tbody> </table>    | Limit | Over | Read | Ant | Cable | Preamp | Aux | APos | TPos | Freq | Level | Line | Limit | Level | Factor | Loss | Factor | Factor | Remark | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 | 2480.00 | 95.59 | ----- | ----- | 82.51 | 32.58 | 6.73 | 32.23 | 6.00 | 100 | 233 | PEAK    |
| Limit | Over  | Read        | Ant   | Cable  | Preamp | Aux   | APos   | TPos   |        |      |      |         |      |       |       |        |      |        |        |        |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |         |   |       |      |      |     |       |        |     |      |      |      |       |      |       |       |        |      |        |        |        |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |      |       |      |     |     |         |
| Freq  | Level   | Line        | Limit | Level  | Factor | Loss  | Factor | Factor | Remark |      |      |         |      |       |       |        |      |        |        |        |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |         |   |       |      |      |     |       |        |     |      |      |      |       |      |       |       |        |      |        |        |        |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |      |       |      |     |     |         |
| MHz   | dBuV/m  | dBuV/m      | dB    | dBuV   | dB/m   | dB    | dB     | cm     | deg    |      |      |         |      |       |       |        |      |        |        |        |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |         |   |       |      |      |     |       |        |     |      |      |      |       |      |       |       |        |      |        |        |        |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |      |       |      |     |     |         |
| 1     | 2483.98   | 55.73       | 74.00 | -18.27 | 42.63  | 32.60 | 6.73   | 32.23  | 6.00   | 100  | 233  | PEAK    |      |       |       |        |      |        |        |        |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |         |   |       |      |      |     |       |        |     |      |      |      |       |      |       |       |        |      |        |        |        |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |      |       |      |     |     |         |
| Limit | Over  | Read        | Ant   | Cable  | Preamp | Aux   | APos   | TPos   |        |      |      |         |      |       |       |        |      |        |        |        |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |         |   |       |      |      |     |       |        |     |      |      |      |       |      |       |       |        |      |        |        |        |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |      |       |      |     |     |         |
| Freq  | Level   | Line        | Limit | Level  | Factor | Loss  | Factor | Factor | Remark |      |      |         |      |       |       |        |      |        |        |        |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |         |   |       |      |      |     |       |        |     |      |      |      |       |      |       |       |        |      |        |        |        |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |      |       |      |     |     |         |
| MHz   | dBuV/m  | dBuV/m      | dB    | dBuV   | dB/m   | dB    | dB     | cm     | deg    |      |      |         |      |       |       |        |      |        |        |        |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |         |   |       |      |      |     |       |        |     |      |      |      |       |      |       |       |        |      |        |        |        |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |      |       |      |     |     |         |
| 1     | 2480.00   | 95.59       | ----- | -----  | 82.51  | 32.58 | 6.73   | 32.23  | 6.00   | 100  | 233  | PEAK    |      |       |       |        |      |        |        |        |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |         |   |       |      |      |     |       |        |     |      |      |      |       |      |       |       |        |      |        |        |        |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |      |       |      |     |     |         |
| Avg   | <table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2483.86</td> <td>44.94</td> <td>54.00</td> <td>-9.06</td> <td>31.84</td> <td>32.60</td> <td>6.73</td> <td>32.23</td> <td>6.00</td> <td>100</td> <td>233</td> <td>AVERAGE</td> </tr> </tbody> </table> | Limit       | Over  | Read   | Ant    | Cable | Preamp | Aux    | APos   | TPos | Freq | Level   | Line | Limit | Level | Factor | Loss | Factor | Factor | Remark | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 | 2483.86 | 44.94 | 54.00 | -9.06  | 31.84 | 32.60 | 6.73 | 32.23 | 6.00 | 100 | 233 | AVERAGE | <table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2480.00</td> <td>94.70</td> <td>-----</td> <td>-----</td> <td>81.62</td> <td>32.58</td> <td>6.73</td> <td>32.23</td> <td>6.00</td> <td>100</td> <td>233</td> <td>AVERAGE</td> </tr> </tbody> </table> | Limit | Over | Read | Ant | Cable | Preamp | Aux | APos | TPos | Freq | Level | Line | Limit | Level | Factor | Loss | Factor | Factor | Remark | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 | 2480.00 | 94.70 | ----- | ----- | 81.62 | 32.58 | 6.73 | 32.23 | 6.00 | 100 | 233 | AVERAGE |
| Limit | Over  | Read        | Ant   | Cable  | Preamp | Aux   | APos   | TPos   |        |      |      |         |      |       |       |        |      |        |        |        |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |         |   |       |      |      |     |       |        |     |      |      |      |       |      |       |       |        |      |        |        |        |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |      |       |      |     |     |         |
| Freq  | Level   | Line        | Limit | Level  | Factor | Loss  | Factor | Factor | Remark |      |      |         |      |       |       |        |      |        |        |        |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |         |   |       |      |      |     |       |        |     |      |      |      |       |      |       |       |        |      |        |        |        |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |      |       |      |     |     |         |
| MHz   | dBuV/m  | dBuV/m      | dB    | dBuV   | dB/m   | dB    | dB     | cm     | deg    |      |      |         |      |       |       |        |      |        |        |        |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |         |   |       |      |      |     |       |        |     |      |      |      |       |      |       |       |        |      |        |        |        |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |      |       |      |     |     |         |
| 1     | 2483.86   | 44.94       | 54.00 | -9.06  | 31.84  | 32.60 | 6.73   | 32.23  | 6.00   | 100  | 233  | AVERAGE |      |       |       |        |      |        |        |        |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |         |   |       |      |      |     |       |        |     |      |      |      |       |      |       |       |        |      |        |        |        |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |      |       |      |     |     |         |
| Limit | Over  | Read        | Ant   | Cable  | Preamp | Aux   | APos   | TPos   |        |      |      |         |      |       |       |        |      |        |        |        |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |         |   |       |      |      |     |       |        |     |      |      |      |       |      |       |       |        |      |        |        |        |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |      |       |      |     |     |         |
| Freq  | Level   | Line        | Limit | Level  | Factor | Loss  | Factor | Factor | Remark |      |      |         |      |       |       |        |      |        |        |        |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |         |   |       |      |      |     |       |        |     |      |      |      |       |      |       |       |        |      |        |        |        |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |      |       |      |     |     |         |
| MHz   | dBuV/m  | dBuV/m      | dB    | dBuV   | dB/m   | dB    | dB     | cm     | deg    |      |      |         |      |       |       |        |      |        |        |        |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |         |   |       |      |      |     |       |        |     |      |      |      |       |      |       |       |        |      |        |        |        |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |      |       |      |     |     |         |
| 1     | 2480.00   | 94.70       | ----- | -----  | 81.62  | 32.58 | 6.73   | 32.23  | 6.00   | 100  | 233  | AVERAGE |      |       |       |        |      |        |        |        |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |         |   |       |      |      |     |       |        |     |      |      |      |       |      |       |       |        |      |        |        |        |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |      |       |      |     |     |         |



| Mode  | 9  |             |       |        |        |       |        |        |      |      |      |         |      |       |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |      |       |      |     |     |         |  |       |      |      |     |       |        |     |      |      |      |       |      |       |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |       |       |       |      |       |      |     |     |         |
|-------|--|-------------|-------|--------|--------|-------|--------|--------|------|------|------|---------|------|-------|-------|--------|------|--------|--------|-----|--------|--------|----|------|------|----|----|----|---|---------|-------|-------|--------|-------|-------|------|-------|------|-----|-----|---------|--|-------|------|------|-----|-------|--------|-----|------|------|------|-------|------|-------|-------|--------|------|--------|--------|-----|--------|--------|----|------|------|----|----|----|---|---------|-------|-------|-------|-------|-------|------|-------|------|-----|-----|---------|
|       | Band Edge  |             |       |        |        |       |        |        |      |      |      |         |      |       |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |      |       |      |     |     |         |  |       |      |      |     |       |        |     |      |      |      |       |      |       |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |       |       |       |      |       |      |     |     |         |
|       | 2400-2483.5_Bluetooth-LE_GSKF_CH39_2480MHz   |             |       |        |        |       |        |        |      |      |      |         |      |       |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |      |       |      |     |     |         |  |       |      |      |     |       |        |     |      |      |      |       |      |       |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |       |       |       |      |       |      |     |     |         |
| ANT   | 8  |             |       |        |        |       |        |        |      |      |      |         |      |       |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |      |       |      |     |     |         |  |       |      |      |     |       |        |     |      |      |      |       |      |       |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |       |       |       |      |       |      |     |     |         |
| Pol.  | Vertical   | Fundamental |       |        |        |       |        |        |      |      |      |         |      |       |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |      |       |      |     |     |         |  |       |      |      |     |       |        |     |      |      |      |       |      |       |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |       |       |       |      |       |      |     |     |         |
| Peak  | <table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2485.72</td> <td>56.17</td> <td>74.00</td> <td>-17.83</td> <td>43.05</td> <td>32.61</td> <td>6.74</td> <td>32.23</td> <td>6.00</td> <td>100</td> <td>271</td> <td>PEAK</td> </tr> </tbody> </table>   | Limit       | Over  | Read   | Ant    | Cable | Preamp | Aux    | APos | TPos | Freq | Level   | Line | Limit | Level | Factor | Loss | Factor | Factor | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | 1 | 2485.72 | 56.17 | 74.00 | -17.83 | 43.05 | 32.61 | 6.74 | 32.23 | 6.00 | 100 | 271 | PEAK    | <table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2480.00</td> <td>99.26</td> <td>74.00</td> <td>25.26</td> <td>86.18</td> <td>32.58</td> <td>6.73</td> <td>32.23</td> <td>6.00</td> <td>100</td> <td>271</td> <td>PEAK</td> </tr> </tbody> </table>    | Limit | Over | Read | Ant | Cable | Preamp | Aux | APos | TPos | Freq | Level | Line | Limit | Level | Factor | Loss | Factor | Factor | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | 1 | 2480.00 | 99.26 | 74.00 | 25.26 | 86.18 | 32.58 | 6.73 | 32.23 | 6.00 | 100 | 271 | PEAK    |
| Limit | Over   | Read        | Ant   | Cable  | Preamp | Aux   | APos   | TPos   |      |      |      |         |      |       |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |      |       |      |     |     |         |  |       |      |      |     |       |        |     |      |      |      |       |      |       |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |       |       |       |      |       |      |     |     |         |
| Freq  | Level  | Line        | Limit | Level  | Factor | Loss  | Factor | Factor |      |      |      |         |      |       |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |      |       |      |     |     |         |  |       |      |      |     |       |        |     |      |      |      |       |      |       |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |       |       |       |      |       |      |     |     |         |
| MHz   | dBuV/m   | dBuV/m      | dB    | dBuV   | dB/m   | dB    | dB     | cm     |      |      |      |         |      |       |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |      |       |      |     |     |         |  |       |      |      |     |       |        |     |      |      |      |       |      |       |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |       |       |       |      |       |      |     |     |         |
| 1     | 2485.72  | 56.17       | 74.00 | -17.83 | 43.05  | 32.61 | 6.74   | 32.23  | 6.00 | 100  | 271  | PEAK    |      |       |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |      |       |      |     |     |         |  |       |      |      |     |       |        |     |      |      |      |       |      |       |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |       |       |       |      |       |      |     |     |         |
| Limit | Over   | Read        | Ant   | Cable  | Preamp | Aux   | APos   | TPos   |      |      |      |         |      |       |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |      |       |      |     |     |         |  |       |      |      |     |       |        |     |      |      |      |       |      |       |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |       |       |       |      |       |      |     |     |         |
| Freq  | Level  | Line        | Limit | Level  | Factor | Loss  | Factor | Factor |      |      |      |         |      |       |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |      |       |      |     |     |         |  |       |      |      |     |       |        |     |      |      |      |       |      |       |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |       |       |       |      |       |      |     |     |         |
| MHz   | dBuV/m   | dBuV/m      | dB    | dBuV   | dB/m   | dB    | dB     | cm     |      |      |      |         |      |       |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |      |       |      |     |     |         |  |       |      |      |     |       |        |     |      |      |      |       |      |       |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |       |       |       |      |       |      |     |     |         |
| 1     | 2480.00  | 99.26       | 74.00 | 25.26  | 86.18  | 32.58 | 6.73   | 32.23  | 6.00 | 100  | 271  | PEAK    |      |       |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |      |       |      |     |     |         |  |       |      |      |     |       |        |     |      |      |      |       |      |       |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |       |       |       |      |       |      |     |     |         |
| Avg   | <table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2496.04</td> <td>45.02</td> <td>54.00</td> <td>-8.98</td> <td>31.83</td> <td>32.68</td> <td>6.75</td> <td>32.24</td> <td>6.00</td> <td>100</td> <td>271</td> <td>AVERAGE</td> </tr> </tbody> </table> | Limit       | Over  | Read   | Ant    | Cable | Preamp | Aux    | APos | TPos | Freq | Level   | Line | Limit | Level | Factor | Loss | Factor | Factor | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | 1 | 2496.04 | 45.02 | 54.00 | -8.98  | 31.83 | 32.68 | 6.75 | 32.24 | 6.00 | 100 | 271 | AVERAGE | <table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2480.00</td> <td>98.33</td> <td>54.00</td> <td>44.33</td> <td>85.25</td> <td>32.58</td> <td>6.73</td> <td>32.23</td> <td>6.00</td> <td>100</td> <td>271</td> <td>AVERAGE</td> </tr> </tbody> </table> | Limit | Over | Read | Ant | Cable | Preamp | Aux | APos | TPos | Freq | Level | Line | Limit | Level | Factor | Loss | Factor | Factor | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | 1 | 2480.00 | 98.33 | 54.00 | 44.33 | 85.25 | 32.58 | 6.73 | 32.23 | 6.00 | 100 | 271 | AVERAGE |
| Limit | Over   | Read        | Ant   | Cable  | Preamp | Aux   | APos   | TPos   |      |      |      |         |      |       |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |      |       |      |     |     |         |  |       |      |      |     |       |        |     |      |      |      |       |      |       |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |       |       |       |      |       |      |     |     |         |
| Freq  | Level  | Line        | Limit | Level  | Factor | Loss  | Factor | Factor |      |      |      |         |      |       |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |      |       |      |     |     |         |  |       |      |      |     |       |        |     |      |      |      |       |      |       |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |       |       |       |      |       |      |     |     |         |
| MHz   | dBuV/m   | dBuV/m      | dB    | dBuV   | dB/m   | dB    | dB     | cm     |      |      |      |         |      |       |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |      |       |      |     |     |         |  |       |      |      |     |       |        |     |      |      |      |       |      |       |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |       |       |       |      |       |      |     |     |         |
| 1     | 2496.04  | 45.02       | 54.00 | -8.98  | 31.83  | 32.68 | 6.75   | 32.24  | 6.00 | 100  | 271  | AVERAGE |      |       |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |      |       |      |     |     |         |  |       |      |      |     |       |        |     |      |      |      |       |      |       |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |       |       |       |      |       |      |     |     |         |
| Limit | Over   | Read        | Ant   | Cable  | Preamp | Aux   | APos   | TPos   |      |      |      |         |      |       |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |      |       |      |     |     |         |  |       |      |      |     |       |        |     |      |      |      |       |      |       |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |       |       |       |      |       |      |     |     |         |
| Freq  | Level  | Line        | Limit | Level  | Factor | Loss  | Factor | Factor |      |      |      |         |      |       |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |      |       |      |     |     |         |  |       |      |      |     |       |        |     |      |      |      |       |      |       |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |       |       |       |      |       |      |     |     |         |
| MHz   | dBuV/m   | dBuV/m      | dB    | dBuV   | dB/m   | dB    | dB     | cm     |      |      |      |         |      |       |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |      |       |      |     |     |         |  |       |      |      |     |       |        |     |      |      |      |       |      |       |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |       |       |       |      |       |      |     |     |         |
| 1     | 2480.00  | 98.33       | 54.00 | 44.33  | 85.25  | 32.58 | 6.73   | 32.23  | 6.00 | 100  | 271  | AVERAGE |      |       |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |      |       |      |     |     |         |  |       |      |      |     |       |        |     |      |      |      |       |      |       |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |       |       |       |      |       |      |     |     |         |



| Mode     | 9  |          |       |        |        |        |        |        |        |        |        |      |       |      |       |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |  |       |      |      |     |       |        |     |      |      |        |      |       |      |       |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |
|----------|--|----------|-------|--------|--------|--------|--------|--------|--------|--------|--------|------|-------|------|-------|-------|--------|------|--------|--------|--|-----|--------|--------|----|------|------|----|----|----|----|-----|---|---------|-------|-------|--------|-------|-------|------|-------|------|-----|-----|------|---|---------|-------|-------|--------|-------|-------|-------|-------|------|-----|-----|------|--|-------|------|------|-----|-------|--------|-----|------|------|--------|------|-------|------|-------|-------|--------|------|--------|--------|--|-----|--------|--------|----|------|------|----|----|----|----|-----|---|---------|-------|-------|--------|-------|-------|------|-------|------|-----|-----|------|---|---------|-------|-------|--------|-------|-------|-------|-------|------|-----|-----|------|
|          | Harmonic   |          |       |        |        |        |        |        |        |        |        |      |       |      |       |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |  |       |      |      |     |       |        |     |      |      |        |      |       |      |       |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |
|          | 2400-2483.5_Bluetooth-LE_GSKF_CH39_2480MHz   |          |       |        |        |        |        |        |        |        |        |      |       |      |       |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |  |       |      |      |     |       |        |     |      |      |        |      |       |      |       |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |
| ANT      | 8  |          |       |        |        |        |        |        |        |        |        |      |       |      |       |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |  |       |      |      |     |       |        |     |      |      |        |      |       |      |       |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |
| Pol.     | Horizontal   | Vertical |       |        |        |        |        |        |        |        |        |      |       |      |       |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |  |       |      |      |     |       |        |     |      |      |        |      |       |      |       |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |
| Peak Avg | <table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4960.00</td> <td>41.58</td> <td>74.00</td> <td>-32.42</td> <td>59.13</td> <td>34.00</td> <td>9.61</td> <td>61.16</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>7440.00</td> <td>44.08</td> <td>74.00</td> <td>-29.92</td> <td>57.63</td> <td>35.70</td> <td>11.77</td> <td>61.02</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table> | Limit    | Over  | Read   | Ant    | Cable  | Preamp | Aux    | APos   | TPos   | Remark | Freq | Level | Line | Limit | Level | Factor | Loss | Factor | Factor |  | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | dB | cm | deg | 1 | 4960.00 | 41.58 | 74.00 | -32.42 | 59.13 | 34.00 | 9.61 | 61.16 | 0.00 | --- | --- | PEAK | 2 | 7440.00 | 44.08 | 74.00 | -29.92 | 57.63 | 35.70 | 11.77 | 61.02 | 0.00 | --- | --- | PEAK | <table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4960.00</td> <td>41.18</td> <td>74.00</td> <td>-32.82</td> <td>58.73</td> <td>34.00</td> <td>9.61</td> <td>61.16</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>7440.00</td> <td>44.51</td> <td>74.00</td> <td>-29.49</td> <td>58.06</td> <td>35.70</td> <td>11.77</td> <td>61.02</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table> | Limit | Over | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | Freq | Level | Line | Limit | Level | Factor | Loss | Factor | Factor |  | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | dB | cm | deg | 1 | 4960.00 | 41.18 | 74.00 | -32.82 | 58.73 | 34.00 | 9.61 | 61.16 | 0.00 | --- | --- | PEAK | 2 | 7440.00 | 44.51 | 74.00 | -29.49 | 58.06 | 35.70 | 11.77 | 61.02 | 0.00 | --- | --- | PEAK |
|          | Limit  | Over     | Read  | Ant    | Cable  | Preamp | Aux    | APos   | TPos   | Remark |        |      |       |      |       |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |  |       |      |      |     |       |        |     |      |      |        |      |       |      |       |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |
| Freq     | Level  | Line     | Limit | Level  | Factor | Loss   | Factor | Factor |        |        |        |      |       |      |       |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |  |       |      |      |     |       |        |     |      |      |        |      |       |      |       |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |
| MHz      | dBuV/m   | dBuV/m   | dB    | dBuV   | dB/m   | dB     | dB     | dB     | cm     | deg    |        |      |       |      |       |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |  |       |      |      |     |       |        |     |      |      |        |      |       |      |       |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |
| 1        | 4960.00  | 41.58    | 74.00 | -32.42 | 59.13  | 34.00  | 9.61   | 61.16  | 0.00   | ---    | ---    | PEAK |       |      |       |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |  |       |      |      |     |       |        |     |      |      |        |      |       |      |       |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |
| 2        | 7440.00  | 44.08    | 74.00 | -29.92 | 57.63  | 35.70  | 11.77  | 61.02  | 0.00   | ---    | ---    | PEAK |       |      |       |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |  |       |      |      |     |       |        |     |      |      |        |      |       |      |       |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |
| Limit    | Over   | Read     | Ant   | Cable  | Preamp | Aux    | APos   | TPos   | Remark |        |        |      |       |      |       |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |  |       |      |      |     |       |        |     |      |      |        |      |       |      |       |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |
| Freq     | Level  | Line     | Limit | Level  | Factor | Loss   | Factor | Factor |        |        |        |      |       |      |       |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |  |       |      |      |     |       |        |     |      |      |        |      |       |      |       |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |
| MHz      | dBuV/m   | dBuV/m   | dB    | dBuV   | dB/m   | dB     | dB     | dB     | cm     | deg    |        |      |       |      |       |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |  |       |      |      |     |       |        |     |      |      |        |      |       |      |       |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |
| 1        | 4960.00  | 41.18    | 74.00 | -32.82 | 58.73  | 34.00  | 9.61   | 61.16  | 0.00   | ---    | ---    | PEAK |       |      |       |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |  |       |      |      |     |       |        |     |      |      |        |      |       |      |       |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |
| 2        | 7440.00  | 44.51    | 74.00 | -29.49 | 58.06  | 35.70  | 11.77  | 61.02  | 0.00   | ---    | ---    | PEAK |       |      |       |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |  |       |      |      |     |       |        |     |      |      |        |      |       |      |       |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |



| Mode  | 10  |             |       |        |        |        |        |        |        |      |      |         |      |       |       |        |      |        |        |        |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |         |   |       |      |      |     |       |        |     |      |      |      |       |      |       |       |        |      |        |        |        |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |       |       |       |      |       |      |     |     |         |
|-------|---|-------------|-------|--------|--------|--------|--------|--------|--------|------|------|---------|------|-------|-------|--------|------|--------|--------|--------|-----|--------|--------|----|------|------|----|----|----|----|-----|---|---------|-------|-------|--------|-------|-------|------|-------|------|-----|-----|---------|---|-------|------|------|-----|-------|--------|-----|------|------|------|-------|------|-------|-------|--------|------|--------|--------|--------|-----|--------|--------|----|------|------|----|----|----|----|-----|---|---------|-------|-------|-------|-------|-------|------|-------|------|-----|-----|---------|
|       | Band Edge   |             |       |        |        |        |        |        |        |      |      |         |      |       |       |        |      |        |        |        |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |         |   |       |      |      |     |       |        |     |      |      |      |       |      |       |       |        |      |        |        |        |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |       |       |       |      |       |      |     |     |         |
|       | 2400-2483.5_Bluetooth-LE_GSKF_CH0_2402MHz   |             |       |        |        |        |        |        |        |      |      |         |      |       |       |        |      |        |        |        |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |         |   |       |      |      |     |       |        |     |      |      |      |       |      |       |       |        |      |        |        |        |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |       |       |       |      |       |      |     |     |         |
| ANT   | 8   |             |       |        |        |        |        |        |        |      |      |         |      |       |       |        |      |        |        |        |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |         |   |       |      |      |     |       |        |     |      |      |      |       |      |       |       |        |      |        |        |        |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |       |       |       |      |       |      |     |     |         |
| Pol.  | Horizontal  | Fundamental |       |        |        |        |        |        |        |      |      |         |      |       |       |        |      |        |        |        |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |         |   |       |      |      |     |       |        |     |      |      |      |       |      |       |       |        |      |        |        |        |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |       |       |       |      |       |      |     |     |         |
| Peak  | <table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2386.96</td> <td>56.00</td> <td>74.00</td> <td>-18.00</td> <td>43.14</td> <td>32.44</td> <td>6.60</td> <td>32.18</td> <td>6.00</td> <td>350</td> <td>308</td> <td>PEAK</td> </tr> </tbody> </table>   | Limit       | Over  | Read   | Ant    | Cable  | Preamp | Aux    | APos   | TPos | Freq | Level   | Line | Limit | Level | Factor | Loss | Factor | Factor | Remark | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | dB | cm | deg | 1 | 2386.96 | 56.00 | 74.00 | -18.00 | 43.14 | 32.44 | 6.60 | 32.18 | 6.00 | 350 | 308 | PEAK    | <table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2402.00</td> <td>94.64</td> <td>-----</td> <td>-----</td> <td>81.61</td> <td>32.59</td> <td>6.62</td> <td>32.18</td> <td>6.00</td> <td>350</td> <td>308</td> <td>PEAK</td> </tr> </tbody> </table>    | Limit | Over | Read | Ant | Cable | Preamp | Aux | APos | TPos | Freq | Level | Line | Limit | Level | Factor | Loss | Factor | Factor | Remark | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | dB | cm | deg | 1 | 2402.00 | 94.64 | ----- | ----- | 81.61 | 32.59 | 6.62 | 32.18 | 6.00 | 350 | 308 | PEAK    |
|       | Limit   | Over        | Read  | Ant    | Cable  | Preamp | Aux    | APos   | TPos   |      |      |         |      |       |       |        |      |        |        |        |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |         |   |       |      |      |     |       |        |     |      |      |      |       |      |       |       |        |      |        |        |        |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |       |       |       |      |       |      |     |     |         |
| Freq  | Level   | Line        | Limit | Level  | Factor | Loss   | Factor | Factor | Remark |      |      |         |      |       |       |        |      |        |        |        |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |         |   |       |      |      |     |       |        |     |      |      |      |       |      |       |       |        |      |        |        |        |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |       |       |       |      |       |      |     |     |         |
| MHz   | dBuV/m  | dBuV/m      | dB    | dBuV   | dB/m   | dB     | dB     | dB     | cm     | deg  |      |         |      |       |       |        |      |        |        |        |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |         |   |       |      |      |     |       |        |     |      |      |      |       |      |       |       |        |      |        |        |        |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |       |       |       |      |       |      |     |     |         |
| 1     | 2386.96   | 56.00       | 74.00 | -18.00 | 43.14  | 32.44  | 6.60   | 32.18  | 6.00   | 350  | 308  | PEAK    |      |       |       |        |      |        |        |        |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |         |   |       |      |      |     |       |        |     |      |      |      |       |      |       |       |        |      |        |        |        |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |       |       |       |      |       |      |     |     |         |
| Limit | Over  | Read        | Ant   | Cable  | Preamp | Aux    | APos   | TPos   |        |      |      |         |      |       |       |        |      |        |        |        |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |         |   |       |      |      |     |       |        |     |      |      |      |       |      |       |       |        |      |        |        |        |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |       |       |       |      |       |      |     |     |         |
| Freq  | Level   | Line        | Limit | Level  | Factor | Loss   | Factor | Factor | Remark |      |      |         |      |       |       |        |      |        |        |        |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |         |   |       |      |      |     |       |        |     |      |      |      |       |      |       |       |        |      |        |        |        |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |       |       |       |      |       |      |     |     |         |
| MHz   | dBuV/m  | dBuV/m      | dB    | dBuV   | dB/m   | dB     | dB     | dB     | cm     | deg  |      |         |      |       |       |        |      |        |        |        |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |         |   |       |      |      |     |       |        |     |      |      |      |       |      |       |       |        |      |        |        |        |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |       |       |       |      |       |      |     |     |         |
| 1     | 2402.00   | 94.64       | ----- | -----  | 81.61  | 32.59  | 6.62   | 32.18  | 6.00   | 350  | 308  | PEAK    |      |       |       |        |      |        |        |        |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |         |   |       |      |      |     |       |        |     |      |      |      |       |      |       |       |        |      |        |        |        |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |       |       |       |      |       |      |     |     |         |
| Avg   | <table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2383.19</td> <td>45.51</td> <td>54.00</td> <td>-8.49</td> <td>32.71</td> <td>32.40</td> <td>6.59</td> <td>32.19</td> <td>6.00</td> <td>350</td> <td>308</td> <td>AVERAGE</td> </tr> </tbody> </table> | Limit       | Over  | Read   | Ant    | Cable  | Preamp | Aux    | APos   | TPos | Freq | Level   | Line | Limit | Level | Factor | Loss | Factor | Factor | Remark | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | dB | cm | deg | 1 | 2383.19 | 45.51 | 54.00 | -8.49  | 32.71 | 32.40 | 6.59 | 32.19 | 6.00 | 350 | 308 | AVERAGE | <table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2402.00</td> <td>92.37</td> <td>-----</td> <td>-----</td> <td>79.34</td> <td>32.59</td> <td>6.62</td> <td>32.18</td> <td>6.00</td> <td>350</td> <td>308</td> <td>AVERAGE</td> </tr> </tbody> </table> | Limit | Over | Read | Ant | Cable | Preamp | Aux | APos | TPos | Freq | Level | Line | Limit | Level | Factor | Loss | Factor | Factor | Remark | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | dB | cm | deg | 1 | 2402.00 | 92.37 | ----- | ----- | 79.34 | 32.59 | 6.62 | 32.18 | 6.00 | 350 | 308 | AVERAGE |
| Limit | Over  | Read        | Ant   | Cable  | Preamp | Aux    | APos   | TPos   |        |      |      |         |      |       |       |        |      |        |        |        |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |         |   |       |      |      |     |       |        |     |      |      |      |       |      |       |       |        |      |        |        |        |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |       |       |       |      |       |      |     |     |         |
| Freq  | Level   | Line        | Limit | Level  | Factor | Loss   | Factor | Factor | Remark |      |      |         |      |       |       |        |      |        |        |        |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |         |   |       |      |      |     |       |        |     |      |      |      |       |      |       |       |        |      |        |        |        |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |       |       |       |      |       |      |     |     |         |
| MHz   | dBuV/m  | dBuV/m      | dB    | dBuV   | dB/m   | dB     | dB     | dB     | cm     | deg  |      |         |      |       |       |        |      |        |        |        |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |         |   |       |      |      |     |       |        |     |      |      |      |       |      |       |       |        |      |        |        |        |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |       |       |       |      |       |      |     |     |         |
| 1     | 2383.19   | 45.51       | 54.00 | -8.49  | 32.71  | 32.40  | 6.59   | 32.19  | 6.00   | 350  | 308  | AVERAGE |      |       |       |        |      |        |        |        |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |         |   |       |      |      |     |       |        |     |      |      |      |       |      |       |       |        |      |        |        |        |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |       |       |       |      |       |      |     |     |         |
| Limit | Over  | Read        | Ant   | Cable  | Preamp | Aux    | APos   | TPos   |        |      |      |         |      |       |       |        |      |        |        |        |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |         |   |       |      |      |     |       |        |     |      |      |      |       |      |       |       |        |      |        |        |        |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |       |       |       |      |       |      |     |     |         |
| Freq  | Level   | Line        | Limit | Level  | Factor | Loss   | Factor | Factor | Remark |      |      |         |      |       |       |        |      |        |        |        |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |         |   |       |      |      |     |       |        |     |      |      |      |       |      |       |       |        |      |        |        |        |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |       |       |       |      |       |      |     |     |         |
| MHz   | dBuV/m  | dBuV/m      | dB    | dBuV   | dB/m   | dB     | dB     | dB     | cm     | deg  |      |         |      |       |       |        |      |        |        |        |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |         |   |       |      |      |     |       |        |     |      |      |      |       |      |       |       |        |      |        |        |        |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |       |       |       |      |       |      |     |     |         |
| 1     | 2402.00   | 92.37       | ----- | -----  | 79.34  | 32.59  | 6.62   | 32.18  | 6.00   | 350  | 308  | AVERAGE |      |       |       |        |      |        |        |        |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |         |   |       |      |      |     |       |        |     |      |      |      |       |      |       |       |        |      |        |        |        |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |       |       |       |      |       |      |     |     |         |



| Mode  | 10  |             |       |        |        |        |        |        |        |      |      |         |      |       |       |        |      |        |        |        |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |         |   |       |      |      |     |       |        |     |      |      |      |       |      |       |       |        |      |        |        |        |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |       |       |       |      |       |      |     |     |         |
|-------|---|-------------|-------|--------|--------|--------|--------|--------|--------|------|------|---------|------|-------|-------|--------|------|--------|--------|--------|-----|--------|--------|----|------|------|----|----|----|----|-----|---|---------|-------|-------|--------|-------|-------|------|-------|------|-----|-----|---------|---|-------|------|------|-----|-------|--------|-----|------|------|------|-------|------|-------|-------|--------|------|--------|--------|--------|-----|--------|--------|----|------|------|----|----|----|----|-----|---|---------|-------|-------|-------|-------|-------|------|-------|------|-----|-----|---------|
|       | Band Edge   |             |       |        |        |        |        |        |        |      |      |         |      |       |       |        |      |        |        |        |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |         |   |       |      |      |     |       |        |     |      |      |      |       |      |       |       |        |      |        |        |        |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |       |       |       |      |       |      |     |     |         |
|       | 2400-2483.5_Bluetooth-LE_GSKF_CH0_2402MHz   |             |       |        |        |        |        |        |        |      |      |         |      |       |       |        |      |        |        |        |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |         |   |       |      |      |     |       |        |     |      |      |      |       |      |       |       |        |      |        |        |        |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |       |       |       |      |       |      |     |     |         |
| ANT   | 8   |             |       |        |        |        |        |        |        |      |      |         |      |       |       |        |      |        |        |        |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |         |   |       |      |      |     |       |        |     |      |      |      |       |      |       |       |        |      |        |        |        |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |       |       |       |      |       |      |     |     |         |
| Pol.  | Vertical  | Fundamental |       |        |        |        |        |        |        |      |      |         |      |       |       |        |      |        |        |        |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |         |   |       |      |      |     |       |        |     |      |      |      |       |      |       |       |        |      |        |        |        |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |       |       |       |      |       |      |     |     |         |
| Peak  | <table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2387.35</td> <td>54.94</td> <td>74.00</td> <td>-19.06</td> <td>42.07</td> <td>32.45</td> <td>6.60</td> <td>32.18</td> <td>6.00</td> <td>112</td> <td>271</td> <td>PEAK</td> </tr> </tbody> </table>   | Limit       | Over  | Read   | Ant    | Cable  | Preamp | Aux    | APos   | TPos | Freq | Level   | Line | Limit | Level | Factor | Loss | Factor | Factor | Remark | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | dB | cm | deg | 1 | 2387.35 | 54.94 | 74.00 | -19.06 | 42.07 | 32.45 | 6.60 | 32.18 | 6.00 | 112 | 271 | PEAK    | <table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2402.00</td> <td>98.40</td> <td>74.00</td> <td>24.40</td> <td>85.37</td> <td>32.59</td> <td>6.62</td> <td>32.18</td> <td>6.00</td> <td>112</td> <td>271</td> <td>PEAK</td> </tr> </tbody> </table>    | Limit | Over | Read | Ant | Cable | Preamp | Aux | APos | TPos | Freq | Level | Line | Limit | Level | Factor | Loss | Factor | Factor | Remark | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | dB | cm | deg | 1 | 2402.00 | 98.40 | 74.00 | 24.40 | 85.37 | 32.59 | 6.62 | 32.18 | 6.00 | 112 | 271 | PEAK    |
|       | Limit   | Over        | Read  | Ant    | Cable  | Preamp | Aux    | APos   | TPos   |      |      |         |      |       |       |        |      |        |        |        |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |         |   |       |      |      |     |       |        |     |      |      |      |       |      |       |       |        |      |        |        |        |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |       |       |       |      |       |      |     |     |         |
| Freq  | Level   | Line        | Limit | Level  | Factor | Loss   | Factor | Factor | Remark |      |      |         |      |       |       |        |      |        |        |        |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |         |   |       |      |      |     |       |        |     |      |      |      |       |      |       |       |        |      |        |        |        |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |       |       |       |      |       |      |     |     |         |
| MHz   | dBuV/m  | dBuV/m      | dB    | dBuV   | dB/m   | dB     | dB     | dB     | cm     | deg  |      |         |      |       |       |        |      |        |        |        |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |         |   |       |      |      |     |       |        |     |      |      |      |       |      |       |       |        |      |        |        |        |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |       |       |       |      |       |      |     |     |         |
| 1     | 2387.35   | 54.94       | 74.00 | -19.06 | 42.07  | 32.45  | 6.60   | 32.18  | 6.00   | 112  | 271  | PEAK    |      |       |       |        |      |        |        |        |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |         |   |       |      |      |     |       |        |     |      |      |      |       |      |       |       |        |      |        |        |        |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |       |       |       |      |       |      |     |     |         |
| Limit | Over  | Read        | Ant   | Cable  | Preamp | Aux    | APos   | TPos   |        |      |      |         |      |       |       |        |      |        |        |        |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |         |   |       |      |      |     |       |        |     |      |      |      |       |      |       |       |        |      |        |        |        |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |       |       |       |      |       |      |     |     |         |
| Freq  | Level   | Line        | Limit | Level  | Factor | Loss   | Factor | Factor | Remark |      |      |         |      |       |       |        |      |        |        |        |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |         |   |       |      |      |     |       |        |     |      |      |      |       |      |       |       |        |      |        |        |        |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |       |       |       |      |       |      |     |     |         |
| MHz   | dBuV/m  | dBuV/m      | dB    | dBuV   | dB/m   | dB     | dB     | dB     | cm     | deg  |      |         |      |       |       |        |      |        |        |        |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |         |   |       |      |      |     |       |        |     |      |      |      |       |      |       |       |        |      |        |        |        |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |       |       |       |      |       |      |     |     |         |
| 1     | 2402.00   | 98.40       | 74.00 | 24.40  | 85.37  | 32.59  | 6.62   | 32.18  | 6.00   | 112  | 271  | PEAK    |      |       |       |        |      |        |        |        |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |         |   |       |      |      |     |       |        |     |      |      |      |       |      |       |       |        |      |        |        |        |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |       |       |       |      |       |      |     |     |         |
| Avg   | <table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2377.86</td> <td>45.26</td> <td>54.00</td> <td>-8.74</td> <td>32.54</td> <td>32.33</td> <td>6.58</td> <td>32.19</td> <td>6.00</td> <td>112</td> <td>271</td> <td>AVERAGE</td> </tr> </tbody> </table> | Limit       | Over  | Read   | Ant    | Cable  | Preamp | Aux    | APos   | TPos | Freq | Level   | Line | Limit | Level | Factor | Loss | Factor | Factor | Remark | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | dB | cm | deg | 1 | 2377.86 | 45.26 | 54.00 | -8.74  | 32.54 | 32.33 | 6.58 | 32.19 | 6.00 | 112 | 271 | AVERAGE | <table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2402.00</td> <td>96.18</td> <td>54.00</td> <td>42.18</td> <td>83.15</td> <td>32.59</td> <td>6.62</td> <td>32.18</td> <td>6.00</td> <td>112</td> <td>271</td> <td>AVERAGE</td> </tr> </tbody> </table> | Limit | Over | Read | Ant | Cable | Preamp | Aux | APos | TPos | Freq | Level | Line | Limit | Level | Factor | Loss | Factor | Factor | Remark | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | dB | cm | deg | 1 | 2402.00 | 96.18 | 54.00 | 42.18 | 83.15 | 32.59 | 6.62 | 32.18 | 6.00 | 112 | 271 | AVERAGE |
| Limit | Over  | Read        | Ant   | Cable  | Preamp | Aux    | APos   | TPos   |        |      |      |         |      |       |       |        |      |        |        |        |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |         |   |       |      |      |     |       |        |     |      |      |      |       |      |       |       |        |      |        |        |        |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |       |       |       |      |       |      |     |     |         |
| Freq  | Level   | Line        | Limit | Level  | Factor | Loss   | Factor | Factor | Remark |      |      |         |      |       |       |        |      |        |        |        |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |         |   |       |      |      |     |       |        |     |      |      |      |       |      |       |       |        |      |        |        |        |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |       |       |       |      |       |      |     |     |         |
| MHz   | dBuV/m  | dBuV/m      | dB    | dBuV   | dB/m   | dB     | dB     | dB     | cm     | deg  |      |         |      |       |       |        |      |        |        |        |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |         |   |       |      |      |     |       |        |     |      |      |      |       |      |       |       |        |      |        |        |        |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |       |       |       |      |       |      |     |     |         |
| 1     | 2377.86   | 45.26       | 54.00 | -8.74  | 32.54  | 32.33  | 6.58   | 32.19  | 6.00   | 112  | 271  | AVERAGE |      |       |       |        |      |        |        |        |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |         |   |       |      |      |     |       |        |     |      |      |      |       |      |       |       |        |      |        |        |        |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |       |       |       |      |       |      |     |     |         |
| Limit | Over  | Read        | Ant   | Cable  | Preamp | Aux    | APos   | TPos   |        |      |      |         |      |       |       |        |      |        |        |        |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |         |   |       |      |      |     |       |        |     |      |      |      |       |      |       |       |        |      |        |        |        |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |       |       |       |      |       |      |     |     |         |
| Freq  | Level   | Line        | Limit | Level  | Factor | Loss   | Factor | Factor | Remark |      |      |         |      |       |       |        |      |        |        |        |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |         |   |       |      |      |     |       |        |     |      |      |      |       |      |       |       |        |      |        |        |        |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |       |       |       |      |       |      |     |     |         |
| MHz   | dBuV/m  | dBuV/m      | dB    | dBuV   | dB/m   | dB     | dB     | dB     | cm     | deg  |      |         |      |       |       |        |      |        |        |        |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |         |   |       |      |      |     |       |        |     |      |      |      |       |      |       |       |        |      |        |        |        |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |       |       |       |      |       |      |     |     |         |
| 1     | 2402.00   | 96.18       | 54.00 | 42.18  | 83.15  | 32.59  | 6.62   | 32.18  | 6.00   | 112  | 271  | AVERAGE |      |       |       |        |      |        |        |        |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |         |   |       |      |      |     |       |        |     |      |      |      |       |      |       |       |        |      |        |        |        |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |       |       |       |      |       |      |     |     |         |



| Mode     | 10  |          |       |        |        |       |        |        |        |      |        |      |       |      |       |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |      |   |       |      |      |     |       |        |     |      |      |        |      |       |      |       |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |      |
|----------|---|----------|-------|--------|--------|-------|--------|--------|--------|------|--------|------|-------|------|-------|-------|--------|------|--------|--------|--|-----|--------|--------|----|------|------|----|----|----|----|-----|---|---------|-------|-------|--------|-------|-------|------|-------|------|-----|-----|------|---|-------|------|------|-----|-------|--------|-----|------|------|--------|------|-------|------|-------|-------|--------|------|--------|--------|--|-----|--------|--------|----|------|------|----|----|----|----|-----|---|---------|-------|-------|--------|-------|-------|------|-------|------|-----|-----|------|
|          | Harmonic  |          |       |        |        |       |        |        |        |      |        |      |       |      |       |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |      |   |       |      |      |     |       |        |     |      |      |        |      |       |      |       |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |      |
|          | 2400-2483.5_Bluetooth-LE_GSKF_CH0_2402MHz   |          |       |        |        |       |        |        |        |      |        |      |       |      |       |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |      |   |       |      |      |     |       |        |     |      |      |        |      |       |      |       |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |      |
| ANT      | 8   |          |       |        |        |       |        |        |        |      |        |      |       |      |       |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |      |   |       |      |      |     |       |        |     |      |      |        |      |       |      |       |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |      |
| Pol.     | Horizontal  | Vertical |       |        |        |       |        |        |        |      |        |      |       |      |       |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |      |   |       |      |      |     |       |        |     |      |      |        |      |       |      |       |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |      |
| Peak Avg | <table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4804.00</td> <td>41.63</td> <td>74.00</td> <td>-32.37</td> <td>59.27</td> <td>34.20</td> <td>9.44</td> <td>61.28</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table> | Limit    | Over  | Read   | Ant    | Cable | Preamp | Aux    | APos   | TPos | Remark | Freq | Level | Line | Limit | Level | Factor | Loss | Factor | Factor |  | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | dB | cm | deg | 1 | 4804.00 | 41.63 | 74.00 | -32.37 | 59.27 | 34.20 | 9.44 | 61.28 | 0.00 | --- | --- | PEAK | <table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4804.00</td> <td>41.71</td> <td>74.00</td> <td>-32.29</td> <td>59.35</td> <td>34.20</td> <td>9.44</td> <td>61.28</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table> | Limit | Over | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | Freq | Level | Line | Limit | Level | Factor | Loss | Factor | Factor |  | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | dB | cm | deg | 1 | 4804.00 | 41.71 | 74.00 | -32.29 | 59.35 | 34.20 | 9.44 | 61.28 | 0.00 | --- | --- | PEAK |
| Limit    | Over  | Read     | Ant   | Cable  | Preamp | Aux   | APos   | TPos   | Remark |      |        |      |       |      |       |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |      |   |       |      |      |     |       |        |     |      |      |        |      |       |      |       |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |      |
| Freq     | Level   | Line     | Limit | Level  | Factor | Loss  | Factor | Factor |        |      |        |      |       |      |       |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |      |   |       |      |      |     |       |        |     |      |      |        |      |       |      |       |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |      |
| MHz      | dBuV/m  | dBuV/m   | dB    | dBuV   | dB/m   | dB    | dB     | dB     | cm     | deg  |        |      |       |      |       |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |      |   |       |      |      |     |       |        |     |      |      |        |      |       |      |       |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |      |
| 1        | 4804.00   | 41.63    | 74.00 | -32.37 | 59.27  | 34.20 | 9.44   | 61.28  | 0.00   | ---  | ---    | PEAK |       |      |       |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |      |   |       |      |      |     |       |        |     |      |      |        |      |       |      |       |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |      |
| Limit    | Over  | Read     | Ant   | Cable  | Preamp | Aux   | APos   | TPos   | Remark |      |        |      |       |      |       |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |      |   |       |      |      |     |       |        |     |      |      |        |      |       |      |       |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |      |
| Freq     | Level   | Line     | Limit | Level  | Factor | Loss  | Factor | Factor |        |      |        |      |       |      |       |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |      |   |       |      |      |     |       |        |     |      |      |        |      |       |      |       |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |      |
| MHz      | dBuV/m  | dBuV/m   | dB    | dBuV   | dB/m   | dB    | dB     | dB     | cm     | deg  |        |      |       |      |       |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |      |   |       |      |      |     |       |        |     |      |      |        |      |       |      |       |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |      |
| 1        | 4804.00   | 41.71    | 74.00 | -32.29 | 59.35  | 34.20 | 9.44   | 61.28  | 0.00   | ---  | ---    | PEAK |       |      |       |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |      |   |       |      |      |     |       |        |     |      |      |        |      |       |      |       |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |      |



| Mode     | 11   |          |       |        |        |        |        |        |        |        |        |      |       |      |       |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |  |       |      |      |     |       |        |     |      |      |        |      |       |      |       |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |
|----------|--|----------|-------|--------|--------|--------|--------|--------|--------|--------|--------|------|-------|------|-------|-------|--------|------|--------|--------|--|-----|--------|--------|----|------|------|----|----|----|----|-----|---|---------|-------|-------|--------|-------|-------|------|-------|------|-----|-----|------|---|---------|-------|-------|--------|-------|-------|-------|-------|------|-----|-----|------|--|-------|------|------|-----|-------|--------|-----|------|------|--------|------|-------|------|-------|-------|--------|------|--------|--------|--|-----|--------|--------|----|------|------|----|----|----|----|-----|---|---------|-------|-------|--------|-------|-------|------|-------|------|-----|-----|------|---|---------|-------|-------|--------|-------|-------|-------|-------|------|-----|-----|------|
|          | Harmonic   |          |       |        |        |        |        |        |        |        |        |      |       |      |       |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |  |       |      |      |     |       |        |     |      |      |        |      |       |      |       |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |
|          | 2400-2483.5_Bluetooth-LE_GSKF_CH19_2440MHz   |          |       |        |        |        |        |        |        |        |        |      |       |      |       |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |  |       |      |      |     |       |        |     |      |      |        |      |       |      |       |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |
| ANT      | 8  |          |       |        |        |        |        |        |        |        |        |      |       |      |       |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |  |       |      |      |     |       |        |     |      |      |        |      |       |      |       |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |
| Pol.     | Horizontal   | Vertical |       |        |        |        |        |        |        |        |        |      |       |      |       |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |  |       |      |      |     |       |        |     |      |      |        |      |       |      |       |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |
| Peak Avg | <table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4880.00</td> <td>40.70</td> <td>74.00</td> <td>-33.30</td> <td>58.25</td> <td>34.14</td> <td>9.53</td> <td>61.22</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>7320.00</td> <td>43.96</td> <td>74.00</td> <td>-30.04</td> <td>57.32</td> <td>35.70</td> <td>11.69</td> <td>60.75</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table> | Limit    | Over  | Read   | Ant    | Cable  | Preamp | Aux    | APos   | TPos   | Remark | Freq | Level | Line | Limit | Level | Factor | Loss | Factor | Factor |  | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | dB | cm | deg | 1 | 4880.00 | 40.70 | 74.00 | -33.30 | 58.25 | 34.14 | 9.53 | 61.22 | 0.00 | --- | --- | PEAK | 2 | 7320.00 | 43.96 | 74.00 | -30.04 | 57.32 | 35.70 | 11.69 | 60.75 | 0.00 | --- | --- | PEAK | <table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4880.00</td> <td>42.14</td> <td>74.00</td> <td>-31.86</td> <td>59.69</td> <td>34.14</td> <td>9.53</td> <td>61.22</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>7320.00</td> <td>44.17</td> <td>74.00</td> <td>-29.83</td> <td>57.53</td> <td>35.70</td> <td>11.69</td> <td>60.75</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table> | Limit | Over | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | Freq | Level | Line | Limit | Level | Factor | Loss | Factor | Factor |  | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | dB | cm | deg | 1 | 4880.00 | 42.14 | 74.00 | -31.86 | 59.69 | 34.14 | 9.53 | 61.22 | 0.00 | --- | --- | PEAK | 2 | 7320.00 | 44.17 | 74.00 | -29.83 | 57.53 | 35.70 | 11.69 | 60.75 | 0.00 | --- | --- | PEAK |
|          | Limit  | Over     | Read  | Ant    | Cable  | Preamp | Aux    | APos   | TPos   | Remark |        |      |       |      |       |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |  |       |      |      |     |       |        |     |      |      |        |      |       |      |       |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |
| Freq     | Level  | Line     | Limit | Level  | Factor | Loss   | Factor | Factor |        |        |        |      |       |      |       |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |  |       |      |      |     |       |        |     |      |      |        |      |       |      |       |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |
| MHz      | dBuV/m   | dBuV/m   | dB    | dBuV   | dB/m   | dB     | dB     | dB     | cm     | deg    |        |      |       |      |       |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |  |       |      |      |     |       |        |     |      |      |        |      |       |      |       |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |
| 1        | 4880.00  | 40.70    | 74.00 | -33.30 | 58.25  | 34.14  | 9.53   | 61.22  | 0.00   | ---    | ---    | PEAK |       |      |       |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |  |       |      |      |     |       |        |     |      |      |        |      |       |      |       |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |
| 2        | 7320.00  | 43.96    | 74.00 | -30.04 | 57.32  | 35.70  | 11.69  | 60.75  | 0.00   | ---    | ---    | PEAK |       |      |       |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |  |       |      |      |     |       |        |     |      |      |        |      |       |      |       |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |
| Limit    | Over   | Read     | Ant   | Cable  | Preamp | Aux    | APos   | TPos   | Remark |        |        |      |       |      |       |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |  |       |      |      |     |       |        |     |      |      |        |      |       |      |       |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |
| Freq     | Level  | Line     | Limit | Level  | Factor | Loss   | Factor | Factor |        |        |        |      |       |      |       |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |  |       |      |      |     |       |        |     |      |      |        |      |       |      |       |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |
| MHz      | dBuV/m   | dBuV/m   | dB    | dBuV   | dB/m   | dB     | dB     | dB     | cm     | deg    |        |      |       |      |       |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |  |       |      |      |     |       |        |     |      |      |        |      |       |      |       |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |
| 1        | 4880.00  | 42.14    | 74.00 | -31.86 | 59.69  | 34.14  | 9.53   | 61.22  | 0.00   | ---    | ---    | PEAK |       |      |       |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |  |       |      |      |     |       |        |     |      |      |        |      |       |      |       |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |
| 2        | 7320.00  | 44.17    | 74.00 | -29.83 | 57.53  | 35.70  | 11.69  | 60.75  | 0.00   | ---    | ---    | PEAK |       |      |       |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |  |       |      |      |     |       |        |     |      |      |        |      |       |      |       |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |



| Mode  | 12  |             |       |        |        |        |        |        |        |      |      |         |      |       |       |        |      |        |        |        |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |         |   |       |      |      |     |       |        |     |      |      |      |       |      |       |       |        |      |        |        |        |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |       |       |       |      |       |      |     |     |         |
|-------|---|-------------|-------|--------|--------|--------|--------|--------|--------|------|------|---------|------|-------|-------|--------|------|--------|--------|--------|-----|--------|--------|----|------|------|----|----|----|----|-----|---|---------|-------|-------|--------|-------|-------|------|-------|------|-----|-----|---------|---|-------|------|------|-----|-------|--------|-----|------|------|------|-------|------|-------|-------|--------|------|--------|--------|--------|-----|--------|--------|----|------|------|----|----|----|----|-----|---|---------|-------|-------|-------|-------|-------|------|-------|------|-----|-----|---------|
|       | Band Edge   |             |       |        |        |        |        |        |        |      |      |         |      |       |       |        |      |        |        |        |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |         |   |       |      |      |     |       |        |     |      |      |      |       |      |       |       |        |      |        |        |        |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |       |       |       |      |       |      |     |     |         |
|       | 2400-2483.5_Bluetooth-LE_GSKF_CH39_2480MHz  |             |       |        |        |        |        |        |        |      |      |         |      |       |       |        |      |        |        |        |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |         |   |       |      |      |     |       |        |     |      |      |      |       |      |       |       |        |      |        |        |        |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |       |       |       |      |       |      |     |     |         |
| ANT   | 8   |             |       |        |        |        |        |        |        |      |      |         |      |       |       |        |      |        |        |        |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |         |   |       |      |      |     |       |        |     |      |      |      |       |      |       |       |        |      |        |        |        |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |       |       |       |      |       |      |     |     |         |
| Pol.  | Horizontal  | Fundamental |       |        |        |        |        |        |        |      |      |         |      |       |       |        |      |        |        |        |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |         |   |       |      |      |     |       |        |     |      |      |      |       |      |       |       |        |      |        |        |        |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |       |       |       |      |       |      |     |     |         |
| Peak  | <table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2496.94</td> <td>55.81</td> <td>74.00</td> <td>-18.19</td> <td>42.62</td> <td>32.68</td> <td>6.75</td> <td>32.24</td> <td>6.00</td> <td>100</td> <td>232</td> <td>PEAK</td> </tr> </tbody> </table>   | Limit       | Over  | Read   | Ant    | Cable  | Preamp | Aux    | APos   | TPos | Freq | Level   | Line | Limit | Level | Factor | Loss | Factor | Factor | Remark | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | dB | cm | deg | 1 | 2496.94 | 55.81 | 74.00 | -18.19 | 42.62 | 32.68 | 6.75 | 32.24 | 6.00 | 100 | 232 | PEAK    | <table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2480.00</td> <td>95.10</td> <td>74.00</td> <td>21.10</td> <td>42.62</td> <td>32.68</td> <td>6.75</td> <td>32.23</td> <td>6.00</td> <td>100</td> <td>232</td> <td>PEAK</td> </tr> </tbody> </table>    | Limit | Over | Read | Ant | Cable | Preamp | Aux | APos | TPos | Freq | Level | Line | Limit | Level | Factor | Loss | Factor | Factor | Remark | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | dB | cm | deg | 1 | 2480.00 | 95.10 | 74.00 | 21.10 | 42.62 | 32.68 | 6.75 | 32.23 | 6.00 | 100 | 232 | PEAK    |
|       | Limit   | Over        | Read  | Ant    | Cable  | Preamp | Aux    | APos   | TPos   |      |      |         |      |       |       |        |      |        |        |        |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |         |   |       |      |      |     |       |        |     |      |      |      |       |      |       |       |        |      |        |        |        |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |       |       |       |      |       |      |     |     |         |
| Freq  | Level   | Line        | Limit | Level  | Factor | Loss   | Factor | Factor | Remark |      |      |         |      |       |       |        |      |        |        |        |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |         |   |       |      |      |     |       |        |     |      |      |      |       |      |       |       |        |      |        |        |        |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |       |       |       |      |       |      |     |     |         |
| MHz   | dBuV/m  | dBuV/m      | dB    | dBuV   | dB/m   | dB     | dB     | dB     | cm     | deg  |      |         |      |       |       |        |      |        |        |        |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |         |   |       |      |      |     |       |        |     |      |      |      |       |      |       |       |        |      |        |        |        |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |       |       |       |      |       |      |     |     |         |
| 1     | 2496.94   | 55.81       | 74.00 | -18.19 | 42.62  | 32.68  | 6.75   | 32.24  | 6.00   | 100  | 232  | PEAK    |      |       |       |        |      |        |        |        |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |         |   |       |      |      |     |       |        |     |      |      |      |       |      |       |       |        |      |        |        |        |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |       |       |       |      |       |      |     |     |         |
| Limit | Over  | Read        | Ant   | Cable  | Preamp | Aux    | APos   | TPos   |        |      |      |         |      |       |       |        |      |        |        |        |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |         |   |       |      |      |     |       |        |     |      |      |      |       |      |       |       |        |      |        |        |        |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |       |       |       |      |       |      |     |     |         |
| Freq  | Level   | Line        | Limit | Level  | Factor | Loss   | Factor | Factor | Remark |      |      |         |      |       |       |        |      |        |        |        |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |         |   |       |      |      |     |       |        |     |      |      |      |       |      |       |       |        |      |        |        |        |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |       |       |       |      |       |      |     |     |         |
| MHz   | dBuV/m  | dBuV/m      | dB    | dBuV   | dB/m   | dB     | dB     | dB     | cm     | deg  |      |         |      |       |       |        |      |        |        |        |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |         |   |       |      |      |     |       |        |     |      |      |      |       |      |       |       |        |      |        |        |        |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |       |       |       |      |       |      |     |     |         |
| 1     | 2480.00   | 95.10       | 74.00 | 21.10  | 42.62  | 32.68  | 6.75   | 32.23  | 6.00   | 100  | 232  | PEAK    |      |       |       |        |      |        |        |        |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |         |   |       |      |      |     |       |        |     |      |      |      |       |      |       |       |        |      |        |        |        |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |       |       |       |      |       |      |     |     |         |
| Avg   | <table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2485.06</td> <td>45.74</td> <td>54.00</td> <td>-8.26</td> <td>32.63</td> <td>32.61</td> <td>6.73</td> <td>32.23</td> <td>6.00</td> <td>100</td> <td>232</td> <td>AVERAGE</td> </tr> </tbody> </table> | Limit       | Over  | Read   | Ant    | Cable  | Preamp | Aux    | APos   | TPos | Freq | Level   | Line | Limit | Level | Factor | Loss | Factor | Factor | Remark | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | dB | cm | deg | 1 | 2485.06 | 45.74 | 54.00 | -8.26  | 32.63 | 32.61 | 6.73 | 32.23 | 6.00 | 100 | 232 | AVERAGE | <table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2480.00</td> <td>92.93</td> <td>54.00</td> <td>38.93</td> <td>42.62</td> <td>32.68</td> <td>6.73</td> <td>32.23</td> <td>6.00</td> <td>100</td> <td>232</td> <td>AVERAGE</td> </tr> </tbody> </table> | Limit | Over | Read | Ant | Cable | Preamp | Aux | APos | TPos | Freq | Level | Line | Limit | Level | Factor | Loss | Factor | Factor | Remark | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | dB | cm | deg | 1 | 2480.00 | 92.93 | 54.00 | 38.93 | 42.62 | 32.68 | 6.73 | 32.23 | 6.00 | 100 | 232 | AVERAGE |
| Limit | Over  | Read        | Ant   | Cable  | Preamp | Aux    | APos   | TPos   |        |      |      |         |      |       |       |        |      |        |        |        |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |         |   |       |      |      |     |       |        |     |      |      |      |       |      |       |       |        |      |        |        |        |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |       |       |       |      |       |      |     |     |         |
| Freq  | Level   | Line        | Limit | Level  | Factor | Loss   | Factor | Factor | Remark |      |      |         |      |       |       |        |      |        |        |        |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |         |   |       |      |      |     |       |        |     |      |      |      |       |      |       |       |        |      |        |        |        |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |       |       |       |      |       |      |     |     |         |
| MHz   | dBuV/m  | dBuV/m      | dB    | dBuV   | dB/m   | dB     | dB     | dB     | cm     | deg  |      |         |      |       |       |        |      |        |        |        |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |         |   |       |      |      |     |       |        |     |      |      |      |       |      |       |       |        |      |        |        |        |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |       |       |       |      |       |      |     |     |         |
| 1     | 2485.06   | 45.74       | 54.00 | -8.26  | 32.63  | 32.61  | 6.73   | 32.23  | 6.00   | 100  | 232  | AVERAGE |      |       |       |        |      |        |        |        |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |         |   |       |      |      |     |       |        |     |      |      |      |       |      |       |       |        |      |        |        |        |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |       |       |       |      |       |      |     |     |         |
| Limit | Over  | Read        | Ant   | Cable  | Preamp | Aux    | APos   | TPos   |        |      |      |         |      |       |       |        |      |        |        |        |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |         |   |       |      |      |     |       |        |     |      |      |      |       |      |       |       |        |      |        |        |        |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |       |       |       |      |       |      |     |     |         |
| Freq  | Level   | Line        | Limit | Level  | Factor | Loss   | Factor | Factor | Remark |      |      |         |      |       |       |        |      |        |        |        |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |         |   |       |      |      |     |       |        |     |      |      |      |       |      |       |       |        |      |        |        |        |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |       |       |       |      |       |      |     |     |         |
| MHz   | dBuV/m  | dBuV/m      | dB    | dBuV   | dB/m   | dB     | dB     | dB     | cm     | deg  |      |         |      |       |       |        |      |        |        |        |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |         |   |       |      |      |     |       |        |     |      |      |      |       |      |       |       |        |      |        |        |        |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |       |       |       |      |       |      |     |     |         |
| 1     | 2480.00   | 92.93       | 54.00 | 38.93  | 42.62  | 32.68  | 6.73   | 32.23  | 6.00   | 100  | 232  | AVERAGE |      |       |       |        |      |        |        |        |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |         |   |       |      |      |     |       |        |     |      |      |      |       |      |       |       |        |      |        |        |        |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |       |       |       |      |       |      |     |     |         |





| Mode  | 12   |             |       |        |        |        |        |        |      |      |      |         |      |       |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |      |       |      |     |     |         |  |       |      |      |     |       |        |     |      |      |      |       |      |       |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |       |       |       |      |       |      |     |     |         |
|-------|--|-------------|-------|--------|--------|--------|--------|--------|------|------|------|---------|------|-------|-------|--------|------|--------|--------|-----|--------|--------|----|------|------|----|----|----|---|---------|-------|-------|--------|-------|-------|------|-------|------|-----|-----|---------|--|-------|------|------|-----|-------|--------|-----|------|------|------|-------|------|-------|-------|--------|------|--------|--------|-----|--------|--------|----|------|------|----|----|----|---|---------|-------|-------|-------|-------|-------|------|-------|------|-----|-----|---------|
|       | Band Edge  |             |       |        |        |        |        |        |      |      |      |         |      |       |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |      |       |      |     |     |         |  |       |      |      |     |       |        |     |      |      |      |       |      |       |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |       |       |       |      |       |      |     |     |         |
|       | 2400-2483.5_Bluetooth-LE_GSKF_CH39_2480MHz   |             |       |        |        |        |        |        |      |      |      |         |      |       |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |      |       |      |     |     |         |  |       |      |      |     |       |        |     |      |      |      |       |      |       |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |       |       |       |      |       |      |     |     |         |
| ANT   | 8  |             |       |        |        |        |        |        |      |      |      |         |      |       |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |      |       |      |     |     |         |  |       |      |      |     |       |        |     |      |      |      |       |      |       |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |       |       |       |      |       |      |     |     |         |
| Pol.  | Vertical   | Fundamental |       |        |        |        |        |        |      |      |      |         |      |       |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |      |       |      |     |     |         |  |       |      |      |     |       |        |     |      |      |      |       |      |       |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |       |       |       |      |       |      |     |     |         |
| Peak  | <table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2486.68</td> <td>55.74</td> <td>74.00</td> <td>-18.26</td> <td>42.62</td> <td>32.62</td> <td>6.74</td> <td>32.24</td> <td>6.00</td> <td>124</td> <td>271</td> <td>PEAK</td> </tr> </tbody> </table>   | Limit       | Over  | Read   | Ant    | Cable  | Preamp | Aux    | APos | TPos | Freq | Level   | Line | Limit | Level | Factor | Loss | Factor | Factor | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | 1 | 2486.68 | 55.74 | 74.00 | -18.26 | 42.62 | 32.62 | 6.74 | 32.24 | 6.00 | 124 | 271 | PEAK    | <table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2480.00</td> <td>99.25</td> <td>74.00</td> <td>25.25</td> <td>86.17</td> <td>32.58</td> <td>6.73</td> <td>32.23</td> <td>6.00</td> <td>124</td> <td>271</td> <td>PEAK</td> </tr> </tbody> </table>    | Limit | Over | Read | Ant | Cable | Preamp | Aux | APos | TPos | Freq | Level | Line | Limit | Level | Factor | Loss | Factor | Factor | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | 1 | 2480.00 | 99.25 | 74.00 | 25.25 | 86.17 | 32.58 | 6.73 | 32.23 | 6.00 | 124 | 271 | PEAK    |
|       | Limit  | Over        | Read  | Ant    | Cable  | Preamp | Aux    | APos   | TPos |      |      |         |      |       |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |      |       |      |     |     |         |  |       |      |      |     |       |        |     |      |      |      |       |      |       |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |       |       |       |      |       |      |     |     |         |
| Freq  | Level  | Line        | Limit | Level  | Factor | Loss   | Factor | Factor |      |      |      |         |      |       |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |      |       |      |     |     |         |  |       |      |      |     |       |        |     |      |      |      |       |      |       |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |       |       |       |      |       |      |     |     |         |
| MHz   | dBuV/m   | dBuV/m      | dB    | dBuV   | dB/m   | dB     | dB     | cm     |      |      |      |         |      |       |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |      |       |      |     |     |         |  |       |      |      |     |       |        |     |      |      |      |       |      |       |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |       |       |       |      |       |      |     |     |         |
| 1     | 2486.68  | 55.74       | 74.00 | -18.26 | 42.62  | 32.62  | 6.74   | 32.24  | 6.00 | 124  | 271  | PEAK    |      |       |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |      |       |      |     |     |         |  |       |      |      |     |       |        |     |      |      |      |       |      |       |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |       |       |       |      |       |      |     |     |         |
| Limit | Over   | Read        | Ant   | Cable  | Preamp | Aux    | APos   | TPos   |      |      |      |         |      |       |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |      |       |      |     |     |         |  |       |      |      |     |       |        |     |      |      |      |       |      |       |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |       |       |       |      |       |      |     |     |         |
| Freq  | Level  | Line        | Limit | Level  | Factor | Loss   | Factor | Factor |      |      |      |         |      |       |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |      |       |      |     |     |         |  |       |      |      |     |       |        |     |      |      |      |       |      |       |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |       |       |       |      |       |      |     |     |         |
| MHz   | dBuV/m   | dBuV/m      | dB    | dBuV   | dB/m   | dB     | dB     | cm     |      |      |      |         |      |       |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |      |       |      |     |     |         |  |       |      |      |     |       |        |     |      |      |      |       |      |       |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |       |       |       |      |       |      |     |     |         |
| 1     | 2480.00  | 99.25       | 74.00 | 25.25  | 86.17  | 32.58  | 6.73   | 32.23  | 6.00 | 124  | 271  | PEAK    |      |       |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |      |       |      |     |     |         |  |       |      |      |     |       |        |     |      |      |      |       |      |       |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |       |       |       |      |       |      |     |     |         |
| Avg   | <table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2497.96</td> <td>45.76</td> <td>54.00</td> <td>-8.24</td> <td>32.56</td> <td>32.69</td> <td>6.75</td> <td>32.24</td> <td>6.00</td> <td>124</td> <td>271</td> <td>AVERAGE</td> </tr> </tbody> </table> | Limit       | Over  | Read   | Ant    | Cable  | Preamp | Aux    | APos | TPos | Freq | Level   | Line | Limit | Level | Factor | Loss | Factor | Factor | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | 1 | 2497.96 | 45.76 | 54.00 | -8.24  | 32.56 | 32.69 | 6.75 | 32.24 | 6.00 | 124 | 271 | AVERAGE | <table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2480.00</td> <td>97.14</td> <td>54.00</td> <td>43.14</td> <td>84.06</td> <td>32.58</td> <td>6.73</td> <td>32.23</td> <td>6.00</td> <td>124</td> <td>271</td> <td>AVERAGE</td> </tr> </tbody> </table> | Limit | Over | Read | Ant | Cable | Preamp | Aux | APos | TPos | Freq | Level | Line | Limit | Level | Factor | Loss | Factor | Factor | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | 1 | 2480.00 | 97.14 | 54.00 | 43.14 | 84.06 | 32.58 | 6.73 | 32.23 | 6.00 | 124 | 271 | AVERAGE |
| Limit | Over   | Read        | Ant   | Cable  | Preamp | Aux    | APos   | TPos   |      |      |      |         |      |       |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |      |       |      |     |     |         |  |       |      |      |     |       |        |     |      |      |      |       |      |       |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |       |       |       |      |       |      |     |     |         |
| Freq  | Level  | Line        | Limit | Level  | Factor | Loss   | Factor | Factor |      |      |      |         |      |       |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |      |       |      |     |     |         |  |       |      |      |     |       |        |     |      |      |      |       |      |       |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |       |       |       |      |       |      |     |     |         |
| MHz   | dBuV/m   | dBuV/m      | dB    | dBuV   | dB/m   | dB     | dB     | cm     |      |      |      |         |      |       |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |      |       |      |     |     |         |  |       |      |      |     |       |        |     |      |      |      |       |      |       |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |       |       |       |      |       |      |     |     |         |
| 1     | 2497.96  | 45.76       | 54.00 | -8.24  | 32.56  | 32.69  | 6.75   | 32.24  | 6.00 | 124  | 271  | AVERAGE |      |       |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |      |       |      |     |     |         |  |       |      |      |     |       |        |     |      |      |      |       |      |       |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |       |       |       |      |       |      |     |     |         |
| Limit | Over   | Read        | Ant   | Cable  | Preamp | Aux    | APos   | TPos   |      |      |      |         |      |       |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |      |       |      |     |     |         |  |       |      |      |     |       |        |     |      |      |      |       |      |       |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |       |       |       |      |       |      |     |     |         |
| Freq  | Level  | Line        | Limit | Level  | Factor | Loss   | Factor | Factor |      |      |      |         |      |       |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |      |       |      |     |     |         |  |       |      |      |     |       |        |     |      |      |      |       |      |       |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |       |       |       |      |       |      |     |     |         |
| MHz   | dBuV/m   | dBuV/m      | dB    | dBuV   | dB/m   | dB     | dB     | cm     |      |      |      |         |      |       |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |      |       |      |     |     |         |  |       |      |      |     |       |        |     |      |      |      |       |      |       |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |       |       |       |      |       |      |     |     |         |
| 1     | 2480.00  | 97.14       | 54.00 | 43.14  | 84.06  | 32.58  | 6.73   | 32.23  | 6.00 | 124  | 271  | AVERAGE |      |       |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |      |       |      |     |     |         |  |       |      |      |     |       |        |     |      |      |      |       |      |       |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |       |       |       |      |       |      |     |     |         |



| Mode     | 12   |          |       |        |        |        |        |        |        |        |        |      |       |      |       |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |  |       |      |      |     |       |        |     |      |      |        |      |       |      |       |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |
|----------|--|----------|-------|--------|--------|--------|--------|--------|--------|--------|--------|------|-------|------|-------|-------|--------|------|--------|--------|--|-----|--------|--------|----|------|------|----|----|----|----|-----|---|---------|-------|-------|--------|-------|-------|------|-------|------|-----|-----|------|---|---------|-------|-------|--------|-------|-------|-------|-------|------|-----|-----|------|--|-------|------|------|-----|-------|--------|-----|------|------|--------|------|-------|------|-------|-------|--------|------|--------|--------|--|-----|--------|--------|----|------|------|----|----|----|----|-----|---|---------|-------|-------|--------|-------|-------|------|-------|------|-----|-----|------|---|---------|-------|-------|--------|-------|-------|-------|-------|------|-----|-----|------|
|          | Harmonic   |          |       |        |        |        |        |        |        |        |        |      |       |      |       |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |  |       |      |      |     |       |        |     |      |      |        |      |       |      |       |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |
|          | 2400-2483.5_Bluetooth-LE_GSKF_CH39_2480MHz   |          |       |        |        |        |        |        |        |        |        |      |       |      |       |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |  |       |      |      |     |       |        |     |      |      |        |      |       |      |       |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |
| ANT      | 8  |          |       |        |        |        |        |        |        |        |        |      |       |      |       |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |  |       |      |      |     |       |        |     |      |      |        |      |       |      |       |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |
| Pol.     | Horizontal   | Vertical |       |        |        |        |        |        |        |        |        |      |       |      |       |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |  |       |      |      |     |       |        |     |      |      |        |      |       |      |       |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |
| Peak Avg | <table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4960.00</td> <td>41.23</td> <td>74.00</td> <td>-32.77</td> <td>58.78</td> <td>34.00</td> <td>9.61</td> <td>61.16</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>7440.00</td> <td>43.89</td> <td>74.00</td> <td>-30.11</td> <td>57.44</td> <td>35.70</td> <td>11.77</td> <td>61.02</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table> | Limit    | Over  | Read   | Ant    | Cable  | Preamp | Aux    | APos   | TPos   | Remark | Freq | Level | Line | Limit | Level | Factor | Loss | Factor | Factor |  | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | dB | cm | deg | 1 | 4960.00 | 41.23 | 74.00 | -32.77 | 58.78 | 34.00 | 9.61 | 61.16 | 0.00 | --- | --- | PEAK | 2 | 7440.00 | 43.89 | 74.00 | -30.11 | 57.44 | 35.70 | 11.77 | 61.02 | 0.00 | --- | --- | PEAK | <table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4960.00</td> <td>41.37</td> <td>74.00</td> <td>-32.63</td> <td>58.92</td> <td>34.00</td> <td>9.61</td> <td>61.16</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>7440.00</td> <td>43.61</td> <td>74.00</td> <td>-30.39</td> <td>57.16</td> <td>35.70</td> <td>11.77</td> <td>61.02</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table> | Limit | Over | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | Freq | Level | Line | Limit | Level | Factor | Loss | Factor | Factor |  | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | dB | cm | deg | 1 | 4960.00 | 41.37 | 74.00 | -32.63 | 58.92 | 34.00 | 9.61 | 61.16 | 0.00 | --- | --- | PEAK | 2 | 7440.00 | 43.61 | 74.00 | -30.39 | 57.16 | 35.70 | 11.77 | 61.02 | 0.00 | --- | --- | PEAK |
|          | Limit  | Over     | Read  | Ant    | Cable  | Preamp | Aux    | APos   | TPos   | Remark |        |      |       |      |       |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |  |       |      |      |     |       |        |     |      |      |        |      |       |      |       |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |
| Freq     | Level  | Line     | Limit | Level  | Factor | Loss   | Factor | Factor |        |        |        |      |       |      |       |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |  |       |      |      |     |       |        |     |      |      |        |      |       |      |       |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |
| MHz      | dBuV/m   | dBuV/m   | dB    | dBuV   | dB/m   | dB     | dB     | dB     | cm     | deg    |        |      |       |      |       |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |  |       |      |      |     |       |        |     |      |      |        |      |       |      |       |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |
| 1        | 4960.00  | 41.23    | 74.00 | -32.77 | 58.78  | 34.00  | 9.61   | 61.16  | 0.00   | ---    | ---    | PEAK |       |      |       |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |  |       |      |      |     |       |        |     |      |      |        |      |       |      |       |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |
| 2        | 7440.00  | 43.89    | 74.00 | -30.11 | 57.44  | 35.70  | 11.77  | 61.02  | 0.00   | ---    | ---    | PEAK |       |      |       |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |  |       |      |      |     |       |        |     |      |      |        |      |       |      |       |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |
| Limit    | Over   | Read     | Ant   | Cable  | Preamp | Aux    | APos   | TPos   | Remark |        |        |      |       |      |       |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |  |       |      |      |     |       |        |     |      |      |        |      |       |      |       |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |
| Freq     | Level  | Line     | Limit | Level  | Factor | Loss   | Factor | Factor |        |        |        |      |       |      |       |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |  |       |      |      |     |       |        |     |      |      |        |      |       |      |       |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |
| MHz      | dBuV/m   | dBuV/m   | dB    | dBuV   | dB/m   | dB     | dB     | dB     | cm     | deg    |        |      |       |      |       |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |  |       |      |      |     |       |        |     |      |      |        |      |       |      |       |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |
| 1        | 4960.00  | 41.37    | 74.00 | -32.63 | 58.92  | 34.00  | 9.61   | 61.16  | 0.00   | ---    | ---    | PEAK |       |      |       |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |  |       |      |      |     |       |        |     |      |      |        |      |       |      |       |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |
| 2        | 7440.00  | 43.61    | 74.00 | -30.39 | 57.16  | 35.70  | 11.77  | 61.02  | 0.00   | ---    | ---    | PEAK |       |      |       |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |  |       |      |      |     |       |        |     |      |      |        |      |       |      |       |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |



|          |  |   |
|----------|--|---|
| Mode     | 6  |   |
|          | 18G-25G  |   |
|          | 2400-2483.5_Bluetooth-LE_GSKF_CH39_2480MHz   |   |
| ANT      | 6  |   |
| Pol.     | Horizontal   | Vertical  |
| Peak Avg |  |  |



| Mode | 6  |          |       |        |       |       |        |       |        |      |        |      |        |     |        |        |    |      |      |    |    |    |    |     |  |   |       |       |       |        |       |       |      |       |      |     |      |   |       |       |       |        |       |       |      |       |      |     |      |   |        |       |       |        |       |       |      |       |      |     |      |   |        |       |       |        |       |       |      |       |      |     |      |   |        |       |       |        |       |       |      |       |      |     |      |   |        |       |       |        |       |       |      |       |      |     |      |   |      |       |       |      |      |     |       |        |     |      |      |        |     |        |        |    |      |      |    |    |    |    |     |  |   |       |       |       |       |       |       |      |       |      |     |      |   |       |       |       |        |       |       |      |       |      |     |      |   |        |       |       |        |       |       |      |       |      |     |      |   |        |       |       |        |       |       |      |       |      |     |      |   |        |       |       |        |       |       |      |       |      |     |      |   |        |       |       |        |       |       |      |       |      |     |
|------|--|----------|-------|--------|-------|-------|--------|-------|--------|------|--------|------|--------|-----|--------|--------|----|------|------|----|----|----|----|-----|--|---|-------|-------|-------|--------|-------|-------|------|-------|------|-----|------|---|-------|-------|-------|--------|-------|-------|------|-------|------|-----|------|---|--------|-------|-------|--------|-------|-------|------|-------|------|-----|------|---|--------|-------|-------|--------|-------|-------|------|-------|------|-----|------|---|--------|-------|-------|--------|-------|-------|------|-------|------|-----|------|---|--------|-------|-------|--------|-------|-------|------|-------|------|-----|------|---|------|-------|-------|------|------|-----|-------|--------|-----|------|------|--------|-----|--------|--------|----|------|------|----|----|----|----|-----|--|---|-------|-------|-------|-------|-------|-------|------|-------|------|-----|------|---|-------|-------|-------|--------|-------|-------|------|-------|------|-----|------|---|--------|-------|-------|--------|-------|-------|------|-------|------|-----|------|---|--------|-------|-------|--------|-------|-------|------|-------|------|-----|------|---|--------|-------|-------|--------|-------|-------|------|-------|------|-----|------|---|--------|-------|-------|--------|-------|-------|------|-------|------|-----|
|      | 30M-1G   |          |       |        |       |       |        |       |        |      |        |      |        |     |        |        |    |      |      |    |    |    |    |     |  |   |       |       |       |        |       |       |      |       |      |     |      |   |       |       |       |        |       |       |      |       |      |     |      |   |        |       |       |        |       |       |      |       |      |     |      |   |        |       |       |        |       |       |      |       |      |     |      |   |        |       |       |        |       |       |      |       |      |     |      |   |        |       |       |        |       |       |      |       |      |     |      |   |      |       |       |      |      |     |       |        |     |      |      |        |     |        |        |    |      |      |    |    |    |    |     |  |   |       |       |       |       |       |       |      |       |      |     |      |   |       |       |       |        |       |       |      |       |      |     |      |   |        |       |       |        |       |       |      |       |      |     |      |   |        |       |       |        |       |       |      |       |      |     |      |   |        |       |       |        |       |       |      |       |      |     |      |   |        |       |       |        |       |       |      |       |      |     |
|      | 2400-2483.5_Bluetooth-LE_GSKF_CH39_2480MHz   |          |       |        |       |       |        |       |        |      |        |      |        |     |        |        |    |      |      |    |    |    |    |     |  |   |       |       |       |        |       |       |      |       |      |     |      |   |       |       |       |        |       |       |      |       |      |     |      |   |        |       |       |        |       |       |      |       |      |     |      |   |        |       |       |        |       |       |      |       |      |     |      |   |        |       |       |        |       |       |      |       |      |     |      |   |        |       |       |        |       |       |      |       |      |     |      |   |      |       |       |      |      |     |       |        |     |      |      |        |     |        |        |    |      |      |    |    |    |    |     |  |   |       |       |       |       |       |       |      |       |      |     |      |   |       |       |       |        |       |       |      |       |      |     |      |   |        |       |       |        |       |       |      |       |      |     |      |   |        |       |       |        |       |       |      |       |      |     |      |   |        |       |       |        |       |       |      |       |      |     |      |   |        |       |       |        |       |       |      |       |      |     |
| ANT  | 6  |          |       |        |       |       |        |       |        |      |        |      |        |     |        |        |    |      |      |    |    |    |    |     |  |   |       |       |       |        |       |       |      |       |      |     |      |   |       |       |       |        |       |       |      |       |      |     |      |   |        |       |       |        |       |       |      |       |      |     |      |   |        |       |       |        |       |       |      |       |      |     |      |   |        |       |       |        |       |       |      |       |      |     |      |   |        |       |       |        |       |       |      |       |      |     |      |   |      |       |       |      |      |     |       |        |     |      |      |        |     |        |        |    |      |      |    |    |    |    |     |  |   |       |       |       |       |       |       |      |       |      |     |      |   |       |       |       |        |       |       |      |       |      |     |      |   |        |       |       |        |       |       |      |       |      |     |      |   |        |       |       |        |       |       |      |       |      |     |      |   |        |       |       |        |       |       |      |       |      |     |      |   |        |       |       |        |       |       |      |       |      |     |
| Pol. | Horizontal   | Vertical |       |        |       |       |        |       |        |      |        |      |        |     |        |        |    |      |      |    |    |    |    |     |  |   |       |       |       |        |       |       |      |       |      |     |      |   |       |       |       |        |       |       |      |       |      |     |      |   |        |       |       |        |       |       |      |       |      |     |      |   |        |       |       |        |       |       |      |       |      |     |      |   |        |       |       |        |       |       |      |       |      |     |      |   |        |       |       |        |       |       |      |       |      |     |      |   |      |       |       |      |      |     |       |        |     |      |      |        |     |        |        |    |      |      |    |    |    |    |     |  |   |       |       |       |       |       |       |      |       |      |     |      |   |       |       |       |        |       |       |      |       |      |     |      |   |        |       |       |        |       |       |      |       |      |     |      |   |        |       |       |        |       |       |      |       |      |     |      |   |        |       |       |        |       |       |      |       |      |     |      |   |        |       |       |        |       |       |      |       |      |     |
| QP   |  |          |       |        |       |       |        |       |        |      |        |      |        |     |        |        |    |      |      |    |    |    |    |     |  |   |       |       |       |        |       |       |      |       |      |     |      |   |       |       |       |        |       |       |      |       |      |     |      |   |        |       |       |        |       |       |      |       |      |     |      |   |        |       |       |        |       |       |      |       |      |     |      |   |        |       |       |        |       |       |      |       |      |     |      |   |        |       |       |        |       |       |      |       |      |     |      |   |      |       |       |      |      |     |       |        |     |      |      |        |     |        |        |    |      |      |    |    |    |    |     |  |   |       |       |       |       |       |       |      |       |      |     |      |   |       |       |       |        |       |       |      |       |      |     |      |   |        |       |       |        |       |       |      |       |      |     |      |   |        |       |       |        |       |       |      |       |      |     |      |   |        |       |       |        |       |       |      |       |      |     |      |   |        |       |       |        |       |       |      |       |      |     |
|      | <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr><td>1</td><td>30.97</td><td>21.09</td><td>40.00</td><td>-18.91</td><td>28.20</td><td>25.09</td><td>0.76</td><td>32.96</td><td>0.00</td><td>---</td><td>Peak</td></tr> <tr><td>2</td><td>84.32</td><td>20.43</td><td>40.00</td><td>-19.57</td><td>37.72</td><td>14.08</td><td>1.32</td><td>32.69</td><td>0.00</td><td>---</td><td>Peak</td></tr> <tr><td>3</td><td>135.73</td><td>21.71</td><td>43.50</td><td>-21.79</td><td>35.12</td><td>17.56</td><td>1.72</td><td>32.69</td><td>0.00</td><td>---</td><td>Peak</td></tr> <tr><td>4</td><td>337.49</td><td>28.89</td><td>46.00</td><td>-17.11</td><td>38.85</td><td>20.29</td><td>2.71</td><td>32.96</td><td>0.00</td><td>---</td><td>Peak</td></tr> <tr><td>5</td><td>438.37</td><td>25.01</td><td>46.00</td><td>-20.99</td><td>32.36</td><td>22.70</td><td>3.11</td><td>33.16</td><td>0.00</td><td>---</td><td>Peak</td></tr> <tr><td>6</td><td>613.94</td><td>26.70</td><td>46.00</td><td>-19.30</td><td>30.29</td><td>26.26</td><td>3.67</td><td>33.52</td><td>0.00</td><td>---</td><td>Peak</td></tr> </tbody> </table> | Freq     | Level | Limit  | Over  | Read  | Ant    | Cable | Preamp | Aux  | APos   | TPos | Remark | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | dB | cm | deg |  | 1 | 30.97 | 21.09 | 40.00 | -18.91 | 28.20 | 25.09 | 0.76 | 32.96 | 0.00 | --- | Peak | 2 | 84.32 | 20.43 | 40.00 | -19.57 | 37.72 | 14.08 | 1.32 | 32.69 | 0.00 | --- | Peak | 3 | 135.73 | 21.71 | 43.50 | -21.79 | 35.12 | 17.56 | 1.72 | 32.69 | 0.00 | --- | Peak | 4 | 337.49 | 28.89 | 46.00 | -17.11 | 38.85 | 20.29 | 2.71 | 32.96 | 0.00 | --- | Peak | 5 | 438.37 | 25.01 | 46.00 | -20.99 | 32.36 | 22.70 | 3.11 | 33.16 | 0.00 | --- | Peak | 6 | 613.94 | 26.70 | 46.00 | -19.30 | 30.29 | 26.26 | 3.67 | 33.52 | 0.00 | --- | Peak | <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr><td>1</td><td>39.70</td><td>33.75</td><td>40.00</td><td>-6.25</td><td>46.05</td><td>19.86</td><td>0.86</td><td>33.02</td><td>0.00</td><td>---</td><td>Peak</td></tr> <tr><td>2</td><td>74.62</td><td>26.29</td><td>40.00</td><td>-13.71</td><td>42.47</td><td>14.67</td><td>1.20</td><td>32.05</td><td>0.00</td><td>---</td><td>Peak</td></tr> <tr><td>3</td><td>174.53</td><td>21.22</td><td>43.50</td><td>-22.28</td><td>36.54</td><td>15.50</td><td>1.93</td><td>32.75</td><td>0.00</td><td>---</td><td>Peak</td></tr> <tr><td>4</td><td>324.88</td><td>25.93</td><td>46.00</td><td>-20.07</td><td>36.22</td><td>19.97</td><td>2.65</td><td>32.91</td><td>0.00</td><td>---</td><td>Peak</td></tr> <tr><td>5</td><td>696.39</td><td>27.49</td><td>46.00</td><td>-18.51</td><td>30.42</td><td>26.70</td><td>3.94</td><td>33.57</td><td>0.00</td><td>---</td><td>Peak</td></tr> <tr><td>6</td><td>838.98</td><td>29.91</td><td>46.00</td><td>-16.09</td><td>30.00</td><td>28.55</td><td>4.25</td><td>32.89</td><td>0.00</td><td>---</td><td>Peak</td></tr> </tbody> </table> | Freq | Level | Limit | Over | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | dB | cm | deg |  | 1 | 39.70 | 33.75 | 40.00 | -6.25 | 46.05 | 19.86 | 0.86 | 33.02 | 0.00 | --- | Peak | 2 | 74.62 | 26.29 | 40.00 | -13.71 | 42.47 | 14.67 | 1.20 | 32.05 | 0.00 | --- | Peak | 3 | 174.53 | 21.22 | 43.50 | -22.28 | 36.54 | 15.50 | 1.93 | 32.75 | 0.00 | --- | Peak | 4 | 324.88 | 25.93 | 46.00 | -20.07 | 36.22 | 19.97 | 2.65 | 32.91 | 0.00 | --- | Peak | 5 | 696.39 | 27.49 | 46.00 | -18.51 | 30.42 | 26.70 | 3.94 | 33.57 | 0.00 | --- | Peak | 6 | 838.98 | 29.91 | 46.00 | -16.09 | 30.00 | 28.55 | 4.25 | 32.89 | 0.00 | --- |
| Freq | Level  | Limit    | Over  | Read   | Ant   | Cable | Preamp | Aux   | APos   | TPos | Remark |      |        |     |        |        |    |      |      |    |    |    |    |     |  |   |       |       |       |        |       |       |      |       |      |     |      |   |       |       |       |        |       |       |      |       |      |     |      |   |        |       |       |        |       |       |      |       |      |     |      |   |        |       |       |        |       |       |      |       |      |     |      |   |        |       |       |        |       |       |      |       |      |     |      |   |        |       |       |        |       |       |      |       |      |     |      |   |      |       |       |      |      |     |       |        |     |      |      |        |     |        |        |    |      |      |    |    |    |    |     |  |   |       |       |       |       |       |       |      |       |      |     |      |   |       |       |       |        |       |       |      |       |      |     |      |   |        |       |       |        |       |       |      |       |      |     |      |   |        |       |       |        |       |       |      |       |      |     |      |   |        |       |       |        |       |       |      |       |      |     |      |   |        |       |       |        |       |       |      |       |      |     |
| MHz  | dBuV/m   | dBuV/m   | dB    | dBuV   | dB/m  | dB    | dB     | dB    | cm     | deg  |        |      |        |     |        |        |    |      |      |    |    |    |    |     |  |   |       |       |       |        |       |       |      |       |      |     |      |   |       |       |       |        |       |       |      |       |      |     |      |   |        |       |       |        |       |       |      |       |      |     |      |   |        |       |       |        |       |       |      |       |      |     |      |   |        |       |       |        |       |       |      |       |      |     |      |   |        |       |       |        |       |       |      |       |      |     |      |   |      |       |       |      |      |     |       |        |     |      |      |        |     |        |        |    |      |      |    |    |    |    |     |  |   |       |       |       |       |       |       |      |       |      |     |      |   |       |       |       |        |       |       |      |       |      |     |      |   |        |       |       |        |       |       |      |       |      |     |      |   |        |       |       |        |       |       |      |       |      |     |      |   |        |       |       |        |       |       |      |       |      |     |      |   |        |       |       |        |       |       |      |       |      |     |
| 1    | 30.97  | 21.09    | 40.00 | -18.91 | 28.20 | 25.09 | 0.76   | 32.96 | 0.00   | ---  | Peak   |      |        |     |        |        |    |      |      |    |    |    |    |     |  |   |       |       |       |        |       |       |      |       |      |     |      |   |       |       |       |        |       |       |      |       |      |     |      |   |        |       |       |        |       |       |      |       |      |     |      |   |        |       |       |        |       |       |      |       |      |     |      |   |        |       |       |        |       |       |      |       |      |     |      |   |        |       |       |        |       |       |      |       |      |     |      |   |      |       |       |      |      |     |       |        |     |      |      |        |     |        |        |    |      |      |    |    |    |    |     |  |   |       |       |       |       |       |       |      |       |      |     |      |   |       |       |       |        |       |       |      |       |      |     |      |   |        |       |       |        |       |       |      |       |      |     |      |   |        |       |       |        |       |       |      |       |      |     |      |   |        |       |       |        |       |       |      |       |      |     |      |   |        |       |       |        |       |       |      |       |      |     |
| 2    | 84.32  | 20.43    | 40.00 | -19.57 | 37.72 | 14.08 | 1.32   | 32.69 | 0.00   | ---  | Peak   |      |        |     |        |        |    |      |      |    |    |    |    |     |  |   |       |       |       |        |       |       |      |       |      |     |      |   |       |       |       |        |       |       |      |       |      |     |      |   |        |       |       |        |       |       |      |       |      |     |      |   |        |       |       |        |       |       |      |       |      |     |      |   |        |       |       |        |       |       |      |       |      |     |      |   |        |       |       |        |       |       |      |       |      |     |      |   |      |       |       |      |      |     |       |        |     |      |      |        |     |        |        |    |      |      |    |    |    |    |     |  |   |       |       |       |       |       |       |      |       |      |     |      |   |       |       |       |        |       |       |      |       |      |     |      |   |        |       |       |        |       |       |      |       |      |     |      |   |        |       |       |        |       |       |      |       |      |     |      |   |        |       |       |        |       |       |      |       |      |     |      |   |        |       |       |        |       |       |      |       |      |     |
| 3    | 135.73   | 21.71    | 43.50 | -21.79 | 35.12 | 17.56 | 1.72   | 32.69 | 0.00   | ---  | Peak   |      |        |     |        |        |    |      |      |    |    |    |    |     |  |   |       |       |       |        |       |       |      |       |      |     |      |   |       |       |       |        |       |       |      |       |      |     |      |   |        |       |       |        |       |       |      |       |      |     |      |   |        |       |       |        |       |       |      |       |      |     |      |   |        |       |       |        |       |       |      |       |      |     |      |   |        |       |       |        |       |       |      |       |      |     |      |   |      |       |       |      |      |     |       |        |     |      |      |        |     |        |        |    |      |      |    |    |    |    |     |  |   |       |       |       |       |       |       |      |       |      |     |      |   |       |       |       |        |       |       |      |       |      |     |      |   |        |       |       |        |       |       |      |       |      |     |      |   |        |       |       |        |       |       |      |       |      |     |      |   |        |       |       |        |       |       |      |       |      |     |      |   |        |       |       |        |       |       |      |       |      |     |
| 4    | 337.49   | 28.89    | 46.00 | -17.11 | 38.85 | 20.29 | 2.71   | 32.96 | 0.00   | ---  | Peak   |      |        |     |        |        |    |      |      |    |    |    |    |     |  |   |       |       |       |        |       |       |      |       |      |     |      |   |       |       |       |        |       |       |      |       |      |     |      |   |        |       |       |        |       |       |      |       |      |     |      |   |        |       |       |        |       |       |      |       |      |     |      |   |        |       |       |        |       |       |      |       |      |     |      |   |        |       |       |        |       |       |      |       |      |     |      |   |      |       |       |      |      |     |       |        |     |      |      |        |     |        |        |    |      |      |    |    |    |    |     |  |   |       |       |       |       |       |       |      |       |      |     |      |   |       |       |       |        |       |       |      |       |      |     |      |   |        |       |       |        |       |       |      |       |      |     |      |   |        |       |       |        |       |       |      |       |      |     |      |   |        |       |       |        |       |       |      |       |      |     |      |   |        |       |       |        |       |       |      |       |      |     |
| 5    | 438.37   | 25.01    | 46.00 | -20.99 | 32.36 | 22.70 | 3.11   | 33.16 | 0.00   | ---  | Peak   |      |        |     |        |        |    |      |      |    |    |    |    |     |  |   |       |       |       |        |       |       |      |       |      |     |      |   |       |       |       |        |       |       |      |       |      |     |      |   |        |       |       |        |       |       |      |       |      |     |      |   |        |       |       |        |       |       |      |       |      |     |      |   |        |       |       |        |       |       |      |       |      |     |      |   |        |       |       |        |       |       |      |       |      |     |      |   |      |       |       |      |      |     |       |        |     |      |      |        |     |        |        |    |      |      |    |    |    |    |     |  |   |       |       |       |       |       |       |      |       |      |     |      |   |       |       |       |        |       |       |      |       |      |     |      |   |        |       |       |        |       |       |      |       |      |     |      |   |        |       |       |        |       |       |      |       |      |     |      |   |        |       |       |        |       |       |      |       |      |     |      |   |        |       |       |        |       |       |      |       |      |     |
| 6    | 613.94   | 26.70    | 46.00 | -19.30 | 30.29 | 26.26 | 3.67   | 33.52 | 0.00   | ---  | Peak   |      |        |     |        |        |    |      |      |    |    |    |    |     |  |   |       |       |       |        |       |       |      |       |      |     |      |   |       |       |       |        |       |       |      |       |      |     |      |   |        |       |       |        |       |       |      |       |      |     |      |   |        |       |       |        |       |       |      |       |      |     |      |   |        |       |       |        |       |       |      |       |      |     |      |   |        |       |       |        |       |       |      |       |      |     |      |   |      |       |       |      |      |     |       |        |     |      |      |        |     |        |        |    |      |      |    |    |    |    |     |  |   |       |       |       |       |       |       |      |       |      |     |      |   |       |       |       |        |       |       |      |       |      |     |      |   |        |       |       |        |       |       |      |       |      |     |      |   |        |       |       |        |       |       |      |       |      |     |      |   |        |       |       |        |       |       |      |       |      |     |      |   |        |       |       |        |       |       |      |       |      |     |
| Freq | Level  | Limit    | Over  | Read   | Ant   | Cable | Preamp | Aux   | APos   | TPos | Remark |      |        |     |        |        |    |      |      |    |    |    |    |     |  |   |       |       |       |        |       |       |      |       |      |     |      |   |       |       |       |        |       |       |      |       |      |     |      |   |        |       |       |        |       |       |      |       |      |     |      |   |        |       |       |        |       |       |      |       |      |     |      |   |        |       |       |        |       |       |      |       |      |     |      |   |        |       |       |        |       |       |      |       |      |     |      |   |      |       |       |      |      |     |       |        |     |      |      |        |     |        |        |    |      |      |    |    |    |    |     |  |   |       |       |       |       |       |       |      |       |      |     |      |   |       |       |       |        |       |       |      |       |      |     |      |   |        |       |       |        |       |       |      |       |      |     |      |   |        |       |       |        |       |       |      |       |      |     |      |   |        |       |       |        |       |       |      |       |      |     |      |   |        |       |       |        |       |       |      |       |      |     |
| MHz  | dBuV/m   | dBuV/m   | dB    | dBuV   | dB/m  | dB    | dB     | dB    | cm     | deg  |        |      |        |     |        |        |    |      |      |    |    |    |    |     |  |   |       |       |       |        |       |       |      |       |      |     |      |   |       |       |       |        |       |       |      |       |      |     |      |   |        |       |       |        |       |       |      |       |      |     |      |   |        |       |       |        |       |       |      |       |      |     |      |   |        |       |       |        |       |       |      |       |      |     |      |   |        |       |       |        |       |       |      |       |      |     |      |   |      |       |       |      |      |     |       |        |     |      |      |        |     |        |        |    |      |      |    |    |    |    |     |  |   |       |       |       |       |       |       |      |       |      |     |      |   |       |       |       |        |       |       |      |       |      |     |      |   |        |       |       |        |       |       |      |       |      |     |      |   |        |       |       |        |       |       |      |       |      |     |      |   |        |       |       |        |       |       |      |       |      |     |      |   |        |       |       |        |       |       |      |       |      |     |
| 1    | 39.70  | 33.75    | 40.00 | -6.25  | 46.05 | 19.86 | 0.86   | 33.02 | 0.00   | ---  | Peak   |      |        |     |        |        |    |      |      |    |    |    |    |     |  |   |       |       |       |        |       |       |      |       |      |     |      |   |       |       |       |        |       |       |      |       |      |     |      |   |        |       |       |        |       |       |      |       |      |     |      |   |        |       |       |        |       |       |      |       |      |     |      |   |        |       |       |        |       |       |      |       |      |     |      |   |        |       |       |        |       |       |      |       |      |     |      |   |      |       |       |      |      |     |       |        |     |      |      |        |     |        |        |    |      |      |    |    |    |    |     |  |   |       |       |       |       |       |       |      |       |      |     |      |   |       |       |       |        |       |       |      |       |      |     |      |   |        |       |       |        |       |       |      |       |      |     |      |   |        |       |       |        |       |       |      |       |      |     |      |   |        |       |       |        |       |       |      |       |      |     |      |   |        |       |       |        |       |       |      |       |      |     |
| 2    | 74.62  | 26.29    | 40.00 | -13.71 | 42.47 | 14.67 | 1.20   | 32.05 | 0.00   | ---  | Peak   |      |        |     |        |        |    |      |      |    |    |    |    |     |  |   |       |       |       |        |       |       |      |       |      |     |      |   |       |       |       |        |       |       |      |       |      |     |      |   |        |       |       |        |       |       |      |       |      |     |      |   |        |       |       |        |       |       |      |       |      |     |      |   |        |       |       |        |       |       |      |       |      |     |      |   |        |       |       |        |       |       |      |       |      |     |      |   |      |       |       |      |      |     |       |        |     |      |      |        |     |        |        |    |      |      |    |    |    |    |     |  |   |       |       |       |       |       |       |      |       |      |     |      |   |       |       |       |        |       |       |      |       |      |     |      |   |        |       |       |        |       |       |      |       |      |     |      |   |        |       |       |        |       |       |      |       |      |     |      |   |        |       |       |        |       |       |      |       |      |     |      |   |        |       |       |        |       |       |      |       |      |     |
| 3    | 174.53   | 21.22    | 43.50 | -22.28 | 36.54 | 15.50 | 1.93   | 32.75 | 0.00   | ---  | Peak   |      |        |     |        |        |    |      |      |    |    |    |    |     |  |   |       |       |       |        |       |       |      |       |      |     |      |   |       |       |       |        |       |       |      |       |      |     |      |   |        |       |       |        |       |       |      |       |      |     |      |   |        |       |       |        |       |       |      |       |      |     |      |   |        |       |       |        |       |       |      |       |      |     |      |   |        |       |       |        |       |       |      |       |      |     |      |   |      |       |       |      |      |     |       |        |     |      |      |        |     |        |        |    |      |      |    |    |    |    |     |  |   |       |       |       |       |       |       |      |       |      |     |      |   |       |       |       |        |       |       |      |       |      |     |      |   |        |       |       |        |       |       |      |       |      |     |      |   |        |       |       |        |       |       |      |       |      |     |      |   |        |       |       |        |       |       |      |       |      |     |      |   |        |       |       |        |       |       |      |       |      |     |
| 4    | 324.88   | 25.93    | 46.00 | -20.07 | 36.22 | 19.97 | 2.65   | 32.91 | 0.00   | ---  | Peak   |      |        |     |        |        |    |      |      |    |    |    |    |     |  |   |       |       |       |        |       |       |      |       |      |     |      |   |       |       |       |        |       |       |      |       |      |     |      |   |        |       |       |        |       |       |      |       |      |     |      |   |        |       |       |        |       |       |      |       |      |     |      |   |        |       |       |        |       |       |      |       |      |     |      |   |        |       |       |        |       |       |      |       |      |     |      |   |      |       |       |      |      |     |       |        |     |      |      |        |     |        |        |    |      |      |    |    |    |    |     |  |   |       |       |       |       |       |       |      |       |      |     |      |   |       |       |       |        |       |       |      |       |      |     |      |   |        |       |       |        |       |       |      |       |      |     |      |   |        |       |       |        |       |       |      |       |      |     |      |   |        |       |       |        |       |       |      |       |      |     |      |   |        |       |       |        |       |       |      |       |      |     |
| 5    | 696.39   | 27.49    | 46.00 | -18.51 | 30.42 | 26.70 | 3.94   | 33.57 | 0.00   | ---  | Peak   |      |        |     |        |        |    |      |      |    |    |    |    |     |  |   |       |       |       |        |       |       |      |       |      |     |      |   |       |       |       |        |       |       |      |       |      |     |      |   |        |       |       |        |       |       |      |       |      |     |      |   |        |       |       |        |       |       |      |       |      |     |      |   |        |       |       |        |       |       |      |       |      |     |      |   |        |       |       |        |       |       |      |       |      |     |      |   |      |       |       |      |      |     |       |        |     |      |      |        |     |        |        |    |      |      |    |    |    |    |     |  |   |       |       |       |       |       |       |      |       |      |     |      |   |       |       |       |        |       |       |      |       |      |     |      |   |        |       |       |        |       |       |      |       |      |     |      |   |        |       |       |        |       |       |      |       |      |     |      |   |        |       |       |        |       |       |      |       |      |     |      |   |        |       |       |        |       |       |      |       |      |     |
| 6    | 838.98   | 29.91    | 46.00 | -16.09 | 30.00 | 28.55 | 4.25   | 32.89 | 0.00   | ---  | Peak   |      |        |     |        |        |    |      |      |    |    |    |    |     |  |   |       |       |       |        |       |       |      |       |      |     |      |   |       |       |       |        |       |       |      |       |      |     |      |   |        |       |       |        |       |       |      |       |      |     |      |   |        |       |       |        |       |       |      |       |      |     |      |   |        |       |       |        |       |       |      |       |      |     |      |   |        |       |       |        |       |       |      |       |      |     |      |   |      |       |       |      |      |     |       |        |     |      |      |        |     |        |        |    |      |      |    |    |    |    |     |  |   |       |       |       |       |       |       |      |       |      |     |      |   |       |       |       |        |       |       |      |       |      |     |      |   |        |       |       |        |       |       |      |       |      |     |      |   |        |       |       |        |       |       |      |       |      |     |      |   |        |       |       |        |       |       |      |       |      |     |      |   |        |       |       |        |       |       |      |       |      |     |




## Appendix D. Duty Cycle Plots

| Antenna | Band               | Duty Cycle(%) | T(ms)  | 1/T(kHz) | VBW Setting |
|---------|--------------------|---------------|--------|----------|-------------|
| 6       | Bluetooth LE 1Mbps | 51.72         | 0.3913 | 2.556    | 2.7kHz      |
| 6       | Bluetooth LE 2Mbps | 38.38         | 0.2058 | 4.859    | 5.1kHz      |
| 8       | Bluetooth LE 1Mbps | 51.34         | 0.3884 | 2.5746   | 2.7kHz      |
| 8       | Bluetooth LE 2Mbps | 38.38         | 0.2058 | 4.859    | 5.1kHz      |


<Ant. 6>

Bluetooth LE 1Mbps






### Bluetooth LE 2Mbps



### <Ant. 8>

### Bluetooth LE 1Mbps





### Bluetooth LE 2Mbps

