












































7. Frequency Stability

7.1. Test Results

7.1.1. Frequency Error Vs Voltage

SCS	Bandwidth	Channel	RB Config	Modulation	Temperature	Voltage	Deviation Result		Verdict
							(Hz)	(ppm)	
30KHz	100MHz	MCH	Outer_Full	DFT-QPSK	NT	LV	-26.20	-0.006987	Pass
30KHz	100MHz	MCH	Outer_Full	DFT-QPSK	NT	NV	-12.20	-0.003253	Pass
30KHz	100MHz	MCH	Outer_Full	DFT-QPSK	NT	HV	-6.00	-0.001600	Pass

7.1.2. Frequency Error Vs Temperature

SCS	Bandwidth	Channel	RB Config	Modulation	Temperature	Voltage	Deviation Result		Verdict
							(Hz)	(ppm)	
30KHz	100MHz	MCH	Outer_Full	DFT-QPSK	-30°C	NV	-4.10	-0.001093	Pass
30KHz	100MHz	MCH	Outer_Full	DFT-QPSK	-20°C	NV	-13.70	-0.003653	Pass
30KHz	100MHz	MCH	Outer_Full	DFT-QPSK	-10°C	NV	-21.60	-0.005760	Pass
30KHz	100MHz	MCH	Outer_Full	DFT-QPSK	0°C	NV	-10.50	-0.002800	Pass
30KHz	100MHz	MCH	Outer_Full	DFT-QPSK	10°C	NV	-3.40	-0.000907	Pass
30KHz	100MHz	MCH	Outer_Full	DFT-QPSK	20°C	NV	-16.40	-0.004373	Pass
30KHz	100MHz	MCH	Outer_Full	DFT-QPSK	30°C	NV	-4.60	-0.001227	Pass
30KHz	100MHz	MCH	Outer_Full	DFT-QPSK	40°C	NV	-9.20	-0.002453	Pass
30KHz	100MHz	MCH	Outer_Full	DFT-QPSK	50°C	NV	-7.60	-0.002027	Pass

The End