





11AX20MIMO\_Ant5\_6415\_52Tone\_RU40



Date: 15.NOV.2024 03:51:37


11AX20MIMO\_Ant5\_6415\_106Tone\_RU54



Date: 15.NOV.2024 04:01:25




11AX20MIMO\_Ant8\_6435\_26Tone\_RU0



Date: 15.NOV.2024 04:02:24


11AX20MIMO\_Ant8\_6435\_52Tone\_RU37



Date: 15.NOV.2024 04:16:37




11AX20MIMO\_Ant8\_6435\_106Tone\_RU53



Date: 15.NOV.2024 04:40:09


11AX20MIMO\_Ant5\_6435\_26Tone\_RU



Date: 15.NOV.2024 04:04:53




11AX20MIMO\_Ant5\_6435\_52Tone\_RU37



Date: 15.NOV.2024 04:18:30


11AX20MIMO\_Ant5\_6435\_106Tone\_RU53



Date: 15.NOV.2024 04:40:31




11AX20MIMO\_Ant8\_6475\_26Tone\_RU0



Date: 15.NOV.2024 04:41:13


11AX20MIMO\_Ant8\_6475\_52Tone\_RU37



Date: 15.NOV.2024 04:43:03




11AX20MIMO\_Ant8\_6475\_106Tone\_RU53



Date: 15.NOV.2024 04:44:16


11AX20MIMO\_Ant5\_6475\_26Tone\_RU



Date: 15.NOV.2024 04:41:51




11AX20MIMO\_Ant5\_6475\_52Tone\_RU37



Date: 15.NOV.2024 04:43:38


11AX20MIMO\_Ant5\_6475\_106Tone\_RU53



Date: 15.NOV.2024 04:44:53




11AX20MIMO\_Ant8\_6515\_26Tone\_RU8



Date: 15.NOV.2024 04:48:15


11AX20MIMO\_Ant8\_6515\_52Tone\_RU40



Date: 15.NOV.2024 04:50:28




11AX20MIMO\_Ant8\_6515\_106Tone\_RU54



Date: 15.NOV.2024 04:51:39


11AX20MIMO\_Ant5\_6515\_26Tone\_RU8



Date: 15.NOV.2024 04:48:55




11AX20MIMO\_Ant5\_6515\_52Tone\_RU40



Date: 15.NOV.2024 04:51:03


11AX20MIMO\_Ant5\_6515\_106Tone\_RU54



Date: 15.NOV.2024 04:52:14




11AX20MIMO\_Ant8\_6535\_26Tone\_RU0



Date: 15.NOV.2024 04:52:53


11AX20MIMO\_Ant8\_6535\_52Tone\_RU37



Date: 15.NOV.2024 04:54:54




11AX20MIMO\_Ant8\_6535\_106Tone\_RU53



Date: 15.NOV.2024 04:56:07


11AX20MIMO\_Ant5\_6535\_26Tone\_RU0



Date: 15.NOV.2024 04:53:28




11AX20MIMO\_Ant5\_6535\_52Tone\_RU37



Date: 15.NOV.2024 04:55:28


11AX20MIMO\_Ant5\_6535\_106Tone\_RU53



Date: 15.NOV.2024 04:56:42




11AX20MIMO\_Ant8\_6695\_26Tone\_RU0



Date: 15.NOV.2024 04:58:23


11AX20MIMO\_Ant8\_6695\_52Tone\_RU37



Date: 15.NOV.2024 05:00:55




11AX20MIMO\_Ant8\_6695\_106Tone\_RU53



Date: 15.NOV.2024 05:02:46


11AX20MIMO\_Ant5\_6695\_26Tone\_RU



Date: 15.NOV.2024 04:58:58




11AX20MIMO\_Ant5\_6695\_52Tone\_RU37



Date: 15.NOV.2024 05:01:31


11AX20MIMO\_Ant5\_6695\_106Tone\_RU53



Date: 15.NOV.2024 05:03:20




11AX20MIMO\_Ant8\_6855\_26Tone\_RU8



Date: 15.NOV.2024 05:04:47


11AX20MIMO\_Ant8\_6855\_52Tone\_RU40



Date: 15.NOV.2024 05:07:11




11AX20MIMO\_Ant8\_6855\_106Tone\_RU54



Date: 15.NOV.2024 05:08:23


11AX20MIMO\_Ant5\_6855\_26Tone\_RU8



Date: 15.NOV.2024 05:05:23




11AX20MIMO\_Ant5\_6855\_52Tone\_RU40



Date: 15.NOV.2024 05:07:45


11AX20MIMO\_Ant5\_6855\_106Tone\_RU54



Date: 15.NOV.2024 05:09:04




11AX20MIMO\_Ant8\_6875\_26Tone\_RU8



Date: 15.NOV.2024 05:10:29


11AX20MIMO\_Ant8\_6875\_52Tone\_RU40



Date: 15.NOV.2024 05:11:54




11AX20MIMO\_Ant8\_6875\_106Tone\_RU54



Date: 15.NOV.2024 05:13:06


11AX20MIMO\_Ant5\_6875\_26Tone\_RU8



Date: 15.NOV.2024 05:11:04




11AX20MIMO\_Ant5\_6875\_52Tone\_RU40



Date: 15.NOV.2024 05:12:30


11AX20MIMO\_Ant5\_6875\_106Tone\_RU54



Date: 15.NOV.2024 05:13:42




11AX20MIMO\_Ant8\_6895\_26Tone\_RU0



Date: 15.NOV.2024 05:14:53


11AX20MIMO\_Ant8\_6895\_52Tone\_RU37



Date: 15.NOV.2024 05:16:19




11AX20MIMO\_Ant8\_6895\_106Tone\_RU53



Date: 15.NOV.2024 05:17:37


11AX20MIMO\_Ant5\_6895\_26Tone\_RU60



Date: 15.NOV.2024 05:15:40




11AX20MIMO\_Ant5\_6895\_52Tone\_RU37



Date: 15.NOV.2024 05:16:56


11AX20MIMO\_Ant5\_6895\_106Tone\_RU53



Date: 15.NOV.2024 05:18:12




11AX20MIMO\_Ant8\_6995\_26Tone\_RU0



Date: 15.NOV.2024 05:19:30


11AX20MIMO\_Ant8\_6995\_52Tone\_RU37



Date: 15.NOV.2024 05:21:38




11AX20MIMO\_Ant8\_6995\_106Tone\_RU53



Date: 15.NOV.2024 05:25:18


11AX20MIMO\_Ant5\_6995\_26Tone\_RU



Date: 15.NOV.2024 05:20:05




11AX20MIMO\_Ant5\_6995\_52Tone\_RU37



Date: 15.NOV.2024 05:22:35


11AX20MIMO\_Ant5\_6995\_106Tone\_RU53



Date: 15.NOV.2024 05:26:08




11AX20MIMO\_Ant8\_7095\_26Tone\_RU8



Date: 15.NOV.2024 05:27:12


11AX20MIMO\_Ant8\_7095\_52Tone\_RU40



Date: 15.NOV.2024 05:30:08




11AX20MIMO\_Ant8\_7095\_106Tone\_RU54



Date: 15.NOV.2024 05:32:18


11AX20MIMO\_Ant5\_7095\_26Tone\_RU8



Date: 15.NOV.2024 05:28:35




11AX20MIMO\_Ant5\_7095\_52Tone\_RU40



Date: 15.NOV.2024 05:31:38

11AX20MIMO\_Ant5\_7095\_106Tone\_RU54




Date: 15.NOV.2024 05:33:44



## Appendix B. AC Conducted Emission Test Results

Test Engineer :	Amos Zhang	Temperature :	25.3~26.2°C
		Relative Humidity :	38~40%
Test Voltage :	120Vac / 60Hz	Phase :	Line
Remark :	All emissions not reported here are more than 10 dB below the prescribed limit.		




Site : CO01-KS  
 Condition : 15E RSS247-QP LISN-060105-L 2024 LINE

	Freq	Level	Over	Limit	Read	LISN	Cable	Remark
	MHz	dBuV	Limit	Line	Level	Factor	Loss	
			dB	dBuV	dBuV	dB	dB	
1	0.171	41.72	-23.18	64.90	31.20	0.10	10.42	QP
2	0.171	27.42	-27.48	54.90	16.90	0.10	10.42	Average
3	0.203	38.79	-24.70	63.49	28.30	0.08	10.41	QP
4	0.203	30.09	-23.40	53.49	19.60	0.08	10.41	Average
5	0.705	40.59	-15.41	56.00	30.60	-0.15	10.14	QP
6	0.705	25.49	-20.51	46.00	15.50	-0.15	10.14	Average
7	0.743	39.87	-16.13	56.00	29.89	-0.15	10.13	QP
8 *	0.743	33.77	-12.23	46.00	23.79	-0.15	10.13	Average
9	0.800	38.55	-17.45	56.00	28.60	-0.16	10.11	QP
10	0.800	30.25	-15.75	46.00	20.30	-0.16	10.11	Average
11	1.552	33.48	-22.52	56.00	23.61	-0.21	10.08	QP
12	1.552	20.98	-25.02	46.00	11.11	-0.21	10.08	Average



Test Engineer :	Amos Zhang	Temperature :	25.3~26.2°C
		Relative Humidity :	38~40%
Test Voltage :	120Vac / 60Hz	Phase :	Neutral
Remark :	All emissions not reported here are more than 10 dB below the prescribed limit.		



Site : CO01-KS  
 Condition : 15E RSS247-QP LISN-060105-N 2024 NEUTRAL

	Freq	Level	Over	Limit	Read	LISN	Cable	Remark
	MHz	dBuV	Limit	Line	Level	Factor	Loss	
			dB	dBuV	dBuV	dB	dB	
1	0.161	44.24	-21.19	65.43	33.70	0.12	10.42	QP
2	0.161	34.74	-20.69	55.43	24.20	0.12	10.42	Average
3	0.215	40.68	-22.33	63.01	30.20	0.08	10.40	QP
4	0.215	30.58	-22.43	53.01	20.10	0.08	10.40	Average
5	0.484	35.78	-20.49	56.27	25.70	-0.15	10.23	QP
6	0.484	26.15	-20.12	46.27	16.07	-0.15	10.23	Average
7	0.743	41.06	-14.94	56.00	31.10	-0.17	10.13	QP
8 *	0.743	33.81	-12.19	46.00	23.85	-0.17	10.13	Average
9	0.788	39.34	-16.66	56.00	29.40	-0.17	10.11	QP
10	0.788	30.34	-15.66	46.00	20.40	-0.17	10.11	Average
11	1.495	34.50	-21.50	56.00	24.61	-0.19	10.08	QP
12	1.495	24.10	-21.90	46.00	14.21	-0.19	10.08	Average

Note:

- Level(dBμV) = Read Level(dBμV) + LISN Factor(dB) + Cable Loss(dB)
- Over Limit(dB) = Level(dBμV) – Limit Line(dBμV)



## Appendix C. Radiated Spurious Emission Test Data

Test Engineer :	Levi zhao	Relative Humidity :	51~53%
		Temperature :	22~23°C

### Radiated Spurious Emission Test Modes

Mode	Band	Band (GHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 1	U-NII-5	5.925-6.425	CDD 8+5	802.11a	1	5955	MCS0	-	-
Mode 2	U-NII-5	5.925-6.425	CDD 8+5	802.11a	45	6175	MCS0	-	-
Mode 3	U-NII-5	5.925-6.425	CDD 8+5	802.11a	93	6415	MCS0	-	-
Mode 4	U-NII-6	6.425-6.525	CDD 8+5	802.11a	97	6435	MCS0	-	-
Mode 5	U-NII-6	6.425-6.525	CDD 8+5	802.11a	105	6475	MCS0	-	-
Mode 6	U-NII-6	6.425-6.525	CDD 8+5	802.11a	113	6515	MCS0	-	-
Mode 7	U-NII-7	6.525-6.875	CDD 8+5	802.11a	117	6535	MCS0	-	-
Mode 8	U-NII-7	6.525-6.875	CDD 8+5	802.11a	149	6695	MCS0	-	-
Mode 9	U-NII-7	6.525-6.875	CDD 8+5	802.11a	181	6855	MCS0	-	-
Mode 10	UNII-7-8	6.525-7.125	CDD 8+5	802.11a	185	6875	MCS0	-	-
Mode 11	U-NII-8	6.875-7.125	CDD 8+5	802.11a	189	6895	MCS0	-	-
Mode 12	U-NII-8	6.875-7.125	CDD 8+5	802.11a	209	6995	MCS0	-	-
Mode 13	U-NII-8	6.875-7.125	CDD 8+5	802.11a	229	7095	MCS0	-	-
Mode 14	U-NII-5	5.925-6.425	CDD 8+5	802.11ax HE20	1	5955	MCS0	Full	-
Mode 15	U-NII-5	5.925-6.425	CDD 8+5	802.11ax HE20	1	5955	MCS0	RU26/0	-
Mode 16	U-NII-5	5.925-6.425	CDD 8+5	802.11ax HE20	1	5955	MCS0	RU52/37	-
Mode 17	U-NII-5	5.925-6.425	CDD 8+5	802.11ax HE20	1	5955	MCS0	RU106/53	-
Mode 18	U-NII-5	5.925-6.425	CDD 8+5	802.11ax HE20	45	6175	MCS0	Full	-
Mode 19	U-NII-5	5.925-6.425	CDD 8+5	802.11ax HE20	93	6415	MCS0	Full	-
Mode 20	U-NII-5	5.925-6.425	CDD 8+5	802.11ax HE40	3	5965	MCS0	Full	-
Mode 21	U-NII-5	5.925-6.425	CDD 8+5	802.11ax HE40	43	6165	MCS0	Full	-
Mode 22	U-NII-5	5.925-6.425	CDD 8+5	802.11ax HE40	91	6405	MCS0	Full	-
Mode 23	U-NII-5	5.925-6.425	CDD 8+5	802.11ax HE80	7	5985	MCS0	Full	-
Mode 24	U-NII-5	5.925-6.425	CDD 8+5	802.11ax HE80	39	6145	MCS0	Full	-
Mode 25	U-NII-5	5.925-6.425	CDD 8+5	802.11ax HE80	87	6385	MCS0	Full	-
Mode 26	U-NII-5	5.925-6.425	CDD 8+5	802.11ax HE160	15	6025	MCS0	Full	-
Mode 27	U-NII-5	5.925-6.425	CDD 8+5	802.11ax HE160	47	6185	MCS0	Full	-
Mode 28	U-NII-5	5.925-6.425	CDD 8+5	802.11ax HE160	79	6345	MCS0	Full	-
Mode 29	U-NII-6	6.425-6.525	CDD 8+5	802.11ax HE20	97	6435	MCS0	Full	-
Mode 30	U-NII-6	6.425-6.525	CDD 8+5	802.11ax HE20	105	6475	MCS0	Full	-
Mode 31	U-NII-6	6.425-6.525	CDD 8+5	802.11ax HE20	113	6515	MCS0	Full	-
Mode 32	U-NII-6	6.425-6.525	CDD 8+5	802.11ax HE40	99	6445	MCS0	Full	-
Mode 33	U-NII-6	6.425-6.525	CDD 8+5	802.11ax HE40	107	6485	MCS0	Full	-
Mode 34	U-NII-6	6.425-6.525	CDD 8+5	802.11ax HE80	103	6465	MCS0	Full	-
Mode 35	UNII-6~7	6.525-6.875	CDD 8+5	802.11ax HE40	115	6525	MCS0	Full	-
Mode 36	UNII-6~7	6.525-6.875	CDD 8+5	802.11ax HE80	119	6545	MCS0	Full	-
Mode 37	UNII-6~7	6.525-6.875	CDD 8+5	802.11ax HE160	111	6505	MCS0	Full	-



Mode 38	U-NII-7	6.525-6.875	CDD 8+5	802.11ax HE20	117	6535	MCS0	Full	-
Mode 39	U-NII-7	6.525-6.875	CDD 8+5	802.11ax HE20	149	6695	MCS0	Full	-
Mode 40	U-NII-7	6.525-6.875	CDD 8+5	802.11ax HE20	181	6855	MCS0	Full	-
Mode 41	U-NII-7	6.525-6.875	CDD 8+5	802.11ax HE40	123	6565	MCS0	Full	-
Mode 42	U-NII-7	6.525-6.875	CDD 8+5	802.11ax HE40	147	6685	MCS0	Full	-
Mode 43	U-NII-7	6.525-6.875	CDD 8+5	802.11ax HE40	179	6845	MCS0	Full	-
Mode 44	U-NII-7	6.525-6.875	CDD 8+5	802.11ax HE80	135	6625	MCS0	Full	-
Mode 45	U-NII-7	6.525-6.875	CDD 8+5	802.11ax HE80	151	6705	MCS0	Full	-
Mode 46	U-NII-7	6.525-6.875	CDD 8+5	802.11ax HE160	143	6665	MCS0	Full	-
Mode 47	UNII-7~8	6.875-7.125	CDD 8+5	802.11ax HE20	185	6875	MCS0	Full	-
Mode 48	UNII-7~8	6.875-7.125	CDD 8+5	802.11ax HE40	187	6885	MCS0	Full	-
Mode 49	UNII-7~8	6.875-7.125	CDD 8+5	802.11ax HE80	183	6865	MCS0	Full	-
Mode 50	UNII-7~8	6.875-7.125	CDD 8+5	802.11ax HE160	175	6825	MCS0	Full	-
Mode 51	U-NII-8	6.875-7.125	CDD 8+5	802.11ax HE20	189	6895	MCS0	Full	-
Mode 52	U-NII-8	6.875-7.125	CDD 8+5	802.11ax HE20	209	6995	MCS0	Full	-
Mode 53	U-NII-8	6.875-7.125	CDD 8+5	802.11ax HE20	229	7095	MCS0	Full	-
Mode 54	U-NII-8	6.875-7.125	CDD 8+5	802.11ax HE20	229	7095	MCS0	RU26/8	-
Mode 55	U-NII-8	6.875-7.125	CDD 8+5	802.11ax HE20	229	7095	MCS0	RU52/40	-
Mode 56	U-NII-8	6.875-7.125	CDD 8+5	802.11ax HE20	229	7095	MCS0	RU106/54	-
Mode 57	UNII-8	6875-7125	CDD 8+5	802.11ax HE40	195	6925	MCS0	Full	-
Mode 58	U-NII-8	6.875-7.125	CDD 8+5	802.11ax HE40	203	6965	MCS0	Full	-
Mode 59	U-NII-8	6.875-7.125	CDD 8+5	802.11ax HE40	227	7085	MCS0	Full	-
Mode 60	U-NII-8	6.875-7.125	CDD 8+5	802.11ax HE80	199	6945	MCS0	Full	-
Mode 61	U-NII-8	6.875-7.125	CDD 8+5	802.11ax HE80	215	7025	MCS0	Full	-
Mode 62	U-NII-8	5.925-6.425	CDD 8+5	802.11ax HE160	207	6985	MCS0	Full	-

<Co-location>

Mode	Band	Band (GHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 63	2400-2483.5	2400-2483.5	2	Bluetooth-LE_GSFK	39	2480	2Mbps	-	-
	U-NII-5	5.925-6.425	CDD 8+5	802.11ax HE80	7	5985	MCS0	Full	-
Part 96 LTE Band 48 - BW 20M									



### Summary of each worse mode

Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
1	802.11a	1	5923.15	44.59	68.20	-23.61	H	AVERAGE	Pass	Band Edge
1	802.11a	1	11910.00	45.65	74.00	-28.35	V	PEAK	Pass	Harmonic
2	802.11a	45	-	-	-	-	-	-	-	Band Edge
2	802.11a	45	12350.00	46.11	74.00	-27.89	V	PEAK	Pass	Harmonic
3	802.11a	93	-	-	-	-	-	-	-	Band Edge
3	802.11a	93	12830.00	46.17	88.20	-42.03	H	PEAK	Pass	Harmonic
4	802.11a	97	-	-	-	-	-	-	-	Band Edge
4	802.11a	97	12870.00	46.24	88.20	-41.96	V	PEAK	Pass	Harmonic
5	802.11a	105	-	-	-	-	-	-	-	Band Edge
5	802.11a	105	12950.00	46.48	88.20	-41.72	V	PEAK	Pass	Harmonic
6	802.11a	113	-	-	-	-	-	-	-	Band Edge
6	802.11a	113	13030.00	46.42	88.20	-41.78	V	PEAK	Pass	Harmonic
7	802.11a	117	-	-	-	-	-	-	-	Band Edge
7	802.11a	117	13070.00	47.17	88.20	-41.03	V	PEAK	Pass	Harmonic
8	802.11a	149	-	-	-	-	-	-	-	Band Edge
8	802.11a	149	13390.00	39.21	54.00	-14.79	H	AVERAGE	Pass	Harmonic
9	802.11a	181	-	-	-	-	-	-	-	Band Edge
9	802.11a	181	13710.00	43.65	68.20	-24.55	H	AVERAGE	Pass	Harmonic
10	802.11a	185	-	-	-	-	-	-	-	Band Edge
10	802.11a	185	13750.00	47.23	68.20	-20.97	H	AVERAGE	Pass	Harmonic
11	802.11a	189	-	-	-	-	-	-	-	Band Edge
11	802.11a	189	13790.00	45.59	68.20	-22.61	H	AVERAGE	Pass	Harmonic
12	802.11a	209	-	-	-	-	-	-	-	Band Edge
12	802.11a	209	13990.00	39.64	68.20	-28.56	H	AVERAGE	Pass	Harmonic
13	802.11a	229	7184.52	45.30	68.20	-22.90	H	AVERAGE	Pass	Band Edge
13	802.11a	229	14190.00	42.48	68.20	-25.72	H	AVERAGE	Pass	Harmonic
14	802.11ax HE20	1	5923.80	44.27	68.20	-23.93	H	AVERAGE	Pass	Band Edge
14	802.11ax HE20	1	11910.00	45.16	74.00	-28.84	H	PEAK	Pass	Harmonic
15	802.11ax HE20	1	5898.58	35.45	68.20	-32.75	H	AVERAGE	Pass	Band Edge
15	802.11ax HE20	1	-	-	-	-	-	-	-	Harmonic
16	802.11ax HE20	1	5919.64	35.50	68.20	-32.70	H	AVERAGE	Pass	Band Edge
16	802.11ax HE20	1	-	-	-	-	-	-	-	Harmonic
17	802.11ax HE20	1	5918.73	35.55	68.20	-32.65	H	AVERAGE	Pass	Band Edge
17	802.11ax HE20	1	-	-	-	-	-	-	-	Harmonic
18	802.11ax HE20	45	-	-	-	-	-	-	-	Band Edge
18	802.11ax HE20	45	12350.00	46.84	74.00	-27.16	V	PEAK	Pass	Harmonic
19	802.11ax HE20	93	-	-	-	-	-	-	-	Band Edge
19	802.11ax HE20	93	12830.00	46.89	88.20	-41.31	H	PEAK	Pass	Harmonic
20	802.11ax HE40	3	5923.84	44.99	68.20	-23.21	H	AVERAGE	Pass	Band Edge
20	802.11ax HE40	3	11930.00	44.59	74.00	-29.41	V	PEAK	Pass	Harmonic
21	802.11ax HE40	43	-	-	-	-	-	-	-	Band Edge
21	802.11ax HE40	43	12330.00	46.19	74.00	-27.81	V	PEAK	Pass	Harmonic
22	802.11ax HE40	91	-	-	-	-	-	-	-	Band Edge
22	802.11ax HE40	91	12810.00	45.10	88.20	-43.10	H	PEAK	Pass	Harmonic



23	802.11ax HE80	7	4789.00	41.17	54.00	-12.83	H	Average	Pass	Band Edge
23	802.11ax HE80	7	11970.00	43.90	74.00	-30.10	H	PEAK	Pass	Harmonic
24	802.11ax HE80	39	-	-	-	-	-	-	-	Band Edge
24	802.11ax HE80	39	12290.00	43.28	74.00	-30.72	V	PEAK	Pass	Harmonic
25	802.11ax HE80	87	-	-	-	-	-	-	-	Band Edge
25	802.11ax HE80	87	12770.00	44.15	88.20	-44.05	H	PEAK	Pass	Harmonic
26	802.11ax HE160	15	4816.00	39.37	54.00	-14.63	H	Average	Pass	Band Edge
26	802.11ax HE160	15	12050.00	42.51	74.00	-31.49	H	PEAK	Pass	Harmonic
27	802.11ax HE160	47	-	-	-	-	-	-	-	Band Edge
27	802.11ax HE160	47	12370.00	43.87	74.00	-30.13	H	PEAK	Pass	Harmonic
28	802.11ax HE160	79	-	-	-	-	-	-	-	Band Edge
28	802.11ax HE160	79	12690.00	44.22	74.00	-29.78	H	PEAK	Pass	Harmonic
29	802.11ax HE20	97	-	-	-	-	-	-	-	Band Edge
29	802.11ax HE20	97	12870.00	47.45	88.20	-40.75	V	PEAK	Pass	Harmonic
30	802.11ax HE20	105	-	-	-	-	-	-	-	Band Edge
30	802.11ax HE20	105	12950.00	47.77	88.20	-40.43	V	PEAK	Pass	Harmonic
31	802.11ax HE20	113	-	-	-	-	-	-	-	Band Edge
31	802.11ax HE20	113	13030.00	47.62	88.20	-40.58	V	PEAK	Pass	Harmonic
32	802.11ax HE40	99	-	-	-	-	-	-	-	Band Edge
32	802.11ax HE40	99	12890.00	46.58	88.20	-41.62	V	PEAK	Pass	Harmonic
33	802.11ax HE40	107	-	-	-	-	-	-	-	Band Edge
33	802.11ax HE40	107	12970.00	46.90	88.20	-41.30	V	PEAK	Pass	Harmonic
34	802.11ax HE80	103	-	-	-	-	-	-	-	Band Edge
34	802.11ax HE80	103	12930.00	43.38	88.20	-44.82	H	PEAK	Pass	Harmonic
35	802.11ax HE40	115	-	-	-	-	-	-	-	Band Edge
35	802.11ax HE40	115	13050.00	45.92	88.20	-42.28	V	PEAK	Pass	Harmonic
36	802.11ax HE80	119	-	-	-	-	-	-	-	Band Edge
36	802.11ax HE80	119	13090.00	44.35	88.20	-43.85	V	PEAK	Pass	Harmonic
37	802.11ax HE160	111	-	-	-	-	-	-	-	Band Edge
37	802.11ax HE160	111	13010.00	43.46	88.20	-44.74	H	PEAK	Pass	Harmonic
38	802.11ax HE20	117	-	-	-	-	-	-	-	Band Edge
38	802.11ax HE20	117	13070.00	48.20	88.20	-40.00	V	PEAK	Pass	Harmonic
39	802.11ax HE20	149	-	-	-	-	-	-	-	Band Edge
39	802.11ax HE20	149	13390.00	39.62	54.00	-14.38	V	AVERAGE	Pass	Harmonic
40	802.11ax HE20	181	-	-	-	-	-	-	-	Band Edge
40	802.11ax HE20	181	13710.00	47.21	68.20	-20.99	H	AVERAGE	Pass	Harmonic
41	802.11ax HE40	123	-	-	-	-	-	-	-	Band Edge
41	802.11ax HE40	123	13130.00	46.20	88.20	-42.00	H	PEAK	Pass	Harmonic
42	802.11ax HE40	147	-	-	-	-	-	-	-	Band Edge
42	802.11ax HE40	147	13370.00	46.04	74.00	-27.96	H	PEAK	Pass	Harmonic
43	802.11ax HE40	179	-	-	-	-	-	-	-	Band Edge
43	802.11ax HE40	179	13690.00	46.74	88.20	-41.46	V	PEAK	Pass	Harmonic
44	802.11ax HE80	135	-	-	-	-	-	-	-	Band Edge
44	802.11ax HE80	135	13250.00	43.62	74.00	-30.38	V	PEAK	Pass	Harmonic
45	802.11ax HE80	151	-	-	-	-	-	-	-	Band Edge
45	802.11ax HE80	151	13410.00	42.91	88.20	-45.29	V	PEAK	Pass	Harmonic
46	802.11ax HE160	143	-	-	-	-	-	-	-	Band Edge



46	802.11ax HE160	143	13330.00	41.98	74.00	-32.02	H	PEAK	Pass	Harmonic
47	802.11ax HE20	185	-	-	-	-	-	-	-	Band Edge
47	802.11ax HE20	185	13750.00	46.19	68.20	-22.01	H	AVERAGE	Pass	Harmonic
48	802.11ax HE40	187	-	-	-	-	-	-	-	Band Edge
48	802.11ax HE40	187	13770.00	41.44	68.20	-26.76	V	AVERAGE	Pass	Harmonic
49	802.11ax HE80	183	-	-	-	-	-	-	-	Band Edge
49	802.11ax HE80	183	13730.00	45.13	88.20	-43.07	V	PEAK	Pass	Harmonic
50	802.11ax HE160	175	-	-	-	-	-	-	-	Band Edge
50	802.11ax HE160	175	13650.00	42.83	88.20	-45.37	V	PEAK	Pass	Harmonic
51	802.11ax HE20	189	-	-	-	-	-	-	-	Band Edge
51	802.11ax HE20	189	13790.00	46.21	68.20	-21.99	H	AVERAGE	Pass	Harmonic
52	802.11ax HE20	209	-	-	-	-	-	-	-	Band Edge
52	802.11ax HE20	209	13990.00	44.67	68.20	-23.53	V	AVERAGE	Pass	Harmonic
53	802.11ax HE20	229	7125.32	38.60	68.20	-29.60	H	AVERAGE	Pass	Band Edge
53	802.11ax HE20	229	14190.00	43.73	68.20	-24.47	V	AVERAGE	Pass	Harmonic
54	802.11ax HE20	229	7155.88	38.32	68.20	-29.88	H	AVERAGE	Pass	Band Edge
54	802.11ax HE20	229	-	-	-	-	-	-	-	Harmonic
55	802.11ax HE20	229	7125.00	38.52	68.20	-29.68	H	AVERAGE	Pass	Band Edge
55	802.11ax HE20	229	-	-	-	-	-	-	-	Harmonic
56	802.11ax HE20	229	7155.88	38.34	68.20	-29.86	H	AVERAGE	Pass	Band Edge
56	802.11ax HE20	229	-	-	-	-	-	-	-	Harmonic
57	802.11ax HE40	195	-	-	-	-	-	-	-	Band Edge
57	802.11ax HE40	195	13850.00	43.82	68.20	-24.38	V	AVERAGE	Pass	Harmonic
58	802.11ax HE40	203	-	-	-	-	-	-	-	Band Edge
58	802.11ax HE40	203	13930.00	43.86	68.20	-24.34	V	AVERAGE	Pass	Harmonic
59	802.11ax HE40	227	8506.00	43.69	68.20	-24.51	H	Average	Pass	Band Edge
59	802.11ax HE40	227	14170.00	48.52	88.20	-39.68	V	PEAK	Pass	Harmonic
60	802.11ax HE80	199	-	-	-	-	-	-	-	Band Edge
60	802.11ax HE80	199	13890.00	47.07	88.20	-41.13	V	PEAK	Pass	Harmonic
61	802.11ax HE80	215	7125.10	39.33	68.20	-28.87	H	AVERAGE	Pass	Band Edge
61	802.11ax HE80	215	14050.00	45.03	88.20	-43.17	V	PEAK	Pass	Harmonic
62	802.11ax HE160	207	7133.80	43.47	68.20	-24.73	H	AVERAGE	Pass	Band Edge
62	802.11ax HE160	207	13970.00	48.36	88.20	-39.84	V	PEAK	Pass	Harmonic



<Co-location>

Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
63	Bluetooth-LE_GSKF	39	2492.56	45.95	54.00	-8.05	V	AVERAGE	Pass	Band Edge
	Bluetooth-LE_GSKF	39	7440.00	44.55	74.00	-29.45	V	AVERAGE	Pass	Harmonic
	802.11ax HE80	7	5923.56	44.91	68.20	-23.29	V	AVERAGE	Pass	Band Edge
	802.11ax HE80	7	10653.60	57.28	74.00	-16.72	V	Peak	Pass	Harmonic
	B48	55340	10653.00	50.50	55.20	-4.70	H	Peak	Pass	Harmonic
				51.28	55.20	-3.92	V	Peak	Pass	Harmonic

Note: For B48 limit, the following formula is used to convert the EIRP to field strength.

$$EIRP = E_{Meas} + 20\log(d_{Meas}) - 104.7$$

where

EIRP is the equivalent isotropically radiated power, in dBm, -40dBm





E<sub>Meas</sub> is the field strength of the emission at the measurement distance, in dBμV/m

d<sub>Meas</sub> is the measurement distance, in m, 3m



<b>1</b>																																													
<b>Mode</b>	<b>Band Edge</b>																																												
	<b>U-NII-5_5.925-6.425_802.11a_CH1_Full_5955MHz</b>																																												
<b>ANT</b>	<b>CDD 8+5</b>																																												
<b>Pol.</b>	<b>Horizontal</b>																																												
<b>Peak</b>	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5882.20</td> <td>56.08</td> <td>88.20</td> <td>-32.12</td> <td>42.93</td> <td>34.83</td> <td>10.48</td> <td>32.16</td> <td>0.00</td> <td>100</td> <td>300</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5882.20	56.08	88.20	-32.12	42.93	34.83	10.48	32.16	0.00	100	300	PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																			
1	5882.20	56.08	88.20	-32.12	42.93	34.83	10.48	32.16	0.00	100	300	PEAK																																	
<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5955.00</td> <td>103.91</td> <td>-----</td> <td>-----</td> <td>90.29</td> <td>35.24</td> <td>10.55</td> <td>32.17</td> <td>0.00</td> <td>100</td> <td>300</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5955.00	103.91	-----	-----	90.29	35.24	10.55	32.17	0.00	100	300	PEAK	
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																			
1	5955.00	103.91	-----	-----	90.29	35.24	10.55	32.17	0.00	100	300	PEAK																																	
<b>Avg</b>	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5923.15</td> <td>44.59</td> <td>68.20</td> <td>-23.61</td> <td>31.20</td> <td>35.04</td> <td>10.51</td> <td>32.16</td> <td>0.00</td> <td>100</td> <td>300</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5923.15	44.59	68.20	-23.61	31.20	35.04	10.51	32.16	0.00	100	300	AVERAGE
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																			
1	5923.15	44.59	68.20	-23.61	31.20	35.04	10.51	32.16	0.00	100	300	AVERAGE																																	
<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5955.00</td> <td>95.17</td> <td>-----</td> <td>-----</td> <td>81.55</td> <td>35.24</td> <td>10.55</td> <td>32.17</td> <td>0.00</td> <td>100</td> <td>300</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5955.00	95.17	-----	-----	81.55	35.24	10.55	32.17	0.00	100	300	AVERAGE	
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																			
1	5955.00	95.17	-----	-----	81.55	35.24	10.55	32.17	0.00	100	300	AVERAGE																																	



Mode	1																																																																																									
	Band Edge																																																																																									
	U-NII-5_5.925-6.425_802.11a_CH1_Full_5955MHz																																																																																									
ANT	CDD 8+5																																																																																									
Pol.	Vertical	Fundamental																																																																																								
Peak	 <p>Level (dBuV/m)</p> <p>Frequency (MHz)</p> <p>WIFI 6E PEAK</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5919.25</td> <td>56.08</td> <td>88.20</td> <td>-32.12</td> <td>42.71</td> <td>35.02</td> <td>10.51</td> <td>32.16</td> <td>0.00</td> <td>300</td> <td>285</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5919.25	56.08	88.20	-32.12	42.71	35.02	10.51	32.16	0.00	300	285	PEAK	 <p>Level (dBuV/m)</p> <p>Frequency (MHz)</p> <p>WIFI 6E PEAK</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5955.00</td> <td>99.71</td> <td>-----</td> <td>-----</td> <td>86.09</td> <td>35.24</td> <td>10.55</td> <td>32.17</td> <td>0.00</td> <td>300</td> <td>285</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5955.00	99.71	-----	-----	86.09	35.24	10.55	32.17	0.00	300	285	PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																
1	5919.25	56.08	88.20	-32.12	42.71	35.02	10.51	32.16	0.00	300	285	PEAK																																																																														
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																
1	5955.00	99.71	-----	-----	86.09	35.24	10.55	32.17	0.00	300	285	PEAK																																																																														
Avg	 <p>Level (dBuV/m)</p> <p>Frequency (MHz)</p> <p>WIFI 6E(AVG)</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5924.84</td> <td>44.34</td> <td>68.20</td> <td>-23.86</td> <td>30.93</td> <td>35.05</td> <td>10.52</td> <td>32.16</td> <td>0.00</td> <td>300</td> <td>285</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5924.84	44.34	68.20	-23.86	30.93	35.05	10.52	32.16	0.00	300	285	AVERAGE	 <p>Level (dBuV/m)</p> <p>Frequency (MHz)</p> <p>WIFI 6E(AVG)</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5955.00</td> <td>91.82</td> <td>-----</td> <td>-----</td> <td>78.20</td> <td>35.24</td> <td>10.55</td> <td>32.17</td> <td>0.00</td> <td>300</td> <td>285</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5955.00	91.82	-----	-----	78.20	35.24	10.55	32.17	0.00	300	285	AVERAGE
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																
1	5924.84	44.34	68.20	-23.86	30.93	35.05	10.52	32.16	0.00	300	285	AVERAGE																																																																														
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																
1	5955.00	91.82	-----	-----	78.20	35.24	10.55	32.17	0.00	300	285	AVERAGE																																																																														



Mode	1																																																																															
	Harmonic																																																																															
	U-NII-5_5.925-6.425_802.11a_CH1_Full_5955MHz																																																																															
ANT	CDD 8+5																																																																															
Pol.	Horizontal	Vertical																																																																														
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 11910.00</td> <td>45.51</td> <td>74.00</td> <td>-28.49</td> <td>56.62</td> <td>38.60</td> <td>16.62</td> <td>66.33</td> <td>0.00</td> <td>--</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 11910.00	45.51	74.00	-28.49	56.62	38.60	16.62	66.33	0.00	--	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 11910.00</td> <td>45.65</td> <td>74.00</td> <td>-28.35</td> <td>56.76</td> <td>38.60</td> <td>16.62</td> <td>66.33</td> <td>0.00</td> <td>--</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 11910.00	45.65	74.00	-28.35	56.76	38.60	16.62	66.33	0.00	--	PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																								
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1 11910.00	45.51	74.00	-28.49	56.62	38.60	16.62	66.33	0.00	--	PEAK																																																																						
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																								
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1 11910.00	45.65	74.00	-28.35	56.76	38.60	16.62	66.33	0.00	--	PEAK																																																																						



Mode	2																																																																															
	Harmonic																																																																															
	U-NII-5_5.925-6.425_802.11a_CH45_Full_6175MHz																																																																															
ANT	CDD 8+5																																																																															
Pol.	Horizontal	Vertical																																																																														
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 12350.00</td> <td>45.36</td> <td>74.00</td> <td>-28.64</td> <td>55.64</td> <td>38.00</td> <td>16.91</td> <td>65.99</td> <td>0.00</td> <td>--</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 12350.00	45.36	74.00	-28.64	55.64	38.00	16.91	65.99	0.00	--	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 12350.00</td> <td>46.11</td> <td>74.00</td> <td>-27.89</td> <td>56.39</td> <td>38.00</td> <td>16.91</td> <td>65.99</td> <td>0.00</td> <td>--</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 12350.00	46.11	74.00	-27.89	56.39	38.00	16.91	65.99	0.00	--	PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1 12350.00	45.36	74.00	-28.64	55.64	38.00	16.91	65.99	0.00	--	PEAK																																																																						
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1 12350.00	46.11	74.00	-27.89	56.39	38.00	16.91	65.99	0.00	--	PEAK																																																																						



Mode	3																																																																											
	Harmonic																																																																											
	U-NII-5_5.925-6.425_802.11a_CH93_Full_6415MHz																																																																											
ANT	CDD 8+5																																																																											
Pol.	Horizontal	Vertical																																																																										
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 12830.00</td> <td>46.17</td> <td>88.20</td> <td>-42.03</td> <td>55.35</td> <td>39.13</td> <td>17.22</td> <td>65.53</td> <td>0.00</td> <td>--</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 12830.00	46.17	88.20	-42.03	55.35	39.13	17.22	65.53	0.00	--	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 12830.00</td> <td>45.57</td> <td>88.20</td> <td>-42.63</td> <td>54.75</td> <td>39.13</td> <td>17.22</td> <td>65.53</td> <td>0.00</td> <td>--</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 12830.00	45.57	88.20	-42.63	54.75	39.13	17.22	65.53	0.00	--	PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																			
1 12830.00	46.17	88.20	-42.03	55.35	39.13	17.22	65.53	0.00	--	PEAK																																																																		
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																			
1 12830.00	45.57	88.20	-42.63	54.75	39.13	17.22	65.53	0.00	--	PEAK																																																																		



Mode	4																																																																											
	Harmonic																																																																											
	U-NII-6_6.425-6.525_802.11a_CH97_Full_6435MHz																																																																											
ANT	CDD 8+5																																																																											
Pol.	Horizontal	Vertical																																																																										
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 12870.00</td> <td>46.16</td> <td>88.20</td> <td>-42.04</td> <td>55.23</td> <td>39.17</td> <td>17.25</td> <td>65.49</td> <td>0.00</td> <td>--</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 12870.00	46.16	88.20	-42.04	55.23	39.17	17.25	65.49	0.00	--	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 12870.00</td> <td>46.24</td> <td>88.20</td> <td>-41.96</td> <td>55.31</td> <td>39.17</td> <td>17.25</td> <td>65.49</td> <td>0.00</td> <td>--</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 12870.00	46.24	88.20	-41.96	55.31	39.17	17.25	65.49	0.00	--	PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																					
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor	Remark																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																			
1 12870.00	46.16	88.20	-42.04	55.23	39.17	17.25	65.49	0.00	--	PEAK																																																																		
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																					
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor	Remark																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																			
1 12870.00	46.24	88.20	-41.96	55.31	39.17	17.25	65.49	0.00	--	PEAK																																																																		



Mode	5																																																																							
	Harmonic																																																																							
	U-NII-6_6.425-6.525_802.11a_CH105_Full_6475MHz																																																																							
ANT	CDD 8+5																																																																							
Pol.	Horizontal	Vertical																																																																						
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 12950.00</td> <td>46.36</td> <td>88.20</td> <td>-41.84</td> <td>55.27</td> <td>39.20</td> <td>17.30</td> <td>65.41</td> <td>0.00</td> <td>--</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 12950.00	46.36	88.20	-41.84	55.27	39.20	17.30	65.41	0.00	--	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 12950.00</td> <td>46.48</td> <td>88.20</td> <td>-41.72</td> <td>55.39</td> <td>39.20</td> <td>17.30</td> <td>65.41</td> <td>0.00</td> <td>--</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 12950.00	46.48	88.20	-41.72	55.39	39.20	17.30	65.41	0.00	--	PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																	
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																	
1 12950.00	46.36	88.20	-41.84	55.27	39.20	17.30	65.41	0.00	--	PEAK																																																														
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																	
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																	
1 12950.00	46.48	88.20	-41.72	55.39	39.20	17.30	65.41	0.00	--	PEAK																																																														



Mode	6																																																																							
	Harmonic																																																																							
	U-NII-6_6.425-6.525_802.11a_CH113_Full_6515MHz																																																																							
ANT	CDD 8+5																																																																							
Pol.	Horizontal	Vertical																																																																						
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 13030.00</td> <td>46.11</td> <td>88.20</td> <td>-42.09</td> <td>54.94</td> <td>39.14</td> <td>17.36</td> <td>65.33</td> <td>0.00</td> <td>--</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 13030.00	46.11	88.20	-42.09	54.94	39.14	17.36	65.33	0.00	--	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 13030.00</td> <td>46.42</td> <td>88.20</td> <td>-41.78</td> <td>55.25</td> <td>39.14</td> <td>17.36</td> <td>65.33</td> <td>0.00</td> <td>--</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 13030.00	46.42	88.20	-41.78	55.25	39.14	17.36	65.33	0.00	--	PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																	
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor	Remark																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																	
1 13030.00	46.11	88.20	-42.09	54.94	39.14	17.36	65.33	0.00	--	PEAK																																																														
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																	
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor	Remark																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																	
1 13030.00	46.42	88.20	-41.78	55.25	39.14	17.36	65.33	0.00	--	PEAK																																																														



Mode	7																																																																											
	Harmonic																																																																											
	U-NII-7_6.525-6.875_802.11a_CH117_Full_6535MHz																																																																											
ANT	CDD 8+5																																																																											
Pol.	Horizontal	Vertical																																																																										
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 13070.00</td> <td>46.78</td> <td>88.20</td> <td>-41.42</td> <td>55.64</td> <td>39.06</td> <td>17.38</td> <td>65.30</td> <td>0.00</td> <td>--</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 13070.00	46.78	88.20	-41.42	55.64	39.06	17.38	65.30	0.00	--	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 13070.00</td> <td>47.17</td> <td>88.20</td> <td>-41.03</td> <td>56.03</td> <td>39.06</td> <td>17.38</td> <td>65.30</td> <td>0.00</td> <td>--</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 13070.00	47.17	88.20	-41.03	56.03	39.06	17.38	65.30	0.00	--	PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																			
1 13070.00	46.78	88.20	-41.42	55.64	39.06	17.38	65.30	0.00	--	PEAK																																																																		
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																			
1 13070.00	47.17	88.20	-41.03	56.03	39.06	17.38	65.30	0.00	--	PEAK																																																																		



Mode	8																																																																																					
	Harmonic																																																																																					
	U-NII-7_6.525-6.875_802.11a_CH149_Full_6695MHz																																																																																					
ANT	CDD 8+5																																																																																					
Pol.	Horizontal	Vertical																																																																																				
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 13390.00</td> <td>48.03</td> <td>74.00</td> <td>-25.97</td> <td>56.51</td> <td>38.90</td> <td>17.61</td> <td>64.99</td> <td>0.00</td> <td>300</td> <td>360</td> <td>PEAK</td> </tr> <tr> <td>2 13390.00</td> <td>39.21</td> <td>54.00</td> <td>-14.79</td> <td>47.69</td> <td>38.90</td> <td>17.61</td> <td>64.99</td> <td>0.00</td> <td>300</td> <td>360</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 13390.00	48.03	74.00	-25.97	56.51	38.90	17.61	64.99	0.00	300	360	PEAK	2 13390.00	39.21	54.00	-14.79	47.69	38.90	17.61	64.99	0.00	300	360	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 13390.00</td> <td>46.62</td> <td>74.00</td> <td>-27.38</td> <td>55.10</td> <td>38.90</td> <td>17.61</td> <td>64.99</td> <td>0.00</td> <td>--</td> <td>--</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 13390.00	46.62	74.00	-27.38	55.10	38.90	17.61	64.99	0.00	--	--	PEAK
Limit	Read	Ant	Cable Preamp	Aux	APos	TPos	Remark																																																																															
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																															
1 13390.00	48.03	74.00	-25.97	56.51	38.90	17.61	64.99	0.00	300	360	PEAK																																																																											
2 13390.00	39.21	54.00	-14.79	47.69	38.90	17.61	64.99	0.00	300	360	AVERAGE																																																																											
Limit	Read	Ant	Cable Preamp	Aux	APos	TPos	Remark																																																																															
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																															
1 13390.00	46.62	74.00	-27.38	55.10	38.90	17.61	64.99	0.00	--	--	PEAK																																																																											



Mode	9																																																																																																			
	Harmonic																																																																																																			
	U-NII-7_6.525-6.875_802.11a_CH181_Full_6855MHz																																																																																																			
ANT	CDD 8+5																																																																																																			
Pol.	Horizontal	Vertical																																																																																																		
Peak Avg	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>13710.00</td> <td>56.47</td> <td>88.20</td> <td>-31.73</td> <td>65.04</td> <td>38.50</td> <td>17.84</td> <td>64.91</td> <td>0.00</td> <td>229</td> <td>25 PEAK</td> </tr> <tr> <td>2</td> <td>13710.00</td> <td>43.65</td> <td>68.20</td> <td>-24.55</td> <td>52.22</td> <td>38.50</td> <td>17.84</td> <td>64.91</td> <td>0.00</td> <td>229</td> <td>25 AVERAGE</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13710.00	56.47	88.20	-31.73	65.04	38.50	17.84	64.91	0.00	229	25 PEAK	2	13710.00	43.65	68.20	-24.55	52.22	38.50	17.84	64.91	0.00	229	25 AVERAGE	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>13710.00</td> <td>47.66</td> <td>88.20</td> <td>-40.54</td> <td>56.23</td> <td>38.50</td> <td>17.84</td> <td>64.91</td> <td>0.00</td> <td>--</td> <td>-- PEAK</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13710.00	47.66	88.20	-40.54	56.23	38.50	17.84	64.91	0.00	--	-- PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	13710.00	56.47	88.20	-31.73	65.04	38.50	17.84	64.91	0.00	229	25 PEAK																																																																																									
2	13710.00	43.65	68.20	-24.55	52.22	38.50	17.84	64.91	0.00	229	25 AVERAGE																																																																																									
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	13710.00	47.66	88.20	-40.54	56.23	38.50	17.84	64.91	0.00	--	-- PEAK																																																																																									