



		10																																																																																						
Mode		Band Edge																																																																																						
		U-NII-1_5.15-5.25_802.11ax HE20_CH36_RU26/0_5180MHz																																																																																						
ANT		CDD 8+5																																																																																						
Pol.	Vertical	Fundamental																																																																																						
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5109.60</td> <td>55.84</td> <td>74.00</td> <td>-18.16</td> <td>43.88</td> <td>34.12</td> <td>9.75</td> <td>31.91</td> <td>0.00</td> <td>100</td> <td>326 PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5109.60	55.84	74.00	-18.16	43.88	34.12	9.75	31.91	0.00	100	326 PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5180.00</td> <td>104.51</td> <td>-----</td> <td>-----</td> <td>92.39</td> <td>34.20</td> <td>9.80</td> <td>31.88</td> <td>0.00</td> <td>100</td> <td>326 PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5180.00	104.51	-----	-----	92.39	34.20	9.80	31.88	0.00	100	326 PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																														
1	5109.60	55.84	74.00	-18.16	43.88	34.12	9.75	31.91	0.00	100	326 PEAK																																																																													
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																														
1	5180.00	104.51	-----	-----	92.39	34.20	9.80	31.88	0.00	100	326 PEAK																																																																													
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5137.80</td> <td>43.51</td> <td>54.00</td> <td>-10.49</td> <td>31.45</td> <td>34.18</td> <td>9.78</td> <td>31.90</td> <td>0.00</td> <td>100</td> <td>326 AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5137.80	43.51	54.00	-10.49	31.45	34.18	9.78	31.90	0.00	100	326 AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5180.00</td> <td>97.93</td> <td>-----</td> <td>-----</td> <td>85.81</td> <td>34.20</td> <td>9.80</td> <td>31.88</td> <td>0.00</td> <td>100</td> <td>326 AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5180.00	97.93	-----	-----	85.81	34.20	9.80	31.88	0.00	100	326 AVERAGE
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																														
1	5137.80	43.51	54.00	-10.49	31.45	34.18	9.78	31.90	0.00	100	326 AVERAGE																																																																													
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																														
1	5180.00	97.93	-----	-----	85.81	34.20	9.80	31.88	0.00	100	326 AVERAGE																																																																													







		11																																																																																						
Mode	Band Edge																																																																																							
	U-NII-1_5.15-5.25_802.11ax HE20_CH36_RU52/37_5180MHz																																																																																							
ANT	CDD 8+5																																																																																							
Pol.	Horizontal	Fundamental																																																																																						
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5139.50</td> <td>55.51</td> <td>74.00</td> <td>-18.49</td> <td>43.45</td> <td>34.18</td> <td>9.78</td> <td>31.90</td> <td>0.00</td> <td>100</td> <td>342 PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5139.50	55.51	74.00	-18.49	43.45	34.18	9.78	31.90	0.00	100	342 PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5180.00</td> <td>109.54</td> <td>-----</td> <td>-----</td> <td>97.41</td> <td>34.20</td> <td>9.81</td> <td>31.88</td> <td>0.00</td> <td>100</td> <td>342 PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5180.00	109.54	-----	-----	97.41	34.20	9.81	31.88	0.00	100	342 PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																														
1	5139.50	55.51	74.00	-18.49	43.45	34.18	9.78	31.90	0.00	100	342 PEAK																																																																													
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																														
1	5180.00	109.54	-----	-----	97.41	34.20	9.81	31.88	0.00	100	342 PEAK																																																																													
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5145.10</td> <td>43.80</td> <td>54.00</td> <td>-10.20</td> <td>31.72</td> <td>34.19</td> <td>9.78</td> <td>31.89</td> <td>0.00</td> <td>100</td> <td>342 AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5145.10	43.80	54.00	-10.20	31.72	34.19	9.78	31.89	0.00	100	342 AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5180.00</td> <td>101.45</td> <td>-----</td> <td>-----</td> <td>89.32</td> <td>34.20</td> <td>9.81</td> <td>31.88</td> <td>0.00</td> <td>100</td> <td>342 AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5180.00	101.45	-----	-----	89.32	34.20	9.81	31.88	0.00	100	342 AVERAGE
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																														
1	5145.10	43.80	54.00	-10.20	31.72	34.19	9.78	31.89	0.00	100	342 AVERAGE																																																																													
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																														
1	5180.00	101.45	-----	-----	89.32	34.20	9.81	31.88	0.00	100	342 AVERAGE																																																																													



11																																													
Mode	Band Edge																																												
	U-NII-1_5.15-5.25_802.11ax HE20_CH36_RU52/37_5180MHz																																												
ANT	CDD 8+5																																												
Pol.	Vertical																																												
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5120.70</td> <td>55.60</td> <td>74.00</td> <td>-18.40</td> <td>43.61</td> <td>34.14</td> <td>9.76</td> <td>31.91</td> <td>0.00</td> <td>100</td> <td>330</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5120.70	55.60	74.00	-18.40	43.61	34.14	9.76	31.91	0.00	100	330	PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																			
1	5120.70	55.60	74.00	-18.40	43.61	34.14	9.76	31.91	0.00	100	330	PEAK																																	
<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5180.00</td> <td>104.98</td> <td>-----</td> <td>-----</td> <td>92.86</td> <td>34.20</td> <td>9.80</td> <td>31.88</td> <td>0.00</td> <td>100</td> <td>330</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5180.00	104.98	-----	-----	92.86	34.20	9.80	31.88	0.00	100	330	PEAK	
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																			
1	5180.00	104.98	-----	-----	92.86	34.20	9.80	31.88	0.00	100	330	PEAK																																	
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5141.30</td> <td>43.46</td> <td>54.00</td> <td>-10.54</td> <td>31.39</td> <td>34.18</td> <td>9.78</td> <td>31.89</td> <td>0.00</td> <td>100</td> <td>330</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5141.30	43.46	54.00	-10.54	31.39	34.18	9.78	31.89	0.00	100	330	AVERAGE
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																			
1	5141.30	43.46	54.00	-10.54	31.39	34.18	9.78	31.89	0.00	100	330	AVERAGE																																	
<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5180.00</td> <td>97.86</td> <td>-----</td> <td>-----</td> <td>85.74</td> <td>34.20</td> <td>9.80</td> <td>31.88</td> <td>0.00</td> <td>100</td> <td>330</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5180.00	97.86	-----	-----	85.74	34.20	9.80	31.88	0.00	100	330	AVERAGE	
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																			
1	5180.00	97.86	-----	-----	85.74	34.20	9.80	31.88	0.00	100	330	AVERAGE																																	



		12																																																																				
Mode		Band Edge																																																																				
		U-NII-1_5.15-5.25_802.11ax HE20_CH36_RU106/53_5180MHz																																																																				
ANT		CDD 8+5																																																																				
Pol.		Horizontal					Fundamental																																																															
Peak	 <p>Level (dBuV/m)</p> <p>130</p> <p>113.8</p> <p>97.5</p> <p>81.3</p> <p>65.0</p> <p>48.8</p> <p>32.5</p> <p>16.3</p> <p>0</p> <p>5100 5120 5140 5160 5180 5200</p> <p>Frequency (MHz)</p> <p>U-NII-1-U-NII-2A-U-NII-2C</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2">Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5145.90</td> <td>56.55</td> <td>74.00</td> <td>-17.45</td> <td>44.47</td> <td>34.19</td> <td>9.78</td> <td>31.89</td> <td>0.00</td> <td>106</td> <td>321 PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	cm	deg	1	5145.90	56.55	74.00	-17.45	44.47	34.19	9.78	31.89	0.00	106	321 PEAK	 <p>Level (dBuV/m)</p> <p>130</p> <p>113.8</p> <p>97.5</p> <p>81.3</p> <p>65.0</p> <p>48.8</p> <p>32.5</p> <p>16.3</p> <p>0</p> <p>1000 2200 3400 4600 5800 7000</p> <p>Frequency (MHz)</p> <p>U-NII-1-U-NII-2A-U-NII-2C</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2">Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5180.00</td> <td>109.96</td> <td>-----</td> <td>-----</td> <td>97.83</td> <td>34.20</td> <td>9.81</td> <td>31.88</td> <td>0.00</td> <td>106</td> <td>321 PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	cm	deg	1	5180.00	109.96	-----	-----	97.83	34.20	9.81	31.88	0.00	106	321 PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	cm	deg																																																												
1	5145.90	56.55	74.00	-17.45	44.47	34.19	9.78	31.89	0.00	106	321 PEAK																																																											
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	cm	deg																																																												
1	5180.00	109.96	-----	-----	97.83	34.20	9.81	31.88	0.00	106	321 PEAK																																																											
Avg	 <p>Level (dBuV/m)</p> <p>130</p> <p>113.8</p> <p>97.5</p> <p>81.3</p> <p>65.0</p> <p>48.8</p> <p>32.5</p> <p>16.3</p> <p>0</p> <p>5100 5120 5140 5160 5180 5200</p> <p>Frequency (MHz)</p> <p>U-NII-1-U-NII-2A-U-NII-2C(AVG)</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2">Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5148.50</td> <td>44.42</td> <td>54.00</td> <td>-9.58</td> <td>32.32</td> <td>34.20</td> <td>9.79</td> <td>31.89</td> <td>0.00</td> <td>106</td> <td>321 AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	cm	deg	1	5148.50	44.42	54.00	-9.58	32.32	34.20	9.79	31.89	0.00	106	321 AVERAGE	 <p>Level (dBuV/m)</p> <p>130</p> <p>113.8</p> <p>97.5</p> <p>81.3</p> <p>65.0</p> <p>48.8</p> <p>32.5</p> <p>16.3</p> <p>0</p> <p>1000 2200 3400 4600 5800 7000</p> <p>Frequency (MHz)</p> <p>U-NII-1-U-NII-2A-U-NII-2C(AVG)</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2">Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5180.00</td> <td>102.64</td> <td>-----</td> <td>-----</td> <td>90.51</td> <td>34.20</td> <td>9.81</td> <td>31.88</td> <td>0.00</td> <td>106</td> <td>321 AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	cm	deg	1	5180.00	102.64	-----	-----	90.51	34.20	9.81	31.88	0.00	106	321 AVERAGE
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	cm	deg																																																												
1	5148.50	44.42	54.00	-9.58	32.32	34.20	9.79	31.89	0.00	106	321 AVERAGE																																																											
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	cm	deg																																																												
1	5180.00	102.64	-----	-----	90.51	34.20	9.81	31.88	0.00	106	321 AVERAGE																																																											



Mode	12																																																																																					
	Band Edge																																																																																					
	U-NII-1_5.15-5.25_802.11ax HE20_CH36_RU106/53_5180MHz																																																																																					
ANT	CDD 8+5																																																																																					
Pol.	Vertical	Fundamental																																																																																				
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5145.90</td> <td>54.78</td> <td>74.00</td> <td>-19.22</td> <td>42.70</td> <td>34.19</td> <td>9.78</td> <td>31.89</td> <td>0.00</td> <td>199</td> <td>8 PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5145.90	54.78	74.00	-19.22	42.70	34.19	9.78	31.89	0.00	199	8 PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5180.00</td> <td>106.47</td> <td>-----</td> <td>-----</td> <td>94.34</td> <td>34.20</td> <td>9.81</td> <td>31.88</td> <td>0.00</td> <td>199</td> <td>8 PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5180.00	106.47	-----	-----	94.34	34.20	9.81	31.88	0.00	199	8 PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																												
1 5145.90	54.78	74.00	-19.22	42.70	34.19	9.78	31.89	0.00	199	8 PEAK																																																																												
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																												
1 5180.00	106.47	-----	-----	94.34	34.20	9.81	31.88	0.00	199	8 PEAK																																																																												
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5149.10</td> <td>43.71</td> <td>54.00</td> <td>-10.29</td> <td>31.61</td> <td>34.20</td> <td>9.79</td> <td>31.89</td> <td>0.00</td> <td>199</td> <td>8 AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5149.10	43.71	54.00	-10.29	31.61	34.20	9.79	31.89	0.00	199	8 AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5180.00</td> <td>99.35</td> <td>-----</td> <td>-----</td> <td>87.22</td> <td>34.20</td> <td>9.81</td> <td>31.88</td> <td>0.00</td> <td>199</td> <td>8 AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5180.00	99.35	-----	-----	87.22	34.20	9.81	31.88	0.00	199	8 AVERAGE
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																												
1 5149.10	43.71	54.00	-10.29	31.61	34.20	9.79	31.89	0.00	199	8 AVERAGE																																																																												
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																												
1 5180.00	99.35	-----	-----	87.22	34.20	9.81	31.88	0.00	199	8 AVERAGE																																																																												







Mode	13																																																																																																																																																																																																													
	Harmonic																																																																																																																																																																																																													
	U-NII-2A_5.25-5.35_802.11a_CH52_5260MHz																																																																																																																																																																																																													
ANT	CDD 8+5																																																																																																																																																																																																													
Pol.	Horizontal	Vertical																																																																																																																																																																																																												
Peak Avg																																																																																																																																																																																																														
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7364.00</td> <td>53.11</td> <td>74.00</td> <td>-20.89</td> <td>66.55</td> <td>35.70</td> <td>11.71</td> <td>60.85</td> <td>0.00</td> <td>106</td> <td>235</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>7364.00</td> <td>44.98</td> <td>54.00</td> <td>-9.02</td> <td>58.42</td> <td>35.70</td> <td>11.71</td> <td>60.85</td> <td>0.00</td> <td>106</td> <td>235</td> <td>AVERAGE</td> </tr> <tr> <td>3</td> <td>10520.00</td> <td>60.96</td> <td>68.20</td> <td>-7.24</td> <td>70.24</td> <td>37.74</td> <td>14.24</td> <td>61.26</td> <td>0.00</td> <td>100</td> <td>267</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>15780.00</td> <td>63.72</td> <td>74.00</td> <td>-10.28</td> <td>65.16</td> <td>40.56</td> <td>17.64</td> <td>59.64</td> <td>0.00</td> <td>106</td> <td>130</td> <td>PEAK</td> </tr> <tr> <td>5</td> <td>15780.00</td> <td>49.83</td> <td>54.00</td> <td>-4.17</td> <td>51.27</td> <td>40.56</td> <td>17.64</td> <td>59.64</td> <td>0.00</td> <td>106</td> <td>130</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7364.00	53.11	74.00	-20.89	66.55	35.70	11.71	60.85	0.00	106	235	PEAK	2	7364.00	44.98	54.00	-9.02	58.42	35.70	11.71	60.85	0.00	106	235	AVERAGE	3	10520.00	60.96	68.20	-7.24	70.24	37.74	14.24	61.26	0.00	100	267	PEAK	4	15780.00	63.72	74.00	-10.28	65.16	40.56	17.64	59.64	0.00	106	130	PEAK	5	15780.00	49.83	54.00	-4.17	51.27	40.56	17.64	59.64	0.00	106	130	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7364.00</td> <td>55.04</td> <td>74.00</td> <td>-18.96</td> <td>68.48</td> <td>35.70</td> <td>11.71</td> <td>60.85</td> <td>0.00</td> <td>101</td> <td>81</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>7364.00</td> <td>47.11</td> <td>54.00</td> <td>-6.89</td> <td>60.55</td> <td>35.70</td> <td>11.71</td> <td>60.85</td> <td>0.00</td> <td>101</td> <td>81</td> <td>AVERAGE</td> </tr> <tr> <td>3</td> <td>8415.70</td> <td>47.68</td> <td>74.00</td> <td>-26.32</td> <td>59.90</td> <td>35.90</td> <td>12.70</td> <td>60.82</td> <td>0.00</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>4</td> <td>10520.00</td> <td>63.36</td> <td>68.20</td> <td>-4.84</td> <td>72.64</td> <td>37.74</td> <td>14.24</td> <td>61.26</td> <td>0.00</td> <td>114</td> <td>85</td> <td>PEAK</td> </tr> <tr> <td>5</td> <td>15780.00</td> <td>63.12</td> <td>74.00</td> <td>-10.88</td> <td>64.56</td> <td>40.56</td> <td>17.64</td> <td>59.64</td> <td>0.00</td> <td>100</td> <td>4</td> <td>PEAK</td> </tr> <tr> <td>6</td> <td>15780.00</td> <td>50.37</td> <td>54.00</td> <td>-3.63</td> <td>51.81</td> <td>40.56</td> <td>17.64</td> <td>59.64</td> <td>0.00</td> <td>100</td> <td>4</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7364.00	55.04	74.00	-18.96	68.48	35.70	11.71	60.85	0.00	101	81	PEAK	2	7364.00	47.11	54.00	-6.89	60.55	35.70	11.71	60.85	0.00	101	81	AVERAGE	3	8415.70	47.68	74.00	-26.32	59.90	35.90	12.70	60.82	0.00	---	---	Peak	4	10520.00	63.36	68.20	-4.84	72.64	37.74	14.24	61.26	0.00	114	85	PEAK	5	15780.00	63.12	74.00	-10.88	64.56	40.56	17.64	59.64	0.00	100	4	PEAK	6	15780.00	50.37	54.00	-3.63	51.81	40.56	17.64	59.64	0.00	100	4
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																																																																				
1	7364.00	53.11	74.00	-20.89	66.55	35.70	11.71	60.85	0.00	106	235	PEAK																																																																																																																																																																																																		
2	7364.00	44.98	54.00	-9.02	58.42	35.70	11.71	60.85	0.00	106	235	AVERAGE																																																																																																																																																																																																		
3	10520.00	60.96	68.20	-7.24	70.24	37.74	14.24	61.26	0.00	100	267	PEAK																																																																																																																																																																																																		
4	15780.00	63.72	74.00	-10.28	65.16	40.56	17.64	59.64	0.00	106	130	PEAK																																																																																																																																																																																																		
5	15780.00	49.83	54.00	-4.17	51.27	40.56	17.64	59.64	0.00	106	130	AVERAGE																																																																																																																																																																																																		
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																																																																				
1	7364.00	55.04	74.00	-18.96	68.48	35.70	11.71	60.85	0.00	101	81	PEAK																																																																																																																																																																																																		
2	7364.00	47.11	54.00	-6.89	60.55	35.70	11.71	60.85	0.00	101	81	AVERAGE																																																																																																																																																																																																		
3	8415.70	47.68	74.00	-26.32	59.90	35.90	12.70	60.82	0.00	---	---	Peak																																																																																																																																																																																																		
4	10520.00	63.36	68.20	-4.84	72.64	37.74	14.24	61.26	0.00	114	85	PEAK																																																																																																																																																																																																		
5	15780.00	63.12	74.00	-10.88	64.56	40.56	17.64	59.64	0.00	100	4	PEAK																																																																																																																																																																																																		
6	15780.00	50.37	54.00	-3.63	51.81	40.56	17.64	59.64	0.00	100	4	AVERAGE																																																																																																																																																																																																		







Mode	14																																																																																																																																																																																																																											
	Harmonic																																																																																																																																																																																																																											
	U-NII-2A_5.25-5.35_802.11a_CH60_5300MHz																																																																																																																																																																																																																											
ANT	CDD 8+5																																																																																																																																																																																																																											
Pol.	Horizontal	Vertical																																																																																																																																																																																																																										
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7420.00</td> <td>47.84</td> <td>74.00</td> <td>-26.16</td> <td>61.36</td> <td>35.70</td> <td>11.75</td> <td>60.97</td> <td>0.00</td> <td>300</td> <td>0</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>7420.00</td> <td>39.05</td> <td>54.00</td> <td>-14.95</td> <td>52.57</td> <td>35.70</td> <td>11.75</td> <td>60.97</td> <td>0.00</td> <td>300</td> <td>0</td> <td>AVERAGE</td> </tr> <tr> <td>3</td> <td>10600.00</td> <td>59.67</td> <td>74.00</td> <td>-14.33</td> <td>68.74</td> <td>37.90</td> <td>14.29</td> <td>61.26</td> <td>0.00</td> <td>100</td> <td>307</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>10600.00</td> <td>48.02</td> <td>54.00</td> <td>-5.98</td> <td>57.09</td> <td>37.90</td> <td>14.29</td> <td>61.26</td> <td>0.00</td> <td>100</td> <td>307</td> <td>AVERAGE</td> </tr> <tr> <td>5</td> <td>15900.00</td> <td>60.00</td> <td>74.00</td> <td>-14.00</td> <td>60.87</td> <td>40.90</td> <td>17.70</td> <td>59.47</td> <td>0.00</td> <td>100</td> <td>125</td> <td>PEAK</td> </tr> <tr> <td>6</td> <td>15900.00</td> <td>47.26</td> <td>54.00</td> <td>-6.74</td> <td>48.13</td> <td>40.90</td> <td>17.70</td> <td>59.47</td> <td>0.00</td> <td>100</td> <td>125</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7420.00	47.84	74.00	-26.16	61.36	35.70	11.75	60.97	0.00	300	0	PEAK	2	7420.00	39.05	54.00	-14.95	52.57	35.70	11.75	60.97	0.00	300	0	AVERAGE	3	10600.00	59.67	74.00	-14.33	68.74	37.90	14.29	61.26	0.00	100	307	PEAK	4	10600.00	48.02	54.00	-5.98	57.09	37.90	14.29	61.26	0.00	100	307	AVERAGE	5	15900.00	60.00	74.00	-14.00	60.87	40.90	17.70	59.47	0.00	100	125	PEAK	6	15900.00	47.26	54.00	-6.74	48.13	40.90	17.70	59.47	0.00	100	125	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7420.00</td> <td>53.43</td> <td>74.00</td> <td>-20.57</td> <td>66.95</td> <td>35.70</td> <td>11.75</td> <td>60.97</td> <td>0.00</td> <td>100</td> <td>81</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>7420.00</td> <td>45.19</td> <td>54.00</td> <td>-8.81</td> <td>58.71</td> <td>35.70</td> <td>11.75</td> <td>60.97</td> <td>0.00</td> <td>100</td> <td>81</td> <td>AVERAGE</td> </tr> <tr> <td>3</td> <td>10600.00</td> <td>61.17</td> <td>74.00</td> <td>-12.83</td> <td>70.24</td> <td>37.90</td> <td>14.29</td> <td>61.26</td> <td>0.00</td> <td>104</td> <td>82</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>10600.00</td> <td>50.15</td> <td>54.00</td> <td>-3.85</td> <td>59.22</td> <td>37.90</td> <td>14.29</td> <td>61.26</td> <td>0.00</td> <td>104</td> <td>82</td> <td>AVERAGE</td> </tr> <tr> <td>5</td> <td>15900.00</td> <td>62.31</td> <td>74.00</td> <td>-11.69</td> <td>63.18</td> <td>40.90</td> <td>17.70</td> <td>59.47</td> <td>0.00</td> <td>100</td> <td>3</td> <td>PEAK</td> </tr> <tr> <td>6</td> <td>15900.00</td> <td>49.89</td> <td>54.00</td> <td>-4.11</td> <td>50.76</td> <td>40.90</td> <td>17.70</td> <td>59.47</td> <td>0.00</td> <td>100</td> <td>3</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7420.00	53.43	74.00	-20.57	66.95	35.70	11.75	60.97	0.00	100	81	PEAK	2	7420.00	45.19	54.00	-8.81	58.71	35.70	11.75	60.97	0.00	100	81	AVERAGE	3	10600.00	61.17	74.00	-12.83	70.24	37.90	14.29	61.26	0.00	104	82	PEAK	4	10600.00	50.15	54.00	-3.85	59.22	37.90	14.29	61.26	0.00	104	82	AVERAGE	5	15900.00	62.31	74.00	-11.69	63.18	40.90	17.70	59.47	0.00	100	3	PEAK	6	15900.00	49.89	54.00	-4.11	50.76	40.90	17.70	59.47	0.00	100	3	AVERAGE
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																																																																																		
1	7420.00	47.84	74.00	-26.16	61.36	35.70	11.75	60.97	0.00	300	0	PEAK																																																																																																																																																																																																																
2	7420.00	39.05	54.00	-14.95	52.57	35.70	11.75	60.97	0.00	300	0	AVERAGE																																																																																																																																																																																																																
3	10600.00	59.67	74.00	-14.33	68.74	37.90	14.29	61.26	0.00	100	307	PEAK																																																																																																																																																																																																																
4	10600.00	48.02	54.00	-5.98	57.09	37.90	14.29	61.26	0.00	100	307	AVERAGE																																																																																																																																																																																																																
5	15900.00	60.00	74.00	-14.00	60.87	40.90	17.70	59.47	0.00	100	125	PEAK																																																																																																																																																																																																																
6	15900.00	47.26	54.00	-6.74	48.13	40.90	17.70	59.47	0.00	100	125	AVERAGE																																																																																																																																																																																																																
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																																																																																		
1	7420.00	53.43	74.00	-20.57	66.95	35.70	11.75	60.97	0.00	100	81	PEAK																																																																																																																																																																																																																
2	7420.00	45.19	54.00	-8.81	58.71	35.70	11.75	60.97	0.00	100	81	AVERAGE																																																																																																																																																																																																																
3	10600.00	61.17	74.00	-12.83	70.24	37.90	14.29	61.26	0.00	104	82	PEAK																																																																																																																																																																																																																
4	10600.00	50.15	54.00	-3.85	59.22	37.90	14.29	61.26	0.00	104	82	AVERAGE																																																																																																																																																																																																																
5	15900.00	62.31	74.00	-11.69	63.18	40.90	17.70	59.47	0.00	100	3	PEAK																																																																																																																																																																																																																
6	15900.00	49.89	54.00	-4.11	50.76	40.90	17.70	59.47	0.00	100	3	AVERAGE																																																																																																																																																																																																																



Mode	15																																																																																									
	Band Edge																																																																																									
	U-NII-2A_5.25-5.35_802.11a_CH64_5320MHz																																																																																									
ANT	CDD 8+5																																																																																									
Pol.	Horizontal	Fundamental																																																																																								
Peak	 <p>Level (dBuV/m) vs Frequency (MHz) for Horizontal polarization. The plot shows a signal between 5300 and 5400 MHz. A red limit line is at 65.0 dBuV/m. A blue peak is observed at 5353.10 MHz.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5352.10</td> <td>58.00</td> <td>74.00</td> <td>-15.92</td> <td>45.35</td> <td>34.60</td> <td>9.91</td> <td>31.78</td> <td>0.00</td> <td>214</td> <td>333</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5352.10	58.00	74.00	-15.92	45.35	34.60	9.91	31.78	0.00	214	333	PEAK	 <p>Level (dBuV/m) vs Frequency (MHz) for Fundamental polarization. The plot shows a signal between 1000 and 7000 MHz. A red limit line is at 65.0 dBuV/m. A blue peak is observed at 5320.00 MHz.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5320.00</td> <td>110.97</td> <td>-----</td> <td>-----</td> <td>98.33</td> <td>34.54</td> <td>9.90</td> <td>31.80</td> <td>0.00</td> <td>214</td> <td>333</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5320.00	110.97	-----	-----	98.33	34.54	9.90	31.80	0.00	214	333	PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																
1	5352.10	58.00	74.00	-15.92	45.35	34.60	9.91	31.78	0.00	214	333	PEAK																																																																														
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																
1	5320.00	110.97	-----	-----	98.33	34.54	9.90	31.80	0.00	214	333	PEAK																																																																														
Avg	 <p>Level (dBuV/m) vs Frequency (MHz) for Horizontal polarization. The plot shows a signal between 5300 and 5400 MHz. A red limit line is at 46.35 dBuV/m. A blue average signal is observed at 5353.10 MHz.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5353.10</td> <td>46.35</td> <td>54.00</td> <td>-7.65</td> <td>33.61</td> <td>34.61</td> <td>9.91</td> <td>31.78</td> <td>0.00</td> <td>214</td> <td>333</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5353.10	46.35	54.00	-7.65	33.61	34.61	9.91	31.78	0.00	214	333	AVERAGE	 <p>Level (dBuV/m) vs Frequency (MHz) for Fundamental polarization. The plot shows a signal between 1000 and 7000 MHz. A red limit line is at 46.35 dBuV/m. A blue average signal is observed at 5320.00 MHz.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5320.00</td> <td>103.59</td> <td>-----</td> <td>-----</td> <td>90.95</td> <td>34.54</td> <td>9.90</td> <td>31.80</td> <td>0.00</td> <td>214</td> <td>333</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5320.00	103.59	-----	-----	90.95	34.54	9.90	31.80	0.00	214	333	AVERAGE
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																
1	5353.10	46.35	54.00	-7.65	33.61	34.61	9.91	31.78	0.00	214	333	AVERAGE																																																																														
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																
1	5320.00	103.59	-----	-----	90.95	34.54	9.90	31.80	0.00	214	333	AVERAGE																																																																														



Mode	15																																																																																							
	Band Edge																																																																																							
	U-NII-2A_5.25-5.35_802.11a_CH64_5320MHz																																																																																							
ANT	CDD 8+5																																																																																							
Pol.	Vertical	Fundamental																																																																																						
Peak	 <p>Level (dBuV/m)</p> <p>Frequency (MHz)</p> <p>U-NII-1-U-NII-2A-U-NII-2C</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5350.20</td> <td>58.87</td> <td>74.00</td> <td>-15.13</td> <td>46.14</td> <td>34.60</td> <td>9.91</td> <td>31.78</td> <td>0.00</td> <td>100</td> <td>335 PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5350.20	58.87	74.00	-15.13	46.14	34.60	9.91	31.78	0.00	100	335 PEAK	 <p>Level (dBuV/m)</p> <p>Frequency (MHz)</p> <p>U-NII-1-U-NII-2A-U-NII-2C</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5320.00</td> <td>112.19</td> <td>-----</td> <td>-----</td> <td>99.54</td> <td>34.55</td> <td>9.90</td> <td>31.80</td> <td>0.00</td> <td>100</td> <td>335 PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5320.00	112.19	-----	-----	99.54	34.55	9.90	31.80	0.00	100	335 PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																														
1	5350.20	58.87	74.00	-15.13	46.14	34.60	9.91	31.78	0.00	100	335 PEAK																																																																													
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																														
1	5320.00	112.19	-----	-----	99.54	34.55	9.90	31.80	0.00	100	335 PEAK																																																																													
Avg	 <p>Level (dBuV/m)</p> <p>Frequency (MHz)</p> <p>U-NII-1-U-NII-2A-U-NII-2C(AVG)</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5350.00</td> <td>48.74</td> <td>54.00</td> <td>-5.26</td> <td>36.01</td> <td>34.60</td> <td>9.91</td> <td>31.78</td> <td>0.00</td> <td>100</td> <td>335 AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5350.00	48.74	54.00	-5.26	36.01	34.60	9.91	31.78	0.00	100	335 AVERAGE	 <p>Level (dBuV/m)</p> <p>Frequency (MHz)</p> <p>U-NII-1-U-NII-2A-U-NII-2C(AVG)</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5320.00</td> <td>104.40</td> <td>-----</td> <td>-----</td> <td>91.75</td> <td>34.55</td> <td>9.90</td> <td>31.80</td> <td>0.00</td> <td>100</td> <td>335 AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5320.00	104.40	-----	-----	91.75	34.55	9.90	31.80	0.00	100	335 AVERAGE
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																														
1	5350.00	48.74	54.00	-5.26	36.01	34.60	9.91	31.78	0.00	100	335 AVERAGE																																																																													
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																														
1	5320.00	104.40	-----	-----	91.75	34.55	9.90	31.80	0.00	100	335 AVERAGE																																																																													



Mode	15																																																																																																																																																																																																													
	Harmonic																																																																																																																																																																																																													
	U-NII-2A_5.25-5.35_802.11a_CH64_5320MHz																																																																																																																																																																																																													
ANT	CDD 8+5																																																																																																																																																																																																													
Pol.	Horizontal	Vertical																																																																																																																																																																																																												
Peak Avg																																																																																																																																																																																																														
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7448.00</td> <td>47.51</td> <td>74.00</td> <td>-26.49</td> <td>61.06</td> <td>35.70</td> <td>11.78</td> <td>61.03</td> <td>0.00</td> <td>300</td> <td>360</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>7448.00</td> <td>38.09</td> <td>54.00</td> <td>-15.91</td> <td>51.64</td> <td>35.70</td> <td>11.78</td> <td>61.03</td> <td>0.00</td> <td>300</td> <td>360</td> <td>AVERAGE</td> </tr> <tr> <td>3</td> <td>10640.00</td> <td>60.17</td> <td>74.00</td> <td>-13.83</td> <td>69.24</td> <td>37.86</td> <td>14.32</td> <td>61.25</td> <td>0.00</td> <td>100</td> <td>308</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>10640.00</td> <td>48.33</td> <td>54.00</td> <td>-5.67</td> <td>57.40</td> <td>37.86</td> <td>14.32</td> <td>61.25</td> <td>0.00</td> <td>100</td> <td>308</td> <td>AVERAGE</td> </tr> <tr> <td>5</td> <td>15960.00</td> <td>61.39</td> <td>74.00</td> <td>-12.61</td> <td>62.03</td> <td>41.02</td> <td>17.73</td> <td>59.39</td> <td>0.00</td> <td>100</td> <td>125</td> <td>PEAK</td> </tr> <tr> <td>6</td> <td>15960.00</td> <td>48.75</td> <td>54.00</td> <td>-5.25</td> <td>49.39</td> <td>41.02</td> <td>17.73</td> <td>59.39</td> <td>0.00</td> <td>100</td> <td>125</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7448.00	47.51	74.00	-26.49	61.06	35.70	11.78	61.03	0.00	300	360	PEAK	2	7448.00	38.09	54.00	-15.91	51.64	35.70	11.78	61.03	0.00	300	360	AVERAGE	3	10640.00	60.17	74.00	-13.83	69.24	37.86	14.32	61.25	0.00	100	308	PEAK	4	10640.00	48.33	54.00	-5.67	57.40	37.86	14.32	61.25	0.00	100	308	AVERAGE	5	15960.00	61.39	74.00	-12.61	62.03	41.02	17.73	59.39	0.00	100	125	PEAK	6	15960.00	48.75	54.00	-5.25	49.39	41.02	17.73	59.39	0.00	100	125	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7448.00</td> <td>46.47</td> <td>74.00</td> <td>-27.53</td> <td>60.02</td> <td>35.70</td> <td>11.78</td> <td>61.03</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>10640.00</td> <td>60.84</td> <td>74.00</td> <td>-13.16</td> <td>69.91</td> <td>37.86</td> <td>14.32</td> <td>61.25</td> <td>0.00</td> <td>100</td> <td>88</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>10640.00</td> <td>48.93</td> <td>54.00</td> <td>-5.07</td> <td>58.00</td> <td>37.86</td> <td>14.32</td> <td>61.25</td> <td>0.00</td> <td>100</td> <td>88</td> <td>AVERAGE</td> </tr> <tr> <td>4</td> <td>15960.00</td> <td>62.41</td> <td>74.00</td> <td>-11.59</td> <td>63.05</td> <td>41.02</td> <td>17.73</td> <td>59.39</td> <td>0.00</td> <td>100</td> <td>258</td> <td>PEAK</td> </tr> <tr> <td>5</td> <td>15960.00</td> <td>50.17</td> <td>54.00</td> <td>-3.83</td> <td>50.81</td> <td>41.02</td> <td>17.73</td> <td>59.39</td> <td>0.00</td> <td>100</td> <td>258</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7448.00	46.47	74.00	-27.53	60.02	35.70	11.78	61.03	0.00	---	---	PEAK	2	10640.00	60.84	74.00	-13.16	69.91	37.86	14.32	61.25	0.00	100	88	PEAK	3	10640.00	48.93	54.00	-5.07	58.00	37.86	14.32	61.25	0.00	100	88	AVERAGE	4	15960.00	62.41	74.00	-11.59	63.05	41.02	17.73	59.39	0.00	100	258	PEAK	5	15960.00	50.17	54.00	-3.83	50.81	41.02	17.73	59.39	0.00	100	258
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																																																																				
1	7448.00	47.51	74.00	-26.49	61.06	35.70	11.78	61.03	0.00	300	360	PEAK																																																																																																																																																																																																		
2	7448.00	38.09	54.00	-15.91	51.64	35.70	11.78	61.03	0.00	300	360	AVERAGE																																																																																																																																																																																																		
3	10640.00	60.17	74.00	-13.83	69.24	37.86	14.32	61.25	0.00	100	308	PEAK																																																																																																																																																																																																		
4	10640.00	48.33	54.00	-5.67	57.40	37.86	14.32	61.25	0.00	100	308	AVERAGE																																																																																																																																																																																																		
5	15960.00	61.39	74.00	-12.61	62.03	41.02	17.73	59.39	0.00	100	125	PEAK																																																																																																																																																																																																		
6	15960.00	48.75	54.00	-5.25	49.39	41.02	17.73	59.39	0.00	100	125	AVERAGE																																																																																																																																																																																																		
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																																																																				
1	7448.00	46.47	74.00	-27.53	60.02	35.70	11.78	61.03	0.00	---	---	PEAK																																																																																																																																																																																																		
2	10640.00	60.84	74.00	-13.16	69.91	37.86	14.32	61.25	0.00	100	88	PEAK																																																																																																																																																																																																		
3	10640.00	48.93	54.00	-5.07	58.00	37.86	14.32	61.25	0.00	100	88	AVERAGE																																																																																																																																																																																																		
4	15960.00	62.41	74.00	-11.59	63.05	41.02	17.73	59.39	0.00	100	258	PEAK																																																																																																																																																																																																		
5	15960.00	50.17	54.00	-3.83	50.81	41.02	17.73	59.39	0.00	100	258	AVERAGE																																																																																																																																																																																																		







Mode	16																																																																																																																																																																																																																											
	Harmonic																																																																																																																																																																																																																											
	U-NII-2A_5.25-5.35_802.11ax HE20_CH52_Full_5260MHz																																																																																																																																																																																																																											
ANT	CDD 8+5																																																																																																																																																																																																																											
Pol.	Horizontal	Vertical																																																																																																																																																																																																																										
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7364.00</td> <td>47.12</td> <td>74.00</td> <td>-26.88</td> <td>60.56</td> <td>35.70</td> <td>11.71</td> <td>60.85</td> <td>0.00</td> <td>300</td> <td>0 PEAK</td> </tr> <tr> <td>2</td> <td>7364.00</td> <td>37.76</td> <td>54.00</td> <td>-16.24</td> <td>51.20</td> <td>35.70</td> <td>11.71</td> <td>60.85</td> <td>0.00</td> <td>300</td> <td>0 AVERAGE</td> </tr> <tr> <td>3</td> <td>8416.00</td> <td>50.48</td> <td>74.00</td> <td>-23.52</td> <td>62.70</td> <td>35.90</td> <td>12.70</td> <td>60.82</td> <td>0.00</td> <td>100</td> <td>216 PEAK</td> </tr> <tr> <td>4</td> <td>8416.00</td> <td>46.51</td> <td>54.00</td> <td>-7.49</td> <td>58.73</td> <td>35.90</td> <td>12.70</td> <td>60.82</td> <td>0.00</td> <td>100</td> <td>216 AVERAGE</td> </tr> <tr> <td>5</td> <td>10520.00</td> <td>60.14</td> <td>68.20</td> <td>-8.06</td> <td>69.42</td> <td>37.74</td> <td>14.24</td> <td>61.26</td> <td>0.00</td> <td>100</td> <td>303 PEAK</td> </tr> <tr> <td>6</td> <td>15780.00</td> <td>61.27</td> <td>74.00</td> <td>-12.73</td> <td>62.71</td> <td>40.56</td> <td>17.64</td> <td>59.64</td> <td>0.00</td> <td>102</td> <td>134 PEAK</td> </tr> <tr> <td>7</td> <td>15780.00</td> <td>48.30</td> <td>54.00</td> <td>-5.70</td> <td>49.74</td> <td>40.56</td> <td>17.64</td> <td>59.64</td> <td>0.00</td> <td>102</td> <td>134 AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7364.00	47.12	74.00	-26.88	60.56	35.70	11.71	60.85	0.00	300	0 PEAK	2	7364.00	37.76	54.00	-16.24	51.20	35.70	11.71	60.85	0.00	300	0 AVERAGE	3	8416.00	50.48	74.00	-23.52	62.70	35.90	12.70	60.82	0.00	100	216 PEAK	4	8416.00	46.51	54.00	-7.49	58.73	35.90	12.70	60.82	0.00	100	216 AVERAGE	5	10520.00	60.14	68.20	-8.06	69.42	37.74	14.24	61.26	0.00	100	303 PEAK	6	15780.00	61.27	74.00	-12.73	62.71	40.56	17.64	59.64	0.00	102	134 PEAK	7	15780.00	48.30	54.00	-5.70	49.74	40.56	17.64	59.64	0.00	102	134 AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7364.00</td> <td>45.21</td> <td>74.00</td> <td>-28.79</td> <td>58.65</td> <td>35.70</td> <td>11.71</td> <td>60.85</td> <td>0.00</td> <td>---</td> <td>---</td> </tr> <tr> <td>2</td> <td>8416.00</td> <td>52.03</td> <td>74.00</td> <td>-21.97</td> <td>64.25</td> <td>35.90</td> <td>12.70</td> <td>60.82</td> <td>0.00</td> <td>100</td> <td>311 PEAK</td> </tr> <tr> <td>3</td> <td>8416.00</td> <td>49.38</td> <td>54.00</td> <td>-4.62</td> <td>61.60</td> <td>35.90</td> <td>12.70</td> <td>60.82</td> <td>0.00</td> <td>100</td> <td>311 AVERAGE</td> </tr> <tr> <td>4</td> <td>10520.00</td> <td>62.19</td> <td>68.20</td> <td>-6.01</td> <td>71.47</td> <td>37.74</td> <td>14.24</td> <td>61.26</td> <td>0.00</td> <td>114</td> <td>85 PEAK</td> </tr> <tr> <td>5</td> <td>15780.00</td> <td>62.07</td> <td>74.00</td> <td>-11.93</td> <td>63.51</td> <td>40.56</td> <td>17.64</td> <td>59.64</td> <td>0.00</td> <td>100</td> <td>104 PEAK</td> </tr> <tr> <td>6</td> <td>15780.00</td> <td>48.86</td> <td>54.00</td> <td>-5.14</td> <td>50.31</td> <td>40.55</td> <td>17.64</td> <td>59.64</td> <td>0.00</td> <td>100</td> <td>104 AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7364.00	45.21	74.00	-28.79	58.65	35.70	11.71	60.85	0.00	---	---	2	8416.00	52.03	74.00	-21.97	64.25	35.90	12.70	60.82	0.00	100	311 PEAK	3	8416.00	49.38	54.00	-4.62	61.60	35.90	12.70	60.82	0.00	100	311 AVERAGE	4	10520.00	62.19	68.20	-6.01	71.47	37.74	14.24	61.26	0.00	114	85 PEAK	5	15780.00	62.07	74.00	-11.93	63.51	40.56	17.64	59.64	0.00	100	104 PEAK	6	15780.00	48.86	54.00	-5.14	50.31	40.55	17.64	59.64	0.00	100	104 AVERAGE
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																																																		
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																																																																																		
1	7364.00	47.12	74.00	-26.88	60.56	35.70	11.71	60.85	0.00	300	0 PEAK																																																																																																																																																																																																																	
2	7364.00	37.76	54.00	-16.24	51.20	35.70	11.71	60.85	0.00	300	0 AVERAGE																																																																																																																																																																																																																	
3	8416.00	50.48	74.00	-23.52	62.70	35.90	12.70	60.82	0.00	100	216 PEAK																																																																																																																																																																																																																	
4	8416.00	46.51	54.00	-7.49	58.73	35.90	12.70	60.82	0.00	100	216 AVERAGE																																																																																																																																																																																																																	
5	10520.00	60.14	68.20	-8.06	69.42	37.74	14.24	61.26	0.00	100	303 PEAK																																																																																																																																																																																																																	
6	15780.00	61.27	74.00	-12.73	62.71	40.56	17.64	59.64	0.00	102	134 PEAK																																																																																																																																																																																																																	
7	15780.00	48.30	54.00	-5.70	49.74	40.56	17.64	59.64	0.00	102	134 AVERAGE																																																																																																																																																																																																																	
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																																																																																		
1	7364.00	45.21	74.00	-28.79	58.65	35.70	11.71	60.85	0.00	---	---																																																																																																																																																																																																																	
2	8416.00	52.03	74.00	-21.97	64.25	35.90	12.70	60.82	0.00	100	311 PEAK																																																																																																																																																																																																																	
3	8416.00	49.38	54.00	-4.62	61.60	35.90	12.70	60.82	0.00	100	311 AVERAGE																																																																																																																																																																																																																	
4	10520.00	62.19	68.20	-6.01	71.47	37.74	14.24	61.26	0.00	114	85 PEAK																																																																																																																																																																																																																	
5	15780.00	62.07	74.00	-11.93	63.51	40.56	17.64	59.64	0.00	100	104 PEAK																																																																																																																																																																																																																	
6	15780.00	48.86	54.00	-5.14	50.31	40.55	17.64	59.64	0.00	100	104 AVERAGE																																																																																																																																																																																																																	



Mode	17																																																																																																																																																																																																																														
	Harmonic																																																																																																																																																																																																																														
	U-NII-2A_5.25-5.35_802.11ax HE20_CH60_Full_5300MHz																																																																																																																																																																																																																														
ANT	CDD 8+5																																																																																																																																																																																																																														
Pol.	Horizontal	Vertical																																																																																																																																																																																																																													
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7420.00</td> <td>48.03</td> <td>74.00</td> <td>-25.97</td> <td>61.55</td> <td>35.70</td> <td>11.75</td> <td>60.97</td> <td>0.00</td> <td>300</td> <td>0 PEAK</td> </tr> <tr> <td>2</td> <td>7420.00</td> <td>37.87</td> <td>54.00</td> <td>-16.13</td> <td>51.39</td> <td>35.70</td> <td>11.75</td> <td>60.97</td> <td>0.00</td> <td>300</td> <td>0 AVERAGE</td> </tr> <tr> <td>3</td> <td>8480.00</td> <td>44.86</td> <td>74.00</td> <td>-29.14</td> <td>57.09</td> <td>35.90</td> <td>12.79</td> <td>60.92</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>10600.00</td> <td>57.87</td> <td>74.00</td> <td>-16.13</td> <td>66.94</td> <td>37.90</td> <td>14.29</td> <td>61.26</td> <td>0.00</td> <td>100</td> <td>302 PEAK</td> </tr> <tr> <td>5</td> <td>10600.00</td> <td>46.61</td> <td>54.00</td> <td>-7.39</td> <td>55.68</td> <td>37.90</td> <td>14.29</td> <td>61.26</td> <td>0.00</td> <td>100</td> <td>302 AVERAGE</td> </tr> <tr> <td>6</td> <td>15900.00</td> <td>58.15</td> <td>74.00</td> <td>-15.85</td> <td>59.02</td> <td>40.90</td> <td>17.70</td> <td>59.47</td> <td>0.00</td> <td>100</td> <td>128 PEAK</td> </tr> <tr> <td>7</td> <td>15900.00</td> <td>46.03</td> <td>54.00</td> <td>-7.97</td> <td>46.91</td> <td>40.89</td> <td>17.70</td> <td>59.47</td> <td>0.00</td> <td>100</td> <td>128 AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7420.00	48.03	74.00	-25.97	61.55	35.70	11.75	60.97	0.00	300	0 PEAK	2	7420.00	37.87	54.00	-16.13	51.39	35.70	11.75	60.97	0.00	300	0 AVERAGE	3	8480.00	44.86	74.00	-29.14	57.09	35.90	12.79	60.92	0.00	---	---	PEAK	4	10600.00	57.87	74.00	-16.13	66.94	37.90	14.29	61.26	0.00	100	302 PEAK	5	10600.00	46.61	54.00	-7.39	55.68	37.90	14.29	61.26	0.00	100	302 AVERAGE	6	15900.00	58.15	74.00	-15.85	59.02	40.90	17.70	59.47	0.00	100	128 PEAK	7	15900.00	46.03	54.00	-7.97	46.91	40.89	17.70	59.47	0.00	100	128 AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7424.00</td> <td>48.71</td> <td>74.00</td> <td>-25.29</td> <td>62.23</td> <td>35.70</td> <td>11.76</td> <td>60.98</td> <td>0.00</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>8480.00</td> <td>45.35</td> <td>74.00</td> <td>-28.65</td> <td>57.58</td> <td>35.90</td> <td>12.79</td> <td>60.92</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>10600.00</td> <td>59.40</td> <td>74.00</td> <td>-14.60</td> <td>68.47</td> <td>37.90</td> <td>14.29</td> <td>61.26</td> <td>0.00</td> <td>105</td> <td>86 PEAK</td> </tr> <tr> <td>4</td> <td>10600.00</td> <td>50.54</td> <td>54.00</td> <td>-3.46</td> <td>59.61</td> <td>37.90</td> <td>14.29</td> <td>61.26</td> <td>0.00</td> <td>105</td> <td>86 AVERAGE</td> </tr> <tr> <td>5</td> <td>15900.00</td> <td>61.94</td> <td>74.00</td> <td>-12.06</td> <td>62.81</td> <td>40.90</td> <td>17.70</td> <td>59.47</td> <td>0.00</td> <td>102</td> <td>6 PEAK</td> </tr> <tr> <td>6</td> <td>15900.00</td> <td>49.51</td> <td>54.00</td> <td>-4.49</td> <td>50.38</td> <td>40.90</td> <td>17.70</td> <td>59.47</td> <td>0.00</td> <td>102</td> <td>6 AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7424.00	48.71	74.00	-25.29	62.23	35.70	11.76	60.98	0.00	---	---	Peak	2	8480.00	45.35	74.00	-28.65	57.58	35.90	12.79	60.92	0.00	---	---	PEAK	3	10600.00	59.40	74.00	-14.60	68.47	37.90	14.29	61.26	0.00	105	86 PEAK	4	10600.00	50.54	54.00	-3.46	59.61	37.90	14.29	61.26	0.00	105	86 AVERAGE	5	15900.00	61.94	74.00	-12.06	62.81	40.90	17.70	59.47	0.00	102	6 PEAK	6	15900.00	49.51	54.00	-4.49	50.38	40.90	17.70	59.47	0.00	102	6 AVERAGE
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																																																						
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																																																																																					
1	7420.00	48.03	74.00	-25.97	61.55	35.70	11.75	60.97	0.00	300	0 PEAK																																																																																																																																																																																																																				
2	7420.00	37.87	54.00	-16.13	51.39	35.70	11.75	60.97	0.00	300	0 AVERAGE																																																																																																																																																																																																																				
3	8480.00	44.86	74.00	-29.14	57.09	35.90	12.79	60.92	0.00	---	---	PEAK																																																																																																																																																																																																																			
4	10600.00	57.87	74.00	-16.13	66.94	37.90	14.29	61.26	0.00	100	302 PEAK																																																																																																																																																																																																																				
5	10600.00	46.61	54.00	-7.39	55.68	37.90	14.29	61.26	0.00	100	302 AVERAGE																																																																																																																																																																																																																				
6	15900.00	58.15	74.00	-15.85	59.02	40.90	17.70	59.47	0.00	100	128 PEAK																																																																																																																																																																																																																				
7	15900.00	46.03	54.00	-7.97	46.91	40.89	17.70	59.47	0.00	100	128 AVERAGE																																																																																																																																																																																																																				
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																																																						
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																																																																																					
1	7424.00	48.71	74.00	-25.29	62.23	35.70	11.76	60.98	0.00	---	---	Peak																																																																																																																																																																																																																			
2	8480.00	45.35	74.00	-28.65	57.58	35.90	12.79	60.92	0.00	---	---	PEAK																																																																																																																																																																																																																			
3	10600.00	59.40	74.00	-14.60	68.47	37.90	14.29	61.26	0.00	105	86 PEAK																																																																																																																																																																																																																				
4	10600.00	50.54	54.00	-3.46	59.61	37.90	14.29	61.26	0.00	105	86 AVERAGE																																																																																																																																																																																																																				
5	15900.00	61.94	74.00	-12.06	62.81	40.90	17.70	59.47	0.00	102	6 PEAK																																																																																																																																																																																																																				
6	15900.00	49.51	54.00	-4.49	50.38	40.90	17.70	59.47	0.00	102	6 AVERAGE																																																																																																																																																																																																																				



		18																																																																																										
Mode		Band Edge																																																																																										
		U-NII-2A_5.25-5.35_802.11ax HE20_CH64_Full_5320MHz																																																																																										
ANT		CDD 8+5																																																																																										
Pol.		Horizontal					Fundamental																																																																																					
Peak	 <p>Level (dBuV/m)</p> <p>130</p> <p>113.8</p> <p>97.5</p> <p>81.3</p> <p>65.0</p> <p>48.8</p> <p>32.5</p> <p>16.3</p> <p>0</p> <p>5300</p> <p>5320</p> <p>5340</p> <p>5360</p> <p>5380</p> <p>5400</p> <p>Frequency (MHz)</p> <p>U-NII-1-U-NII-2A-U-NII-2C</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2"></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5353.30</td> <td>54.26</td> <td>74.00</td> <td>-19.74</td> <td>41.52</td> <td>34.61</td> <td>9.91</td> <td>31.78</td> <td>0.00</td> <td>215</td> <td>332 PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5353.30	54.26	74.00	-19.74	41.52	34.61	9.91	31.78	0.00	215	332 PEAK	 <p>Level (dBuV/m)</p> <p>130</p> <p>113.8</p> <p>97.5</p> <p>81.3</p> <p>65.0</p> <p>48.8</p> <p>32.5</p> <p>16.3</p> <p>0</p> <p>1000</p> <p>2200</p> <p>3400</p> <p>4600</p> <p>5800</p> <p>7000</p> <p>Frequency (MHz)</p> <p>U-NII-1-U-NII-2A-U-NII-2C</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2"></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5320.00</td> <td>111.65</td> <td>-----</td> <td>-----</td> <td>99.03</td> <td>34.53</td> <td>9.89</td> <td>31.80</td> <td>0.00</td> <td>215</td> <td>332 PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5320.00	111.65	-----	-----	99.03	34.53	9.89	31.80	0.00	215	332 PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	cm	deg																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																		
1	5353.30	54.26	74.00	-19.74	41.52	34.61	9.91	31.78	0.00	215	332 PEAK																																																																																	
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	cm	deg																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																		
1	5320.00	111.65	-----	-----	99.03	34.53	9.89	31.80	0.00	215	332 PEAK																																																																																	
Avg	 <p>Level (dBuV/m)</p> <p>130</p> <p>113.8</p> <p>97.5</p> <p>81.3</p> <p>65.0</p> <p>48.8</p> <p>32.5</p> <p>16.3</p> <p>0</p> <p>5300</p> <p>5320</p> <p>5340</p> <p>5360</p> <p>5380</p> <p>5400</p> <p>Frequency (MHz)</p> <p>U-NII-1-U-NII-2A-U-NII-2C(AVG)</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2"></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5350.10</td> <td>45.42</td> <td>54.00</td> <td>-8.58</td> <td>32.69</td> <td>34.60</td> <td>9.91</td> <td>31.78</td> <td>0.00</td> <td>215</td> <td>332 AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5350.10	45.42	54.00	-8.58	32.69	34.60	9.91	31.78	0.00	215	332 AVERAGE	 <p>Level (dBuV/m)</p> <p>130</p> <p>113.8</p> <p>97.5</p> <p>81.3</p> <p>65.0</p> <p>48.8</p> <p>32.5</p> <p>16.3</p> <p>0</p> <p>1000</p> <p>2200</p> <p>3400</p> <p>4600</p> <p>5800</p> <p>7000</p> <p>Frequency (MHz)</p> <p>U-NII-1-U-NII-2A-U-NII-2C(AVG)</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2"></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5320.00</td> <td>102.50</td> <td>-----</td> <td>-----</td> <td>89.86</td> <td>34.54</td> <td>9.90</td> <td>31.80</td> <td>0.00</td> <td>215</td> <td>332 AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5320.00	102.50	-----	-----	89.86	34.54	9.90	31.80	0.00	215	332 AVERAGE
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	cm	deg																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																		
1	5350.10	45.42	54.00	-8.58	32.69	34.60	9.91	31.78	0.00	215	332 AVERAGE																																																																																	
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	cm	deg																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																		
1	5320.00	102.50	-----	-----	89.86	34.54	9.90	31.80	0.00	215	332 AVERAGE																																																																																	



		18																																																																																						
Mode	Band Edge																																																																																							
	U-NII-2A_5.25-5.35_802.11ax HE20_CH64_Full_5320MHz																																																																																							
ANT	CDD 8+5																																																																																							
Pol.	Vertical	Fundamental																																																																																						
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5359.20</td> <td>55.79</td> <td>74.00</td> <td>-18.21</td> <td>43.03</td> <td>34.62</td> <td>9.92</td> <td>31.78</td> <td>0.00</td> <td>100</td> <td>336 PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5359.20	55.79	74.00	-18.21	43.03	34.62	9.92	31.78	0.00	100	336 PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5320.00</td> <td>110.55</td> <td>-----</td> <td>-----</td> <td>97.91</td> <td>34.54</td> <td>9.90</td> <td>31.80</td> <td>0.00</td> <td>100</td> <td>336 PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5320.00	110.55	-----	-----	97.91	34.54	9.90	31.80	0.00	100	336 PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																														
1	5359.20	55.79	74.00	-18.21	43.03	34.62	9.92	31.78	0.00	100	336 PEAK																																																																													
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																														
1	5320.00	110.55	-----	-----	97.91	34.54	9.90	31.80	0.00	100	336 PEAK																																																																													
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5350.00</td> <td>46.20</td> <td>54.00</td> <td>-7.80</td> <td>33.47</td> <td>34.60</td> <td>9.91</td> <td>31.78</td> <td>0.00</td> <td>100</td> <td>336 AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5350.00	46.20	54.00	-7.80	33.47	34.60	9.91	31.78	0.00	100	336 AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5320.00</td> <td>102.31</td> <td>-----</td> <td>-----</td> <td>89.67</td> <td>34.54</td> <td>9.90</td> <td>31.80</td> <td>0.00</td> <td>100</td> <td>336 AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5320.00	102.31	-----	-----	89.67	34.54	9.90	31.80	0.00	100	336 AVERAGE
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																														
1	5350.00	46.20	54.00	-7.80	33.47	34.60	9.91	31.78	0.00	100	336 AVERAGE																																																																													
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																														
1	5320.00	102.31	-----	-----	89.67	34.54	9.90	31.80	0.00	100	336 AVERAGE																																																																													



Mode	18																																																																																																																																																																																																																										
	Harmonic																																																																																																																																																																																																																										
	U-NII-2A_5.25-5.35_802.11ax HE20_CH64_Full_5320MHz																																																																																																																																																																																																																										
ANT	CDD 8+5																																																																																																																																																																																																																										
Pol.	Horizontal	Vertical																																																																																																																																																																																																																									
Peak Avg																																																																																																																																																																																																																											
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7448.00</td> <td>46.34</td> <td>74.00</td> <td>-27.66</td> <td>59.89</td> <td>35.70</td> <td>11.78</td> <td>61.03</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>8512.00</td> <td>44.97</td> <td>68.20</td> <td>-23.23</td> <td>57.20</td> <td>35.90</td> <td>12.83</td> <td>60.96</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>10640.00</td> <td>58.63</td> <td>74.00</td> <td>-15.37</td> <td>67.70</td> <td>37.86</td> <td>14.32</td> <td>61.25</td> <td>0.00</td> <td>100</td> <td>305</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>10640.00</td> <td>47.64</td> <td>54.00</td> <td>-6.36</td> <td>56.71</td> <td>37.86</td> <td>14.32</td> <td>61.25</td> <td>0.00</td> <td>100</td> <td>305</td> <td>AVERAGE</td> </tr> <tr> <td>5</td> <td>15960.00</td> <td>58.99</td> <td>74.00</td> <td>-15.01</td> <td>59.63</td> <td>41.02</td> <td>17.73</td> <td>59.39</td> <td>0.00</td> <td>100</td> <td>243</td> <td>PEAK</td> </tr> <tr> <td>6</td> <td>15960.00</td> <td>46.45</td> <td>54.00</td> <td>-7.55</td> <td>47.10</td> <td>41.01</td> <td>17.73</td> <td>59.39</td> <td>0.00</td> <td>100</td> <td>243</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7448.00	46.34	74.00	-27.66	59.89	35.70	11.78	61.03	0.00	---	---	PEAK	2	8512.00	44.97	68.20	-23.23	57.20	35.90	12.83	60.96	0.00	---	---	PEAK	3	10640.00	58.63	74.00	-15.37	67.70	37.86	14.32	61.25	0.00	100	305	PEAK	4	10640.00	47.64	54.00	-6.36	56.71	37.86	14.32	61.25	0.00	100	305	AVERAGE	5	15960.00	58.99	74.00	-15.01	59.63	41.02	17.73	59.39	0.00	100	243	PEAK	6	15960.00	46.45	54.00	-7.55	47.10	41.01	17.73	59.39	0.00	100	243	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7448.00</td> <td>45.99</td> <td>74.00</td> <td>-28.01</td> <td>59.54</td> <td>35.70</td> <td>11.78</td> <td>61.03</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>8512.00</td> <td>45.49</td> <td>68.20</td> <td>-22.71</td> <td>57.72</td> <td>35.90</td> <td>12.83</td> <td>60.96</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>10640.00</td> <td>59.78</td> <td>74.00</td> <td>-14.22</td> <td>68.85</td> <td>37.86</td> <td>14.32</td> <td>61.25</td> <td>0.00</td> <td>101</td> <td>118</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>10640.00</td> <td>48.23</td> <td>54.00</td> <td>-5.77</td> <td>57.30</td> <td>37.86</td> <td>14.32</td> <td>61.25</td> <td>0.00</td> <td>101</td> <td>118</td> <td>AVERAGE</td> </tr> <tr> <td>5</td> <td>15960.00</td> <td>64.54</td> <td>74.00</td> <td>-9.46</td> <td>65.18</td> <td>41.02</td> <td>17.73</td> <td>59.39</td> <td>0.00</td> <td>100</td> <td>259</td> <td>PEAK</td> </tr> <tr> <td>6</td> <td>15960.00</td> <td>49.84</td> <td>54.00</td> <td>-4.16</td> <td>50.48</td> <td>41.02</td> <td>17.73</td> <td>59.39</td> <td>0.00</td> <td>100</td> <td>259</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7448.00	45.99	74.00	-28.01	59.54	35.70	11.78	61.03	0.00	---	---	PEAK	2	8512.00	45.49	68.20	-22.71	57.72	35.90	12.83	60.96	0.00	---	---	PEAK	3	10640.00	59.78	74.00	-14.22	68.85	37.86	14.32	61.25	0.00	101	118	PEAK	4	10640.00	48.23	54.00	-5.77	57.30	37.86	14.32	61.25	0.00	101	118	AVERAGE	5	15960.00	64.54	74.00	-9.46	65.18	41.02	17.73	59.39	0.00	100	259	PEAK	6	15960.00	49.84	54.00	-4.16	50.48	41.02	17.73	59.39	0.00	100	259
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																																																		
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																																																																																	
1	7448.00	46.34	74.00	-27.66	59.89	35.70	11.78	61.03	0.00	---	---	PEAK																																																																																																																																																																																																															
2	8512.00	44.97	68.20	-23.23	57.20	35.90	12.83	60.96	0.00	---	---	PEAK																																																																																																																																																																																																															
3	10640.00	58.63	74.00	-15.37	67.70	37.86	14.32	61.25	0.00	100	305	PEAK																																																																																																																																																																																																															
4	10640.00	47.64	54.00	-6.36	56.71	37.86	14.32	61.25	0.00	100	305	AVERAGE																																																																																																																																																																																																															
5	15960.00	58.99	74.00	-15.01	59.63	41.02	17.73	59.39	0.00	100	243	PEAK																																																																																																																																																																																																															
6	15960.00	46.45	54.00	-7.55	47.10	41.01	17.73	59.39	0.00	100	243	AVERAGE																																																																																																																																																																																																															
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																																																		
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																																																																																	
1	7448.00	45.99	74.00	-28.01	59.54	35.70	11.78	61.03	0.00	---	---	PEAK																																																																																																																																																																																																															
2	8512.00	45.49	68.20	-22.71	57.72	35.90	12.83	60.96	0.00	---	---	PEAK																																																																																																																																																																																																															
3	10640.00	59.78	74.00	-14.22	68.85	37.86	14.32	61.25	0.00	101	118	PEAK																																																																																																																																																																																																															
4	10640.00	48.23	54.00	-5.77	57.30	37.86	14.32	61.25	0.00	101	118	AVERAGE																																																																																																																																																																																																															
5	15960.00	64.54	74.00	-9.46	65.18	41.02	17.73	59.39	0.00	100	259	PEAK																																																																																																																																																																																																															
6	15960.00	49.84	54.00	-4.16	50.48	41.02	17.73	59.39	0.00	100	259	AVERAGE																																																																																																																																																																																																															



		19																																																																																								
Mode	Band Edge - L																																																																																									
	U-NII-2A_5.25-5.35_802.11ax HE40_CH54_Full_5270MHz																																																																																									
ANT	CDD 8+5																																																																																									
Pol.	Horizontal	Fundamental																																																																																								
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5137.97</td> <td>57.38</td> <td>74.00</td> <td>-16.62</td> <td>45.32</td> <td>34.18</td> <td>9.78</td> <td>31.90</td> <td>0.00</td> <td>221</td> <td>333</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5137.97	57.38	74.00	-16.62	45.32	34.18	9.78	31.90	0.00	221	333	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5270.00</td> <td>108.55</td> <td>-----</td> <td>-----</td> <td>96.15</td> <td>34.36</td> <td>9.87</td> <td>31.83</td> <td>0.00</td> <td>221</td> <td>333</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5270.00	108.55	-----	-----	96.15	34.36	9.87	31.83	0.00	221	333	PEAK
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																
1	5137.97	57.38	74.00	-16.62	45.32	34.18	9.78	31.90	0.00	221	333	PEAK																																																																														
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																
1	5270.00	108.55	-----	-----	96.15	34.36	9.87	31.83	0.00	221	333	PEAK																																																																														
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5147.69</td> <td>46.52</td> <td>54.00</td> <td>-7.48</td> <td>34.43</td> <td>34.20</td> <td>9.78</td> <td>31.89</td> <td>0.00</td> <td>221</td> <td>333</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5147.69	46.52	54.00	-7.48	34.43	34.20	9.78	31.89	0.00	221	333	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5270.00</td> <td>100.74</td> <td>-----</td> <td>-----</td> <td>88.34</td> <td>34.36</td> <td>9.87</td> <td>31.83</td> <td>0.00</td> <td>221</td> <td>333</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5270.00	100.74	-----	-----	88.34	34.36	9.87	31.83	0.00	221	333	AVERAGE
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																
1	5147.69	46.52	54.00	-7.48	34.43	34.20	9.78	31.89	0.00	221	333	AVERAGE																																																																														
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																
1	5270.00	100.74	-----	-----	88.34	34.36	9.87	31.83	0.00	221	333	AVERAGE																																																																														



Mode	19																																													
	Band Edge - R																																													
	U-NII-2A_5.25-5.35_802.11ax HE40_CH54_Full_5270MHz																																													
ANT	CDD 8+5																																													
Pol.	Horizontal	Fundamental																																												
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5358.16</td> <td>55.38</td> <td>74.00</td> <td>-18.62</td> <td>42.62</td> <td>34.62</td> <td>9.92</td> <td>31.78</td> <td>0.00</td> <td>221</td> <td>333</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss	Factor	Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5358.16	55.38	74.00	-18.62	42.62	34.62	9.92	31.78	0.00	221	333	PEAK	Blank
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																					
Freq	Level	Line	Level	Factor	Loss	Factor	Factor	cm	deg																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																				
1	5358.16	55.38	74.00	-18.62	42.62	34.62	9.92	31.78	0.00	221	333	PEAK																																		
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5358.18</td> <td>45.23</td> <td>54.00</td> <td>-8.77</td> <td>32.50</td> <td>34.60</td> <td>9.91</td> <td>31.78</td> <td>0.00</td> <td>221</td> <td>333</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss	Factor	Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5358.18	45.23	54.00	-8.77	32.50	34.60	9.91	31.78	0.00	221	333	AVERAGE	Blank
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																					
Freq	Level	Line	Level	Factor	Loss	Factor	Factor	cm	deg																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																				
1	5358.18	45.23	54.00	-8.77	32.50	34.60	9.91	31.78	0.00	221	333	AVERAGE																																		



19																																													
Mode	Band Edge - L																																												
	U-NII-2A_5.25-5.35_802.11ax HE40_CH54_Full_5270MHz																																												
ANT	CDD 8+5																																												
Pol.	Vertical																																												
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5145.26</td> <td>55.22</td> <td>74.00</td> <td>-18.78</td> <td>43.14</td> <td>34.19</td> <td>9.78</td> <td>31.89</td> <td>0.00</td> <td>100</td> <td>328</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5145.26	55.22	74.00	-18.78	43.14	34.19	9.78	31.89	0.00	100	328	PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																			
1	5145.26	55.22	74.00	-18.78	43.14	34.19	9.78	31.89	0.00	100	328	PEAK																																	
<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5270.00</td> <td>107.92</td> <td>-----</td> <td>-----</td> <td>95.52</td> <td>34.36</td> <td>9.87</td> <td>31.83</td> <td>0.00</td> <td>100</td> <td>328</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5270.00	107.92	-----	-----	95.52	34.36	9.87	31.83	0.00	100	328	PEAK	
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																			
1	5270.00	107.92	-----	-----	95.52	34.36	9.87	31.83	0.00	100	328	PEAK																																	
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5148.50</td> <td>44.44</td> <td>54.00</td> <td>-9.56</td> <td>32.34</td> <td>34.20</td> <td>9.79</td> <td>31.89</td> <td>0.00</td> <td>100</td> <td>328</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5148.50	44.44	54.00	-9.56	32.34	34.20	9.79	31.89	0.00	100	328	AVERAGE
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																			
1	5148.50	44.44	54.00	-9.56	32.34	34.20	9.79	31.89	0.00	100	328	AVERAGE																																	
<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5270.00</td> <td>98.23</td> <td>-----</td> <td>-----</td> <td>85.86</td> <td>34.34</td> <td>9.86</td> <td>31.83</td> <td>0.00</td> <td>100</td> <td>328</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5270.00	98.23	-----	-----	85.86	34.34	9.86	31.83	0.00	100	328	AVERAGE	
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																			
1	5270.00	98.23	-----	-----	85.86	34.34	9.86	31.83	0.00	100	328	AVERAGE																																	



Mode	19																																													
	Band Edge - R																																													
	U-NII-2A_5.25-5.35_802.11ax HE40_CH54_Full_5270MHz																																													
ANT	CDD 8+5																																													
Pol.	Vertical	Fundamental																																												
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5350.18</td> <td>56.48</td> <td>74.00</td> <td>-17.52</td> <td>43.75</td> <td>34.60</td> <td>9.91</td> <td>31.78</td> <td>0.00</td> <td>100</td> <td>328</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss	Factor	Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5350.18	56.48	74.00	-17.52	43.75	34.60	9.91	31.78	0.00	100	328	PEAK	Blank
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																					
Freq	Level	Line	Level	Factor	Loss	Factor	Factor	cm	deg																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																				
1	5350.18	56.48	74.00	-17.52	43.75	34.60	9.91	31.78	0.00	100	328	PEAK																																		
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5350.18</td> <td>46.84</td> <td>54.00</td> <td>-7.16</td> <td>34.11</td> <td>34.60</td> <td>9.91</td> <td>31.78</td> <td>0.00</td> <td>100</td> <td>328</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss	Factor	Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5350.18	46.84	54.00	-7.16	34.11	34.60	9.91	31.78	0.00	100	328	AVERAGE	Blank
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																					
Freq	Level	Line	Level	Factor	Loss	Factor	Factor	cm	deg																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																				
1	5350.18	46.84	54.00	-7.16	34.11	34.60	9.91	31.78	0.00	100	328	AVERAGE																																		



Mode	19																																																																																																																																																																																																																								
	Harmonic																																																																																																																																																																																																																								
	U-NII-2A_5.25-5.35_802.11ax HE40_CH54_Full_5270MHz																																																																																																																																																																																																																								
ANT	CDD 8+5																																																																																																																																																																																																																								
Pol.	Horizontal	Vertical																																																																																																																																																																																																																							
Peak Avg																																																																																																																																																																																																																									
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7378.00</td> <td>45.92</td> <td>74.00</td> <td>-28.08</td> <td>59.39</td> <td>35.70</td> <td>11.71</td> <td>60.88</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>8432.00</td> <td>50.11</td> <td>74.00</td> <td>-23.89</td> <td>62.33</td> <td>35.90</td> <td>12.72</td> <td>60.84</td> <td>0.00</td> <td>104</td> <td>212</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>8432.00</td> <td>46.95</td> <td>54.00</td> <td>-7.05</td> <td>59.17</td> <td>35.90</td> <td>12.72</td> <td>60.84</td> <td>0.00</td> <td>104</td> <td>212</td> <td>AVERAGE</td> </tr> <tr> <td>4</td> <td>10540.00</td> <td>56.59</td> <td>68.20</td> <td>-11.61</td> <td>65.82</td> <td>37.78</td> <td>14.25</td> <td>61.26</td> <td>0.00</td> <td>100</td> <td>305</td> <td>PEAK</td> </tr> <tr> <td>5</td> <td>15810.00</td> <td>58.02</td> <td>74.00</td> <td>-15.98</td> <td>59.34</td> <td>40.63</td> <td>17.65</td> <td>59.60</td> <td>0.00</td> <td>100</td> <td>130</td> <td>PEAK</td> </tr> <tr> <td>6</td> <td>15810.00</td> <td>46.25</td> <td>54.00</td> <td>-7.75</td> <td>47.58</td> <td>40.62</td> <td>17.65</td> <td>59.60</td> <td>0.00</td> <td>100</td> <td>130</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	1	7378.00	45.92	74.00	-28.08	59.39	35.70	11.71	60.88	0.00	---	---	PEAK	2	8432.00	50.11	74.00	-23.89	62.33	35.90	12.72	60.84	0.00	104	212	PEAK	3	8432.00	46.95	54.00	-7.05	59.17	35.90	12.72	60.84	0.00	104	212	AVERAGE	4	10540.00	56.59	68.20	-11.61	65.82	37.78	14.25	61.26	0.00	100	305	PEAK	5	15810.00	58.02	74.00	-15.98	59.34	40.63	17.65	59.60	0.00	100	130	PEAK	6	15810.00	46.25	54.00	-7.75	47.58	40.62	17.65	59.60	0.00	100	130	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7363.00</td> <td>46.31</td> <td>74.00</td> <td>-27.69</td> <td>59.74</td> <td>35.70</td> <td>11.71</td> <td>60.84</td> <td>0.00</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>8432.00</td> <td>51.69</td> <td>74.00</td> <td>-22.31</td> <td>63.91</td> <td>35.90</td> <td>12.72</td> <td>60.84</td> <td>0.00</td> <td>100</td> <td>59</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>8432.00</td> <td>49.02</td> <td>54.00</td> <td>-4.98</td> <td>61.24</td> <td>35.90</td> <td>12.72</td> <td>60.84</td> <td>0.00</td> <td>100</td> <td>59</td> <td>AVERAGE</td> </tr> <tr> <td>4</td> <td>10540.00</td> <td>58.06</td> <td>68.20</td> <td>-10.14</td> <td>67.29</td> <td>37.78</td> <td>14.25</td> <td>61.26</td> <td>0.00</td> <td>100</td> <td>82</td> <td>PEAK</td> </tr> <tr> <td>5</td> <td>15810.00</td> <td>56.97</td> <td>74.00</td> <td>-17.03</td> <td>58.29</td> <td>40.63</td> <td>17.65</td> <td>59.60</td> <td>0.00</td> <td>100</td> <td>120</td> <td>PEAK</td> </tr> <tr> <td>6</td> <td>15810.00</td> <td>46.45</td> <td>54.00</td> <td>-7.55</td> <td>47.78</td> <td>40.62</td> <td>17.65</td> <td>59.60</td> <td>0.00</td> <td>100</td> <td>120</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	1	7363.00	46.31	74.00	-27.69	59.74	35.70	11.71	60.84	0.00	---	---	Peak	2	8432.00	51.69	74.00	-22.31	63.91	35.90	12.72	60.84	0.00	100	59	PEAK	3	8432.00	49.02	54.00	-4.98	61.24	35.90	12.72	60.84	0.00	100	59	AVERAGE	4	10540.00	58.06	68.20	-10.14	67.29	37.78	14.25	61.26	0.00	100	82	PEAK	5	15810.00	56.97	74.00	-17.03	58.29	40.63	17.65	59.60	0.00	100	120	PEAK	6	15810.00	46.45	54.00	-7.55	47.78	40.62	17.65	59.60	0.00	100	120
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm																																																																																																																																																																																																																
1	7378.00	45.92	74.00	-28.08	59.39	35.70	11.71	60.88	0.00	---	---	PEAK																																																																																																																																																																																																													
2	8432.00	50.11	74.00	-23.89	62.33	35.90	12.72	60.84	0.00	104	212	PEAK																																																																																																																																																																																																													
3	8432.00	46.95	54.00	-7.05	59.17	35.90	12.72	60.84	0.00	104	212	AVERAGE																																																																																																																																																																																																													
4	10540.00	56.59	68.20	-11.61	65.82	37.78	14.25	61.26	0.00	100	305	PEAK																																																																																																																																																																																																													
5	15810.00	58.02	74.00	-15.98	59.34	40.63	17.65	59.60	0.00	100	130	PEAK																																																																																																																																																																																																													
6	15810.00	46.25	54.00	-7.75	47.58	40.62	17.65	59.60	0.00	100	130	AVERAGE																																																																																																																																																																																																													
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm																																																																																																																																																																																																																
1	7363.00	46.31	74.00	-27.69	59.74	35.70	11.71	60.84	0.00	---	---	Peak																																																																																																																																																																																																													
2	8432.00	51.69	74.00	-22.31	63.91	35.90	12.72	60.84	0.00	100	59	PEAK																																																																																																																																																																																																													
3	8432.00	49.02	54.00	-4.98	61.24	35.90	12.72	60.84	0.00	100	59	AVERAGE																																																																																																																																																																																																													
4	10540.00	58.06	68.20	-10.14	67.29	37.78	14.25	61.26	0.00	100	82	PEAK																																																																																																																																																																																																													
5	15810.00	56.97	74.00	-17.03	58.29	40.63	17.65	59.60	0.00	100	120	PEAK																																																																																																																																																																																																													
6	15810.00	46.45	54.00	-7.55	47.78	40.62	17.65	59.60	0.00	100	120	AVERAGE																																																																																																																																																																																																													



Mode	20																																																																																									
	Band Edge - L																																																																																									
	U-NII-2A_5.25-5.35_802.11ax HE40_CH62_Full_5310MHz																																																																																									
ANT	CDD 8+5																																																																																									
Pol.	Horizontal	Fundamental																																																																																								
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5146.88</td> <td>55.48</td> <td>74.00</td> <td>-18.52</td> <td>43.40</td> <td>34.19</td> <td>9.78</td> <td>31.89</td> <td>0.00</td> <td>100</td> <td>323</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5146.88	55.48	74.00	-18.52	43.40	34.19	9.78	31.89	0.00	100	323	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5310.00</td> <td>107.53</td> <td>-----</td> <td>-----</td> <td>94.93</td> <td>34.52</td> <td>9.89</td> <td>31.81</td> <td>0.00</td> <td>100</td> <td>323</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5310.00	107.53	-----	-----	94.93	34.52	9.89	31.81	0.00	100	323	PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																
1	5146.88	55.48	74.00	-18.52	43.40	34.19	9.78	31.89	0.00	100	323	PEAK																																																																														
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																
1	5310.00	107.53	-----	-----	94.93	34.52	9.89	31.81	0.00	100	323	PEAK																																																																														
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5147.68</td> <td>44.33</td> <td>54.00</td> <td>-9.67</td> <td>32.24</td> <td>34.20</td> <td>9.78</td> <td>31.89</td> <td>0.00</td> <td>100</td> <td>323</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5147.68	44.33	54.00	-9.67	32.24	34.20	9.78	31.89	0.00	100	323	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5310.00</td> <td>98.06</td> <td>-----</td> <td>-----</td> <td>85.46</td> <td>34.52</td> <td>9.89</td> <td>31.81</td> <td>0.00</td> <td>100</td> <td>323</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5310.00	98.06	-----	-----	85.46	34.52	9.89	31.81	0.00	100	323	AVERAGE
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																
1	5147.68	44.33	54.00	-9.67	32.24	34.20	9.78	31.89	0.00	100	323	AVERAGE																																																																														
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																
1	5310.00	98.06	-----	-----	85.46	34.52	9.89	31.81	0.00	100	323	AVERAGE																																																																														



Mode	20																																													
	Band Edge - R																																													
	U-NII-2A_5.25-5.35_802.11ax HE40_CH62_Full_5310MHz																																													
ANT	CDD 8+5																																													
Pol.	Horizontal	Fundamental																																												
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5356.70</td> <td>58.87</td> <td>74.00</td> <td>-15.13</td> <td>46.12</td> <td>34.61</td> <td>9.92</td> <td>31.78</td> <td>0.00</td> <td>100</td> <td>323</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss	Factor	Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5356.70	58.87	74.00	-15.13	46.12	34.61	9.92	31.78	0.00	100	323	PEAK	Blank
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																					
Freq	Level	Line	Level	Factor	Loss	Factor	Factor	cm	deg																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																				
1	5356.70	58.87	74.00	-15.13	46.12	34.61	9.92	31.78	0.00	100	323	PEAK																																		
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5350.00</td> <td>46.51</td> <td>54.00</td> <td>-7.49</td> <td>33.78</td> <td>34.60</td> <td>9.91</td> <td>31.78</td> <td>0.00</td> <td>100</td> <td>323</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss	Factor	Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5350.00	46.51	54.00	-7.49	33.78	34.60	9.91	31.78	0.00	100	323	AVERAGE	Blank
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																					
Freq	Level	Line	Level	Factor	Loss	Factor	Factor	cm	deg																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																				
1	5350.00	46.51	54.00	-7.49	33.78	34.60	9.91	31.78	0.00	100	323	AVERAGE																																		



Mode	20																																																																																									
	Band Edge - L																																																																																									
	U-NII-2A_5.25-5.35_802.11ax HE40_CH62_Full_5310MHz																																																																																									
ANT	CDD 8+5																																																																																									
Pol.	Vertical	Fundamental																																																																																								
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5148.92</td> <td>54.74</td> <td>74.00</td> <td>-19.26</td> <td>42.64</td> <td>34.20</td> <td>9.79</td> <td>31.89</td> <td>0.00</td> <td>100</td> <td>341</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5148.92	54.74	74.00	-19.26	42.64	34.20	9.79	31.89	0.00	100	341	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5310.00</td> <td>108.34</td> <td>-----</td> <td>-----</td> <td>95.74</td> <td>34.52</td> <td>9.89</td> <td>31.81</td> <td>0.00</td> <td>100</td> <td>341</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5310.00	108.34	-----	-----	95.74	34.52	9.89	31.81	0.00	100	341	PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																
1	5148.92	54.74	74.00	-19.26	42.64	34.20	9.79	31.89	0.00	100	341	PEAK																																																																														
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																
1	5310.00	108.34	-----	-----	95.74	34.52	9.89	31.81	0.00	100	341	PEAK																																																																														
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5148.48</td> <td>43.57</td> <td>54.00</td> <td>-10.43</td> <td>31.47</td> <td>34.20</td> <td>9.79</td> <td>31.89</td> <td>0.00</td> <td>100</td> <td>341</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5148.48	43.57	54.00	-10.43	31.47	34.20	9.79	31.89	0.00	100	341	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5310.00</td> <td>99.12</td> <td>-----</td> <td>-----</td> <td>86.52</td> <td>34.52</td> <td>9.89</td> <td>31.81</td> <td>0.00</td> <td>100</td> <td>341</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5310.00	99.12	-----	-----	86.52	34.52	9.89	31.81	0.00	100	341	AVERAGE
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																
1	5148.48	43.57	54.00	-10.43	31.47	34.20	9.79	31.89	0.00	100	341	AVERAGE																																																																														
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																
1	5310.00	99.12	-----	-----	86.52	34.52	9.89	31.81	0.00	100	341	AVERAGE																																																																														



Mode	20																																												
	Band Edge - R																																												
	U-NII-2A_5.25-5.35_802.11ax HE40_CH62_Full_5310MHz																																												
ANT	CDD 8+5																																												
Pol.	Vertical	Fundamental																																											
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5350.00</td> <td>61.09</td> <td>74.00</td> <td>-12.91</td> <td>48.36</td> <td>34.60</td> <td>9.91</td> <td>31.78</td> <td>0.00</td> <td>100</td> <td>341 PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss	Factor	Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5350.00	61.09	74.00	-12.91	48.36	34.60	9.91	31.78	0.00	100	341 PEAK	Blank
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																				
Freq	Level	Line	Level	Factor	Loss	Factor	Factor	cm	deg																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																			
1	5350.00	61.09	74.00	-12.91	48.36	34.60	9.91	31.78	0.00	100	341 PEAK																																		
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5350.00</td> <td>47.66</td> <td>54.00</td> <td>-6.34</td> <td>34.93</td> <td>34.60</td> <td>9.91</td> <td>31.78</td> <td>0.00</td> <td>100</td> <td>341 AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss	Factor	Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5350.00	47.66	54.00	-6.34	34.93	34.60	9.91	31.78	0.00	100	341 AVERAGE	Blank
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																				
Freq	Level	Line	Level	Factor	Loss	Factor	Factor	cm	deg																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																			
1	5350.00	47.66	54.00	-6.34	34.93	34.60	9.91	31.78	0.00	100	341 AVERAGE																																		



Mode	20																																																																																																																																																																											
	Harmonic																																																																																																																																																																											
	U-NII-2A_5.25-5.35_802.11ax HE40_CH62_Full_5310MHz																																																																																																																																																																											
ANT	CDD 8+5																																																																																																																																																																											
Pol.	Horizontal	Vertical																																																																																																																																																																										
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7434.00</td> <td>46.46</td> <td>74.00</td> <td>-27.54</td> <td>59.99</td> <td>35.70</td> <td>11.77</td> <td>61.00</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>10620.00</td> <td>56.21</td> <td>74.00</td> <td>-17.79</td> <td>65.28</td> <td>37.88</td> <td>14.31</td> <td>61.26</td> <td>0.00</td> <td>300</td> <td>11</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>10620.00</td> <td>46.44</td> <td>54.00</td> <td>-7.56</td> <td>55.51</td> <td>37.88</td> <td>14.31</td> <td>61.26</td> <td>0.00</td> <td>300</td> <td>11</td> <td>AVERAGE</td> </tr> <tr> <td>4</td> <td>15930.00</td> <td>56.05</td> <td>74.00</td> <td>-17.95</td> <td>56.80</td> <td>40.96</td> <td>17.72</td> <td>59.43</td> <td>0.00</td> <td>100</td> <td>30</td> <td>PEAK</td> </tr> <tr> <td>5</td> <td>15930.00</td> <td>45.43</td> <td>54.00</td> <td>-8.57</td> <td>46.17</td> <td>40.97</td> <td>17.72</td> <td>59.43</td> <td>0.00</td> <td>100</td> <td>30</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		1	7434.00	46.46	74.00	-27.54	59.99	35.70	11.77	61.00	0.00	---	---	PEAK	2	10620.00	56.21	74.00	-17.79	65.28	37.88	14.31	61.26	0.00	300	11	PEAK	3	10620.00	46.44	54.00	-7.56	55.51	37.88	14.31	61.26	0.00	300	11	AVERAGE	4	15930.00	56.05	74.00	-17.95	56.80	40.96	17.72	59.43	0.00	100	30	PEAK	5	15930.00	45.43	54.00	-8.57	46.17	40.97	17.72	59.43	0.00	100	30	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7434.00</td> <td>44.67</td> <td>74.00</td> <td>-29.33</td> <td>58.20</td> <td>35.70</td> <td>11.77</td> <td>61.00</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>10620.00</td> <td>53.98</td> <td>74.00</td> <td>-20.02</td> <td>63.05</td> <td>37.88</td> <td>14.31</td> <td>61.26</td> <td>0.00</td> <td>106</td> <td>3</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>10620.00</td> <td>43.54</td> <td>54.00</td> <td>-10.46</td> <td>52.61</td> <td>37.88</td> <td>14.31</td> <td>61.26</td> <td>0.00</td> <td>106</td> <td>3</td> <td>AVERAGE</td> </tr> <tr> <td>4</td> <td>15930.00</td> <td>53.36</td> <td>74.00</td> <td>-20.64</td> <td>54.11</td> <td>40.96</td> <td>17.72</td> <td>59.43</td> <td>0.00</td> <td>292</td> <td>3</td> <td>PEAK</td> </tr> <tr> <td>5</td> <td>15930.00</td> <td>43.69</td> <td>54.00</td> <td>-10.31</td> <td>44.47</td> <td>40.95</td> <td>17.71</td> <td>59.44</td> <td>0.00</td> <td>292</td> <td>3</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		1	7434.00	44.67	74.00	-29.33	58.20	35.70	11.77	61.00	0.00	---	---	PEAK	2	10620.00	53.98	74.00	-20.02	63.05	37.88	14.31	61.26	0.00	106	3	PEAK	3	10620.00	43.54	54.00	-10.46	52.61	37.88	14.31	61.26	0.00	106	3	AVERAGE	4	15930.00	53.36	74.00	-20.64	54.11	40.96	17.72	59.43	0.00	292	3	PEAK	5	15930.00	43.69	54.00	-10.31	44.47	40.95	17.71	59.44	0.00	292	3	AVERAGE
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																		
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																																																				
1	7434.00	46.46	74.00	-27.54	59.99	35.70	11.77	61.00	0.00	---	---	PEAK																																																																																																																																																																
2	10620.00	56.21	74.00	-17.79	65.28	37.88	14.31	61.26	0.00	300	11	PEAK																																																																																																																																																																
3	10620.00	46.44	54.00	-7.56	55.51	37.88	14.31	61.26	0.00	300	11	AVERAGE																																																																																																																																																																
4	15930.00	56.05	74.00	-17.95	56.80	40.96	17.72	59.43	0.00	100	30	PEAK																																																																																																																																																																
5	15930.00	45.43	54.00	-8.57	46.17	40.97	17.72	59.43	0.00	100	30	AVERAGE																																																																																																																																																																
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																																																				
1	7434.00	44.67	74.00	-29.33	58.20	35.70	11.77	61.00	0.00	---	---	PEAK																																																																																																																																																																
2	10620.00	53.98	74.00	-20.02	63.05	37.88	14.31	61.26	0.00	106	3	PEAK																																																																																																																																																																
3	10620.00	43.54	54.00	-10.46	52.61	37.88	14.31	61.26	0.00	106	3	AVERAGE																																																																																																																																																																
4	15930.00	53.36	74.00	-20.64	54.11	40.96	17.72	59.43	0.00	292	3	PEAK																																																																																																																																																																
5	15930.00	43.69	54.00	-10.31	44.47	40.95	17.71	59.44	0.00	292	3	AVERAGE																																																																																																																																																																



	21																																																																																							
Mode	Band Edge - L																																																																																							
	U-NII-2A_5.25-5.35_802.11ax HE80_CH58_Full_5290MHz																																																																																							
ANT	CDD 8+5																																																																																							
Pol.	Horizontal	Fundamental																																																																																						
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5130.56</td> <td>56.39</td> <td>74.00</td> <td>-17.61</td> <td>44.36</td> <td>34.16</td> <td>9.77</td> <td>31.90</td> <td>0.00</td> <td>297</td> <td>47 PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5130.56	56.39	74.00	-17.61	44.36	34.16	9.77	31.90	0.00	297	47 PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5290.00</td> <td>105.96</td> <td>-----</td> <td>-----</td> <td>93.46</td> <td>34.44</td> <td>9.88</td> <td>31.82</td> <td>0.00</td> <td>297</td> <td>47 PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5290.00	105.96	-----	-----	93.46	34.44	9.88	31.82	0.00	297	47 PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																														
1	5130.56	56.39	74.00	-17.61	44.36	34.16	9.77	31.90	0.00	297	47 PEAK																																																																													
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																														
1	5290.00	105.96	-----	-----	93.46	34.44	9.88	31.82	0.00	297	47 PEAK																																																																													
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5147.20</td> <td>44.71</td> <td>54.00</td> <td>-9.29</td> <td>32.63</td> <td>34.19</td> <td>9.78</td> <td>31.89</td> <td>0.00</td> <td>297</td> <td>47 AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5147.20	44.71	54.00	-9.29	32.63	34.19	9.78	31.89	0.00	297	47 AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5290.00</td> <td>95.67</td> <td>-----</td> <td>-----</td> <td>83.17</td> <td>34.44</td> <td>9.88</td> <td>31.82</td> <td>0.00</td> <td>297</td> <td>47 AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5290.00	95.67	-----	-----	83.17	34.44	9.88	31.82	0.00	297	47 AVERAGE
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																														
1	5147.20	44.71	54.00	-9.29	32.63	34.19	9.78	31.89	0.00	297	47 AVERAGE																																																																													
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																														
1	5290.00	95.67	-----	-----	83.17	34.44	9.88	31.82	0.00	297	47 AVERAGE																																																																													



Mode	21																																													
	Band Edge - R																																													
	U-NII-2A_5.25-5.35_802.11ax HE80_CH58_Full_5290MHz																																													
ANT	CDD 8+5																																													
Pol.	Horizontal	Fundamental																																												
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5353.80</td> <td>59.13</td> <td>74.00</td> <td>-14.87</td> <td>46.39</td> <td>34.61</td> <td>9.91</td> <td>31.78</td> <td>0.00</td> <td>297</td> <td>47</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss	Factor	Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5353.80	59.13	74.00	-14.87	46.39	34.61	9.91	31.78	0.00	297	47	PEAK	Blank
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																					
Freq	Level	Line	Level	Factor	Loss	Factor	Factor	cm	deg																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																				
1	5353.80	59.13	74.00	-14.87	46.39	34.61	9.91	31.78	0.00	297	47	PEAK																																		
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5356.50</td> <td>46.47</td> <td>54.00</td> <td>-7.53</td> <td>33.73</td> <td>34.61</td> <td>9.91</td> <td>31.78</td> <td>0.00</td> <td>297</td> <td>47</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss	Factor	Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5356.50	46.47	54.00	-7.53	33.73	34.61	9.91	31.78	0.00	297	47	AVERAGE	Blank
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																					
Freq	Level	Line	Level	Factor	Loss	Factor	Factor	cm	deg																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																				
1	5356.50	46.47	54.00	-7.53	33.73	34.61	9.91	31.78	0.00	297	47	AVERAGE																																		



	21																																																																																									
Mode	Band Edge - L																																																																																									
	U-NII-2A_5.25-5.35_802.11ax HE80_CH58_Full_5290MHz																																																																																									
ANT	CDD 8+5																																																																																									
Pol.	Vertical	Fundamental																																																																																								
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5126.72</td> <td>54.92</td> <td>74.00</td> <td>-19.08</td> <td>42.90</td> <td>34.15</td> <td>9.77</td> <td>31.90</td> <td>0.00</td> <td>100</td> <td>338</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5126.72	54.92	74.00	-19.08	42.90	34.15	9.77	31.90	0.00	100	338	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5290.00</td> <td>104.30</td> <td>-----</td> <td>-----</td> <td>91.70</td> <td>34.52</td> <td>9.89</td> <td>31.81</td> <td>0.00</td> <td>100</td> <td>338</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5290.00	104.30	-----	-----	91.70	34.52	9.89	31.81	0.00	100	338	PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																
1	5126.72	54.92	74.00	-19.08	42.90	34.15	9.77	31.90	0.00	100	338	PEAK																																																																														
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																
1	5290.00	104.30	-----	-----	91.70	34.52	9.89	31.81	0.00	100	338	PEAK																																																																														
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5148.96</td> <td>44.59</td> <td>54.00</td> <td>-9.41</td> <td>32.49</td> <td>34.20</td> <td>9.79</td> <td>31.89</td> <td>0.00</td> <td>100</td> <td>338</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5148.96	44.59	54.00	-9.41	32.49	34.20	9.79	31.89	0.00	100	338	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5290.00</td> <td>95.68</td> <td>-----</td> <td>-----</td> <td>83.13</td> <td>34.48</td> <td>9.88</td> <td>31.81</td> <td>0.00</td> <td>100</td> <td>338</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5290.00	95.68	-----	-----	83.13	34.48	9.88	31.81	0.00	100	338	AVERAGE
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																
1	5148.96	44.59	54.00	-9.41	32.49	34.20	9.79	31.89	0.00	100	338	AVERAGE																																																																														
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																
1	5290.00	95.68	-----	-----	83.13	34.48	9.88	31.81	0.00	100	338	AVERAGE																																																																														



Mode	21																																													
	Band Edge - R																																													
	U-NII-2A_5.25-5.35_802.11ax HE80_CH58_Full_5290MHz																																													
ANT	CDD 8+5																																													
Pol.	Vertical	Fundamental																																												
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5358.80</td> <td>61.56</td> <td>74.00</td> <td>-12.44</td> <td>48.80</td> <td>34.62</td> <td>9.92</td> <td>31.78</td> <td>0.00</td> <td>100</td> <td>338</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss	Factor	Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5358.80	61.56	74.00	-12.44	48.80	34.62	9.92	31.78	0.00	100	338	PEAK	Blank
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																				
Freq	Level	Line	Level	Factor	Loss	Factor	Factor	cm	deg																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																				
1	5358.80	61.56	74.00	-12.44	48.80	34.62	9.92	31.78	0.00	100	338	PEAK																																		
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5350.10</td> <td>48.37</td> <td>54.00</td> <td>-5.63</td> <td>35.64</td> <td>34.60</td> <td>9.91</td> <td>31.78</td> <td>0.00</td> <td>100</td> <td>338</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss	Factor	Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5350.10	48.37	54.00	-5.63	35.64	34.60	9.91	31.78	0.00	100	338	AVERAGE	Blank
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																					
Freq	Level	Line	Level	Factor	Loss	Factor	Factor	cm	deg																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																				
1	5350.10	48.37	54.00	-5.63	35.64	34.60	9.91	31.78	0.00	100	338	AVERAGE																																		



Mode	21																																																																																																																																																																						
	Harmonic																																																																																																																																																																						
	U-NII-2A_5.25-5.35_802.11ax HE80_CH58_Full_5290MHz																																																																																																																																																																						
ANT	CDD 8+5																																																																																																																																																																						
Pol.	Horizontal	Vertical																																																																																																																																																																					
Peak Avg																																																																																																																																																																							
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7406.00</td> <td>46.14</td> <td>74.00</td> <td>-27.86</td> <td>59.64</td> <td>35.70</td> <td>11.74</td> <td>60.94</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>10580.00</td> <td>55.62</td> <td>68.20</td> <td>-12.58</td> <td>64.74</td> <td>37.86</td> <td>14.28</td> <td>61.26</td> <td>0.00</td> <td>257</td> <td>13</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>15870.00</td> <td>54.68</td> <td>74.00</td> <td>-19.32</td> <td>55.69</td> <td>40.81</td> <td>17.69</td> <td>59.51</td> <td>0.00</td> <td>289</td> <td>2</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>15870.00</td> <td>44.87</td> <td>54.00</td> <td>-9.13</td> <td>45.84</td> <td>40.84</td> <td>17.69</td> <td>59.50</td> <td>0.00</td> <td>289</td> <td>2</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7406.00	46.14	74.00	-27.86	59.64	35.70	11.74	60.94	0.00	---	---	PEAK	2	10580.00	55.62	68.20	-12.58	64.74	37.86	14.28	61.26	0.00	257	13	PEAK	3	15870.00	54.68	74.00	-19.32	55.69	40.81	17.69	59.51	0.00	289	2	PEAK	4	15870.00	44.87	54.00	-9.13	45.84	40.84	17.69	59.50	0.00	289	2	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7406.00</td> <td>43.68</td> <td>74.00</td> <td>-30.32</td> <td>57.18</td> <td>35.70</td> <td>11.74</td> <td>60.94</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>10580.00</td> <td>53.11</td> <td>68.20</td> <td>-15.09</td> <td>62.23</td> <td>37.86</td> <td>14.28</td> <td>61.26</td> <td>0.00</td> <td>111</td> <td>3</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>15870.00</td> <td>52.74</td> <td>74.00</td> <td>-21.26</td> <td>53.75</td> <td>40.81</td> <td>17.69</td> <td>59.51</td> <td>0.00</td> <td>300</td> <td>12</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>15870.00</td> <td>43.73</td> <td>54.00</td> <td>-10.27</td> <td>44.73</td> <td>40.82</td> <td>17.69</td> <td>59.51</td> <td>0.00</td> <td>300</td> <td>12</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7406.00	43.68	74.00	-30.32	57.18	35.70	11.74	60.94	0.00	---	---	PEAK	2	10580.00	53.11	68.20	-15.09	62.23	37.86	14.28	61.26	0.00	111	3	PEAK	3	15870.00	52.74	74.00	-21.26	53.75	40.81	17.69	59.51	0.00	300	12	PEAK	4	15870.00	43.73	54.00	-10.27	44.73	40.82	17.69	59.51	0.00	300	12
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																													
1	7406.00	46.14	74.00	-27.86	59.64	35.70	11.74	60.94	0.00	---	---	PEAK																																																																																																																																																											
2	10580.00	55.62	68.20	-12.58	64.74	37.86	14.28	61.26	0.00	257	13	PEAK																																																																																																																																																											
3	15870.00	54.68	74.00	-19.32	55.69	40.81	17.69	59.51	0.00	289	2	PEAK																																																																																																																																																											
4	15870.00	44.87	54.00	-9.13	45.84	40.84	17.69	59.50	0.00	289	2	AVERAGE																																																																																																																																																											
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																													
1	7406.00	43.68	74.00	-30.32	57.18	35.70	11.74	60.94	0.00	---	---	PEAK																																																																																																																																																											
2	10580.00	53.11	68.20	-15.09	62.23	37.86	14.28	61.26	0.00	111	3	PEAK																																																																																																																																																											
3	15870.00	52.74	74.00	-21.26	53.75	40.81	17.69	59.51	0.00	300	12	PEAK																																																																																																																																																											
4	15870.00	43.73	54.00	-10.27	44.73	40.82	17.69	59.51	0.00	300	12	AVERAGE																																																																																																																																																											



22																																													
Mode	Band Edge - L																																												
	U-NII-2A_5.15-5.35_802.11ax HE160_CH50_Full_5250MHz																																												
ANT	CDD 8+5																																												
Pol.	Horizontal																																												
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5116.00</td> <td>61.38</td> <td>74.00</td> <td>-12.62</td> <td>49.40</td> <td>34.13</td> <td>9.76</td> <td>31.91</td> <td>0.00</td> <td>161</td> <td>320</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5116.00	61.38	74.00	-12.62	49.40	34.13	9.76	31.91	0.00	161	320	PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																			
1	5116.00	61.38	74.00	-12.62	49.40	34.13	9.76	31.91	0.00	161	320	PEAK																																	
<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5250.00</td> <td>101.60</td> <td>-----</td> <td>-----</td> <td>89.43</td> <td>34.20</td> <td>9.83</td> <td>31.86</td> <td>0.00</td> <td>161</td> <td>320</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5250.00	101.60	-----	-----	89.43	34.20	9.83	31.86	0.00	161	320	PEAK	
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																			
1	5250.00	101.60	-----	-----	89.43	34.20	9.83	31.86	0.00	161	320	PEAK																																	
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5147.75</td> <td>50.11</td> <td>54.00</td> <td>-3.89</td> <td>38.02</td> <td>34.20</td> <td>9.78</td> <td>31.89</td> <td>0.00</td> <td>161</td> <td>320</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5147.75	50.11	54.00	-3.89	38.02	34.20	9.78	31.89	0.00	161	320	AVERAGE
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																			
1	5147.75	50.11	54.00	-3.89	38.02	34.20	9.78	31.89	0.00	161	320	AVERAGE																																	
<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5250.00</td> <td>91.82</td> <td>-----</td> <td>-----</td> <td>79.59</td> <td>34.24</td> <td>9.84</td> <td>31.85</td> <td>0.00</td> <td>161</td> <td>320</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5250.00	91.82	-----	-----	79.59	34.24	9.84	31.85	0.00	161	320	AVERAGE	
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																			
1	5250.00	91.82	-----	-----	79.59	34.24	9.84	31.85	0.00	161	320	AVERAGE																																	



Mode	22																																												
	Band Edge - R																																												
	U-NII-2A_5.15-5.35_802.11ax HE160_CH50_Full_5250MHz																																												
ANT	CDD 8+5																																												
Pol.	Horizontal	Fundamental																																											
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5395.11</td> <td>57.58</td> <td>74.00</td> <td>-16.42</td> <td>44.71</td> <td>34.69</td> <td>9.94</td> <td>31.76</td> <td>0.00</td> <td>161</td> <td>320</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss	Factor	Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5395.11	57.58	74.00	-16.42	44.71	34.69	9.94	31.76	0.00	161	320	PEAK	Blank
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																				
Freq	Level	Line	Level	Factor	Loss	Factor	Factor	cm	deg																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																				
1	5395.11	57.58	74.00	-16.42	44.71	34.69	9.94	31.76	0.00	161	320	PEAK																																	
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5378.73</td> <td>47.29</td> <td>54.00</td> <td>-6.71</td> <td>34.47</td> <td>34.66</td> <td>9.93</td> <td>31.77</td> <td>0.00</td> <td>161</td> <td>320</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss	Factor	Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5378.73	47.29	54.00	-6.71	34.47	34.66	9.93	31.77	0.00	161	320	AVERAGE	Blank
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																				
Freq	Level	Line	Level	Factor	Loss	Factor	Factor	cm	deg																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																				
1	5378.73	47.29	54.00	-6.71	34.47	34.66	9.93	31.77	0.00	161	320	AVERAGE																																	



22																																													
Mode	Band Edge - L																																												
	U-NII-2A_5.15-5.35_802.11ax HE160_CH50_Full_5250MHz																																												
ANT	CDD 8+5																																												
Pol.	Vertical																																												
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5149.50</td> <td>57.33</td> <td>74.00</td> <td>-16.67</td> <td>45.23</td> <td>34.20</td> <td>9.79</td> <td>31.89</td> <td>0.00</td> <td>100</td> <td>330</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5149.50	57.33	74.00	-16.67	45.23	34.20	9.79	31.89	0.00	100	330	PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																			
1	5149.50	57.33	74.00	-16.67	45.23	34.20	9.79	31.89	0.00	100	330	PEAK																																	
<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5250.00</td> <td>99.25</td> <td>-----</td> <td>-----</td> <td>86.88</td> <td>34.34</td> <td>9.86</td> <td>31.83</td> <td>0.00</td> <td>100</td> <td>330</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5250.00	99.25	-----	-----	86.88	34.34	9.86	31.83	0.00	100	330	PEAK	
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																			
1	5250.00	99.25	-----	-----	86.88	34.34	9.86	31.83	0.00	100	330	PEAK																																	
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5148.25</td> <td>46.40</td> <td>54.00</td> <td>-7.60</td> <td>34.30</td> <td>34.20</td> <td>9.79</td> <td>31.89</td> <td>0.00</td> <td>100</td> <td>330</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5148.25	46.40	54.00	-7.60	34.30	34.20	9.79	31.89	0.00	100	330	AVERAGE
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																			
1	5148.25	46.40	54.00	-7.60	34.30	34.20	9.79	31.89	0.00	100	330	AVERAGE																																	
<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5250.00</td> <td>90.58</td> <td>-----</td> <td>-----</td> <td>78.21</td> <td>34.34</td> <td>9.86</td> <td>31.83</td> <td>0.00</td> <td>100</td> <td>330</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5250.00	90.58	-----	-----	78.21	34.34	9.86	31.83	0.00	100	330	AVERAGE	
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																			
1	5250.00	90.58	-----	-----	78.21	34.34	9.86	31.83	0.00	100	330	AVERAGE																																	



Mode	22																																												
	Band Edge - R																																												
	U-NII-2A_5.15-5.35_802.11ax HE160_CH50_Full_5250MHz																																												
ANT	CDD 8+5																																												
Pol.	Vertical	Fundamental																																											
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5377.68</td> <td>58.76</td> <td>74.00</td> <td>-15.24</td> <td>45.94</td> <td>34.66</td> <td>9.93</td> <td>31.77</td> <td>0.00</td> <td>100</td> <td>330</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss	Factor	Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5377.68	58.76	74.00	-15.24	45.94	34.66	9.93	31.77	0.00	100	330	PEAK	Blank
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																				
Freq	Level	Line	Level	Factor	Loss	Factor	Factor	cm	deg																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																				
1	5377.68	58.76	74.00	-15.24	45.94	34.66	9.93	31.77	0.00	100	330	PEAK																																	
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5378.52</td> <td>48.23</td> <td>54.00</td> <td>-5.77</td> <td>35.41</td> <td>34.66</td> <td>9.93</td> <td>31.77</td> <td>0.00</td> <td>100</td> <td>330</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss	Factor	Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5378.52	48.23	54.00	-5.77	35.41	34.66	9.93	31.77	0.00	100	330	AVERAGE	Blank
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																				
Freq	Level	Line	Level	Factor	Loss	Factor	Factor	cm	deg																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																				
1	5378.52	48.23	54.00	-5.77	35.41	34.66	9.93	31.77	0.00	100	330	AVERAGE																																	



Mode	22																																																																																																																																																																						
	Harmonic																																																																																																																																																																						
	U-NII-2A_5.15-5.35_802.11ax HE160_CH50_Full_5250MHz																																																																																																																																																																						
ANT	CDD 8+5																																																																																																																																																																						
Pol.	Horizontal	Vertical																																																																																																																																																																					
Peak Avg																																																																																																																																																																							
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7874.50</td> <td>59.04</td> <td>68.20</td> <td>-9.16</td> <td>71.31</td> <td>35.90</td> <td>12.25</td> <td>60.42</td> <td>0.00</td> <td>100</td> <td>42</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>10500.00</td> <td>54.12</td> <td>68.20</td> <td>-14.08</td> <td>63.47</td> <td>37.70</td> <td>14.22</td> <td>61.27</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>15750.00</td> <td>56.16</td> <td>74.00</td> <td>-17.84</td> <td>57.72</td> <td>40.50</td> <td>17.62</td> <td>59.68</td> <td>0.00</td> <td>100</td> <td>30</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>15750.00</td> <td>44.64</td> <td>54.00</td> <td>-9.36</td> <td>46.18</td> <td>40.51</td> <td>17.63</td> <td>59.68</td> <td>0.00</td> <td>100</td> <td>30</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7874.50	59.04	68.20	-9.16	71.31	35.90	12.25	60.42	0.00	100	42	Peak	2	10500.00	54.12	68.20	-14.08	63.47	37.70	14.22	61.27	0.00	---	---	PEAK	3	15750.00	56.16	74.00	-17.84	57.72	40.50	17.62	59.68	0.00	100	30	PEAK	4	15750.00	44.64	54.00	-9.36	46.18	40.51	17.63	59.68	0.00	100	30	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7875.60</td> <td>61.32</td> <td>68.20</td> <td>-6.88</td> <td>73.58</td> <td>35.90</td> <td>12.25</td> <td>60.41</td> <td>0.00</td> <td>100</td> <td>88</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>10500.00</td> <td>46.99</td> <td>68.20</td> <td>-21.21</td> <td>56.34</td> <td>37.70</td> <td>14.22</td> <td>61.27</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>15750.00</td> <td>53.15</td> <td>74.00</td> <td>-20.85</td> <td>54.71</td> <td>40.50</td> <td>17.62</td> <td>59.68</td> <td>0.00</td> <td>263</td> <td>300</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>15750.00</td> <td>43.96</td> <td>54.00</td> <td>-10.04</td> <td>45.52</td> <td>40.50</td> <td>17.62</td> <td>59.68</td> <td>0.00</td> <td>263</td> <td>300</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7875.60	61.32	68.20	-6.88	73.58	35.90	12.25	60.41	0.00	100	88	Peak	2	10500.00	46.99	68.20	-21.21	56.34	37.70	14.22	61.27	0.00	---	---	PEAK	3	15750.00	53.15	74.00	-20.85	54.71	40.50	17.62	59.68	0.00	263	300	PEAK	4	15750.00	43.96	54.00	-10.04	45.52	40.50	17.62	59.68	0.00	263	300
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																													
1	7874.50	59.04	68.20	-9.16	71.31	35.90	12.25	60.42	0.00	100	42	Peak																																																																																																																																																											
2	10500.00	54.12	68.20	-14.08	63.47	37.70	14.22	61.27	0.00	---	---	PEAK																																																																																																																																																											
3	15750.00	56.16	74.00	-17.84	57.72	40.50	17.62	59.68	0.00	100	30	PEAK																																																																																																																																																											
4	15750.00	44.64	54.00	-9.36	46.18	40.51	17.63	59.68	0.00	100	30	AVERAGE																																																																																																																																																											
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																													
1	7875.60	61.32	68.20	-6.88	73.58	35.90	12.25	60.41	0.00	100	88	Peak																																																																																																																																																											
2	10500.00	46.99	68.20	-21.21	56.34	37.70	14.22	61.27	0.00	---	---	PEAK																																																																																																																																																											
3	15750.00	53.15	74.00	-20.85	54.71	40.50	17.62	59.68	0.00	263	300	PEAK																																																																																																																																																											
4	15750.00	43.96	54.00	-10.04	45.52	40.50	17.62	59.68	0.00	263	300	AVERAGE																																																																																																																																																											



Mode	23																																																																					
	Band Edge																																																																					
	U-NII-2A_5.25-5.35_802.11ax HE20_CH64_RU26/8_5320MHz																																																																					
ANT	CDD 8+5																																																																					
Pol.	Horizontal	Fundamental																																																																				
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5383.20</td> <td>53.87</td> <td>74.00</td> <td>-20.13</td> <td>41.04</td> <td>34.67</td> <td>9.93</td> <td>31.77</td> <td>0.00</td> <td>237</td> <td>330</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss	Factor	Factor	cm	deg	1	5383.20	53.87	74.00	-20.13	41.04	34.67	9.93	31.77	0.00	237	330	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5320.00</td> <td>109.27</td> <td>-----</td> <td>-----</td> <td>96.62</td> <td>34.55</td> <td>9.90</td> <td>31.80</td> <td>0.00</td> <td>237</td> <td>330</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	cm	deg	1	5320.00	109.27	-----	-----	96.62	34.55	9.90	31.80	0.00	237	330	PEAK	
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																												
Freq	Level	Line	Level	Factor	Loss	Factor	Factor	cm	deg																																																													
1	5383.20	53.87	74.00	-20.13	41.04	34.67	9.93	31.77	0.00	237	330	PEAK																																																										
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	cm	deg																																																												
1	5320.00	109.27	-----	-----	96.62	34.55	9.90	31.80	0.00	237	330	PEAK																																																										
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5352.70</td> <td>42.34</td> <td>54.00</td> <td>-11.66</td> <td>29.60</td> <td>34.61</td> <td>9.91</td> <td>31.78</td> <td>0.00</td> <td>237</td> <td>330</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	cm	deg	1	5352.70	42.34	54.00	-11.66	29.60	34.61	9.91	31.78	0.00	237	330	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5320.00</td> <td>101.32</td> <td>-----</td> <td>-----</td> <td>88.67</td> <td>34.55</td> <td>9.90</td> <td>31.80</td> <td>0.00</td> <td>237</td> <td>330</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	cm	deg	1	5320.00	101.32	-----	-----	88.67	34.55	9.90	31.80	0.00	237	330	AVERAGE
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	cm	deg																																																												
1	5352.70	42.34	54.00	-11.66	29.60	34.61	9.91	31.78	0.00	237	330	AVERAGE																																																										
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	cm	deg																																																												
1	5320.00	101.32	-----	-----	88.67	34.55	9.90	31.80	0.00	237	330	AVERAGE																																																										



		23																																																																																						
Mode	Band Edge																																																																																							
	U-NII-2A_5.25-5.35_802.11ax HE20_CH64_RU26/8_5320MHz																																																																																							
ANT	CDD 8+5																																																																																							
Pol.	Vertical	Fundamental																																																																																						
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5366.90</td> <td>53.83</td> <td>74.00</td> <td>-20.17</td> <td>41.05</td> <td>34.63</td> <td>9.92</td> <td>31.77</td> <td>0.00</td> <td>109</td> <td>343</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5366.90	53.83	74.00	-20.17	41.05	34.63	9.92	31.77	0.00	109	343	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5320.00</td> <td>109.17</td> <td>-----</td> <td>-----</td> <td>96.52</td> <td>34.55</td> <td>9.90</td> <td>31.80</td> <td>0.00</td> <td>109</td> <td>343</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5320.00	109.17	-----	-----	96.52	34.55	9.90	31.80	0.00	109	343	PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																														
Freq	Level	Line	Level	Factor	Loss	Factor	Factor																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																															
1	5366.90	53.83	74.00	-20.17	41.05	34.63	9.92	31.77	0.00	109	343	PEAK																																																																												
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																															
Freq	Level	Line	Level	Factor	Loss	Factor	Factor																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																															
1	5320.00	109.17	-----	-----	96.52	34.55	9.90	31.80	0.00	109	343	PEAK																																																																												
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5350.00</td> <td>42.38</td> <td>54.00</td> <td>-11.62</td> <td>29.65</td> <td>34.60</td> <td>9.91</td> <td>31.78</td> <td>0.00</td> <td>109</td> <td>343</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5350.00	42.38	54.00	-11.62	29.65	34.60	9.91	31.78	0.00	109	343	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5320.00</td> <td>102.21</td> <td>-----</td> <td>-----</td> <td>89.56</td> <td>34.55</td> <td>9.90</td> <td>31.80</td> <td>0.00</td> <td>109</td> <td>343</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5320.00	102.21	-----	-----	89.56	34.55	9.90	31.80	0.00	109	343	AVERAGE
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																														
Freq	Level	Line	Level	Factor	Loss	Factor	Factor																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																															
1	5350.00	42.38	54.00	-11.62	29.65	34.60	9.91	31.78	0.00	109	343	AVERAGE																																																																												
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																															
Freq	Level	Line	Level	Factor	Loss	Factor	Factor																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																															
1	5320.00	102.21	-----	-----	89.56	34.55	9.90	31.80	0.00	109	343	AVERAGE																																																																												



24																																		
Band Edge																																		
U-NII-2A_5.25-5.35_802.11ax HE20_CH64_RU52/40_5320MHz																																		
ANT CDD 8+5																																		
Pol.	Horizontal																																	
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5391.60</td> <td>54.13</td> <td>74.00</td> <td>-19.87</td> <td>41.28</td> <td>34.68</td> <td>9.93</td> <td>31.76</td> <td>0.00</td> <td>192</td> <td>326</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss	Factor	Factor	cm	deg	1	5391.60	54.13	74.00	-19.87	41.28	34.68	9.93	31.76	0.00	192	326	PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																								
Freq	Level	Line	Level	Factor	Loss	Factor	Factor	cm	deg																									
1	5391.60	54.13	74.00	-19.87	41.28	34.68	9.93	31.76	0.00	192	326	PEAK																						
<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5320.00</td> <td>110.12</td> <td>-----</td> <td>-----</td> <td>97.47</td> <td>34.55</td> <td>9.90</td> <td>31.80</td> <td>0.00</td> <td>192</td> <td>326</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss	Factor	Factor	cm	deg	1	5320.00	110.12	-----	-----	97.47	34.55	9.90	31.80	0.00	192	326	PEAK	
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																									
Freq	Level	Line	Level	Factor	Loss	Factor	Factor	cm	deg																									
1	5320.00	110.12	-----	-----	97.47	34.55	9.90	31.80	0.00	192	326	PEAK																						
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5350.00</td> <td>43.07</td> <td>54.00</td> <td>-10.93</td> <td>30.34</td> <td>34.60</td> <td>9.91</td> <td>31.78</td> <td>0.00</td> <td>192</td> <td>326</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss	Factor	Factor	cm	deg	1	5350.00	43.07	54.00	-10.93	30.34	34.60	9.91	31.78	0.00	192	326	AVERAGE
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																								
Freq	Level	Line	Level	Factor	Loss	Factor	Factor	cm	deg																									
1	5350.00	43.07	54.00	-10.93	30.34	34.60	9.91	31.78	0.00	192	326	AVERAGE																						
<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5320.00</td> <td>102.25</td> <td>-----</td> <td>-----</td> <td>89.60</td> <td>34.55</td> <td>9.90</td> <td>31.80</td> <td>0.00</td> <td>192</td> <td>326</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss	Factor	Factor	cm	deg	1	5320.00	102.25	-----	-----	89.60	34.55	9.90	31.80	0.00	192	326	AVERAGE	
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																									
Freq	Level	Line	Level	Factor	Loss	Factor	Factor	cm	deg																									
1	5320.00	102.25	-----	-----	89.60	34.55	9.90	31.80	0.00	192	326	AVERAGE																						



Mode	24																																																																																							
	Band Edge																																																																																							
	U-NII-2A_5.25-5.35_802.11ax HE20_CH64_RU52/40_5320MHz																																																																																							
ANT	CDD 8+5																																																																																							
Pol.	Vertical	Fundamental																																																																																						
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5368.00</td> <td>54.38</td> <td>74.00</td> <td>-19.62</td> <td>41.59</td> <td>34.64</td> <td>9.92</td> <td>31.77</td> <td>0.00</td> <td>100</td> <td>342 PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5368.00	54.38	74.00	-19.62	41.59	34.64	9.92	31.77	0.00	100	342 PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5320.00</td> <td>113.38</td> <td>-----</td> <td>-----</td> <td>99.73</td> <td>34.55</td> <td>9.90</td> <td>31.80</td> <td>0.00</td> <td>100</td> <td>342 PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5320.00	113.38	-----	-----	99.73	34.55	9.90	31.80	0.00	100	342 PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																														
1	5368.00	54.38	74.00	-19.62	41.59	34.64	9.92	31.77	0.00	100	342 PEAK																																																																													
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																														
1	5320.00	113.38	-----	-----	99.73	34.55	9.90	31.80	0.00	100	342 PEAK																																																																													
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5350.30</td> <td>43.18</td> <td>54.00</td> <td>-10.82</td> <td>30.45</td> <td>34.60</td> <td>9.91</td> <td>31.78</td> <td>0.00</td> <td>100</td> <td>342 AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5350.30	43.18	54.00	-10.82	30.45	34.60	9.91	31.78	0.00	100	342 AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5320.00</td> <td>103.26</td> <td>-----</td> <td>-----</td> <td>90.61</td> <td>34.55</td> <td>9.90</td> <td>31.80</td> <td>0.00</td> <td>100</td> <td>342 AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5320.00	103.26	-----	-----	90.61	34.55	9.90	31.80	0.00	100	342 AVERAGE
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																														
1	5350.30	43.18	54.00	-10.82	30.45	34.60	9.91	31.78	0.00	100	342 AVERAGE																																																																													
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																														
1	5320.00	103.26	-----	-----	90.61	34.55	9.90	31.80	0.00	100	342 AVERAGE																																																																													



Mode	25																																																																					
	Band Edge																																																																					
	U-NII-2A_5.25-5.35_802.11ax HE20_CH64_RU106/54_5320MHz																																																																					
ANT	CDD 8+5																																																																					
Pol.	Horizontal	Fundamental																																																																				
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5365.50</td> <td>53.61</td> <td>74.00</td> <td>-20.39</td> <td>40.84</td> <td>34.63</td> <td>9.92</td> <td>31.78</td> <td>0.00</td> <td>100</td> <td>321</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss	Factor	Factor	cm	deg	1	5365.50	53.61	74.00	-20.39	40.84	34.63	9.92	31.78	0.00	100	321	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5320.00</td> <td>110.77</td> <td>-----</td> <td>-----</td> <td>98.12</td> <td>34.55</td> <td>9.90</td> <td>31.80</td> <td>0.00</td> <td>100</td> <td>321</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	cm	deg	1	5320.00	110.77	-----	-----	98.12	34.55	9.90	31.80	0.00	100	321	PEAK	
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																												
Freq	Level	Line	Level	Factor	Loss	Factor	Factor	cm	deg																																																													
1	5365.50	53.61	74.00	-20.39	40.84	34.63	9.92	31.78	0.00	100	321	PEAK																																																										
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	cm	deg																																																												
1	5320.00	110.77	-----	-----	98.12	34.55	9.90	31.80	0.00	100	321	PEAK																																																										
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5350.40</td> <td>43.06</td> <td>54.00</td> <td>-10.94</td> <td>30.33</td> <td>34.60</td> <td>9.91</td> <td>31.78</td> <td>0.00</td> <td>100</td> <td>321</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	cm	deg	1	5350.40	43.06	54.00	-10.94	30.33	34.60	9.91	31.78	0.00	100	321	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5320.00</td> <td>101.18</td> <td>-----</td> <td>-----</td> <td>88.53</td> <td>34.55</td> <td>9.90</td> <td>31.80</td> <td>0.00</td> <td>100</td> <td>321</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	cm	deg	1	5320.00	101.18	-----	-----	88.53	34.55	9.90	31.80	0.00	100	321	AVERAGE
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	cm	deg																																																												
1	5350.40	43.06	54.00	-10.94	30.33	34.60	9.91	31.78	0.00	100	321	AVERAGE																																																										
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	cm	deg																																																												
1	5320.00	101.18	-----	-----	88.53	34.55	9.90	31.80	0.00	100	321	AVERAGE																																																										



Mode	25																																																																																							
	Band Edge																																																																																							
	U-NII-2A_5.25-5.35_802.11ax HE20_CH64_RU106/54_5320MHz																																																																																							
ANT	CDD 8+5																																																																																							
Pol.	Vertical	Fundamental																																																																																						
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5360.10</td> <td>54.63</td> <td>74.00</td> <td>-19.37</td> <td>41.87</td> <td>34.62</td> <td>9.92</td> <td>31.78</td> <td>0.00</td> <td>100</td> <td>342 PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5360.10	54.63	74.00	-19.37	41.87	34.62	9.92	31.78	0.00	100	342 PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5320.00</td> <td>110.76</td> <td>-----</td> <td>-----</td> <td>98.11</td> <td>34.55</td> <td>9.90</td> <td>31.80</td> <td>0.00</td> <td>100</td> <td>342 PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5320.00	110.76	-----	-----	98.11	34.55	9.90	31.80	0.00	100	342 PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																														
1	5360.10	54.63	74.00	-19.37	41.87	34.62	9.92	31.78	0.00	100	342 PEAK																																																																													
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																														
1	5320.00	110.76	-----	-----	98.11	34.55	9.90	31.80	0.00	100	342 PEAK																																																																													
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5350.20</td> <td>43.53</td> <td>54.00</td> <td>-10.47</td> <td>30.80</td> <td>34.60</td> <td>9.91</td> <td>31.78</td> <td>0.00</td> <td>100</td> <td>342 AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5350.20	43.53	54.00	-10.47	30.80	34.60	9.91	31.78	0.00	100	342 AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5320.00</td> <td>102.84</td> <td>-----</td> <td>-----</td> <td>90.19</td> <td>34.55</td> <td>9.90</td> <td>31.80</td> <td>0.00</td> <td>100</td> <td>342 AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5320.00	102.84	-----	-----	90.19	34.55	9.90	31.80	0.00	100	342 AVERAGE
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																														
1	5350.20	43.53	54.00	-10.47	30.80	34.60	9.91	31.78	0.00	100	342 AVERAGE																																																																													
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																														
1	5320.00	102.84	-----	-----	90.19	34.55	9.90	31.80	0.00	100	342 AVERAGE																																																																													



		26																																																																																
Mode		Band Edge																																																																																
		U-NII-2C_5.47-5.725_802.11a_CH100_5500MHz																																																																																
ANT		CDD 8+5																																																																																
Pol.		Horizontal					Fundamental																																																																											
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2">Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5443.28</td> <td>53.86</td> <td>74.00</td> <td>-20.14</td> <td>40.80</td> <td>34.79</td> <td>10.00</td> <td>31.73</td> <td>0.00</td> <td>319</td> <td>57 PEAK</td> </tr> <tr> <td>2</td> <td>5466.00</td> <td>55.18</td> <td>68.20</td> <td>-13.02</td> <td>42.09</td> <td>34.77</td> <td>10.04</td> <td>31.72</td> <td>0.00</td> <td>319</td> <td>57 PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	cm	deg	1	5443.28	53.86	74.00	-20.14	40.80	34.79	10.00	31.73	0.00	319	57 PEAK	2	5466.00	55.18	68.20	-13.02	42.09	34.77	10.04	31.72	0.00	319	57 PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2">Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5500.00</td> <td>111.04</td> <td>-----</td> <td>-----</td> <td>97.95</td> <td>34.70</td> <td>10.09</td> <td>31.70</td> <td>0.00</td> <td>319</td> <td>57 PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	cm	deg	1	5500.00	111.04	-----	-----	97.95	34.70	10.09	31.70	0.00	319	57 PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	cm	deg																																																																								
1	5443.28	53.86	74.00	-20.14	40.80	34.79	10.00	31.73	0.00	319	57 PEAK																																																																							
2	5466.00	55.18	68.20	-13.02	42.09	34.77	10.04	31.72	0.00	319	57 PEAK																																																																							
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	cm	deg																																																																								
1	5500.00	111.04	-----	-----	97.95	34.70	10.09	31.70	0.00	319	57 PEAK																																																																							
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2">Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5457.20</td> <td>43.90</td> <td>54.00</td> <td>-10.10</td> <td>30.82</td> <td>34.79</td> <td>10.02</td> <td>31.73</td> <td>0.00</td> <td>319</td> <td>57 AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	cm	deg	1	5457.20	43.90	54.00	-10.10	30.82	34.79	10.02	31.73	0.00	319	57 AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2">Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5500.00</td> <td>102.03</td> <td>-----</td> <td>-----</td> <td>88.94</td> <td>34.70</td> <td>10.09</td> <td>31.70</td> <td>0.00</td> <td>319</td> <td>57 AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	cm	deg	1	5500.00	102.03	-----	-----	88.94	34.70	10.09	31.70	0.00	319	57 AVERAGE												
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	cm	deg																																																																								
1	5457.20	43.90	54.00	-10.10	30.82	34.79	10.02	31.73	0.00	319	57 AVERAGE																																																																							
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	cm	deg																																																																								
1	5500.00	102.03	-----	-----	88.94	34.70	10.09	31.70	0.00	319	57 AVERAGE																																																																							



Mode	26																																																																																														
	Band Edge																																																																																														
	U-NII-2C_5.47-5.725_802.11a_CH100_5500MHz																																																																																														
ANT	CDD 8+5																																																																																														
Pol.	Vertical	Fundamental																																																																																													
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5458.00</td> <td>54.59</td> <td>74.00</td> <td>-19.41</td> <td>41.52</td> <td>34.78</td> <td>10.02</td> <td>31.73</td> <td>0.00</td> <td>203</td> <td>360</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5466.96</td> <td>57.52</td> <td>68.20</td> <td>-10.68</td> <td>44.43</td> <td>34.77</td> <td>10.04</td> <td>31.72</td> <td>0.00</td> <td>203</td> <td>360</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1	5458.00	54.59	74.00	-19.41	41.52	34.78	10.02	31.73	0.00	203	360	PEAK	2	5466.96	57.52	68.20	-10.68	44.43	34.77	10.04	31.72	0.00	203	360	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5500.00</td> <td>110.42</td> <td>-----</td> <td>-----</td> <td>97.33</td> <td>34.70</td> <td>10.09</td> <td>31.70</td> <td>0.00</td> <td>203</td> <td>360</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1	5500.00	110.42	-----	-----	97.33	34.70	10.09	31.70	0.00	203	360	PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																						
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																																							
1	5458.00	54.59	74.00	-19.41	41.52	34.78	10.02	31.73	0.00	203	360	PEAK																																																																																			
2	5466.96	57.52	68.20	-10.68	44.43	34.77	10.04	31.72	0.00	203	360	PEAK																																																																																			
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																																							
1	5500.00	110.42	-----	-----	97.33	34.70	10.09	31.70	0.00	203	360	PEAK																																																																																			
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5456.72</td> <td>44.95</td> <td>54.00</td> <td>-9.05</td> <td>31.87</td> <td>34.79</td> <td>10.02</td> <td>31.73</td> <td>0.00</td> <td>203</td> <td>360</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1	5456.72	44.95	54.00	-9.05	31.87	34.79	10.02	31.73	0.00	203	360	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5500.00</td> <td>103.13</td> <td>-----</td> <td>-----</td> <td>90.05</td> <td>34.71</td> <td>10.08</td> <td>31.71</td> <td>0.00</td> <td>203</td> <td>360</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1	5500.00	103.13	-----	-----	90.05	34.71	10.08	31.71	0.00	203	360	AVERAGE													
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																																							
1	5456.72	44.95	54.00	-9.05	31.87	34.79	10.02	31.73	0.00	203	360	AVERAGE																																																																																			
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																																							
1	5500.00	103.13	-----	-----	90.05	34.71	10.08	31.71	0.00	203	360	AVERAGE																																																																																			



Mode	26																																																																																																																																																																						
	Harmonic																																																																																																																																																																						
	U-NII-2C_5.47-5.725_802.11a_CH100_5500MHz																																																																																																																																																																						
ANT	CDD 8+5																																																																																																																																																																						
Pol.	Horizontal	Vertical																																																																																																																																																																					
Peak Avg																																																																																																																																																																							
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7691.90</td> <td>46.93</td> <td>74.00</td> <td>-27.07</td> <td>59.78</td> <td>35.88</td> <td>12.04</td> <td>60.77</td> <td>0.00</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>11000.00</td> <td>53.08</td> <td>74.00</td> <td>-20.92</td> <td>61.74</td> <td>38.00</td> <td>14.56</td> <td>61.22</td> <td>0.00</td> <td>100</td> <td>305</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>11000.00</td> <td>42.24</td> <td>54.00</td> <td>-11.76</td> <td>50.90</td> <td>38.00</td> <td>14.56</td> <td>61.22</td> <td>0.00</td> <td>100</td> <td>305</td> <td>AVERAGE</td> </tr> <tr> <td>4</td> <td>16500.00</td> <td>59.18</td> <td>68.20</td> <td>-9.02</td> <td>63.26</td> <td>41.30</td> <td>17.98</td> <td>63.36</td> <td>0.00</td> <td>100</td> <td>240</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7691.90	46.93	74.00	-27.07	59.78	35.88	12.04	60.77	0.00	---	---	Peak	2	11000.00	53.08	74.00	-20.92	61.74	38.00	14.56	61.22	0.00	100	305	PEAK	3	11000.00	42.24	54.00	-11.76	50.90	38.00	14.56	61.22	0.00	100	305	AVERAGE	4	16500.00	59.18	68.20	-9.02	63.26	41.30	17.98	63.36	0.00	100	240	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7695.20</td> <td>47.61</td> <td>74.00</td> <td>-26.39</td> <td>60.44</td> <td>35.89</td> <td>12.05</td> <td>60.77</td> <td>0.00</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>11002.90</td> <td>49.29</td> <td>74.00</td> <td>-24.71</td> <td>57.95</td> <td>38.00</td> <td>14.56</td> <td>61.22</td> <td>0.00</td> <td>100</td> <td>290</td> <td>Peak</td> </tr> <tr> <td>3</td> <td>11002.90</td> <td>42.70</td> <td>54.00</td> <td>-11.30</td> <td>51.36</td> <td>38.00</td> <td>14.56</td> <td>61.22</td> <td>0.00</td> <td>100</td> <td>290</td> <td>Average</td> </tr> <tr> <td>4</td> <td>16504.00</td> <td>65.07</td> <td>68.20</td> <td>-3.13</td> <td>69.15</td> <td>41.30</td> <td>17.98</td> <td>63.36</td> <td>0.00</td> <td>100</td> <td>7</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7695.20	47.61	74.00	-26.39	60.44	35.89	12.05	60.77	0.00	---	---	Peak	2	11002.90	49.29	74.00	-24.71	57.95	38.00	14.56	61.22	0.00	100	290	Peak	3	11002.90	42.70	54.00	-11.30	51.36	38.00	14.56	61.22	0.00	100	290	Average	4	16504.00	65.07	68.20	-3.13	69.15	41.30	17.98	63.36	0.00	100	7
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																													
1	7691.90	46.93	74.00	-27.07	59.78	35.88	12.04	60.77	0.00	---	---	Peak																																																																																																																																																											
2	11000.00	53.08	74.00	-20.92	61.74	38.00	14.56	61.22	0.00	100	305	PEAK																																																																																																																																																											
3	11000.00	42.24	54.00	-11.76	50.90	38.00	14.56	61.22	0.00	100	305	AVERAGE																																																																																																																																																											
4	16500.00	59.18	68.20	-9.02	63.26	41.30	17.98	63.36	0.00	100	240	PEAK																																																																																																																																																											
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																													
1	7695.20	47.61	74.00	-26.39	60.44	35.89	12.05	60.77	0.00	---	---	Peak																																																																																																																																																											
2	11002.90	49.29	74.00	-24.71	57.95	38.00	14.56	61.22	0.00	100	290	Peak																																																																																																																																																											
3	11002.90	42.70	54.00	-11.30	51.36	38.00	14.56	61.22	0.00	100	290	Average																																																																																																																																																											
4	16504.00	65.07	68.20	-3.13	69.15	41.30	17.98	63.36	0.00	100	7	Peak																																																																																																																																																											



Mode	27																																																																																																																																																								
	Harmonic																																																																																																																																																								
	U-NII-2C_5.47-5.725_802.11a_CH116_5580MHz																																																																																																																																																								
ANT	CDD 8+5																																																																																																																																																								
Pol.	Horizontal	Vertical																																																																																																																																																							
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7812.00</td> <td>46.96</td> <td>68.20</td> <td>-21.24</td> <td>59.43</td> <td>35.90</td> <td>12.17</td> <td>60.54</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>11160.00</td> <td>46.72</td> <td>74.00</td> <td>-27.28</td> <td>55.25</td> <td>38.00</td> <td>14.68</td> <td>61.21</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>16740.00</td> <td>63.59</td> <td>68.20</td> <td>-4.61</td> <td>63.42</td> <td>41.34</td> <td>18.09</td> <td>59.26</td> <td>0.00</td> <td>102</td> <td>327</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB		1	7812.00	46.96	68.20	-21.24	59.43	35.90	12.17	60.54	0.00	---	---	PEAK	2	11160.00	46.72	74.00	-27.28	55.25	38.00	14.68	61.21	0.00	---	---	PEAK	3	16740.00	63.59	68.20	-4.61	63.42	41.34	18.09	59.26	0.00	102	327	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7812.00</td> <td>45.33</td> <td>68.20</td> <td>-22.87</td> <td>57.00</td> <td>35.90</td> <td>12.17</td> <td>60.54</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>11160.00</td> <td>54.13</td> <td>74.00</td> <td>-19.87</td> <td>62.66</td> <td>38.00</td> <td>14.68</td> <td>61.21</td> <td>0.00</td> <td>105</td> <td>34</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>11160.00</td> <td>43.14</td> <td>54.00</td> <td>-10.86</td> <td>51.67</td> <td>38.00</td> <td>14.68</td> <td>61.21</td> <td>0.00</td> <td>105</td> <td>34</td> <td>AVERAGE</td> </tr> <tr> <td>4</td> <td>16740.00</td> <td>64.74</td> <td>68.20</td> <td>-3.46</td> <td>64.57</td> <td>41.34</td> <td>18.09</td> <td>59.26</td> <td>0.00</td> <td>100</td> <td>115</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB		1	7812.00	45.33	68.20	-22.87	57.00	35.90	12.17	60.54	0.00	---	---	PEAK	2	11160.00	54.13	74.00	-19.87	62.66	38.00	14.68	61.21	0.00	105	34	PEAK	3	11160.00	43.14	54.00	-10.86	51.67	38.00	14.68	61.21	0.00	105	34	AVERAGE	4	16740.00	64.74	68.20	-3.46	64.57	41.34	18.09	59.26	0.00	100	115	PEAK
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																																																																	
1	7812.00	46.96	68.20	-21.24	59.43	35.90	12.17	60.54	0.00	---	---	PEAK																																																																																																																																													
2	11160.00	46.72	74.00	-27.28	55.25	38.00	14.68	61.21	0.00	---	---	PEAK																																																																																																																																													
3	16740.00	63.59	68.20	-4.61	63.42	41.34	18.09	59.26	0.00	102	327	PEAK																																																																																																																																													
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																																																																	
1	7812.00	45.33	68.20	-22.87	57.00	35.90	12.17	60.54	0.00	---	---	PEAK																																																																																																																																													
2	11160.00	54.13	74.00	-19.87	62.66	38.00	14.68	61.21	0.00	105	34	PEAK																																																																																																																																													
3	11160.00	43.14	54.00	-10.86	51.67	38.00	14.68	61.21	0.00	105	34	AVERAGE																																																																																																																																													
4	16740.00	64.74	68.20	-3.46	64.57	41.34	18.09	59.26	0.00	100	115	PEAK																																																																																																																																													



Mode	28																																																																																	
	Band Edge																																																																																	
	U-NII-2C_5.47-5.725_802.11a_CH140_5700MHz																																																																																	
ANT	CDD 8+5																																																																																	
Pol.	Horizontal	Fundamental																																																																																
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5725.56</td> <td>64.17</td> <td>68.20</td> <td>-4.03</td> <td>51.06</td> <td>34.60</td> <td>10.35</td> <td>31.84</td> <td>0.00</td> <td>294</td> <td>49</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	5725.56	64.17	68.20	-4.03	51.06	34.60	10.35	31.84	0.00	294	49	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5700.00</td> <td>111.33</td> <td>-----</td> <td>-----</td> <td>98.19</td> <td>34.60</td> <td>10.33</td> <td>31.79</td> <td>0.00</td> <td>294</td> <td>49</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	5700.00	111.33	-----	-----	98.19	34.60	10.33	31.79	0.00	294	49	PEAK
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																										
1	5725.56	64.17	68.20	-4.03	51.06	34.60	10.35	31.84	0.00	294	49	PEAK																																																																						
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																										
1	5700.00	111.33	-----	-----	98.19	34.60	10.33	31.79	0.00	294	49	PEAK																																																																						
Avg	Blank	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5700.00</td> <td>103.05</td> <td>-----</td> <td>-----</td> <td>89.91</td> <td>34.60</td> <td>10.33</td> <td>31.79</td> <td>0.00</td> <td>294</td> <td>49</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	5700.00	103.05	-----	-----	89.91	34.60	10.33	31.79	0.00	294	49	AVERAGE																																								
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																										
1	5700.00	103.05	-----	-----	89.91	34.60	10.33	31.79	0.00	294	49	AVERAGE																																																																						



Mode	28																																																																																					
	Band Edge																																																																																					
	U-NII-2C_5.47-5.725_802.11a_CH140_5700MHz																																																																																					
ANT	CDD 8+5																																																																																					
Pol.	Vertical	Fundamental																																																																																				
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5726.36</td> <td>63.02</td> <td>68.20</td> <td>-5.18</td> <td>49.91</td> <td>34.60</td> <td>10.35</td> <td>31.84</td> <td>0.00</td> <td>349</td> <td>8 PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5726.36	63.02	68.20	-5.18	49.91	34.60	10.35	31.84	0.00	349	8 PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5700.00</td> <td>110.66</td> <td>-----</td> <td>-----</td> <td>97.52</td> <td>34.60</td> <td>10.33</td> <td>31.79</td> <td>0.00</td> <td>349</td> <td>8 PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5700.00	110.66	-----	-----	97.52	34.60	10.33	31.79	0.00	349	8 PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																												
1	5726.36	63.02	68.20	-5.18	49.91	34.60	10.35	31.84	0.00	349	8 PEAK																																																																											
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																												
1	5700.00	110.66	-----	-----	97.52	34.60	10.33	31.79	0.00	349	8 PEAK																																																																											
Avg	Blank	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5700.00</td> <td>102.74</td> <td>-----</td> <td>-----</td> <td>89.59</td> <td>34.60</td> <td>10.32</td> <td>31.77</td> <td>0.00</td> <td>349</td> <td>8 AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5700.00	102.74	-----	-----	89.59	34.60	10.32	31.77	0.00	349	8 AVERAGE																																										
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																												
1	5700.00	102.74	-----	-----	89.59	34.60	10.32	31.77	0.00	349	8 AVERAGE																																																																											



Mode	28																																																																																			
	Harmonic																																																																																			
	U-NII-2C_5.47-5.725_802.11a_CH140_5700MHz																																																																																			
ANT	CDD 8+5																																																																																			
Pol.	Horizontal	Vertical																																																																																		
Peak Avg																																																																																				
<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7980.00</td> <td>45.27</td> <td>68.20</td> <td>-22.93</td> <td>57.24</td> <td>35.84</td> <td>12.40</td> <td>60.21</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>11400.00</td> <td>46.56</td> <td>74.00</td> <td>-27.44</td> <td>54.80</td> <td>38.10</td> <td>14.85</td> <td>61.19</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>17100.00</td> <td>61.50</td> <td>68.20</td> <td>-6.70</td> <td>61.49</td> <td>41.00</td> <td>18.28</td> <td>59.27</td> <td>0.00</td> <td>100</td> <td>327</td> <td>PEAK</td> </tr> </tbody> </table>			Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	1	7980.00	45.27	68.20	-22.93	57.24	35.84	12.40	60.21	0.00	---	---	PEAK	2	11400.00	46.56	74.00	-27.44	54.80	38.10	14.85	61.19	0.00	---	---	PEAK	3	17100.00	61.50	68.20	-6.70	61.49	41.00	18.28	59.27	0.00	100	327	PEAK													
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm																																																																											
1	7980.00	45.27	68.20	-22.93	57.24	35.84	12.40	60.21	0.00	---	---	PEAK																																																																								
2	11400.00	46.56	74.00	-27.44	54.80	38.10	14.85	61.19	0.00	---	---	PEAK																																																																								
3	17100.00	61.50	68.20	-6.70	61.49	41.00	18.28	59.27	0.00	100	327	PEAK																																																																								
<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7980.00</td> <td>44.83</td> <td>68.20</td> <td>-23.37</td> <td>56.80</td> <td>35.84</td> <td>12.40</td> <td>60.21</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>11400.00</td> <td>47.10</td> <td>74.00</td> <td>-26.90</td> <td>55.34</td> <td>38.10</td> <td>14.85</td> <td>61.19</td> <td>0.00</td> <td>300</td> <td>360</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>11400.00</td> <td>35.94</td> <td>54.00</td> <td>-18.06</td> <td>44.17</td> <td>38.11</td> <td>14.85</td> <td>61.19</td> <td>0.00</td> <td>300</td> <td>360</td> <td>AVERAGE</td> </tr> <tr> <td>4</td> <td>17100.00</td> <td>64.80</td> <td>68.20</td> <td>-3.40</td> <td>64.79</td> <td>41.00</td> <td>18.28</td> <td>59.27</td> <td>0.00</td> <td>100</td> <td>258</td> <td>PEAK</td> </tr> </tbody> </table>			Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	1	7980.00	44.83	68.20	-23.37	56.80	35.84	12.40	60.21	0.00	---	---	PEAK	2	11400.00	47.10	74.00	-26.90	55.34	38.10	14.85	61.19	0.00	300	360	PEAK	3	11400.00	35.94	54.00	-18.06	44.17	38.11	14.85	61.19	0.00	300	360	AVERAGE	4	17100.00	64.80	68.20	-3.40	64.79	41.00	18.28	59.27	0.00	100	258	PEAK
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm																																																																											
1	7980.00	44.83	68.20	-23.37	56.80	35.84	12.40	60.21	0.00	---	---	PEAK																																																																								
2	11400.00	47.10	74.00	-26.90	55.34	38.10	14.85	61.19	0.00	300	360	PEAK																																																																								
3	11400.00	35.94	54.00	-18.06	44.17	38.11	14.85	61.19	0.00	300	360	AVERAGE																																																																								
4	17100.00	64.80	68.20	-3.40	64.79	41.00	18.28	59.27	0.00	100	258	PEAK																																																																								




		29																																																																																															
Mode	Band Edge																																																																																																
	U-NII-2C_5.47-5.725_802.11ax HE20_CH100_5500MHZ																																																																																																
ANT	CDD 8+5																																																																																																
Pol.	Horizontal	Fundamental																																																																																															
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5353.36</td> <td>53.72</td> <td>74.00</td> <td>-20.28</td> <td>40.98</td> <td>34.61</td> <td>9.91</td> <td>31.78</td> <td>0.00</td> <td>324</td> <td>56</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5464.88</td> <td>55.99</td> <td>68.20</td> <td>-12.21</td> <td>42.91</td> <td>34.77</td> <td>10.03</td> <td>31.72</td> <td>0.00</td> <td>324</td> <td>56</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5353.36	53.72	74.00	-20.28	40.98	34.61	9.91	31.78	0.00	324	56	PEAK	2	5464.88	55.99	68.20	-12.21	42.91	34.77	10.03	31.72	0.00	324	56	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5500.00</td> <td>108.73</td> <td>-----</td> <td>-----</td> <td>95.64</td> <td>34.69</td> <td>10.10</td> <td>31.70</td> <td>0.00</td> <td>324</td> <td>56</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	108.73	-----	-----	95.64	34.69	10.10	31.70	0.00	324	56	PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5353.36	53.72	74.00	-20.28	40.98	34.61	9.91	31.78	0.00	324	56	PEAK																																																																																					
2	5464.88	55.99	68.20	-12.21	42.91	34.77	10.03	31.72	0.00	324	56	PEAK																																																																																					
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5500.00	108.73	-----	-----	95.64	34.69	10.10	31.70	0.00	324	56	PEAK																																																																																					
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5459.92</td> <td>43.61</td> <td>54.00</td> <td>-10.39</td> <td>30.53</td> <td>34.78</td> <td>10.03</td> <td>31.73</td> <td>0.00</td> <td>324</td> <td>56</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5459.92	43.61	54.00	-10.39	30.53	34.78	10.03	31.73	0.00	324	56	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5500.00</td> <td>100.57</td> <td>-----</td> <td>-----</td> <td>87.49</td> <td>34.71</td> <td>10.08</td> <td>31.71</td> <td>0.00</td> <td>324</td> <td>56</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	100.57	-----	-----	87.49	34.71	10.08	31.71	0.00	324	56	AVERAGE													
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5459.92	43.61	54.00	-10.39	30.53	34.78	10.03	31.73	0.00	324	56	AVERAGE																																																																																					
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5500.00	100.57	-----	-----	87.49	34.71	10.08	31.71	0.00	324	56	AVERAGE																																																																																					



		29																																																																																																					
Mode	Band Edge																																																																																																						
	U-NII-2C_5.47-5.725_802.11ax HE20_CH100_5500MHZ																																																																																																						
ANT	CDD 8+5																																																																																																						
Pol.	Vertical	Fundamental																																																																																																					
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5390.80</td> <td>54.22</td> <td>74.00</td> <td>-19.78</td> <td>41.37</td> <td>34.68</td> <td>9.93</td> <td>31.76</td> <td>0.00</td> <td>103</td> <td>360</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5468.88</td> <td>54.40</td> <td>68.20</td> <td>-13.80</td> <td>41.32</td> <td>34.76</td> <td>10.04</td> <td>31.72</td> <td>0.00</td> <td>103</td> <td>360</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5390.80	54.22	74.00	-19.78	41.37	34.68	9.93	31.76	0.00	103	360	PEAK	2	5468.88	54.40	68.20	-13.80	41.32	34.76	10.04	31.72	0.00	103	360	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5500.00</td> <td>109.42</td> <td>-----</td> <td>-----</td> <td>96.34</td> <td>34.71</td> <td>10.08</td> <td>31.71</td> <td>0.00</td> <td>103</td> <td>360</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5500.00	109.42	-----	-----	96.34	34.71	10.08	31.71	0.00	103	360	PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																													
1	5390.80	54.22	74.00	-19.78	41.37	34.68	9.93	31.76	0.00	103	360	PEAK																																																																																											
2	5468.88	54.40	68.20	-13.80	41.32	34.76	10.04	31.72	0.00	103	360	PEAK																																																																																											
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																													
1	5500.00	109.42	-----	-----	96.34	34.71	10.08	31.71	0.00	103	360	PEAK																																																																																											
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5459.92</td> <td>43.87</td> <td>54.00</td> <td>-10.13</td> <td>30.79</td> <td>34.78</td> <td>10.03</td> <td>31.73</td> <td>0.00</td> <td>103</td> <td>360</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5459.92	43.87	54.00	-10.13	30.79	34.78	10.03	31.73	0.00	103	360	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5500.00</td> <td>101.41</td> <td>-----</td> <td>-----</td> <td>88.32</td> <td>34.69</td> <td>10.10</td> <td>31.70</td> <td>0.00</td> <td>103</td> <td>360</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5500.00	101.41	-----	-----	88.32	34.69	10.10	31.70	0.00	103	360	AVERAGE													
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																													
1	5459.92	43.87	54.00	-10.13	30.79	34.78	10.03	31.73	0.00	103	360	AVERAGE																																																																																											
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																													
1	5500.00	101.41	-----	-----	88.32	34.69	10.10	31.70	0.00	103	360	AVERAGE																																																																																											



Mode	29																																																																																																																																													
	Harmonic																																																																																																																																													
	U-NII-2C_5.47-5.725_802.11ax HE20_CH100_5500MHz																																																																																																																																													
ANT	CDD 8+5																																																																																																																																													
Pol.	Horizontal	Vertical																																																																																																																																												
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> </thead> <tbody> <tr> <td>7700.00</td> <td>49.63</td> <td>74.00</td> <td>-24.37</td> <td>62.44</td> <td>35.90</td> <td>12.05</td> <td>60.76</td> <td>0.00</td> <td>100</td> <td>206 PEAK</td> </tr> <tr> <td>7700.00</td> <td>39.64</td> <td>54.00</td> <td>-14.36</td> <td>52.45</td> <td>35.90</td> <td>12.05</td> <td>60.76</td> <td>0.00</td> <td>100</td> <td>206 AVERAGE</td> </tr> <tr> <td>11000.00</td> <td>49.58</td> <td>74.00</td> <td>-24.42</td> <td>58.24</td> <td>38.00</td> <td>14.56</td> <td>61.22</td> <td>0.00</td> <td>100</td> <td>206 PEAK</td> </tr> <tr> <td>11000.00</td> <td>39.19</td> <td>54.00</td> <td>-14.81</td> <td>47.85</td> <td>38.00</td> <td>14.56</td> <td>61.22</td> <td>0.00</td> <td>100</td> <td>206 AVERAGE</td> </tr> <tr> <td>16500.00</td> <td>57.30</td> <td>68.20</td> <td>-10.90</td> <td>57.30</td> <td>41.30</td> <td>17.98</td> <td>59.28</td> <td>0.00</td> <td>100</td> <td>124 PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		7700.00	49.63	74.00	-24.37	62.44	35.90	12.05	60.76	0.00	100	206 PEAK	7700.00	39.64	54.00	-14.36	52.45	35.90	12.05	60.76	0.00	100	206 AVERAGE	11000.00	49.58	74.00	-24.42	58.24	38.00	14.56	61.22	0.00	100	206 PEAK	11000.00	39.19	54.00	-14.81	47.85	38.00	14.56	61.22	0.00	100	206 AVERAGE	16500.00	57.30	68.20	-10.90	57.30	41.30	17.98	59.28	0.00	100	124 PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> </thead> <tbody> <tr> <td>7700.00</td> <td>45.07</td> <td>74.00</td> <td>-28.93</td> <td>57.88</td> <td>35.90</td> <td>12.05</td> <td>60.76</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> <tr> <td>11000.00</td> <td>53.03</td> <td>74.00</td> <td>-20.97</td> <td>61.69</td> <td>38.00</td> <td>14.56</td> <td>61.22</td> <td>0.00</td> <td>100</td> <td>285 PEAK</td> </tr> <tr> <td>11000.00</td> <td>42.18</td> <td>54.00</td> <td>-11.82</td> <td>50.84</td> <td>38.00</td> <td>14.56</td> <td>61.22</td> <td>0.00</td> <td>100</td> <td>285 AVERAGE</td> </tr> <tr> <td>16500.00</td> <td>64.52</td> <td>68.20</td> <td>-3.68</td> <td>64.51</td> <td>41.31</td> <td>17.98</td> <td>59.28</td> <td>0.00</td> <td>101</td> <td>258 PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		7700.00	45.07	74.00	-28.93	57.88	35.90	12.05	60.76	0.00	---	---	PEAK	11000.00	53.03	74.00	-20.97	61.69	38.00	14.56	61.22	0.00	100	285 PEAK	11000.00	42.18	54.00	-11.82	50.84	38.00	14.56	61.22	0.00	100	285 AVERAGE	16500.00	64.52	68.20	-3.68	64.51	41.31	17.98	59.28	0.00	101	258 PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																						
7700.00	49.63	74.00	-24.37	62.44	35.90	12.05	60.76	0.00	100	206 PEAK																																																																																																																																				
7700.00	39.64	54.00	-14.36	52.45	35.90	12.05	60.76	0.00	100	206 AVERAGE																																																																																																																																				
11000.00	49.58	74.00	-24.42	58.24	38.00	14.56	61.22	0.00	100	206 PEAK																																																																																																																																				
11000.00	39.19	54.00	-14.81	47.85	38.00	14.56	61.22	0.00	100	206 AVERAGE																																																																																																																																				
16500.00	57.30	68.20	-10.90	57.30	41.30	17.98	59.28	0.00	100	124 PEAK																																																																																																																																				
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																						
7700.00	45.07	74.00	-28.93	57.88	35.90	12.05	60.76	0.00	---	---	PEAK																																																																																																																																			
11000.00	53.03	74.00	-20.97	61.69	38.00	14.56	61.22	0.00	100	285 PEAK																																																																																																																																				
11000.00	42.18	54.00	-11.82	50.84	38.00	14.56	61.22	0.00	100	285 AVERAGE																																																																																																																																				
16500.00	64.52	68.20	-3.68	64.51	41.31	17.98	59.28	0.00	101	258 PEAK																																																																																																																																				





	31																																																																																	
Mode	Band Edge																																																																																	
	U-NII-2C_5.47-5.725_802.11ax HE20_CH140_5700MHz																																																																																	
ANT	CDD 8+5																																																																																	
Pol.	Horizontal	Fundamental																																																																																
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5725.40</td> <td>62.19</td> <td>68.20</td> <td>-6.01</td> <td>49.09</td> <td>34.60</td> <td>10.34</td> <td>31.84</td> <td>0.00</td> <td>295</td> <td>44</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	5725.40	62.19	68.20	-6.01	49.09	34.60	10.34	31.84	0.00	295	44	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5700.00</td> <td>110.29</td> <td>-----</td> <td>-----</td> <td>97.14</td> <td>34.60</td> <td>10.32</td> <td>31.77</td> <td>0.00</td> <td>295</td> <td>44</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	5700.00	110.29	-----	-----	97.14	34.60	10.32	31.77	0.00	295	44	PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																										
1	5725.40	62.19	68.20	-6.01	49.09	34.60	10.34	31.84	0.00	295	44	PEAK																																																																						
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																										
1	5700.00	110.29	-----	-----	97.14	34.60	10.32	31.77	0.00	295	44	PEAK																																																																						
Avg	Blank	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5700.00</td> <td>102.04</td> <td>-----</td> <td>-----</td> <td>88.89</td> <td>34.60</td> <td>10.32</td> <td>31.77</td> <td>0.00</td> <td>295</td> <td>44</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	5700.00	102.04	-----	-----	88.89	34.60	10.32	31.77	0.00	295	44	AVERAGE																																								
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																										
1	5700.00	102.04	-----	-----	88.89	34.60	10.32	31.77	0.00	295	44	AVERAGE																																																																						



	31																																																																																	
Mode	Band Edge																																																																																	
	U-NII-2C_5.47-5.725_802.11ax HE20_CH140_5700MHz																																																																																	
ANT	CDD 8+5																																																																																	
Pol.	Vertical	Fundamental																																																																																
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5725.00</td> <td>56.88</td> <td>68.20</td> <td>-11.32</td> <td>43.77</td> <td>34.60</td> <td>10.35</td> <td>31.84</td> <td>0.00</td> <td>300</td> <td>8</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	5725.00	56.88	68.20	-11.32	43.77	34.60	10.35	31.84	0.00	300	8	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5700.00</td> <td>109.02</td> <td>-----</td> <td>-----</td> <td>95.88</td> <td>34.60</td> <td>10.33</td> <td>31.79</td> <td>0.00</td> <td>300</td> <td>8</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	5700.00	109.02	-----	-----	95.88	34.60	10.33	31.79	0.00	300	8	PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																										
1	5725.00	56.88	68.20	-11.32	43.77	34.60	10.35	31.84	0.00	300	8	PEAK																																																																						
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																										
1	5700.00	109.02	-----	-----	95.88	34.60	10.33	31.79	0.00	300	8	PEAK																																																																						
Avg	Blank	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5700.00</td> <td>100.24</td> <td>-----</td> <td>-----</td> <td>87.10</td> <td>34.60</td> <td>10.33</td> <td>31.79</td> <td>0.00</td> <td>300</td> <td>8</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	5700.00	100.24	-----	-----	87.10	34.60	10.33	31.79	0.00	300	8	AVERAGE																																								
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																										
1	5700.00	100.24	-----	-----	87.10	34.60	10.33	31.79	0.00	300	8	AVERAGE																																																																						



Mode	31																																																																																																																																													
	Harmonic																																																																																																																																													
	U-NII-2C_5.47-5.725_802.11ax HE20_CH140_5700MHz																																																																																																																																													
ANT	CDD 8+5																																																																																																																																													
Pol.	Horizontal	Vertical																																																																																																																																												
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7980.00</td> <td>45.98</td> <td>68.20</td> <td>-22.22</td> <td>57.95</td> <td>35.84</td> <td>12.40</td> <td>60.21</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>11400.00</td> <td>46.80</td> <td>74.00</td> <td>-27.20</td> <td>55.04</td> <td>38.10</td> <td>14.85</td> <td>61.19</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>17100.00</td> <td>62.87</td> <td>68.20</td> <td>-5.33</td> <td>62.87</td> <td>41.00</td> <td>18.28</td> <td>59.28</td> <td>0.00</td> <td>100</td> <td>330</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7980.00	45.98	68.20	-22.22	57.95	35.84	12.40	60.21	0.00	---	---	PEAK	2	11400.00	46.80	74.00	-27.20	55.04	38.10	14.85	61.19	0.00	---	---	PEAK	3	17100.00	62.87	68.20	-5.33	62.87	41.00	18.28	59.28	0.00	100	330	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7980.00</td> <td>44.10</td> <td>68.20</td> <td>-24.10</td> <td>56.07</td> <td>35.84</td> <td>12.40</td> <td>60.21</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>11400.00</td> <td>46.22</td> <td>74.00</td> <td>-27.78</td> <td>54.46</td> <td>38.10</td> <td>14.85</td> <td>61.19</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>17100.00</td> <td>64.06</td> <td>68.20</td> <td>-4.14</td> <td>64.05</td> <td>41.00</td> <td>18.28</td> <td>59.27</td> <td>0.00</td> <td>100</td> <td>257</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7980.00	44.10	68.20	-24.10	56.07	35.84	12.40	60.21	0.00	---	---	PEAK	2	11400.00	46.22	74.00	-27.78	54.46	38.10	14.85	61.19	0.00	---	---	PEAK	3	17100.00	64.06	68.20	-4.14	64.05	41.00	18.28	59.27	0.00	100	257	PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																				
1	7980.00	45.98	68.20	-22.22	57.95	35.84	12.40	60.21	0.00	---	---	PEAK																																																																																																																																		
2	11400.00	46.80	74.00	-27.20	55.04	38.10	14.85	61.19	0.00	---	---	PEAK																																																																																																																																		
3	17100.00	62.87	68.20	-5.33	62.87	41.00	18.28	59.28	0.00	100	330	PEAK																																																																																																																																		
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																				
1	7980.00	44.10	68.20	-24.10	56.07	35.84	12.40	60.21	0.00	---	---	PEAK																																																																																																																																		
2	11400.00	46.22	74.00	-27.78	54.46	38.10	14.85	61.19	0.00	---	---	PEAK																																																																																																																																		
3	17100.00	64.06	68.20	-4.14	64.05	41.00	18.28	59.27	0.00	100	257	PEAK																																																																																																																																		



		32																																																																																																				
Mode	Band Edge - L																																																																																																					
	U-NII-2C_5.47-5.725_802.11ax HE40_CH102_Full_5510MHz																																																																																																					
ANT	CDD 8+5																																																																																																					
Pol.	Horizontal	Fundamental																																																																																																				
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5455.76</td> <td>55.43</td> <td>74.00</td> <td>-18.57</td> <td>42.35</td> <td>34.79</td> <td>10.02</td> <td>31.73</td> <td>0.00</td> <td>320</td> <td>47</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5464.56</td> <td>56.63</td> <td>68.20</td> <td>-11.57</td> <td>43.55</td> <td>34.77</td> <td>10.03</td> <td>31.72</td> <td>0.00</td> <td>320</td> <td>47</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5455.76	55.43	74.00	-18.57	42.35	34.79	10.02	31.73	0.00	320	47	PEAK	2	5464.56	56.63	68.20	-11.57	43.55	34.77	10.03	31.72	0.00	320	47	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5510.00</td> <td>106.72</td> <td>-----</td> <td>-----</td> <td>93.63</td> <td>34.69</td> <td>10.10</td> <td>31.70</td> <td>0.00</td> <td>320</td> <td>47</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5510.00	106.72	-----	-----	93.63	34.69	10.10	31.70	0.00	320	47	PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	5455.76	55.43	74.00	-18.57	42.35	34.79	10.02	31.73	0.00	320	47	PEAK																																																																																										
2	5464.56	56.63	68.20	-11.57	43.55	34.77	10.03	31.72	0.00	320	47	PEAK																																																																																										
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																												
1	5510.00	106.72	-----	-----	93.63	34.69	10.10	31.70	0.00	320	47	PEAK																																																																																										
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5459.92</td> <td>44.42</td> <td>54.00</td> <td>-9.58</td> <td>31.34</td> <td>34.78</td> <td>10.03</td> <td>31.73</td> <td>0.00</td> <td>320</td> <td>47</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5459.92	44.42	54.00	-9.58	31.34	34.78	10.03	31.73	0.00	320	47	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5510.00</td> <td>97.36</td> <td>-----</td> <td>-----</td> <td>84.28</td> <td>34.66</td> <td>10.11</td> <td>31.69</td> <td>0.00</td> <td>320</td> <td>47</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5510.00	97.36	-----	-----	84.28	34.66	10.11	31.69	0.00	320	47	AVERAGE												
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																												
1	5459.92	44.42	54.00	-9.58	31.34	34.78	10.03	31.73	0.00	320	47	AVERAGE																																																																																										
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																												
1	5510.00	97.36	-----	-----	84.28	34.66	10.11	31.69	0.00	320	47	AVERAGE																																																																																										



Mode	32																																													
	Band Edge - R																																													
	U-NII-2C_5.47-5.725_802.11ax HE40_CH102_Full_5510MHz																																													
ANT	CDD 8+5																																													
Pol.	Horizontal	Fundamental																																												
Peak	<p>Level (dBuV/m)</p> <p>Frequency (MHz)</p> <p>U-NII-1-U-NII-2A-U-NII-2C</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5725.24</td> <td>55.21</td> <td>68.20</td> <td>-12.99</td> <td>42.11</td> <td>34.60</td> <td>10.34</td> <td>31.84</td> <td>0.00</td> <td>320</td> <td>47</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5725.24	55.21	68.20	-12.99	42.11	34.60	10.34	31.84	0.00	320	47	PEAK	Blank
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																				
1	5725.24	55.21	68.20	-12.99	42.11	34.60	10.34	31.84	0.00	320	47	PEAK																																		



		32																																																																																																				
Mode	Band Edge - L																																																																																																					
	U-NII-2C_5.47-5.725_802.11ax HE40_CH102_Full_5510MHz																																																																																																					
ANT	CDD 8+5																																																																																																					
Pol.	Vertical	Fundamental																																																																																																				
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5449.36</td> <td>55.37</td> <td>74.00</td> <td>-18.63</td> <td>42.29</td> <td>34.80</td> <td>10.01</td> <td>31.73</td> <td>0.00</td> <td>102</td> <td>360</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5462.64</td> <td>58.37</td> <td>68.20</td> <td>-9.83</td> <td>45.29</td> <td>34.77</td> <td>10.03</td> <td>31.72</td> <td>0.00</td> <td>102</td> <td>360</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5449.36	55.37	74.00	-18.63	42.29	34.80	10.01	31.73	0.00	102	360	PEAK	2	5462.64	58.37	68.20	-9.83	45.29	34.77	10.03	31.72	0.00	102	360	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5510.00</td> <td>106.63</td> <td>-----</td> <td>-----</td> <td>93.54</td> <td>34.68</td> <td>10.11</td> <td>31.70</td> <td>0.00</td> <td>102</td> <td>360</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5510.00	106.63	-----	-----	93.54	34.68	10.11	31.70	0.00	102	360	PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	5449.36	55.37	74.00	-18.63	42.29	34.80	10.01	31.73	0.00	102	360	PEAK																																																																																										
2	5462.64	58.37	68.20	-9.83	45.29	34.77	10.03	31.72	0.00	102	360	PEAK																																																																																										
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																												
1	5510.00	106.63	-----	-----	93.54	34.68	10.11	31.70	0.00	102	360	PEAK																																																																																										
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5459.92</td> <td>44.92</td> <td>54.00</td> <td>-9.08</td> <td>31.84</td> <td>34.78</td> <td>10.03</td> <td>31.73</td> <td>0.00</td> <td>102</td> <td>360</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5459.92	44.92	54.00	-9.08	31.84	34.78	10.03	31.73	0.00	102	360	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5510.00</td> <td>98.22</td> <td>-----</td> <td>-----</td> <td>85.13</td> <td>34.69</td> <td>10.10</td> <td>31.70</td> <td>0.00</td> <td>102</td> <td>360</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5510.00	98.22	-----	-----	85.13	34.69	10.10	31.70	0.00	102	360	AVERAGE												
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																												
1	5459.92	44.92	54.00	-9.08	31.84	34.78	10.03	31.73	0.00	102	360	AVERAGE																																																																																										
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																												
1	5510.00	98.22	-----	-----	85.13	34.69	10.10	31.70	0.00	102	360	AVERAGE																																																																																										



Mode	32																																													
	Band Edge - R																																													
	U-NII-2C_5.47-5.725_802.11ax HE40_CH102_Full_5510MHz																																													
ANT	CDD 8+5																																													
Pol.	Vertical	Fundamental																																												
Peak	<p>Level (dBuV/m)</p> <p>Frequency (MHz)</p> <p>U-NII-1-U-NII-2A-U-NII-2C</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5756.12</td> <td>54.65</td> <td>68.20</td> <td>-13.55</td> <td>41.60</td> <td>34.60</td> <td>10.37</td> <td>31.92</td> <td>0.00</td> <td>102</td> <td>360</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5756.12	54.65	68.20	-13.55	41.60	34.60	10.37	31.92	0.00	102	360	PEAK	Blank
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																				
1	5756.12	54.65	68.20	-13.55	41.60	34.60	10.37	31.92	0.00	102	360	PEAK																																		



Mode	32																																																																																																																																													
	Harmonic																																																																																																																																													
	U-NII-2C_5.47-5.725_802.11ax HE40_CH102_Full_5510MHz																																																																																																																																													
ANT	CDD 8+5																																																																																																																																													
Pol.	Horizontal	Vertical																																																																																																																																												
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7714.00</td> <td>45.94</td> <td>74.00</td> <td>-28.06</td> <td>58.70</td> <td>35.90</td> <td>12.07</td> <td>60.73</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>11820.00</td> <td>46.13</td> <td>74.00</td> <td>-27.87</td> <td>54.77</td> <td>38.00</td> <td>14.58</td> <td>61.22</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>16530.00</td> <td>57.56</td> <td>68.20</td> <td>-10.64</td> <td>57.53</td> <td>41.32</td> <td>17.99</td> <td>59.28</td> <td>0.00</td> <td>100</td> <td>239</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7714.00	45.94	74.00	-28.06	58.70	35.90	12.07	60.73	0.00	---	---	PEAK	2	11820.00	46.13	74.00	-27.87	54.77	38.00	14.58	61.22	0.00	---	---	PEAK	3	16530.00	57.56	68.20	-10.64	57.53	41.32	17.99	59.28	0.00	100	239	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7714.00</td> <td>44.69</td> <td>74.00</td> <td>-29.31</td> <td>57.45</td> <td>35.90</td> <td>12.07</td> <td>60.73</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>11820.00</td> <td>46.43</td> <td>74.00</td> <td>-27.57</td> <td>55.07</td> <td>38.00</td> <td>14.58</td> <td>61.22</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>16530.00</td> <td>60.25</td> <td>68.20</td> <td>-7.95</td> <td>60.21</td> <td>41.33</td> <td>17.99</td> <td>59.28</td> <td>0.00</td> <td>100</td> <td>257</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7714.00	44.69	74.00	-29.31	57.45	35.90	12.07	60.73	0.00	---	---	PEAK	2	11820.00	46.43	74.00	-27.57	55.07	38.00	14.58	61.22	0.00	---	---	PEAK	3	16530.00	60.25	68.20	-7.95	60.21	41.33	17.99	59.28	0.00	100	257	PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																				
1	7714.00	45.94	74.00	-28.06	58.70	35.90	12.07	60.73	0.00	---	---	PEAK																																																																																																																																		
2	11820.00	46.13	74.00	-27.87	54.77	38.00	14.58	61.22	0.00	---	---	PEAK																																																																																																																																		
3	16530.00	57.56	68.20	-10.64	57.53	41.32	17.99	59.28	0.00	100	239	PEAK																																																																																																																																		
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																				
1	7714.00	44.69	74.00	-29.31	57.45	35.90	12.07	60.73	0.00	---	---	PEAK																																																																																																																																		
2	11820.00	46.43	74.00	-27.57	55.07	38.00	14.58	61.22	0.00	---	---	PEAK																																																																																																																																		
3	16530.00	60.25	68.20	-7.95	60.21	41.33	17.99	59.28	0.00	100	257	PEAK																																																																																																																																		



		33																																																																																																
Mode	Band Edge - L																																																																																																	
	U-NII-2C_5.47-5.725_802.11ax HE40_CH110_Full_5550MHz																																																																																																	
ANT	CDD 8+5																																																																																																	
Pol.	Horizontal	Fundamental																																																																																																
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5456.40</td> <td>54.06</td> <td>74.00</td> <td>-19.94</td> <td>40.98</td> <td>34.79</td> <td>10.02</td> <td>31.73</td> <td>0.00</td> <td>314</td> <td>45 PEAK</td> </tr> <tr> <td>2</td> <td>5463.00</td> <td>53.22</td> <td>68.20</td> <td>-14.98</td> <td>40.14</td> <td>34.77</td> <td>10.03</td> <td>31.72</td> <td>0.00</td> <td>314</td> <td>45 PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5456.40	54.06	74.00	-19.94	40.98	34.79	10.02	31.73	0.00	314	45 PEAK	2	5463.00	53.22	68.20	-14.98	40.14	34.77	10.03	31.72	0.00	314	45 PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5550.00</td> <td>106.19</td> <td>-----</td> <td>-----</td> <td>93.08</td> <td>34.60</td> <td>10.18</td> <td>31.67</td> <td>0.00</td> <td>314</td> <td>45 PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5550.00	106.19	-----	-----	93.08	34.60	10.18	31.67	0.00	314	45 PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5456.40	54.06	74.00	-19.94	40.98	34.79	10.02	31.73	0.00	314	45 PEAK																																																																																							
2	5463.00	53.22	68.20	-14.98	40.14	34.77	10.03	31.72	0.00	314	45 PEAK																																																																																							
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5550.00	106.19	-----	-----	93.08	34.60	10.18	31.67	0.00	314	45 PEAK																																																																																							
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5454.60</td> <td>43.31</td> <td>54.00</td> <td>-10.69</td> <td>30.23</td> <td>34.79</td> <td>10.02</td> <td>31.73</td> <td>0.00</td> <td>314</td> <td>45 AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5454.60	43.31	54.00	-10.69	30.23	34.79	10.02	31.73	0.00	314	45 AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5550.00</td> <td>97.97</td> <td>-----</td> <td>-----</td> <td>84.89</td> <td>34.60</td> <td>10.16</td> <td>31.68</td> <td>0.00</td> <td>314</td> <td>45 AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5550.00	97.97	-----	-----	84.89	34.60	10.16	31.68	0.00	314	45 AVERAGE												
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5454.60	43.31	54.00	-10.69	30.23	34.79	10.02	31.73	0.00	314	45 AVERAGE																																																																																							
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5550.00	97.97	-----	-----	84.89	34.60	10.16	31.68	0.00	314	45 AVERAGE																																																																																							



Mode	33																																													
	Band Edge - R																																													
	U-NII-2C_5.47-5.725_802.11ax HE40_CH110_Full_5550MHz																																													
ANT	CDD 8+5																																													
Pol.	Horizontal	Fundamental																																												
Peak	<p>Level (dBuV/m)</p> <p>Frequency (MHz)</p> <p>U-NII-1-U-NII-2A-U-NII-2C</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5732.11</td> <td>55.75</td> <td>68.20</td> <td>-12.45</td> <td>42.66</td> <td>34.60</td> <td>10.35</td> <td>31.86</td> <td>0.00</td> <td>314</td> <td>45</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5732.11	55.75	68.20	-12.45	42.66	34.60	10.35	31.86	0.00	314	45	PEAK	Blank
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																				
1	5732.11	55.75	68.20	-12.45	42.66	34.60	10.35	31.86	0.00	314	45	PEAK																																		



		33																																																																											
Mode	Band Edge - L																																																																												
	U-NII-2C_5.47-5.725_802.11ax HE40_CH110_Full_5550MHz																																																																												
ANT	CDD 8+5																																																																												
Pol.	Vertical	Fundamental																																																																											
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5400.80</td> <td>53.82</td> <td>74.00</td> <td>-20.18</td> <td>40.94</td> <td>34.70</td> <td>9.94</td> <td>31.76</td> <td>0.00</td> <td>101</td> <td>360</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5468.20</td> <td>53.34</td> <td>68.20</td> <td>-14.86</td> <td>40.26</td> <td>34.76</td> <td>10.04</td> <td>31.72</td> <td>0.00</td> <td>101</td> <td>360</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	1	5400.80	53.82	74.00	-20.18	40.94	34.70	9.94	31.76	0.00	101	360	PEAK	2	5468.20	53.34	68.20	-14.86	40.26	34.76	10.04	31.72	0.00	101	360	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5550.00</td> <td>107.73</td> <td>-----</td> <td>-----</td> <td>94.64</td> <td>34.62</td> <td>10.15</td> <td>31.68</td> <td>0.00</td> <td>101</td> <td>360</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	1	5550.00	107.73	-----	-----	94.64	34.62	10.15	31.68	0.00	101	360	PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																					
1	5400.80	53.82	74.00	-20.18	40.94	34.70	9.94	31.76	0.00	101	360	PEAK																																																																	
2	5468.20	53.34	68.20	-14.86	40.26	34.76	10.04	31.72	0.00	101	360	PEAK																																																																	
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																					
1	5550.00	107.73	-----	-----	94.64	34.62	10.15	31.68	0.00	101	360	PEAK																																																																	
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5454.60</td> <td>43.38</td> <td>54.00</td> <td>-10.62</td> <td>30.30</td> <td>34.79</td> <td>10.02</td> <td>31.73</td> <td>0.00</td> <td>101</td> <td>360</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	1	5454.60	43.38	54.00	-10.62	30.30	34.79	10.02	31.73	0.00	101	360	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5550.00</td> <td>98.02</td> <td>-----</td> <td>-----</td> <td>84.93</td> <td>34.62</td> <td>10.15</td> <td>31.68</td> <td>0.00</td> <td>101</td> <td>360</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	1	5550.00	98.02	-----	-----	84.93	34.62	10.15	31.68	0.00	101	360	AVERAGE													
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																					
1	5454.60	43.38	54.00	-10.62	30.30	34.79	10.02	31.73	0.00	101	360	AVERAGE																																																																	
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																					
1	5550.00	98.02	-----	-----	84.93	34.62	10.15	31.68	0.00	101	360	AVERAGE																																																																	



Mode	33																																													
	Band Edge - R																																													
	U-NII-2C_5.47-5.725_802.11ax HE40_CH110_Full_5550MHz																																													
ANT	CDD 8+5																																													
Pol.	Vertical	Fundamental																																												
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5737.91</td> <td>55.53</td> <td>68.20</td> <td>-12.67</td> <td>42.44</td> <td>34.60</td> <td>10.36</td> <td>31.87</td> <td>0.00</td> <td>101</td> <td>360</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5737.91	55.53	68.20	-12.67	42.44	34.60	10.36	31.87	0.00	101	360	PEAK	Blank
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																				
1	5737.91	55.53	68.20	-12.67	42.44	34.60	10.36	31.87	0.00	101	360	PEAK																																		



Mode	33																																																																																																																																													
	Harmonic																																																																																																																																													
	U-NII-2C_5.47-5.725_802.11ax HE40_CH110_Full_5550MHz																																																																																																																																													
ANT	CDD 8+5																																																																																																																																													
Pol.	Horizontal	Vertical																																																																																																																																												
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7770.00</td> <td>45.36</td> <td>68.20</td> <td>-22.84</td> <td>57.96</td> <td>35.90</td> <td>12.12</td> <td>60.62</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>11100.00</td> <td>46.47</td> <td>74.00</td> <td>-27.53</td> <td>55.05</td> <td>38.00</td> <td>14.63</td> <td>61.21</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>16650.00</td> <td>58.86</td> <td>68.20</td> <td>-9.34</td> <td>58.72</td> <td>41.36</td> <td>18.05</td> <td>59.27</td> <td>0.00</td> <td>115</td> <td>327</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7770.00	45.36	68.20	-22.84	57.96	35.90	12.12	60.62	0.00	---	---	PEAK	2	11100.00	46.47	74.00	-27.53	55.05	38.00	14.63	61.21	0.00	---	---	PEAK	3	16650.00	58.86	68.20	-9.34	58.72	41.36	18.05	59.27	0.00	115	327	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7770.00</td> <td>44.71</td> <td>68.20</td> <td>-23.49</td> <td>57.31</td> <td>35.90</td> <td>12.12</td> <td>60.62</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>11100.00</td> <td>46.80</td> <td>74.00</td> <td>-27.20</td> <td>55.38</td> <td>38.00</td> <td>14.63</td> <td>61.21</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>16650.00</td> <td>60.49</td> <td>68.20</td> <td>-7.71</td> <td>60.35</td> <td>41.36</td> <td>18.05</td> <td>59.27</td> <td>0.00</td> <td>100</td> <td>116</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7770.00	44.71	68.20	-23.49	57.31	35.90	12.12	60.62	0.00	---	---	PEAK	2	11100.00	46.80	74.00	-27.20	55.38	38.00	14.63	61.21	0.00	---	---	PEAK	3	16650.00	60.49	68.20	-7.71	60.35	41.36	18.05	59.27	0.00	100	116	PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																				
1	7770.00	45.36	68.20	-22.84	57.96	35.90	12.12	60.62	0.00	---	---	PEAK																																																																																																																																		
2	11100.00	46.47	74.00	-27.53	55.05	38.00	14.63	61.21	0.00	---	---	PEAK																																																																																																																																		
3	16650.00	58.86	68.20	-9.34	58.72	41.36	18.05	59.27	0.00	115	327	PEAK																																																																																																																																		
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																				
1	7770.00	44.71	68.20	-23.49	57.31	35.90	12.12	60.62	0.00	---	---	PEAK																																																																																																																																		
2	11100.00	46.80	74.00	-27.20	55.38	38.00	14.63	61.21	0.00	---	---	PEAK																																																																																																																																		
3	16650.00	60.49	68.20	-7.71	60.35	41.36	18.05	59.27	0.00	100	116	PEAK																																																																																																																																		



		34																																																																																																													
Mode		Band Edge - L																																																																																																													
		U-NII-2C_5.47-5.725_802.11ax HE40_CH134_Full_5670MHz																																																																																																													
ANT		CDD 8+5																																																																																																													
Pol.		Horizontal					Fundamental																																																																																																								
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2"></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5424.88</td> <td>54.50</td> <td>74.00</td> <td>-19.50</td> <td>41.52</td> <td>34.75</td> <td>9.97</td> <td>31.74</td> <td>0.00</td> <td>300</td> <td>45</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5462.32</td> <td>54.11</td> <td>68.20</td> <td>-14.09</td> <td>41.02</td> <td>34.78</td> <td>10.03</td> <td>31.72</td> <td>0.00</td> <td>300</td> <td>45</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	cm	deg	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5424.88	54.50	74.00	-19.50	41.52	34.75	9.97	31.74	0.00	300	45	PEAK	2	5462.32	54.11	68.20	-14.09	41.02	34.78	10.03	31.72	0.00	300	45	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2"></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5670.00</td> <td>107.69</td> <td>-----</td> <td>-----</td> <td>94.49</td> <td>34.60</td> <td>10.30</td> <td>31.70</td> <td>0.00</td> <td>300</td> <td>45</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	cm	deg	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5670.00	107.69	-----	-----	94.49	34.60	10.30	31.70	0.00	300	45	PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																						
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	cm	deg	Remark																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																					
1	5424.88	54.50	74.00	-19.50	41.52	34.75	9.97	31.74	0.00	300	45	PEAK																																																																																																			
2	5462.32	54.11	68.20	-14.09	41.02	34.78	10.03	31.72	0.00	300	45	PEAK																																																																																																			
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	cm	deg	Remark																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																					
1	5670.00	107.69	-----	-----	94.49	34.60	10.30	31.70	0.00	300	45	PEAK																																																																																																			
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2"></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5455.92</td> <td>42.39</td> <td>54.00</td> <td>-11.61</td> <td>29.31</td> <td>34.79</td> <td>10.02</td> <td>31.73</td> <td>0.00</td> <td>300</td> <td>45</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	cm	deg	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5455.92	42.39	54.00	-11.61	29.31	34.79	10.02	31.73	0.00	300	45	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2"></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5670.00</td> <td>98.85</td> <td>-----</td> <td>-----</td> <td>85.66</td> <td>34.60</td> <td>10.30</td> <td>31.71</td> <td>0.00</td> <td>300</td> <td>45</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	cm	deg	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5670.00	98.85	-----	-----	85.66	34.60	10.30	31.71	0.00	300	45	AVERAGE													
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	cm	deg	Remark																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																					
1	5455.92	42.39	54.00	-11.61	29.31	34.79	10.02	31.73	0.00	300	45	AVERAGE																																																																																																			
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	cm	deg	Remark																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																					
1	5670.00	98.85	-----	-----	85.66	34.60	10.30	31.71	0.00	300	45	AVERAGE																																																																																																			



Mode	34																																													
	Band Edge - R																																													
	U-NII-2C_5.47-5.725_802.11ax HE40_CH134_Full_5670MHz																																													
ANT	CDD 8+5																																													
Pol.	Horizontal	Fundamental																																												
Peak	<p>Level (dBuV/m)</p> <p>Frequency (MHz)</p> <p>U-NII-1-U-NII-2A-U-NII-2C</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5727.08</td> <td>58.84</td> <td>68.20</td> <td>-9.36</td> <td>45.73</td> <td>34.60</td> <td>10.35</td> <td>31.84</td> <td>0.00</td> <td>300</td> <td>45</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5727.08	58.84	68.20	-9.36	45.73	34.60	10.35	31.84	0.00	300	45	PEAK	Blank
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																				
1	5727.08	58.84	68.20	-9.36	45.73	34.60	10.35	31.84	0.00	300	45	PEAK																																		



		34																																																																																													
Mode	Band Edge - L																																																																																														
	U-NII-2C_5.47-5.725_802.11ax HE40_CH134_Full_5670MHz																																																																																														
ANT	CDD 8+5																																																																																														
Pol.	Vertical	Fundamental																																																																																													
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5363.12</td> <td>53.34</td> <td>74.00</td> <td>-20.66</td> <td>40.57</td> <td>34.63</td> <td>9.92</td> <td>31.78</td> <td>0.00</td> <td>183</td> <td>34</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5463.60</td> <td>52.38</td> <td>68.20</td> <td>-15.82</td> <td>39.30</td> <td>34.77</td> <td>10.03</td> <td>31.72</td> <td>0.00</td> <td>183</td> <td>34</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	5363.12	53.34	74.00	-20.66	40.57	34.63	9.92	31.78	0.00	183	34	PEAK	2	5463.60	52.38	68.20	-15.82	39.30	34.77	10.03	31.72	0.00	183	34	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5670.00</td> <td>106.35</td> <td>-----</td> <td>-----</td> <td>93.15</td> <td>34.60</td> <td>10.30</td> <td>31.70</td> <td>0.00</td> <td>183</td> <td>34</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	5670.00	106.35	-----	-----	93.15	34.60	10.30	31.70	0.00	183	34	PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																						
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																							
1	5363.12	53.34	74.00	-20.66	40.57	34.63	9.92	31.78	0.00	183	34	PEAK																																																																																			
2	5463.60	52.38	68.20	-15.82	39.30	34.77	10.03	31.72	0.00	183	34	PEAK																																																																																			
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																							
1	5670.00	106.35	-----	-----	93.15	34.60	10.30	31.70	0.00	183	34	PEAK																																																																																			
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5458.96</td> <td>42.43</td> <td>54.00</td> <td>-11.57</td> <td>29.35</td> <td>34.78</td> <td>10.03</td> <td>31.73</td> <td>0.00</td> <td>183</td> <td>34</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	5458.96	42.43	54.00	-11.57	29.35	34.78	10.03	31.73	0.00	183	34	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5670.00</td> <td>97.30</td> <td>-----</td> <td>-----</td> <td>84.10</td> <td>34.60</td> <td>10.30</td> <td>31.70</td> <td>0.00</td> <td>183</td> <td>34</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	5670.00	97.30	-----	-----	84.10	34.60	10.30	31.70	0.00	183	34	AVERAGE													
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																						
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																							
1	5458.96	42.43	54.00	-11.57	29.35	34.78	10.03	31.73	0.00	183	34	AVERAGE																																																																																			
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																							
1	5670.00	97.30	-----	-----	84.10	34.60	10.30	31.70	0.00	183	34	AVERAGE																																																																																			







Mode	34																																												
	Band Edge - R																																												
	U-NII-2C_5.47-5.725_802.11ax HE40_CH134_Full_5670MHz																																												
ANT	CDD 8+5																																												
Pol.	Vertical	Fundamental																																											
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5726.44</td> <td>58.23</td> <td>68.20</td> <td>-9.97</td> <td>45.12</td> <td>34.60</td> <td>10.35</td> <td>31.84</td> <td>0.00</td> <td>183</td> <td>34 PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5726.44	58.23	68.20	-9.97	45.12	34.60	10.35	31.84	0.00	183	34 PEAK	Blank
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																			
1	5726.44	58.23	68.20	-9.97	45.12	34.60	10.35	31.84	0.00	183	34 PEAK																																		



Mode	34																																																																																																																																													
	Harmonic																																																																																																																																													
	U-NII-2C_5.47-5.725_802.11ax HE40_CH134_Full_5670MHz																																																																																																																																													
ANT	CDD 8+5																																																																																																																																													
Pol.	Horizontal	Vertical																																																																																																																																												
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7938.00</td> <td>45.57</td> <td>68.20</td> <td>-22.63</td> <td>57.62</td> <td>35.90</td> <td>12.34</td> <td>60.29</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>11340.00</td> <td>45.76</td> <td>74.00</td> <td>-28.24</td> <td>54.11</td> <td>38.04</td> <td>14.80</td> <td>61.19</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>17010.00</td> <td>59.10</td> <td>68.20</td> <td>-9.10</td> <td>58.93</td> <td>41.18</td> <td>18.22</td> <td>59.23</td> <td>0.00</td> <td>112</td> <td>334</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7938.00	45.57	68.20	-22.63	57.62	35.90	12.34	60.29	0.00	---	---	PEAK	2	11340.00	45.76	74.00	-28.24	54.11	38.04	14.80	61.19	0.00	---	---	PEAK	3	17010.00	59.10	68.20	-9.10	58.93	41.18	18.22	59.23	0.00	112	334	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7938.00</td> <td>45.64</td> <td>68.20</td> <td>-22.56</td> <td>57.69</td> <td>35.90</td> <td>12.34</td> <td>60.29</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>11340.00</td> <td>46.30</td> <td>74.00</td> <td>-27.70</td> <td>54.65</td> <td>38.04</td> <td>14.80</td> <td>61.19</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>17010.00</td> <td>60.81</td> <td>68.20</td> <td>-7.39</td> <td>60.66</td> <td>41.17</td> <td>18.22</td> <td>59.24</td> <td>0.00</td> <td>102</td> <td>253</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7938.00	45.64	68.20	-22.56	57.69	35.90	12.34	60.29	0.00	---	---	PEAK	2	11340.00	46.30	74.00	-27.70	54.65	38.04	14.80	61.19	0.00	---	---	PEAK	3	17010.00	60.81	68.20	-7.39	60.66	41.17	18.22	59.24	0.00	102	253	PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																				
1	7938.00	45.57	68.20	-22.63	57.62	35.90	12.34	60.29	0.00	---	---	PEAK																																																																																																																																		
2	11340.00	45.76	74.00	-28.24	54.11	38.04	14.80	61.19	0.00	---	---	PEAK																																																																																																																																		
3	17010.00	59.10	68.20	-9.10	58.93	41.18	18.22	59.23	0.00	112	334	PEAK																																																																																																																																		
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																				
1	7938.00	45.64	68.20	-22.56	57.69	35.90	12.34	60.29	0.00	---	---	PEAK																																																																																																																																		
2	11340.00	46.30	74.00	-27.70	54.65	38.04	14.80	61.19	0.00	---	---	PEAK																																																																																																																																		
3	17010.00	60.81	68.20	-7.39	60.66	41.17	18.22	59.24	0.00	102	253	PEAK																																																																																																																																		



Mode	35																																																																																																	
	Band Edge - L																																																																																																	
	U-NII-2C_5.47-5.725_802.11ax HE80_CH106_Full_5530MHz																																																																																																	
ANT	CDD 8+5																																																																																																	
Pol.	Horizontal	Fundamental																																																																																																
Peak	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5453.52</td> <td>58.47</td> <td>74.00</td> <td>-15.53</td> <td>45.39</td> <td>34.79</td> <td>10.02</td> <td>31.73</td> <td>0.00</td> <td>300</td> <td>42 PEAK</td> </tr> <tr> <td>2</td> <td>5466.48</td> <td>58.53</td> <td>68.20</td> <td>-9.67</td> <td>45.44</td> <td>34.77</td> <td>10.04</td> <td>31.72</td> <td>0.00</td> <td>300</td> <td>42 PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5453.52	58.47	74.00	-15.53	45.39	34.79	10.02	31.73	0.00	300	42 PEAK	2	5466.48	58.53	68.20	-9.67	45.44	34.77	10.04	31.72	0.00	300	42 PEAK	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5530.00</td> <td>105.00</td> <td>-----</td> <td>-----</td> <td>92.00</td> <td>34.60</td> <td>10.16</td> <td>31.68</td> <td>0.00</td> <td>300</td> <td>42 PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5530.00	105.00	-----	-----	92.00	34.60	10.16	31.68	0.00	300	42 PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5453.52	58.47	74.00	-15.53	45.39	34.79	10.02	31.73	0.00	300	42 PEAK																																																																																							
2	5466.48	58.53	68.20	-9.67	45.44	34.77	10.04	31.72	0.00	300	42 PEAK																																																																																							
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5530.00	105.00	-----	-----	92.00	34.60	10.16	31.68	0.00	300	42 PEAK																																																																																							
Avg	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5454.64</td> <td>49.04</td> <td>54.00</td> <td>-4.96</td> <td>35.96</td> <td>34.79</td> <td>10.02</td> <td>31.73</td> <td>0.00</td> <td>300</td> <td>42 AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5454.64	49.04	54.00	-4.96	35.96	34.79	10.02	31.73	0.00	300	42 AVERAGE	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5530.00</td> <td>94.03</td> <td>-----</td> <td>-----</td> <td>80.95</td> <td>34.63</td> <td>10.14</td> <td>31.69</td> <td>0.00</td> <td>300</td> <td>42 AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5530.00	94.03	-----	-----	80.95	34.63	10.14	31.69	0.00	300	42 AVERAGE												
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5454.64	49.04	54.00	-4.96	35.96	34.79	10.02	31.73	0.00	300	42 AVERAGE																																																																																							
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5530.00	94.03	-----	-----	80.95	34.63	10.14	31.69	0.00	300	42 AVERAGE																																																																																							



Mode	35																																												
	Band Edge - R																																												
	U-NII-2C_5.47-5.725_802.11ax HE80_CH106_Full_5530MHz																																												
ANT	CDD 8+5																																												
Pol.	Horizontal	Fundamental																																											
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5744.84</td> <td>55.43</td> <td>68.20</td> <td>-12.77</td> <td>42.36</td> <td>34.60</td> <td>10.36</td> <td>31.89</td> <td>0.00</td> <td>300</td> <td>42</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5744.84	55.43	68.20	-12.77	42.36	34.60	10.36	31.89	0.00	300	42	PEAK	Blank
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																			
1 5744.84	55.43	68.20	-12.77	42.36	34.60	10.36	31.89	0.00	300	42	PEAK																																		



Mode	35																																																																																																				
	Band Edge - L																																																																																																				
	U-NII-2C_5.47-5.725_802.11ax HE80_CH106_Full_5530MHz																																																																																																				
ANT	CDD 8+5																																																																																																				
Pol.	Vertical	Fundamental																																																																																																			
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5452.08</td> <td>59.99</td> <td>74.00</td> <td>-14.01</td> <td>46.91</td> <td>34.80</td> <td>10.01</td> <td>31.73</td> <td>0.00</td> <td>100</td> <td>18</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5469.36</td> <td>60.54</td> <td>68.20</td> <td>-7.66</td> <td>47.46</td> <td>34.76</td> <td>10.04</td> <td>31.72</td> <td>0.00</td> <td>100</td> <td>18</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5452.08	59.99	74.00	-14.01	46.91	34.80	10.01	31.73	0.00	100	18	PEAK	2	5469.36	60.54	68.20	-7.66	47.46	34.76	10.04	31.72	0.00	100	18	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5530.00</td> <td>104.71</td> <td>-----</td> <td>-----</td> <td>91.63</td> <td>34.64</td> <td>10.13</td> <td>31.69</td> <td>0.00</td> <td>100</td> <td>18</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5530.00	104.71	-----	-----	91.63	34.64	10.13	31.69	0.00	100	18	PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																												
1	5452.08	59.99	74.00	-14.01	46.91	34.80	10.01	31.73	0.00	100	18	PEAK																																																																																									
2	5469.36	60.54	68.20	-7.66	47.46	34.76	10.04	31.72	0.00	100	18	PEAK																																																																																									
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																												
1	5530.00	104.71	-----	-----	91.63	34.64	10.13	31.69	0.00	100	18	PEAK																																																																																									
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5459.76</td> <td>50.28</td> <td>54.00</td> <td>-3.72</td> <td>37.20</td> <td>34.78</td> <td>10.03</td> <td>31.73</td> <td>0.00</td> <td>100</td> <td>18</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5459.76	50.28	54.00	-3.72	37.20	34.78	10.03	31.73	0.00	100	18	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5530.00</td> <td>95.49</td> <td>-----</td> <td>-----</td> <td>82.41</td> <td>34.64</td> <td>10.13</td> <td>31.69</td> <td>0.00</td> <td>100</td> <td>18</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5530.00	95.49	-----	-----	82.41	34.64	10.13	31.69	0.00	100	18	AVERAGE													
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																												
1	5459.76	50.28	54.00	-3.72	37.20	34.78	10.03	31.73	0.00	100	18	AVERAGE																																																																																									
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																												
1	5530.00	95.49	-----	-----	82.41	34.64	10.13	31.69	0.00	100	18	AVERAGE																																																																																									



Mode	35																																																							
	Band Edge - R																																																							
	U-NII-2C_5.47-5.725_802.11ax HE80_CH106_Full_5530MHz																																																							
ANT	CDD 8+5																																																							
Pol.	Vertical	Fundamental																																																						
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5742.92</td> <td>56.43</td> <td>68.20</td> <td>-11.77</td> <td>43.35</td> <td>34.60</td> <td>10.36</td> <td>31.88</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>0.00</td> <td>100</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>18 PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	5742.92	56.43	68.20	-11.77	43.35	34.60	10.36	31.88								0.00	100									18 PEAK	Blank
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																
1	5742.92	56.43	68.20	-11.77	43.35	34.60	10.36	31.88																																																
							0.00	100																																																
								18 PEAK																																																



Mode	35																																																																																																																																																										
	Harmonic																																																																																																																																																										
	U-NII-2C_5.47-5.725_802.11ax HE80_CH106_Full_5530MHz																																																																																																																																																										
ANT	CDD 8+5																																																																																																																																																										
Pol.	Horizontal	Vertical																																																																																																																																																									
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7742.00</td> <td>45.10</td> <td>74.00</td> <td>-28.90</td> <td>57.79</td> <td>35.90</td> <td>12.09</td> <td>60.68</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>11060.00</td> <td>47.31</td> <td>74.00</td> <td>-26.69</td> <td>55.92</td> <td>38.00</td> <td>14.61</td> <td>61.22</td> <td>0.00</td> <td>300</td> <td>360</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>11060.00</td> <td>35.88</td> <td>54.00</td> <td>-18.12</td> <td>44.48</td> <td>38.00</td> <td>14.62</td> <td>61.22</td> <td>0.00</td> <td>300</td> <td>360</td> <td>AVERAGE</td> </tr> <tr> <td>4</td> <td>16590.00</td> <td>55.71</td> <td>68.20</td> <td>-12.49</td> <td>55.55</td> <td>41.40</td> <td>18.03</td> <td>59.27</td> <td>0.00</td> <td>100</td> <td>242</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7742.00	45.10	74.00	-28.90	57.79	35.90	12.09	60.68	0.00	---	---	PEAK	2	11060.00	47.31	74.00	-26.69	55.92	38.00	14.61	61.22	0.00	300	360	PEAK	3	11060.00	35.88	54.00	-18.12	44.48	38.00	14.62	61.22	0.00	300	360	AVERAGE	4	16590.00	55.71	68.20	-12.49	55.55	41.40	18.03	59.27	0.00	100	242	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7742.00</td> <td>45.51</td> <td>74.00</td> <td>-28.49</td> <td>58.20</td> <td>35.90</td> <td>12.09</td> <td>60.68</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>11060.00</td> <td>46.72</td> <td>74.00</td> <td>-27.28</td> <td>55.33</td> <td>38.00</td> <td>14.61</td> <td>61.22</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>16590.00</td> <td>57.17</td> <td>68.20</td> <td>-11.03</td> <td>57.01</td> <td>41.40</td> <td>18.03</td> <td>59.27</td> <td>0.00</td> <td>100</td> <td>251</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7742.00	45.51	74.00	-28.49	58.20	35.90	12.09	60.68	0.00	---	---	PEAK	2	11060.00	46.72	74.00	-27.28	55.33	38.00	14.61	61.22	0.00	---	---	PEAK	3	16590.00	57.17	68.20	-11.03	57.01	41.40	18.03	59.27	0.00	100	251	PEAK
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																		
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																	
1	7742.00	45.10	74.00	-28.90	57.79	35.90	12.09	60.68	0.00	---	---	PEAK																																																																																																																																															
2	11060.00	47.31	74.00	-26.69	55.92	38.00	14.61	61.22	0.00	300	360	PEAK																																																																																																																																															
3	11060.00	35.88	54.00	-18.12	44.48	38.00	14.62	61.22	0.00	300	360	AVERAGE																																																																																																																																															
4	16590.00	55.71	68.20	-12.49	55.55	41.40	18.03	59.27	0.00	100	242	PEAK																																																																																																																																															
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																		
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																	
1	7742.00	45.51	74.00	-28.49	58.20	35.90	12.09	60.68	0.00	---	---	PEAK																																																																																																																																															
2	11060.00	46.72	74.00	-27.28	55.33	38.00	14.61	61.22	0.00	---	---	PEAK																																																																																																																																															
3	16590.00	57.17	68.20	-11.03	57.01	41.40	18.03	59.27	0.00	100	251	PEAK																																																																																																																																															







		36																																																																																													
Mode	Band Edge - L																																																																																														
	U-NII-2C_5.47-5.725_802.11ax HE80_CH122_Full_5610MHz																																																																																														
ANT	CDD 8+5																																																																																														
Pol.	Horizontal	Fundamental																																																																																													
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5374.00</td> <td>54.35</td> <td>74.00</td> <td>-19.65</td> <td>41.55</td> <td>34.65</td> <td>9.92</td> <td>31.77</td> <td>0.00</td> <td>306</td> <td>44</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5468.56</td> <td>53.73</td> <td>68.20</td> <td>-14.47</td> <td>40.65</td> <td>34.76</td> <td>10.04</td> <td>31.72</td> <td>0.00</td> <td>306</td> <td>44</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1	5374.00	54.35	74.00	-19.65	41.55	34.65	9.92	31.77	0.00	306	44	PEAK	2	5468.56	53.73	68.20	-14.47	40.65	34.76	10.04	31.72	0.00	306	44	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5610.00</td> <td>105.62</td> <td>-----</td> <td>-----</td> <td>92.42</td> <td>34.60</td> <td>10.25</td> <td>31.65</td> <td>0.00</td> <td>306</td> <td>44</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1	5610.00	105.62	-----	-----	92.42	34.60	10.25	31.65	0.00	306	44	PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																						
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																																							
1	5374.00	54.35	74.00	-19.65	41.55	34.65	9.92	31.77	0.00	306	44	PEAK																																																																																			
2	5468.56	53.73	68.20	-14.47	40.65	34.76	10.04	31.72	0.00	306	44	PEAK																																																																																			
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																																							
1	5610.00	105.62	-----	-----	92.42	34.60	10.25	31.65	0.00	306	44	PEAK																																																																																			
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5455.28</td> <td>43.06</td> <td>54.00</td> <td>-10.94</td> <td>29.98</td> <td>34.79</td> <td>10.02</td> <td>31.73</td> <td>0.00</td> <td>306</td> <td>44</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1	5455.28	43.06	54.00	-10.94	29.98	34.79	10.02	31.73	0.00	306	44	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5610.00</td> <td>95.48</td> <td>-----</td> <td>-----</td> <td>82.25</td> <td>34.60</td> <td>10.27</td> <td>31.64</td> <td>0.00</td> <td>306</td> <td>44</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1	5610.00	95.48	-----	-----	82.25	34.60	10.27	31.64	0.00	306	44	AVERAGE													
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																						
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																																							
1	5455.28	43.06	54.00	-10.94	29.98	34.79	10.02	31.73	0.00	306	44	AVERAGE																																																																																			
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																																							
1	5610.00	95.48	-----	-----	82.25	34.60	10.27	31.64	0.00	306	44	AVERAGE																																																																																			



Mode	36																																												
	Band Edge - R																																												
	U-NII-2C_5.47-5.725_802.11ax HE80_CH122_Full_5610MHz																																												
ANT	CDD 8+5																																												
Pol.	Horizontal	Fundamental																																											
Peak	<p>Level (dBuV/m)</p> <p>Frequency (MHz)</p> <p>U-NII-1-U-NII-2A-U-NII-2C</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5725.64</td> <td>57.26</td> <td>68.20</td> <td>-10.94</td> <td>44.15</td> <td>34.60</td> <td>10.35</td> <td>31.84</td> <td>0.00</td> <td>306</td> <td>44 PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5725.64	57.26	68.20	-10.94	44.15	34.60	10.35	31.84	0.00	306	44 PEAK	Blank
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																			
1	5725.64	57.26	68.20	-10.94	44.15	34.60	10.35	31.84	0.00	306	44 PEAK																																		



		36																																																																																				
Mode	Band Edge - L																																																																																					
	U-NII-2C_5.47-5.725_802.11ax HE80_CH122_Full_5610MHz																																																																																					
ANT	CDD 8+5																																																																																					
Pol.	Vertical	Fundamental																																																																																				
Peak	 <table border="1" data-bbox="263 1097 774 1243"> <thead> <tr> <th>Limit Freq</th> <th>Over Level</th> <th>Read Line</th> <th>Limit dB</th> <th>Read Level</th> <th>Ant Factor</th> <th>Cable Loss</th> <th>Preamp Factor</th> <th>Aux Factor</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 5361.36</td> <td>54.22</td> <td>74.00</td> <td>-19.78</td> <td>41.46</td> <td>34.62</td> <td>9.92</td> <td>31.78</td> <td>0.00</td> <td>108</td> <td>360</td> <td>PEAK</td> </tr> <tr> <td>2 5464.24</td> <td>54.34</td> <td>68.20</td> <td>-13.86</td> <td>41.26</td> <td>34.77</td> <td>10.03</td> <td>31.72</td> <td>0.00</td> <td>108</td> <td>360</td> <td>PEAK</td> </tr> </tbody> </table>	Limit Freq	Over Level	Read Line	Limit dB	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 5361.36	54.22	74.00	-19.78	41.46	34.62	9.92	31.78	0.00	108	360	PEAK	2 5464.24	54.34	68.20	-13.86	41.26	34.77	10.03	31.72	0.00	108	360	PEAK	 <table border="1" data-bbox="901 1097 1412 1243"> <thead> <tr> <th>Limit Freq</th> <th>Over Level</th> <th>Read Line</th> <th>Limit dB</th> <th>Read Level</th> <th>Ant Factor</th> <th>Cable Loss</th> <th>Preamp Factor</th> <th>Aux Factor</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 5610.00</td> <td>103.49</td> <td>-----</td> <td>-----</td> <td>90.30</td> <td>34.60</td> <td>10.24</td> <td>31.65</td> <td>0.00</td> <td>108</td> <td>360</td> <td>PEAK</td> </tr> </tbody> </table>	Limit Freq	Over Level	Read Line	Limit dB	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 5610.00	103.49	-----	-----	90.30	34.60	10.24	31.65	0.00	108	360	PEAK
	Limit Freq	Over Level	Read Line	Limit dB	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																												
1 5361.36	54.22	74.00	-19.78	41.46	34.62	9.92	31.78	0.00	108	360	PEAK																																																																											
2 5464.24	54.34	68.20	-13.86	41.26	34.77	10.03	31.72	0.00	108	360	PEAK																																																																											
Limit Freq	Over Level	Read Line	Limit dB	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																												
1 5610.00	103.49	-----	-----	90.30	34.60	10.24	31.65	0.00	108	360	PEAK																																																																											
Avg	 <table border="1" data-bbox="263 1769 774 1915"> <thead> <tr> <th>Limit Freq</th> <th>Over Level</th> <th>Read Line</th> <th>Limit dB</th> <th>Read Level</th> <th>Ant Factor</th> <th>Cable Loss</th> <th>Preamp Factor</th> <th>Aux Factor</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 5454.80</td> <td>43.54</td> <td>54.00</td> <td>-10.46</td> <td>30.46</td> <td>34.79</td> <td>10.02</td> <td>31.73</td> <td>0.00</td> <td>108</td> <td>360</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit Freq	Over Level	Read Line	Limit dB	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 5454.80	43.54	54.00	-10.46	30.46	34.79	10.02	31.73	0.00	108	360	AVERAGE	 <table border="1" data-bbox="901 1769 1412 1915"> <thead> <tr> <th>Limit Freq</th> <th>Over Level</th> <th>Read Line</th> <th>Limit dB</th> <th>Read Level</th> <th>Ant Factor</th> <th>Cable Loss</th> <th>Preamp Factor</th> <th>Aux Factor</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 5610.00</td> <td>94.31</td> <td>-----</td> <td>-----</td> <td>81.12</td> <td>34.60</td> <td>10.24</td> <td>31.65</td> <td>0.00</td> <td>108</td> <td>360</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit Freq	Over Level	Read Line	Limit dB	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 5610.00	94.31	-----	-----	81.12	34.60	10.24	31.65	0.00	108	360	AVERAGE												
	Limit Freq	Over Level	Read Line	Limit dB	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																												
1 5454.80	43.54	54.00	-10.46	30.46	34.79	10.02	31.73	0.00	108	360	AVERAGE																																																																											
Limit Freq	Over Level	Read Line	Limit dB	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																												
1 5610.00	94.31	-----	-----	81.12	34.60	10.24	31.65	0.00	108	360	AVERAGE																																																																											







Mode	36																																													
	Band Edge - R																																													
	U-NII-2C_5.47-5.725_802.11ax HE80_CH122_Full_5610MHz																																													
ANT	CDD 8+5																																													
Pol.	Vertical	Fundamental																																												
Peak	<p>Level (dBuV/m)</p> <p>Frequency (MHz)</p> <p>U-NII-1-U-NII-2A-U-NII-2C</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5748.04</td> <td>56.00</td> <td>68.20</td> <td>-12.20</td> <td>42.94</td> <td>34.60</td> <td>10.36</td> <td>31.90</td> <td>0.00</td> <td>100</td> <td>360</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5748.04	56.00	68.20	-12.20	42.94	34.60	10.36	31.90	0.00	100	360	PEAK	Blank
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																				
1	5748.04	56.00	68.20	-12.20	42.94	34.60	10.36	31.90	0.00	100	360	PEAK																																		



Mode	36																																																																																																																																													
	Harmonic																																																																																																																																													
	U-NII-2C_5.47-5.725_802.11ax HE80_CH122_Full_5610MHz																																																																																																																																													
ANT	CDD 8+5																																																																																																																																													
Pol.	Horizontal	Vertical																																																																																																																																												
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7854.00</td> <td>45.72</td> <td>68.20</td> <td>-22.48</td> <td>58.06</td> <td>35.90</td> <td>12.22</td> <td>60.46</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>11220.00</td> <td>46.82</td> <td>74.00</td> <td>-27.18</td> <td>55.30</td> <td>38.00</td> <td>14.72</td> <td>61.20</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>16830.00</td> <td>56.18</td> <td>68.20</td> <td>-12.02</td> <td>55.93</td> <td>41.37</td> <td>18.13</td> <td>59.25</td> <td>0.00</td> <td>100</td> <td>325</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7854.00	45.72	68.20	-22.48	58.06	35.90	12.22	60.46	0.00	---	---	PEAK	2	11220.00	46.82	74.00	-27.18	55.30	38.00	14.72	61.20	0.00	---	---	PEAK	3	16830.00	56.18	68.20	-12.02	55.93	41.37	18.13	59.25	0.00	100	325	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7854.00</td> <td>45.25</td> <td>68.20</td> <td>-22.95</td> <td>57.59</td> <td>35.90</td> <td>12.22</td> <td>60.46</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>11220.00</td> <td>46.20</td> <td>74.00</td> <td>-27.80</td> <td>54.68</td> <td>38.00</td> <td>14.72</td> <td>61.20</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>16830.00</td> <td>58.65</td> <td>68.20</td> <td>-9.55</td> <td>58.42</td> <td>41.35</td> <td>18.13</td> <td>59.25</td> <td>0.00</td> <td>100</td> <td>117</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7854.00	45.25	68.20	-22.95	57.59	35.90	12.22	60.46	0.00	---	---	PEAK	2	11220.00	46.20	74.00	-27.80	54.68	38.00	14.72	61.20	0.00	---	---	PEAK	3	16830.00	58.65	68.20	-9.55	58.42	41.35	18.13	59.25	0.00	100	117	PEAK
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																				
1	7854.00	45.72	68.20	-22.48	58.06	35.90	12.22	60.46	0.00	---	---	PEAK																																																																																																																																		
2	11220.00	46.82	74.00	-27.18	55.30	38.00	14.72	61.20	0.00	---	---	PEAK																																																																																																																																		
3	16830.00	56.18	68.20	-12.02	55.93	41.37	18.13	59.25	0.00	100	325	PEAK																																																																																																																																		
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																				
1	7854.00	45.25	68.20	-22.95	57.59	35.90	12.22	60.46	0.00	---	---	PEAK																																																																																																																																		
2	11220.00	46.20	74.00	-27.80	54.68	38.00	14.72	61.20	0.00	---	---	PEAK																																																																																																																																		
3	16830.00	58.65	68.20	-9.55	58.42	41.35	18.13	59.25	0.00	100	117	PEAK																																																																																																																																		



		37																																																																																																									
Mode		Band Edge - L																																																																																																									
		U-NII-2C_5.47-5.725_802.11ax HE160_CH114_Full_5570MHz																																																																																																									
ANT		CDD 8+5																																																																																																									
Pol.		Horizontal					Fundamental																																																																																																				
Peak	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2"></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5452.74</td> <td>60.16</td> <td>74.00</td> <td>-13.84</td> <td>47.08</td> <td>34.79</td> <td>10.02</td> <td>31.73</td> <td>0.00</td> <td>310</td> <td>44</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5463.08</td> <td>59.95</td> <td>68.20</td> <td>-8.25</td> <td>46.87</td> <td>34.77</td> <td>10.03</td> <td>31.72</td> <td>0.00</td> <td>310</td> <td>44</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5452.74	60.16	74.00	-13.84	47.08	34.79	10.02	31.73	0.00	310	44	PEAK	2	5463.08	59.95	68.20	-8.25	46.87	34.77	10.03	31.72	0.00	310	44	PEAK	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2"></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5570.00</td> <td>101.38</td> <td>-----</td> <td>-----</td> <td>88.23</td> <td>34.60</td> <td>10.21</td> <td>31.66</td> <td>0.00</td> <td>310</td> <td>44</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5570.00	101.38	-----	-----	88.23	34.60	10.21	31.66	0.00	310	44	PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																		
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	cm	deg																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																	
1	5452.74	60.16	74.00	-13.84	47.08	34.79	10.02	31.73	0.00	310	44	PEAK																																																																																															
2	5463.08	59.95	68.20	-8.25	46.87	34.77	10.03	31.72	0.00	310	44	PEAK																																																																																															
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	cm	deg																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																	
1	5570.00	101.38	-----	-----	88.23	34.60	10.21	31.66	0.00	310	44	PEAK																																																																																															
Avg	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2"></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5452.74</td> <td>50.08</td> <td>54.00</td> <td>-3.92</td> <td>37.00</td> <td>34.79</td> <td>10.02</td> <td>31.73</td> <td>0.00</td> <td>310</td> <td>44</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5452.74	50.08	54.00	-3.92	37.00	34.79	10.02	31.73	0.00	310	44	AVERAGE	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2"></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5570.00</td> <td>91.98</td> <td>-----</td> <td>-----</td> <td>78.80</td> <td>34.60</td> <td>10.23</td> <td>31.65</td> <td>0.00</td> <td>310</td> <td>44</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5570.00	91.98	-----	-----	78.80	34.60	10.23	31.65	0.00	310	44	AVERAGE													
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	cm	deg																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																	
1	5452.74	50.08	54.00	-3.92	37.00	34.79	10.02	31.73	0.00	310	44	AVERAGE																																																																																															
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	cm	deg																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																	
1	5570.00	91.98	-----	-----	78.80	34.60	10.23	31.65	0.00	310	44	AVERAGE																																																																																															



Mode	37																																											
	Band Edge - R																																											
	U-NII-2C_5.47-5.725_802.11ax HE160_CH114_Full_5570MHz																																											
ANT	CDD 8+5																																											
Pol.	Horizontal	Fundamental																																										
Peak	<p>Level (dBuV/m)</p> <p>Frequency (MHz)</p> <p>U-NII-1-U-NII-2A-U-NII-2C</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5725.03</td> <td>61.98</td> <td>68.20</td> <td>-6.22</td> <td>48.88</td> <td>34.60</td> <td>10.34</td> <td>31.84</td> <td>0.00</td> <td>310</td> <td>44 PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss	Factor	Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5725.03	61.98	68.20	-6.22	48.88	34.60	10.34	31.84	0.00	310	44 PEAK	Blank
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																			
Freq	Level	Line	Level	Factor	Loss	Factor	Factor	cm	deg																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																		
1 5725.03	61.98	68.20	-6.22	48.88	34.60	10.34	31.84	0.00	310	44 PEAK																																		



		37																																																										
Mode		Band Edge - L																																																										
		U-NII-2C_5.47-5.725_802.11ax HE160_CH114_Full_5570MHz																																																										
ANT		CDD 8+5																																																										
Pol.		Vertical					Fundamental																																																					
Peak	Vertical	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2"></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> <th>Remark</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5447.90</td> <td>59.43</td> <td>74.00</td> <td>-14.57</td> <td>46.35</td> <td>34.80</td> <td>10.01</td> <td>31.73</td> <td>0.00</td> <td>100</td> <td>15</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5461.98</td> <td>58.65</td> <td>68.20</td> <td>-9.55</td> <td>45.56</td> <td>34.78</td> <td>10.03</td> <td>31.72</td> <td>0.00</td> <td>100</td> <td>15</td> <td>PEAK</td> </tr> </tbody> </table>										Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	cm	deg	Remark	1	5447.90	59.43	74.00	-14.57	46.35	34.80	10.01	31.73	0.00	100	15	PEAK	2	5461.98	58.65	68.20	-9.55	45.56	34.78	10.03	31.72	0.00	100	15	PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	cm	deg	Remark																																																	
1	5447.90	59.43	74.00	-14.57	46.35	34.80	10.01	31.73	0.00	100	15	PEAK																																																
2	5461.98	58.65	68.20	-9.55	45.56	34.78	10.03	31.72	0.00	100	15	PEAK																																																
Fundamental	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2"></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> <th>Remark</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5570.00</td> <td>100.61</td> <td>-----</td> <td>-----</td> <td>87.53</td> <td>34.64</td> <td>10.13</td> <td>31.69</td> <td>0.00</td> <td>100</td> <td>15</td> <td>PEAK</td> </tr> </tbody> </table>										Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	cm	deg	Remark	1	5570.00	100.61	-----	-----	87.53	34.64	10.13	31.69	0.00	100	15	PEAK														
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	cm	deg	Remark																																																	
1	5570.00	100.61	-----	-----	87.53	34.64	10.13	31.69	0.00	100	15	PEAK																																																
Avg	Vertical	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2"></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> <th>Remark</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5449.88</td> <td>49.81</td> <td>54.00</td> <td>-4.19</td> <td>36.73</td> <td>34.80</td> <td>10.01</td> <td>31.73</td> <td>0.00</td> <td>100</td> <td>15</td> <td>AVERAGE</td> </tr> </tbody> </table>										Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	cm	deg	Remark	1	5449.88	49.81	54.00	-4.19	36.73	34.80	10.01	31.73	0.00	100	15	AVERAGE													
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	cm	deg	Remark																																																	
1	5449.88	49.81	54.00	-4.19	36.73	34.80	10.01	31.73	0.00	100	15	AVERAGE																																																
Fundamental	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2"></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> <th>Remark</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5570.00</td> <td>91.06</td> <td>-----</td> <td>-----</td> <td>77.95</td> <td>34.60</td> <td>10.18</td> <td>31.67</td> <td>0.00</td> <td>100</td> <td>15</td> <td>AVERAGE</td> </tr> </tbody> </table>										Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	cm	deg	Remark	1	5570.00	91.06	-----	-----	77.95	34.60	10.18	31.67	0.00	100	15	AVERAGE														
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	cm	deg	Remark																																																	
1	5570.00	91.06	-----	-----	77.95	34.60	10.18	31.67	0.00	100	15	AVERAGE																																																



Mode	37																																												
	Band Edge - R																																												
	U-NII-2C_5.47-5.725_802.11ax HE160_CH114_Full_5570MHz																																												
ANT	CDD 8+5																																												
Pol.	Vertical	Fundamental																																											
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5731.27</td> <td>57.88</td> <td>68.20</td> <td>-10.32</td> <td>44.79</td> <td>34.60</td> <td>10.35</td> <td>31.86</td> <td>0.00</td> <td>100</td> <td>15</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss	Factor	Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5731.27	57.88	68.20	-10.32	44.79	34.60	10.35	31.86	0.00	100	15	PEAK	Blank
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																				
Freq	Level	Line	Level	Factor	Loss	Factor	Factor	cm	deg																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																				
1	5731.27	57.88	68.20	-10.32	44.79	34.60	10.35	31.86	0.00	100	15	PEAK																																	



Mode	37																																																																																																																																													
	Harmonic																																																																																																																																													
	U-NII-2C_5.47-5.725_802.11ax HE160_CH114_Full_5570MHz																																																																																																																																													
ANT	CDD 8+5																																																																																																																																													
Pol.	Horizontal	Vertical																																																																																																																																												
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7798.00</td> <td>44.23</td> <td>68.20</td> <td>-23.97</td> <td>56.75</td> <td>35.90</td> <td>12.15</td> <td>60.57</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>11140.00</td> <td>46.39</td> <td>74.00</td> <td>-27.61</td> <td>54.94</td> <td>38.00</td> <td>14.66</td> <td>61.21</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>16710.00</td> <td>54.81</td> <td>68.20</td> <td>-13.39</td> <td>54.62</td> <td>41.35</td> <td>18.10</td> <td>59.26</td> <td>0.00</td> <td>100</td> <td>321</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7798.00	44.23	68.20	-23.97	56.75	35.90	12.15	60.57	0.00	---	---	PEAK	2	11140.00	46.39	74.00	-27.61	54.94	38.00	14.66	61.21	0.00	---	---	PEAK	3	16710.00	54.81	68.20	-13.39	54.62	41.35	18.10	59.26	0.00	100	321	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7798.00</td> <td>44.41</td> <td>68.20</td> <td>-23.79</td> <td>56.93</td> <td>35.90</td> <td>12.15</td> <td>60.57</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>11140.00</td> <td>46.57</td> <td>74.00</td> <td>-27.43</td> <td>55.12</td> <td>38.00</td> <td>14.66</td> <td>61.21</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>16710.00</td> <td>56.92</td> <td>68.20</td> <td>-11.28</td> <td>56.69</td> <td>41.37</td> <td>18.11</td> <td>59.25</td> <td>0.00</td> <td>100</td> <td>120</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7798.00	44.41	68.20	-23.79	56.93	35.90	12.15	60.57	0.00	---	---	PEAK	2	11140.00	46.57	74.00	-27.43	55.12	38.00	14.66	61.21	0.00	---	---	PEAK	3	16710.00	56.92	68.20	-11.28	56.69	41.37	18.11	59.25	0.00	100	120	PEAK
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																				
1	7798.00	44.23	68.20	-23.97	56.75	35.90	12.15	60.57	0.00	---	---	PEAK																																																																																																																																		
2	11140.00	46.39	74.00	-27.61	54.94	38.00	14.66	61.21	0.00	---	---	PEAK																																																																																																																																		
3	16710.00	54.81	68.20	-13.39	54.62	41.35	18.10	59.26	0.00	100	321	PEAK																																																																																																																																		
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																				
1	7798.00	44.41	68.20	-23.79	56.93	35.90	12.15	60.57	0.00	---	---	PEAK																																																																																																																																		
2	11140.00	46.57	74.00	-27.43	55.12	38.00	14.66	61.21	0.00	---	---	PEAK																																																																																																																																		
3	16710.00	56.92	68.20	-11.28	56.69	41.37	18.11	59.25	0.00	100	120	PEAK																																																																																																																																		



		38																																																																																																		
Mode	Band Edge																																																																																																			
	U-NII-2C_5.47-5.725_802.11ax HE20_CH100_RU26/0_5500MHz																																																																																																			
ANT	CDD 8+5																																																																																																			
Pol.	Horizontal	Fundamental																																																																																																		
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5370.64</td> <td>54.10</td> <td>74.00</td> <td>-19.90</td> <td>41.31</td> <td>34.64</td> <td>9.92</td> <td>31.77</td> <td>0.00</td> <td>111</td> <td>60 PEAK</td> </tr> <tr> <td>2</td> <td>5470.00</td> <td>52.76</td> <td>68.20</td> <td>-15.44</td> <td>39.68</td> <td>34.76</td> <td>10.04</td> <td>31.72</td> <td>0.00</td> <td>111</td> <td>60 PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5370.64	54.10	74.00	-19.90	41.31	34.64	9.92	31.77	0.00	111	60 PEAK	2	5470.00	52.76	68.20	-15.44	39.68	34.76	10.04	31.72	0.00	111	60 PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5500.00</td> <td>107.77</td> <td>-----</td> <td>-----</td> <td>94.69</td> <td>34.71</td> <td>10.08</td> <td>31.71</td> <td>0.00</td> <td>111</td> <td>60 PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5500.00	107.77	-----	-----	94.69	34.71	10.08	31.71	0.00	111	60 PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																										
1	5370.64	54.10	74.00	-19.90	41.31	34.64	9.92	31.77	0.00	111	60 PEAK																																																																																									
2	5470.00	52.76	68.20	-15.44	39.68	34.76	10.04	31.72	0.00	111	60 PEAK																																																																																									
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																										
1	5500.00	107.77	-----	-----	94.69	34.71	10.08	31.71	0.00	111	60 PEAK																																																																																									
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5457.68</td> <td>42.54</td> <td>54.00</td> <td>-11.46</td> <td>29.47</td> <td>34.78</td> <td>10.02</td> <td>31.73</td> <td>0.00</td> <td>111</td> <td>60 AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5457.68	42.54	54.00	-11.46	29.47	34.78	10.02	31.73	0.00	111	60 AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5500.00</td> <td>99.40</td> <td>-----</td> <td>-----</td> <td>86.32</td> <td>34.71</td> <td>10.08</td> <td>31.71</td> <td>0.00</td> <td>111</td> <td>60 AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5500.00	99.40	-----	-----	86.32	34.71	10.08	31.71	0.00	111	60 AVERAGE												
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																										
1	5457.68	42.54	54.00	-11.46	29.47	34.78	10.02	31.73	0.00	111	60 AVERAGE																																																																																									
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																										
1	5500.00	99.40	-----	-----	86.32	34.71	10.08	31.71	0.00	111	60 AVERAGE																																																																																									






		38																																																																																																		
Mode	Band Edge																																																																																																			
	U-NII-2C_5.47-5.725_802.11ax HE20_CH100_RU26/0_5500MHz																																																																																																			
ANT	CDD 8+5																																																																																																			
Pol.	Vertical	Fundamental																																																																																																		
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5395.12</td> <td>54.31</td> <td>74.00</td> <td>-19.69</td> <td>41.44</td> <td>34.69</td> <td>9.94</td> <td>31.76</td> <td>0.00</td> <td>100</td> <td>11 PEAK</td> </tr> <tr> <td>2</td> <td>5463.12</td> <td>53.18</td> <td>68.20</td> <td>-15.02</td> <td>40.10</td> <td>34.77</td> <td>10.03</td> <td>31.72</td> <td>0.00</td> <td>100</td> <td>11 PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5395.12	54.31	74.00	-19.69	41.44	34.69	9.94	31.76	0.00	100	11 PEAK	2	5463.12	53.18	68.20	-15.02	40.10	34.77	10.03	31.72	0.00	100	11 PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5500.00</td> <td>109.33</td> <td>-----</td> <td>-----</td> <td>96.25</td> <td>34.71</td> <td>10.08</td> <td>31.71</td> <td>0.00</td> <td>100</td> <td>11 PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5500.00	109.33	-----	-----	96.25	34.71	10.08	31.71	0.00	100	11 PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																										
1	5395.12	54.31	74.00	-19.69	41.44	34.69	9.94	31.76	0.00	100	11 PEAK																																																																																									
2	5463.12	53.18	68.20	-15.02	40.10	34.77	10.03	31.72	0.00	100	11 PEAK																																																																																									
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																										
1	5500.00	109.33	-----	-----	96.25	34.71	10.08	31.71	0.00	100	11 PEAK																																																																																									
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5458.32</td> <td>42.68</td> <td>54.00</td> <td>-11.32</td> <td>29.61</td> <td>34.78</td> <td>10.02</td> <td>31.73</td> <td>0.00</td> <td>100</td> <td>11 AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5458.32	42.68	54.00	-11.32	29.61	34.78	10.02	31.73	0.00	100	11 AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5500.00</td> <td>101.52</td> <td>-----</td> <td>-----</td> <td>88.44</td> <td>34.71</td> <td>10.08</td> <td>31.71</td> <td>0.00</td> <td>100</td> <td>11 AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5500.00	101.52	-----	-----	88.44	34.71	10.08	31.71	0.00	100	11 AVERAGE												
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																										
1	5458.32	42.68	54.00	-11.32	29.61	34.78	10.02	31.73	0.00	100	11 AVERAGE																																																																																									
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																										
1	5500.00	101.52	-----	-----	88.44	34.71	10.08	31.71	0.00	100	11 AVERAGE																																																																																									



Mode	39																																																																																	
	Band Edge																																																																																	
	U-NII-2C_5.47-5.725_802.11ax HE20_CH140_RU26/8_5700MHz																																																																																	
ANT	CDD 8+5																																																																																	
Pol.	Horizontal	Fundamental																																																																																
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5729.08</td> <td>55.47</td> <td>68.20</td> <td>-12.73</td> <td>42.37</td> <td>34.60</td> <td>10.35</td> <td>31.85</td> <td>0.00</td> <td>336</td> <td>24</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	5729.08	55.47	68.20	-12.73	42.37	34.60	10.35	31.85	0.00	336	24	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5700.00</td> <td>107.76</td> <td>-----</td> <td>-----</td> <td>94.63</td> <td>34.60</td> <td>10.33</td> <td>31.80</td> <td>0.00</td> <td>336</td> <td>24</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	5700.00	107.76	-----	-----	94.63	34.60	10.33	31.80	0.00	336	24	PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																										
1	5729.08	55.47	68.20	-12.73	42.37	34.60	10.35	31.85	0.00	336	24	PEAK																																																																						
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																										
1	5700.00	107.76	-----	-----	94.63	34.60	10.33	31.80	0.00	336	24	PEAK																																																																						
Avg	Blank	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5700.00</td> <td>100.03</td> <td>-----</td> <td>-----</td> <td>86.90</td> <td>34.60</td> <td>10.33</td> <td>31.80</td> <td>0.00</td> <td>336</td> <td>24</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	5700.00	100.03	-----	-----	86.90	34.60	10.33	31.80	0.00	336	24	AVERAGE																																								
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																										
1	5700.00	100.03	-----	-----	86.90	34.60	10.33	31.80	0.00	336	24	AVERAGE																																																																						



Mode	39																																																																																							
	Band Edge																																																																																							
	U-NII-2C_5.47-5.725_802.11ax HE20_CH140_RU26/8_5700MHZ																																																																																							
ANT	CDD 8+5																																																																																							
Pol.	Vertical	Fundamental																																																																																						
Peak	 <p>Level (dBuV/m)</p> <p>Frequency (MHz)</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5740.04</td> <td>56.64</td> <td>68.20</td> <td>-11.56</td> <td>43.56</td> <td>34.60</td> <td>10.36</td> <td>31.80</td> <td>0.00</td> <td>100</td> <td>28 PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5740.04	56.64	68.20	-11.56	43.56	34.60	10.36	31.80	0.00	100	28 PEAK	 <p>Level (dBuV/m)</p> <p>Frequency (MHz)</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5700.00</td> <td>109.30</td> <td>-----</td> <td>-----</td> <td>96.17</td> <td>34.60</td> <td>10.33</td> <td>31.80</td> <td>0.00</td> <td>100</td> <td>28 PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5700.00	109.30	-----	-----	96.17	34.60	10.33	31.80	0.00	100	28 PEAK
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																														
1	5740.04	56.64	68.20	-11.56	43.56	34.60	10.36	31.80	0.00	100	28 PEAK																																																																													
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																														
1	5700.00	109.30	-----	-----	96.17	34.60	10.33	31.80	0.00	100	28 PEAK																																																																													
Avg	Blank	 <p>Level (dBuV/m)</p> <p>Frequency (MHz)</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5700.00</td> <td>101.00</td> <td>-----</td> <td>-----</td> <td>87.87</td> <td>34.60</td> <td>10.33</td> <td>31.80</td> <td>0.00</td> <td>100</td> <td>28 AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5700.00	101.00	-----	-----	87.87	34.60	10.33	31.80	0.00	100	28 AVERAGE																																											
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																														
1	5700.00	101.00	-----	-----	87.87	34.60	10.33	31.80	0.00	100	28 AVERAGE																																																																													



Mode	40																																																																																														
	Band Edge																																																																																														
	U-NII-2C_5.47-5.725_802.11ax HE20_CH100_RU52/37_5500MHz																																																																																														
ANT	CDD 8+5																																																																																														
Pol.	Horizontal	Fundamental																																																																																													
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5442.16</td> <td>54.15</td> <td>74.00</td> <td>-19.85</td> <td>41.11</td> <td>34.78</td> <td>10.00</td> <td>31.74</td> <td>0.00</td> <td>300</td> <td>58</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5462.00</td> <td>52.79</td> <td>68.20</td> <td>-15.41</td> <td>39.70</td> <td>34.78</td> <td>10.03</td> <td>31.72</td> <td>0.00</td> <td>300</td> <td>58</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	5442.16	54.15	74.00	-19.85	41.11	34.78	10.00	31.74	0.00	300	58	PEAK	2	5462.00	52.79	68.20	-15.41	39.70	34.78	10.03	31.72	0.00	300	58	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5500.00</td> <td>108.18</td> <td>-----</td> <td>-----</td> <td>95.10</td> <td>34.71</td> <td>10.08</td> <td>31.71</td> <td>0.00</td> <td>300</td> <td>58</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	5500.00	108.18	-----	-----	95.10	34.71	10.08	31.71	0.00	300	58	PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																						
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																							
1	5442.16	54.15	74.00	-19.85	41.11	34.78	10.00	31.74	0.00	300	58	PEAK																																																																																			
2	5462.00	52.79	68.20	-15.41	39.70	34.78	10.03	31.72	0.00	300	58	PEAK																																																																																			
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																							
1	5500.00	108.18	-----	-----	95.10	34.71	10.08	31.71	0.00	300	58	PEAK																																																																																			
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5455.92</td> <td>42.64</td> <td>54.00</td> <td>-11.36</td> <td>29.56</td> <td>34.79</td> <td>10.02</td> <td>31.73</td> <td>0.00</td> <td>300</td> <td>58</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	5455.92	42.64	54.00	-11.36	29.56	34.79	10.02	31.73	0.00	300	58	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5500.00</td> <td>99.51</td> <td>-----</td> <td>-----</td> <td>86.43</td> <td>34.71</td> <td>10.08</td> <td>31.71</td> <td>0.00</td> <td>300</td> <td>58</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	5500.00	99.51	-----	-----	86.43	34.71	10.08	31.71	0.00	300	58	AVERAGE													
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																							
1	5455.92	42.64	54.00	-11.36	29.56	34.79	10.02	31.73	0.00	300	58	AVERAGE																																																																																			
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																							
1	5500.00	99.51	-----	-----	86.43	34.71	10.08	31.71	0.00	300	58	AVERAGE																																																																																			






		40																																																																																													
Mode	Band Edge																																																																																														
	U-NII-2C_5.47-5.725_802.11ax HE20_CH100_RU52/37_5500MHz																																																																																														
ANT	CDD 8+5																																																																																														
Pol.	Vertical	Fundamental																																																																																													
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5431.92</td> <td>53.99</td> <td>74.00</td> <td>-20.01</td> <td>40.99</td> <td>34.76</td> <td>9.98</td> <td>31.74</td> <td>0.00</td> <td>138</td> <td>360</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5467.76</td> <td>54.35</td> <td>68.20</td> <td>-13.85</td> <td>41.27</td> <td>34.76</td> <td>10.04</td> <td>31.72</td> <td>0.00</td> <td>138</td> <td>360</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1	5431.92	53.99	74.00	-20.01	40.99	34.76	9.98	31.74	0.00	138	360	PEAK	2	5467.76	54.35	68.20	-13.85	41.27	34.76	10.04	31.72	0.00	138	360	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5500.00</td> <td>110.14</td> <td>-----</td> <td>-----</td> <td>97.06</td> <td>34.71</td> <td>10.08</td> <td>31.71</td> <td>0.00</td> <td>138</td> <td>360</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1	5500.00	110.14	-----	-----	97.06	34.71	10.08	31.71	0.00	138	360	PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																						
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																																							
1	5431.92	53.99	74.00	-20.01	40.99	34.76	9.98	31.74	0.00	138	360	PEAK																																																																																			
2	5467.76	54.35	68.20	-13.85	41.27	34.76	10.04	31.72	0.00	138	360	PEAK																																																																																			
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																																							
1	5500.00	110.14	-----	-----	97.06	34.71	10.08	31.71	0.00	138	360	PEAK																																																																																			
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5455.12</td> <td>42.86</td> <td>54.00</td> <td>-11.14</td> <td>29.78</td> <td>34.79</td> <td>10.02</td> <td>31.73</td> <td>0.00</td> <td>138</td> <td>360</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1	5455.12	42.86	54.00	-11.14	29.78	34.79	10.02	31.73	0.00	138	360	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5500.00</td> <td>101.48</td> <td>-----</td> <td>-----</td> <td>88.40</td> <td>34.71</td> <td>10.08</td> <td>31.71</td> <td>0.00</td> <td>138</td> <td>360</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1	5500.00	101.48	-----	-----	88.40	34.71	10.08	31.71	0.00	138	360	AVERAGE													
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																																							
1	5455.12	42.86	54.00	-11.14	29.78	34.79	10.02	31.73	0.00	138	360	AVERAGE																																																																																			
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																																							
1	5500.00	101.48	-----	-----	88.40	34.71	10.08	31.71	0.00	138	360	AVERAGE																																																																																			



	41																																																																																	
Mode	Band Edge																																																																																	
	U-NII-2C_5.47-5.725_802.11ax HE20_CH140_RU52/40_5700MHz																																																																																	
ANT	CDD 8+5																																																																																	
Pol.	Horizontal	Fundamental																																																																																
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5749.48</td> <td>55.43</td> <td>68.20</td> <td>-12.77</td> <td>42.37</td> <td>34.60</td> <td>10.36</td> <td>31.90</td> <td>0.00</td> <td>303</td> <td>45</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	5749.48	55.43	68.20	-12.77	42.37	34.60	10.36	31.90	0.00	303	45	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5700.00</td> <td>110.52</td> <td>-----</td> <td>-----</td> <td>97.38</td> <td>34.60</td> <td>10.33</td> <td>31.79</td> <td>0.00</td> <td>303</td> <td>45</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	5700.00	110.52	-----	-----	97.38	34.60	10.33	31.79	0.00	303	45	PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																										
1	5749.48	55.43	68.20	-12.77	42.37	34.60	10.36	31.90	0.00	303	45	PEAK																																																																						
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																										
1	5700.00	110.52	-----	-----	97.38	34.60	10.33	31.79	0.00	303	45	PEAK																																																																						
Avg	Blank	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5700.00</td> <td>101.59</td> <td>-----</td> <td>-----</td> <td>88.45</td> <td>34.60</td> <td>10.33</td> <td>31.79</td> <td>0.00</td> <td>303</td> <td>45</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	5700.00	101.59	-----	-----	88.45	34.60	10.33	31.79	0.00	303	45	AVERAGE																																								
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																										
1	5700.00	101.59	-----	-----	88.45	34.60	10.33	31.79	0.00	303	45	AVERAGE																																																																						



	41																																																																																	
Mode	Band Edge																																																																																	
	U-NII-2C_5.47-5.725_802.11ax HE20_CH140_RU52/40_5700MHz																																																																																	
ANT	CDD 8+5																																																																																	
Pol.	Vertical	Fundamental																																																																																
Peak	 <p>Level (dBuV/m)</p> <p>Frequency (MHz)</p> <p>U-NII-1-U-NII-2A-U-NII-2C</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5743.80</td> <td>55.31</td> <td>68.20</td> <td>-12.89</td> <td>42.24</td> <td>34.60</td> <td>10.36</td> <td>31.89</td> <td>0.00</td> <td>146</td> <td>28</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	5743.80	55.31	68.20	-12.89	42.24	34.60	10.36	31.89	0.00	146	28	PEAK	 <p>Level (dBuV/m)</p> <p>Frequency (MHz)</p> <p>U-NII-1-U-NII-2A-U-NII-2C</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5700.00</td> <td>100.64</td> <td>-----</td> <td>-----</td> <td>95.51</td> <td>34.60</td> <td>10.33</td> <td>31.80</td> <td>0.00</td> <td>146</td> <td>28</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	5700.00	100.64	-----	-----	95.51	34.60	10.33	31.80	0.00	146	28	PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																										
1	5743.80	55.31	68.20	-12.89	42.24	34.60	10.36	31.89	0.00	146	28	PEAK																																																																						
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																										
1	5700.00	100.64	-----	-----	95.51	34.60	10.33	31.80	0.00	146	28	PEAK																																																																						
Avg	Blank	 <p>Level (dBuV/m)</p> <p>Frequency (MHz)</p> <p>U-NII-1-U-NII-2A-U-NII-2C(AVG)</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5700.00</td> <td>100.70</td> <td>-----</td> <td>-----</td> <td>87.57</td> <td>34.60</td> <td>10.33</td> <td>31.80</td> <td>0.00</td> <td>146</td> <td>28</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	5700.00	100.70	-----	-----	87.57	34.60	10.33	31.80	0.00	146	28	AVERAGE																																								
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																										
1	5700.00	100.70	-----	-----	87.57	34.60	10.33	31.80	0.00	146	28	AVERAGE																																																																						



	42																																																																																																	
Mode	Band Edge																																																																																																	
	U-NII-2C_5.47-5.725_802.11ax HE20_CH100_RU106/53_5500MHz																																																																																																	
ANT	CDD 8+5																																																																																																	
Pol.	Horizontal	Fundamental																																																																																																
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5452.40</td> <td>53.74</td> <td>74.00</td> <td>-20.26</td> <td>40.65</td> <td>34.00</td> <td>10.02</td> <td>31.73</td> <td>0.00</td> <td>114</td> <td>53 PEAK</td> </tr> <tr> <td>2</td> <td>5467.28</td> <td>54.16</td> <td>68.20</td> <td>-14.04</td> <td>41.07</td> <td>34.77</td> <td>10.04</td> <td>31.72</td> <td>0.00</td> <td>114</td> <td>53 PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5452.40	53.74	74.00	-20.26	40.65	34.00	10.02	31.73	0.00	114	53 PEAK	2	5467.28	54.16	68.20	-14.04	41.07	34.77	10.04	31.72	0.00	114	53 PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5500.00</td> <td>108.64</td> <td>-----</td> <td>-----</td> <td>95.56</td> <td>34.71</td> <td>10.08</td> <td>31.71</td> <td>0.00</td> <td>114</td> <td>53 PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	108.64	-----	-----	95.56	34.71	10.08	31.71	0.00	114	53 PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5452.40	53.74	74.00	-20.26	40.65	34.00	10.02	31.73	0.00	114	53 PEAK																																																																																							
2	5467.28	54.16	68.20	-14.04	41.07	34.77	10.04	31.72	0.00	114	53 PEAK																																																																																							
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5500.00	108.64	-----	-----	95.56	34.71	10.08	31.71	0.00	114	53 PEAK																																																																																							
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5459.44</td> <td>43.34</td> <td>54.00</td> <td>-10.66</td> <td>30.26</td> <td>34.78</td> <td>10.03</td> <td>31.73</td> <td>0.00</td> <td>114</td> <td>53 AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5459.44	43.34	54.00	-10.66	30.26	34.78	10.03	31.73	0.00	114	53 AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5500.00</td> <td>99.91</td> <td>-----</td> <td>-----</td> <td>86.83</td> <td>34.71</td> <td>10.08</td> <td>31.71</td> <td>0.00</td> <td>114</td> <td>53 AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	99.91	-----	-----	86.83	34.71	10.08	31.71	0.00	114	53 AVERAGE												
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5459.44	43.34	54.00	-10.66	30.26	34.78	10.03	31.73	0.00	114	53 AVERAGE																																																																																							
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5500.00	99.91	-----	-----	86.83	34.71	10.08	31.71	0.00	114	53 AVERAGE																																																																																							



		42																																																																																																				
Mode	Band Edge																																																																																																					
	U-NII-2C_5.47-5.725_802.11ax HE20_CH100_RU106/53_5500MHz																																																																																																					
ANT	CDD 8+5																																																																																																					
Pol.	Vertical	Fundamental																																																																																																				
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5458.80</td> <td>54.79</td> <td>74.00</td> <td>-19.21</td> <td>41.72</td> <td>34.78</td> <td>10.02</td> <td>31.73</td> <td>0.00</td> <td>191</td> <td>360</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5469.52</td> <td>55.20</td> <td>68.20</td> <td>-13.00</td> <td>42.12</td> <td>34.76</td> <td>10.04</td> <td>31.72</td> <td>0.00</td> <td>191</td> <td>360</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5458.80	54.79	74.00	-19.21	41.72	34.78	10.02	31.73	0.00	191	360	PEAK	2	5469.52	55.20	68.20	-13.00	42.12	34.76	10.04	31.72	0.00	191	360	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5500.00</td> <td>109.91</td> <td>-----</td> <td>-----</td> <td>96.83</td> <td>34.71</td> <td>10.08</td> <td>31.71</td> <td>0.00</td> <td>191</td> <td>360</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5500.00	109.91	-----	-----	96.83	34.71	10.08	31.71	0.00	191	360	PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	5458.80	54.79	74.00	-19.21	41.72	34.78	10.02	31.73	0.00	191	360	PEAK																																																																																										
2	5469.52	55.20	68.20	-13.00	42.12	34.76	10.04	31.72	0.00	191	360	PEAK																																																																																										
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																												
1	5500.00	109.91	-----	-----	96.83	34.71	10.08	31.71	0.00	191	360	PEAK																																																																																										
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5459.60</td> <td>43.39</td> <td>54.00</td> <td>-10.61</td> <td>30.31</td> <td>34.78</td> <td>10.03</td> <td>31.73</td> <td>0.00</td> <td>191</td> <td>360</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5459.60	43.39	54.00	-10.61	30.31	34.78	10.03	31.73	0.00	191	360	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5500.00</td> <td>101.24</td> <td>-----</td> <td>-----</td> <td>88.16</td> <td>34.71</td> <td>10.08</td> <td>31.71</td> <td>0.00</td> <td>191</td> <td>360</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5500.00	101.24	-----	-----	88.16	34.71	10.08	31.71	0.00	191	360	AVERAGE												
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																												
1	5459.60	43.39	54.00	-10.61	30.31	34.78	10.03	31.73	0.00	191	360	AVERAGE																																																																																										
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																												
1	5500.00	101.24	-----	-----	88.16	34.71	10.08	31.71	0.00	191	360	AVERAGE																																																																																										



Mode	43																																																																																	
	Band Edge																																																																																	
	U-NII-2C_5.47-5.725_802.11ax HE20_CH140_RU106/54_5700MHz																																																																																	
ANT	CDD 8+5																																																																																	
Pol.	Horizontal	Fundamental																																																																																
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5725.56</td> <td>58.13</td> <td>68.20</td> <td>-10.07</td> <td>45.02</td> <td>34.60</td> <td>10.35</td> <td>31.84</td> <td>0.00</td> <td>230</td> <td>304</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	5725.56	58.13	68.20	-10.07	45.02	34.60	10.35	31.84	0.00	230	304	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5700.00</td> <td>108.64</td> <td>-----</td> <td>-----</td> <td>95.50</td> <td>34.60</td> <td>10.33</td> <td>31.79</td> <td>0.00</td> <td>230</td> <td>304</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	5700.00	108.64	-----	-----	95.50	34.60	10.33	31.79	0.00	230	304	PEAK
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																										
1	5725.56	58.13	68.20	-10.07	45.02	34.60	10.35	31.84	0.00	230	304	PEAK																																																																						
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																										
1	5700.00	108.64	-----	-----	95.50	34.60	10.33	31.79	0.00	230	304	PEAK																																																																						
Avg	Blank	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5700.00</td> <td>100.75</td> <td>-----</td> <td>-----</td> <td>87.61</td> <td>34.60</td> <td>10.33</td> <td>31.79</td> <td>0.00</td> <td>230</td> <td>304</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	5700.00	100.75	-----	-----	87.61	34.60	10.33	31.79	0.00	230	304	AVERAGE																																								
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																										
1	5700.00	100.75	-----	-----	87.61	34.60	10.33	31.79	0.00	230	304	AVERAGE																																																																						



Mode	43																																																																																	
	Band Edge																																																																																	
	U-NII-2C_5.47-5.725_802.11ax HE20_CH140_RU106/54_5700MHz																																																																																	
ANT	CDD 8+5																																																																																	
Pol.	Vertical	Fundamental																																																																																
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5730.76</td> <td>60.99</td> <td>68.20</td> <td>-7.21</td> <td>47.89</td> <td>34.60</td> <td>10.35</td> <td>31.85</td> <td>0.00</td> <td>132</td> <td>40</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	5730.76	60.99	68.20	-7.21	47.89	34.60	10.35	31.85	0.00	132	40	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5700.00</td> <td>100.77</td> <td>-----</td> <td>-----</td> <td>95.63</td> <td>34.60</td> <td>10.33</td> <td>31.79</td> <td>0.00</td> <td>132</td> <td>40</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	5700.00	100.77	-----	-----	95.63	34.60	10.33	31.79	0.00	132	40	PEAK
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																										
1	5730.76	60.99	68.20	-7.21	47.89	34.60	10.35	31.85	0.00	132	40	PEAK																																																																						
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																										
1	5700.00	100.77	-----	-----	95.63	34.60	10.33	31.79	0.00	132	40	PEAK																																																																						
Avg	Blank	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5700.00</td> <td>100.39</td> <td>-----</td> <td>-----</td> <td>87.26</td> <td>34.60</td> <td>10.33</td> <td>31.80</td> <td>0.00</td> <td>132</td> <td>40</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	5700.00	100.39	-----	-----	87.26	34.60	10.33	31.80	0.00	132	40	AVERAGE																																								
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																										
1	5700.00	100.39	-----	-----	87.26	34.60	10.33	31.80	0.00	132	40	AVERAGE																																																																						



	63																																																																			
Mode	Band Edge - L																																																																			
	U-NII-1_5.15-5.25_802.11n HT40_CH38_Full_5190MHz																																																																			
ANT	CDD 8+5																																																																			
Pol.	Horizontal	Fundamental																																																																		
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5148.96</td> <td>61.15</td> <td>74.00</td> <td>-12.85</td> <td>49.05</td> <td>34.20</td> <td>9.79</td> <td>31.89</td> <td>0.00</td> <td>128</td> <td>322</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss	Factor	Factor	cm	deg	1	5148.96	61.15	74.00	-12.85	49.05	34.20	9.79	31.89	0.00	128	322	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5190.00</td> <td>107.57</td> <td>-----</td> <td>-----</td> <td>95.40</td> <td>34.20</td> <td>9.83</td> <td>31.86</td> <td>0.00</td> <td>128</td> <td>322</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss	Factor	Factor	cm	deg	1	5190.00	107.57	-----	-----	95.40	34.20	9.83	31.86	0.00	128	322	PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																										
Freq	Level	Line	Level	Factor	Loss	Factor	Factor	cm	deg																																																											
1	5148.96	61.15	74.00	-12.85	49.05	34.20	9.79	31.89	0.00	128	322	PEAK																																																								
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																											
Freq	Level	Line	Level	Factor	Loss	Factor	Factor	cm	deg																																																											
1	5190.00	107.57	-----	-----	95.40	34.20	9.83	31.86	0.00	128	322	PEAK																																																								
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5147.68</td> <td>49.91</td> <td>54.00</td> <td>-4.09</td> <td>37.82</td> <td>34.20</td> <td>9.78</td> <td>31.89</td> <td>0.00</td> <td>128</td> <td>322</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss	Factor	Factor	cm	deg	1	5147.68	49.91	54.00	-4.09	37.82	34.20	9.78	31.89	0.00	128	322	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5190.00</td> <td>99.55</td> <td>-----</td> <td>-----</td> <td>87.42</td> <td>34.20</td> <td>9.81</td> <td>31.88</td> <td>0.00</td> <td>128</td> <td>322</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss	Factor	Factor	cm	deg	1	5190.00	99.55	-----	-----	87.42	34.20	9.81	31.88	0.00	128	322	AVERAGE
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																											
Freq	Level	Line	Level	Factor	Loss	Factor	Factor	cm	deg																																																											
1	5147.68	49.91	54.00	-4.09	37.82	34.20	9.78	31.89	0.00	128	322	AVERAGE																																																								
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																											
Freq	Level	Line	Level	Factor	Loss	Factor	Factor	cm	deg																																																											
1	5190.00	99.55	-----	-----	87.42	34.20	9.81	31.88	0.00	128	322	AVERAGE																																																								



Mode	63																																												
	Band Edge - R																																												
	U-NII-1_5.15-5.25_802.11n HT40_CH38_Full_5190MHz																																												
ANT	CDD 8+5																																												
Pol.	Horizontal	Fundamental																																											
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5369.55</td> <td>54.59</td> <td>74.00</td> <td>-19.41</td> <td>41.80</td> <td>34.64</td> <td>9.92</td> <td>31.77</td> <td>0.00</td> <td>128</td> <td>322</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss	Factor	Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5369.55	54.59	74.00	-19.41	41.80	34.64	9.92	31.77	0.00	128	322	PEAK	Blank
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																				
Freq	Level	Line	Level	Factor	Loss	Factor	Factor	cm	deg																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																				
1	5369.55	54.59	74.00	-19.41	41.80	34.64	9.92	31.77	0.00	128	322	PEAK																																	
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5459.19</td> <td>42.41</td> <td>54.00</td> <td>-11.59</td> <td>29.33</td> <td>34.78</td> <td>10.03</td> <td>31.73</td> <td>0.00</td> <td>128</td> <td>322</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss	Factor	Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5459.19	42.41	54.00	-11.59	29.33	34.78	10.03	31.73	0.00	128	322	AVERAGE	Blank
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																				
Freq	Level	Line	Level	Factor	Loss	Factor	Factor	cm	deg																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																				
1	5459.19	42.41	54.00	-11.59	29.33	34.78	10.03	31.73	0.00	128	322	AVERAGE																																	



63																																			
Mode																																			
Band Edge - L																																			
U-NII-1_5.15-5.25_802.11n HT40_CH38_Full_5190MHz																																			
ANT																																			
CDD 8+5																																			
Pol.	Vertical																																		
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5146.72</td> <td>58.14</td> <td>74.00</td> <td>-15.86</td> <td>46.06</td> <td>34.19</td> <td>9.78</td> <td>31.89</td> <td>0.00</td> <td>239</td> <td>0 PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss	Factor	Factor	cm	deg	1	5146.72	58.14	74.00	-15.86	46.06	34.19	9.78	31.89	0.00	239	0 PEAK		
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																									
Freq	Level	Line	Level	Factor	Loss	Factor	Factor	cm	deg																										
1	5146.72	58.14	74.00	-15.86	46.06	34.19	9.78	31.89	0.00	239	0 PEAK																								
<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> <th>Remark</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5190.00</td> <td>105.56</td> <td>-----</td> <td>-----</td> <td>93.40</td> <td>34.20</td> <td>9.83</td> <td>31.87</td> <td>0.00</td> <td>239</td> <td>0 PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	cm	deg	Remark	1	5190.00	105.56	-----	-----	93.40	34.20	9.83	31.87	0.00	239	0 PEAK	
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	cm	deg	Remark																								
1	5190.00	105.56	-----	-----	93.40	34.20	9.83	31.87	0.00	239	0 PEAK																								
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> <th>Remark</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5149.92</td> <td>47.37</td> <td>54.00</td> <td>-6.63</td> <td>35.27</td> <td>34.20</td> <td>9.79</td> <td>31.89</td> <td>0.00</td> <td>239</td> <td>0 AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	cm	deg	Remark	1	5149.92	47.37	54.00	-6.63	35.27	34.20	9.79	31.89	0.00	239	0 AVERAGE
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	cm	deg	Remark																								
1	5149.92	47.37	54.00	-6.63	35.27	34.20	9.79	31.89	0.00	239	0 AVERAGE																								
<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> <th>Remark</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5190.00</td> <td>96.32</td> <td>-----</td> <td>-----</td> <td>84.18</td> <td>34.20</td> <td>9.81</td> <td>31.87</td> <td>0.00</td> <td>239</td> <td>0 AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	cm	deg	Remark	1	5190.00	96.32	-----	-----	84.18	34.20	9.81	31.87	0.00	239	0 AVERAGE	
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	cm	deg	Remark																								
1	5190.00	96.32	-----	-----	84.18	34.20	9.81	31.87	0.00	239	0 AVERAGE																								



Mode	63																																												
	Band Edge - R																																												
	U-NII-1_5.15-5.25_802.11n HT40_CH38_Full_5190MHz																																												
ANT	CDD 8+5																																												
Pol.	Vertical	Fundamental																																											
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5423.82</td> <td>53.09</td> <td>74.00</td> <td>-20.91</td> <td>40.11</td> <td>34.75</td> <td>9.97</td> <td>31.74</td> <td>0.00</td> <td>239</td> <td>0</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss	Factor	Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5423.82	53.09	74.00	-20.91	40.11	34.75	9.97	31.74	0.00	239	0	PEAK	Blank
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																				
Freq	Level	Line	Level	Factor	Loss	Factor	Factor	cm	deg																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																				
1	5423.82	53.09	74.00	-20.91	40.11	34.75	9.97	31.74	0.00	239	0	PEAK																																	
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5352.81</td> <td>42.42</td> <td>54.00</td> <td>-11.58</td> <td>29.68</td> <td>34.61</td> <td>9.91</td> <td>31.78</td> <td>0.00</td> <td>239</td> <td>0</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss	Factor	Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5352.81	42.42	54.00	-11.58	29.68	34.61	9.91	31.78	0.00	239	0	AVERAGE	Blank
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																				
Freq	Level	Line	Level	Factor	Loss	Factor	Factor	cm	deg																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																				
1	5352.81	42.42	54.00	-11.58	29.68	34.61	9.91	31.78	0.00	239	0	AVERAGE																																	



Mode	63																																																																																																																																																															
	Harmonic																																																																																																																																																															
	U-NII-1_5.15-5.25_802.11n_HT40_CH38_Full_5190MHz																																																																																																																																																															
ANT	CDD 8+5																																																																																																																																																															
Pol.	Horizontal	Vertical																																																																																																																																																														
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7785.00</td> <td>62.68</td> <td>68.20</td> <td>-5.52</td> <td>75.23</td> <td>35.90</td> <td>12.14</td> <td>60.59</td> <td>0.00</td> <td>100</td> <td>72 PEAK</td> </tr> <tr> <td>2</td> <td>10380.00</td> <td>60.63</td> <td>68.20</td> <td>-7.57</td> <td>70.31</td> <td>37.46</td> <td>14.14</td> <td>61.28</td> <td>0.00</td> <td>100</td> <td>16 PEAK</td> </tr> <tr> <td>3</td> <td>15570.00</td> <td>60.25</td> <td>74.00</td> <td>-13.75</td> <td>62.52</td> <td>40.14</td> <td>17.53</td> <td>59.94</td> <td>0.00</td> <td>100</td> <td>33 PEAK</td> </tr> <tr> <td>4</td> <td>15570.00</td> <td>49.37</td> <td>54.00</td> <td>-4.63</td> <td>51.62</td> <td>40.15</td> <td>17.53</td> <td>59.93</td> <td>0.00</td> <td>100</td> <td>33 AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7785.00	62.68	68.20	-5.52	75.23	35.90	12.14	60.59	0.00	100	72 PEAK	2	10380.00	60.63	68.20	-7.57	70.31	37.46	14.14	61.28	0.00	100	16 PEAK	3	15570.00	60.25	74.00	-13.75	62.52	40.14	17.53	59.94	0.00	100	33 PEAK	4	15570.00	49.37	54.00	-4.63	51.62	40.15	17.53	59.93	0.00	100	33 AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7785.00</td> <td>64.34</td> <td>68.20</td> <td>-3.86</td> <td>76.09</td> <td>35.90</td> <td>12.14</td> <td>60.59</td> <td>0.00</td> <td>101</td> <td>92 PEAK</td> </tr> <tr> <td>2</td> <td>10380.00</td> <td>55.71</td> <td>68.20</td> <td>-12.49</td> <td>65.39</td> <td>37.46</td> <td>14.14</td> <td>61.28</td> <td>0.00</td> <td>100</td> <td>29 PEAK</td> </tr> <tr> <td>3</td> <td>15570.00</td> <td>58.62</td> <td>74.00</td> <td>-15.38</td> <td>60.89</td> <td>40.14</td> <td>17.53</td> <td>59.94</td> <td>0.00</td> <td>248</td> <td>356 PEAK</td> </tr> <tr> <td>4</td> <td>15570.00</td> <td>48.16</td> <td>54.00</td> <td>-5.84</td> <td>50.43</td> <td>40.14</td> <td>17.53</td> <td>59.94</td> <td>0.00</td> <td>248</td> <td>356 AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7785.00	64.34	68.20	-3.86	76.09	35.90	12.14	60.59	0.00	101	92 PEAK	2	10380.00	55.71	68.20	-12.49	65.39	37.46	14.14	61.28	0.00	100	29 PEAK	3	15570.00	58.62	74.00	-15.38	60.89	40.14	17.53	59.94	0.00	248	356 PEAK	4	15570.00	48.16	54.00	-5.84	50.43	40.14	17.53	59.94	0.00	248	356 AVERAGE
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																						
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																						
1	7785.00	62.68	68.20	-5.52	75.23	35.90	12.14	60.59	0.00	100	72 PEAK																																																																																																																																																					
2	10380.00	60.63	68.20	-7.57	70.31	37.46	14.14	61.28	0.00	100	16 PEAK																																																																																																																																																					
3	15570.00	60.25	74.00	-13.75	62.52	40.14	17.53	59.94	0.00	100	33 PEAK																																																																																																																																																					
4	15570.00	49.37	54.00	-4.63	51.62	40.15	17.53	59.93	0.00	100	33 AVERAGE																																																																																																																																																					
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																						
1	7785.00	64.34	68.20	-3.86	76.09	35.90	12.14	60.59	0.00	101	92 PEAK																																																																																																																																																					
2	10380.00	55.71	68.20	-12.49	65.39	37.46	14.14	61.28	0.00	100	29 PEAK																																																																																																																																																					
3	15570.00	58.62	74.00	-15.38	60.89	40.14	17.53	59.94	0.00	248	356 PEAK																																																																																																																																																					
4	15570.00	48.16	54.00	-5.84	50.43	40.14	17.53	59.94	0.00	248	356 AVERAGE																																																																																																																																																					



		64																																																																																						
Mode		Band Edge - L																																																																																						
		U-NII-1_5.15-5.25_802.11n HT40_CH46_Full_5230MHz																																																																																						
ANT		CDD 8+5																																																																																						
Pol.	Horizontal	Fundamental																																																																																						
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5149.12</td> <td>58.34</td> <td>74.00</td> <td>-15.66</td> <td>46.24</td> <td>34.20</td> <td>9.79</td> <td>31.89</td> <td>0.00</td> <td>100</td> <td>318</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5149.12	58.34	74.00	-15.66	46.24	34.20	9.79	31.89	0.00	100	318	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5230.00</td> <td>109.40</td> <td>-----</td> <td>-----</td> <td>97.17</td> <td>34.24</td> <td>9.84</td> <td>31.85</td> <td>0.00</td> <td>100</td> <td>318</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5230.00	109.40	-----	-----	97.17	34.24	9.84	31.85	0.00	100	318	PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																														
Freq	Level	Line	Level	Factor	Loss	Factor	Factor																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																															
1	5149.12	58.34	74.00	-15.66	46.24	34.20	9.79	31.89	0.00	100	318	PEAK																																																																												
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																															
Freq	Level	Line	Level	Factor	Loss	Factor	Factor																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																															
1	5230.00	109.40	-----	-----	97.17	34.24	9.84	31.85	0.00	100	318	PEAK																																																																												
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5149.12</td> <td>47.50</td> <td>54.00</td> <td>-6.50</td> <td>35.40</td> <td>34.20</td> <td>9.79</td> <td>31.89</td> <td>0.00</td> <td>100</td> <td>318</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5149.12	47.50	54.00	-6.50	35.40	34.20	9.79	31.89	0.00	100	318	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5230.00</td> <td>100.87</td> <td>-----</td> <td>-----</td> <td>88.61</td> <td>34.26</td> <td>9.85</td> <td>31.85</td> <td>0.00</td> <td>100</td> <td>318</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5230.00	100.87	-----	-----	88.61	34.26	9.85	31.85	0.00	100	318	AVERAGE
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																														
Freq	Level	Line	Level	Factor	Loss	Factor	Factor																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																															
1	5149.12	47.50	54.00	-6.50	35.40	34.20	9.79	31.89	0.00	100	318	AVERAGE																																																																												
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																															
Freq	Level	Line	Level	Factor	Loss	Factor	Factor																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																															
1	5230.00	100.87	-----	-----	88.61	34.26	9.85	31.85	0.00	100	318	AVERAGE																																																																												



Mode	64																																												
	Band Edge - R																																												
	U-NII-1_5.15-5.25_802.11n HT40_CH46_Full_5230MHz																																												
ANT	CDD 8+5																																												
Pol.	Horizontal	Fundamental																																											
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5356.00</td> <td>54.09</td> <td>74.00</td> <td>-19.91</td> <td>41.34</td> <td>34.61</td> <td>9.92</td> <td>31.78</td> <td>0.00</td> <td>100</td> <td>318</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5356.00	54.09	74.00	-19.91	41.34	34.61	9.92	31.78	0.00	100	318	PEAK	Blank
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																			
1 5356.00	54.09	74.00	-19.91	41.34	34.61	9.92	31.78	0.00	100	318	PEAK																																		
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5350.14</td> <td>43.76</td> <td>54.00</td> <td>-10.24</td> <td>31.03</td> <td>34.60</td> <td>9.91</td> <td>31.78</td> <td>0.00</td> <td>100</td> <td>318</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5350.14	43.76	54.00	-10.24	31.03	34.60	9.91	31.78	0.00	100	318	AVERAGE	Blank
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																			
1 5350.14	43.76	54.00	-10.24	31.03	34.60	9.91	31.78	0.00	100	318	AVERAGE																																		