



Mode	45																																																																															
	Band Edge																																																																															
	Co-TX U-NII-1_5.15-5.25_802.11ac VHT80_CH42_5210MHz+LTE B48 Link+Bluetooth-LE_CH38_2478MHz																																																																															
ANT	6																																																																															
Pol.	Vertical	Fundamental																																																																														
Peak	<p>Date: 2024-09-15</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>cm</th> <th>deg</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2478.33</td> <td>111.76</td> <td>74.00</td> <td>-23.33</td> <td>42.42</td> <td>32.47</td> <td>7.88</td> <td>32.10</td> <td>341</td> <td>283</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor	cm	deg		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2478.33	111.76	74.00	-23.33	42.42	32.47	7.88	32.10	341	283	PEAK	<p>Date: 2024-09-15</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>cm</th> <th>deg</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2478.00</td> <td>111.76</td> <td>74.00</td> <td>-23.33</td> <td>42.42</td> <td>32.47</td> <td>7.88</td> <td>32.10</td> <td>341</td> <td>283</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor	cm	deg		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2478.00	111.76	74.00	-23.33	42.42	32.47	7.88	32.10	341	283	PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																							
Freq	Level	Line	Level	Factor	Loss Factor	cm	deg																																																																									
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	2478.33	111.76	74.00	-23.33	42.42	32.47	7.88	32.10	341	283	PEAK																																																																					
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																								
Freq	Level	Line	Level	Factor	Loss Factor	cm	deg																																																																									
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	2478.00	111.76	74.00	-23.33	42.42	32.47	7.88	32.10	341	283	PEAK																																																																					
Avg	<p>Date: 2024-09-15</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>cm</th> <th>deg</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2478.02</td> <td>109.86</td> <td>54.00</td> <td>-11.03</td> <td>34.73</td> <td>32.46</td> <td>7.88</td> <td>32.10</td> <td>341</td> <td>283</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor	cm	deg		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2478.02	109.86	54.00	-11.03	34.73	32.46	7.88	32.10	341	283	AVERAGE	<p>Date: 2024-09-15</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>cm</th> <th>deg</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2478.00</td> <td>109.86</td> <td>54.00</td> <td>-11.03</td> <td>34.73</td> <td>32.46</td> <td>7.88</td> <td>32.10</td> <td>341</td> <td>283</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor	cm	deg		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2478.00	109.86	54.00	-11.03	34.73	32.46	7.88	32.10	341	283	AVERAGE
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																								
Freq	Level	Line	Level	Factor	Loss Factor	cm	deg																																																																									
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	2478.02	109.86	54.00	-11.03	34.73	32.46	7.88	32.10	341	283	AVERAGE																																																																					
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																								
Freq	Level	Line	Level	Factor	Loss Factor	cm	deg																																																																									
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	2478.00	109.86	54.00	-11.03	34.73	32.46	7.88	32.10	341	283	AVERAGE																																																																					



Mode	45																																																																																																																																							
	Harmonic																																																																																																																																							
	Co-TX U-NII-1_5.15-5.25_802.11ac VHT80_CH42_5210MHz+LTE B48 Link+Bluetooth-LE_CH38_2478MHz																																																																																																																																							
ANT	6																																																																																																																																							
Pol.	Horizontal	Vertical																																																																																																																																						
Peak Avg																																																																																																																																								
	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>Tpos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4956.00</td> <td>45.96</td> <td>74.00</td> <td>-28.04</td> <td>51.47</td> <td>34.88</td> <td>11.13</td> <td>51.52</td> <td>--- Peak</td> </tr> <tr> <td>2</td> <td>7434.00</td> <td>47.14</td> <td>74.00</td> <td>-26.86</td> <td>48.97</td> <td>36.37</td> <td>12.99</td> <td>51.19</td> <td>--- Peak</td> </tr> <tr> <td>3</td> <td>10420.00</td> <td>47.37</td> <td>68.30</td> <td>-20.93</td> <td>44.49</td> <td>39.47</td> <td>14.19</td> <td>50.78</td> <td>--- Peak</td> </tr> <tr> <td>4</td> <td>15630.00</td> <td>45.98</td> <td>74.00</td> <td>-28.02</td> <td>38.68</td> <td>41.88</td> <td>16.92</td> <td>51.50</td> <td>--- Peak</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Apos	Tpos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1	4956.00	45.96	74.00	-28.04	51.47	34.88	11.13	51.52	--- Peak	2	7434.00	47.14	74.00	-26.86	48.97	36.37	12.99	51.19	--- Peak	3	10420.00	47.37	68.30	-20.93	44.49	39.47	14.19	50.78	--- Peak	4	15630.00	45.98	74.00	-28.02	38.68	41.88	16.92	51.50	--- Peak	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>Tpos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4956.00</td> <td>46.27</td> <td>74.00</td> <td>-27.73</td> <td>51.78</td> <td>34.88</td> <td>11.13</td> <td>51.52</td> <td>--- Peak</td> </tr> <tr> <td>2</td> <td>7434.00</td> <td>46.75</td> <td>74.00</td> <td>-27.25</td> <td>48.58</td> <td>36.37</td> <td>12.99</td> <td>51.19</td> <td>--- Peak</td> </tr> <tr> <td>3</td> <td>10420.00</td> <td>47.64</td> <td>68.30</td> <td>-20.66</td> <td>44.76</td> <td>39.47</td> <td>14.19</td> <td>50.78</td> <td>--- Peak</td> </tr> <tr> <td>4</td> <td>15630.00</td> <td>47.80</td> <td>74.00</td> <td>-26.20</td> <td>40.50</td> <td>41.88</td> <td>16.92</td> <td>51.50</td> <td>--- Peak</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Apos	Tpos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1	4956.00	46.27	74.00	-27.73	51.78	34.88	11.13	51.52	--- Peak	2	7434.00	46.75	74.00	-27.25	48.58	36.37	12.99	51.19	--- Peak	3	10420.00	47.64	68.30	-20.66	44.76	39.47	14.19	50.78	--- Peak	4	15630.00	47.80	74.00	-26.20	40.50	41.88	16.92	51.50	--- Peak
	Limit	Read	Ant	Cable	Preamp	Apos	Tpos																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																																																																																
1	4956.00	45.96	74.00	-28.04	51.47	34.88	11.13	51.52	--- Peak																																																																																																																															
2	7434.00	47.14	74.00	-26.86	48.97	36.37	12.99	51.19	--- Peak																																																																																																																															
3	10420.00	47.37	68.30	-20.93	44.49	39.47	14.19	50.78	--- Peak																																																																																																																															
4	15630.00	45.98	74.00	-28.02	38.68	41.88	16.92	51.50	--- Peak																																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Apos	Tpos																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																																																																																
1	4956.00	46.27	74.00	-27.73	51.78	34.88	11.13	51.52	--- Peak																																																																																																																															
2	7434.00	46.75	74.00	-27.25	48.58	36.37	12.99	51.19	--- Peak																																																																																																																															
3	10420.00	47.64	68.30	-20.66	44.76	39.47	14.19	50.78	--- Peak																																																																																																																															
4	15630.00	47.80	74.00	-26.20	40.50	41.88	16.92	51.50	--- Peak																																																																																																																															


Note: For all the above plots, the frequency points over limit line are fundamental signals, which can be ignored.



Appendix D. Duty Cycle Plots


Band	Duty Cycle(%)	T(ms)	1/T(kHz)	VBW Setting
802.11a	100	-	-	10Hz
802.11n HT20	100	-	-	10Hz
802.11n HT40	100	-	-	10Hz
802.11ac VHT80	100	-	-	10Hz

802.11a






802.11n HT20



802.11n HT40





802.11ac VHT80

