



FCC Part 96.47 Test Report

Applicant : Motorola Mobility LLC
Equipment : Mobile Cellular Phone
Brand Name : Motorola
Model Name : XT2551-1,XT2551-2 ,XT2551-6
FCC ID : IHDT56AU1
Standard : FCC Part 96.47
TEST DATE(S) : Jan. 02, 2025

We, Sporton International (Kunshan) Inc., would like to declare that the tested sample has been evaluated in accordance with the test procedures and has been in compliance with the applicable technical standards.

The test results in this report apply exclusively to the tested model / sample. Without written approval of Sporton International (Kunshan) Inc., the test report shall not be reproduced except in full.

Jason Jia



Approved by: Jason Jia

Sporton International Inc. (Kunshan)

No. 1098, Pengxi North Road, Kunshan Economic Development Zone Jiangsu Province 215300
People's Republic of China



Table of Contents

- 1 GENERAL DESCRIPTION 5**
 - 1.1 APPLICANT 5
 - 1.2 MANUFACTURER 5
 - 1.3 PRODUCT FEATURE OF EQUIPMENT UNDER TEST..... 5
 - 1.4 PRODUCT SPECIFICATION OF EQUIPMENT UNDER TEST 5
 - 1.5 SPECIFICATION OF ACCESSORY 6
 - 1.6 TESTING LOCATION..... 7
 - 1.7 TEST SOFTWARE 7
 - 1.8 APPLICABLE STANDARDS..... 7
- 2 TEST CONFIGURATION OF EQUIPMENT UNDER TEST 8**
 - 2.1 CONNECTION DIAGRAM OF TEST SYSTEM 8
- 3 END USER DEVICE ADDITIONAL REQUIREMENT 9**
 - 3.1 TEST REQUIREMENT 9
 - 3.2 TEST PROCEDURE..... 9
 - 3.3 TEST RESULT 10
- 4 LIST OF MEASURING EQUIPMENT 12**
- 5 MEASUREMENT UNCERTAINTY 13**



Summary of Test Result

| Report Clause | Ref Std. Clause | Test Items | Result (PASS/FAIL) | Remark |
|---------------|-----------------|----------------------------------------|--------------------|--------|
| 3 | 96.47 | End User Device additional requirement | Pass | - |

Disclaimer:

The product specifications of the EUT presented in the test report that may affect the test assessments are declared by the manufacturer who shall take full responsibility for the authenticity.



1 General Description

1.1 Applicant

Motorola Mobility LLC
222 W,Merchandise Mart Plaza, Chicago IL 60654 USA

1.2 Manufacturer

Motorola Mobility LLC
222 W,Merchandise Mart Plaza, Chicago IL 60654 USA

1.3 Product Feature of Equipment Under Test

| Product Feature | |
|-----------------|-----------------------------|
| Equipment | Mobile Cellular Phone |
| Brand Name | Motorola |
| Model Name | XT2551-1,XT2551-2 ,XT2551-6 |
| FCC ID | IHDT56AU1 |
| IMEI Code | 350086570034103 |
| HW Version | DVT2 |
| SW Version | V2VL35.5 |
| EUT Stage | Identical Prototype |

Remark: The above EUT's information was declared by manufacturer. Please refer to the specifications or user's manual for more detailed description.

1.4 Product Specification of Equipment Under Test

| Standards-related Product Specification | |
|-----------------------------------------|------------------------------------------------------------------------------------------------------------------------------------|
| Tx Frequency | 5G NR n48: 3550 MHz ~ 3700 MHz |
| Rx Frequency | 5G NR n48: 3550 MHz ~ 3700 MHz |
| Antenna Type / Gain | <Ant.3>: IFA Antenna / -2.39dBi <Ant.4>: IFA Antenna /-2.6dBi <Ant.5>: IFA Antenna /-2.7dBi <Ant.8>: IFA Antenna /-2.2dBi |
| Type of Modulation | DFT-s-OFDM (PI/2 BPSK / QPSK / 16QAM / 64QAM / 256QAM) CP-OFDM (QPSK / 16QAM / 64QAM / 256QAM) |



1.5 Specification of Accessory

| Accessories Information | | | | |
|-------------------------|------------|--------------------|------------|------------|
| AC Adapter 1(US) | Brand Name | Motorola(Chenyang) | Model Name | MC-681N |
| AC Adapter 1(EU) | Brand Name | Motorola(Chenyang) | Model Name | MC-682N |
| AC Adapter 1(UK) | Brand Name | Motorola(Chenyang) | Model Name | MC-683N |
| AC Adapter 1(AU) | Brand Name | Motorola(Chenyang) | Model Name | MC-685N |
| AC Adapter 1(AR) | Brand Name | Motorola(Chenyang) | Model Name | MC-686N |
| AC Adapter 1(BR) | Brand Name | Motorola(Chenyang) | Model Name | MC-687N |
| AC Adapter 1(Chile) | Brand Name | Motorola(Chenyang) | Model Name | MC-689N |
| AC Adapter 2(US) | Brand Name | Motorola(Acbel) | Model Name | MC-681N |
| AC Adapter 2(EU) | Brand Name | Motorola(Acbel) | Model Name | MC-682N |
| AC Adapter 2(UK) | Brand Name | Motorola(Acbel) | Model Name | MC-683N |
| AC Adapter 2(AU) | Brand Name | Motorola(Acbel) | Model Name | MC-685N |
| AC Adapter 2(AR) | Brand Name | Motorola(Acbel) | Model Name | MC-686N |
| AC Adapter 2(BR) | Brand Name | Motorola(Acbel) | Model Name | MC-687N |
| Battery 1 | Brand Name | Motorola(ATL) | Model Name | RS13 |
| Battery 2 | Brand Name | Motorola(ATL) | Model Name | RS35 |
| USB Cable 1 | Brand Name | Motorola(saibao) | Model Name | SC18D71644 |
| USB Cable 2 | Brand Name | Motorola(Luxshare) | Model Name | SC18E08104 |
| USB Cable 3 | Brand Name | Motorola(saibao) | Model Name | SC18D86731 |
| USB Cable 4 | Brand Name | Motorola(Luxshare) | Model Name | SC18E08103 |



1.6 Testing Location

Sporton International Inc. (Kunshan) is accredited to ISO/IEC 17025:2017 by American Association for Laboratory Accreditation with Certificate Number 5145.02.

| | | | |
|---------------------------|------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------|---------------------------------------|
| Test Firm | Sporton International (Kunshan) Inc. | | |
| Test Site Location | No. 1098, Pengxi North Road, Kunshan Economic Development Zone Jiangsu Province 215300 People's Republic of China TEL : +86-512-57900158 | | |
| Test Site No. | Sporton Site No. | FCC Designation No. | FCC Test Firm Registration No. |
| | DFS01-KS | CN1257 | 314309 |
| Test Engineer | Carry Xu | | |
| Temperature | 20~ 24.5 °C | | |
| Relative Humidity | 40~ 60 % | | |

1.7 Test Software

| Item | Site | Manufacturer | Name | Version |
|------|----------|--------------|--------------------------------|---------|
| 1. | DFS01-KS | Sporton | DFS & Adaptivity Test Tools | 1.0 |


1.8 Applicable Standards

- ♦ FCC Part 96.47
- ♦ FCC KDB 940660 D01 Part 96 CBRS Eqpt v03
- ♦ WINNF-TS-0122-V1.0.2 CBRS CBSD Test Specification

Remark: All test items were verified and recorded according to the standards and without any deviation during the test.

2 Test Configuration of Equipment Under Test

2.1 Connection Diagram of Test System



The companion device is certified CBRS (FCC ID: PIDAS2900)



3 End User Device additional requirement

3.1 Test Requirement

FCC Part 96.47

(a) End User Devices may operate only if they can positively receive and decode an authorization signal transmitted by a CBSD, including the frequencies and power limits for their operation.

(1) An End User Device must discontinue operations, change frequencies, or change its operational power level within 10 seconds of receiving instructions from its associated CBSD.

3.2 Test Procedure

Following procedure can be done by applying WINNF-TS-0122-V1.0.2 CBRS CBSD Test Specification, use the certified Ruckus CBSD (FCC ID: PIDAS2900) as companion device to show compliance with Part 96.47 requirement for End User Device (EUD):

1. Setup with frequency 3560-3600MHz and power level 28dBm/MHz
2. Enable AP service from Ruckus Cloud management
3. Check EUD Tx Frequency and power
4. Disable AP service from Ruckus Cloud management
 - a. Check EUD stops transmission within 10seconds.


5. Setup with 3650-3690MHz & power level 18dBm/MHz
6. Enable AP service from Ruckus Cloud management
7. Check EUD Tx Frequency and power
8. Disable AP service from Ruckus Cloud management
 - a. Check EUD stops transmission within 10seconds.




3.3 Test Result

[Step 1] Setup with frequency 3560--3600MHz and power level 28dBm/MHz

[Step 3] Check EUD Tx Frequency and power




[Step 4.a.] EUD stops transmission within 10 seconds of receiving instructions from its associated CBSD.






[Step 5] Setup with frequency 3650-3690MHz and power level 18dBm/MHz

[Step 7] Check EUD Tx Frequency and power



[Step 8.a.] After changing the frequency and power level,

The module (EUT) discontinues operations, change frequencies, or change its operational power level within 10 seconds of receiving instructions from its associated CBSD. Test result is PASS.





4 List of Measuring Equipment

| Instrument | Manufacturer | Model No. | Serial No. | Characteristics | Calibration Date | Test Date | Due Date | Remark |
|-----------------|-----------------|-----------|------------|-----------------|------------------|---------------|---------------|----------------------|
| Signal Analyzer | R&S | FSV7 | 101472 | 10Hz~7GHz | Jan. 04, 2024 | Jan. 02, 2025 | Jan. 03, 2025 | Conducted (DFS01-KS) |
| Combiner | MTJ Cooperation | MTJ7114-M | N/A | 0.5GHz~18GHz | NCR | Jan. 02, 2025 | NCR | Conducted (DFS01-KS) |



5 Measurement Uncertainty

The measurement uncertainties shown below were calculated in accordance with the requirements of ANSI 63.10-2013. All the measurement uncertainty value were shown with a coverage K=2 to indicate 95% level of confidence. The measurement data show herein meets or exceeds the CISPR measurement uncertainty values specified in CISPR 16-4-2 and can be compared directly to specified limit to determine compliance.

Uncertainty of Conducted Measurement

| | |
|-----------------------------------|----------|
| Conducted Generated signal Levels | ±0.56 dB |
| Conducted Time | 0.38% |

----- THE END -----