











		66																																																																														
Mode	Band Edge																																																																															
	U-NII-5_5.925-6.425_802.11be EHT20_CH1_Single RU 106/53_5955MHz																																																																															
ANT	CDD																																																																															
Pol.	Horizontal	Fundamental																																																																														
Peak	 <p>Date: 2024-12-12</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5902.98</td> <td>53.62</td> <td>88.20</td> <td>-34.58</td> <td>38.43</td> <td>36.61</td> <td>11.44</td> <td>32.86</td> <td>100</td> <td>17</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5902.98	53.62	88.20	-34.58	38.43	36.61	11.44	32.86	100	17	PEAK	 <p>Date: 2024-12-12</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5955.00</td> <td>92.56</td> <td>-----</td> <td>-----</td> <td>77.37</td> <td>36.70</td> <td>11.37</td> <td>32.88</td> <td>100</td> <td>17</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	92.56	-----	-----	77.37	36.70	11.37	32.88	100	17	PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																							
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																									
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	5902.98	53.62	88.20	-34.58	38.43	36.61	11.44	32.86	100	17	PEAK																																																																					
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																								
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																									
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	5955.00	92.56	-----	-----	77.37	36.70	11.37	32.88	100	17	PEAK																																																																					
Avg	 <p>Date: 2024-12-12</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5900.88</td> <td>43.23</td> <td>68.20</td> <td>-24.97</td> <td>28.05</td> <td>36.60</td> <td>11.44</td> <td>32.86</td> <td>100</td> <td>17</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5900.88	43.23	68.20	-24.97	28.05	36.60	11.44	32.86	100	17	AVERAGE	 <p>Date: 2024-12-12</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5955.00</td> <td>84.67</td> <td>-----</td> <td>-----</td> <td>69.48</td> <td>36.70</td> <td>11.37</td> <td>32.88</td> <td>100</td> <td>17</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	84.67	-----	-----	69.48	36.70	11.37	32.88	100	17	AVERAGE
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																								
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																									
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	5900.88	43.23	68.20	-24.97	28.05	36.60	11.44	32.86	100	17	AVERAGE																																																																					
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																								
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																									
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	5955.00	84.67	-----	-----	69.48	36.70	11.37	32.88	100	17	AVERAGE																																																																					



Mode	66																																																																															
	Band Edge																																																																															
	U-NII-5_5.925-6.425_802.11be EHT20_CH1_Single RU 106/53_5955MHz																																																																															
ANT	CDD																																																																															
Pol.	Vertical	Fundamental																																																																														
Peak	<p>Date: 2024-12-12</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5913.20</td> <td>54.16</td> <td>88.20</td> <td>-34.04</td> <td>38.98</td> <td>36.63</td> <td>11.42</td> <td>32.87</td> <td>388</td> <td>344</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5913.20	54.16	88.20	-34.04	38.98	36.63	11.42	32.87	388	344	PEAK	<p>Date: 2024-12-12</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5955.00</td> <td>95.65</td> <td>-----</td> <td>-----</td> <td>80.46</td> <td>36.70</td> <td>11.37</td> <td>32.88</td> <td>388</td> <td>344</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	95.65	-----	-----	80.46	36.70	11.37	32.88	388	344	PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																							
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																									
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	5913.20	54.16	88.20	-34.04	38.98	36.63	11.42	32.87	388	344	PEAK																																																																					
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																								
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																									
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	5955.00	95.65	-----	-----	80.46	36.70	11.37	32.88	388	344	PEAK																																																																					
Avg	<p>Date: 2024-12-12</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5918.80</td> <td>43.38</td> <td>68.20</td> <td>-24.82</td> <td>28.20</td> <td>36.64</td> <td>11.41</td> <td>32.87</td> <td>388</td> <td>344</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5918.80	43.38	68.20	-24.82	28.20	36.64	11.41	32.87	388	344	AVERAGE	<p>Date: 2024-12-12</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5955.00</td> <td>87.23</td> <td>-----</td> <td>-----</td> <td>72.04</td> <td>36.70</td> <td>11.37</td> <td>32.88</td> <td>388</td> <td>344</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	87.23	-----	-----	72.04	36.70	11.37	32.88	388	344	AVERAGE
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																								
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																									
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	5918.80	43.38	68.20	-24.82	28.20	36.64	11.41	32.87	388	344	AVERAGE																																																																					
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																								
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																									
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	5955.00	87.23	-----	-----	72.04	36.70	11.37	32.88	388	344	AVERAGE																																																																					



		67																																																																																										
Mode	Band Edge																																																																																											
	U-NII-8_6.875-7.125_802.11be EHT20_CH229_Single RU 26/8_7095MHz																																																																																											
ANT	CDD																																																																																											
Pol.	Horizontal	Fundamental																																																																																										
Peak	 <p style="text-align: right;">Date: 2024-12-12</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7157.76</td> <td>54.56</td> <td>88.20</td> <td>-33.64</td> <td>38.42</td> <td>36.42</td> <td>12.85</td> <td>33.13</td> <td>248</td> <td>196</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>7258.33</td> <td>54.85</td> <td>74.00</td> <td>-19.15</td> <td>38.36</td> <td>36.60</td> <td>13.04</td> <td>33.15</td> <td>248</td> <td>196</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	7157.76	54.56	88.20	-33.64	38.42	36.42	12.85	33.13	248	196	PEAK	2	7258.33	54.85	74.00	-19.15	38.36	36.60	13.04	33.15	248	196	PEAK	 <p style="text-align: right;">Date: 2024-12-12</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7095.00</td> <td>92.37</td> <td>-----</td> <td>-----</td> <td>76.34</td> <td>36.50</td> <td>12.65</td> <td>33.12</td> <td>248</td> <td>196</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	7095.00	92.37	-----	-----	76.34	36.50	12.65	33.12	248	196	PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																					
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	7157.76	54.56	88.20	-33.64	38.42	36.42	12.85	33.13	248	196	PEAK																																																																																	
2	7258.33	54.85	74.00	-19.15	38.36	36.60	13.04	33.15	248	196	PEAK																																																																																	
Limit	Margin	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																																																				
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																					
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	7095.00	92.37	-----	-----	76.34	36.50	12.65	33.12	248	196	PEAK																																																																																	
Avg	 <p style="text-align: right;">Date: 2024-12-12</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7227.18</td> <td>44.48</td> <td>68.20</td> <td>-23.72</td> <td>28.06</td> <td>36.55</td> <td>13.02</td> <td>33.15</td> <td>248</td> <td>196</td> <td>AVERAGE</td> </tr> <tr> <td>2</td> <td>7258.78</td> <td>44.72</td> <td>54.00</td> <td>-9.28</td> <td>28.23</td> <td>36.60</td> <td>13.04</td> <td>33.15</td> <td>248</td> <td>196</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	7227.18	44.48	68.20	-23.72	28.06	36.55	13.02	33.15	248	196	AVERAGE	2	7258.78	44.72	54.00	-9.28	28.23	36.60	13.04	33.15	248	196	AVERAGE	 <p style="text-align: right;">Date: 2024-12-12</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7095.00</td> <td>85.46</td> <td>-----</td> <td>-----</td> <td>69.43</td> <td>36.50</td> <td>12.65</td> <td>33.12</td> <td>248</td> <td>196</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	7095.00	85.46	-----	-----	69.43	36.50	12.65	33.12	248	196	AVERAGE
	Limit	Margin	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																					
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	7227.18	44.48	68.20	-23.72	28.06	36.55	13.02	33.15	248	196	AVERAGE																																																																																	
2	7258.78	44.72	54.00	-9.28	28.23	36.60	13.04	33.15	248	196	AVERAGE																																																																																	
Limit	Margin	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																																																				
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																					
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	7095.00	85.46	-----	-----	69.43	36.50	12.65	33.12	248	196	AVERAGE																																																																																	



		67																																																																																										
Mode	Band Edge																																																																																											
	U-NII-8_6.875-7.125_802.11be EHT20_CH229_Single RU 26/8_7095MHz																																																																																											
ANT	CDD																																																																																											
Pol.	Vertical	Fundamental																																																																																										
Peak	<p style="text-align: right;">Date: 2024-12-12</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7161.77</td> <td>54.48</td> <td>88.20</td> <td>-33.72</td> <td>38.33</td> <td>36.42</td> <td>12.86</td> <td>33.13</td> <td>100</td> <td>179</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>7281.03</td> <td>54.24</td> <td>74.00</td> <td>-19.76</td> <td>37.74</td> <td>36.60</td> <td>13.06</td> <td>33.16</td> <td>100</td> <td>179</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	Apos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	7161.77	54.48	88.20	-33.72	38.33	36.42	12.86	33.13	100	179	PEAK	2	7281.03	54.24	74.00	-19.76	37.74	36.60	13.06	33.16	100	179	PEAK	<p style="text-align: right;">Date: 2024-12-12</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7095.00</td> <td>92.60</td> <td>-----</td> <td>-----</td> <td>76.56</td> <td>36.49</td> <td>12.67</td> <td>33.12</td> <td>100</td> <td>179</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	Apos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	7095.00	92.60	-----	-----	76.56	36.49	12.67	33.12	100	179	PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	Apos	TPos																																																																																				
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	Remark																																																																																				
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	7161.77	54.48	88.20	-33.72	38.33	36.42	12.86	33.13	100	179	PEAK																																																																																	
2	7281.03	54.24	74.00	-19.76	37.74	36.60	13.06	33.16	100	179	PEAK																																																																																	
Limit	Margin	Read	Ant	Cable	Preamp	Apos	TPos																																																																																					
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	Remark																																																																																				
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	7095.00	92.60	-----	-----	76.56	36.49	12.67	33.12	100	179	PEAK																																																																																	
Avg	<p style="text-align: right;">Date: 2024-12-12</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7240.09</td> <td>44.57</td> <td>68.20</td> <td>-23.63</td> <td>28.11</td> <td>36.58</td> <td>13.03</td> <td>33.15</td> <td>100</td> <td>179</td> <td>AVERAGE</td> </tr> <tr> <td>2</td> <td>7273.02</td> <td>44.50</td> <td>54.00</td> <td>-9.50</td> <td>28.00</td> <td>36.60</td> <td>13.05</td> <td>33.15</td> <td>100</td> <td>179</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	Apos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	7240.09	44.57	68.20	-23.63	28.11	36.58	13.03	33.15	100	179	AVERAGE	2	7273.02	44.50	54.00	-9.50	28.00	36.60	13.05	33.15	100	179	AVERAGE	<p style="text-align: right;">Date: 2024-12-12</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7095.00</td> <td>85.35</td> <td>-----</td> <td>-----</td> <td>69.32</td> <td>36.50</td> <td>12.65</td> <td>33.12</td> <td>100</td> <td>179</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	Apos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	7095.00	85.35	-----	-----	69.32	36.50	12.65	33.12	100	179	AVERAGE
Limit	Margin	Read	Ant	Cable	Preamp	Apos	TPos																																																																																					
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	Remark																																																																																				
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	7240.09	44.57	68.20	-23.63	28.11	36.58	13.03	33.15	100	179	AVERAGE																																																																																	
2	7273.02	44.50	54.00	-9.50	28.00	36.60	13.05	33.15	100	179	AVERAGE																																																																																	
Limit	Margin	Read	Ant	Cable	Preamp	Apos	TPos																																																																																					
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	Remark																																																																																				
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	7095.00	85.35	-----	-----	69.32	36.50	12.65	33.12	100	179	AVERAGE																																																																																	



Mode	68																																																																																													
	Band Edge																																																																																													
	U-NII-8_6.875-7.125_802.11be EHT20_CH229_Single RU 52/40_7095MHz																																																																																													
ANT	CDD																																																																																													
Pol.	Horizontal	Fundamental																																																																																												
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7205.82</td> <td>55.05</td> <td>88.20</td> <td>-33.15</td> <td>38.68</td> <td>36.51</td> <td>13.00</td> <td>33.14</td> <td>248</td> <td>196</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>7309.06</td> <td>54.62</td> <td>74.00</td> <td>-19.38</td> <td>38.12</td> <td>36.58</td> <td>13.08</td> <td>33.16</td> <td>248</td> <td>196</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7205.82	55.05	88.20	-33.15	38.68	36.51	13.00	33.14	248	196	PEAK	2	7309.06	54.62	74.00	-19.38	38.12	36.58	13.08	33.16	248	196	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7095.00</td> <td>94.87</td> <td>-----</td> <td>-----</td> <td>78.84</td> <td>36.50</td> <td>12.65</td> <td>33.12</td> <td>248</td> <td>196</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7095.00	94.87	-----	-----	78.84	36.50	12.65	33.12	248	196	PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																					
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																					
1	7205.82	55.05	88.20	-33.15	38.68	36.51	13.00	33.14	248	196	PEAK																																																																																			
2	7309.06	54.62	74.00	-19.38	38.12	36.58	13.08	33.16	248	196	PEAK																																																																																			
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																						
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																					
1	7095.00	94.87	-----	-----	78.84	36.50	12.65	33.12	248	196	PEAK																																																																																			
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7233.86</td> <td>44.48</td> <td>68.20</td> <td>-23.72</td> <td>28.04</td> <td>36.57</td> <td>13.02</td> <td>33.15</td> <td>248</td> <td>196</td> <td>AVERAGE</td> </tr> <tr> <td>2</td> <td>7278.80</td> <td>44.62</td> <td>54.00</td> <td>-9.38</td> <td>28.12</td> <td>36.60</td> <td>13.06</td> <td>33.16</td> <td>248</td> <td>196</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7233.86	44.48	68.20	-23.72	28.04	36.57	13.02	33.15	248	196	AVERAGE	2	7278.80	44.62	54.00	-9.38	28.12	36.60	13.06	33.16	248	196	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7095.00</td> <td>85.66</td> <td>-----</td> <td>-----</td> <td>69.63</td> <td>36.50</td> <td>12.65</td> <td>33.12</td> <td>248</td> <td>196</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7095.00	85.66	-----	-----	69.63	36.50	12.65	33.12	248	196	AVERAGE
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																						
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																					
1	7233.86	44.48	68.20	-23.72	28.04	36.57	13.02	33.15	248	196	AVERAGE																																																																																			
2	7278.80	44.62	54.00	-9.38	28.12	36.60	13.06	33.16	248	196	AVERAGE																																																																																			
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																						
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																					
1	7095.00	85.66	-----	-----	69.63	36.50	12.65	33.12	248	196	AVERAGE																																																																																			



Mode	68																																																																																								
	Band Edge																																																																																								
	U-NII-8_6.875-7.125_802.11be EHT20_CH229_Single RU 52/40_7095MHz																																																																																								
ANT	CDD																																																																																								
Pol.	Vertical	Fundamental																																																																																							
Peak	<p>Date: 2024-12-12</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7218.73</td> <td>54.53</td> <td>88.20</td> <td>-33.67</td> <td>38.12</td> <td>36.54</td> <td>13.01</td> <td>33.14</td> <td>100</td> <td>179 PEAK</td> </tr> <tr> <td>2</td> <td>7253.88</td> <td>54.45</td> <td>74.00</td> <td>-19.55</td> <td>37.96</td> <td>36.60</td> <td>13.04</td> <td>33.15</td> <td>100</td> <td>179 PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	7218.73	54.53	88.20	-33.67	38.12	36.54	13.01	33.14	100	179 PEAK	2	7253.88	54.45	74.00	-19.55	37.96	36.60	13.04	33.15	100	179 PEAK	<p>Date: 2024-12-12</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7095.00</td> <td>93.43</td> <td>-----</td> <td>-----</td> <td>77.40</td> <td>36.50</td> <td>12.65</td> <td>33.12</td> <td>100</td> <td>179 PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	7095.00	93.43	-----	-----	77.40	36.50	12.65	33.12	100	179 PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																		
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1	7218.73	54.53	88.20	-33.67	38.12	36.54	13.01	33.14	100	179 PEAK																																																																															
2	7253.88	54.45	74.00	-19.55	37.96	36.60	13.04	33.15	100	179 PEAK																																																																															
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																		
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1	7095.00	93.43	-----	-----	77.40	36.50	12.65	33.12	100	179 PEAK																																																																															
Avg	<p>Date: 2024-12-12</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7230.74</td> <td>44.53</td> <td>68.20</td> <td>-23.67</td> <td>28.10</td> <td>36.56</td> <td>13.02</td> <td>33.15</td> <td>100</td> <td>179 AVERAGE</td> </tr> <tr> <td>2</td> <td>7280.58</td> <td>44.70</td> <td>54.00</td> <td>-9.30</td> <td>28.20</td> <td>36.60</td> <td>13.06</td> <td>33.16</td> <td>100</td> <td>179 AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	7230.74	44.53	68.20	-23.67	28.10	36.56	13.02	33.15	100	179 AVERAGE	2	7280.58	44.70	54.00	-9.30	28.20	36.60	13.06	33.16	100	179 AVERAGE	<p>Date: 2024-12-12</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7095.00</td> <td>85.76</td> <td>-----</td> <td>-----</td> <td>69.73</td> <td>36.50</td> <td>12.65</td> <td>33.12</td> <td>100</td> <td>179 AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	7095.00	85.76	-----	-----	69.73	36.50	12.65	33.12	100	179 AVERAGE
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																		
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1	7230.74	44.53	68.20	-23.67	28.10	36.56	13.02	33.15	100	179 AVERAGE																																																																															
2	7280.58	44.70	54.00	-9.30	28.20	36.60	13.06	33.16	100	179 AVERAGE																																																																															
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																		
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1	7095.00	85.76	-----	-----	69.73	36.50	12.65	33.12	100	179 AVERAGE																																																																															



		69																																																																																										
Mode	Band Edge																																																																																											
	U-NII-8_6.875-7.125_802.11be EHT20_CH229_Single RU 106/54_7095MHz																																																																																											
ANT	CDD																																																																																											
Pol.	Horizontal	Fundamental																																																																																										
Peak	<p style="text-align: right;">Date: 2024-12-12</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7221.84</td> <td>54.20</td> <td>88.20</td> <td>-34.00</td> <td>37.79</td> <td>36.54</td> <td>13.01</td> <td>33.14</td> <td>248</td> <td>196</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>7277.91</td> <td>54.56</td> <td>74.00</td> <td>-19.44</td> <td>38.06</td> <td>36.60</td> <td>13.06</td> <td>33.16</td> <td>248</td> <td>196</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	7221.84	54.20	88.20	-34.00	37.79	36.54	13.01	33.14	248	196	PEAK	2	7277.91	54.56	74.00	-19.44	38.06	36.60	13.06	33.16	248	196	PEAK	<p style="text-align: right;">Date: 2024-12-12</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7095.00</td> <td>92.79</td> <td>-----</td> <td>-----</td> <td>76.76</td> <td>36.50</td> <td>12.65</td> <td>33.12</td> <td>248</td> <td>196</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	7095.00	92.79	-----	-----	76.76	36.50	12.65	33.12	248	196	PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																					
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	7221.84	54.20	88.20	-34.00	37.79	36.54	13.01	33.14	248	196	PEAK																																																																																	
2	7277.91	54.56	74.00	-19.44	38.06	36.60	13.06	33.16	248	196	PEAK																																																																																	
Limit	Margin	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																																																				
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																					
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	7095.00	92.79	-----	-----	76.76	36.50	12.65	33.12	248	196	PEAK																																																																																	
Avg	<p style="text-align: right;">Date: 2024-12-12</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7129.28</td> <td>44.57</td> <td>68.20</td> <td>-23.63</td> <td>28.51</td> <td>36.44</td> <td>12.75</td> <td>33.13</td> <td>248</td> <td>196</td> <td>AVERAGE</td> </tr> <tr> <td>2</td> <td>7279.25</td> <td>44.56</td> <td>54.00</td> <td>-9.44</td> <td>28.06</td> <td>36.60</td> <td>13.06</td> <td>33.16</td> <td>248</td> <td>196</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	7129.28	44.57	68.20	-23.63	28.51	36.44	12.75	33.13	248	196	AVERAGE	2	7279.25	44.56	54.00	-9.44	28.06	36.60	13.06	33.16	248	196	AVERAGE	<p style="text-align: right;">Date: 2024-12-12</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7095.00</td> <td>85.08</td> <td>-----</td> <td>-----</td> <td>69.05</td> <td>36.50</td> <td>12.65</td> <td>33.12</td> <td>248</td> <td>196</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	7095.00	85.08	-----	-----	69.05	36.50	12.65	33.12	248	196	AVERAGE
Limit	Margin	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																																																				
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																					
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	7129.28	44.57	68.20	-23.63	28.51	36.44	12.75	33.13	248	196	AVERAGE																																																																																	
2	7279.25	44.56	54.00	-9.44	28.06	36.60	13.06	33.16	248	196	AVERAGE																																																																																	
Limit	Margin	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																																																				
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																					
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	7095.00	85.08	-----	-----	69.05	36.50	12.65	33.12	248	196	AVERAGE																																																																																	







		69																																																																																										
Mode	Band Edge																																																																																											
	U-NII-8_6.875-7.125_802.11be EHT20_CH229_Single RU 106/54_7095MHz																																																																																											
ANT	CDD																																																																																											
Pol.	Vertical	Fundamental																																																																																										
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7244.54</td> <td>55.25</td> <td>88.20</td> <td>-32.95</td> <td>38.78</td> <td>36.59</td> <td>13.03</td> <td>33.15</td> <td>100</td> <td>179</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>7263.67</td> <td>54.40</td> <td>74.00</td> <td>-19.60</td> <td>37.91</td> <td>36.60</td> <td>13.04</td> <td>33.15</td> <td>100</td> <td>179</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	7244.54	55.25	88.20	-32.95	38.78	36.59	13.03	33.15	100	179	PEAK	2	7263.67	54.40	74.00	-19.60	37.91	36.60	13.04	33.15	100	179	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7095.00</td> <td>94.95</td> <td>-----</td> <td>-----</td> <td>78.91</td> <td>36.49</td> <td>12.67</td> <td>33.12</td> <td>100</td> <td>179</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	7095.00	94.95	-----	-----	78.91	36.49	12.67	33.12	100	179	PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																					
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	7244.54	55.25	88.20	-32.95	38.78	36.59	13.03	33.15	100	179	PEAK																																																																																	
2	7263.67	54.40	74.00	-19.60	37.91	36.60	13.04	33.15	100	179	PEAK																																																																																	
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																				
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																					
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	7095.00	94.95	-----	-----	78.91	36.49	12.67	33.12	100	179	PEAK																																																																																	
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7225.40</td> <td>44.49</td> <td>68.20</td> <td>-23.71</td> <td>28.07</td> <td>36.55</td> <td>13.02</td> <td>33.15</td> <td>100</td> <td>179</td> <td>AVERAGE</td> </tr> <tr> <td>2</td> <td>7283.70</td> <td>44.64</td> <td>54.00</td> <td>-9.36</td> <td>28.14</td> <td>36.60</td> <td>13.06</td> <td>33.16</td> <td>100</td> <td>179</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	7225.40	44.49	68.20	-23.71	28.07	36.55	13.02	33.15	100	179	AVERAGE	2	7283.70	44.64	54.00	-9.36	28.14	36.60	13.06	33.16	100	179	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7095.00</td> <td>85.30</td> <td>-----</td> <td>-----</td> <td>69.26</td> <td>36.49</td> <td>12.67</td> <td>33.12</td> <td>100</td> <td>179</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	7095.00	85.30	-----	-----	69.26	36.49	12.67	33.12	100	179	AVERAGE
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																					
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	7225.40	44.49	68.20	-23.71	28.07	36.55	13.02	33.15	100	179	AVERAGE																																																																																	
2	7283.70	44.64	54.00	-9.36	28.14	36.60	13.06	33.16	100	179	AVERAGE																																																																																	
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																				
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																					
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	7095.00	85.30	-----	-----	69.26	36.49	12.67	33.12	100	179	AVERAGE																																																																																	



		70																																																																														
Mode	Band Edge																																																																															
	U-NII-5_5.925-6.425_802.11be EHT20_CH1_Small RU Index 37+2_5955MHz																																																																															
ANT	CDD																																																																															
Pol.	Horizontal	Fundamental																																																																														
Peak																																																																																
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5867.28</td> <td>54.06</td> <td>88.20</td> <td>-34.14</td> <td>38.88</td> <td>36.53</td> <td>11.50</td> <td>32.85</td> <td>100</td> <td>17</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5867.28	54.06	88.20	-34.14	38.88	36.53	11.50	32.85	100	17	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5955.00</td> <td>92.34</td> <td>-----</td> <td>-----</td> <td>77.15</td> <td>36.70</td> <td>11.37</td> <td>32.88</td> <td>100</td> <td>17</td> <td>PEAK</td> </tr> </tbody> </table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	92.34	-----	-----	77.15	36.70	11.37	32.88	100	17
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																								
Freq	Level	Line	Level	Factor	Loss Factor																																																																											
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	5867.28	54.06	88.20	-34.14	38.88	36.53	11.50	32.85	100	17	PEAK																																																																					
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																								
Freq	Level	Line	Level	Factor	Loss Factor																																																																											
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	5955.00	92.34	-----	-----	77.15	36.70	11.37	32.88	100	17	PEAK																																																																					
Avg																																																																																
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5858.88</td> <td>43.22</td> <td>68.20</td> <td>-24.98</td> <td>28.02</td> <td>36.52</td> <td>11.52</td> <td>32.84</td> <td>100</td> <td>17</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5858.88	43.22	68.20	-24.98	28.02	36.52	11.52	32.84	100	17	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5955.00</td> <td>85.06</td> <td>-----</td> <td>-----</td> <td>69.87</td> <td>36.70</td> <td>11.37</td> <td>32.88</td> <td>100</td> <td>17</td> <td>AVERAGE</td> </tr> </tbody> </table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	85.06	-----	-----	69.87	36.70	11.37	32.88	100	17
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																								
Freq	Level	Line	Level	Factor	Loss Factor																																																																											
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	5858.88	43.22	68.20	-24.98	28.02	36.52	11.52	32.84	100	17	AVERAGE																																																																					
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																								
Freq	Level	Line	Level	Factor	Loss Factor																																																																											
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	5955.00	85.06	-----	-----	69.87	36.70	11.37	32.88	100	17	AVERAGE																																																																					



		70																																																																																
Mode	Band Edge																																																																																	
	U-NII-5_5.925-6.425_802.11be EHT20_CH1_Small RU Index 37+2_5955MHz																																																																																	
ANT	CDD																																																																																	
Pol.	Vertical	Fundamental																																																																																
Peak	 <p style="text-align: right;">Date: 2024-12-12</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5876.80</td> <td>53.35</td> <td>88.20</td> <td>-34.85</td> <td>38.17</td> <td>36.55</td> <td>11.48</td> <td>32.85</td> <td>388</td> <td>344</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5876.80	53.35	88.20	-34.85	38.17	36.55	11.48	32.85	388	344	PEAK	 <p style="text-align: right;">Date: 2024-12-12</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5955.00</td> <td>95.41</td> <td>-----</td> <td>-----</td> <td>80.22</td> <td>36.70</td> <td>11.37</td> <td>32.88</td> <td>388</td> <td>344</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	95.41	-----	-----	80.22	36.70	11.37	32.88	388	344	PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																									
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	5876.80	53.35	88.20	-34.85	38.17	36.55	11.48	32.85	388	344	PEAK																																																																							
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	5955.00	95.41	-----	-----	80.22	36.70	11.37	32.88	388	344	PEAK																																																																							
Avg	 <p style="text-align: right;">Date: 2024-12-12</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5923.98</td> <td>43.46</td> <td>68.20</td> <td>-24.74</td> <td>28.27</td> <td>36.65</td> <td>11.41</td> <td>32.87</td> <td>388</td> <td>344</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5923.98	43.46	68.20	-24.74	28.27	36.65	11.41	32.87	388	344	AVERAGE	 <p style="text-align: right;">Date: 2024-12-12</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5955.00</td> <td>87.27</td> <td>-----</td> <td>-----</td> <td>72.08</td> <td>36.70</td> <td>11.37</td> <td>32.88</td> <td>388</td> <td>344</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	87.27	-----	-----	72.08	36.70	11.37	32.88	388	344	AVERAGE
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	5923.98	43.46	68.20	-24.74	28.27	36.65	11.41	32.87	388	344	AVERAGE																																																																							
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	5955.00	87.27	-----	-----	72.08	36.70	11.37	32.88	388	344	AVERAGE																																																																							



		71																																																																														
Mode	Band Edge																																																																															
	U-NII-5_5.925-6.425_802.11be EHT20_CH1_Small RU Index 53+4_5955MHz																																																																															
ANT	CDD																																																																															
Pol.	Horizontal	Fundamental																																																																														
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5831.02</td> <td>53.20</td> <td>88.20</td> <td>-35.00</td> <td>37.93</td> <td>36.54</td> <td>11.56</td> <td>32.83</td> <td>100</td> <td>17</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5831.02	53.20	88.20	-35.00	37.93	36.54	11.56	32.83	100	17	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5955.00</td> <td>92.26</td> <td>-----</td> <td>-----</td> <td>77.07</td> <td>36.70</td> <td>11.37</td> <td>32.88</td> <td>100</td> <td>17</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	92.26	-----	-----	77.07	36.70	11.37	32.88	100	17	PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																							
Freq	Level	Line	Level	Factor	Loss Factor																																																																											
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	5831.02	53.20	88.20	-35.00	37.93	36.54	11.56	32.83	100	17	PEAK																																																																					
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																								
Freq	Level	Line	Level	Factor	Loss Factor																																																																											
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	5955.00	92.26	-----	-----	77.07	36.70	11.37	32.88	100	17	PEAK																																																																					
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5898.36</td> <td>43.17</td> <td>68.20</td> <td>-25.03</td> <td>27.98</td> <td>36.60</td> <td>11.45</td> <td>32.86</td> <td>100</td> <td>17</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5898.36	43.17	68.20	-25.03	27.98	36.60	11.45	32.86	100	17	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5955.00</td> <td>84.67</td> <td>-----</td> <td>-----</td> <td>69.48</td> <td>36.70</td> <td>11.37</td> <td>32.88</td> <td>100</td> <td>17</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	84.67	-----	-----	69.48	36.70	11.37	32.88	100	17	AVERAGE
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																								
Freq	Level	Line	Level	Factor	Loss Factor																																																																											
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	5898.36	43.17	68.20	-25.03	27.98	36.60	11.45	32.86	100	17	AVERAGE																																																																					
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																								
Freq	Level	Line	Level	Factor	Loss Factor																																																																											
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	5955.00	84.67	-----	-----	69.48	36.70	11.37	32.88	100	17	AVERAGE																																																																					







		71																																																																																
Mode	Band Edge																																																																																	
	U-NII-5_5.925-6.425_802.11be EHT20_CH1_Small RU Index 53+4_5955MHz																																																																																	
ANT	CDD																																																																																	
Pol.	Vertical	Fundamental																																																																																
Peak	<p>Date: 2024-12-12</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5914.74</td> <td>53.00</td> <td>88.20</td> <td>-35.20</td> <td>37.82</td> <td>36.63</td> <td>11.42</td> <td>32.87</td> <td>388</td> <td>344</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dB	dB/m	dB	dB	cm	deg	1	5914.74	53.00	88.20	-35.20	37.82	36.63	11.42	32.87	388	344	PEAK	<p>Date: 2024-12-12</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5955.00</td> <td>94.67</td> <td>-----</td> <td>-----</td> <td>79.48</td> <td>36.70</td> <td>11.37</td> <td>32.88</td> <td>388</td> <td>344</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dB	dB/m	dB	dB	cm	deg	1	5955.00	94.67	-----	-----	79.48	36.70	11.37	32.88	388	344	PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																									
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																											
MHz	dBuV/m	dBuV/m	dB	dB	dB/m	dB	dB	cm	deg																																																																									
1	5914.74	53.00	88.20	-35.20	37.82	36.63	11.42	32.87	388	344	PEAK																																																																							
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																											
MHz	dBuV/m	dBuV/m	dB	dB	dB/m	dB	dB	cm	deg																																																																									
1	5955.00	94.67	-----	-----	79.48	36.70	11.37	32.88	388	344	PEAK																																																																							
Avg	<p>Date: 2024-12-12</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5909.28</td> <td>43.33</td> <td>68.20</td> <td>-24.87</td> <td>28.14</td> <td>36.62</td> <td>11.43</td> <td>32.86</td> <td>388</td> <td>344</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dB	dB/m	dB	dB	cm	deg	1	5909.28	43.33	68.20	-24.87	28.14	36.62	11.43	32.86	388	344	AVERAGE	<p>Date: 2024-12-12</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5955.00</td> <td>86.79</td> <td>-----</td> <td>-----</td> <td>71.60</td> <td>36.70</td> <td>11.37</td> <td>32.88</td> <td>388</td> <td>344</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dB	dB/m	dB	dB	cm	deg	1	5955.00	86.79	-----	-----	71.60	36.70	11.37	32.88	388	344	AVERAGE
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																											
MHz	dBuV/m	dBuV/m	dB	dB	dB/m	dB	dB	cm	deg																																																																									
1	5909.28	43.33	68.20	-24.87	28.14	36.62	11.43	32.86	388	344	AVERAGE																																																																							
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																											
MHz	dBuV/m	dBuV/m	dB	dB	dB/m	dB	dB	cm	deg																																																																									
1	5955.00	86.79	-----	-----	71.60	36.70	11.37	32.88	388	344	AVERAGE																																																																							



		72																																																																																										
Mode	Band Edge																																																																																											
	U-NII-8_6.875-7.125_802.11be EHT20_CH229_Small RU Index 40+6_7095MHz																																																																																											
ANT	CDD																																																																																											
Pol.	Horizontal	Fundamental																																																																																										
Peak	<p style="text-align: right;">Date: 2024-12-12</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7142.63</td> <td>55.05</td> <td>88.20</td> <td>-33.15</td> <td>38.98</td> <td>36.41</td> <td>12.79</td> <td>33.13</td> <td>248</td> <td>196</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>7333.54</td> <td>54.68</td> <td>74.00</td> <td>-19.32</td> <td>38.22</td> <td>36.53</td> <td>13.10</td> <td>33.17</td> <td>248</td> <td>196</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	Apos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	7142.63	55.05	88.20	-33.15	38.98	36.41	12.79	33.13	248	196	PEAK	2	7333.54	54.68	74.00	-19.32	38.22	36.53	13.10	33.17	248	196	PEAK	<p style="text-align: right;">Date: 2024-12-12</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7095.00</td> <td>95.18</td> <td>-----</td> <td>-----</td> <td>79.15</td> <td>36.50</td> <td>12.65</td> <td>33.12</td> <td>248</td> <td>196</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	Apos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	7095.00	95.18	-----	-----	79.15	36.50	12.65	33.12	248	196	PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	Apos	TPos																																																																																				
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	Remark																																																																																				
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	7142.63	55.05	88.20	-33.15	38.98	36.41	12.79	33.13	248	196	PEAK																																																																																	
2	7333.54	54.68	74.00	-19.32	38.22	36.53	13.10	33.17	248	196	PEAK																																																																																	
Limit	Margin	Read	Ant	Cable	Preamp	Apos	TPos																																																																																					
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	Remark																																																																																				
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	7095.00	95.18	-----	-----	79.15	36.50	12.65	33.12	248	196	PEAK																																																																																	
Avg	<p style="text-align: right;">Date: 2024-12-12</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7232.52</td> <td>44.52</td> <td>68.20</td> <td>-23.68</td> <td>28.08</td> <td>36.57</td> <td>13.02</td> <td>33.15</td> <td>248</td> <td>196</td> <td>AVERAGE</td> </tr> <tr> <td>2</td> <td>7310.40</td> <td>44.77</td> <td>54.00</td> <td>-9.23</td> <td>28.27</td> <td>36.58</td> <td>13.08</td> <td>33.16</td> <td>248</td> <td>196</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	Apos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	7232.52	44.52	68.20	-23.68	28.08	36.57	13.02	33.15	248	196	AVERAGE	2	7310.40	44.77	54.00	-9.23	28.27	36.58	13.08	33.16	248	196	AVERAGE	<p style="text-align: right;">Date: 2024-12-12</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7095.00</td> <td>85.26</td> <td>-----</td> <td>-----</td> <td>69.23</td> <td>36.50</td> <td>12.65</td> <td>33.12</td> <td>248</td> <td>196</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	Apos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	7095.00	85.26	-----	-----	69.23	36.50	12.65	33.12	248	196	AVERAGE
Limit	Margin	Read	Ant	Cable	Preamp	Apos	TPos																																																																																					
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	Remark																																																																																				
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	7232.52	44.52	68.20	-23.68	28.08	36.57	13.02	33.15	248	196	AVERAGE																																																																																	
2	7310.40	44.77	54.00	-9.23	28.27	36.58	13.08	33.16	248	196	AVERAGE																																																																																	
Limit	Margin	Read	Ant	Cable	Preamp	Apos	TPos																																																																																					
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	Remark																																																																																				
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	7095.00	85.26	-----	-----	69.23	36.50	12.65	33.12	248	196	AVERAGE																																																																																	







		72																																																																																							
Mode	Band Edge																																																																																								
	U-NII-8_6.875-7.125_802.11be EHT20_CH229_Small RU Index 40+6_7095MHz																																																																																								
ANT	CDD																																																																																								
Pol.	Vertical	Fundamental																																																																																							
Peak	 <p style="text-align: right;">Date: 2024-12-12</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>Tpos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7158.21</td> <td>54.20</td> <td>88.20</td> <td>-34.00</td> <td>38.06</td> <td>36.42</td> <td>12.85</td> <td>33.13</td> <td>100</td> <td>179 PEAK</td> </tr> <tr> <td>2</td> <td>7252.55</td> <td>55.62</td> <td>74.00</td> <td>-18.38</td> <td>39.13</td> <td>36.60</td> <td>13.04</td> <td>33.15</td> <td>100</td> <td>179 PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	Apos	Tpos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	7158.21	54.20	88.20	-34.00	38.06	36.42	12.85	33.13	100	179 PEAK	2	7252.55	55.62	74.00	-18.38	39.13	36.60	13.04	33.15	100	179 PEAK	 <p style="text-align: right;">Date: 2024-12-12</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>Tpos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7095.00</td> <td>92.21</td> <td>-----</td> <td>-----</td> <td>76.18</td> <td>36.50</td> <td>12.65</td> <td>33.12</td> <td>100</td> <td>179 PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	Apos	Tpos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	7095.00	92.21	-----	-----	76.18	36.50	12.65	33.12	100	179 PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	Apos	Tpos																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	Remark																																																																																	
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1	7158.21	54.20	88.20	-34.00	38.06	36.42	12.85	33.13	100	179 PEAK																																																																															
2	7252.55	55.62	74.00	-18.38	39.13	36.60	13.04	33.15	100	179 PEAK																																																																															
Limit	Margin	Read	Ant	Cable	Preamp	Apos	Tpos																																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	Remark																																																																																	
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1	7095.00	92.21	-----	-----	76.18	36.50	12.65	33.12	100	179 PEAK																																																																															
Avg	 <p style="text-align: right;">Date: 2024-12-12</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>Tpos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7192.47</td> <td>44.61</td> <td>68.20</td> <td>-23.59</td> <td>28.30</td> <td>36.48</td> <td>12.97</td> <td>33.14</td> <td>100</td> <td>179 AVERAGE</td> </tr> <tr> <td>2</td> <td>7294.82</td> <td>44.61</td> <td>54.00</td> <td>-9.39</td> <td>28.10</td> <td>36.60</td> <td>13.07</td> <td>33.16</td> <td>100</td> <td>179 AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	Apos	Tpos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	7192.47	44.61	68.20	-23.59	28.30	36.48	12.97	33.14	100	179 AVERAGE	2	7294.82	44.61	54.00	-9.39	28.10	36.60	13.07	33.16	100	179 AVERAGE	 <p style="text-align: right;">Date: 2024-12-12</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>Tpos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7095.00</td> <td>84.75</td> <td>-----</td> <td>-----</td> <td>68.72</td> <td>36.50</td> <td>12.65</td> <td>33.12</td> <td>100</td> <td>179 AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	Apos	Tpos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	7095.00	84.75	-----	-----	68.72	36.50	12.65	33.12	100	179 AVERAGE
Limit	Margin	Read	Ant	Cable	Preamp	Apos	Tpos																																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	Remark																																																																																	
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1	7192.47	44.61	68.20	-23.59	28.30	36.48	12.97	33.14	100	179 AVERAGE																																																																															
2	7294.82	44.61	54.00	-9.39	28.10	36.60	13.07	33.16	100	179 AVERAGE																																																																															
Limit	Margin	Read	Ant	Cable	Preamp	Apos	Tpos																																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	Remark																																																																																	
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1	7095.00	84.75	-----	-----	68.72	36.50	12.65	33.12	100	179 AVERAGE																																																																															



		73																																																																																										
Mode	Band Edge																																																																																											
	U-NII-8_6.875-7.125_802.11be EHT20_CH229_Small RU Index 54+4_7095MHz																																																																																											
ANT	CDD																																																																																											
Pol.	Horizontal	Fundamental																																																																																										
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7217.84</td> <td>54.39</td> <td>88.20</td> <td>-33.81</td> <td>37.98</td> <td>36.54</td> <td>13.01</td> <td>33.14</td> <td>248</td> <td>196</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>7333.54</td> <td>54.86</td> <td>74.00</td> <td>-19.14</td> <td>38.40</td> <td>36.53</td> <td>13.10</td> <td>33.17</td> <td>248</td> <td>196</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	Apos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	7217.84	54.39	88.20	-33.81	37.98	36.54	13.01	33.14	248	196	PEAK	2	7333.54	54.86	74.00	-19.14	38.40	36.53	13.10	33.17	248	196	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7095.00</td> <td>93.28</td> <td>-----</td> <td>-----</td> <td>77.25</td> <td>36.50</td> <td>12.65</td> <td>33.12</td> <td>248</td> <td>196</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	Apos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	7095.00	93.28	-----	-----	77.25	36.50	12.65	33.12	248	196	PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	Apos	TPos																																																																																				
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	Remark																																																																																				
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	7217.84	54.39	88.20	-33.81	37.98	36.54	13.01	33.14	248	196	PEAK																																																																																	
2	7333.54	54.86	74.00	-19.14	38.40	36.53	13.10	33.17	248	196	PEAK																																																																																	
Limit	Margin	Read	Ant	Cable	Preamp	Apos	TPos																																																																																					
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	Remark																																																																																				
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	7095.00	93.28	-----	-----	77.25	36.50	12.65	33.12	248	196	PEAK																																																																																	
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7160.43</td> <td>44.50</td> <td>68.20</td> <td>-23.70</td> <td>28.35</td> <td>36.42</td> <td>12.86</td> <td>33.13</td> <td>248</td> <td>196</td> <td>AVERAGE</td> </tr> <tr> <td>2</td> <td>7297.49</td> <td>44.56</td> <td>54.00</td> <td>-9.44</td> <td>28.05</td> <td>36.60</td> <td>13.07</td> <td>33.16</td> <td>248</td> <td>196</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	Apos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	7160.43	44.50	68.20	-23.70	28.35	36.42	12.86	33.13	248	196	AVERAGE	2	7297.49	44.56	54.00	-9.44	28.05	36.60	13.07	33.16	248	196	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7095.00</td> <td>84.95</td> <td>-----</td> <td>-----</td> <td>68.92</td> <td>36.50</td> <td>12.65</td> <td>33.12</td> <td>248</td> <td>196</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	Apos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	7095.00	84.95	-----	-----	68.92	36.50	12.65	33.12	248	196	AVERAGE
Limit	Margin	Read	Ant	Cable	Preamp	Apos	TPos																																																																																					
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	Remark																																																																																				
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	7160.43	44.50	68.20	-23.70	28.35	36.42	12.86	33.13	248	196	AVERAGE																																																																																	
2	7297.49	44.56	54.00	-9.44	28.05	36.60	13.07	33.16	248	196	AVERAGE																																																																																	
Limit	Margin	Read	Ant	Cable	Preamp	Apos	TPos																																																																																					
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	Remark																																																																																				
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	7095.00	84.95	-----	-----	68.92	36.50	12.65	33.12	248	196	AVERAGE																																																																																	



		73																																																																																							
Mode	Band Edge																																																																																								
	U-NII-8_6.875-7.125_802.11be EHT20_CH229_Small RU Index 54+4_7095MHz																																																																																								
ANT	CDD																																																																																								
Pol.	Vertical	Fundamental																																																																																							
Peak	 <p style="text-align: right;">Date: 2024-12-12</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7244.98</td> <td>54.57</td> <td>88.20</td> <td>-33.63</td> <td>38.10</td> <td>36.59</td> <td>13.03</td> <td>33.15</td> <td>100</td> <td>179 PEAK</td> </tr> <tr> <td>2</td> <td>7274.35</td> <td>55.11</td> <td>74.00</td> <td>-18.89</td> <td>38.61</td> <td>36.60</td> <td>13.05</td> <td>33.15</td> <td>100</td> <td>179 PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	Apos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	7244.98	54.57	88.20	-33.63	38.10	36.59	13.03	33.15	100	179 PEAK	2	7274.35	55.11	74.00	-18.89	38.61	36.60	13.05	33.15	100	179 PEAK	 <p style="text-align: right;">Date: 2024-12-12</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7095.00</td> <td>92.52</td> <td>-----</td> <td>-----</td> <td>76.49</td> <td>36.50</td> <td>12.65</td> <td>33.12</td> <td>100</td> <td>179 PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	Apos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	7095.00	92.52	-----	-----	76.49	36.50	12.65	33.12	100	179 PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	Apos	TPos																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	Remark																																																																																	
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1	7244.98	54.57	88.20	-33.63	38.10	36.59	13.03	33.15	100	179 PEAK																																																																															
2	7274.35	55.11	74.00	-18.89	38.61	36.60	13.05	33.15	100	179 PEAK																																																																															
Limit	Margin	Read	Ant	Cable	Preamp	Apos	TPos																																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	Remark																																																																																	
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1	7095.00	92.52	-----	-----	76.49	36.50	12.65	33.12	100	179 PEAK																																																																															
Avg	 <p style="text-align: right;">Date: 2024-12-12</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7240.09</td> <td>44.49</td> <td>68.20</td> <td>-23.71</td> <td>28.03</td> <td>36.58</td> <td>13.03</td> <td>33.15</td> <td>100</td> <td>179 AVERAGE</td> </tr> <tr> <td>2</td> <td>7259.22</td> <td>44.52</td> <td>54.00</td> <td>-9.48</td> <td>28.03</td> <td>36.60</td> <td>13.04</td> <td>33.15</td> <td>100</td> <td>179 AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	Apos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	7240.09	44.49	68.20	-23.71	28.03	36.58	13.03	33.15	100	179 AVERAGE	2	7259.22	44.52	54.00	-9.48	28.03	36.60	13.04	33.15	100	179 AVERAGE	 <p style="text-align: right;">Date: 2024-12-12</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7095.00</td> <td>85.39</td> <td>-----</td> <td>-----</td> <td>69.36</td> <td>36.50</td> <td>12.65</td> <td>33.12</td> <td>100</td> <td>179 AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	Apos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	7095.00	85.39	-----	-----	69.36	36.50	12.65	33.12	100	179 AVERAGE
Limit	Margin	Read	Ant	Cable	Preamp	Apos	TPos																																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	Remark																																																																																	
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1	7240.09	44.49	68.20	-23.71	28.03	36.58	13.03	33.15	100	179 AVERAGE																																																																															
2	7259.22	44.52	54.00	-9.48	28.03	36.60	13.04	33.15	100	179 AVERAGE																																																																															
Limit	Margin	Read	Ant	Cable	Preamp	Apos	TPos																																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	Remark																																																																																	
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1	7095.00	85.39	-----	-----	69.36	36.50	12.65	33.12	100	179 AVERAGE																																																																															







		74																																																																																
Mode	Band Edge																																																																																	
	U-NII-5_5.925-6.425_802.11be EHT80_CH7_Puncturing 20M RU4_5985MHz																																																																																	
ANT	CDD																																																																																	
Pol.	Horizontal	Fundamental																																																																																
Peak	<p>Date: 2024-12-12</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5879.40</td> <td>53.44</td> <td>88.20</td> <td>-34.76</td> <td>38.25</td> <td>36.56</td> <td>11.48</td> <td>32.85</td> <td>230</td> <td>360</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5879.40	53.44	88.20	-34.76	38.25	36.56	11.48	32.85	230	360	PEAK	<p>Date: 2024-12-12</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5985.00</td> <td>90.68</td> <td>-----</td> <td>-----</td> <td>75.56</td> <td>36.70</td> <td>11.31</td> <td>32.89</td> <td>230</td> <td>360</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5985.00	90.68	-----	-----	75.56	36.70	11.31	32.89	230	360	PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																									
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	5879.40	53.44	88.20	-34.76	38.25	36.56	11.48	32.85	230	360	PEAK																																																																							
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	5985.00	90.68	-----	-----	75.56	36.70	11.31	32.89	230	360	PEAK																																																																							
Avg	<p>Date: 2024-12-12</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5923.40</td> <td>43.52</td> <td>68.20</td> <td>-24.68</td> <td>28.33</td> <td>36.65</td> <td>11.41</td> <td>32.87</td> <td>230</td> <td>360</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5923.40	43.52	68.20	-24.68	28.33	36.65	11.41	32.87	230	360	AVERAGE	<p>Date: 2024-12-12</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5985.00</td> <td>82.12</td> <td>-----</td> <td>-----</td> <td>67.03</td> <td>36.70</td> <td>11.29</td> <td>32.90</td> <td>230</td> <td>360</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5985.00	82.12	-----	-----	67.03	36.70	11.29	32.90	230	360	AVERAGE
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	5923.40	43.52	68.20	-24.68	28.33	36.65	11.41	32.87	230	360	AVERAGE																																																																							
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	5985.00	82.12	-----	-----	67.03	36.70	11.29	32.90	230	360	AVERAGE																																																																							



		74																																																																												
Mode	Band Edge																																																																													
	U-NII-5_5.925-6.425_802.11be EHT80_CH7_Puncturing 20M RU4_5985MHz																																																																													
ANT	CDD																																																																													
Pol.	Vertical	Fundamental																																																																												
Peak	<p>Date: 2024-12-12</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5873.32</td> <td>53.50</td> <td>88.20</td> <td>-34.70</td> <td>38.31</td> <td>36.55</td> <td>11.49</td> <td>32.85</td> <td>400</td> <td>9 PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg	1	5873.32	53.50	88.20	-34.70	38.31	36.55	11.49	32.85	400	9 PEAK	<p>Date: 2024-12-12</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5985.00</td> <td>96.13</td> <td>-----</td> <td>-----</td> <td>81.04</td> <td>36.70</td> <td>11.29</td> <td>32.90</td> <td>400</td> <td>9 PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg	1	5985.00	96.13	-----	-----	81.04	36.70	11.29	32.90	400	9 PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																					
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																							
MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg																																																																						
1	5873.32	53.50	88.20	-34.70	38.31	36.55	11.49	32.85	400	9 PEAK																																																																				
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																						
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																							
MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg																																																																						
1	5985.00	96.13	-----	-----	81.04	36.70	11.29	32.90	400	9 PEAK																																																																				
Avg	<p>Date: 2024-12-12</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5899.72</td> <td>43.49</td> <td>68.20</td> <td>-24.71</td> <td>28.30</td> <td>36.60</td> <td>11.45</td> <td>32.86</td> <td>400</td> <td>9 AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg	1	5899.72	43.49	68.20	-24.71	28.30	36.60	11.45	32.86	400	9 AVERAGE	<p>Date: 2024-12-12</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5985.00</td> <td>86.44</td> <td>-----</td> <td>-----</td> <td>71.33</td> <td>36.70</td> <td>11.31</td> <td>32.90</td> <td>400</td> <td>9 AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg	1	5985.00	86.44	-----	-----	71.33	36.70	11.31	32.90	400	9 AVERAGE
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																						
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																							
MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg																																																																						
1	5899.72	43.49	68.20	-24.71	28.30	36.60	11.45	32.86	400	9 AVERAGE																																																																				
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																						
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																							
MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg																																																																						
1	5985.00	86.44	-----	-----	71.33	36.70	11.31	32.90	400	9 AVERAGE																																																																				







		75																																																																																							
Mode	Band Edge																																																																																								
	U-NII-8_6.875-7.125_802.11be EHT80_CH215_Puncturing 20M RU1_7025MHz																																																																																								
ANT	CDD																																																																																								
Pol.	Horizontal	Fundamental																																																																																							
Peak	 <p>Date: 2024-12-12</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7179.18</td> <td>54.11</td> <td>88.20</td> <td>-34.09</td> <td>37.87</td> <td>36.46</td> <td>12.92</td> <td>33.14</td> <td>100</td> <td>249 PEAK</td> </tr> <tr> <td>2</td> <td>7287.59</td> <td>56.05</td> <td>74.00</td> <td>-17.95</td> <td>39.55</td> <td>36.60</td> <td>13.06</td> <td>33.16</td> <td>100</td> <td>249 PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	Apos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1	7179.18	54.11	88.20	-34.09	37.87	36.46	12.92	33.14	100	249 PEAK	2	7287.59	56.05	74.00	-17.95	39.55	36.60	13.06	33.16	100	249 PEAK	 <p>Date: 2024-12-12</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7025.00</td> <td>87.12</td> <td>-----</td> <td>-----</td> <td>71.39</td> <td>36.39</td> <td>12.45</td> <td>33.11</td> <td>100</td> <td>249 PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	Apos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1	7025.00	87.12	-----	-----	71.39	36.39	12.45	33.11	100	249 PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	Apos	TPos																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	Remark																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																																	
1	7179.18	54.11	88.20	-34.09	37.87	36.46	12.92	33.14	100	249 PEAK																																																																															
2	7287.59	56.05	74.00	-17.95	39.55	36.60	13.06	33.16	100	249 PEAK																																																																															
Limit	Margin	Read	Ant	Cable	Preamp	Apos	TPos																																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	Remark																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																																	
1	7025.00	87.12	-----	-----	71.39	36.39	12.45	33.11	100	249 PEAK																																																																															
Avg	 <p>Date: 2024-12-12</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7205.10</td> <td>44.57</td> <td>68.20</td> <td>-23.63</td> <td>28.20</td> <td>36.51</td> <td>13.00</td> <td>33.14</td> <td>100</td> <td>249 AVERAGE</td> </tr> <tr> <td>2</td> <td>7271.89</td> <td>44.63</td> <td>54.00</td> <td>-9.37</td> <td>28.13</td> <td>36.60</td> <td>13.05</td> <td>33.15</td> <td>100</td> <td>249 AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	Apos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1	7205.10	44.57	68.20	-23.63	28.20	36.51	13.00	33.14	100	249 AVERAGE	2	7271.89	44.63	54.00	-9.37	28.13	36.60	13.05	33.15	100	249 AVERAGE	 <p>Date: 2024-12-12</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7025.00</td> <td>78.23</td> <td>-----</td> <td>-----</td> <td>62.50</td> <td>36.39</td> <td>12.45</td> <td>33.11</td> <td>100</td> <td>249 AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	Apos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1	7025.00	78.23	-----	-----	62.50	36.39	12.45	33.11	100	249 AVERAGE
Limit	Margin	Read	Ant	Cable	Preamp	Apos	TPos																																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	Remark																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																																	
1	7205.10	44.57	68.20	-23.63	28.20	36.51	13.00	33.14	100	249 AVERAGE																																																																															
2	7271.89	44.63	54.00	-9.37	28.13	36.60	13.05	33.15	100	249 AVERAGE																																																																															
Limit	Margin	Read	Ant	Cable	Preamp	Apos	TPos																																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	Remark																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																																	
1	7025.00	78.23	-----	-----	62.50	36.39	12.45	33.11	100	249 AVERAGE																																																																															



		75																																																																																										
Mode	Band Edge																																																																																											
	U-NII-8_6.875-7.125_802.11be EHT80_CH215_Puncturing 20M RU1_7025MHz																																																																																											
ANT	CDD																																																																																											
Pol.	Vertical	Fundamental																																																																																										
Peak	<p style="text-align: right;">Date: 2024-12-12</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7215.68</td> <td>55.26</td> <td>88.20</td> <td>-32.94</td> <td>38.86</td> <td>36.53</td> <td>13.01</td> <td>33.14</td> <td>100</td> <td>191</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>7252.91</td> <td>54.66</td> <td>74.00</td> <td>-19.34</td> <td>38.17</td> <td>36.60</td> <td>13.04</td> <td>33.15</td> <td>100</td> <td>191</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	7215.68	55.26	88.20	-32.94	38.86	36.53	13.01	33.14	100	191	PEAK	2	7252.91	54.66	74.00	-19.34	38.17	36.60	13.04	33.15	100	191	PEAK	<p style="text-align: right;">Date: 2024-12-12</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7025.00</td> <td>93.68</td> <td>-----</td> <td>-----</td> <td>77.98</td> <td>36.38</td> <td>12.43</td> <td>33.11</td> <td>100</td> <td>191</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	7025.00	93.68	-----	-----	77.98	36.38	12.43	33.11	100	191	PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	Remark																																																																																				
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	7215.68	55.26	88.20	-32.94	38.86	36.53	13.01	33.14	100	191	PEAK																																																																																	
2	7252.91	54.66	74.00	-19.34	38.17	36.60	13.04	33.15	100	191	PEAK																																																																																	
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	Remark																																																																																				
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	7025.00	93.68	-----	-----	77.98	36.38	12.43	33.11	100	191	PEAK																																																																																	
Avg	<p style="text-align: right;">Date: 2024-12-12</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7220.43</td> <td>44.56</td> <td>68.20</td> <td>-23.64</td> <td>28.15</td> <td>36.54</td> <td>13.01</td> <td>33.14</td> <td>100</td> <td>191</td> <td>AVERAGE</td> </tr> <tr> <td>2</td> <td>7308.76</td> <td>44.60</td> <td>54.00</td> <td>-9.40</td> <td>28.10</td> <td>36.58</td> <td>13.08</td> <td>33.16</td> <td>100</td> <td>191</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	7220.43	44.56	68.20	-23.64	28.15	36.54	13.01	33.14	100	191	AVERAGE	2	7308.76	44.60	54.00	-9.40	28.10	36.58	13.08	33.16	100	191	AVERAGE	<p style="text-align: right;">Date: 2024-12-12</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7025.00</td> <td>83.82</td> <td>-----</td> <td>-----</td> <td>68.12</td> <td>36.38</td> <td>12.43</td> <td>33.11</td> <td>100</td> <td>191</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	7025.00	83.82	-----	-----	68.12	36.38	12.43	33.11	100	191	AVERAGE
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	Remark																																																																																				
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	7220.43	44.56	68.20	-23.64	28.15	36.54	13.01	33.14	100	191	AVERAGE																																																																																	
2	7308.76	44.60	54.00	-9.40	28.10	36.58	13.08	33.16	100	191	AVERAGE																																																																																	
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	Remark																																																																																				
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	7025.00	83.82	-----	-----	68.12	36.38	12.43	33.11	100	191	AVERAGE																																																																																	



		76																																																																												
Mode	Band Edge																																																																													
	U-NII-5_5.925-6.425_802.11be EHT160_CH15_Puncturing 40M RU4_6025MHz																																																																													
ANT	CDD																																																																													
Pol.	Horizontal	Fundamental																																																																												
Peak	 <p style="text-align: right;">Date: 2024-12-12</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5879.32</td> <td>60.79</td> <td>88.20</td> <td>-27.41</td> <td>45.60</td> <td>36.56</td> <td>11.48</td> <td>32.85</td> <td>100</td> <td>131 PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5879.32	60.79	88.20	-27.41	45.60	36.56	11.48	32.85	100	131 PEAK	 <p style="text-align: right;">Date: 2024-12-12</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>6025.00</td> <td>95.21</td> <td>-----</td> <td>-----</td> <td>80.09</td> <td>36.59</td> <td>11.44</td> <td>32.91</td> <td>100</td> <td>131 PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	6025.00	95.21	-----	-----	80.09	36.59	11.44	32.91	100	131 PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																					
Freq	Level	Line	Level	Factor	Loss Factor																																																																									
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																						
1	5879.32	60.79	88.20	-27.41	45.60	36.56	11.48	32.85	100	131 PEAK																																																																				
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																						
Freq	Level	Line	Level	Factor	Loss Factor																																																																									
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																						
1	6025.00	95.21	-----	-----	80.09	36.59	11.44	32.91	100	131 PEAK																																																																				
Avg	 <p style="text-align: right;">Date: 2024-12-12</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5866.44</td> <td>48.65</td> <td>68.20</td> <td>-19.55</td> <td>33.47</td> <td>36.53</td> <td>11.50</td> <td>32.85</td> <td>100</td> <td>131 AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5866.44	48.65	68.20	-19.55	33.47	36.53	11.50	32.85	100	131 AVERAGE	 <p style="text-align: right;">Date: 2024-12-12</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>6025.00</td> <td>85.59</td> <td>-----</td> <td>-----</td> <td>70.48</td> <td>36.51</td> <td>11.51</td> <td>32.91</td> <td>100</td> <td>131 AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	6025.00	85.59	-----	-----	70.48	36.51	11.51	32.91	100	131 AVERAGE
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																						
Freq	Level	Line	Level	Factor	Loss Factor																																																																									
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																						
1	5866.44	48.65	68.20	-19.55	33.47	36.53	11.50	32.85	100	131 AVERAGE																																																																				
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																						
Freq	Level	Line	Level	Factor	Loss Factor																																																																									
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																						
1	6025.00	85.59	-----	-----	70.48	36.51	11.51	32.91	100	131 AVERAGE																																																																				



		76																																																																														
Mode	Band Edge																																																																															
	U-NII-5_5.925-6.425_802.11be EHT160_CH15_Puncturing 40M RU4_6025MHz																																																																															
ANT	CDD																																																																															
Pol.	Vertical	Fundamental																																																																														
Peak	<p>Date: 2024-12-12</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5878.48</td> <td>60.36</td> <td>88.20</td> <td>-27.84</td> <td>45.17</td> <td>36.56</td> <td>11.48</td> <td>32.85</td> <td>165</td> <td>305</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5878.48	60.36	88.20	-27.84	45.17	36.56	11.48	32.85	165	305	PEAK	<p>Date: 2024-12-12</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>6025.00</td> <td>96.44</td> <td>-----</td> <td>-----</td> <td>81.32</td> <td>36.66</td> <td>11.36</td> <td>32.90</td> <td>165</td> <td>305</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	6025.00	96.44	-----	-----	81.32	36.66	11.36	32.90	165	305	PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																							
Freq	Level	Line	Level	Factor	Loss Factor																																																																											
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	5878.48	60.36	88.20	-27.84	45.17	36.56	11.48	32.85	165	305	PEAK																																																																					
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																								
Freq	Level	Line	Level	Factor	Loss Factor																																																																											
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	6025.00	96.44	-----	-----	81.32	36.66	11.36	32.90	165	305	PEAK																																																																					
Avg	<p>Date: 2024-12-12</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5866.44</td> <td>48.70</td> <td>68.20</td> <td>-19.50</td> <td>33.52</td> <td>36.53</td> <td>11.50</td> <td>32.85</td> <td>165</td> <td>305</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5866.44	48.70	68.20	-19.50	33.52	36.53	11.50	32.85	165	305	AVERAGE	<p>Date: 2024-12-12</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>6025.00</td> <td>87.17</td> <td>-----</td> <td>-----</td> <td>72.05</td> <td>36.66</td> <td>11.36</td> <td>32.90</td> <td>165</td> <td>305</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	6025.00	87.17	-----	-----	72.05	36.66	11.36	32.90	165	305	AVERAGE
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																							
Freq	Level	Line	Level	Factor	Loss Factor																																																																											
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	5866.44	48.70	68.20	-19.50	33.52	36.53	11.50	32.85	165	305	AVERAGE																																																																					
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																								
Freq	Level	Line	Level	Factor	Loss Factor																																																																											
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	6025.00	87.17	-----	-----	72.05	36.66	11.36	32.90	165	305	AVERAGE																																																																					



		77																																																																																										
Mode	Band Edge																																																																																											
	U-NII-8_6.875-7.125_802.11be EHT160_CH207_Puncturing 40M RU1_6985MHz																																																																																											
ANT	CDD																																																																																											
Pol.	Horizontal	Fundamental																																																																																										
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7133.75</td> <td>57.78</td> <td>88.20</td> <td>-30.42</td> <td>41.72</td> <td>36.43</td> <td>12.76</td> <td>33.13</td> <td>100</td> <td>198</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>7263.13</td> <td>54.83</td> <td>74.00</td> <td>-19.17</td> <td>38.34</td> <td>36.60</td> <td>13.04</td> <td>33.15</td> <td>100</td> <td>198</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	7133.75	57.78	88.20	-30.42	41.72	36.43	12.76	33.13	100	198	PEAK	2	7263.13	54.83	74.00	-19.17	38.34	36.60	13.04	33.15	100	198	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>6985.00</td> <td>91.72</td> <td>-----</td> <td>-----</td> <td>76.27</td> <td>36.30</td> <td>12.24</td> <td>33.09</td> <td>100</td> <td>198</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	6985.00	91.72	-----	-----	76.27	36.30	12.24	33.09	100	198	PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	Remark																																																																																				
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	7133.75	57.78	88.20	-30.42	41.72	36.43	12.76	33.13	100	198	PEAK																																																																																	
2	7263.13	54.83	74.00	-19.17	38.34	36.60	13.04	33.15	100	198	PEAK																																																																																	
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	Remark																																																																																				
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	6985.00	91.72	-----	-----	76.27	36.30	12.24	33.09	100	198	PEAK																																																																																	
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7130.00</td> <td>45.47</td> <td>68.20</td> <td>-22.73</td> <td>29.41</td> <td>36.44</td> <td>12.75</td> <td>33.13</td> <td>100</td> <td>198</td> <td>AVERAGE</td> </tr> <tr> <td>2</td> <td>7263.75</td> <td>44.58</td> <td>54.00</td> <td>-9.42</td> <td>28.08</td> <td>36.60</td> <td>13.05</td> <td>33.15</td> <td>100</td> <td>198</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	7130.00	45.47	68.20	-22.73	29.41	36.44	12.75	33.13	100	198	AVERAGE	2	7263.75	44.58	54.00	-9.42	28.08	36.60	13.05	33.15	100	198	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>6985.00</td> <td>81.98</td> <td>-----</td> <td>-----</td> <td>66.53</td> <td>36.30</td> <td>12.24</td> <td>33.09</td> <td>100</td> <td>198</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	6985.00	81.98	-----	-----	66.53	36.30	12.24	33.09	100	198	AVERAGE
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	Remark																																																																																				
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	7130.00	45.47	68.20	-22.73	29.41	36.44	12.75	33.13	100	198	AVERAGE																																																																																	
2	7263.75	44.58	54.00	-9.42	28.08	36.60	13.05	33.15	100	198	AVERAGE																																																																																	
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	Remark																																																																																				
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	6985.00	81.98	-----	-----	66.53	36.30	12.24	33.09	100	198	AVERAGE																																																																																	



		77																																																																																										
Mode	Band Edge																																																																																											
	U-NII-8_6.875-7.125_802.11be EHT160_CH207_Puncturing 40M RU1_6985MHz																																																																																											
ANT	CDD																																																																																											
Pol.	Vertical	Fundamental																																																																																										
Peak	<p style="text-align: right;">Date: 2024-12-12</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7208.75</td> <td>55.05</td> <td>88.20</td> <td>-33.15</td> <td>38.66</td> <td>36.52</td> <td>13.01</td> <td>33.14</td> <td>104</td> <td>191</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>7305.63</td> <td>54.67</td> <td>74.00</td> <td>-19.33</td> <td>38.16</td> <td>36.59</td> <td>13.08</td> <td>33.16</td> <td>104</td> <td>191</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	Apos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	7208.75	55.05	88.20	-33.15	38.66	36.52	13.01	33.14	104	191	PEAK	2	7305.63	54.67	74.00	-19.33	38.16	36.59	13.08	33.16	104	191	PEAK	<p style="text-align: right;">Date: 2024-12-12</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>6985.00</td> <td>92.73</td> <td>-----</td> <td>-----</td> <td>77.23</td> <td>36.30</td> <td>12.30</td> <td>33.10</td> <td>104</td> <td>191</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	Apos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	6985.00	92.73	-----	-----	77.23	36.30	12.30	33.10	104	191	PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	Apos	TPos																																																																																				
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	Remark																																																																																				
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	7208.75	55.05	88.20	-33.15	38.66	36.52	13.01	33.14	104	191	PEAK																																																																																	
2	7305.63	54.67	74.00	-19.33	38.16	36.59	13.08	33.16	104	191	PEAK																																																																																	
Limit	Margin	Read	Ant	Cable	Preamp	Apos	TPos																																																																																					
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	Remark																																																																																				
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	6985.00	92.73	-----	-----	77.23	36.30	12.30	33.10	104	191	PEAK																																																																																	
Avg	<p style="text-align: right;">Date: 2024-12-12</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7216.25</td> <td>44.67</td> <td>68.20</td> <td>-23.53</td> <td>28.27</td> <td>36.53</td> <td>13.01</td> <td>33.14</td> <td>104</td> <td>191</td> <td>AVERAGE</td> </tr> <tr> <td>2</td> <td>7288.75</td> <td>44.72</td> <td>54.00</td> <td>-9.28</td> <td>28.22</td> <td>36.60</td> <td>13.06</td> <td>33.16</td> <td>104</td> <td>191</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	Apos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	7216.25	44.67	68.20	-23.53	28.27	36.53	13.01	33.14	104	191	AVERAGE	2	7288.75	44.72	54.00	-9.28	28.22	36.60	13.06	33.16	104	191	AVERAGE	<p style="text-align: right;">Date: 2024-12-12</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>6985.00</td> <td>83.29</td> <td>-----</td> <td>-----</td> <td>67.84</td> <td>36.30</td> <td>12.24</td> <td>33.09</td> <td>104</td> <td>191</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	Apos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	6985.00	83.29	-----	-----	67.84	36.30	12.24	33.09	104	191	AVERAGE
Limit	Margin	Read	Ant	Cable	Preamp	Apos	TPos																																																																																					
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	Remark																																																																																				
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	7216.25	44.67	68.20	-23.53	28.27	36.53	13.01	33.14	104	191	AVERAGE																																																																																	
2	7288.75	44.72	54.00	-9.28	28.22	36.60	13.06	33.16	104	191	AVERAGE																																																																																	
Limit	Margin	Read	Ant	Cable	Preamp	Apos	TPos																																																																																					
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	Remark																																																																																				
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	6985.00	83.29	-----	-----	67.84	36.30	12.24	33.09	104	191	AVERAGE																																																																																	







		78																																																																												
Mode	Band Edge																																																																													
	U-NII-5_5.925-6.425_802.11be EHT160_CH15_Puncturing 20M RU8_6025MHz																																																																													
ANT	CDD																																																																													
Pol.	Horizontal	Fundamental																																																																												
Peak	<p style="text-align: right;">Date: 2024-12-12</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>cm</th> <th>deg</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5894.72</td> <td>59.81</td> <td>88.20</td> <td>-28.39</td> <td>44.63</td> <td>36.59</td> <td>11.45</td> <td>32.86</td> <td>307</td> <td>61 PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor	cm	deg		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5894.72	59.81	88.20	-28.39	44.63	36.59	11.45	32.86	307	61 PEAK	<p style="text-align: right;">Date: 2024-12-12</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>cm</th> <th>deg</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>6025.00</td> <td>93.80</td> <td>-----</td> <td>-----</td> <td>78.67</td> <td>36.64</td> <td>11.39</td> <td>32.90</td> <td>307</td> <td>61 PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor	cm	deg		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	6025.00	93.80	-----	-----	78.67	36.64	11.39	32.90	307	61 PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																					
Freq	Level	Line	Level	Factor	Loss Factor	cm	deg																																																																							
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																						
1	5894.72	59.81	88.20	-28.39	44.63	36.59	11.45	32.86	307	61 PEAK																																																																				
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																						
Freq	Level	Line	Level	Factor	Loss Factor	cm	deg																																																																							
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																						
1	6025.00	93.80	-----	-----	78.67	36.64	11.39	32.90	307	61 PEAK																																																																				
Avg	<p style="text-align: right;">Date: 2024-12-12</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>cm</th> <th>deg</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5895.56</td> <td>47.44</td> <td>68.20</td> <td>-20.76</td> <td>32.26</td> <td>36.59</td> <td>11.45</td> <td>32.86</td> <td>307</td> <td>61 AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor	cm	deg		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5895.56	47.44	68.20	-20.76	32.26	36.59	11.45	32.86	307	61 AVERAGE	<p style="text-align: right;">Date: 2024-12-12</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>cm</th> <th>deg</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>6025.00</td> <td>84.90</td> <td>-----</td> <td>-----</td> <td>69.79</td> <td>36.70</td> <td>11.31</td> <td>32.90</td> <td>307</td> <td>61 AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor	cm	deg		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	6025.00	84.90	-----	-----	69.79	36.70	11.31	32.90	307	61 AVERAGE
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																						
Freq	Level	Line	Level	Factor	Loss Factor	cm	deg																																																																							
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																						
1	5895.56	47.44	68.20	-20.76	32.26	36.59	11.45	32.86	307	61 AVERAGE																																																																				
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																						
Freq	Level	Line	Level	Factor	Loss Factor	cm	deg																																																																							
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																						
1	6025.00	84.90	-----	-----	69.79	36.70	11.31	32.90	307	61 AVERAGE																																																																				







		78																																																																														
Mode	Band Edge																																																																															
	U-NII-5_5.925-6.425_802.11be EHT160_CH15_Puncturing 20M RU8_6025MHz																																																																															
ANT	CDD																																																																															
Pol.	Vertical	Fundamental																																																																														
Peak	<p>Date: 2024-12-12</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5882.12</td> <td>60.49</td> <td>88.20</td> <td>-27.71</td> <td>45.30</td> <td>36.56</td> <td>11.48</td> <td>32.85</td> <td>297</td> <td>14</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dB	dB	dB	dB	cm	deg	1	5882.12	60.49	88.20	-27.71	45.30	36.56	11.48	32.85	297	14	PEAK	<p>Date: 2024-12-12</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>6025.00</td> <td>96.14</td> <td>-----</td> <td>-----</td> <td>81.05</td> <td>36.70</td> <td>11.29</td> <td>32.90</td> <td>297</td> <td>14</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dB	dB	dB	dB	cm	deg	1	6025.00	96.14	-----	-----	81.05	36.70	11.29	32.90	297	14	PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																							
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dB	dB	dB	cm	deg																																																																								
1	5882.12	60.49	88.20	-27.71	45.30	36.56	11.48	32.85	297	14	PEAK																																																																					
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																								
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dB	dB	dB	cm	deg																																																																								
1	6025.00	96.14	-----	-----	81.05	36.70	11.29	32.90	297	14	PEAK																																																																					
Avg	<p>Date: 2024-12-12</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5896.68</td> <td>46.79</td> <td>68.20</td> <td>-21.41</td> <td>31.61</td> <td>36.59</td> <td>11.45</td> <td>32.86</td> <td>297</td> <td>14</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dB	dB	dB	dB	cm	deg	1	5896.68	46.79	68.20	-21.41	31.61	36.59	11.45	32.86	297	14	AVERAGE	<p>Date: 2024-12-12</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>6025.00</td> <td>87.60</td> <td>-----</td> <td>-----</td> <td>72.47</td> <td>36.64</td> <td>11.39</td> <td>32.90</td> <td>297</td> <td>14</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dB	dB	dB	dB	cm	deg	1	6025.00	87.60	-----	-----	72.47	36.64	11.39	32.90	297	14	AVERAGE
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																								
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dB	dB	dB	cm	deg																																																																								
1	5896.68	46.79	68.20	-21.41	31.61	36.59	11.45	32.86	297	14	AVERAGE																																																																					
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																								
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dB	dB	dB	cm	deg																																																																								
1	6025.00	87.60	-----	-----	72.47	36.64	11.39	32.90	297	14	AVERAGE																																																																					







		79																																																																																									
Mode	Band Edge																																																																																										
	U-NII-8_6.875-7.125_802.11be EHT160_CH207_Puncturing 20M RU1_6985MHz																																																																																										
ANT	CDD																																																																																										
Pol.	Horizontal	Fundamental																																																																																									
Peak	 <p>Date: 2024-12-12</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7129.38</td> <td>66.15</td> <td>88.20</td> <td>-22.05</td> <td>50.09</td> <td>36.44</td> <td>12.75</td> <td>33.13</td> <td>167</td> <td>127 PEAK</td> </tr> <tr> <td>2</td> <td>7323.13</td> <td>56.61</td> <td>74.00</td> <td>-17.39</td> <td>40.13</td> <td>36.55</td> <td>13.09</td> <td>33.16</td> <td>167</td> <td>127 PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7129.38	66.15	88.20	-22.05	50.09	36.44	12.75	33.13	167	127 PEAK	2	7323.13	56.61	74.00	-17.39	40.13	36.55	13.09	33.16	167	127 PEAK	 <p>Date: 2024-12-12</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>6985.00</td> <td>92.67</td> <td>-----</td> <td>-----</td> <td>77.17</td> <td>36.30</td> <td>12.30</td> <td>33.10</td> <td>167</td> <td>126 PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6985.00	92.67	-----	-----	77.17	36.30	12.30	33.10	167	126 PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	Remark																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	7129.38	66.15	88.20	-22.05	50.09	36.44	12.75	33.13	167	127 PEAK																																																																																	
2	7323.13	56.61	74.00	-17.39	40.13	36.55	13.09	33.16	167	127 PEAK																																																																																	
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	Remark																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	6985.00	92.67	-----	-----	77.17	36.30	12.30	33.10	167	126 PEAK																																																																																	
Avg	 <p>Date: 2024-12-12</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7140.63</td> <td>50.39</td> <td>68.20</td> <td>-17.81</td> <td>34.31</td> <td>36.42</td> <td>12.79</td> <td>33.13</td> <td>167</td> <td>126 AVERAGE</td> </tr> <tr> <td>2</td> <td>7306.88</td> <td>45.56</td> <td>54.00</td> <td>-8.44</td> <td>29.05</td> <td>36.59</td> <td>13.08</td> <td>33.16</td> <td>167</td> <td>126 AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7140.63	50.39	68.20	-17.81	34.31	36.42	12.79	33.13	167	126 AVERAGE	2	7306.88	45.56	54.00	-8.44	29.05	36.59	13.08	33.16	167	126 AVERAGE	 <p>Date: 2024-12-12</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>6985.00</td> <td>83.66</td> <td>-----</td> <td>-----</td> <td>68.21</td> <td>36.30</td> <td>12.24</td> <td>33.09</td> <td>167</td> <td>126 AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6985.00	83.66	-----	-----	68.21	36.30	12.24	33.09	167	126 AVERAGE
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	Remark																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	7140.63	50.39	68.20	-17.81	34.31	36.42	12.79	33.13	167	126 AVERAGE																																																																																	
2	7306.88	45.56	54.00	-8.44	29.05	36.59	13.08	33.16	167	126 AVERAGE																																																																																	
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	Remark																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	6985.00	83.66	-----	-----	68.21	36.30	12.24	33.09	167	126 AVERAGE																																																																																	



		79																																																																																												
Mode	Band Edge																																																																																													
	U-NII-8_6.875-7.125_802.11be EHT160_CH207_Puncturing 20M RU1_6985MHz																																																																																													
ANT	CDD																																																																																													
Pol.	Vertical	Fundamental																																																																																												
Peak	 <p style="text-align: right;">Date: 2024-12-12</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7133.13</td> <td>58.39</td> <td>88.20</td> <td>-29.81</td> <td>42.33</td> <td>36.43</td> <td>12.76</td> <td>33.13</td> <td>165</td> <td>303</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>7286.88</td> <td>55.39</td> <td>74.00</td> <td>-18.61</td> <td>38.89</td> <td>36.60</td> <td>13.06</td> <td>33.16</td> <td>165</td> <td>303</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	Apos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	7133.13	58.39	88.20	-29.81	42.33	36.43	12.76	33.13	165	303	PEAK	2	7286.88	55.39	74.00	-18.61	38.89	36.60	13.06	33.16	165	303	PEAK	 <p style="text-align: right;">Date: 2024-12-12</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>6985.00</td> <td>92.15</td> <td>-----</td> <td>-----</td> <td>76.68</td> <td>36.30</td> <td>12.26</td> <td>33.09</td> <td>165</td> <td>302</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	Apos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	6985.00	92.15	-----	-----	76.68	36.30	12.26	33.09	165	302	PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	Apos	TPos																																																																																						
Freq	Level	Line	(dB)	Level	Factor	Loss Factor		Remark																																																																																						
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																					
1	7133.13	58.39	88.20	-29.81	42.33	36.43	12.76	33.13	165	303	PEAK																																																																																			
2	7286.88	55.39	74.00	-18.61	38.89	36.60	13.06	33.16	165	303	PEAK																																																																																			
Limit	Margin	Read	Ant	Cable	Preamp	Apos	TPos																																																																																							
Freq	Level	Line	(dB)	Level	Factor	Loss Factor		Remark																																																																																						
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																					
1	6985.00	92.15	-----	-----	76.68	36.30	12.26	33.09	165	302	PEAK																																																																																			
Avg	 <p style="text-align: right;">Date: 2024-12-12</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7133.13</td> <td>45.91</td> <td>68.20</td> <td>-22.29</td> <td>29.85</td> <td>36.43</td> <td>12.76</td> <td>33.13</td> <td>165</td> <td>303</td> <td>AVERAGE</td> </tr> <tr> <td>2</td> <td>7261.25</td> <td>44.52</td> <td>54.00</td> <td>-9.48</td> <td>28.03</td> <td>36.60</td> <td>13.04</td> <td>33.15</td> <td>165</td> <td>302</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	Apos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	7133.13	45.91	68.20	-22.29	29.85	36.43	12.76	33.13	165	303	AVERAGE	2	7261.25	44.52	54.00	-9.48	28.03	36.60	13.04	33.15	165	302	AVERAGE	 <p style="text-align: right;">Date: 2024-12-12</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>6985.00</td> <td>83.14</td> <td>-----</td> <td>-----</td> <td>67.78</td> <td>36.25</td> <td>12.20</td> <td>33.09</td> <td>165</td> <td>302</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	Apos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	6985.00	83.14	-----	-----	67.78	36.25	12.20	33.09	165	302	AVERAGE
	Limit	Margin	Read	Ant	Cable	Preamp	Apos	TPos																																																																																						
Freq	Level	Line	(dB)	Level	Factor	Loss Factor		Remark																																																																																						
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																					
1	7133.13	45.91	68.20	-22.29	29.85	36.43	12.76	33.13	165	303	AVERAGE																																																																																			
2	7261.25	44.52	54.00	-9.48	28.03	36.60	13.04	33.15	165	302	AVERAGE																																																																																			
Limit	Margin	Read	Ant	Cable	Preamp	Apos	TPos																																																																																							
Freq	Level	Line	(dB)	Level	Factor	Loss Factor		Remark																																																																																						
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																					
1	6985.00	83.14	-----	-----	67.78	36.25	12.20	33.09	165	302	AVERAGE																																																																																			







		80																																																																																
Mode	Band Edge																																																																																	
	U-NII-5_5.925-6.425_802.11be EHT320_CH31_Puncturing 80M+40M RU6_6105MHz																																																																																	
ANT	CDD																																																																																	
Pol.	Horizontal	Fundamental																																																																																
Peak	 <p style="text-align: right;">Date: 2024-12-12</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5871.79</td> <td>55.52</td> <td>88.20</td> <td>-32.68</td> <td>40.34</td> <td>36.54</td> <td>11.49</td> <td>32.85</td> <td>182</td> <td>341</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5871.79	55.52	88.20	-32.68	40.34	36.54	11.49	32.85	182	341	PEAK	 <p style="text-align: right;">Date: 2024-12-12</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>6105.00</td> <td>92.88</td> <td>-----</td> <td>-----</td> <td>77.71</td> <td>36.70</td> <td>11.35</td> <td>32.88</td> <td>182</td> <td>341</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6105.00	92.88	-----	-----	77.71	36.70	11.35	32.88	182	341	PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																									
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	5871.79	55.52	88.20	-32.68	40.34	36.54	11.49	32.85	182	341	PEAK																																																																							
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	6105.00	92.88	-----	-----	77.71	36.70	11.35	32.88	182	341	PEAK																																																																							
Avg	 <p style="text-align: right;">Date: 2024-12-12</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5916.16</td> <td>45.64</td> <td>68.20</td> <td>-22.56</td> <td>30.46</td> <td>36.63</td> <td>11.42</td> <td>32.87</td> <td>182</td> <td>341</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5916.16	45.64	68.20	-22.56	30.46	36.63	11.42	32.87	182	341	AVERAGE	 <p style="text-align: right;">Date: 2024-12-12</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>6105.00</td> <td>82.87</td> <td>-----</td> <td>-----</td> <td>67.70</td> <td>36.70</td> <td>11.35</td> <td>32.88</td> <td>182</td> <td>341</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6105.00	82.87	-----	-----	67.70	36.70	11.35	32.88	182	341	AVERAGE
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	5916.16	45.64	68.20	-22.56	30.46	36.63	11.42	32.87	182	341	AVERAGE																																																																							
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	6105.00	82.87	-----	-----	67.70	36.70	11.35	32.88	182	341	AVERAGE																																																																							







		80																																																																														
Mode	Band Edge																																																																															
	U-NII-5_5.925-6.425_802.11be EHT320_CH31_Puncturing 80M+40M RU6_6105MHz																																																																															
ANT	CDD																																																																															
Pol.	Vertical	Fundamental																																																																														
Peak	<p style="text-align: right;">Date: 2024-12-12</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5851.90</td> <td>57.22</td> <td>88.20</td> <td>-30.98</td> <td>42.03</td> <td>36.50</td> <td>11.53</td> <td>32.84</td> <td>158</td> <td>305</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5851.90	57.22	88.20	-30.98	42.03	36.50	11.53	32.84	158	305	PEAK	<p style="text-align: right;">Date: 2024-12-12</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>6105.00</td> <td>95.10</td> <td>-----</td> <td>-----</td> <td>79.79</td> <td>36.37</td> <td>11.87</td> <td>32.93</td> <td>158</td> <td>305</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	6105.00	95.10	-----	-----	79.79	36.37	11.87	32.93	158	305	PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																							
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																									
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	5851.90	57.22	88.20	-30.98	42.03	36.50	11.53	32.84	158	305	PEAK																																																																					
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																								
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																									
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	6105.00	95.10	-----	-----	79.79	36.37	11.87	32.93	158	305	PEAK																																																																					
Avg	<p style="text-align: right;">Date: 2024-12-12</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5851.14</td> <td>46.96</td> <td>68.20</td> <td>-21.24</td> <td>31.77</td> <td>36.50</td> <td>11.53</td> <td>32.84</td> <td>158</td> <td>305</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5851.14	46.96	68.20	-21.24	31.77	36.50	11.53	32.84	158	305	AVERAGE	<p style="text-align: right;">Date: 2024-12-12</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>6105.00</td> <td>86.32</td> <td>-----</td> <td>-----</td> <td>71.01</td> <td>36.37</td> <td>11.87</td> <td>32.93</td> <td>158</td> <td>305</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	6105.00	86.32	-----	-----	71.01	36.37	11.87	32.93	158	305	AVERAGE
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																							
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																									
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	5851.14	46.96	68.20	-21.24	31.77	36.50	11.53	32.84	158	305	AVERAGE																																																																					
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																								
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																									
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	6105.00	86.32	-----	-----	71.01	36.37	11.87	32.93	158	305	AVERAGE																																																																					



		81																																																																																							
Mode	Band Edge																																																																																								
	U-NII-8_6.525-6.875_802.11be EHT320_CH191_Puncturing 80M+40M RU7_6905MHz																																																																																								
ANT	CDD																																																																																								
Pol.	Horizontal	Fundamental																																																																																							
Peak	 <p style="text-align: right;">Date: 2024-12-12</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7193.31</td> <td>65.49</td> <td>88.20</td> <td>-22.71</td> <td>49.17</td> <td>36.49</td> <td>12.97</td> <td>33.14</td> <td>179</td> <td>55 PEAK</td> </tr> <tr> <td>2</td> <td>7281.03</td> <td>62.48</td> <td>74.00</td> <td>-11.52</td> <td>45.98</td> <td>36.60</td> <td>13.06</td> <td>33.16</td> <td>179</td> <td>55 PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	Apos	TPos		Freq	Level	Line	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	7193.31	65.49	88.20	-22.71	49.17	36.49	12.97	33.14	179	55 PEAK	2	7281.03	62.48	74.00	-11.52	45.98	36.60	13.06	33.16	179	55 PEAK	 <p style="text-align: right;">Date: 2024-12-12</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>6905.00</td> <td>92.71</td> <td>-----</td> <td>-----</td> <td>77.42</td> <td>36.24</td> <td>12.13</td> <td>33.08</td> <td>179</td> <td>55 PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	Apos	TPos		Freq	Level	Line	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	6905.00	92.71	-----	-----	77.42	36.24	12.13	33.08	179	55 PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	Apos	TPos																																																																																	
Freq	Level	Line	Level	Factor	Loss Factor			Remark																																																																																	
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1	7193.31	65.49	88.20	-22.71	49.17	36.49	12.97	33.14	179	55 PEAK																																																																															
2	7281.03	62.48	74.00	-11.52	45.98	36.60	13.06	33.16	179	55 PEAK																																																																															
Limit	Margin	Read	Ant	Cable	Preamp	Apos	TPos																																																																																		
Freq	Level	Line	Level	Factor	Loss Factor			Remark																																																																																	
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1	6905.00	92.71	-----	-----	77.42	36.24	12.13	33.08	179	55 PEAK																																																																															
Avg	 <p style="text-align: right;">Date: 2024-12-12</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7198.15</td> <td>52.23</td> <td>68.20</td> <td>-15.97</td> <td>35.88</td> <td>36.50</td> <td>12.99</td> <td>33.14</td> <td>179</td> <td>55 AVERAGE</td> </tr> <tr> <td>2</td> <td>7278.61</td> <td>48.88</td> <td>54.00</td> <td>-5.12</td> <td>32.38</td> <td>36.60</td> <td>13.06</td> <td>33.16</td> <td>179</td> <td>55 AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	Apos	TPos		Freq	Level	Line	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	7198.15	52.23	68.20	-15.97	35.88	36.50	12.99	33.14	179	55 AVERAGE	2	7278.61	48.88	54.00	-5.12	32.38	36.60	13.06	33.16	179	55 AVERAGE	 <p style="text-align: right;">Date: 2024-12-12</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>6905.00</td> <td>83.63</td> <td>-----</td> <td>-----</td> <td>68.34</td> <td>36.24</td> <td>12.13</td> <td>33.08</td> <td>179</td> <td>55 AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	Apos	TPos		Freq	Level	Line	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	6905.00	83.63	-----	-----	68.34	36.24	12.13	33.08	179	55 AVERAGE
Limit	Margin	Read	Ant	Cable	Preamp	Apos	TPos																																																																																		
Freq	Level	Line	Level	Factor	Loss Factor			Remark																																																																																	
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1	7198.15	52.23	68.20	-15.97	35.88	36.50	12.99	33.14	179	55 AVERAGE																																																																															
2	7278.61	48.88	54.00	-5.12	32.38	36.60	13.06	33.16	179	55 AVERAGE																																																																															
Limit	Margin	Read	Ant	Cable	Preamp	Apos	TPos																																																																																		
Freq	Level	Line	Level	Factor	Loss Factor			Remark																																																																																	
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1	6905.00	83.63	-----	-----	68.34	36.24	12.13	33.08	179	55 AVERAGE																																																																															







		81																																																																																										
Mode	Band Edge																																																																																											
	U-NII-8_6.525-6.875_802.11be EHT320_CH191_Puncturing 80M+40M RU7_6905MHz																																																																																											
ANT	CDD																																																																																											
Pol.	Vertical	Fundamental																																																																																										
Peak	 <p style="text-align: right;">Date: 2024-12-12</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7191.49</td> <td>61.08</td> <td>88.20</td> <td>-27.12</td> <td>44.77</td> <td>36.48</td> <td>12.97</td> <td>33.14</td> <td>159</td> <td>304</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>7298.58</td> <td>56.09</td> <td>74.00</td> <td>-17.91</td> <td>39.58</td> <td>36.60</td> <td>13.07</td> <td>33.16</td> <td>159</td> <td>304</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	Apos	TPos		Freq	Level	Line	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	7191.49	61.08	88.20	-27.12	44.77	36.48	12.97	33.14	159	304	PEAK	2	7298.58	56.09	74.00	-17.91	39.58	36.60	13.07	33.16	159	304	PEAK	 <p style="text-align: right;">Date: 2024-12-12</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>6905.00</td> <td>93.32</td> <td>-----</td> <td>-----</td> <td>78.03</td> <td>36.22</td> <td>12.15</td> <td>33.08</td> <td>159</td> <td>304</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	Apos	TPos		Freq	Level	Line	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	6905.00	93.32	-----	-----	78.03	36.22	12.15	33.08	159	304	PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	Apos	TPos																																																																																				
Freq	Level	Line	Level	Factor	Loss Factor			Remark																																																																																				
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	7191.49	61.08	88.20	-27.12	44.77	36.48	12.97	33.14	159	304	PEAK																																																																																	
2	7298.58	56.09	74.00	-17.91	39.58	36.60	13.07	33.16	159	304	PEAK																																																																																	
Limit	Margin	Read	Ant	Cable	Preamp	Apos	TPos																																																																																					
Freq	Level	Line	Level	Factor	Loss Factor			Remark																																																																																				
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	6905.00	93.32	-----	-----	78.03	36.22	12.15	33.08	159	304	PEAK																																																																																	
Avg	 <p style="text-align: right;">Date: 2024-12-12</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7191.49</td> <td>47.61</td> <td>68.20</td> <td>-20.59</td> <td>31.30</td> <td>36.48</td> <td>12.97</td> <td>33.14</td> <td>159</td> <td>304</td> <td>AVERAGE</td> </tr> <tr> <td>2</td> <td>7257.44</td> <td>45.22</td> <td>54.00</td> <td>-8.78</td> <td>28.73</td> <td>36.60</td> <td>13.04</td> <td>33.15</td> <td>159</td> <td>304</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	Apos	TPos		Freq	Level	Line	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	7191.49	47.61	68.20	-20.59	31.30	36.48	12.97	33.14	159	304	AVERAGE	2	7257.44	45.22	54.00	-8.78	28.73	36.60	13.04	33.15	159	304	AVERAGE	 <p style="text-align: right;">Date: 2024-12-12</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>6905.00</td> <td>83.45</td> <td>-----</td> <td>-----</td> <td>68.14</td> <td>36.26</td> <td>12.12</td> <td>33.07</td> <td>159</td> <td>304</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	Apos	TPos		Freq	Level	Line	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	6905.00	83.45	-----	-----	68.14	36.26	12.12	33.07	159	304	AVERAGE
Limit	Margin	Read	Ant	Cable	Preamp	Apos	TPos																																																																																					
Freq	Level	Line	Level	Factor	Loss Factor			Remark																																																																																				
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	7191.49	47.61	68.20	-20.59	31.30	36.48	12.97	33.14	159	304	AVERAGE																																																																																	
2	7257.44	45.22	54.00	-8.78	28.73	36.60	13.04	33.15	159	304	AVERAGE																																																																																	
Limit	Margin	Read	Ant	Cable	Preamp	Apos	TPos																																																																																					
Freq	Level	Line	Level	Factor	Loss Factor			Remark																																																																																				
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	6905.00	83.45	-----	-----	68.14	36.26	12.12	33.07	159	304	AVERAGE																																																																																	







		82																																																																														
Mode	Band Edge																																																																															
	U-NII-5_5.925-6.425_802.11be EHT320_CH31_Puncturing 80M RU4_6105MHz																																																																															
ANT	CDD																																																																															
Pol.	Horizontal	Fundamental																																																																														
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5914.63</td> <td>59.82</td> <td>88.20</td> <td>-28.38</td> <td>44.64</td> <td>36.63</td> <td>11.42</td> <td>32.87</td> <td>160</td> <td>49</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5914.63	59.82	88.20	-28.38	44.64	36.63	11.42	32.87	160	49	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>6105.00</td> <td>91.97</td> <td>-----</td> <td>-----</td> <td>76.81</td> <td>36.70</td> <td>11.34</td> <td>32.88</td> <td>160</td> <td>49</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	6105.00	91.97	-----	-----	76.81	36.70	11.34	32.88	160	49	PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																							
Freq	Level	Line	Level	Factor	Loss Factor																																																																											
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	5914.63	59.82	88.20	-28.38	44.64	36.63	11.42	32.87	160	49	PEAK																																																																					
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																								
Freq	Level	Line	Level	Factor	Loss Factor																																																																											
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	6105.00	91.97	-----	-----	76.81	36.70	11.34	32.88	160	49	PEAK																																																																					
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5922.28</td> <td>47.50</td> <td>68.20</td> <td>-20.70</td> <td>32.32</td> <td>36.64</td> <td>11.41</td> <td>32.87</td> <td>160</td> <td>49</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5922.28	47.50	68.20	-20.70	32.32	36.64	11.41	32.87	160	49	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>6105.00</td> <td>82.53</td> <td>-----</td> <td>-----</td> <td>67.34</td> <td>36.70</td> <td>11.37</td> <td>32.88</td> <td>160</td> <td>49</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	6105.00	82.53	-----	-----	67.34	36.70	11.37	32.88	160	49	AVERAGE
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																								
Freq	Level	Line	Level	Factor	Loss Factor																																																																											
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	5922.28	47.50	68.20	-20.70	32.32	36.64	11.41	32.87	160	49	AVERAGE																																																																					
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																								
Freq	Level	Line	Level	Factor	Loss Factor																																																																											
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	6105.00	82.53	-----	-----	67.34	36.70	11.37	32.88	160	49	AVERAGE																																																																					



		82																																																																														
Mode	Band Edge																																																																															
	U-NII-5_5.925-6.425_802.11be EHT320_CH31_Puncturing 80M RU4_6105MHz																																																																															
ANT	CDD																																																																															
Pol.	Vertical	Fundamental																																																																														
Peak	 <p style="text-align: right;">Date: 2024-12-12</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5922.28</td> <td>63.82</td> <td>88.20</td> <td>-24.38</td> <td>48.64</td> <td>36.64</td> <td>11.41</td> <td>32.87</td> <td>159</td> <td>11 PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5922.28	63.82	88.20	-24.38	48.64	36.64	11.41	32.87	159	11 PEAK	 <p style="text-align: right;">Date: 2024-12-12</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>6105.00</td> <td>95.40</td> <td>-----</td> <td>-----</td> <td>80.29</td> <td>36.56</td> <td>11.46</td> <td>32.91</td> <td>159</td> <td>11 PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6105.00	95.40	-----	-----	80.29	36.56	11.46	32.91	159	11 PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																							
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1	5922.28	63.82	88.20	-24.38	48.64	36.64	11.41	32.87	159	11 PEAK																																																																						
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																								
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1	6105.00	95.40	-----	-----	80.29	36.56	11.46	32.91	159	11 PEAK																																																																						
Avg	 <p style="text-align: right;">Date: 2024-12-12</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5922.28</td> <td>50.80</td> <td>68.20</td> <td>-17.40</td> <td>35.62</td> <td>36.64</td> <td>11.41</td> <td>32.87</td> <td>159</td> <td>11 AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5922.28	50.80	68.20	-17.40	35.62	36.64	11.41	32.87	159	11 AVERAGE	 <p style="text-align: right;">Date: 2024-12-12</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>6105.00</td> <td>85.89</td> <td>-----</td> <td>-----</td> <td>70.78</td> <td>36.56</td> <td>11.46</td> <td>32.91</td> <td>159</td> <td>11 AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6105.00	85.89	-----	-----	70.78	36.56	11.46	32.91	159	11 AVERAGE
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																								
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1	5922.28	50.80	68.20	-17.40	35.62	36.64	11.41	32.87	159	11 AVERAGE																																																																						
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																								
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1	6105.00	85.89	-----	-----	70.78	36.56	11.46	32.91	159	11 AVERAGE																																																																						







		83																																																																																										
Mode	Band Edge																																																																																											
	U-NII-8_6.525-6.875_802.11be EHT320_CH191_Puncturing 80M RU1_6905MHz																																																																																											
ANT	CDD																																																																																											
Pol.	Horizontal	Fundamental																																																																																										
Peak	 <p style="text-align: right;">Date: 2024-12-12</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7132.20</td> <td>66.63</td> <td>88.20</td> <td>-21.57</td> <td>50.56</td> <td>36.44</td> <td>12.76</td> <td>33.13</td> <td>163</td> <td>126</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>7268.33</td> <td>62.07</td> <td>74.00</td> <td>-11.93</td> <td>45.57</td> <td>36.60</td> <td>13.05</td> <td>33.15</td> <td>163</td> <td>126</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	7132.20	66.63	88.20	-21.57	50.56	36.44	12.76	33.13	163	126	PEAK	2	7268.33	62.07	74.00	-11.93	45.57	36.60	13.05	33.15	163	126	PEAK	 <p style="text-align: right;">Date: 2024-12-12</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>6905.00</td> <td>92.00</td> <td>-----</td> <td>-----</td> <td>76.69</td> <td>36.29</td> <td>12.09</td> <td>33.07</td> <td>163</td> <td>126</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	6905.00	92.00	-----	-----	76.69	36.29	12.09	33.07	163	126	PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	Remark																																																																																				
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	7132.20	66.63	88.20	-21.57	50.56	36.44	12.76	33.13	163	126	PEAK																																																																																	
2	7268.33	62.07	74.00	-11.93	45.57	36.60	13.05	33.15	163	126	PEAK																																																																																	
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	Remark																																																																																				
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	6905.00	92.00	-----	-----	76.69	36.29	12.09	33.07	163	126	PEAK																																																																																	
Avg	 <p style="text-align: right;">Date: 2024-12-12</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7128.57</td> <td>53.04</td> <td>68.20</td> <td>-15.16</td> <td>36.99</td> <td>36.44</td> <td>12.74</td> <td>33.13</td> <td>163</td> <td>126</td> <td>AVERAGE</td> </tr> <tr> <td>2</td> <td>7270.14</td> <td>49.73</td> <td>54.00</td> <td>-4.27</td> <td>33.23</td> <td>36.60</td> <td>13.05</td> <td>33.15</td> <td>163</td> <td>126</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	7128.57	53.04	68.20	-15.16	36.99	36.44	12.74	33.13	163	126	AVERAGE	2	7270.14	49.73	54.00	-4.27	33.23	36.60	13.05	33.15	163	126	AVERAGE	 <p style="text-align: right;">Date: 2024-12-12</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>6905.00</td> <td>82.57</td> <td>-----</td> <td>-----</td> <td>67.33</td> <td>36.24</td> <td>12.07</td> <td>33.07</td> <td>163</td> <td>126</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	6905.00	82.57	-----	-----	67.33	36.24	12.07	33.07	163	126	AVERAGE
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	Remark																																																																																				
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	7128.57	53.04	68.20	-15.16	36.99	36.44	12.74	33.13	163	126	AVERAGE																																																																																	
2	7270.14	49.73	54.00	-4.27	33.23	36.60	13.05	33.15	163	126	AVERAGE																																																																																	
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	Remark																																																																																				
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	6905.00	82.57	-----	-----	67.33	36.24	12.07	33.07	163	126	AVERAGE																																																																																	







		83																																																																																										
Mode	Band Edge																																																																																											
	U-NII-8_6.525-6.875_802.11be EHT320_CH191_Puncturing 80M RU1_6905MHz																																																																																											
ANT	CDD																																																																																											
Pol.	Vertical	Fundamental																																																																																										
Peak	<p style="text-align: right;">Date: 2024-12-12</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7132.81</td> <td>60.31</td> <td>88.20</td> <td>-27.89</td> <td>44.25</td> <td>36.43</td> <td>12.76</td> <td>33.13</td> <td>158</td> <td>307</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>7268.93</td> <td>56.39</td> <td>74.00</td> <td>-17.61</td> <td>39.89</td> <td>36.60</td> <td>13.05</td> <td>33.15</td> <td>158</td> <td>307</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	Apos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1	7132.81	60.31	88.20	-27.89	44.25	36.43	12.76	33.13	158	307	PEAK	2	7268.93	56.39	74.00	-17.61	39.89	36.60	13.05	33.15	158	307	PEAK	<p style="text-align: right;">Date: 2024-12-12</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>6905.00</td> <td>92.48</td> <td>-----</td> <td>-----</td> <td>77.24</td> <td>36.24</td> <td>12.07</td> <td>33.07</td> <td>158</td> <td>307</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	Apos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1	6905.00	92.48	-----	-----	77.24	36.24	12.07	33.07	158	307	PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	Apos	TPos																																																																																				
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	Remark																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																																				
1	7132.81	60.31	88.20	-27.89	44.25	36.43	12.76	33.13	158	307	PEAK																																																																																	
2	7268.93	56.39	74.00	-17.61	39.89	36.60	13.05	33.15	158	307	PEAK																																																																																	
Limit	Margin	Read	Ant	Cable	Preamp	Apos	TPos																																																																																					
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	Remark																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																																				
1	6905.00	92.48	-----	-----	77.24	36.24	12.07	33.07	158	307	PEAK																																																																																	
Avg	<p style="text-align: right;">Date: 2024-12-12</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7132.20</td> <td>49.00</td> <td>68.20</td> <td>-19.20</td> <td>32.93</td> <td>36.44</td> <td>12.76</td> <td>33.13</td> <td>158</td> <td>307</td> <td>AVERAGE</td> </tr> <tr> <td>2</td> <td>7251.39</td> <td>45.34</td> <td>54.00</td> <td>-8.66</td> <td>28.85</td> <td>36.60</td> <td>13.04</td> <td>33.15</td> <td>158</td> <td>307</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	Apos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1	7132.20	49.00	68.20	-19.20	32.93	36.44	12.76	33.13	158	307	AVERAGE	2	7251.39	45.34	54.00	-8.66	28.85	36.60	13.04	33.15	158	307	AVERAGE	<p style="text-align: right;">Date: 2024-12-12</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>6905.00</td> <td>83.09</td> <td>-----</td> <td>-----</td> <td>67.89</td> <td>36.21</td> <td>12.06</td> <td>33.07</td> <td>158</td> <td>307</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	Apos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1	6905.00	83.09	-----	-----	67.89	36.21	12.06	33.07	158	307	AVERAGE
Limit	Margin	Read	Ant	Cable	Preamp	Apos	TPos																																																																																					
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	Remark																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																																				
1	7132.20	49.00	68.20	-19.20	32.93	36.44	12.76	33.13	158	307	AVERAGE																																																																																	
2	7251.39	45.34	54.00	-8.66	28.85	36.60	13.04	33.15	158	307	AVERAGE																																																																																	
Limit	Margin	Read	Ant	Cable	Preamp	Apos	TPos																																																																																					
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	Remark																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																																				
1	6905.00	83.09	-----	-----	67.89	36.21	12.06	33.07	158	307	AVERAGE																																																																																	







		84																																																																												
Mode	Band Edge																																																																													
	U-NII-5_5.925-6.425_802.11be EHT320_CH31_Puncturing 40M RU8_6105MHz																																																																													
ANT	CDD																																																																													
Pol.	Horizontal	Fundamental																																																																												
Peak	 <p style="text-align: right;">Date: 2024-12-12</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5789.94</td> <td>62.75</td> <td>88.20</td> <td>-25.45</td> <td>47.33</td> <td>36.62</td> <td>11.62</td> <td>32.82</td> <td>147</td> <td>52 PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5789.94	62.75	88.20	-25.45	47.33	36.62	11.62	32.82	147	52 PEAK	 <p style="text-align: right;">Date: 2024-12-12</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>6105.00</td> <td>92.14</td> <td>-----</td> <td>-----</td> <td>77.00</td> <td>36.70</td> <td>11.33</td> <td>32.89</td> <td>147</td> <td>52 PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	6105.00	92.14	-----	-----	77.00	36.70	11.33	32.89	147	52 PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																					
Freq	Level	Line	Level	Factor	Loss Factor																																																																									
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																						
1	5789.94	62.75	88.20	-25.45	47.33	36.62	11.62	32.82	147	52 PEAK																																																																				
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																						
Freq	Level	Line	Level	Factor	Loss Factor																																																																									
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																						
1	6105.00	92.14	-----	-----	77.00	36.70	11.33	32.89	147	52 PEAK																																																																				
Avg	 <p style="text-align: right;">Date: 2024-12-12</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5903.92</td> <td>50.61</td> <td>68.20</td> <td>-17.59</td> <td>35.42</td> <td>36.61</td> <td>11.44</td> <td>32.86</td> <td>147</td> <td>52 AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5903.92	50.61	68.20	-17.59	35.42	36.61	11.44	32.86	147	52 AVERAGE	 <p style="text-align: right;">Date: 2024-12-12</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>6105.00</td> <td>82.73</td> <td>-----</td> <td>-----</td> <td>67.54</td> <td>36.70</td> <td>11.37</td> <td>32.88</td> <td>147</td> <td>52 AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	6105.00	82.73	-----	-----	67.54	36.70	11.37	32.88	147	52 AVERAGE
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																					
Freq	Level	Line	Level	Factor	Loss Factor																																																																									
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																						
1	5903.92	50.61	68.20	-17.59	35.42	36.61	11.44	32.86	147	52 AVERAGE																																																																				
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																						
Freq	Level	Line	Level	Factor	Loss Factor																																																																									
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																						
1	6105.00	82.73	-----	-----	67.54	36.70	11.37	32.88	147	52 AVERAGE																																																																				



		84																																																																																
Mode		Band Edge																																																																																
		U-NII-5_5.925-6.425_802.11be EHT320_CH31_Puncturing 40M RU8_6105MHz																																																																																
ANT		CDD																																																																																
Pol.	Vertical	Fundamental																																																																																
Peak	 <p>Date: 2024-12-12</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th></th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5911.57</td> <td>65.15</td> <td>88.20</td> <td>-23.05</td> <td>49.96</td> <td>36.62</td> <td>11.43</td> <td>32.86</td> <td>161</td> <td>307</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5911.57	65.15	88.20	-23.05	49.96	36.62	11.43	32.86	161	307	PEAK	 <p>Date: 2024-12-12</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th></th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>6105.00</td> <td>96.22</td> <td>-----</td> <td>-----</td> <td>81.10</td> <td>36.49</td> <td>11.54</td> <td>32.91</td> <td>161</td> <td>307</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	6105.00	96.22	-----	-----	81.10	36.49	11.54	32.91	161	307	PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																									
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																											
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																									
1	5911.57	65.15	88.20	-23.05	49.96	36.62	11.43	32.86	161	307	PEAK																																																																							
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																											
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																									
1	6105.00	96.22	-----	-----	81.10	36.49	11.54	32.91	161	307	PEAK																																																																							
Avg	 <p>Date: 2024-12-12</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th></th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5851.90</td> <td>54.22</td> <td>68.20</td> <td>-13.98</td> <td>39.03</td> <td>36.50</td> <td>11.53</td> <td>32.84</td> <td>161</td> <td>307</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5851.90	54.22	68.20	-13.98	39.03	36.50	11.53	32.84	161	307	AVERAGE	 <p>Date: 2024-12-12</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th></th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>6105.00</td> <td>86.29</td> <td>-----</td> <td>-----</td> <td>71.18</td> <td>36.34</td> <td>11.69</td> <td>32.92</td> <td>161</td> <td>307</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	6105.00	86.29	-----	-----	71.18	36.34	11.69	32.92	161	307	AVERAGE
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																									
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																											
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																									
1	5851.90	54.22	68.20	-13.98	39.03	36.50	11.53	32.84	161	307	AVERAGE																																																																							
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																											
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																									
1	6105.00	86.29	-----	-----	71.18	36.34	11.69	32.92	161	307	AVERAGE																																																																							







		85																																																																																							
Mode	Band Edge																																																																																								
	U-NII-8_6.525-6.875_802.11be EHT320_CH191_Puncturing 40M RU1_6905MHz																																																																																								
ANT	CDD																																																																																								
Pol.	Horizontal	Fundamental																																																																																							
Peak	 <p>Date: 2024-12-12</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7199.96</td> <td>65.71</td> <td>88.20</td> <td>-22.49</td> <td>49.35</td> <td>36.50</td> <td>13.00</td> <td>33.14</td> <td>146</td> <td>126 PEAK</td> </tr> <tr> <td>2</td> <td>7269.54</td> <td>59.84</td> <td>74.00</td> <td>-14.16</td> <td>43.34</td> <td>36.60</td> <td>13.05</td> <td>33.15</td> <td>146</td> <td>126 PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	7199.96	65.71	88.20	-22.49	49.35	36.50	13.00	33.14	146	126 PEAK	2	7269.54	59.84	74.00	-14.16	43.34	36.60	13.05	33.15	146	126 PEAK	 <p>Date: 2024-12-12</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>6905.00</td> <td>92.69</td> <td>-----</td> <td>-----</td> <td>77.38</td> <td>36.29</td> <td>12.09</td> <td>33.07</td> <td>146</td> <td>126 PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	6905.00	92.69	-----	-----	77.38	36.29	12.09	33.07	146	126 PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																																																
Freq	Level	Line	Level	Factor	Loss Factor																																																																																				
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1	7199.96	65.71	88.20	-22.49	49.35	36.50	13.00	33.14	146	126 PEAK																																																																															
2	7269.54	59.84	74.00	-14.16	43.34	36.60	13.05	33.15	146	126 PEAK																																																																															
Limit	Margin	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																																																	
Freq	Level	Line	Level	Factor	Loss Factor																																																																																				
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1	6905.00	92.69	-----	-----	77.38	36.29	12.09	33.07	146	126 PEAK																																																																															
Avg	 <p>Date: 2024-12-12</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7192.70</td> <td>53.14</td> <td>68.20</td> <td>-15.06</td> <td>36.82</td> <td>36.49</td> <td>12.97</td> <td>33.14</td> <td>146</td> <td>126 AVERAGE</td> </tr> <tr> <td>2</td> <td>7278.61</td> <td>48.27</td> <td>54.00</td> <td>-5.73</td> <td>31.77</td> <td>36.60</td> <td>13.06</td> <td>33.16</td> <td>146</td> <td>126 AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	7192.70	53.14	68.20	-15.06	36.82	36.49	12.97	33.14	146	126 AVERAGE	2	7278.61	48.27	54.00	-5.73	31.77	36.60	13.06	33.16	146	126 AVERAGE	 <p>Date: 2024-12-12</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>6905.00</td> <td>82.42</td> <td>-----</td> <td>-----</td> <td>67.15</td> <td>36.26</td> <td>12.08</td> <td>33.07</td> <td>146</td> <td>126 AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	6905.00	82.42	-----	-----	67.15	36.26	12.08	33.07	146	126 AVERAGE
	Limit	Margin	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																																																
Freq	Level	Line	Level	Factor	Loss Factor																																																																																				
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1	7192.70	53.14	68.20	-15.06	36.82	36.49	12.97	33.14	146	126 AVERAGE																																																																															
2	7278.61	48.27	54.00	-5.73	31.77	36.60	13.06	33.16	146	126 AVERAGE																																																																															
Limit	Margin	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																																																	
Freq	Level	Line	Level	Factor	Loss Factor																																																																																				
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1	6905.00	82.42	-----	-----	67.15	36.26	12.08	33.07	146	126 AVERAGE																																																																															



		85																																																																																										
Mode	Band Edge																																																																																											
	U-NII-8_6.525-6.875_802.11be EHT320_CH191_Puncturing 40M RU1_6905MHz																																																																																											
ANT	CDD																																																																																											
Pol.	Vertical	Fundamental																																																																																										
Peak	<p style="text-align: right;">Date: 2024-12-12</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7168.50</td> <td>59.41</td> <td>88.20</td> <td>-28.79</td> <td>43.21</td> <td>36.44</td> <td>12.89</td> <td>33.13</td> <td>145</td> <td>355</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>7296.16</td> <td>55.68</td> <td>74.00</td> <td>-18.32</td> <td>39.17</td> <td>36.60</td> <td>13.07</td> <td>33.16</td> <td>145</td> <td>355</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	7168.50	59.41	88.20	-28.79	43.21	36.44	12.89	33.13	145	355	PEAK	2	7296.16	55.68	74.00	-18.32	39.17	36.60	13.07	33.16	145	355	PEAK	<p style="text-align: right;">Date: 2024-12-12</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>6905.00</td> <td>91.16</td> <td>-----</td> <td>-----</td> <td>75.89</td> <td>36.26</td> <td>12.08</td> <td>33.07</td> <td>145</td> <td>355</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	6905.00	91.16	-----	-----	75.89	36.26	12.08	33.07	145	355	PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	Level	Factor	Loss Factor			Remark																																																																																				
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	7168.50	59.41	88.20	-28.79	43.21	36.44	12.89	33.13	145	355	PEAK																																																																																	
2	7296.16	55.68	74.00	-18.32	39.17	36.60	13.07	33.16	145	355	PEAK																																																																																	
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line	Level	Factor	Loss Factor			Remark																																																																																				
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	6905.00	91.16	-----	-----	75.89	36.26	12.08	33.07	145	355	PEAK																																																																																	
Avg	<p style="text-align: right;">Date: 2024-12-12</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7189.07</td> <td>47.40</td> <td>68.20</td> <td>-20.80</td> <td>31.10</td> <td>36.48</td> <td>12.96</td> <td>33.14</td> <td>145</td> <td>355</td> <td>AVERAGE</td> </tr> <tr> <td>2</td> <td>7278.01</td> <td>45.32</td> <td>54.00</td> <td>-8.68</td> <td>28.82</td> <td>36.60</td> <td>13.06</td> <td>33.16</td> <td>145</td> <td>355</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	7189.07	47.40	68.20	-20.80	31.10	36.48	12.96	33.14	145	355	AVERAGE	2	7278.01	45.32	54.00	-8.68	28.82	36.60	13.06	33.16	145	355	AVERAGE	<p style="text-align: right;">Date: 2024-12-12</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>6905.00</td> <td>82.11</td> <td>-----</td> <td>-----</td> <td>66.84</td> <td>36.26</td> <td>12.08</td> <td>33.07</td> <td>145</td> <td>355</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	6905.00	82.11	-----	-----	66.84	36.26	12.08	33.07	145	355	AVERAGE
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line	Level	Factor	Loss Factor			Remark																																																																																				
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	7189.07	47.40	68.20	-20.80	31.10	36.48	12.96	33.14	145	355	AVERAGE																																																																																	
2	7278.01	45.32	54.00	-8.68	28.82	36.60	13.06	33.16	145	355	AVERAGE																																																																																	
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line	Level	Factor	Loss Factor			Remark																																																																																				
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	6905.00	82.11	-----	-----	66.84	36.26	12.08	33.07	145	355	AVERAGE																																																																																	







		86																																																																														
Mode	Band Edge																																																																															
	U-NII-5_5.925-6.425_802.11be EHT80_CH7_Large RU 484+242 RU4_5985MHz																																																																															
ANT	CDD																																																																															
Pol.	Horizontal	Fundamental																																																																														
Peak	 <p style="text-align: right;">Date: 2024-12-12</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5884.52</td> <td>53.22</td> <td>88.20</td> <td>-34.98</td> <td>38.03</td> <td>36.57</td> <td>11.47</td> <td>32.85</td> <td>103</td> <td>134</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5884.52	53.22	88.20	-34.98	38.03	36.57	11.47	32.85	103	134	PEAK	 <p style="text-align: right;">Date: 2024-12-12</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5985.00</td> <td>94.35</td> <td>-----</td> <td>-----</td> <td>79.16</td> <td>36.70</td> <td>11.37</td> <td>32.88</td> <td>103</td> <td>134</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5985.00	94.35	-----	-----	79.16	36.70	11.37	32.88	103	134	PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																							
Freq	Level	Line	Level	Factor	Loss Factor																																																																											
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	5884.52	53.22	88.20	-34.98	38.03	36.57	11.47	32.85	103	134	PEAK																																																																					
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																								
Freq	Level	Line	Level	Factor	Loss Factor																																																																											
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	5985.00	94.35	-----	-----	79.16	36.70	11.37	32.88	103	134	PEAK																																																																					
Avg	 <p style="text-align: right;">Date: 2024-12-12</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5910.12</td> <td>44.42</td> <td>68.20</td> <td>-23.78</td> <td>29.23</td> <td>36.62</td> <td>11.43</td> <td>32.86</td> <td>103</td> <td>134</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5910.12	44.42	68.20	-23.78	29.23	36.62	11.43	32.86	103	134	AVERAGE	 <p style="text-align: right;">Date: 2024-12-12</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5985.00</td> <td>85.60</td> <td>-----</td> <td>-----</td> <td>70.41</td> <td>36.70</td> <td>11.37</td> <td>32.88</td> <td>103</td> <td>134</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5985.00	85.60	-----	-----	70.41	36.70	11.37	32.88	103	134	AVERAGE
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																							
Freq	Level	Line	Level	Factor	Loss Factor																																																																											
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	5910.12	44.42	68.20	-23.78	29.23	36.62	11.43	32.86	103	134	AVERAGE																																																																					
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																								
Freq	Level	Line	Level	Factor	Loss Factor																																																																											
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	5985.00	85.60	-----	-----	70.41	36.70	11.37	32.88	103	134	AVERAGE																																																																					



	86																																																																															
Mode	Band Edge																																																																															
	U-NII-5_5.925-6.425_802.11be EHT80_CH7_Large RU 484+242 RU4_5985MHz																																																																															
ANT	CDD																																																																															
Pol.	Vertical	Fundamental																																																																														
Peak	<p>Date: 2024-12-12</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5913.00</td> <td>53.93</td> <td>88.20</td> <td>-34.27</td> <td>38.75</td> <td>36.63</td> <td>11.42</td> <td>32.87</td> <td>328</td> <td>360</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5913.00	53.93	88.20	-34.27	38.75	36.63	11.42	32.87	328	360	PEAK	<p>Date: 2024-12-12</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5985.00</td> <td>94.94</td> <td>-----</td> <td>-----</td> <td>79.77</td> <td>36.70</td> <td>11.35</td> <td>32.88</td> <td>328</td> <td>360</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5985.00	94.94	-----	-----	79.77	36.70	11.35	32.88	328	360	PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																							
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																										
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	5913.00	53.93	88.20	-34.27	38.75	36.63	11.42	32.87	328	360	PEAK																																																																					
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																								
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																										
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	5985.00	94.94	-----	-----	79.77	36.70	11.35	32.88	328	360	PEAK																																																																					
Avg	<p>Date: 2024-12-12</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5920.84</td> <td>45.30</td> <td>68.20</td> <td>-22.90</td> <td>30.12</td> <td>36.64</td> <td>11.41</td> <td>32.87</td> <td>328</td> <td>360</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5920.84	45.30	68.20	-22.90	30.12	36.64	11.41	32.87	328	360	AVERAGE	<p>Date: 2024-12-12</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5985.00</td> <td>87.22</td> <td>-----</td> <td>-----</td> <td>72.05</td> <td>36.70</td> <td>11.35</td> <td>32.88</td> <td>328</td> <td>360</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5985.00	87.22	-----	-----	72.05	36.70	11.35	32.88	328	360	AVERAGE
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																								
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																										
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	5920.84	45.30	68.20	-22.90	30.12	36.64	11.41	32.87	328	360	AVERAGE																																																																					
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																								
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																										
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	5985.00	87.22	-----	-----	72.05	36.70	11.35	32.88	328	360	AVERAGE																																																																					







		87																																																																																										
Mode	Band Edge																																																																																											
	U-NII-8_6.875-7.125_802.11be EHT80_CH215_Large RU 484+242 RU1_7025MHz																																																																																											
ANT	CDD																																																																																											
Pol.	Horizontal	Fundamental																																																																																										
Peak	 <p style="text-align: right;">Date: 2024-12-12</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7197.43</td> <td>54.13</td> <td>88.20</td> <td>-34.07</td> <td>37.79</td> <td>36.49</td> <td>12.99</td> <td>33.14</td> <td>161</td> <td>206</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>7295.98</td> <td>54.37</td> <td>74.00</td> <td>-19.63</td> <td>37.86</td> <td>36.60</td> <td>13.07</td> <td>33.16</td> <td>161</td> <td>206</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	Apos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	7197.43	54.13	88.20	-34.07	37.79	36.49	12.99	33.14	161	206	PEAK	2	7295.98	54.37	74.00	-19.63	37.86	36.60	13.07	33.16	161	206	PEAK	 <p style="text-align: right;">Date: 2024-12-12</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7025.00</td> <td>93.26</td> <td>-----</td> <td>-----</td> <td>77.66</td> <td>36.34</td> <td>12.36</td> <td>33.10</td> <td>161</td> <td>206</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	Apos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	7025.00	93.26	-----	-----	77.66	36.34	12.36	33.10	161	206	PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	Apos	TPos																																																																																				
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	Remark																																																																																				
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	7197.43	54.13	88.20	-34.07	37.79	36.49	12.99	33.14	161	206	PEAK																																																																																	
2	7295.98	54.37	74.00	-19.63	37.86	36.60	13.07	33.16	161	206	PEAK																																																																																	
Limit	Margin	Read	Ant	Cable	Preamp	Apos	TPos																																																																																					
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	Remark																																																																																				
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	7025.00	93.26	-----	-----	77.66	36.34	12.36	33.10	161	206	PEAK																																																																																	
Avg	 <p style="text-align: right;">Date: 2024-12-12</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7202.91</td> <td>45.58</td> <td>68.20</td> <td>-22.62</td> <td>29.21</td> <td>36.51</td> <td>13.00</td> <td>33.14</td> <td>161</td> <td>206</td> <td>AVERAGE</td> </tr> <tr> <td>2</td> <td>7276.64</td> <td>45.44</td> <td>54.00</td> <td>-8.56</td> <td>28.95</td> <td>36.60</td> <td>13.05</td> <td>33.16</td> <td>161</td> <td>206</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	Apos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	7202.91	45.58	68.20	-22.62	29.21	36.51	13.00	33.14	161	206	AVERAGE	2	7276.64	45.44	54.00	-8.56	28.95	36.60	13.05	33.16	161	206	AVERAGE	 <p style="text-align: right;">Date: 2024-12-12</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7025.00</td> <td>84.12</td> <td>-----</td> <td>-----</td> <td>68.52</td> <td>36.34</td> <td>12.36</td> <td>33.10</td> <td>161</td> <td>206</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	Apos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	7025.00	84.12	-----	-----	68.52	36.34	12.36	33.10	161	206	AVERAGE
	Limit	Margin	Read	Ant	Cable	Preamp	Apos	TPos																																																																																				
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	Remark																																																																																				
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	7202.91	45.58	68.20	-22.62	29.21	36.51	13.00	33.14	161	206	AVERAGE																																																																																	
2	7276.64	45.44	54.00	-8.56	28.95	36.60	13.05	33.16	161	206	AVERAGE																																																																																	
Limit	Margin	Read	Ant	Cable	Preamp	Apos	TPos																																																																																					
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	Remark																																																																																				
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	7025.00	84.12	-----	-----	68.52	36.34	12.36	33.10	161	206	AVERAGE																																																																																	



		87																																																																																										
Mode	Band Edge																																																																																											
	U-NII-8_6.875-7.125_802.11be EHT80_CH215_Large RU 484+242 RU1_7025MHz																																																																																											
ANT	CDD																																																																																											
Pol.	Vertical	Fundamental																																																																																										
Peak	<p style="text-align: right;">Date: 2024-12-12</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7207.65</td> <td>54.45</td> <td>88.20</td> <td>-33.75</td> <td>38.07</td> <td>36.52</td> <td>13.00</td> <td>33.14</td> <td>100</td> <td>187</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>7321.53</td> <td>54.49</td> <td>74.00</td> <td>-19.51</td> <td>38.00</td> <td>36.56</td> <td>13.09</td> <td>33.16</td> <td>100</td> <td>187</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	7207.65	54.45	88.20	-33.75	38.07	36.52	13.00	33.14	100	187	PEAK	2	7321.53	54.49	74.00	-19.51	38.00	36.56	13.09	33.16	100	187	PEAK	<p style="text-align: right;">Date: 2024-12-12</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7025.00</td> <td>93.93</td> <td>-----</td> <td>-----</td> <td>78.36</td> <td>36.33</td> <td>12.34</td> <td>33.10</td> <td>100</td> <td>187</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	7025.00	93.93	-----	-----	78.36	36.33	12.34	33.10	100	187	PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	Remark																																																																																				
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	7207.65	54.45	88.20	-33.75	38.07	36.52	13.00	33.14	100	187	PEAK																																																																																	
2	7321.53	54.49	74.00	-19.51	38.00	36.56	13.09	33.16	100	187	PEAK																																																																																	
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	Remark																																																																																				
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	7025.00	93.93	-----	-----	78.36	36.33	12.34	33.10	100	187	PEAK																																																																																	
Avg	<p style="text-align: right;">Date: 2024-12-12</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7225.17</td> <td>45.46</td> <td>68.20</td> <td>-22.74</td> <td>29.04</td> <td>36.55</td> <td>13.02</td> <td>33.15</td> <td>100</td> <td>187</td> <td>AVERAGE</td> </tr> <tr> <td>2</td> <td>7257.66</td> <td>45.48</td> <td>54.00</td> <td>-8.52</td> <td>28.99</td> <td>36.60</td> <td>13.04</td> <td>33.15</td> <td>100</td> <td>187</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	7225.17	45.46	68.20	-22.74	29.04	36.55	13.02	33.15	100	187	AVERAGE	2	7257.66	45.48	54.00	-8.52	28.99	36.60	13.04	33.15	100	187	AVERAGE	<p style="text-align: right;">Date: 2024-12-12</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7025.00</td> <td>84.31</td> <td>-----</td> <td>-----</td> <td>68.52</td> <td>36.41</td> <td>12.49</td> <td>33.11</td> <td>100</td> <td>187</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	7025.00	84.31	-----	-----	68.52	36.41	12.49	33.11	100	187	AVERAGE
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	Remark																																																																																				
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	7225.17	45.46	68.20	-22.74	29.04	36.55	13.02	33.15	100	187	AVERAGE																																																																																	
2	7257.66	45.48	54.00	-8.52	28.99	36.60	13.04	33.15	100	187	AVERAGE																																																																																	
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	Remark																																																																																				
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	7025.00	84.31	-----	-----	68.52	36.41	12.49	33.11	100	187	AVERAGE																																																																																	







		88																																																																												
Mode	Band Edge																																																																													
	U-NII-5_5.925-6.425_802.11be EHT160_CH15_Large RU 996+484 RU4_6025MHz																																																																													
ANT	CDD																																																																													
Pol.	Horizontal	Fundamental																																																																												
Peak	 <p style="text-align: right;">Date: 2024-12-12</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5867.84</td> <td>59.84</td> <td>88.20</td> <td>-28.36</td> <td>44.65</td> <td>36.54</td> <td>11.50</td> <td>32.85</td> <td>100</td> <td>131 PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5867.84	59.84	88.20	-28.36	44.65	36.54	11.50	32.85	100	131 PEAK	 <p style="text-align: right;">Date: 2024-12-12</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>6025.00</td> <td>93.43</td> <td>-----</td> <td>-----</td> <td>78.30</td> <td>36.64</td> <td>11.39</td> <td>32.90</td> <td>100</td> <td>131 PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	6025.00	93.43	-----	-----	78.30	36.64	11.39	32.90	100	131 PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																					
Freq	Level	Line	Level	Factor	Loss Factor																																																																									
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																						
1	5867.84	59.84	88.20	-28.36	44.65	36.54	11.50	32.85	100	131 PEAK																																																																				
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																						
Freq	Level	Line	Level	Factor	Loss Factor																																																																									
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																						
1	6025.00	93.43	-----	-----	78.30	36.64	11.39	32.90	100	131 PEAK																																																																				
Avg	 <p style="text-align: right;">Date: 2024-12-12</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5867.84</td> <td>48.15</td> <td>68.20</td> <td>-20.05</td> <td>32.96</td> <td>36.54</td> <td>11.50</td> <td>32.85</td> <td>100</td> <td>131 AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5867.84	48.15	68.20	-20.05	32.96	36.54	11.50	32.85	100	131 AVERAGE	 <p style="text-align: right;">Date: 2024-12-12</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>6025.00</td> <td>85.44</td> <td>-----</td> <td>-----</td> <td>70.32</td> <td>36.66</td> <td>11.36</td> <td>32.90</td> <td>100</td> <td>131 AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	6025.00	85.44	-----	-----	70.32	36.66	11.36	32.90	100	131 AVERAGE
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																					
Freq	Level	Line	Level	Factor	Loss Factor																																																																									
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																						
1	5867.84	48.15	68.20	-20.05	32.96	36.54	11.50	32.85	100	131 AVERAGE																																																																				
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																						
Freq	Level	Line	Level	Factor	Loss Factor																																																																									
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																						
1	6025.00	85.44	-----	-----	70.32	36.66	11.36	32.90	100	131 AVERAGE																																																																				



		88																																																																														
Mode	Band Edge																																																																															
	U-NII-5_5.925-6.425_802.11be EHT160_CH15_Large RU 996+484 RU4_6025MHz																																																																															
ANT	CDD																																																																															
Pol.	Vertical	Fundamental																																																																														
Peak	<p style="text-align: right;">Date: 2024-12-12</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>cm</th> <th>deg</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5872.04</td> <td>59.51</td> <td>88.20</td> <td>-28.69</td> <td>44.33</td> <td>36.54</td> <td>11.49</td> <td>32.85</td> <td>375</td> <td>13</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor	cm	deg		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5872.04	59.51	88.20	-28.69	44.33	36.54	11.49	32.85	375	13	PEAK	<p style="text-align: right;">Date: 2024-12-12</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>cm</th> <th>deg</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>6025.00</td> <td>94.32</td> <td>-----</td> <td>-----</td> <td>79.20</td> <td>36.49</td> <td>11.54</td> <td>32.91</td> <td>375</td> <td>13</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor	cm	deg		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	6025.00	94.32	-----	-----	79.20	36.49	11.54	32.91	375	13	PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																							
Freq	Level	Line	Level	Factor	Loss Factor	cm	deg																																																																									
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	5872.04	59.51	88.20	-28.69	44.33	36.54	11.49	32.85	375	13	PEAK																																																																					
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																								
Freq	Level	Line	Level	Factor	Loss Factor	cm	deg																																																																									
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	6025.00	94.32	-----	-----	79.20	36.49	11.54	32.91	375	13	PEAK																																																																					
Avg	<p style="text-align: right;">Date: 2024-12-12</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>cm</th> <th>deg</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5894.72</td> <td>48.13</td> <td>68.20</td> <td>-20.07</td> <td>32.95</td> <td>36.59</td> <td>11.45</td> <td>32.86</td> <td>375</td> <td>13</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor	cm	deg		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5894.72	48.13	68.20	-20.07	32.95	36.59	11.45	32.86	375	13	AVERAGE	<p style="text-align: right;">Date: 2024-12-12</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>cm</th> <th>deg</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>6025.00</td> <td>86.50</td> <td>-----</td> <td>-----</td> <td>71.38</td> <td>36.49</td> <td>11.54</td> <td>32.91</td> <td>375</td> <td>13</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor	cm	deg		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	6025.00	86.50	-----	-----	71.38	36.49	11.54	32.91	375	13	AVERAGE
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																								
Freq	Level	Line	Level	Factor	Loss Factor	cm	deg																																																																									
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	5894.72	48.13	68.20	-20.07	32.95	36.59	11.45	32.86	375	13	AVERAGE																																																																					
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																								
Freq	Level	Line	Level	Factor	Loss Factor	cm	deg																																																																									
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	6025.00	86.50	-----	-----	71.38	36.49	11.54	32.91	375	13	AVERAGE																																																																					







		89																																																																																										
Mode	Band Edge																																																																																											
	U-NII-8_6.875-7.125_802.11be EHT160_CH207_Large RU 996+484 RU1_6985MHz																																																																																											
ANT	CDD																																																																																											
Pol.	Horizontal	Fundamental																																																																																										
Peak	 <p style="text-align: right;">Date: 2024-12-12</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7213.75</td> <td>58.44</td> <td>88.20</td> <td>-29.76</td> <td>42.04</td> <td>36.53</td> <td>13.01</td> <td>33.14</td> <td>166</td> <td>203</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>7257.50</td> <td>54.96</td> <td>74.00</td> <td>-19.04</td> <td>38.47</td> <td>36.60</td> <td>13.04</td> <td>33.15</td> <td>166</td> <td>203</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	Apos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor		Remark	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	7213.75	58.44	88.20	-29.76	42.04	36.53	13.01	33.14	166	203	PEAK	2	7257.50	54.96	74.00	-19.04	38.47	36.60	13.04	33.15	166	203	PEAK	 <p style="text-align: right;">Date: 2024-12-12</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>6985.00</td> <td>92.84</td> <td>-----</td> <td>-----</td> <td>77.34</td> <td>36.30</td> <td>12.30</td> <td>33.10</td> <td>166</td> <td>203</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	Apos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor		Remark	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	6985.00	92.84	-----	-----	77.34	36.30	12.30	33.10	166	203	PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	Apos	TPos																																																																																				
Freq	Level	Line	(dB)	Level	Factor	Loss Factor		Remark																																																																																				
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	7213.75	58.44	88.20	-29.76	42.04	36.53	13.01	33.14	166	203	PEAK																																																																																	
2	7257.50	54.96	74.00	-19.04	38.47	36.60	13.04	33.15	166	203	PEAK																																																																																	
Limit	Margin	Read	Ant	Cable	Preamp	Apos	TPos																																																																																					
Freq	Level	Line	(dB)	Level	Factor	Loss Factor		Remark																																																																																				
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	6985.00	92.84	-----	-----	77.34	36.30	12.30	33.10	166	203	PEAK																																																																																	
Avg	 <p style="text-align: right;">Date: 2024-12-12</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7202.50</td> <td>47.22</td> <td>68.20</td> <td>-20.98</td> <td>30.85</td> <td>36.51</td> <td>13.00</td> <td>33.14</td> <td>166</td> <td>203</td> <td>AVERAGE</td> </tr> <tr> <td>2</td> <td>7263.13</td> <td>45.42</td> <td>54.00</td> <td>-8.58</td> <td>28.93</td> <td>36.60</td> <td>13.04</td> <td>33.15</td> <td>166</td> <td>203</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	Apos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor		Remark	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	7202.50	47.22	68.20	-20.98	30.85	36.51	13.00	33.14	166	203	AVERAGE	2	7263.13	45.42	54.00	-8.58	28.93	36.60	13.04	33.15	166	203	AVERAGE	 <p style="text-align: right;">Date: 2024-12-12</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>6985.00</td> <td>83.07</td> <td>-----</td> <td>-----</td> <td>67.62</td> <td>36.30</td> <td>12.24</td> <td>33.09</td> <td>166</td> <td>203</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	Apos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor		Remark	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	6985.00	83.07	-----	-----	67.62	36.30	12.24	33.09	166	203	AVERAGE
	Limit	Margin	Read	Ant	Cable	Preamp	Apos	TPos																																																																																				
Freq	Level	Line	(dB)	Level	Factor	Loss Factor		Remark																																																																																				
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	7202.50	47.22	68.20	-20.98	30.85	36.51	13.00	33.14	166	203	AVERAGE																																																																																	
2	7263.13	45.42	54.00	-8.58	28.93	36.60	13.04	33.15	166	203	AVERAGE																																																																																	
Limit	Margin	Read	Ant	Cable	Preamp	Apos	TPos																																																																																					
Freq	Level	Line	(dB)	Level	Factor	Loss Factor		Remark																																																																																				
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	6985.00	83.07	-----	-----	67.62	36.30	12.24	33.09	166	203	AVERAGE																																																																																	







		89																																																																																										
Mode	Band Edge																																																																																											
	U-NII-8_6.875-7.125_802.11be EHT160_CH207_Large RU 996+484 RU1_6985MHz																																																																																											
ANT	CDD																																																																																											
Pol.	Vertical	Fundamental																																																																																										
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7206.88</td> <td>55.51</td> <td>88.20</td> <td>-32.69</td> <td>39.14</td> <td>36.51</td> <td>13.00</td> <td>33.14</td> <td>196</td> <td>187</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>7300.00</td> <td>54.62</td> <td>74.00</td> <td>-19.38</td> <td>38.11</td> <td>36.60</td> <td>13.07</td> <td>33.16</td> <td>196</td> <td>187</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	7206.88	55.51	88.20	-32.69	39.14	36.51	13.00	33.14	196	187	PEAK	2	7300.00	54.62	74.00	-19.38	38.11	36.60	13.07	33.16	196	187	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>6985.00</td> <td>92.13</td> <td>-----</td> <td>-----</td> <td>76.63</td> <td>36.30</td> <td>12.30</td> <td>33.10</td> <td>196</td> <td>187</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	6985.00	92.13	-----	-----	76.63	36.30	12.30	33.10	196	187	PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																						
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	7206.88	55.51	88.20	-32.69	39.14	36.51	13.00	33.14	196	187	PEAK																																																																																	
2	7300.00	54.62	74.00	-19.38	38.11	36.60	13.07	33.16	196	187	PEAK																																																																																	
Limit	Margin	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																																																				
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																						
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	6985.00	92.13	-----	-----	76.63	36.30	12.30	33.10	196	187	PEAK																																																																																	
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7202.50</td> <td>46.34</td> <td>68.20</td> <td>-21.86</td> <td>29.97</td> <td>36.51</td> <td>13.00</td> <td>33.14</td> <td>196</td> <td>187</td> <td>AVERAGE</td> </tr> <tr> <td>2</td> <td>7281.25</td> <td>45.65</td> <td>54.00</td> <td>-8.35</td> <td>29.15</td> <td>36.60</td> <td>13.06</td> <td>33.16</td> <td>196</td> <td>187</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	7202.50	46.34	68.20	-21.86	29.97	36.51	13.00	33.14	196	187	AVERAGE	2	7281.25	45.65	54.00	-8.35	29.15	36.60	13.06	33.16	196	187	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>6985.00</td> <td>83.50</td> <td>-----</td> <td>-----</td> <td>68.05</td> <td>36.30</td> <td>12.24</td> <td>33.09</td> <td>196</td> <td>187</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	6985.00	83.50	-----	-----	68.05	36.30	12.24	33.09	196	187	AVERAGE
Limit	Margin	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																																																				
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																						
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	7202.50	46.34	68.20	-21.86	29.97	36.51	13.00	33.14	196	187	AVERAGE																																																																																	
2	7281.25	45.65	54.00	-8.35	29.15	36.60	13.06	33.16	196	187	AVERAGE																																																																																	
Limit	Margin	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																																																				
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																						
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	6985.00	83.50	-----	-----	68.05	36.30	12.24	33.09	196	187	AVERAGE																																																																																	



Mode	90																																																																																	
	Band Edge																																																																																	
	U-NII-5_6.525-6.875_802.11be EHT320_CH31_Large RU 996*2+484 RU6_6105MHz																																																																																	
ANT	CDD																																																																																	
Pol.	Horizontal	Fundamental																																																																																
Peak	 <p>Level (dBuV/m) vs Frequency (MHz) plot for Horizontal polarization. The plot shows a signal level around 87.5 dBuV/m with a peak at 5870.26 MHz. A red line indicates the limit at 122.5 dBuV/m. The date is 2024-12-12.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5870.26</td> <td>55.59</td> <td>88.20</td> <td>-32.61</td> <td>40.40</td> <td>36.54</td> <td>11.50</td> <td>32.85</td> <td>100</td> <td>135</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5870.26	55.59	88.20	-32.61	40.40	36.54	11.50	32.85	100	135	PEAK	 <p>Level (dBuV/m) vs Frequency (MHz) plot for Fundamental polarization. The plot shows a signal level around 87.5 dBuV/m with a peak at 6105.00 MHz. A red line indicates the limit at 122.5 dBuV/m. The date is 2024-12-12.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>6105.00</td> <td>94.04</td> <td>-----</td> <td>-----</td> <td>78.87</td> <td>36.70</td> <td>11.35</td> <td>32.88</td> <td>100</td> <td>135</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6105.00	94.04	-----	-----	78.87	36.70	11.35	32.88	100	135	PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																									
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	5870.26	55.59	88.20	-32.61	40.40	36.54	11.50	32.85	100	135	PEAK																																																																							
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	6105.00	94.04	-----	-----	78.87	36.70	11.35	32.88	100	135	PEAK																																																																							
Avg	 <p>Level (dBuV/m) vs Frequency (MHz) plot for Horizontal polarization. The plot shows an average signal level around 87.5 dBuV/m with a peak at 5851.14 MHz. A red line indicates the limit at 122.5 dBuV/m. The date is 2024-12-12.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5851.14</td> <td>46.41</td> <td>68.20</td> <td>-21.79</td> <td>31.22</td> <td>36.50</td> <td>11.53</td> <td>32.84</td> <td>100</td> <td>135</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5851.14	46.41	68.20	-21.79	31.22	36.50	11.53	32.84	100	135	AVERAGE	 <p>Level (dBuV/m) vs Frequency (MHz) plot for Fundamental polarization. The plot shows an average signal level around 87.5 dBuV/m with a peak at 6105.00 MHz. A red line indicates the limit at 122.5 dBuV/m. The date is 2024-12-12.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>6105.00</td> <td>83.46</td> <td>-----</td> <td>-----</td> <td>68.27</td> <td>36.70</td> <td>11.37</td> <td>32.88</td> <td>100</td> <td>135</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6105.00	83.46	-----	-----	68.27	36.70	11.37	32.88	100	135	AVERAGE
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																									
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	5851.14	46.41	68.20	-21.79	31.22	36.50	11.53	32.84	100	135	AVERAGE																																																																							
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	6105.00	83.46	-----	-----	68.27	36.70	11.37	32.88	100	135	AVERAGE																																																																							



		90																																																																														
Mode		Band Edge																																																																														
		U-NII-5_6.525-6.875_802.11be EHT320_CH31_Large RU 996*2+484 RU6_6105MHz																																																																														
ANT		CDD																																																																														
Pol.	Vertical	Fundamental																																																																														
Peak	 <p>Level (dBuV/m) vs Frequency (MHz) plot for Vertical polarization. The plot shows a signal level around 87.5 dBuV/m between 5800 and 6100 MHz. A red line indicates the limit at 122.5 dBuV/m. A peak is labeled 'PEAK_BE(U)NI)_6E'.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5851.90</td> <td>55.91</td> <td>88.20</td> <td>-32.29</td> <td>40.72</td> <td>36.50</td> <td>11.53</td> <td>32.84</td> <td>328</td> <td>358</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5851.90	55.91	88.20	-32.29	40.72	36.50	11.53	32.84	328	358	PEAK	 <p>Level (dBuV/m) vs Frequency (MHz) plot for Fundamental polarization. The plot shows a signal level around 87.5 dBuV/m between 5800 and 6100 MHz. A red line indicates the limit at 122.5 dBuV/m. A peak is labeled 'PEAK_BE(U)NI)_6E'.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>6105.00</td> <td>93.36</td> <td>-----</td> <td>-----</td> <td>78.19</td> <td>36.70</td> <td>11.35</td> <td>32.88</td> <td>328</td> <td>358</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	6105.00	93.36	-----	-----	78.19	36.70	11.35	32.88	328	358	PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																							
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																								
1	5851.90	55.91	88.20	-32.29	40.72	36.50	11.53	32.84	328	358	PEAK																																																																					
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																								
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																								
1	6105.00	93.36	-----	-----	78.19	36.70	11.35	32.88	328	358	PEAK																																																																					
Avg	 <p>Level (dBuV/m) vs Frequency (MHz) plot for Average Vertical polarization. The plot shows a signal level around 70 dBuV/m between 5800 and 6100 MHz. A red line indicates the limit at 122.5 dBuV/m. A peak is labeled 'AVG_BE(U)NI)_6E'.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5857.26</td> <td>47.57</td> <td>68.20</td> <td>-20.63</td> <td>32.38</td> <td>36.51</td> <td>11.52</td> <td>32.84</td> <td>328</td> <td>358</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5857.26	47.57	68.20	-20.63	32.38	36.51	11.52	32.84	328	358	AVERAGE	 <p>Level (dBuV/m) vs Frequency (MHz) plot for Average Fundamental polarization. The plot shows a signal level around 70 dBuV/m between 5800 and 6100 MHz. A red line indicates the limit at 122.5 dBuV/m. A peak is labeled 'AVG_BE(U)NI)_6E'.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>6105.00</td> <td>85.37</td> <td>-----</td> <td>-----</td> <td>70.21</td> <td>36.70</td> <td>11.34</td> <td>32.88</td> <td>328</td> <td>358</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	6105.00	85.37	-----	-----	70.21	36.70	11.34	32.88	328	358	AVERAGE
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																							
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																								
1	5857.26	47.57	68.20	-20.63	32.38	36.51	11.52	32.84	328	358	AVERAGE																																																																					
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																								
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																								
1	6105.00	85.37	-----	-----	70.21	36.70	11.34	32.88	328	358	AVERAGE																																																																					



		91																																																																																										
Mode	Band Edge																																																																																											
	U-NII-8_6.525-6.875_802.11be EHT320_CH191_Large RU 996*2+484 RU7_6905MHz																																																																																											
ANT	CDD																																																																																											
Pol.	Horizontal	Fundamental																																																																																										
Peak	<p style="text-align: right;">Date: 2024-12-12</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7207.83</td> <td>64.46</td> <td>88.20</td> <td>-23.74</td> <td>48.08</td> <td>36.52</td> <td>13.00</td> <td>33.14</td> <td>141</td> <td>127</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>7282.24</td> <td>61.53</td> <td>74.00</td> <td>-12.47</td> <td>45.03</td> <td>36.60</td> <td>13.06</td> <td>33.16</td> <td>141</td> <td>127</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	Apos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	7207.83	64.46	88.20	-23.74	48.08	36.52	13.00	33.14	141	127	PEAK	2	7282.24	61.53	74.00	-12.47	45.03	36.60	13.06	33.16	141	127	PEAK	<p style="text-align: right;">Date: 2024-12-12</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>6905.00</td> <td>91.81</td> <td>-----</td> <td>-----</td> <td>76.52</td> <td>36.20</td> <td>12.17</td> <td>33.08</td> <td>141</td> <td>127</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	Apos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	6905.00	91.81	-----	-----	76.52	36.20	12.17	33.08	141	127	PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	Apos	TPos																																																																																				
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	Remark																																																																																				
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	7207.83	64.46	88.20	-23.74	48.08	36.52	13.00	33.14	141	127	PEAK																																																																																	
2	7282.24	61.53	74.00	-12.47	45.03	36.60	13.06	33.16	141	127	PEAK																																																																																	
Limit	Margin	Read	Ant	Cable	Preamp	Apos	TPos																																																																																					
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	Remark																																																																																				
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	6905.00	91.81	-----	-----	76.52	36.20	12.17	33.08	141	127	PEAK																																																																																	
Avg	<p style="text-align: right;">Date: 2024-12-12</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7192.70</td> <td>54.63</td> <td>68.20</td> <td>-13.57</td> <td>38.31</td> <td>36.49</td> <td>12.97</td> <td>33.14</td> <td>141</td> <td>127</td> <td>AVERAGE</td> </tr> <tr> <td>2</td> <td>7269.54</td> <td>50.26</td> <td>54.00</td> <td>-3.74</td> <td>33.76</td> <td>36.60</td> <td>13.05</td> <td>33.15</td> <td>141</td> <td>127</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	Apos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	7192.70	54.63	68.20	-13.57	38.31	36.49	12.97	33.14	141	127	AVERAGE	2	7269.54	50.26	54.00	-3.74	33.76	36.60	13.05	33.15	141	127	AVERAGE	<p style="text-align: right;">Date: 2024-12-12</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>6905.00</td> <td>82.39</td> <td>-----</td> <td>-----</td> <td>67.10</td> <td>36.24</td> <td>12.13</td> <td>33.08</td> <td>141</td> <td>127</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	Apos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	6905.00	82.39	-----	-----	67.10	36.24	12.13	33.08	141	127	AVERAGE
Limit	Margin	Read	Ant	Cable	Preamp	Apos	TPos																																																																																					
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	Remark																																																																																				
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	7192.70	54.63	68.20	-13.57	38.31	36.49	12.97	33.14	141	127	AVERAGE																																																																																	
2	7269.54	50.26	54.00	-3.74	33.76	36.60	13.05	33.15	141	127	AVERAGE																																																																																	
Limit	Margin	Read	Ant	Cable	Preamp	Apos	TPos																																																																																					
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	Remark																																																																																				
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	6905.00	82.39	-----	-----	67.10	36.24	12.13	33.08	141	127	AVERAGE																																																																																	



Mode	91																																																																																											
	Band Edge																																																																																											
	U-NII-8_6.525-6.875_802.11be EHT320_CH191_Large RU 996*2+484 RU7_6905MHz																																																																																											
ANT	CDD																																																																																											
Pol.	Vertical	Fundamental																																																																																										
Peak	<p>Date: 2024-12-12</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7208.43</td> <td>58.48</td> <td>88.20</td> <td>-29.72</td> <td>42.09</td> <td>36.52</td> <td>13.01</td> <td>33.14</td> <td>100</td> <td>193</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>7314.91</td> <td>56.07</td> <td>74.00</td> <td>-17.93</td> <td>39.58</td> <td>36.57</td> <td>13.08</td> <td>33.16</td> <td>100</td> <td>193</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	7208.43	58.48	88.20	-29.72	42.09	36.52	13.01	33.14	100	193	PEAK	2	7314.91	56.07	74.00	-17.93	39.58	36.57	13.08	33.16	100	193	PEAK	<p>Date: 2024-12-12</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>6905.00</td> <td>91.44</td> <td>-----</td> <td>-----</td> <td>75.99</td> <td>36.30</td> <td>12.24</td> <td>33.09</td> <td>100</td> <td>193</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	6905.00	91.44	-----	-----	75.99	36.30	12.24	33.09	100	193	PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																				
1	7208.43	58.48	88.20	-29.72	42.09	36.52	13.01	33.14	100	193	PEAK																																																																																	
2	7314.91	56.07	74.00	-17.93	39.58	36.57	13.08	33.16	100	193	PEAK																																																																																	
Limit	Margin	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																																																				
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																				
1	6905.00	91.44	-----	-----	75.99	36.30	12.24	33.09	100	193	PEAK																																																																																	
Avg	<p>Date: 2024-12-12</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7198.75</td> <td>48.56</td> <td>68.20</td> <td>-19.64</td> <td>32.21</td> <td>36.50</td> <td>12.99</td> <td>33.14</td> <td>100</td> <td>193</td> <td>AVERAGE</td> </tr> <tr> <td>2</td> <td>7269.54</td> <td>46.16</td> <td>54.00</td> <td>-7.84</td> <td>29.66</td> <td>36.60</td> <td>13.05</td> <td>33.15</td> <td>100</td> <td>193</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	7198.75	48.56	68.20	-19.64	32.21	36.50	12.99	33.14	100	193	AVERAGE	2	7269.54	46.16	54.00	-7.84	29.66	36.60	13.05	33.15	100	193	AVERAGE	<p>Date: 2024-12-12</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>6905.00</td> <td>83.32</td> <td>-----</td> <td>-----</td> <td>68.03</td> <td>36.24</td> <td>12.13</td> <td>33.08</td> <td>100</td> <td>193</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	6905.00	83.32	-----	-----	68.03	36.24	12.13	33.08	100	193	AVERAGE
Limit	Margin	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																																																				
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																				
1	7198.75	48.56	68.20	-19.64	32.21	36.50	12.99	33.14	100	193	AVERAGE																																																																																	
2	7269.54	46.16	54.00	-7.84	29.66	36.60	13.05	33.15	100	193	AVERAGE																																																																																	
Limit	Margin	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																																																				
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																				
1	6905.00	83.32	-----	-----	68.03	36.24	12.13	33.08	100	193	AVERAGE																																																																																	



		92																																																																														
Mode	Band Edge																																																																															
	U-NII-5_5.925-6.425_802.11be EHT320_CH31_Large RU 996*3 RU4_6105MHz																																																																															
ANT	CDD																																																																															
Pol.	Horizontal	Fundamental																																																																														
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5921.52</td> <td>60.38</td> <td>88.20</td> <td>-27.82</td> <td>45.20</td> <td>36.64</td> <td>11.41</td> <td>32.87</td> <td>108</td> <td>130</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5921.52	60.38	88.20	-27.82	45.20	36.64	11.41	32.87	108	130	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>6105.00</td> <td>91.70</td> <td>-----</td> <td>-----</td> <td>76.54</td> <td>36.70</td> <td>11.34</td> <td>32.88</td> <td>108</td> <td>130</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	6105.00	91.70	-----	-----	76.54	36.70	11.34	32.88	108	130	PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																							
Freq	Level	Line	Level	Factor	Loss Factor																																																																											
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	5921.52	60.38	88.20	-27.82	45.20	36.64	11.41	32.87	108	130	PEAK																																																																					
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																								
Freq	Level	Line	Level	Factor	Loss Factor																																																																											
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	6105.00	91.70	-----	-----	76.54	36.70	11.34	32.88	108	130	PEAK																																																																					
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5921.52</td> <td>48.94</td> <td>68.20</td> <td>-19.26</td> <td>33.76</td> <td>36.64</td> <td>11.41</td> <td>32.87</td> <td>108</td> <td>130</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5921.52	48.94	68.20	-19.26	33.76	36.64	11.41	32.87	108	130	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>6105.00</td> <td>83.67</td> <td>-----</td> <td>-----</td> <td>68.48</td> <td>36.70</td> <td>11.37</td> <td>32.88</td> <td>108</td> <td>130</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	6105.00	83.67	-----	-----	68.48	36.70	11.37	32.88	108	130	AVERAGE
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																								
Freq	Level	Line	Level	Factor	Loss Factor																																																																											
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	5921.52	48.94	68.20	-19.26	33.76	36.64	11.41	32.87	108	130	AVERAGE																																																																					
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																								
Freq	Level	Line	Level	Factor	Loss Factor																																																																											
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	6105.00	83.67	-----	-----	68.48	36.70	11.37	32.88	108	130	AVERAGE																																																																					



		92																																																																														
Mode	Band Edge																																																																															
	U-NII-5_5.925-6.425_802.11be EHT320_CH31_Large RU 996*3 RU4_6105MHz																																																																															
ANT	CDD																																																																															
Pol.	Vertical	Fundamental																																																																														
Peak	<p>Date: 2024-12-13</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5877.15</td> <td>58.12</td> <td>88.20</td> <td>-30.08</td> <td>42.94</td> <td>36.55</td> <td>11.48</td> <td>32.85</td> <td>400</td> <td>5 PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5877.15	58.12	88.20	-30.08	42.94	36.55	11.48	32.85	400	5 PEAK	<p>Date: 2024-12-13</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>6105.00</td> <td>95.23</td> <td>-----</td> <td>-----</td> <td>80.14</td> <td>36.70</td> <td>11.29</td> <td>32.90</td> <td>400</td> <td>5 PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6105.00	95.23	-----	-----	80.14	36.70	11.29	32.90	400	5 PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																							
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1	5877.15	58.12	88.20	-30.08	42.94	36.55	11.48	32.85	400	5 PEAK																																																																						
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																								
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1	6105.00	95.23	-----	-----	80.14	36.70	11.29	32.90	400	5 PEAK																																																																						
Avg	<p>Date: 2024-12-13</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5875.62</td> <td>49.36</td> <td>68.20</td> <td>-18.84</td> <td>34.17</td> <td>36.55</td> <td>11.49</td> <td>32.85</td> <td>400</td> <td>5 AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5875.62	49.36	68.20	-18.84	34.17	36.55	11.49	32.85	400	5 AVERAGE	<p>Date: 2024-12-13</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>6105.00</td> <td>86.23</td> <td>-----</td> <td>-----</td> <td>71.12</td> <td>36.70</td> <td>11.31</td> <td>32.90</td> <td>400</td> <td>5 AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6105.00	86.23	-----	-----	71.12	36.70	11.31	32.90	400	5 AVERAGE
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																								
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1	5875.62	49.36	68.20	-18.84	34.17	36.55	11.49	32.85	400	5 AVERAGE																																																																						
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																								
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1	6105.00	86.23	-----	-----	71.12	36.70	11.31	32.90	400	5 AVERAGE																																																																						







		93																																																																														
Mode	Band Edge																																																																															
	U-NII-5_5.925-6.425_802.11be EHT320_CH31_Large RU 996*3+484 RU8_6105MHz																																																																															
ANT	CDD																																																																															
Pol.	Horizontal	Fundamental																																																																														
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5899.33</td> <td>58.73</td> <td>88.20</td> <td>-29.47</td> <td>43.54</td> <td>36.60</td> <td>11.45</td> <td>32.86</td> <td>108</td> <td>130</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg	1	5899.33	58.73	88.20	-29.47	43.54	36.60	11.45	32.86	108	130	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>6105.00</td> <td>92.93</td> <td>-----</td> <td>-----</td> <td>77.77</td> <td>36.70</td> <td>11.34</td> <td>32.88</td> <td>108</td> <td>130</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg	1	6105.00	92.93	-----	-----	77.77	36.70	11.34	32.88	108	130	PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																							
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																									
MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg																																																																								
1	5899.33	58.73	88.20	-29.47	43.54	36.60	11.45	32.86	108	130	PEAK																																																																					
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																								
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																									
MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg																																																																								
1	6105.00	92.93	-----	-----	77.77	36.70	11.34	32.88	108	130	PEAK																																																																					
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5851.14</td> <td>49.19</td> <td>68.20</td> <td>-19.01</td> <td>34.00</td> <td>36.50</td> <td>11.53</td> <td>32.84</td> <td>108</td> <td>130</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg	1	5851.14	49.19	68.20	-19.01	34.00	36.50	11.53	32.84	108	130	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>6105.00</td> <td>83.76</td> <td>-----</td> <td>-----</td> <td>68.57</td> <td>36.70</td> <td>11.37</td> <td>32.88</td> <td>108</td> <td>130</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg	1	6105.00	83.76	-----	-----	68.57	36.70	11.37	32.88	108	130	AVERAGE
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																								
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																									
MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg																																																																								
1	5851.14	49.19	68.20	-19.01	34.00	36.50	11.53	32.84	108	130	AVERAGE																																																																					
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																								
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																									
MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg																																																																								
1	6105.00	83.76	-----	-----	68.57	36.70	11.37	32.88	108	130	AVERAGE																																																																					



		93																																																																														
Mode	Band Edge																																																																															
	U-NII-5_5.925-6.425_802.11be EHT320_CH31_Large RU 996*3+484 RU8_6105MHz																																																																															
ANT	CDD																																																																															
Pol.	Vertical	Fundamental																																																																														
Peak	<p>Date: 2024-12-13</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5840.43</td> <td>61.02</td> <td>88.20</td> <td>-27.18</td> <td>45.79</td> <td>36.52</td> <td>11.55</td> <td>32.84</td> <td>400</td> <td>8 PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5840.43	61.02	88.20	-27.18	45.79	36.52	11.55	32.84	400	8 PEAK	<p>Date: 2024-12-13</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>6105.00</td> <td>95.76</td> <td>-----</td> <td>-----</td> <td>80.65</td> <td>36.70</td> <td>11.31</td> <td>32.90</td> <td>400</td> <td>8 PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6105.00	95.76	-----	-----	80.65	36.70	11.31	32.90	400	8 PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																							
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1	5840.43	61.02	88.20	-27.18	45.79	36.52	11.55	32.84	400	8 PEAK																																																																						
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																								
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1	6105.00	95.76	-----	-----	80.65	36.70	11.31	32.90	400	8 PEAK																																																																						
Avg	<p>Date: 2024-12-13</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5858.79</td> <td>51.32</td> <td>68.20</td> <td>-16.88</td> <td>36.12</td> <td>36.52</td> <td>11.52</td> <td>32.84</td> <td>400</td> <td>8 AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5858.79	51.32	68.20	-16.88	36.12	36.52	11.52	32.84	400	8 AVERAGE	<p>Date: 2024-12-13</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>6105.00</td> <td>86.23</td> <td>-----</td> <td>-----</td> <td>71.12</td> <td>36.70</td> <td>11.31</td> <td>32.90</td> <td>400</td> <td>8 AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6105.00	86.23	-----	-----	71.12	36.70	11.31	32.90	400	8 AVERAGE
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																								
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1	5858.79	51.32	68.20	-16.88	36.12	36.52	11.52	32.84	400	8 AVERAGE																																																																						
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																								
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1	6105.00	86.23	-----	-----	71.12	36.70	11.31	32.90	400	8 AVERAGE																																																																						



		94																																																																																										
Mode	Band Edge																																																																																											
	U-NII-8_6.525-6.875_802.11be EHT320_CH191_Large RU 996*3 RU1_6905MHz																																																																																											
ANT	CDD																																																																																											
Pol.	Horizontal	Fundamental																																																																																										
Peak	 <p style="text-align: right;">Date: 2024-12-12</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7134.62</td> <td>68.62</td> <td>88.20</td> <td>-19.58</td> <td>52.55</td> <td>36.43</td> <td>12.77</td> <td>33.13</td> <td>129</td> <td>128</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>7274.98</td> <td>63.01</td> <td>74.00</td> <td>-10.99</td> <td>46.51</td> <td>36.60</td> <td>13.05</td> <td>33.15</td> <td>129</td> <td>128</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	7134.62	68.62	88.20	-19.58	52.55	36.43	12.77	33.13	129	128	PEAK	2	7274.98	63.01	74.00	-10.99	46.51	36.60	13.05	33.15	129	128	PEAK	 <p style="text-align: right;">Date: 2024-12-12</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>6905.00</td> <td>91.79</td> <td>-----</td> <td>-----</td> <td>76.52</td> <td>36.26</td> <td>12.08</td> <td>33.07</td> <td>129</td> <td>128</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	6905.00	91.79	-----	-----	76.52	36.26	12.08	33.07	129	128	PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	Remark																																																																																				
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	7134.62	68.62	88.20	-19.58	52.55	36.43	12.77	33.13	129	128	PEAK																																																																																	
2	7274.98	63.01	74.00	-10.99	46.51	36.60	13.05	33.15	129	128	PEAK																																																																																	
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	Remark																																																																																				
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	6905.00	91.79	-----	-----	76.52	36.26	12.08	33.07	129	128	PEAK																																																																																	
Avg	 <p style="text-align: right;">Date: 2024-12-13</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7134.62</td> <td>55.81</td> <td>68.20</td> <td>-12.39</td> <td>39.74</td> <td>36.43</td> <td>12.77</td> <td>33.13</td> <td>129</td> <td>128</td> <td>AVERAGE</td> </tr> <tr> <td>2</td> <td>7274.98</td> <td>50.45</td> <td>54.00</td> <td>-3.55</td> <td>33.95</td> <td>36.60</td> <td>13.05</td> <td>33.15</td> <td>129</td> <td>128</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	7134.62	55.81	68.20	-12.39	39.74	36.43	12.77	33.13	129	128	AVERAGE	2	7274.98	50.45	54.00	-3.55	33.95	36.60	13.05	33.15	129	128	AVERAGE	 <p style="text-align: right;">Date: 2024-12-12</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>6905.00</td> <td>81.90</td> <td>-----</td> <td>-----</td> <td>66.63</td> <td>36.26</td> <td>12.08</td> <td>33.07</td> <td>129</td> <td>128</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	6905.00	81.90	-----	-----	66.63	36.26	12.08	33.07	129	128	AVERAGE
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	Remark																																																																																				
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	7134.62	55.81	68.20	-12.39	39.74	36.43	12.77	33.13	129	128	AVERAGE																																																																																	
2	7274.98	50.45	54.00	-3.55	33.95	36.60	13.05	33.15	129	128	AVERAGE																																																																																	
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	Remark																																																																																				
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	6905.00	81.90	-----	-----	66.63	36.26	12.08	33.07	129	128	AVERAGE																																																																																	







		94																																																																																										
Mode	Band Edge																																																																																											
	U-NII-8_6.525-6.875_802.11be EHT320_CH191_Large RU 996*3 RU1_6905MHz																																																																																											
ANT	CDD																																																																																											
Pol.	Vertical	Fundamental																																																																																										
Peak	<p style="text-align: right;">Date: 2024-12-12</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7134.02</td> <td>65.42</td> <td>88.20</td> <td>-22.78</td> <td>49.36</td> <td>36.43</td> <td>12.76</td> <td>33.13</td> <td>133</td> <td>352</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>7348.79</td> <td>61.48</td> <td>74.00</td> <td>-12.52</td> <td>45.04</td> <td>36.50</td> <td>13.11</td> <td>33.17</td> <td>133</td> <td>352</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	7134.02	65.42	88.20	-22.78	49.36	36.43	12.76	33.13	133	352	PEAK	2	7348.79	61.48	74.00	-12.52	45.04	36.50	13.11	33.17	133	352	PEAK	<p style="text-align: right;">Date: 2024-12-12</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>6905.00</td> <td>90.76</td> <td>-----</td> <td>-----</td> <td>75.44</td> <td>36.28</td> <td>12.11</td> <td>33.07</td> <td>133</td> <td>352</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	6905.00	90.76	-----	-----	75.44	36.28	12.11	33.07	133	352	PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	Remark																																																																																				
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	7134.02	65.42	88.20	-22.78	49.36	36.43	12.76	33.13	133	352	PEAK																																																																																	
2	7348.79	61.48	74.00	-12.52	45.04	36.50	13.11	33.17	133	352	PEAK																																																																																	
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	Remark																																																																																				
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	6905.00	90.76	-----	-----	75.44	36.28	12.11	33.07	133	352	PEAK																																																																																	
Avg	<p style="text-align: right;">Date: 2024-12-12</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7134.62</td> <td>52.64</td> <td>68.20</td> <td>-15.56</td> <td>36.57</td> <td>36.43</td> <td>12.77</td> <td>33.13</td> <td>133</td> <td>352</td> <td>AVERAGE</td> </tr> <tr> <td>2</td> <td>7274.98</td> <td>49.67</td> <td>54.00</td> <td>-4.33</td> <td>33.17</td> <td>36.60</td> <td>13.05</td> <td>33.15</td> <td>133</td> <td>352</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	7134.62	52.64	68.20	-15.56	36.57	36.43	12.77	33.13	133	352	AVERAGE	2	7274.98	49.67	54.00	-4.33	33.17	36.60	13.05	33.15	133	352	AVERAGE	<p style="text-align: right;">Date: 2024-12-12</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>6905.00</td> <td>82.36</td> <td>-----</td> <td>-----</td> <td>67.09</td> <td>36.26</td> <td>12.08</td> <td>33.07</td> <td>133</td> <td>352</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	6905.00	82.36	-----	-----	67.09	36.26	12.08	33.07	133	352	AVERAGE
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	Remark																																																																																				
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	7134.62	52.64	68.20	-15.56	36.57	36.43	12.77	33.13	133	352	AVERAGE																																																																																	
2	7274.98	49.67	54.00	-4.33	33.17	36.60	13.05	33.15	133	352	AVERAGE																																																																																	
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	Remark																																																																																				
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	6905.00	82.36	-----	-----	67.09	36.26	12.08	33.07	133	352	AVERAGE																																																																																	



		95																																																																																										
Mode	Band Edge																																																																																											
	U-NII-8_6.525-6.875_802.11be EHT320_CH191_Large RU 996*3+484 RU1_6905MHz																																																																																											
ANT	CDD																																																																																											
Pol.	Horizontal	Fundamental																																																																																										
Peak	<p style="text-align: right;">Date: 2024-12-13</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7193.91</td> <td>65.95</td> <td>88.20</td> <td>-22.25</td> <td>49.63</td> <td>36.49</td> <td>12.97</td> <td>33.14</td> <td>128</td> <td>122</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>7290.11</td> <td>61.82</td> <td>74.00</td> <td>-12.18</td> <td>45.32</td> <td>36.60</td> <td>13.06</td> <td>33.16</td> <td>128</td> <td>122</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	Apos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	7193.91	65.95	88.20	-22.25	49.63	36.49	12.97	33.14	128	122	PEAK	2	7290.11	61.82	74.00	-12.18	45.32	36.60	13.06	33.16	128	122	PEAK	<p style="text-align: right;">Date: 2024-12-13</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>6905.00</td> <td>89.36</td> <td>-----</td> <td>-----</td> <td>74.09</td> <td>36.26</td> <td>12.08</td> <td>33.07</td> <td>128</td> <td>122</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	Apos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	6905.00	89.36	-----	-----	74.09	36.26	12.08	33.07	128	122	PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	Apos	TPos																																																																																				
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	Remark																																																																																				
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	7193.91	65.95	88.20	-22.25	49.63	36.49	12.97	33.14	128	122	PEAK																																																																																	
2	7290.11	61.82	74.00	-12.18	45.32	36.60	13.06	33.16	128	122	PEAK																																																																																	
Limit	Margin	Read	Ant	Cable	Preamp	Apos	TPos																																																																																					
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	Remark																																																																																				
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	6905.00	89.36	-----	-----	74.09	36.26	12.08	33.07	128	122	PEAK																																																																																	
Avg	<p style="text-align: right;">Date: 2024-12-13</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7192.10</td> <td>55.52</td> <td>68.20</td> <td>-12.68</td> <td>39.21</td> <td>36.48</td> <td>12.97</td> <td>33.14</td> <td>128</td> <td>122</td> <td>AVERAGE</td> </tr> <tr> <td>2</td> <td>7287.69</td> <td>50.62</td> <td>54.00</td> <td>-3.38</td> <td>34.12</td> <td>36.60</td> <td>13.06</td> <td>33.16</td> <td>128</td> <td>122</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	Apos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	7192.10	55.52	68.20	-12.68	39.21	36.48	12.97	33.14	128	122	AVERAGE	2	7287.69	50.62	54.00	-3.38	34.12	36.60	13.06	33.16	128	122	AVERAGE	<p style="text-align: right;">Date: 2024-12-13</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>6905.00</td> <td>80.97</td> <td>-----</td> <td>-----</td> <td>65.70</td> <td>36.26</td> <td>12.08</td> <td>33.07</td> <td>128</td> <td>122</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	Apos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	6905.00	80.97	-----	-----	65.70	36.26	12.08	33.07	128	122	AVERAGE
Limit	Margin	Read	Ant	Cable	Preamp	Apos	TPos																																																																																					
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	Remark																																																																																				
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	7192.10	55.52	68.20	-12.68	39.21	36.48	12.97	33.14	128	122	AVERAGE																																																																																	
2	7287.69	50.62	54.00	-3.38	34.12	36.60	13.06	33.16	128	122	AVERAGE																																																																																	
Limit	Margin	Read	Ant	Cable	Preamp	Apos	TPos																																																																																					
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	Remark																																																																																				
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	6905.00	80.97	-----	-----	65.70	36.26	12.08	33.07	128	122	AVERAGE																																																																																	



		95																																																																																										
Mode	Band Edge																																																																																											
	U-NII-8_6.525-6.875_802.11be EHT320_CH191_Large RU 996*3+484 RU1_6905MHz																																																																																											
ANT	CDD																																																																																											
Pol.	Vertical	Fundamental																																																																																										
Peak	 <p style="text-align: right;">Date: 2024-12-13</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7193.91</td> <td>61.61</td> <td>88.20</td> <td>-26.59</td> <td>45.29</td> <td>36.49</td> <td>12.97</td> <td>33.14</td> <td>400</td> <td>327</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>7293.74</td> <td>57.75</td> <td>74.00</td> <td>-16.25</td> <td>41.24</td> <td>36.60</td> <td>13.07</td> <td>33.16</td> <td>400</td> <td>327</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	Apos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1	7193.91	61.61	88.20	-26.59	45.29	36.49	12.97	33.14	400	327	PEAK	2	7293.74	57.75	74.00	-16.25	41.24	36.60	13.07	33.16	400	327	PEAK	 <p style="text-align: right;">Date: 2024-12-13</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>6905.00</td> <td>89.14</td> <td>-----</td> <td>-----</td> <td>73.96</td> <td>36.19</td> <td>12.05</td> <td>33.06</td> <td>400</td> <td>327</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	Apos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1	6905.00	89.14	-----	-----	73.96	36.19	12.05	33.06	400	327	PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	Apos	TPos																																																																																				
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	Remark																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																																				
1	7193.91	61.61	88.20	-26.59	45.29	36.49	12.97	33.14	400	327	PEAK																																																																																	
2	7293.74	57.75	74.00	-16.25	41.24	36.60	13.07	33.16	400	327	PEAK																																																																																	
Limit	Margin	Read	Ant	Cable	Preamp	Apos	TPos																																																																																					
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	Remark																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																																				
1	6905.00	89.14	-----	-----	73.96	36.19	12.05	33.06	400	327	PEAK																																																																																	
Avg	 <p style="text-align: right;">Date: 2024-12-13</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7194.52</td> <td>51.28</td> <td>68.20</td> <td>-16.92</td> <td>34.95</td> <td>36.49</td> <td>12.98</td> <td>33.14</td> <td>400</td> <td>327</td> <td>AVERAGE</td> </tr> <tr> <td>2</td> <td>7288.29</td> <td>46.74</td> <td>54.00</td> <td>-7.26</td> <td>30.24</td> <td>36.60</td> <td>13.06</td> <td>33.16</td> <td>400</td> <td>327</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	Apos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1	7194.52	51.28	68.20	-16.92	34.95	36.49	12.98	33.14	400	327	AVERAGE	2	7288.29	46.74	54.00	-7.26	30.24	36.60	13.06	33.16	400	327	AVERAGE	 <p style="text-align: right;">Date: 2024-12-13</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>6905.00</td> <td>81.71</td> <td>-----</td> <td>-----</td> <td>66.53</td> <td>36.19</td> <td>12.05</td> <td>33.06</td> <td>400</td> <td>327</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	Apos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1	6905.00	81.71	-----	-----	66.53	36.19	12.05	33.06	400	327	AVERAGE
	Limit	Margin	Read	Ant	Cable	Preamp	Apos	TPos																																																																																				
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	Remark																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																																				
1	7194.52	51.28	68.20	-16.92	34.95	36.49	12.98	33.14	400	327	AVERAGE																																																																																	
2	7288.29	46.74	54.00	-7.26	30.24	36.60	13.06	33.16	400	327	AVERAGE																																																																																	
Limit	Margin	Read	Ant	Cable	Preamp	Apos	TPos																																																																																					
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	Remark																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																																				
1	6905.00	81.71	-----	-----	66.53	36.19	12.05	33.06	400	327	AVERAGE																																																																																	



		98																																																																																
Mode	Band Edge																																																																																	
	U-NII-5_5.925-6.425_802.11a_CH2_Full_5935MHz																																																																																	
ANT	5+7																																																																																	
Pol.	Horizontal	Fundamental																																																																																
Peak	<p style="text-align: right;">Date: 2024-12-09</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1 5924.84</td> <td>77.94</td> <td>88.20</td> <td>-10.26</td> <td>62.76</td> <td>36.65</td> <td>11.40</td> <td>32.87</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>274</td> <td>61 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1 5924.84	77.94	88.20	-10.26	62.76	36.65	11.40	32.87							274	61 PEAK	<p style="text-align: right;">Date: 2024-12-09</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1 5935.00</td> <td>93.81</td> <td>-----</td> <td>-----</td> <td>78.62</td> <td>36.67</td> <td>11.39</td> <td>32.87</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>274</td> <td>61 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1 5935.00	93.81	-----	-----	78.62	36.67	11.39	32.87							274	61 PEAK
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																											
1 5924.84	77.94	88.20	-10.26	62.76	36.65	11.40	32.87																																																																											
						274	61 PEAK																																																																											
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																											
1 5935.00	93.81	-----	-----	78.62	36.67	11.39	32.87																																																																											
						274	61 PEAK																																																																											
Avg	<p style="text-align: right;">Date: 2024-12-09</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1 5924.97</td> <td>63.96</td> <td>68.20</td> <td>-4.24</td> <td>48.78</td> <td>36.65</td> <td>11.40</td> <td>32.87</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>274</td> <td>61 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1 5924.97	63.96	68.20	-4.24	48.78	36.65	11.40	32.87							274	61 AVERAGE	<p style="text-align: right;">Date: 2024-12-09</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1 5935.00</td> <td>87.78</td> <td>-----</td> <td>-----</td> <td>72.59</td> <td>36.67</td> <td>11.39</td> <td>32.87</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>274</td> <td>61 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1 5935.00	87.78	-----	-----	72.59	36.67	11.39	32.87							274	61 AVERAGE
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																											
1 5924.97	63.96	68.20	-4.24	48.78	36.65	11.40	32.87																																																																											
						274	61 AVERAGE																																																																											
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																											
1 5935.00	87.78	-----	-----	72.59	36.67	11.39	32.87																																																																											
						274	61 AVERAGE																																																																											



		98																																																																								
Mode	Band Edge																																																																									
	U-NII-5_5.925-6.425_802.11a_CH2_Full_5935MHz																																																																									
ANT	5+7																																																																									
Pol.	Vertical	Fundamental																																																																								
Peak	<p style="text-align: right;">Date: 2024-12-09</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5924.71</td> <td>78.71</td> <td>88.20</td> <td>-9.49</td> <td>63.53</td> <td>36.65</td> <td>11.40</td> <td>32.87</td> <td>300</td> <td>354</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1	5924.71	78.71	88.20	-9.49	63.53	36.65	11.40	32.87	300	354	PEAK	<p style="text-align: right;">Date: 2024-12-09</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5935.00</td> <td>95.77</td> <td>-----</td> <td>-----</td> <td>80.58</td> <td>36.67</td> <td>11.39</td> <td>32.87</td> <td>300</td> <td>354</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1	5935.00	95.77	-----	-----	80.58	36.67	11.39	32.87	300	354	PEAK
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																			
1	5924.71	78.71	88.20	-9.49	63.53	36.65	11.40	32.87	300	354	PEAK																																																															
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																			
1	5935.00	95.77	-----	-----	80.58	36.67	11.39	32.87	300	354	PEAK																																																															
Avg	<p style="text-align: right;">Date: 2024-12-09</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5924.97</td> <td>64.73</td> <td>68.20</td> <td>-3.47</td> <td>49.55</td> <td>36.65</td> <td>11.40</td> <td>32.87</td> <td>300</td> <td>354</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1	5924.97	64.73	68.20	-3.47	49.55	36.65	11.40	32.87	300	354	AVERAGE	<p style="text-align: right;">Date: 2024-12-09</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5935.00</td> <td>89.45</td> <td>-----</td> <td>-----</td> <td>74.26</td> <td>36.67</td> <td>11.39</td> <td>32.87</td> <td>300</td> <td>354</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1	5935.00	89.45	-----	-----	74.26	36.67	11.39	32.87	300	354	AVERAGE
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																			
1	5924.97	64.73	68.20	-3.47	49.55	36.65	11.40	32.87	300	354	AVERAGE																																																															
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																			
1	5935.00	89.45	-----	-----	74.26	36.67	11.39	32.87	300	354	AVERAGE																																																															



Mode	98																																																																																																	
	Harmonic																																																																																																	
	U-NII-5_5.925-6.425_802.11a_CH2_Full_5935MHz																																																																																																	
ANT	5+7																																																																																																	
Pol.	Horizontal	Vertical																																																																																																
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11870.00</td> <td>48.46</td> <td>74.00</td> <td>-25.54</td> <td>45.10</td> <td>38.30</td> <td>15.06</td> <td>50.00</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>17805.00</td> <td>46.93</td> <td>74.00</td> <td>-27.07</td> <td>40.76</td> <td>42.41</td> <td>17.73</td> <td>53.97</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	11870.00	48.46	74.00	-25.54	45.10	38.30	15.06	50.00	---	---	Peak	2	17805.00	46.93	74.00	-27.07	40.76	42.41	17.73	53.97	---	---	Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11870.00</td> <td>48.08</td> <td>74.00</td> <td>-25.92</td> <td>44.72</td> <td>38.30</td> <td>15.06</td> <td>50.00</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>17805.00</td> <td>46.39</td> <td>74.00</td> <td>-27.61</td> <td>40.22</td> <td>42.41</td> <td>17.73</td> <td>53.97</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	11870.00	48.08	74.00	-25.92	44.72	38.30	15.06	50.00	---	---	Peak	2	17805.00	46.39	74.00	-27.61	40.22	42.41	17.73	53.97	---	---	Peak
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																											
1	11870.00	48.46	74.00	-25.54	45.10	38.30	15.06	50.00	---	---	Peak																																																																																							
2	17805.00	46.93	74.00	-27.07	40.76	42.41	17.73	53.97	---	---	Peak																																																																																							
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																											
1	11870.00	48.08	74.00	-25.92	44.72	38.30	15.06	50.00	---	---	Peak																																																																																							
2	17805.00	46.39	74.00	-27.61	40.22	42.41	17.73	53.97	---	---	Peak																																																																																							



		99																																																																																
Mode	Band Edge																																																																																	
	U-NII-5_5.925-6.425_802.11be EHT20_CH2_Full_5935MHz																																																																																	
ANT	5+7																																																																																	
Pol.	Horizontal	Fundamental																																																																																
Peak	<p style="text-align: right;">Date: 2024-12-09</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1 5924.97</td> <td>73.40</td> <td>88.20</td> <td>-14.80</td> <td>58.22</td> <td>36.65</td> <td>11.40</td> <td>32.87</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>268</td> <td>54 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1 5924.97	73.40	88.20	-14.80	58.22	36.65	11.40	32.87							268	54 PEAK	<p style="text-align: right;">Date: 2024-12-09</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1 5935.00</td> <td>84.62</td> <td>-----</td> <td>-----</td> <td>69.43</td> <td>36.66</td> <td>11.40</td> <td>32.87</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>268</td> <td>54 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1 5935.00	84.62	-----	-----	69.43	36.66	11.40	32.87							268	54 PEAK
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																											
1 5924.97	73.40	88.20	-14.80	58.22	36.65	11.40	32.87																																																																											
						268	54 PEAK																																																																											
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																											
1 5935.00	84.62	-----	-----	69.43	36.66	11.40	32.87																																																																											
						268	54 PEAK																																																																											
Avg	<p style="text-align: right;">Date: 2024-12-09</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1 5924.97</td> <td>63.18</td> <td>68.20</td> <td>-5.02</td> <td>48.00</td> <td>36.65</td> <td>11.40</td> <td>32.87</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>268</td> <td>54 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1 5924.97	63.18	68.20	-5.02	48.00	36.65	11.40	32.87							268	54 AVERAGE	<p style="text-align: right;">Date: 2024-12-09</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1 5935.00</td> <td>75.55</td> <td>-----</td> <td>-----</td> <td>60.36</td> <td>36.66</td> <td>11.40</td> <td>32.87</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>268</td> <td>54 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1 5935.00	75.55	-----	-----	60.36	36.66	11.40	32.87							268	54 AVERAGE
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																											
1 5924.97	63.18	68.20	-5.02	48.00	36.65	11.40	32.87																																																																											
						268	54 AVERAGE																																																																											
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																											
1 5935.00	75.55	-----	-----	60.36	36.66	11.40	32.87																																																																											
						268	54 AVERAGE																																																																											



		99																																																																								
Mode	Band Edge																																																																									
	U-NII-5_5.925-6.425_802.11be EHT20_CH2_Full_5935MHz																																																																									
ANT	5+7																																																																									
Pol.	Vertical	Fundamental																																																																								
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5924.97</td> <td>74.96</td> <td>88.20</td> <td>-13.24</td> <td>59.78</td> <td>36.65</td> <td>11.40</td> <td>32.87</td> <td>299</td> <td>348</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5924.97	74.96	88.20	-13.24	59.78	36.65	11.40	32.87	299	348	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5935.00</td> <td>84.27</td> <td>-----</td> <td>-----</td> <td>69.08</td> <td>36.66</td> <td>11.40</td> <td>32.87</td> <td>299</td> <td>348</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5935.00	84.27	-----	-----	69.08	36.66	11.40	32.87	299	348	PEAK
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																			
1	5924.97	74.96	88.20	-13.24	59.78	36.65	11.40	32.87	299	348	PEAK																																																															
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																			
1	5935.00	84.27	-----	-----	69.08	36.66	11.40	32.87	299	348	PEAK																																																															
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5924.97</td> <td>65.09</td> <td>68.20</td> <td>-3.11</td> <td>49.91</td> <td>36.65</td> <td>11.40</td> <td>32.87</td> <td>299</td> <td>348</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5924.97	65.09	68.20	-3.11	49.91	36.65	11.40	32.87	299	348	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5935.00</td> <td>76.46</td> <td>-----</td> <td>-----</td> <td>61.27</td> <td>36.66</td> <td>11.40</td> <td>32.87</td> <td>299</td> <td>348</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5935.00	76.46	-----	-----	61.27	36.66	11.40	32.87	299	348	AVERAGE
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																			
1	5924.97	65.09	68.20	-3.11	49.91	36.65	11.40	32.87	299	348	AVERAGE																																																															
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																			
1	5935.00	76.46	-----	-----	61.27	36.66	11.40	32.87	299	348	AVERAGE																																																															



Mode	99																																																																																										
	Harmonic																																																																																										
	U-NII-5_5.925-6.425_802.11be EHT20_CH2_Full_5935MHz																																																																																										
ANT	5+7																																																																																										
Pol.	Horizontal	Vertical																																																																																									
Peak Avg	<p>Date: 2024-12-13</p>	<p>Date: 2024-12-13</p>																																																																																									
	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11870.00</td> <td>48.17</td> <td>74.00</td> <td>-25.83</td> <td>44.81</td> <td>38.30</td> <td>15.06</td> <td>50.00 --- --- Peak</td> </tr> <tr> <td>2</td> <td>17805.00</td> <td>46.22</td> <td>74.00</td> <td>-27.78</td> <td>40.05</td> <td>42.41</td> <td>17.73</td> <td>53.97 --- --- Peak</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm deg	1	11870.00	48.17	74.00	-25.83	44.81	38.30	15.06	50.00 --- --- Peak	2	17805.00	46.22	74.00	-27.78	40.05	42.41	17.73	53.97 --- --- Peak	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11870.00</td> <td>48.25</td> <td>74.00</td> <td>-25.75</td> <td>44.89</td> <td>38.30</td> <td>15.06</td> <td>50.00 --- --- Peak</td> </tr> <tr> <td>2</td> <td>17805.00</td> <td>46.65</td> <td>74.00</td> <td>-27.35</td> <td>40.48</td> <td>42.41</td> <td>17.73</td> <td>53.97 --- --- Peak</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm deg	1	11870.00	48.25	74.00	-25.75	44.89	38.30	15.06	50.00 --- --- Peak	2	17805.00	46.65	74.00	-27.35	40.48	42.41	17.73
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm deg																																																																																			
1	11870.00	48.17	74.00	-25.83	44.81	38.30	15.06	50.00 --- --- Peak																																																																																			
2	17805.00	46.22	74.00	-27.78	40.05	42.41	17.73	53.97 --- --- Peak																																																																																			
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm deg																																																																																			
1	11870.00	48.25	74.00	-25.75	44.89	38.30	15.06	50.00 --- --- Peak																																																																																			
2	17805.00	46.65	74.00	-27.35	40.48	42.41	17.73	53.97 --- --- Peak																																																																																			



		100																																																																								
Mode	Band Edge																																																																									
	U-NII-5_5.925-6.425_802.11be EHT20_CH2_Single RU 26/0_5935MHz																																																																									
ANT	5+7																																																																									
Pol.	Horizontal	Fundamental																																																																								
Peak	<p style="text-align: right;">Date: 2024-12-09</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5924.97</td> <td>74.65</td> <td>88.20</td> <td>-13.55</td> <td>59.47</td> <td>36.65</td> <td>11.40</td> <td>32.87</td> <td>277</td> <td>54</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5924.97	74.65	88.20	-13.55	59.47	36.65	11.40	32.87	277	54	PEAK	<p style="text-align: right;">Date: 2024-12-09</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5935.00</td> <td>81.99</td> <td>-----</td> <td>-----</td> <td>66.80</td> <td>36.66</td> <td>11.40</td> <td>32.87</td> <td>277</td> <td>54</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5935.00	81.99	-----	-----	66.80	36.66	11.40	32.87	277	54	PEAK
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																			
1	5924.97	74.65	88.20	-13.55	59.47	36.65	11.40	32.87	277	54	PEAK																																																															
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																			
1	5935.00	81.99	-----	-----	66.80	36.66	11.40	32.87	277	54	PEAK																																																															
Avg	<p style="text-align: right;">Date: 2024-12-09</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5924.97</td> <td>63.45</td> <td>68.20</td> <td>-4.75</td> <td>48.27</td> <td>36.65</td> <td>11.40</td> <td>32.87</td> <td>277</td> <td>54</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5924.97	63.45	68.20	-4.75	48.27	36.65	11.40	32.87	277	54	AVERAGE	<p style="text-align: right;">Date: 2024-12-09</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5935.00</td> <td>74.75</td> <td>-----</td> <td>-----</td> <td>59.56</td> <td>36.66</td> <td>11.40</td> <td>32.87</td> <td>277</td> <td>54</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5935.00	74.75	-----	-----	59.56	36.66	11.40	32.87	277	54	AVERAGE
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																			
1	5924.97	63.45	68.20	-4.75	48.27	36.65	11.40	32.87	277	54	AVERAGE																																																															
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																			
1	5935.00	74.75	-----	-----	59.56	36.66	11.40	32.87	277	54	AVERAGE																																																															



	100																																																																									
Mode	Band Edge																																																																									
	U-NII-5_5.925-6.425_802.11be EHT20_CH2_Single RU 26/0_5935MHz																																																																									
ANT	5+7																																																																									
Pol.	Vertical	Fundamental																																																																								
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5924.97</td> <td>73.33</td> <td>88.20</td> <td>-14.87</td> <td>58.15</td> <td>36.65</td> <td>11.40</td> <td>32.87</td> <td>298</td> <td>353</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1	5924.97	73.33	88.20	-14.87	58.15	36.65	11.40	32.87	298	353	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5935.00</td> <td>85.16</td> <td>-----</td> <td>-----</td> <td>69.97</td> <td>36.66</td> <td>11.40</td> <td>32.87</td> <td>298</td> <td>353</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1	5935.00	85.16	-----	-----	69.97	36.66	11.40	32.87	298	353	PEAK
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																			
1	5924.97	73.33	88.20	-14.87	58.15	36.65	11.40	32.87	298	353	PEAK																																																															
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																			
1	5935.00	85.16	-----	-----	69.97	36.66	11.40	32.87	298	353	PEAK																																																															
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5924.97</td> <td>65.01</td> <td>68.20</td> <td>-3.19</td> <td>49.83</td> <td>36.65</td> <td>11.40</td> <td>32.87</td> <td>298</td> <td>353</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1	5924.97	65.01	68.20	-3.19	49.83	36.65	11.40	32.87	298	353	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5935.00</td> <td>76.56</td> <td>-----</td> <td>-----</td> <td>61.37</td> <td>36.66</td> <td>11.40</td> <td>32.87</td> <td>298</td> <td>353</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1	5935.00	76.56	-----	-----	61.37	36.66	11.40	32.87	298	353	AVERAGE
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																			
1	5924.97	65.01	68.20	-3.19	49.83	36.65	11.40	32.87	298	353	AVERAGE																																																															
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																			
1	5935.00	76.56	-----	-----	61.37	36.66	11.40	32.87	298	353	AVERAGE																																																															







		101																																																																								
Mode	Band Edge																																																																									
	U-NII-5_5.925-6.425_802.11be EHT20_CH2_Single RU 52/37_5935MHz																																																																									
ANT	5+7																																																																									
Pol.	Horizontal	Fundamental																																																																								
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5924.97</td> <td>75.09</td> <td>88.20</td> <td>-13.11</td> <td>59.91</td> <td>36.65</td> <td>11.40</td> <td>32.87</td> <td>276</td> <td>61</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1	5924.97	75.09	88.20	-13.11	59.91	36.65	11.40	32.87	276	61	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5935.00</td> <td>84.19</td> <td>-----</td> <td>-----</td> <td>69.00</td> <td>36.66</td> <td>11.40</td> <td>32.87</td> <td>276</td> <td>61</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1	5935.00	84.19	-----	-----	69.00	36.66	11.40	32.87	276	61	PEAK
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																			
1	5924.97	75.09	88.20	-13.11	59.91	36.65	11.40	32.87	276	61	PEAK																																																															
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																			
1	5935.00	84.19	-----	-----	69.00	36.66	11.40	32.87	276	61	PEAK																																																															
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5924.97</td> <td>63.80</td> <td>68.20</td> <td>-4.40</td> <td>48.62</td> <td>36.65</td> <td>11.40</td> <td>32.87</td> <td>276</td> <td>61</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1	5924.97	63.80	68.20	-4.40	48.62	36.65	11.40	32.87	276	61	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5935.00</td> <td>75.13</td> <td>-----</td> <td>-----</td> <td>59.94</td> <td>36.66</td> <td>11.40</td> <td>32.87</td> <td>276</td> <td>61</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1	5935.00	75.13	-----	-----	59.94	36.66	11.40	32.87	276	61	AVERAGE
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																			
1	5924.97	63.80	68.20	-4.40	48.62	36.65	11.40	32.87	276	61	AVERAGE																																																															
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																			
1	5935.00	75.13	-----	-----	59.94	36.66	11.40	32.87	276	61	AVERAGE																																																															



		101																																																																								
Mode	Band Edge																																																																									
	U-NII-5_5.925-6.425_802.11be EHT20_CH2_Single RU 52/37_5935MHz																																																																									
ANT	5+7																																																																									
Pol.	Vertical	Fundamental																																																																								
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5924.97</td> <td>76.02</td> <td>88.20</td> <td>-12.18</td> <td>60.84</td> <td>36.65</td> <td>11.40</td> <td>32.87</td> <td>298</td> <td>357</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1	5924.97	76.02	88.20	-12.18	60.84	36.65	11.40	32.87	298	357	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5935.00</td> <td>85.21</td> <td>-----</td> <td>-----</td> <td>70.02</td> <td>36.66</td> <td>11.40</td> <td>32.87</td> <td>298</td> <td>357</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1	5935.00	85.21	-----	-----	70.02	36.66	11.40	32.87	298	357	PEAK
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																			
1	5924.97	76.02	88.20	-12.18	60.84	36.65	11.40	32.87	298	357	PEAK																																																															
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																			
1	5935.00	85.21	-----	-----	70.02	36.66	11.40	32.87	298	357	PEAK																																																															
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5924.97</td> <td>65.08</td> <td>68.20</td> <td>-3.12</td> <td>49.90</td> <td>36.65</td> <td>11.40</td> <td>32.87</td> <td>298</td> <td>357</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1	5924.97	65.08	68.20	-3.12	49.90	36.65	11.40	32.87	298	357	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5935.00</td> <td>76.62</td> <td>-----</td> <td>-----</td> <td>61.43</td> <td>36.66</td> <td>11.40</td> <td>32.87</td> <td>298</td> <td>357</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1	5935.00	76.62	-----	-----	61.43	36.66	11.40	32.87	298	357	AVERAGE
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																			
1	5924.97	65.08	68.20	-3.12	49.90	36.65	11.40	32.87	298	357	AVERAGE																																																															
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																			
1	5935.00	76.62	-----	-----	61.43	36.66	11.40	32.87	298	357	AVERAGE																																																															







		102																																																																								
Mode	Band Edge																																																																									
	U-NII-5_5.925-6.425_802.11be EHT20_CH2_Single RU 106/53_5935MHz																																																																									
ANT	5+7																																																																									
Pol.	Horizontal	Fundamental																																																																								
Peak	 <p style="text-align: right;">Date: 2024-12-09</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5924.97</td> <td>69.29</td> <td>88.20</td> <td>-18.91</td> <td>54.11</td> <td>36.65</td> <td>11.40</td> <td>32.87</td> <td>279</td> <td>57</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1	5924.97	69.29	88.20	-18.91	54.11	36.65	11.40	32.87	279	57	PEAK	 <p style="text-align: right;">Date: 2024-12-09</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5935.00</td> <td>79.15</td> <td>-----</td> <td>-----</td> <td>63.96</td> <td>36.66</td> <td>11.40</td> <td>32.87</td> <td>279</td> <td>57</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1	5935.00	79.15	-----	-----	63.96	36.66	11.40	32.87	279	57	PEAK
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																			
1	5924.97	69.29	88.20	-18.91	54.11	36.65	11.40	32.87	279	57	PEAK																																																															
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																			
1	5935.00	79.15	-----	-----	63.96	36.66	11.40	32.87	279	57	PEAK																																																															
Avg	 <p style="text-align: right;">Date: 2024-12-09</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5924.97</td> <td>61.76</td> <td>68.20</td> <td>-6.44</td> <td>46.58</td> <td>36.65</td> <td>11.40</td> <td>32.87</td> <td>279</td> <td>57</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1	5924.97	61.76	68.20	-6.44	46.58	36.65	11.40	32.87	279	57	AVERAGE	 <p style="text-align: right;">Date: 2024-12-09</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5935.00</td> <td>71.09</td> <td>-----</td> <td>-----</td> <td>55.90</td> <td>36.66</td> <td>11.40</td> <td>32.87</td> <td>279</td> <td>57</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1	5935.00	71.09	-----	-----	55.90	36.66	11.40	32.87	279	57	AVERAGE
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																			
1	5924.97	61.76	68.20	-6.44	46.58	36.65	11.40	32.87	279	57	AVERAGE																																																															
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																			
1	5935.00	71.09	-----	-----	55.90	36.66	11.40	32.87	279	57	AVERAGE																																																															



		102																																																																								
Mode	Band Edge																																																																									
	U-NII-5_5.925-6.425_802.11be EHT20_CH2_Single RU 106/53_5935MHz																																																																									
ANT	5+7																																																																									
Pol.	Vertical	Fundamental																																																																								
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5924.84</td> <td>72.46</td> <td>88.20</td> <td>-15.74</td> <td>57.28</td> <td>36.65</td> <td>11.40</td> <td>32.87</td> <td>298</td> <td>358</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1	5924.84	72.46	88.20	-15.74	57.28	36.65	11.40	32.87	298	358	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5935.00</td> <td>81.63</td> <td>-----</td> <td>-----</td> <td>66.44</td> <td>36.66</td> <td>11.40</td> <td>32.87</td> <td>298</td> <td>358</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1	5935.00	81.63	-----	-----	66.44	36.66	11.40	32.87	298	358	PEAK
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																			
1	5924.84	72.46	88.20	-15.74	57.28	36.65	11.40	32.87	298	358	PEAK																																																															
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																			
1	5935.00	81.63	-----	-----	66.44	36.66	11.40	32.87	298	358	PEAK																																																															
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5924.97</td> <td>64.59</td> <td>68.20</td> <td>-3.61</td> <td>49.41</td> <td>36.65</td> <td>11.40</td> <td>32.87</td> <td>298</td> <td>358</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1	5924.97	64.59	68.20	-3.61	49.41	36.65	11.40	32.87	298	358	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5935.00</td> <td>74.27</td> <td>-----</td> <td>-----</td> <td>59.08</td> <td>36.66</td> <td>11.40</td> <td>32.87</td> <td>298</td> <td>358</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1	5935.00	74.27	-----	-----	59.08	36.66	11.40	32.87	298	358	AVERAGE
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																			
1	5924.97	64.59	68.20	-3.61	49.41	36.65	11.40	32.87	298	358	AVERAGE																																																															
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																			
1	5935.00	74.27	-----	-----	59.08	36.66	11.40	32.87	298	358	AVERAGE																																																															



		103																																																																								
Mode	Band Edge																																																																									
	U-NII-5_5.925-6.425_802.11be EHT20_CH2_Small RU Index 37+2_5935MHz																																																																									
ANT	5+7																																																																									
Pol.	Horizontal	Fundamental																																																																								
Peak	 <p style="text-align: right;">Date: 2024-12-09</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5924.97</td> <td>79.84</td> <td>88.20</td> <td>-8.36</td> <td>64.66</td> <td>36.65</td> <td>11.40</td> <td>32.87</td> <td>267</td> <td>56</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1	5924.97	79.84	88.20	-8.36	64.66	36.65	11.40	32.87	267	56	PEAK	 <p style="text-align: right;">Date: 2024-12-09</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5935.00</td> <td>99.95</td> <td>-----</td> <td>-----</td> <td>84.76</td> <td>36.66</td> <td>11.40</td> <td>32.87</td> <td>267</td> <td>56</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1	5935.00	99.95	-----	-----	84.76	36.66	11.40	32.87	267	56	PEAK
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																			
1	5924.97	79.84	88.20	-8.36	64.66	36.65	11.40	32.87	267	56	PEAK																																																															
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																			
1	5935.00	99.95	-----	-----	84.76	36.66	11.40	32.87	267	56	PEAK																																																															
Avg	 <p style="text-align: right;">Date: 2024-12-09</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5924.97</td> <td>61.18</td> <td>68.20</td> <td>-7.02</td> <td>46.00</td> <td>36.65</td> <td>11.40</td> <td>32.87</td> <td>267</td> <td>56</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1	5924.97	61.18	68.20	-7.02	46.00	36.65	11.40	32.87	267	56	AVERAGE	 <p style="text-align: right;">Date: 2024-12-09</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5935.00</td> <td>92.15</td> <td>-----</td> <td>-----</td> <td>76.96</td> <td>36.66</td> <td>11.40</td> <td>32.87</td> <td>267</td> <td>56</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1	5935.00	92.15	-----	-----	76.96	36.66	11.40	32.87	267	56	AVERAGE
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																			
1	5924.97	61.18	68.20	-7.02	46.00	36.65	11.40	32.87	267	56	AVERAGE																																																															
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																			
1	5935.00	92.15	-----	-----	76.96	36.66	11.40	32.87	267	56	AVERAGE																																																															



		103																																																																								
Mode	Band Edge																																																																									
	U-NII-5_5.925-6.425_802.11be EHT20_CH2_Small RU Index 37+2_5935MHz																																																																									
ANT	5+7																																																																									
Pol.	Vertical	Fundamental																																																																								
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5924.97</td> <td>82.31</td> <td>88.20</td> <td>-5.89</td> <td>67.13</td> <td>36.65</td> <td>11.40</td> <td>32.87</td> <td>299</td> <td>354</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5924.97	82.31	88.20	-5.89	67.13	36.65	11.40	32.87	299	354	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5935.00</td> <td>102.67</td> <td>-----</td> <td>-----</td> <td>87.48</td> <td>36.66</td> <td>11.40</td> <td>32.87</td> <td>299</td> <td>354</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5935.00	102.67	-----	-----	87.48	36.66	11.40	32.87	299	354	PEAK
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																			
1	5924.97	82.31	88.20	-5.89	67.13	36.65	11.40	32.87	299	354	PEAK																																																															
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																			
1	5935.00	102.67	-----	-----	87.48	36.66	11.40	32.87	299	354	PEAK																																																															
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5924.97</td> <td>64.41</td> <td>68.20</td> <td>-3.79</td> <td>49.23</td> <td>36.65</td> <td>11.40</td> <td>32.87</td> <td>299</td> <td>354</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5924.97	64.41	68.20	-3.79	49.23	36.65	11.40	32.87	299	354	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5935.00</td> <td>94.77</td> <td>-----</td> <td>-----</td> <td>79.58</td> <td>36.66</td> <td>11.40</td> <td>32.87</td> <td>299</td> <td>354</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5935.00	94.77	-----	-----	79.58	36.66	11.40	32.87	299	354	AVERAGE
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																			
1	5924.97	64.41	68.20	-3.79	49.23	36.65	11.40	32.87	299	354	AVERAGE																																																															
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																			
1	5935.00	94.77	-----	-----	79.58	36.66	11.40	32.87	299	354	AVERAGE																																																															







		104																																																																								
Mode	Band Edge																																																																									
	U-NII-5_5.925-6.425_802.11be EHT20_CH2_Small RU Index 53+4_5935MHz																																																																									
ANT	5+7																																																																									
Pol.	Horizontal	Fundamental																																																																								
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5924.97</td> <td>70.38</td> <td>88.20</td> <td>-17.82</td> <td>55.20</td> <td>36.65</td> <td>11.40</td> <td>32.87</td> <td>277</td> <td>56</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5924.97	70.38	88.20	-17.82	55.20	36.65	11.40	32.87	277	56	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5935.00</td> <td>79.80</td> <td>-----</td> <td>-----</td> <td>64.61</td> <td>36.66</td> <td>11.40</td> <td>32.87</td> <td>277</td> <td>56</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5935.00	79.80	-----	-----	64.61	36.66	11.40	32.87	277	56	PEAK
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																			
1	5924.97	70.38	88.20	-17.82	55.20	36.65	11.40	32.87	277	56	PEAK																																																															
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																			
1	5935.00	79.80	-----	-----	64.61	36.66	11.40	32.87	277	56	PEAK																																																															
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5924.97</td> <td>61.38</td> <td>68.20</td> <td>-6.82</td> <td>46.20</td> <td>36.65</td> <td>11.40</td> <td>32.87</td> <td>277</td> <td>56</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5924.97	61.38	68.20	-6.82	46.20	36.65	11.40	32.87	277	56	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5935.00</td> <td>70.92</td> <td>-----</td> <td>-----</td> <td>55.73</td> <td>36.66</td> <td>11.40</td> <td>32.87</td> <td>277</td> <td>56</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5935.00	70.92	-----	-----	55.73	36.66	11.40	32.87	277	56	AVERAGE
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																			
1	5924.97	61.38	68.20	-6.82	46.20	36.65	11.40	32.87	277	56	AVERAGE																																																															
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																			
1	5935.00	70.92	-----	-----	55.73	36.66	11.40	32.87	277	56	AVERAGE																																																															



		104																																																																								
Mode	Band Edge																																																																									
	U-NII-5_5.925-6.425_802.11be EHT20_CH2_Small RU Index 53+4_5935MHz																																																																									
ANT	5+7																																																																									
Pol.	Vertical	Fundamental																																																																								
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5924.97</td> <td>73.55</td> <td>88.20</td> <td>-14.65</td> <td>58.37</td> <td>36.65</td> <td>11.40</td> <td>32.87</td> <td>300</td> <td>360</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1	5924.97	73.55	88.20	-14.65	58.37	36.65	11.40	32.87	300	360	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5935.00</td> <td>83.40</td> <td>-----</td> <td>-----</td> <td>68.21</td> <td>36.66</td> <td>11.40</td> <td>32.87</td> <td>300</td> <td>360</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1	5935.00	83.40	-----	-----	68.21	36.66	11.40	32.87	300	360	PEAK
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																			
1	5924.97	73.55	88.20	-14.65	58.37	36.65	11.40	32.87	300	360	PEAK																																																															
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																			
1	5935.00	83.40	-----	-----	68.21	36.66	11.40	32.87	300	360	PEAK																																																															
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5924.97</td> <td>64.53</td> <td>68.20</td> <td>-3.67</td> <td>49.35</td> <td>36.65</td> <td>11.40</td> <td>32.87</td> <td>300</td> <td>360</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1	5924.97	64.53	68.20	-3.67	49.35	36.65	11.40	32.87	300	360	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5935.00</td> <td>74.13</td> <td>-----</td> <td>-----</td> <td>58.94</td> <td>36.66</td> <td>11.40</td> <td>32.87</td> <td>300</td> <td>360</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1	5935.00	74.13	-----	-----	58.94	36.66	11.40	32.87	300	360	AVERAGE
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																			
1	5924.97	64.53	68.20	-3.67	49.35	36.65	11.40	32.87	300	360	AVERAGE																																																															
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																			
1	5935.00	74.13	-----	-----	58.94	36.66	11.40	32.87	300	360	AVERAGE																																																															



		105																																																																																									
Mode		Band Edge																																																																																									
		U-NII-8_6.875-7.125_802.11a_CH233_Full_7115MHz																																																																																									
ANT		5+7																																																																																									
Pol.		Horizontal	Fundamental																																																																																								
Peak	 <p style="text-align: right;">Date: 2024-12-10</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th colspan="2"></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7125.28</td> <td>74.91</td> <td>88.20</td> <td>-13.29</td> <td>58.86</td> <td>36.45</td> <td>12.73</td> <td>33.13</td> <td>205</td> <td>327 PEAK</td> </tr> <tr> <td>2</td> <td>7273.02</td> <td>54.23</td> <td>74.00</td> <td>-19.77</td> <td>37.73</td> <td>36.60</td> <td>13.05</td> <td>33.15</td> <td>205</td> <td>327 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Apos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7125.28	74.91	88.20	-13.29	58.86	36.45	12.73	33.13	205	327 PEAK	2	7273.02	54.23	74.00	-19.77	37.73	36.60	13.05	33.15	205	327 PEAK	 <p style="text-align: right;">Date: 2024-12-10</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th colspan="2"></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7115.00</td> <td>94.20</td> <td>-----</td> <td>-----</td> <td>78.16</td> <td>36.47</td> <td>12.69</td> <td>33.12</td> <td>205</td> <td>327 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Apos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7115.00	94.20	-----	-----	78.16	36.47	12.69	33.12	205	327 PEAK
	Limit	Read	Ant	Cable	Preamp	Apos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	7125.28	74.91	88.20	-13.29	58.86	36.45	12.73	33.13	205	327 PEAK																																																																																	
2	7273.02	54.23	74.00	-19.77	37.73	36.60	13.05	33.15	205	327 PEAK																																																																																	
Limit	Read	Ant	Cable	Preamp	Apos	TPos																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	7115.00	94.20	-----	-----	78.16	36.47	12.69	33.12	205	327 PEAK																																																																																	
Avg	 <p style="text-align: right;">Date: 2024-12-10</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th colspan="2"></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7125.28</td> <td>62.46</td> <td>68.20</td> <td>-5.74</td> <td>46.41</td> <td>36.45</td> <td>12.73</td> <td>33.13</td> <td>205</td> <td>327 AVERAGE</td> </tr> <tr> <td>2</td> <td>7286.81</td> <td>44.67</td> <td>54.00</td> <td>-9.33</td> <td>28.17</td> <td>36.60</td> <td>13.06</td> <td>33.16</td> <td>205</td> <td>327 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Apos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7125.28	62.46	68.20	-5.74	46.41	36.45	12.73	33.13	205	327 AVERAGE	2	7286.81	44.67	54.00	-9.33	28.17	36.60	13.06	33.16	205	327 AVERAGE	 <p style="text-align: right;">Date: 2024-12-10</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th colspan="2"></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7115.00</td> <td>87.26</td> <td>-----</td> <td>-----</td> <td>71.22</td> <td>36.49</td> <td>12.67</td> <td>33.12</td> <td>205</td> <td>327 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Apos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7115.00	87.26	-----	-----	71.22	36.49	12.67	33.12	205	327 AVERAGE
	Limit	Read	Ant	Cable	Preamp	Apos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	7125.28	62.46	68.20	-5.74	46.41	36.45	12.73	33.13	205	327 AVERAGE																																																																																	
2	7286.81	44.67	54.00	-9.33	28.17	36.60	13.06	33.16	205	327 AVERAGE																																																																																	
Limit	Read	Ant	Cable	Preamp	Apos	TPos																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	7115.00	87.26	-----	-----	71.22	36.49	12.67	33.12	205	327 AVERAGE																																																																																	







		105																																																																																												
Mode	Band Edge																																																																																													
	U-NII-8_6.875-7.125_802.11a_CH233_Full_7115MHz																																																																																													
ANT	5+7																																																																																													
Pol.	Vertical	Fundamental																																																																																												
Peak	<p style="text-align: right;">Date: 2024-12-10</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th colspan="2"></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7125.28</td> <td>77.51</td> <td>88.20</td> <td>-10.69</td> <td>61.46</td> <td>36.45</td> <td>12.73</td> <td>33.13</td> <td>400</td> <td>83</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>7331.76</td> <td>54.32</td> <td>74.00</td> <td>-19.68</td> <td>37.86</td> <td>36.54</td> <td>13.09</td> <td>33.17</td> <td>400</td> <td>83</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Apos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7125.28	77.51	88.20	-10.69	61.46	36.45	12.73	33.13	400	83	PEAK	2	7331.76	54.32	74.00	-19.68	37.86	36.54	13.09	33.17	400	83	PEAK	<p style="text-align: right;">Date: 2024-12-10</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th colspan="2"></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7115.00</td> <td>96.89</td> <td>-----</td> <td>-----</td> <td>80.85</td> <td>36.47</td> <td>12.69</td> <td>33.12</td> <td>400</td> <td>83</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Apos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7115.00	96.89	-----	-----	80.85	36.47	12.69	33.12	400	83	PEAK
	Limit	Read	Ant	Cable	Preamp	Apos	TPos																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																					
1	7125.28	77.51	88.20	-10.69	61.46	36.45	12.73	33.13	400	83	PEAK																																																																																			
2	7331.76	54.32	74.00	-19.68	37.86	36.54	13.09	33.17	400	83	PEAK																																																																																			
Limit	Read	Ant	Cable	Preamp	Apos	TPos																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																					
1	7115.00	96.89	-----	-----	80.85	36.47	12.69	33.12	400	83	PEAK																																																																																			
Avg	<p style="text-align: right;">Date: 2024-12-10</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th colspan="2"></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7125.28</td> <td>64.51</td> <td>68.20</td> <td>-3.69</td> <td>48.46</td> <td>36.45</td> <td>12.73</td> <td>33.13</td> <td>400</td> <td>83</td> <td>AVERAGE</td> </tr> <tr> <td>2</td> <td>7341.99</td> <td>44.60</td> <td>54.00</td> <td>-9.40</td> <td>28.15</td> <td>36.52</td> <td>13.10</td> <td>33.17</td> <td>400</td> <td>83</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Apos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7125.28	64.51	68.20	-3.69	48.46	36.45	12.73	33.13	400	83	AVERAGE	2	7341.99	44.60	54.00	-9.40	28.15	36.52	13.10	33.17	400	83	AVERAGE	<p style="text-align: right;">Date: 2024-12-10</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th colspan="2"></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7115.00</td> <td>90.03</td> <td>-----</td> <td>-----</td> <td>73.98</td> <td>36.46</td> <td>12.71</td> <td>33.12</td> <td>400</td> <td>83</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Apos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7115.00	90.03	-----	-----	73.98	36.46	12.71	33.12	400	83	AVERAGE
Limit	Read	Ant	Cable	Preamp	Apos	TPos																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																					
1	7125.28	64.51	68.20	-3.69	48.46	36.45	12.73	33.13	400	83	AVERAGE																																																																																			
2	7341.99	44.60	54.00	-9.40	28.15	36.52	13.10	33.17	400	83	AVERAGE																																																																																			
Limit	Read	Ant	Cable	Preamp	Apos	TPos																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																					
1	7115.00	90.03	-----	-----	73.98	36.46	12.71	33.12	400	83	AVERAGE																																																																																			



Mode	105																																																																			
	Harmonic																																																																			
	U-NII-8_6.875-7.125_802.11a_CH233_Full_7115MHz																																																																			
ANT	5+7																																																																			
Pol.	Horizontal	Vertical																																																																		
Peak Avg	<p>Date: 2024-12-13</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 14230.00</td> <td>46.09</td> <td>88.20</td> <td>-42.11</td> <td>41.82</td> <td>39.90</td> <td>16.33</td> <td>51.96</td> <td>--- Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 14230.00	46.09	88.20	-42.11	41.82	39.90	16.33	51.96	--- Peak	<p>Date: 2024-12-13</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 14230.00</td> <td>46.51</td> <td>88.20</td> <td>-41.69</td> <td>42.24</td> <td>39.90</td> <td>16.33</td> <td>51.96</td> <td>--- Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 14230.00	46.51	88.20	-41.69	42.24	39.90	16.33	51.96	--- Peak
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																													
1 14230.00	46.09	88.20	-42.11	41.82	39.90	16.33	51.96	--- Peak																																																												
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																													
1 14230.00	46.51	88.20	-41.69	42.24	39.90	16.33	51.96	--- Peak																																																												



		106																																																																																									
Mode	Band Edge																																																																																										
	U-NII-8_6.875-7.125_802.11be EHT20_CH233_Full_7115MHz																																																																																										
ANT	5+7																																																																																										
Pol.	Horizontal	Fundamental																																																																																									
Peak	 <p>Date: 2024-12-10</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th colspan="2"></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7125.28</td> <td>74.09</td> <td>88.20</td> <td>-14.11</td> <td>58.04</td> <td>36.45</td> <td>12.73</td> <td>33.13</td> <td>205</td> <td>337 PEAK</td> </tr> <tr> <td>2</td> <td>7252.99</td> <td>54.88</td> <td>74.00</td> <td>-19.12</td> <td>38.39</td> <td>36.60</td> <td>13.04</td> <td>33.15</td> <td>205</td> <td>337 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Apos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7125.28	74.09	88.20	-14.11	58.04	36.45	12.73	33.13	205	337 PEAK	2	7252.99	54.88	74.00	-19.12	38.39	36.60	13.04	33.15	205	337 PEAK	 <p>Date: 2024-12-10</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th colspan="2"></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7115.00</td> <td>82.90</td> <td>-----</td> <td>-----</td> <td>66.85</td> <td>36.45</td> <td>12.73</td> <td>33.13</td> <td>205</td> <td>337 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Apos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7115.00	82.90	-----	-----	66.85	36.45	12.73	33.13	205	337 PEAK
	Limit	Read	Ant	Cable	Preamp	Apos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	7125.28	74.09	88.20	-14.11	58.04	36.45	12.73	33.13	205	337 PEAK																																																																																	
2	7252.99	54.88	74.00	-19.12	38.39	36.60	13.04	33.15	205	337 PEAK																																																																																	
Limit	Read	Ant	Cable	Preamp	Apos	TPos																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	7115.00	82.90	-----	-----	66.85	36.45	12.73	33.13	205	337 PEAK																																																																																	
Avg	 <p>Date: 2024-12-10</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th colspan="2"></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7125.28</td> <td>62.70</td> <td>68.20</td> <td>-5.50</td> <td>46.65</td> <td>36.45</td> <td>12.73</td> <td>33.13</td> <td>205</td> <td>337 AVERAGE</td> </tr> <tr> <td>2</td> <td>7296.60</td> <td>44.54</td> <td>54.00</td> <td>-9.46</td> <td>28.03</td> <td>36.60</td> <td>13.07</td> <td>33.16</td> <td>205</td> <td>337 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Apos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7125.28	62.70	68.20	-5.50	46.65	36.45	12.73	33.13	205	337 AVERAGE	2	7296.60	44.54	54.00	-9.46	28.03	36.60	13.07	33.16	205	337 AVERAGE	 <p>Date: 2024-12-10</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th colspan="2"></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7115.00</td> <td>75.24</td> <td>-----</td> <td>-----</td> <td>59.19</td> <td>36.46</td> <td>12.71</td> <td>33.12</td> <td>205</td> <td>337 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Apos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7115.00	75.24	-----	-----	59.19	36.46	12.71	33.12	205	337 AVERAGE
	Limit	Read	Ant	Cable	Preamp	Apos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	7125.28	62.70	68.20	-5.50	46.65	36.45	12.73	33.13	205	337 AVERAGE																																																																																	
2	7296.60	44.54	54.00	-9.46	28.03	36.60	13.07	33.16	205	337 AVERAGE																																																																																	
Limit	Read	Ant	Cable	Preamp	Apos	TPos																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	7115.00	75.24	-----	-----	59.19	36.46	12.71	33.12	205	337 AVERAGE																																																																																	