










Date: 7.DEC.2024 22:22:19





























Date: 7.DEC.2024 22:59:17







Date: 7.DEC.2024 23:01:20
















Date: 7.DEC.2024 23:48:58






11BE160MIMO\_total\_5250\_Large RU 996+484\_3




11BE160MIMO\_total\_5250\_Puncturing 40M\_2










11BE160MIMO\_total\_5250\_Puncturing 40M\_3







11BE160MIMO\_total\_5250\_Puncturing 20M\_2


























## Appendix B. AC Conducted Emission Test Results

Test Engineer :	Amos Zhang	Temperature :	25.3~26.2°C
		Relative Humidity :	38~40%
Test Voltage :	120Vac / 60Hz	Phase :	Line
Remark :	All emissions not reported here are more than 10 dB below the prescribed limit.		




Site : CO01-KS  
 Condition : 15E RSS247-QP LISN-060105-L 2024 LINE

	Freq	Level	Over	Limit	Read	LISN	Cable	Remark
	MHz	dBuV	Limit	Line	Level	Factor	Loss	
			dB	dBuV	dBuV	dB	dB	
1 *	0.156	55.83	-9.82	65.65	45.30	0.11	10.42	QP
2	0.156	35.83	-19.82	55.65	25.30	0.11	10.42	Average
3	0.243	46.06	-15.94	62.00	35.61	0.08	10.37	QP
4	0.243	31.66	-20.34	52.00	21.21	0.08	10.37	Average
5	0.299	43.72	-16.56	60.28	33.30	0.09	10.33	QP
6	0.299	33.72	-16.56	50.28	23.30	0.09	10.33	Average
7	0.621	38.63	-17.37	56.00	28.60	-0.14	10.17	QP
8	0.621	24.63	-21.37	46.00	14.60	-0.14	10.17	Average
9	1.426	36.48	-19.52	56.00	26.60	-0.20	10.08	QP
10	1.426	24.08	-21.92	46.00	14.20	-0.20	10.08	Average
11	26.558	37.67	-22.33	60.00	26.50	-0.40	11.57	QP
12	26.558	26.37	-23.63	50.00	15.20	-0.40	11.57	Average



Test Engineer :	Amos Zhang	Temperature :	25.3~26.2°C
		Relative Humidity :	38~40%
Test Voltage :	120Vac / 60Hz	Phase :	Neutral
Remark :	All emissions not reported here are more than 10 dB below the prescribed limit.		



Site : CO01-KS  
 Condition : 15E RSS247-QP LISN-060105-N 2024 NEUTRAL

	Freq	Level	Over Limit	Limit Line	Read Level	LISN Factor	Cable Loss	Remark
	MHz	dBuV	dB	dBuV	dBuV	dB	dB	
1	0.157	42.84	-22.76	65.60	32.30	0.12	10.42	QP
2	0.157	30.84	-24.76	55.60	20.30	0.12	10.42	Average
3	0.215	35.78	-27.23	63.01	25.30	0.08	10.40	QP
4	0.215	28.28	-24.73	53.01	17.80	0.08	10.40	Average
5	0.286	32.85	-28.08	60.63	22.30	-0.09	10.34	QP
6	0.286	25.45	-25.18	50.63	15.20	-0.09	10.34	Average
7	0.675	30.59	-25.41	56.00	20.60	-0.16	10.15	QP
8	0.675	21.19	-24.81	46.00	11.20	-0.16	10.15	Average
9	0.759	37.25	-18.75	56.00	27.30	-0.17	10.12	QP
10 *	0.759	30.85	-15.15	46.00	20.90	-0.17	10.12	Average
11	1.949	30.19	-25.81	56.00	20.30	-0.19	10.08	QP
12	1.949	22.19	-23.81	46.00	12.30	-0.19	10.08	Average

Note:

- Level(dBμV) = Read Level(dBμV) + LISN Factor(dB) + Cable Loss(dB)
- Over Limit(dB) = Level(dBμV) – Limit Line(dBμV)



## Appendix C. Radiated Spurious Emission Test Data

Test Engineer :	HuaCong Liang	Relative Humidity :	50%
		Temperature :	20-22°C

### Radiated Spurious Emission Test Modes

Mode	Band	Band (GHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 1	U-NII-1	5.15-5.25	5+7	802.11a	36	5180	6Mbps	-	-
Mode 2	U-NII-1	5.15-5.25	5+7	802.11a	44	5220	6Mbps	-	-
Mode 3	U-NII-1	5.15-5.25	5+7	802.11a	48	5240	6Mbps	-	-
Mode 4	U-NII-2A	5.25-5.35	5+7	802.11a	52	5280	6Mbps	-	-
Mode 5	U-NII-2A	5.25-5.35	5+7	802.11a	60	5300	6Mbps	-	-
Mode 6	U-NII-2A	5.25-5.35	5+7	802.11a	64	5320	6Mbps	-	-
Mode 7	U-NII-2C	5.47-5.725	5+7	802.11a	100	5500	6Mbps	-	-
Mode 8	U-NII-2C	5.47-5.725	5+7	802.11a	116	5580	6Mbps	-	-
Mode 9	U-NII-2C	5.47-5.725	5+7	802.11a	140	5700	6Mbps	-	-
Mode 10	U-NII-1	5.15-5.25	5+7	802.11be EHT20	36	5180	MCS0	Full	-
Mode 11	U-NII-1	5.15-5.25	5+7	802.11be EHT20	44	5220	MCS0	Full	-
Mode 12	U-NII-1	5.15-5.25	5+7	802.11be EHT20	48	5240	MCS0	Full	-
Mode 13	U-NII-2A	5.25-5.35	5+7	802.11be EHT20	52	5280	MCS0	Full	-
Mode 14	U-NII-2A	5.25-5.35	5+7	802.11be EHT20	60	5300	MCS0	Full	-
Mode 15	U-NII-2A	5.25-5.35	5+7	802.11be EHT20	64	5320	MCS0	Full	-
Mode 16	U-NII-2C	5.47-5.725	5+7	802.11be EHT20	100	5500	MCS0	Full	-
Mode 17	U-NII-2C	5.47-5.725	5+7	802.11be EHT20	116	5580	MCS0	Full	-
Mode 18	U-NII-2C	5.47-5.725	5+7	802.11be EHT20	140	5700	MCS0	Full	-
Mode 19	U-NII-1	5.15-5.25	5+7	802.11be EHT40	38	5190	MCS0	Full	-
Mode 20	U-NII-1	5.15-5.25	5+7	802.11be EHT40	46	5230	MCS0	Full	-
Mode 21	U-NII-2A	5.25-5.35	5+7	802.11be EHT40	54	5270	MCS0	Full	-
Mode 22	U-NII-2A	5.25-5.35	5+7	802.11be EHT40	62	5310	MCS0	Full	-
Mode 23	U-NII-2C	5.47-5.725	5+7	802.11be EHT40	102	5510	MCS0	Full	-
Mode 24	U-NII-2C	5.47-5.725	5+7	802.11be EHT40	110	5550	MCS0	Full	-
Mode 25	U-NII-2C	5.47-5.725	5+7	802.11be EHT40	134	5670	MCS0	Full	-
Mode 26	U-NII-1	5.15-5.25	5+7	802.11be EHT80	42	5210	MCS0	Full	-
Mode 27	U-NII-2A	5.25-5.35	5+7	802.11be EHT80	58	5290	MCS0	Full	-
Mode 28	U-NII-2C	5.47-5.725	5+7	802.11be EHT80	106	5530	MCS0	Full	-
Mode 29	U-NII-2C	5.47-5.725	5+7	802.11be EHT80	122	5610	MCS0	Full	-
Mode 30	U-NII-1	5.15-5.35	5+7	802.11be EHT160	50	5250	MCS0	Full	-
Mode 31	U-NII-2C	5.47-5.725	5+7	802.11be EHT160	114	5570	MCS0	Full	-
Mode 32	U-NII-3	5.725-5.85	5+7	802.11a	149	5745	6Mbps	-	-
Mode 33	U-NII-3	5.725-5.85	5+7	802.11a	157	5785	6Mbps	-	-
Mode 34	U-NII-3	5.725-5.85	5+7	802.11a	165	5825	6Mbps	-	-
Mode 35	U-NII-3	5.725-5.85	5+7	802.11be EHT20	149	5745	MCS0	Full	-
Mode 36	U-NII-3	5.725-5.85	5+7	802.11be EHT20	157	5785	MCS0	Full	-
Mode 37	U-NII-3	5.725-5.85	5+7	802.11be EHT20	165	5825	MCS0	Full	-
Mode 38	U-NII-3	5.725-5.85	5+7	802.11be EHT40	151	5755	MCS0	Full	-



Mode 39	U-NII-3	5.725-5.85	5+7	802.11be EHT40	159	5795	MCS0	Full	-
Mode 40	U-NII-3	5.725-5.85	5+7	802.11be EHT80	155	5775	MCS0	Full	-
Mode 41	Straddle channels	5.47-5.85	5+7	802.11a	144	5720	6Mbps	-	-
Mode 42	Straddle channels	5.47-5.85	5+7	802.11be EHT20	144	5710	MCS0	Full	-
Mode 43	Straddle channels	5.47-5.85	5+7	802.11be EHT40	142	5690	MCS0	Full	-
Mode 44	Straddle channels	5.47-5.85	5+7	802.11be EHT80	138	5720	MCS0	Full	-
Mode 45	U-NII-1	5.15-5.25	5+7	802.11be EHT20	36	5180	MCS0	Single RU 26/0	-
Mode 46	U-NII-1	5.15-5.25	5+7	802.11be EHT20	36	5180	MCS0	Single RU 52/37	-
Mode 47	U-NII-1	5.15-5.25	5+7	802.11be EHT20	36	5180	MCS0	Single RU 106/53	-
Mode 48	U-NII-2A	5.15-5.25	5+7	802.11be EHT20	64	5320	MCS0	Single RU 26/8	-
Mode 49	U-NII-2A	5.15-5.25	5+7	802.11be EHT20	64	5320	MCS0	Single RU 52/40	-
Mode 50	U-NII-2A	5.15-5.25	5+7	802.11be EHT20	64	5320	MCS0	Single RU 106/54	-
Mode 51	U-NII-2C	5.25-5.35	5+7	802.11be EHT20	100	5500	MCS0	Single RU 26/0	-
Mode 52	U-NII-2C	5.25-5.35	5+7	802.11be EHT20	100	5500	MCS0	Single RU 52/37	-
Mode 53	U-NII-2C	5.25-5.35	5+7	802.11be EHT20	100	5500	MCS0	Single RU 106/53	-
Mode 54	U-NII-2C	5.25-5.35	5+7	802.11be EHT20	140	5700	MCS0	Single RU 26/8	-
Mode 55	U-NII-2C	5.25-5.35	5+7	802.11be EHT20	140	5700	MCS0	Single RU 52/40	-
Mode 56	U-NII-2C	5.25-5.35	5+7	802.11be EHT20	140	5700	MCS0	Single RU 106/54	-
Mode 57	U-NII-3	5.725-5.85	5+7	802.11be EHT20	149	5745	MCS0	Single RU 26/0	-
Mode 58	U-NII-3	5.725-5.85	5+7	802.11be EHT20	149	5745	MCS0	Single RU 52/37	-
Mode 59	U-NII-3	5.725-5.85	5+7	802.11be EHT20	149	5745	MCS0	Single RU 106/53	-
Mode 60	U-NII-3	5.725-5.85	5+7	802.11be EHT20	165	5825	MCS0	Single RU 26/8	-
Mode 61	U-NII-3	5.725-5.85	5+7	802.11be EHT20	165	5825	MCS0	Single RU 52/40	-
Mode 62	U-NII-3	5.725-5.85	5+7	802.11be EHT20	165	5825	MCS0	Single RU 106/54	-
Mode 63	U-NII-1	5.15-5.25	5+7	802.11be EHT20	36	5180	MCS0	Small RU Index 37+2	-
Mode 64	U-NII-1	5.15-5.25	5+7	802.11be EHT20	36	5180	MCS0	Small RU Index 53+4	-
Mode 65	U-NII-2A	5.25-5.35	5+7	802.11be EHT20	64	5320	MCS0	Small RU Index 40+6	-
Mode 66	U-NII-2A	5.25-5.35	5+7	802.11be EHT20	64	5320	MCS0	Small RU Index 54+4	-
Mode 67	U-NII-2C	5.47-5.725	5+7	802.11be EHT20	100	5500	MCS0	Small RU Index 37+2	-
Mode 68	U-NII-2C	5.47-5.725	5+7	802.11be EHT20	100	5500	MCS0	Small RU Index 53+4	-
Mode 69	U-NII-2C	5.47-5.725	5+7	802.11be EHT20	140	5700	MCS0	Small RU Index 40+6	-
Mode 70	U-NII-2C	5.47-5.725	5+7	802.11be EHT20	140	5700	MCS0	Small RU Index 54+4	-
Mode 71	U-NII-3	5.725-5.85	5+7	802.11be EHT20	149	5745	MCS0	Small RU Index 37+2	-
Mode 72	U-NII-3	5.725-5.85	5+7	802.11be EHT20	149	5745	MCS0	Small RU Index 53+4	-
Mode 73	U-NII-3	5.725-5.85	5+7	802.11be EHT20	165	5825	MCS0	Small RU Index 40+6	-
Mode 74	U-NII-3	5.725-5.85	5+7	802.11be EHT20	165	5825	MCS0	Small RU Index	-



Mode	Band	Band (GHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 75	U-NII-1	5.15-5.25	5+7	802.11be EHT80	42	5210	MCS0	54+4 Puncturing 20M RU4	-
Mode 76	U-NII-2A	5.25-5.35	5+7	802.11be EHT80	58	5290	MCS0	Puncturing 20M RU1	-
Mode 77	U-NII-2C	5.47-5.725	5+7	802.11be EHT80	106	5530	MCS0	Puncturing 20M RU4	-
Mode 78	U-NII-2C	5.47-5.725	5+7	802.11be EHT80	122	5610	MCS0	Puncturing 20M RU1	-
Mode 79	U-NII-1	5.15-5.35	5+7	802.11be EHT160	50	5250	MCS0	Puncturing 40M RU2	-
Mode 80	U-NII-2C	5.47-5.725	5+7	802.11be EHT160	114	5570	MCS0	Puncturing 40M RU4	-
Mode 81	U-NII-1	5.15-5.35	5+7	802.11be EHT160	50	5250	MCS0	Puncturing 20M RU6	-
Mode 82	U-NII-2C	5.47-5.725	5+7	802.11be EHT160	114	5570	MCS0	Puncturing 20M RU8	-
Mode 83	U-NII-3	5.725-5.85	5+7	802.11be EHT80	155	5775	MCS0	Puncturing 20M RU4	-
Mode 84	U-NII-1	5.15-5.25	5+7	802.11be EHT80	42	5210	MCS0	Large RU 484+242 RU4	-
Mode 85	U-NII-2A	5.25-5.35	5+7	802.11be EHT80	58	5290	MCS0	Large RU 484+242 RU1	-
Mode 86	U-NII-2C	5.47-5.725	5+7	802.11be EHT80	106	5530	MCS0	Large RU 484+242 RU4	-
Mode 87	U-NII-2C	5.47-5.725	5+7	802.11be EHT80	122	5610	MCS0	Large RU 484+242 RU1	-
Mode 88	U-NII-1	5.15-5.35	5+7	802.11be EHT160	50	5250	MCS0	Large RU 996+484 RU3	-
Mode 89	U-NII-2C	5.47-5.725	5+7	802.11be EHT160	114	5570	MCS0	Large RU 996+484 RU4	-
Mode 90	U-NII-3	5.725-5.85	5+7	802.11be EHT80	155	5775	MCS0	Large RU 484+242 RU4	-
Mode 91	U-NII-1	5.15-5.25	5+7	802.11be EHT40 LF	38	5190	MCS0	-	LF
Mode 92	U-NII-3	5.725-5.85	5+7	802.11be EHT80 LF	155	5775	MCS0	-	LF
Mode 21	U-NII-2A	5.25-5.35	CDD	802.11be EHT40	54	5270	MCS0	Full	-

## Co-location

Mode	Band	Band (GHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 93	CO-TX	2.4-2.4835	6+7	BLE	39	2480	2Mbps		-
		5.15-5.25	5+7	802.11be EHT40	38	5190	MCS0	Full	
		Band 48	5	-					
Mode 94	CO-TX	2.4-2.4835	6+7	802.11be EHT20	11	2462	MCS0	Full	-
		5.15-5.25	5+7	802.11be EHT40	38	5190	MCS0	Full	
		Band 48	5	-					



Summary of each worse mode

Table with 11 columns: Mode, Modulation, Ch., Freq. (MHz), Level (dBUV/m), Limit (dBUV/m), Margin (dB), Pol., Peak Avg., Result, Remark. It contains 44 rows of test data for various channels and frequencies.



23	802.11be EHT40	102	5457.46	50.01	54.00	-3.99	V	AVERAGE	Pass	Band Edge
23	802.11be EHT40	102	16530.00	46.32	68.30	-21.98	H	Peak	Pass	Harmonic
24	802.11be EHT40	110	-	-	-	-	-	-	-	Band Edge
24	802.11be EHT40	110	16650.00	46.96	68.30	-21.34	H	Peak	Pass	Harmonic
25	802.11be EHT40	134	5727.44	62.49	68.30	-5.81	V	PEAK	Pass	Band Edge
25	802.11be EHT40	134	17010.00	47.70	68.30	-20.60	H	Peak	Pass	Harmonic
26	802.11be EHT80	42	5146.06	50.46	54.00	-3.54	V	AVERAGE	Pass	Band Edge
26	802.11be EHT80	42	10420.00	45.47	68.30	-22.83	H	Peak	Pass	Harmonic
27	802.11be EHT80	58	5351.47	48.32	54.00	-5.68	V	AVERAGE	Pass	Band Edge
27	802.11be EHT80	58	10580.00	45.49	68.30	-22.81	V	Peak	Pass	Harmonic
28	802.11be EHT80	106	5459.55	47.61	54.00	-6.39	V	AVERAGE	Pass	Band Edge
28	802.11be EHT80	106	16590.00	46.37	68.30	-21.93	V	Peak	Pass	Harmonic
29	802.11be EHT80	122	5458.55	43.51	54.00	-10.49	V	AVERAGE	Pass	Band Edge
29	802.11be EHT80	122	16830.00	45.99	68.30	-22.31	H	Peak	Pass	Harmonic
30	802.11be EHT160	50	5112.35	48.37	54.00	-5.63	V	AVERAGE	Pass	Band Edge
30	802.11be EHT160	50	10500.00	46.63	68.30	-21.67	V	Peak	Pass	Harmonic
31	802.11be EHT160	114	5432.15	49.27	54.00	-4.73	V	AVERAGE	Pass	Band Edge
31	802.11be EHT160	114	16710.00	46.38	68.30	-21.92	V	Peak	Pass	Harmonic
32	802.11a	149	5642.57	54.78	68.30	-13.52	V	PEAK	Pass	Band Edge
32	802.11a	149	17235.00	49.07	68.30	-19.23	H	Peak	Pass	Harmonic
33	802.11a	157	-	-	-	-	-	-	-	Band Edge
33	802.11a	157	17355.00	48.14	68.30	-20.16	H	Peak	Pass	Harmonic
34	802.11a	165	5946.94	53.69	68.30	-14.61	V	PEAK	Pass	Band Edge
34	802.11a	165	17475.00	47.59	68.30	-20.71	V	Peak	Pass	Harmonic
35	802.11be EHT20	149	5640.53	54.88	68.30	-13.42	H	PEAK	Pass	Band Edge
35	802.11be EHT20	149	17235.00	47.85	68.30	-20.45	V	Peak	Pass	Harmonic
36	802.11be EHT20	157	-	-	-	-	-	-	-	Band Edge
36	802.11be EHT20	157	17355.00	46.99	68.30	-21.31	V	Peak	Pass	Harmonic
37	802.11be EHT20	165	5925.19	54.29	68.30	-14.01	V	PEAK	Pass	Band Edge
37	802.11be EHT20	165	17475.00	46.45	68.30	-21.85	H	Peak	Pass	Harmonic
38	802.11be EHT40	151	5606.60	55.04	68.30	-13.26	V	PEAK	Pass	Band Edge
38	802.11be EHT40	151	17265.00	48.19	68.30	-20.11	H	Peak	Pass	Harmonic
39	802.11be EHT40	159	5623.91	54.90	68.30	-13.40	V	PEAK	Pass	Band Edge
39	802.11be EHT40	159	17385.00	47.47	68.30	-20.83	V	Peak	Pass	Harmonic
40	802.11be EHT80	155	5636.66	59.45	68.30	-8.85	H	PEAK	Pass	Band Edge
40	802.11be EHT80	155	17325.00	48.44	68.30	-19.86	V	Peak	Pass	Harmonic
41	802.11a	144	-	-	-	-	-	-	-	Band Edge
41	802.11a	144	17160.00	47.24	68.30	-21.06	H	Peak	Pass	Harmonic
42	802.11be EHT20	144	-	-	-	-	-	-	-	Band Edge
42	802.11be EHT20	144	17160.00	48.40	68.30	-19.90	V	Peak	Pass	Harmonic
43	802.11be EHT40	142	-	-	-	-	-	-	-	Band Edge
43	802.11be EHT40	142	17130.00	46.89	68.30	-21.41	V	Peak	Pass	Harmonic
44	802.11be EHT80	138	-	-	-	-	-	-	-	Band Edge
44	802.11be EHT80	138	17070.00	47.98	68.30	-20.32	V	Peak	Pass	Harmonic
45	802.11be EHT20	36	5131.67	43.40	54.00	-10.60	V	AVERAGE	Pass	Band Edge
45	802.11be EHT20	36	-	-	-	-	-	-	-	Harmonic
46	802.11be EHT20	36	5147.51	43.27	54.00	-10.73	V	AVERAGE	Pass	Band Edge



46	802.11be EHT20	36	-	-	-	-	-	-	-	Harmonic
47	802.11be EHT20	36	5149.85	43.30	54.00	-10.70	V	AVERAGE	Pass	Band Edge
47	802.11be EHT20	36	-	-	-	-	-	-	-	Harmonic
48	802.11be EHT20	64	5352.27	42.66	54.00	-11.34	V	AVERAGE	Pass	Band Edge
48	802.11be EHT20	64	-	-	-	-	-	-	-	Harmonic
49	802.11be EHT20	64	5351.16	42.99	54.00	-11.01	V	AVERAGE	Pass	Band Edge
49	802.11be EHT20	64	-	-	-	-	-	-	-	Harmonic
50	802.11be EHT20	64	5351.58	43.32	54.00	-10.68	V	AVERAGE	Pass	Band Edge
50	802.11be EHT20	64	-	-	-	-	-	-	-	Harmonic
51	802.11be EHT20	100	5397.18	42.64	54.00	-11.36	H	AVERAGE	Pass	Band Edge
51	802.11be EHT20	100	-	-	-	-	-	-	-	Harmonic
52	802.11be EHT20	100	5457.93	42.65	54.00	-11.35	V	AVERAGE	Pass	Band Edge
52	802.11be EHT20	100	-	-	-	-	-	-	-	Harmonic
53	802.11be EHT20	100	5456.73	42.71	54.00	-11.29	V	AVERAGE	Pass	Band Edge
53	802.11be EHT20	100	-	-	-	-	-	-	-	Harmonic
54	802.11be EHT20	140	5745.02	54.62	68.30	-13.68	V	PEAK	Pass	Band Edge
54	802.11be EHT20	140	-	-	-	-	-	-	-	Harmonic
55	802.11be EHT20	140	5735.01	54.46	68.30	-13.84	V	PEAK	Pass	Band Edge
55	802.11be EHT20	140	-	-	-	-	-	-	-	Harmonic
56	802.11be EHT20	140	5729.15	54.56	68.30	-13.74	V	PEAK	Pass	Band Edge
56	802.11be EHT20	140	-	-	-	-	-	-	-	Harmonic
57	802.11be EHT20	149	5638.66	55.29	68.30	-13.01	V	PEAK	Pass	Band Edge
57	802.11be EHT20	149	-	-	-	-	-	-	-	Harmonic
58	802.11be EHT20	149	5602.32	54.67	68.30	-13.63	V	PEAK	Pass	Band Edge
58	802.11be EHT20	149	-	-	-	-	-	-	-	Harmonic
59	802.11be EHT20	149	5644.08	54.23	68.30	-14.07	H	PEAK	Pass	Band Edge
59	802.11be EHT20	149	-	-	-	-	-	-	-	Harmonic
60	802.11be EHT20	165	5948.75	54.39	68.30	-13.91	H	PEAK	Pass	Band Edge
60	802.11be EHT20	165	-	-	-	-	-	-	-	Harmonic
61	802.11be EHT20	165	5950.00	54.24	68.30	-14.06	V	PEAK	Pass	Band Edge
61	802.11be EHT20	165	-	-	-	-	-	-	-	Harmonic
62	802.11be EHT20	165	5940.25	54.01	68.30	-14.29	H	PEAK	Pass	Band Edge
62	802.11be EHT20	165	-	-	-	-	-	-	-	Harmonic
63	802.11be EHT20	36	5149.51	43.76	54.00	-10.24	V	AVERAGE	Pass	Band Edge
63	802.11be EHT20	36	-	-	-	-	-	-	-	Harmonic
64	802.11be EHT20	36	5148.97	44.36	54.00	-9.64	V	AVERAGE	Pass	Band Edge
64	802.11be EHT20	36	-	-	-	-	-	-	-	Harmonic
65	802.11be EHT20	64	5351.71	43.41	54.00	-10.59	V	AVERAGE	Pass	Band Edge
65	802.11be EHT20	64	-	-	-	-	-	-	-	Harmonic
66	802.11be EHT20	64	5350.00	47.25	54.00	-6.75	V	AVERAGE	Pass	Band Edge
66	802.11be EHT20	64	-	-	-	-	-	-	-	Harmonic
67	802.11be EHT20	100	5457.48	42.83	54.00	-11.17	V	AVERAGE	Pass	Band Edge
67	802.11be EHT20	100	-	-	-	-	-	-	-	Harmonic
68	802.11be EHT20	100	5458.84	42.90	54.00	-11.10	V	AVERAGE	Pass	Band Edge
68	802.11be EHT20	100	-	-	-	-	-	-	-	Harmonic
69	802.11be EHT20	140	5742.74	55.36	68.30	-12.94	V	PEAK	Pass	Band Edge
69	802.11be EHT20	140	-	-	-	-	-	-	-	Harmonic



70	802.11be EHT20	140	5726.36	56.59	68.30	-11.71	V	PEAK	Pass	Band Edge
70	802.11be EHT20	140	-	-	-	-	-	-	-	Harmonic
71	802.11be EHT20	149	5640.75	55.61	68.30	-12.69	V	PEAK	Pass	Band Edge
71	802.11be EHT20	149	-	-	-	-	-	-	-	Harmonic
72	802.11be EHT20	149	5608.85	54.97	68.30	-13.33	V	PEAK	Pass	Band Edge
72	802.11be EHT20	149	-	-	-	-	-	-	-	Harmonic
73	802.11be EHT20	165	5926.13	54.44	68.30	-13.86	H	PEAK	Pass	Band Edge
73	802.11be EHT20	165	-	-	-	-	-	-	-	Harmonic
74	802.11be EHT20	165	5937.00	53.92	68.30	-14.38	V	PEAK	Pass	Band Edge
74	802.11be EHT20	165	-	-	-	-	-	-	-	Harmonic
75	802.11be EHT80	42	5149.73	50.47	54.00	-3.53	V	AVERAGE	Pass	Band Edge
75	802.11be EHT80	42	-	-	-	-	-	-	-	Harmonic
76	802.11be EHT80	58	5355.28	50.26	54.00	-3.74	V	AVERAGE	Pass	Band Edge
76	802.11be EHT80	58	-	-	-	-	-	-	-	Harmonic
77	802.11be EHT80	106	5462.68	63.26	68.30	-5.04	V	PEAK	Pass	Band Edge
77	802.11be EHT80	106	-	-	-	-	-	-	-	Harmonic
78	802.11be EHT80	122	5728.73	62.91	68.30	-5.39	V	PEAK	Pass	Band Edge
78	802.11be EHT80	122	-	-	-	-	-	-	-	Harmonic
79	802.11be EHT160	50	5112.15	48.92	54.00	-5.08	V	AVERAGE	Pass	Band Edge
79	802.11be EHT160	50	-	-	-	-	-	-	-	Harmonic
80	802.11be EHT160	114	5418.77	50.37	54.00	-3.63	V	AVERAGE	Pass	Band Edge
80	802.11be EHT160	114	-	-	-	-	-	-	-	Harmonic
81	802.11be EHT160	50	5115.15	46.62	54.00	-7.38	V	AVERAGE	Pass	Band Edge
81	802.11be EHT160	50	-	-	-	-	-	-	-	Harmonic
82	802.11be EHT160	114	5456.39	50.13	54.00	-3.87	V	AVERAGE	Pass	Band Edge
82	802.11be EHT160	114	-	-	-	-	-	-	-	Harmonic
83	802.11be EHT80	155	5647.78	61.27	68.30	-7.03	H	PEAK	Pass	Band Edge
83	802.11be EHT80	155	-	-	-	-	-	-	-	Harmonic
84	802.11be EHT80	42	5148.89	48.24	54.00	-5.76	V	AVERAGE	Pass	Band Edge
84	802.11be EHT80	42	-	-	-	-	-	-	-	Harmonic
85	802.11be EHT80	58	5352.05	50.47	54.00	-3.53	V	AVERAGE	Pass	Band Edge
85	802.11be EHT80	58	-	-	-	-	-	-	-	Harmonic
86	802.11be EHT80	106	5469.88	60.76	68.30	-7.54	V	PEAK	Pass	Band Edge
86	802.11be EHT80	106	-	-	-	-	-	-	-	Harmonic
87	802.11be EHT80	122	5456.34	43.04	54.00	-10.96	V	AVERAGE	Pass	Band Edge
87	802.11be EHT80	122	-	-	-	-	-	-	-	Harmonic
88	802.11be EHT160	50	5118.38	46.64	54.00	-7.36	V	AVERAGE	Pass	Band Edge
88	802.11be EHT160	50	-	-	-	-	-	-	-	Harmonic
89	802.11be EHT160	114	5417.43	50.37	54.00	-3.63	V	AVERAGE	Pass	Band Edge
89	802.11be EHT160	114	-	-	-	-	-	-	-	Harmonic
90	802.11be EHT80	155	5649.00	59.52	68.30	-8.78	V	PEAK	Pass	Band Edge
90	802.11be EHT80	155	-	-	-	-	-	-	-	Harmonic
91	802.11be EHT40 LF	38	793.39	30.32	46.00	-15.68	H	PEAK	Pass	LF
92	802.11be EHT80 LF	155	798.24	31.07	46.00	-14.93	H	PEAK	Pass	LF
21	802.11be EHT40	54	5352.00	46.93	54.00	-7.07	V	AVERAGE	Pass	Band Edge
21	802.11be EHT40	54	-	-	-	-	-	-	-	Harmonic



### Co-location

Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
93	802.11be EHT40	38	5149.99	50.34	54.00	-3.66	V	AVERAGE	Pass	Band Edge
	Bluetooth-LE	38	2483.66	39.99	54.00	-14.01	H	AVERAGE	Pass	Band Edge
93	802.11be EHT40	38	10380.00	46.38	68.30	-21.92	V	Peak	Pass	Harmonic
94	802.11be EHT40	38	5097.39	43.25	54.00	-10.75	V	AVERAGE	Pass	Band Edge
	802.11be EHT20	11	2483.58	50.46	54.00	-3.54	H	AVERAGE	Pass	Band Edge
94	802.11be EHT40	38	10380.00	46.92	68.30	-21.38	V	Peak	Pass	Harmonic



Mode	1																																																																															
	Band Edge																																																																															
	U-NII-1_5.15-5.25_802.11a_CH36_5180MHz																																																																															
ANT	5+7																																																																															
Pol.	Horizontal	Fundamental																																																																														
Peak	<p style="text-align: right;">Date: 2024-12-06</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5145.55</td> <td>55.45</td> <td>74.00</td> <td>-18.55</td> <td>41.28</td> <td>35.71</td> <td>11.09</td> <td>32.63</td> <td>396</td> <td>127</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5145.55	55.45	74.00	-18.55	41.28	35.71	11.09	32.63	396	127	PEAK	<p style="text-align: right;">Date: 2024-12-06</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5180.00</td> <td>103.61</td> <td>-----</td> <td>-----</td> <td>89.42</td> <td>35.75</td> <td>11.07</td> <td>32.63</td> <td>396</td> <td>127</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	103.61	-----	-----	89.42	35.75	11.07	32.63	396	127	PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																							
Freq	Level	Line	Level	Factor	Loss Factor																																																																											
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	5145.55	55.45	74.00	-18.55	41.28	35.71	11.09	32.63	396	127	PEAK																																																																					
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																								
Freq	Level	Line	Level	Factor	Loss Factor																																																																											
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	5180.00	103.61	-----	-----	89.42	35.75	11.07	32.63	396	127	PEAK																																																																					
Avg	<p style="text-align: right;">Date: 2024-12-06</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5149.98</td> <td>45.26</td> <td>54.00</td> <td>-8.74</td> <td>31.11</td> <td>35.70</td> <td>11.08</td> <td>32.63</td> <td>396</td> <td>127</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5149.98	45.26	54.00	-8.74	31.11	35.70	11.08	32.63	396	127	AVERAGE	<p style="text-align: right;">Date: 2024-12-06</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5180.00</td> <td>97.10</td> <td>-----</td> <td>-----</td> <td>82.91</td> <td>35.75</td> <td>11.07</td> <td>32.63</td> <td>396</td> <td>127</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	97.10	-----	-----	82.91	35.75	11.07	32.63	396	127	AVERAGE
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																								
Freq	Level	Line	Level	Factor	Loss Factor																																																																											
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	5149.98	45.26	54.00	-8.74	31.11	35.70	11.08	32.63	396	127	AVERAGE																																																																					
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																								
Freq	Level	Line	Level	Factor	Loss Factor																																																																											
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	5180.00	97.10	-----	-----	82.91	35.75	11.07	32.63	396	127	AVERAGE																																																																					



Mode	1																																																																															
	Band Edge																																																																															
	U-NII-1_5.15-5.25_802.11a_CH36_5180MHz																																																																															
ANT	5+7																																																																															
Pol.	Vertical	Fundamental																																																																														
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5149.13</td> <td>58.23</td> <td>74.00</td> <td>-15.77</td> <td>44.07</td> <td>35.70</td> <td>11.09</td> <td>32.63</td> <td>387</td> <td>292</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5149.13	58.23	74.00	-15.77	44.07	35.70	11.09	32.63	387	292	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5180.00</td> <td>106.49</td> <td>-----</td> <td>-----</td> <td>92.30</td> <td>35.75</td> <td>11.07</td> <td>32.63</td> <td>387</td> <td>292</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	106.49	-----	-----	92.30	35.75	11.07	32.63	387	292	PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																							
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																									
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	5149.13	58.23	74.00	-15.77	44.07	35.70	11.09	32.63	387	292	PEAK																																																																					
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																								
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																									
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	5180.00	106.49	-----	-----	92.30	35.75	11.07	32.63	387	292	PEAK																																																																					
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5149.83</td> <td>48.52</td> <td>54.00</td> <td>-5.48</td> <td>34.36</td> <td>35.70</td> <td>11.09</td> <td>32.63</td> <td>387</td> <td>292</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5149.83	48.52	54.00	-5.48	34.36	35.70	11.09	32.63	387	292	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5180.00</td> <td>100.20</td> <td>-----</td> <td>-----</td> <td>86.01</td> <td>35.75</td> <td>11.07</td> <td>32.63</td> <td>387</td> <td>292</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	100.20	-----	-----	86.01	35.75	11.07	32.63	387	292	AVERAGE
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																								
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																									
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	5149.83	48.52	54.00	-5.48	34.36	35.70	11.09	32.63	387	292	AVERAGE																																																																					
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																								
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																									
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	5180.00	100.20	-----	-----	86.01	35.75	11.07	32.63	387	292	AVERAGE																																																																					



Mode	1																																																																																
	Harmonic																																																																																
	U-NII-1_5.15-5.25_802.11a_CH36_5180MHz																																																																																
ANT	5+7																																																																																
Pol.	Horizontal	Vertical																																																																															
Peak Avg	<p style="text-align: right;">Date: 2024-12-08</p>	<p style="text-align: right;">Date: 2024-12-08</p>																																																																															
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>Tpos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10360.00</td> <td>48.66</td> <td>68.30</td> <td>-19.64</td> <td>47.84</td> <td>38.10</td> <td>14.15 51.43 --- --- Peak</td> </tr> <tr> <td>2</td> <td>15540.00</td> <td>48.24</td> <td>74.00</td> <td>-25.76</td> <td>42.98</td> <td>40.60</td> <td>16.85 52.19 --- --- Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Apos	Tpos		Freq	Level	Line	Margin	Level	Factor	Loss Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm deg	1	10360.00	48.66	68.30	-19.64	47.84	38.10	14.15 51.43 --- --- Peak	2	15540.00	48.24	74.00	-25.76	42.98	40.60	16.85 52.19 --- --- Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>Tpos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10360.00</td> <td>49.37</td> <td>68.30</td> <td>-18.93</td> <td>48.55</td> <td>38.10</td> <td>14.15 51.43 --- --- Peak</td> </tr> <tr> <td>2</td> <td>15540.00</td> <td>47.41</td> <td>74.00</td> <td>-26.59</td> <td>42.15</td> <td>40.60</td> <td>16.85 52.19 --- --- Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Apos	Tpos		Freq	Level	Line	Margin	Level	Factor	Loss Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm deg	1	10360.00	49.37	68.30	-18.93	48.55	38.10	14.15 51.43 --- --- Peak	2	15540.00	47.41	74.00	-26.59	42.15	40.60
Limit	Read	Ant	Cable	Preamp	Apos	Tpos																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss Factor	Remark																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm deg																																																																										
1	10360.00	48.66	68.30	-19.64	47.84	38.10	14.15 51.43 --- --- Peak																																																																										
2	15540.00	48.24	74.00	-25.76	42.98	40.60	16.85 52.19 --- --- Peak																																																																										
Limit	Read	Ant	Cable	Preamp	Apos	Tpos																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss Factor	Remark																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm deg																																																																										
1	10360.00	49.37	68.30	-18.93	48.55	38.10	14.15 51.43 --- --- Peak																																																																										
2	15540.00	47.41	74.00	-26.59	42.15	40.60	16.85 52.19 --- --- Peak																																																																										



Mode	2																																																																																																
	Harmonic																																																																																																
	U-NII-1_5.15-5.25_802.11a_CH44_5220MHz																																																																																																
ANT	5+7																																																																																																
Pol.	Horizontal	Vertical																																																																																															
Peak Avg	<p>Date: 2024-12-08</p>	<p>Date: 2024-12-08</p>																																																																																															
	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10440.00</td> <td>49.25</td> <td>68.30</td> <td>-19.05</td> <td>48.32</td> <td>38.14</td> <td>14.20</td> <td>51.41</td> <td>--- Peak</td> </tr> <tr> <td>2</td> <td>15660.00</td> <td>47.66</td> <td>74.00</td> <td>-26.34</td> <td>42.57</td> <td>40.60</td> <td>16.94</td> <td>52.45</td> <td>--- Peak</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	10440.00	49.25	68.30	-19.05	48.32	38.14	14.20	51.41	--- Peak	2	15660.00	47.66	74.00	-26.34	42.57	40.60	16.94	52.45	--- Peak	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10440.00</td> <td>49.19</td> <td>68.30</td> <td>-19.11</td> <td>48.26</td> <td>38.14</td> <td>14.20</td> <td>51.41</td> <td>--- Peak</td> </tr> <tr> <td>2</td> <td>15660.00</td> <td>47.22</td> <td>74.00</td> <td>-26.78</td> <td>42.13</td> <td>40.60</td> <td>16.94</td> <td>52.45</td> <td>--- Peak</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	10440.00	49.19	68.30	-19.11	48.26	38.14	14.20	51.41	--- Peak	2	15660.00	47.22	74.00	-26.78	42.13	40.60	16.94	52.45
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																								
1	10440.00	49.25	68.30	-19.05	48.32	38.14	14.20	51.41	--- Peak																																																																																								
2	15660.00	47.66	74.00	-26.34	42.57	40.60	16.94	52.45	--- Peak																																																																																								
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																								
1	10440.00	49.19	68.30	-19.11	48.26	38.14	14.20	51.41	--- Peak																																																																																								
2	15660.00	47.22	74.00	-26.78	42.13	40.60	16.94	52.45	--- Peak																																																																																								



Mode	3																																																																																																								
	Harmonic																																																																																																								
	U-NII-1_5.15-5.25_802.11a_CH48_5240MHz																																																																																																								
ANT	5+7																																																																																																								
Pol.	Horizontal	Vertical																																																																																																							
Peak Avg	<p>Date: 2024-12-08</p>	<p>Date: 2024-12-08</p>																																																																																																							
	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10480.00</td> <td>48.81</td> <td>68.30</td> <td>-19.49</td> <td>47.80</td> <td>38.18</td> <td>14.23</td> <td>51.40</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>15720.00</td> <td>48.45</td> <td>74.00</td> <td>-25.55</td> <td>43.42</td> <td>40.62</td> <td>16.99</td> <td>52.58</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10480.00	48.81	68.30	-19.49	47.80	38.18	14.23	51.40	---	---	Peak	2	15720.00	48.45	74.00	-25.55	43.42	40.62	16.99	52.58	---	---	Peak	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10480.00</td> <td>49.59</td> <td>68.30</td> <td>-18.71</td> <td>48.58</td> <td>38.18</td> <td>14.23</td> <td>51.40</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>15720.00</td> <td>48.96</td> <td>74.00</td> <td>-25.04</td> <td>43.93</td> <td>40.62</td> <td>16.99</td> <td>52.58</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10480.00	49.59	68.30	-18.71	48.58	38.18	14.23	51.40	---	---	Peak	2	15720.00	48.96	74.00	-25.04	43.93	40.62	16.99	52.58	---	---
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																
1	10480.00	48.81	68.30	-19.49	47.80	38.18	14.23	51.40	---	---	Peak																																																																																														
2	15720.00	48.45	74.00	-25.55	43.42	40.62	16.99	52.58	---	---	Peak																																																																																														
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																
1	10480.00	49.59	68.30	-18.71	48.58	38.18	14.23	51.40	---	---	Peak																																																																																														
2	15720.00	48.96	74.00	-25.04	43.93	40.62	16.99	52.58	---	---	Peak																																																																																														



Mode	4																																																																																																									
	Harmonic																																																																																																									
	U-NII-2A_5.25-5.35_802.11a_CH52_5280MHz																																																																																																									
ANT	5+7																																																																																																									
Pol.	Horizontal	Vertical																																																																																																								
Peak Avg	<p>Date: 2024-12-08</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th colspan="2">Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>dB</th> <th>cm</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10520.00</td> <td>49.46</td> <td>68.30</td> <td>-18.84</td> <td>48.39</td> <td>38.20</td> <td>14.25</td> <td>51.38</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>15780.00</td> <td>48.92</td> <td>74.00</td> <td>-25.08</td> <td>43.92</td> <td>40.68</td> <td>17.04</td> <td>52.72</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss Factor	dB	cm	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10520.00	49.46	68.30	-18.84	48.39	38.20	14.25	51.38	---	---	Peak	2	15780.00	48.92	74.00	-25.08	43.92	40.68	17.04	52.72	---	---	Peak	<p>Date: 2024-12-08</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th colspan="2">Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>dB</th> <th>cm</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10520.00</td> <td>49.45</td> <td>68.30</td> <td>-18.85</td> <td>48.38</td> <td>38.20</td> <td>14.25</td> <td>51.38</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>15780.00</td> <td>48.71</td> <td>74.00</td> <td>-25.29</td> <td>43.71</td> <td>40.68</td> <td>17.04</td> <td>52.72</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss Factor	dB	cm	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10520.00	49.45	68.30	-18.85	48.38	38.20	14.25	51.38	---	---	Peak	2	15780.00	48.71	74.00	-25.29	43.71	40.68	17.04	52.72	---	---	Peak
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss Factor	dB	cm																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																	
1	10520.00	49.46	68.30	-18.84	48.39	38.20	14.25	51.38	---	---	Peak																																																																																															
2	15780.00	48.92	74.00	-25.08	43.92	40.68	17.04	52.72	---	---	Peak																																																																																															
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss Factor	dB	cm																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																	
1	10520.00	49.45	68.30	-18.85	48.38	38.20	14.25	51.38	---	---	Peak																																																																																															
2	15780.00	48.71	74.00	-25.29	43.71	40.68	17.04	52.72	---	---	Peak																																																																																															



Mode	5																																																																																																		
	Harmonic																																																																																																		
	U-NII-2A_5.25-5.35_802.11a_CH60_5300MHz																																																																																																		
ANT	5+7																																																																																																		
Pol.	Horizontal	Vertical																																																																																																	
Peak Avg	<p>Date: 2024-12-08</p>	<p>Date: 2024-12-08</p>																																																																																																	
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10600.00</td> <td>49.28</td> <td>74.00</td> <td>-24.72</td> <td>48.08</td> <td>38.20</td> <td>14.30</td> <td>51.30</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>15900.00</td> <td>49.45</td> <td>74.00</td> <td>-24.55</td> <td>44.39</td> <td>40.90</td> <td>17.14</td> <td>52.98</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	10600.00	49.28	74.00	-24.72	48.08	38.20	14.30	51.30	---	---	Peak	2	15900.00	49.45	74.00	-24.55	44.39	40.90	17.14	52.98	---	---	Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10600.00</td> <td>48.37</td> <td>74.00</td> <td>-25.63</td> <td>47.17</td> <td>38.20</td> <td>14.30</td> <td>51.30</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>15900.00</td> <td>49.21</td> <td>74.00</td> <td>-24.79</td> <td>44.15</td> <td>40.90</td> <td>17.14</td> <td>52.98</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	10600.00	48.37	74.00	-25.63	47.17	38.20	14.30	51.30	---	---	Peak	2	15900.00	49.21	74.00	-24.79	44.15	40.90	17.14	52.98	---	---
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																											
1	10600.00	49.28	74.00	-24.72	48.08	38.20	14.30	51.30	---	---	Peak																																																																																								
2	15900.00	49.45	74.00	-24.55	44.39	40.90	17.14	52.98	---	---	Peak																																																																																								
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																											
1	10600.00	48.37	74.00	-25.63	47.17	38.20	14.30	51.30	---	---	Peak																																																																																								
2	15900.00	49.21	74.00	-24.79	44.15	40.90	17.14	52.98	---	---	Peak																																																																																								



Mode	6																																																																									
	Band Edge																																																																									
	U-NII-2A_5.25-5.35_802.11a_CH64_5320MHz																																																																									
ANT	5+7																																																																									
Pol.	Horizontal	Fundamental																																																																								
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5350.59</td> <td>55.01</td> <td>74.00</td> <td>-18.99</td> <td>40.64</td> <td>36.10</td> <td>10.94</td> <td>32.67</td> <td>393 226 PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 5350.59	55.01	74.00	-18.99	40.64	36.10	10.94	32.67	393 226 PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5320.00</td> <td>101.68</td> <td>-----</td> <td>-----</td> <td>87.44</td> <td>35.94</td> <td>10.96</td> <td>32.66</td> <td>393 226 PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 5320.00	101.68	-----	-----	87.44	35.94	10.96	32.66	393 226 PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																			
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																		
1 5350.59	55.01	74.00	-18.99	40.64	36.10	10.94	32.67	393 226 PEAK																																																																		
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																			
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																		
1 5320.00	101.68	-----	-----	87.44	35.94	10.96	32.66	393 226 PEAK																																																																		
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5350.17</td> <td>44.69</td> <td>54.00</td> <td>-9.31</td> <td>30.32</td> <td>36.10</td> <td>10.94</td> <td>32.67</td> <td>393 226 AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 5350.17	44.69	54.00	-9.31	30.32	36.10	10.94	32.67	393 226 AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5320.00</td> <td>95.16</td> <td>-----</td> <td>-----</td> <td>80.92</td> <td>35.94</td> <td>10.96</td> <td>32.66</td> <td>393 226 AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 5320.00	95.16	-----	-----	80.92	35.94	10.96	32.66	393 226 AVERAGE
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																			
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																		
1 5350.17	44.69	54.00	-9.31	30.32	36.10	10.94	32.67	393 226 AVERAGE																																																																		
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																			
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																		
1 5320.00	95.16	-----	-----	80.92	35.94	10.96	32.66	393 226 AVERAGE																																																																		







		6																																																																															
<b>Mode</b>	<b>Band Edge</b>																																																																																
	<b>U-NII-2A_5.25-5.35_802.11a_CH64_5320MHz</b>																																																																																
<b>ANT</b>	<b>5+7</b>																																																																																
<b>Pol.</b>	<b>Vertical</b>	<b>Fundamental</b>																																																																															
<b>Peak</b>	<p style="text-align: right;">Date: 2024-12-06</p>		<p style="text-align: right;">Date: 2024-12-06</p>																																																																														
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5351.30</td> <td>62.64</td> <td>74.00</td> <td>-11.36</td> <td>48.27</td> <td>36.10</td> <td>10.94</td> <td>32.67</td> <td>274</td> <td>348</td> <td>PEAK</td> </tr> </tbody> </table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5351.30	62.64	74.00	-11.36	48.27	36.10	10.94	32.67	274	348	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5320.00</td> <td>105.48</td> <td>-----</td> <td>-----</td> <td>91.24</td> <td>35.94</td> <td>10.96</td> <td>32.66</td> <td>274</td> <td>348</td> <td>PEAK</td> </tr> </tbody> </table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5320.00	105.48	-----	-----	91.24	35.94	10.96	32.66	274	348
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																										
Freq	Level	Line	Level	Factor	Loss Factor			Remark																																																																									
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	5351.30	62.64	74.00	-11.36	48.27	36.10	10.94	32.67	274	348	PEAK																																																																						
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																										
Freq	Level	Line	Level	Factor	Loss Factor			Remark																																																																									
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	5320.00	105.48	-----	-----	91.24	35.94	10.96	32.66	274	348	PEAK																																																																						
<b>Avg</b>	<p style="text-align: right;">Date: 2024-12-06</p>		<p style="text-align: right;">Date: 2024-12-06</p>																																																																														
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5350.03</td> <td>50.10</td> <td>54.00</td> <td>-3.90</td> <td>35.73</td> <td>36.10</td> <td>10.94</td> <td>32.67</td> <td>274</td> <td>348</td> <td>AVERAGE</td> </tr> </tbody> </table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5350.03	50.10	54.00	-3.90	35.73	36.10	10.94	32.67	274	348	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5320.00</td> <td>99.18</td> <td>-----</td> <td>-----</td> <td>84.97</td> <td>35.90</td> <td>10.97</td> <td>32.66</td> <td>274</td> <td>348</td> <td>AVERAGE</td> </tr> </tbody> </table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5320.00	99.18	-----	-----	84.97	35.90	10.97	32.66	274	348
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																										
Freq	Level	Line	Level	Factor	Loss Factor			Remark																																																																									
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	5350.03	50.10	54.00	-3.90	35.73	36.10	10.94	32.67	274	348	AVERAGE																																																																						
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																										
Freq	Level	Line	Level	Factor	Loss Factor			Remark																																																																									
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	5320.00	99.18	-----	-----	84.97	35.90	10.97	32.66	274	348	AVERAGE																																																																						



Mode	6																																																																																
	Harmonic																																																																																
	U-NII-2A_5.25-5.35_802.11a_CH64_5320MHz																																																																																
ANT	5+7																																																																																
Pol.	Horizontal	Vertical																																																																															
Peak Avg	<p>Date: 2024-12-08</p>	<p>Date: 2024-12-08</p>																																																																															
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10640.00</td> <td>48.82</td> <td>74.00</td> <td>-25.18</td> <td>47.60</td> <td>38.16</td> <td>14.32 51.26 --- --- Peak</td> </tr> <tr> <td>2</td> <td>15960.00</td> <td>47.35</td> <td>74.00</td> <td>-26.65</td> <td>42.25</td> <td>41.02</td> <td>17.19 53.11 --- --- Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm deg	1	10640.00	48.82	74.00	-25.18	47.60	38.16	14.32 51.26 --- --- Peak	2	15960.00	47.35	74.00	-26.65	42.25	41.02	17.19 53.11 --- --- Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10640.00</td> <td>48.48</td> <td>74.00</td> <td>-25.52</td> <td>47.26</td> <td>38.16</td> <td>14.32 51.26 --- --- Peak</td> </tr> <tr> <td>2</td> <td>15960.00</td> <td>48.92</td> <td>74.00</td> <td>-25.08</td> <td>43.82</td> <td>41.02</td> <td>17.19 53.11 --- --- Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm deg	1	10640.00	48.48	74.00	-25.52	47.26	38.16	14.32 51.26 --- --- Peak	2	15960.00	48.92	74.00	-25.08	43.82	41.02
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm deg																																																																										
1	10640.00	48.82	74.00	-25.18	47.60	38.16	14.32 51.26 --- --- Peak																																																																										
2	15960.00	47.35	74.00	-26.65	42.25	41.02	17.19 53.11 --- --- Peak																																																																										
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm deg																																																																										
1	10640.00	48.48	74.00	-25.52	47.26	38.16	14.32 51.26 --- --- Peak																																																																										
2	15960.00	48.92	74.00	-25.08	43.82	41.02	17.19 53.11 --- --- Peak																																																																										



	7																																																																						
Mode	Band Edge																																																																						
	U-NII-2C_5.47-5.725_802.11a_CH100_5500MHz																																																																						
ANT	5+7																																																																						
Pol.	Horizontal	Fundamental																																																																					
Peak	 <p>Date: 2024-12-06</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5455.98</td> <td>53.12</td> <td>74.00</td> <td>-20.88</td> <td>38.79</td> <td>35.92</td> <td>11.10</td> <td>32.69</td> <td>170</td> <td>41 PEAK</td> </tr> <tr> <td>2</td> <td>5470.00</td> <td>57.25</td> <td>68.30</td> <td>-11.05</td> <td>42.80</td> <td>35.98</td> <td>11.16</td> <td>32.69</td> <td>170</td> <td>41 PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor	dB	cm	deg	1	5455.98	53.12	74.00	-20.88	38.79	35.92	11.10	32.69	170	41 PEAK	2	5470.00	57.25	68.30	-11.05	42.80	35.98	11.16	32.69	170	41 PEAK	 <p>Date: 2024-12-06</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5500.00</td> <td>104.68</td> <td>-----</td> <td>-----</td> <td>90.06</td> <td>36.07</td> <td>11.25</td> <td>32.70</td> <td>170</td> <td>41 PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor	dB	cm	deg	1	5500.00	104.68	-----	-----	90.06	36.07	11.25	32.70	170	41 PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																														
Freq	Level	Line	Level	Factor	Loss Factor	dB	cm	deg																																																															
1	5455.98	53.12	74.00	-20.88	38.79	35.92	11.10	32.69	170	41 PEAK																																																													
2	5470.00	57.25	68.30	-11.05	42.80	35.98	11.16	32.69	170	41 PEAK																																																													
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																															
Freq	Level	Line	Level	Factor	Loss Factor	dB	cm	deg																																																															
1	5500.00	104.68	-----	-----	90.06	36.07	11.25	32.70	170	41 PEAK																																																													
Avg	 <p>Date: 2024-12-06</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5460.00</td> <td>43.59</td> <td>54.00</td> <td>-10.41</td> <td>29.22</td> <td>35.94</td> <td>11.12</td> <td>32.69</td> <td>170</td> <td>41 AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor	dB	cm	deg	1	5460.00	43.59	54.00	-10.41	29.22	35.94	11.12	32.69	170	41 AVERAGE	 <p>Date: 2024-12-06</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5500.00</td> <td>97.71</td> <td>-----</td> <td>-----</td> <td>83.00</td> <td>36.11</td> <td>11.30</td> <td>32.70</td> <td>170</td> <td>41 AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor	dB	cm	deg	1	5500.00	97.71	-----	-----	83.00	36.11	11.30	32.70	170	41 AVERAGE											
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																															
Freq	Level	Line	Level	Factor	Loss Factor	dB	cm	deg																																																															
1	5460.00	43.59	54.00	-10.41	29.22	35.94	11.12	32.69	170	41 AVERAGE																																																													
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																															
Freq	Level	Line	Level	Factor	Loss Factor	dB	cm	deg																																																															
1	5500.00	97.71	-----	-----	83.00	36.11	11.30	32.70	170	41 AVERAGE																																																													



	7																																																																																								
Mode	Band Edge																																																																																								
	U-NII-2C_5.47-5.725_802.11a_CH100_5500MHz																																																																																								
ANT	5+7																																																																																								
Pol.	Vertical	Fundamental																																																																																							
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>cm</th> <th>deg</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5459.59</td> <td>55.56</td> <td>74.00</td> <td>-18.44</td> <td>41.19</td> <td>35.94</td> <td>11.12</td> <td>32.69</td> <td>397</td> <td>356 PEAK</td> </tr> <tr> <td>2</td> <td>5469.04</td> <td>58.68</td> <td>68.30</td> <td>-9.62</td> <td>44.23</td> <td>35.98</td> <td>11.16</td> <td>32.69</td> <td>397</td> <td>356 PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor	cm	deg		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5459.59	55.56	74.00	-18.44	41.19	35.94	11.12	32.69	397	356 PEAK	2	5469.04	58.68	68.30	-9.62	44.23	35.98	11.16	32.69	397	356 PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>cm</th> <th>deg</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5500.00</td> <td>109.11</td> <td>-----</td> <td>-----</td> <td>94.45</td> <td>36.09</td> <td>11.27</td> <td>32.70</td> <td>397</td> <td>356 PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor	cm	deg		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	109.11	-----	-----	94.45	36.09	11.27	32.70	397	356 PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																
Freq	Level	Line	Level	Factor	Loss Factor	cm	deg																																																																																		
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1	5459.59	55.56	74.00	-18.44	41.19	35.94	11.12	32.69	397	356 PEAK																																																																															
2	5469.04	58.68	68.30	-9.62	44.23	35.98	11.16	32.69	397	356 PEAK																																																																															
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																	
Freq	Level	Line	Level	Factor	Loss Factor	cm	deg																																																																																		
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1	5500.00	109.11	-----	-----	94.45	36.09	11.27	32.70	397	356 PEAK																																																																															
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>cm</th> <th>deg</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5459.98</td> <td>44.83</td> <td>54.00</td> <td>-9.17</td> <td>30.46</td> <td>35.94</td> <td>11.12</td> <td>32.69</td> <td>397</td> <td>356 AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor	cm	deg		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5459.98	44.83	54.00	-9.17	30.46	35.94	11.12	32.69	397	356 AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>cm</th> <th>deg</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5500.00</td> <td>101.91</td> <td>-----</td> <td>-----</td> <td>87.25</td> <td>36.09</td> <td>11.27</td> <td>32.70</td> <td>397</td> <td>356 AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor	cm	deg		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	101.91	-----	-----	87.25	36.09	11.27	32.70	397	356 AVERAGE											
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																	
Freq	Level	Line	Level	Factor	Loss Factor	cm	deg																																																																																		
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1	5459.98	44.83	54.00	-9.17	30.46	35.94	11.12	32.69	397	356 AVERAGE																																																																															
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																	
Freq	Level	Line	Level	Factor	Loss Factor	cm	deg																																																																																		
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1	5500.00	101.91	-----	-----	87.25	36.09	11.27	32.70	397	356 AVERAGE																																																																															



Mode	7																																																																																																
	Harmonic																																																																																																
	U-NII-2C_5.47-5.725_802.11a_CH100_5500MHz																																																																																																
ANT	5+7																																																																																																
Pol.	Horizontal	Vertical																																																																																															
Peak Avg																																																																																																	
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>Tpos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11000.00</td> <td>48.77</td> <td>74.00</td> <td>-25.23</td> <td>47.13</td> <td>38.00</td> <td>14.54</td> <td>50.90</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>16500.00</td> <td>48.23</td> <td>68.30</td> <td>-20.07</td> <td>42.77</td> <td>41.20</td> <td>17.36</td> <td>53.10</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Apos	Tpos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	11000.00	48.77	74.00	-25.23	47.13	38.00	14.54	50.90	---	---	Peak	2	16500.00	48.23	68.30	-20.07	42.77	41.20	17.36	53.10	---	---	Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>Tpos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11000.00</td> <td>49.36</td> <td>74.00</td> <td>-24.64</td> <td>47.72</td> <td>38.00</td> <td>14.54</td> <td>50.90</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>16500.00</td> <td>49.61</td> <td>68.30</td> <td>-18.69</td> <td>44.15</td> <td>41.20</td> <td>17.36</td> <td>53.10</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Apos	Tpos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	11000.00	49.36	74.00	-24.64	47.72	38.00	14.54	50.90	---	---	Peak	2	16500.00	49.61	68.30	-18.69	44.15	41.20	17.36	53.10	---	---
Limit	Read	Ant	Cable	Preamp	Apos	Tpos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																										
1	11000.00	48.77	74.00	-25.23	47.13	38.00	14.54	50.90	---	---	Peak																																																																																						
2	16500.00	48.23	68.30	-20.07	42.77	41.20	17.36	53.10	---	---	Peak																																																																																						
Limit	Read	Ant	Cable	Preamp	Apos	Tpos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																										
1	11000.00	49.36	74.00	-24.64	47.72	38.00	14.54	50.90	---	---	Peak																																																																																						
2	16500.00	49.61	68.30	-18.69	44.15	41.20	17.36	53.10	---	---	Peak																																																																																						



Mode	8																																																																																																			
	Harmonic																																																																																																			
	U-NII-2C_5.47-5.725_802.11a_CH116_5580MHz																																																																																																			
ANT	5+7																																																																																																			
Pol.	Horizontal	Vertical																																																																																																		
Peak Avg	<p style="text-align: right;">Date: 2024-12-08</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11160.00</td> <td>49.02</td> <td>74.00</td> <td>-24.98</td> <td>47.03</td> <td>38.06</td> <td>14.64</td> <td>50.71</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>16740.00</td> <td>48.04</td> <td>68.30</td> <td>-20.26</td> <td>41.98</td> <td>41.44</td> <td>17.43</td> <td>52.81</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	11160.00	49.02	74.00	-24.98	47.03	38.06	14.64	50.71	---	---	Peak	2	16740.00	48.04	68.30	-20.26	41.98	41.44	17.43	52.81	---	---	Peak	<p style="text-align: right;">Date: 2024-12-08</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11160.00</td> <td>49.71</td> <td>74.00</td> <td>-24.29</td> <td>47.72</td> <td>38.06</td> <td>14.64</td> <td>50.71</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>16740.00</td> <td>49.80</td> <td>68.30</td> <td>-18.50</td> <td>43.74</td> <td>41.44</td> <td>17.43</td> <td>52.81</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	11160.00	49.71	74.00	-24.29	47.72	38.06	14.64	50.71	---	---	Peak	2	16740.00	49.80	68.30	-18.50	43.74	41.44	17.43	52.81	---	---	Peak
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																												
1	11160.00	49.02	74.00	-24.98	47.03	38.06	14.64	50.71	---	---	Peak																																																																																									
2	16740.00	48.04	68.30	-20.26	41.98	41.44	17.43	52.81	---	---	Peak																																																																																									
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																												
1	11160.00	49.71	74.00	-24.29	47.72	38.06	14.64	50.71	---	---	Peak																																																																																									
2	16740.00	49.80	68.30	-18.50	43.74	41.44	17.43	52.81	---	---	Peak																																																																																									



Mode	9																																																																									
	Band Edge																																																																									
	U-NII-2C_5.47-5.725_802.11a_CH140_5700MHz																																																																									
ANT	5+7																																																																									
Pol.	Horizontal	Fundamental																																																																								
Peak	<p style="text-align: right;">Date: 2024-12-06</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5729.87</td> <td>58.41</td> <td>68.30</td> <td>-9.89</td> <td>42.89</td> <td>36.66</td> <td>11.65</td> <td>32.79</td> <td>108 126 PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dB	dB	dB	cm	deg	1 5729.87	58.41	68.30	-9.89	42.89	36.66	11.65	32.79	108 126 PEAK	<p style="text-align: right;">Date: 2024-12-06</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5700.00</td> <td>103.73</td> <td>-----</td> <td>-----</td> <td>88.25</td> <td>36.60</td> <td>11.66</td> <td>32.78</td> <td>108 126 PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dB	dB	dB	cm	deg	1 5700.00	103.73	-----	-----	88.25	36.60	11.66	32.78	108 126 PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																			
MHz	dBuV/m	dBuV/m	dB	dB	dB	dB	cm	deg																																																																		
1 5729.87	58.41	68.30	-9.89	42.89	36.66	11.65	32.79	108 126 PEAK																																																																		
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																			
MHz	dBuV/m	dBuV/m	dB	dB	dB	dB	cm	deg																																																																		
1 5700.00	103.73	-----	-----	88.25	36.60	11.66	32.78	108 126 PEAK																																																																		
Avg	Blank	<p style="text-align: right;">Date: 2024-12-06</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5700.00</td> <td>97.35</td> <td>-----</td> <td>-----</td> <td>81.87</td> <td>36.60</td> <td>11.66</td> <td>32.78</td> <td>108 126 AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dB	dB	dB	cm	deg	1 5700.00	97.35	-----	-----	81.87	36.60	11.66	32.78	108 126 AVERAGE																																				
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																			
MHz	dBuV/m	dBuV/m	dB	dB	dB	dB	cm	deg																																																																		
1 5700.00	97.35	-----	-----	81.87	36.60	11.66	32.78	108 126 AVERAGE																																																																		



Mode	9																																																																									
	Band Edge																																																																									
	U-NII-2C_5.47-5.725_802.11a_CH140_5700MHz																																																																									
ANT	5+7																																																																									
Pol.	Vertical	Fundamental																																																																								
Peak	<p style="text-align: right;">Date: 2024-12-06</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5731.11</td> <td>62.21</td> <td>68.30</td> <td>-6.09</td> <td>46.69</td> <td>36.66</td> <td>11.65</td> <td>32.79</td> <td>193 239 PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg	1 5731.11	62.21	68.30	-6.09	46.69	36.66	11.65	32.79	193 239 PEAK	<p style="text-align: right;">Date: 2024-12-06</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5700.00</td> <td>109.00</td> <td>-----</td> <td>-----</td> <td>93.52</td> <td>36.60</td> <td>11.66</td> <td>32.78</td> <td>193 239 PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg	1 5700.00	109.00	-----	-----	93.52	36.60	11.66	32.78	193 239 PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																			
MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg																																																																		
1 5731.11	62.21	68.30	-6.09	46.69	36.66	11.65	32.79	193 239 PEAK																																																																		
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																			
MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg																																																																		
1 5700.00	109.00	-----	-----	93.52	36.60	11.66	32.78	193 239 PEAK																																																																		
Avg	Blank	<p style="text-align: right;">Date: 2024-12-06</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5700.00</td> <td>102.19</td> <td>-----</td> <td>-----</td> <td>86.71</td> <td>36.60</td> <td>11.66</td> <td>32.78</td> <td>193 239 AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg	1 5700.00	102.19	-----	-----	86.71	36.60	11.66	32.78	193 239 AVERAGE																																				
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																			
MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg																																																																		
1 5700.00	102.19	-----	-----	86.71	36.60	11.66	32.78	193 239 AVERAGE																																																																		







Mode	9																																																																																														
	Harmonic																																																																																														
	U-NII-2C_5.47-5.725_802.11a_CH140_5700MHz																																																																																														
ANT	5+7																																																																																														
Pol.	Horizontal	Vertical																																																																																													
Peak Avg	<p style="text-align: right;">Date: 2024-12-08</p>	<p style="text-align: right;">Date: 2024-12-08</p>																																																																																													
	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>Tpos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11400.00</td> <td>49.10</td> <td>74.00</td> <td>-24.90</td> <td>46.54</td> <td>38.20</td> <td>14.78</td> <td>50.42</td> <td>--- --- Peak</td> </tr> <tr> <td>2</td> <td>17100.00</td> <td>49.51</td> <td>68.30</td> <td>-18.79</td> <td>41.70</td> <td>43.00</td> <td>17.53</td> <td>52.72</td> <td>--- --- Peak</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Apos	Tpos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1	11400.00	49.10	74.00	-24.90	46.54	38.20	14.78	50.42	--- --- Peak	2	17100.00	49.51	68.30	-18.79	41.70	43.00	17.53	52.72	--- --- Peak	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>Tpos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11400.00</td> <td>49.19</td> <td>74.00</td> <td>-24.81</td> <td>46.63</td> <td>38.20</td> <td>14.78</td> <td>50.42</td> <td>--- --- Peak</td> </tr> <tr> <td>2</td> <td>17100.00</td> <td>50.15</td> <td>68.30</td> <td>-18.15</td> <td>42.34</td> <td>43.00</td> <td>17.53</td> <td>52.72</td> <td>--- --- Peak</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Apos	Tpos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1	11400.00	49.19	74.00	-24.81	46.63	38.20	14.78	50.42	--- --- Peak	2	17100.00	50.15	68.30	-18.15	42.34	43.00	17.53	52.72
	Limit	Read	Ant	Cable	Preamp	Apos	Tpos																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																																							
1	11400.00	49.10	74.00	-24.90	46.54	38.20	14.78	50.42	--- --- Peak																																																																																						
2	17100.00	49.51	68.30	-18.79	41.70	43.00	17.53	52.72	--- --- Peak																																																																																						
	Limit	Read	Ant	Cable	Preamp	Apos	Tpos																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																																							
1	11400.00	49.19	74.00	-24.81	46.63	38.20	14.78	50.42	--- --- Peak																																																																																						
2	17100.00	50.15	68.30	-18.15	42.34	43.00	17.53	52.72	--- --- Peak																																																																																						



Mode	10																																																																															
	Band Edge																																																																															
	U-NII-1_5.15-5.25_802.11be EHT20_CH36_Full_5180MHz																																																																															
ANT	5+7																																																																															
Pol.	Horizontal	Fundamental																																																																														
Peak	<p style="text-align: right;">Date: 2024-12-06</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5146.63</td> <td>55.10</td> <td>74.00</td> <td>-18.90</td> <td>40.93</td> <td>35.71</td> <td>11.09</td> <td>32.63</td> <td>397</td> <td>125</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5146.63	55.10	74.00	-18.90	40.93	35.71	11.09	32.63	397	125	PEAK	<p style="text-align: right;">Date: 2024-12-06</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5180.00</td> <td>104.71</td> <td>-----</td> <td>-----</td> <td>90.52</td> <td>35.76</td> <td>11.07</td> <td>32.64</td> <td>397</td> <td>125</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	104.71	-----	-----	90.52	35.76	11.07	32.64	397	125	PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																							
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																									
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	5146.63	55.10	74.00	-18.90	40.93	35.71	11.09	32.63	397	125	PEAK																																																																					
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																								
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																									
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	5180.00	104.71	-----	-----	90.52	35.76	11.07	32.64	397	125	PEAK																																																																					
Avg	<p style="text-align: right;">Date: 2024-12-06</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5145.01</td> <td>44.75</td> <td>54.00</td> <td>-9.25</td> <td>30.58</td> <td>35.71</td> <td>11.09</td> <td>32.63</td> <td>397</td> <td>125</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5145.01	44.75	54.00	-9.25	30.58	35.71	11.09	32.63	397	125	AVERAGE	<p style="text-align: right;">Date: 2024-12-06</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5180.00</td> <td>96.78</td> <td>-----</td> <td>-----</td> <td>82.58</td> <td>35.77</td> <td>11.07</td> <td>32.64</td> <td>397</td> <td>125</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	96.78	-----	-----	82.58	35.77	11.07	32.64	397	125	AVERAGE
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																								
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																									
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	5145.01	44.75	54.00	-9.25	30.58	35.71	11.09	32.63	397	125	AVERAGE																																																																					
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																								
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																									
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	5180.00	96.78	-----	-----	82.58	35.77	11.07	32.64	397	125	AVERAGE																																																																					



Mode	10																																																																													
	Band Edge																																																																													
	U-NII-1_5.15-5.25_802.11be EHT20_CH36_Full_5180MHz																																																																													
ANT	5+7																																																																													
Pol.	Vertical	Fundamental																																																																												
Peak	 <p>Date: 2024-12-06</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Loss</th> <th>Loss</th> <th>cm</th> <th>deg</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5137.43</td> <td>61.85</td> <td>74.00</td> <td>-12.15</td> <td>47.66</td> <td>35.73</td> <td>11.09</td> <td>32.63</td> <td>388</td> <td>296 PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Loss	Loss	cm	deg		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5137.43	61.85	74.00	-12.15	47.66	35.73	11.09	32.63	388	296 PEAK	 <p>Date: 2024-12-06</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Loss</th> <th>Loss</th> <th>cm</th> <th>deg</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5180.00</td> <td>109.17</td> <td>-----</td> <td>-----</td> <td>94.98</td> <td>35.75</td> <td>11.07</td> <td>32.63</td> <td>388</td> <td>296 PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Loss	Loss	cm	deg		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	109.17	-----	-----	94.98	35.75	11.07	32.63	388	296 PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																					
Freq	Level	Line	Level	Loss	Loss	cm	deg																																																																							
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																						
1	5137.43	61.85	74.00	-12.15	47.66	35.73	11.09	32.63	388	296 PEAK																																																																				
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																						
Freq	Level	Line	Level	Loss	Loss	cm	deg																																																																							
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																						
1	5180.00	109.17	-----	-----	94.98	35.75	11.07	32.63	388	296 PEAK																																																																				
Avg	 <p>Date: 2024-12-06</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Loss</th> <th>Loss</th> <th>cm</th> <th>deg</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5142.47</td> <td>48.10</td> <td>54.00</td> <td>-5.90</td> <td>33.92</td> <td>35.72</td> <td>11.09</td> <td>32.63</td> <td>388</td> <td>296 AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Loss	Loss	cm	deg		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5142.47	48.10	54.00	-5.90	33.92	35.72	11.09	32.63	388	296 AVERAGE	 <p>Date: 2024-12-06</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Loss</th> <th>Loss</th> <th>cm</th> <th>deg</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5180.00</td> <td>100.42</td> <td>-----</td> <td>-----</td> <td>86.23</td> <td>35.75</td> <td>11.07</td> <td>32.63</td> <td>388</td> <td>296 AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Loss	Loss	cm	deg		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	100.42	-----	-----	86.23	35.75	11.07	32.63	388	296 AVERAGE
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																						
Freq	Level	Line	Level	Loss	Loss	cm	deg																																																																							
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																						
1	5142.47	48.10	54.00	-5.90	33.92	35.72	11.09	32.63	388	296 AVERAGE																																																																				
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																						
Freq	Level	Line	Level	Loss	Loss	cm	deg																																																																							
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																						
1	5180.00	100.42	-----	-----	86.23	35.75	11.07	32.63	388	296 AVERAGE																																																																				



Mode	10																																																																																
	Harmonic																																																																																
	U-NII-1_5.15-5.25_802.11be EHT20_CH36_Full_5180MHz																																																																																
ANT	5+7																																																																																
Pol.	Horizontal	Vertical																																																																															
Peak Avg	<p>Date: 2024-12-08</p>	<p>Date: 2024-12-08</p>																																																																															
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10360.00</td> <td>48.89</td> <td>68.30</td> <td>-19.41</td> <td>48.07</td> <td>38.10</td> <td>14.15 51.43 --- --- Peak</td> </tr> <tr> <td>2</td> <td>15540.00</td> <td>48.45</td> <td>74.00</td> <td>-25.55</td> <td>43.19</td> <td>40.60</td> <td>16.85 52.19 --- --- Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm deg	1	10360.00	48.89	68.30	-19.41	48.07	38.10	14.15 51.43 --- --- Peak	2	15540.00	48.45	74.00	-25.55	43.19	40.60	16.85 52.19 --- --- Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10360.00</td> <td>49.10</td> <td>68.30</td> <td>-19.20</td> <td>48.28</td> <td>38.10</td> <td>14.15 51.43 --- --- Peak</td> </tr> <tr> <td>2</td> <td>15540.00</td> <td>48.94</td> <td>74.00</td> <td>-25.06</td> <td>43.68</td> <td>40.60</td> <td>16.85 52.19 --- --- Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm deg	1	10360.00	49.10	68.30	-19.20	48.28	38.10	14.15 51.43 --- --- Peak	2	15540.00	48.94	74.00	-25.06	43.68	40.60
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm deg																																																																										
1	10360.00	48.89	68.30	-19.41	48.07	38.10	14.15 51.43 --- --- Peak																																																																										
2	15540.00	48.45	74.00	-25.55	43.19	40.60	16.85 52.19 --- --- Peak																																																																										
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm deg																																																																										
1	10360.00	49.10	68.30	-19.20	48.28	38.10	14.15 51.43 --- --- Peak																																																																										
2	15540.00	48.94	74.00	-25.06	43.68	40.60	16.85 52.19 --- --- Peak																																																																										



Mode	11																																																																																																			
	Harmonic																																																																																																			
	U-NII-1_5.15-5.25_802.11be EHT20_CH44_Full_5220MHz																																																																																																			
ANT	5+7																																																																																																			
Pol.	Horizontal	Vertical																																																																																																		
Peak Avg	<p>Date: 2024-12-11</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10440.00</td> <td>47.94</td> <td>68.30</td> <td>-20.36</td> <td>47.01</td> <td>38.14</td> <td>14.20</td> <td>51.41</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>15660.00</td> <td>47.04</td> <td>74.00</td> <td>-26.96</td> <td>41.95</td> <td>40.60</td> <td>16.94</td> <td>52.45</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	10440.00	47.94	68.30	-20.36	47.01	38.14	14.20	51.41	---	---	Peak	2	15660.00	47.04	74.00	-26.96	41.95	40.60	16.94	52.45	---	---	Peak	<p>Date: 2024-12-11</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10440.00</td> <td>49.05</td> <td>68.30</td> <td>-19.25</td> <td>48.12</td> <td>38.14</td> <td>14.20</td> <td>51.41</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>15660.00</td> <td>47.95</td> <td>74.00</td> <td>-26.05</td> <td>42.86</td> <td>40.60</td> <td>16.94</td> <td>52.45</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	10440.00	49.05	68.30	-19.25	48.12	38.14	14.20	51.41	---	---	Peak	2	15660.00	47.95	74.00	-26.05	42.86	40.60	16.94	52.45	---	---	Peak
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																												
1	10440.00	47.94	68.30	-20.36	47.01	38.14	14.20	51.41	---	---	Peak																																																																																									
2	15660.00	47.04	74.00	-26.96	41.95	40.60	16.94	52.45	---	---	Peak																																																																																									
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																												
1	10440.00	49.05	68.30	-19.25	48.12	38.14	14.20	51.41	---	---	Peak																																																																																									
2	15660.00	47.95	74.00	-26.05	42.86	40.60	16.94	52.45	---	---	Peak																																																																																									



Mode	12																																																																																																			
	Harmonic																																																																																																			
	U-NII-1_5.15-5.25_802.11be EHT20_CH48_Full_5240MHz																																																																																																			
ANT	5+7																																																																																																			
Pol.	Horizontal	Vertical																																																																																																		
Peak Avg	<p>Date: 2024-12-11</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10480.00</td> <td>48.65</td> <td>68.30</td> <td>-19.65</td> <td>47.64</td> <td>38.18</td> <td>14.23</td> <td>51.40</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>15720.00</td> <td>48.93</td> <td>74.00</td> <td>-25.07</td> <td>43.90</td> <td>40.62</td> <td>16.99</td> <td>52.58</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	10480.00	48.65	68.30	-19.65	47.64	38.18	14.23	51.40	---	---	Peak	2	15720.00	48.93	74.00	-25.07	43.90	40.62	16.99	52.58	---	---	Peak	<p>Date: 2024-12-11</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10480.00</td> <td>49.57</td> <td>68.30</td> <td>-18.73</td> <td>48.56</td> <td>38.18</td> <td>14.23</td> <td>51.40</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>15720.00</td> <td>48.15</td> <td>74.00</td> <td>-25.85</td> <td>43.12</td> <td>40.62</td> <td>16.99</td> <td>52.58</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	10480.00	49.57	68.30	-18.73	48.56	38.18	14.23	51.40	---	---	Peak	2	15720.00	48.15	74.00	-25.85	43.12	40.62	16.99	52.58	---	---	Peak
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																												
1	10480.00	48.65	68.30	-19.65	47.64	38.18	14.23	51.40	---	---	Peak																																																																																									
2	15720.00	48.93	74.00	-25.07	43.90	40.62	16.99	52.58	---	---	Peak																																																																																									
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																												
1	10480.00	49.57	68.30	-18.73	48.56	38.18	14.23	51.40	---	---	Peak																																																																																									
2	15720.00	48.15	74.00	-25.85	43.12	40.62	16.99	52.58	---	---	Peak																																																																																									







Mode	13																																																																																																								
	Harmonic																																																																																																								
	U-NII-2A_5.25-5.35_802.11be EHT20_CH52_Full_5280MHz																																																																																																								
ANT	5+7																																																																																																								
Pol.	Horizontal	Vertical																																																																																																							
Peak Avg	<p>Date: 2024-12-11</p>	<p>Date: 2024-12-11</p>																																																																																																							
	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10520.00</td> <td>49.41</td> <td>68.30</td> <td>-18.89</td> <td>48.34</td> <td>38.20</td> <td>14.25</td> <td>51.38</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>15780.00</td> <td>49.19</td> <td>74.00</td> <td>-24.81</td> <td>44.19</td> <td>40.68</td> <td>17.04</td> <td>52.72</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10520.00	49.41	68.30	-18.89	48.34	38.20	14.25	51.38	---	---	Peak	2	15780.00	49.19	74.00	-24.81	44.19	40.68	17.04	52.72	---	---	Peak	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10520.00</td> <td>49.54</td> <td>68.30</td> <td>-18.76</td> <td>48.47</td> <td>38.20</td> <td>14.25</td> <td>51.38</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>15780.00</td> <td>48.54</td> <td>74.00</td> <td>-25.46</td> <td>43.54</td> <td>40.68</td> <td>17.04</td> <td>52.72</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10520.00	49.54	68.30	-18.76	48.47	38.20	14.25	51.38	---	---	Peak	2	15780.00	48.54	74.00	-25.46	43.54	40.68	17.04	52.72	---	---
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																
1	10520.00	49.41	68.30	-18.89	48.34	38.20	14.25	51.38	---	---	Peak																																																																																														
2	15780.00	49.19	74.00	-24.81	44.19	40.68	17.04	52.72	---	---	Peak																																																																																														
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																
1	10520.00	49.54	68.30	-18.76	48.47	38.20	14.25	51.38	---	---	Peak																																																																																														
2	15780.00	48.54	74.00	-25.46	43.54	40.68	17.04	52.72	---	---	Peak																																																																																														



Mode	14																																																																																																
	Harmonic																																																																																																
	U-NII-2A_5.25-5.35_802.11be EHT20_CH60_Full_5300MHz																																																																																																
ANT	5+7																																																																																																
Pol.	Horizontal	Vertical																																																																																															
Peak Avg	<p>Date: 2024-12-11</p>	<p>Date: 2024-12-11</p>																																																																																															
	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10600.00</td> <td>49.21</td> <td>74.00</td> <td>-24.79</td> <td>48.01</td> <td>38.20</td> <td>14.30</td> <td>51.30</td> <td>--- Peak</td> </tr> <tr> <td>2</td> <td>15900.00</td> <td>48.61</td> <td>74.00</td> <td>-25.39</td> <td>43.55</td> <td>40.90</td> <td>17.14</td> <td>52.98</td> <td>--- Peak</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10600.00	49.21	74.00	-24.79	48.01	38.20	14.30	51.30	--- Peak	2	15900.00	48.61	74.00	-25.39	43.55	40.90	17.14	52.98	--- Peak	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10600.00</td> <td>48.99</td> <td>74.00</td> <td>-25.01</td> <td>47.79</td> <td>38.20</td> <td>14.30</td> <td>51.30</td> <td>--- Peak</td> </tr> <tr> <td>2</td> <td>15900.00</td> <td>48.09</td> <td>74.00</td> <td>-25.91</td> <td>43.03</td> <td>40.90</td> <td>17.14</td> <td>52.98</td> <td>--- Peak</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10600.00	48.99	74.00	-25.01	47.79	38.20	14.30	51.30	--- Peak	2	15900.00	48.09	74.00	-25.91	43.03	40.90	17.14	52.98
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	10600.00	49.21	74.00	-24.79	48.01	38.20	14.30	51.30	--- Peak																																																																																								
2	15900.00	48.61	74.00	-25.39	43.55	40.90	17.14	52.98	--- Peak																																																																																								
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	10600.00	48.99	74.00	-25.01	47.79	38.20	14.30	51.30	--- Peak																																																																																								
2	15900.00	48.09	74.00	-25.91	43.03	40.90	17.14	52.98	--- Peak																																																																																								



		15																																																																												
<b>Mode</b>	<b>Band Edge</b>																																																																													
	<b>U-NII-2A_5.25-5.35_802.11be EHT20_CH64_Full_5320MHz</b>																																																																													
<b>ANT</b>	<b>5+7</b>																																																																													
<b>Pol.</b>	<b>Horizontal</b>	<b>Fundamental</b>																																																																												
<b>Peak</b>	 <p style="text-align: right;">Date: 2024-12-06</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5351.71</td> <td>52.96</td> <td>74.00</td> <td>-21.04</td> <td>38.59</td> <td>36.10</td> <td>10.94</td> <td>32.67</td> <td>396</td> <td>313 PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor	dB	cm	deg	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5351.71	52.96	74.00	-21.04	38.59	36.10	10.94	32.67	396	313 PEAK	 <p style="text-align: right;">Date: 2024-12-06</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5320.00</td> <td>101.51</td> <td>-----</td> <td>-----</td> <td>87.27</td> <td>35.94</td> <td>10.96</td> <td>32.66</td> <td>396</td> <td>313 PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor	dB	cm	deg	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5320.00	101.51	-----	-----	87.27	35.94	10.96	32.66	396	313 PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																					
Freq	Level	Line	Level	Factor	Loss Factor	dB	cm	deg																																																																						
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																						
1	5351.71	52.96	74.00	-21.04	38.59	36.10	10.94	32.67	396	313 PEAK																																																																				
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																						
Freq	Level	Line	Level	Factor	Loss Factor	dB	cm	deg																																																																						
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																						
1	5320.00	101.51	-----	-----	87.27	35.94	10.96	32.66	396	313 PEAK																																																																				
<b>Avg</b>	 <p style="text-align: right;">Date: 2024-12-06</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5354.66</td> <td>43.17</td> <td>54.00</td> <td>-10.83</td> <td>28.81</td> <td>36.09</td> <td>10.94</td> <td>32.67</td> <td>396</td> <td>313 AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor	dB	cm	deg	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5354.66	43.17	54.00	-10.83	28.81	36.09	10.94	32.67	396	313 AVERAGE	 <p style="text-align: right;">Date: 2024-12-06</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5320.00</td> <td>94.06</td> <td>-----</td> <td>-----</td> <td>79.82</td> <td>35.94</td> <td>10.96</td> <td>32.66</td> <td>396</td> <td>313 AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor	dB	cm	deg	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5320.00	94.06	-----	-----	79.82	35.94	10.96	32.66	396	313 AVERAGE
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																					
Freq	Level	Line	Level	Factor	Loss Factor	dB	cm	deg																																																																						
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																						
1	5354.66	43.17	54.00	-10.83	28.81	36.09	10.94	32.67	396	313 AVERAGE																																																																				
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																						
Freq	Level	Line	Level	Factor	Loss Factor	dB	cm	deg																																																																						
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																						
1	5320.00	94.06	-----	-----	79.82	35.94	10.96	32.66	396	313 AVERAGE																																																																				







		15																																																																															
<b>Mode</b>	<b>Band Edge</b>																																																																																
	<b>U-NII-2A_5.25-5.35_802.11be EHT20_CH64_Full_5320MHz</b>																																																																																
<b>ANT</b>	<b>5+7</b>																																																																																
<b>Pol.</b>	<b>Vertical</b>	<b>Fundamental</b>																																																																															
<b>Peak</b>	<p style="text-align: right;">Date: 2024-12-06</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5351.85</td> <td>62.89</td> <td>74.00</td> <td>-11.11</td> <td>48.52</td> <td>36.10</td> <td>10.94</td> <td>32.67</td> <td>383</td> <td>355</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5351.85	62.89	74.00	-11.11	48.52	36.10	10.94	32.67	383	355	PEAK	<p style="text-align: right;">Date: 2024-12-06</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5320.00</td> <td>106.46</td> <td>-----</td> <td>-----</td> <td>92.22</td> <td>35.94</td> <td>10.96</td> <td>32.66</td> <td>383</td> <td>355</td> <td>PEAK</td> </tr> </tbody> </table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5320.00	106.46	-----	-----	92.22	35.94	10.96	32.66	383	355	PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																								
Freq	Level	Line	Level	Factor	Loss Factor																																																																												
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	5351.85	62.89	74.00	-11.11	48.52	36.10	10.94	32.67	383	355	PEAK																																																																						
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																									
Freq	Level	Line	Level	Factor	Loss Factor																																																																												
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	5320.00	106.46	-----	-----	92.22	35.94	10.96	32.66	383	355	PEAK																																																																						
<b>Avg</b>	<p style="text-align: right;">Date: 2024-12-06</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5350.04</td> <td>48.38</td> <td>54.00</td> <td>-5.62</td> <td>34.01</td> <td>36.10</td> <td>10.94</td> <td>32.67</td> <td>383</td> <td>355</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5350.04	48.38	54.00	-5.62	34.01	36.10	10.94	32.67	383	355	AVERAGE	<p style="text-align: right;">Date: 2024-12-06</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5320.00</td> <td>97.77</td> <td>-----</td> <td>-----</td> <td>83.53</td> <td>35.94</td> <td>10.96</td> <td>32.66</td> <td>383</td> <td>355</td> <td>AVERAGE</td> </tr> </tbody> </table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5320.00	97.77	-----	-----	83.53	35.94	10.96	32.66	383	355	AVERAGE
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																								
Freq	Level	Line	Level	Factor	Loss Factor																																																																												
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	5350.04	48.38	54.00	-5.62	34.01	36.10	10.94	32.67	383	355	AVERAGE																																																																						
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																									
Freq	Level	Line	Level	Factor	Loss Factor																																																																												
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	5320.00	97.77	-----	-----	83.53	35.94	10.96	32.66	383	355	AVERAGE																																																																						



Mode	15																																																																																																
	Harmonic																																																																																																
	U-NII-2A_5.25-5.35_802.11be EHT20_CH64_Full_5320MHz																																																																																																
ANT	5+7																																																																																																
Pol.	Horizontal	Vertical																																																																																															
Peak Avg	<p>Date: 2024-12-11</p>	<p>Date: 2024-12-11</p>																																																																																															
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10640.00</td> <td>48.95</td> <td>74.00</td> <td>-25.05</td> <td>47.73</td> <td>38.16</td> <td>14.32</td> <td>51.26</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>15960.00</td> <td>47.70</td> <td>74.00</td> <td>-26.30</td> <td>42.60</td> <td>41.02</td> <td>17.19</td> <td>53.11</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm deg	1	10640.00	48.95	74.00	-25.05	47.73	38.16	14.32	51.26	---	---	Peak	2	15960.00	47.70	74.00	-26.30	42.60	41.02	17.19	53.11	---	---	Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10640.00</td> <td>48.48</td> <td>74.00</td> <td>-25.52</td> <td>47.26</td> <td>38.16</td> <td>14.32</td> <td>51.26</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>15960.00</td> <td>48.84</td> <td>74.00</td> <td>-25.16</td> <td>43.74</td> <td>41.02</td> <td>17.19</td> <td>53.11</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm deg	1	10640.00	48.48	74.00	-25.52	47.26	38.16	14.32	51.26	---	---	Peak	2	15960.00	48.84	74.00	-25.16	43.74	41.02	17.19	53.11	---	---
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm deg																																																																																										
1	10640.00	48.95	74.00	-25.05	47.73	38.16	14.32	51.26	---	---	Peak																																																																																						
2	15960.00	47.70	74.00	-26.30	42.60	41.02	17.19	53.11	---	---	Peak																																																																																						
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm deg																																																																																										
1	10640.00	48.48	74.00	-25.52	47.26	38.16	14.32	51.26	---	---	Peak																																																																																						
2	15960.00	48.84	74.00	-25.16	43.74	41.02	17.19	53.11	---	---	Peak																																																																																						



Mode	16																																																																						
	Band Edge																																																																						
	U-NII-2C_5.47-5.725_802.11be EHT20_CH100_Full_5500MHz																																																																						
ANT	5+7																																																																						
Pol.	Horizontal	Fundamental																																																																					
Peak	 <p>Date: 2024-12-06</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5458.09</td> <td>56.13</td> <td>74.00</td> <td>-17.87</td> <td>41.78</td> <td>35.93</td> <td>11.11</td> <td>32.69</td> <td>151</td> <td>55 PEAK</td> </tr> <tr> <td>2</td> <td>5467.09</td> <td>59.38</td> <td>68.30</td> <td>-8.92</td> <td>44.95</td> <td>35.97</td> <td>11.15</td> <td>32.69</td> <td>151</td> <td>55 PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor	dB	cm	deg	1	5458.09	56.13	74.00	-17.87	41.78	35.93	11.11	32.69	151	55 PEAK	2	5467.09	59.38	68.30	-8.92	44.95	35.97	11.15	32.69	151	55 PEAK	 <p>Date: 2024-12-06</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5500.00</td> <td>104.27</td> <td>-----</td> <td>-----</td> <td>89.61</td> <td>36.09</td> <td>11.27</td> <td>32.70</td> <td>151</td> <td>55 PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor	dB	cm	deg	1	5500.00	104.27	-----	-----	89.61	36.09	11.27	32.70	151	55 PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																														
Freq	Level	Line	Level	Factor	Loss Factor	dB	cm	deg																																																															
1	5458.09	56.13	74.00	-17.87	41.78	35.93	11.11	32.69	151	55 PEAK																																																													
2	5467.09	59.38	68.30	-8.92	44.95	35.97	11.15	32.69	151	55 PEAK																																																													
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																															
Freq	Level	Line	Level	Factor	Loss Factor	dB	cm	deg																																																															
1	5500.00	104.27	-----	-----	89.61	36.09	11.27	32.70	151	55 PEAK																																																													
Avg	 <p>Date: 2024-12-06</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5459.89</td> <td>44.94</td> <td>54.00</td> <td>-9.06</td> <td>30.57</td> <td>35.94</td> <td>11.12</td> <td>32.69</td> <td>151</td> <td>55 AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor	dB	cm	deg	1	5459.89	44.94	54.00	-9.06	30.57	35.94	11.12	32.69	151	55 AVERAGE	 <p>Date: 2024-12-06</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5500.00</td> <td>95.51</td> <td>-----</td> <td>-----</td> <td>80.85</td> <td>36.09</td> <td>11.27</td> <td>32.70</td> <td>151</td> <td>55 AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor	dB	cm	deg	1	5500.00	95.51	-----	-----	80.85	36.09	11.27	32.70	151	55 AVERAGE											
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																															
Freq	Level	Line	Level	Factor	Loss Factor	dB	cm	deg																																																															
1	5459.89	44.94	54.00	-9.06	30.57	35.94	11.12	32.69	151	55 AVERAGE																																																													
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																															
Freq	Level	Line	Level	Factor	Loss Factor	dB	cm	deg																																																															
1	5500.00	95.51	-----	-----	80.85	36.09	11.27	32.70	151	55 AVERAGE																																																													



Mode	16																																																																																										
	Band Edge																																																																																										
	U-NII-2C_5.47-5.725_802.11be EHT20_CH100_Full_5500MHz																																																																																										
ANT	5+7																																																																																										
Pol.	Vertical	Fundamental																																																																																									
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5455.23</td> <td>54.64</td> <td>74.00</td> <td>-19.36</td> <td>40.31</td> <td>35.92</td> <td>11.10</td> <td>32.69</td> <td>400</td> <td>353 PEAK</td> </tr> <tr> <td>2</td> <td>5469.79</td> <td>63.13</td> <td>68.30</td> <td>-5.17</td> <td>48.68</td> <td>35.98</td> <td>11.16</td> <td>32.69</td> <td>400</td> <td>353 PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5455.23	54.64	74.00	-19.36	40.31	35.92	11.10	32.69	400	353 PEAK	2	5469.79	63.13	68.30	-5.17	48.68	35.98	11.16	32.69	400	353 PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5500.00</td> <td>108.54</td> <td>-----</td> <td>-----</td> <td>93.92</td> <td>36.07</td> <td>11.25</td> <td>32.70</td> <td>400</td> <td>353 PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	108.54	-----	-----	93.92	36.07	11.25	32.70	400	353 PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	5455.23	54.64	74.00	-19.36	40.31	35.92	11.10	32.69	400	353 PEAK																																																																																	
2	5469.79	63.13	68.30	-5.17	48.68	35.98	11.16	32.69	400	353 PEAK																																																																																	
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	5500.00	108.54	-----	-----	93.92	36.07	11.25	32.70	400	353 PEAK																																																																																	
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5454.93</td> <td>44.45</td> <td>54.00</td> <td>-9.55</td> <td>30.12</td> <td>35.92</td> <td>11.10</td> <td>32.69</td> <td>400</td> <td>353 AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5454.93	44.45	54.00	-9.55	30.12	35.92	11.10	32.69	400	353 AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5500.00</td> <td>100.39</td> <td>-----</td> <td>-----</td> <td>85.77</td> <td>36.07</td> <td>11.25</td> <td>32.70</td> <td>400</td> <td>353 AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	100.39	-----	-----	85.77	36.07	11.25	32.70	400	353 AVERAGE											
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	5454.93	44.45	54.00	-9.55	30.12	35.92	11.10	32.69	400	353 AVERAGE																																																																																	
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	5500.00	100.39	-----	-----	85.77	36.07	11.25	32.70	400	353 AVERAGE																																																																																	



Mode	16																																																																																																		
	Harmonic																																																																																																		
	U-NII-2C_5.47-5.725_802.11be EHT20_CH100_Full_5500MHz																																																																																																		
ANT	5+7																																																																																																		
Pol.	Horizontal	Vertical																																																																																																	
Peak Avg	<p>Date: 2024-12-13</p>	<p>Date: 2024-12-13</p>																																																																																																	
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11000.00</td> <td>47.07</td> <td>74.00</td> <td>-26.93</td> <td>45.43</td> <td>38.00</td> <td>14.54</td> <td>50.90</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>16500.00</td> <td>48.71</td> <td>68.30</td> <td>-19.59</td> <td>43.25</td> <td>41.20</td> <td>17.36</td> <td>53.10</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	11000.00	47.07	74.00	-26.93	45.43	38.00	14.54	50.90	---	---	Peak	2	16500.00	48.71	68.30	-19.59	43.25	41.20	17.36	53.10	---	---	Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11000.00</td> <td>47.18</td> <td>74.00</td> <td>-26.82</td> <td>45.54</td> <td>38.00</td> <td>14.54</td> <td>50.90</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>16500.00</td> <td>47.12</td> <td>68.30</td> <td>-21.18</td> <td>41.66</td> <td>41.20</td> <td>17.36</td> <td>53.10</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	11000.00	47.18	74.00	-26.82	45.54	38.00	14.54	50.90	---	---	Peak	2	16500.00	47.12	68.30	-21.18	41.66	41.20	17.36	53.10	---	---
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																											
1	11000.00	47.07	74.00	-26.93	45.43	38.00	14.54	50.90	---	---	Peak																																																																																								
2	16500.00	48.71	68.30	-19.59	43.25	41.20	17.36	53.10	---	---	Peak																																																																																								
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																											
1	11000.00	47.18	74.00	-26.82	45.54	38.00	14.54	50.90	---	---	Peak																																																																																								
2	16500.00	47.12	68.30	-21.18	41.66	41.20	17.36	53.10	---	---	Peak																																																																																								






Mode	17																																																																																															
	Harmonic																																																																																															
	U-NII-2C_5.47-5.725_802.11be EHT20_CH116_Full_5580MHz																																																																																															
ANT	5+7																																																																																															
Pol.	Horizontal	Vertical																																																																																														
Peak Avg	<p>Date: 2024-12-13</p>	<p>Date: 2024-12-13</p>																																																																																														
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 11160.00</td> <td>47.47</td> <td>74.00</td> <td>-26.53</td> <td>45.48</td> <td>38.06</td> <td>14.64</td> <td>50.71</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>2 16740.00</td> <td>46.71</td> <td>68.30</td> <td>-21.59</td> <td>40.65</td> <td>41.44</td> <td>17.43</td> <td>52.81</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1 11160.00	47.47	74.00	-26.53	45.48	38.06	14.64	50.71	---	---	Peak	2 16740.00	46.71	68.30	-21.59	40.65	41.44	17.43	52.81	---	---	Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 11160.00</td> <td>47.83</td> <td>74.00</td> <td>-26.17</td> <td>45.84</td> <td>38.06</td> <td>14.64</td> <td>50.71</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>2 16740.00</td> <td>48.41</td> <td>68.30</td> <td>-19.89</td> <td>42.35</td> <td>41.44</td> <td>17.43</td> <td>52.81</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 11160.00	47.83	74.00	-26.17	45.84	38.06	14.64	50.71	---	---	Peak	2 16740.00	48.41	68.30	-19.89	42.35	41.44	17.43	52.81	---	---
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																								
1 11160.00	47.47	74.00	-26.53	45.48	38.06	14.64	50.71	---	---	Peak																																																																																						
2 16740.00	46.71	68.30	-21.59	40.65	41.44	17.43	52.81	---	---	Peak																																																																																						
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1 11160.00	47.83	74.00	-26.17	45.84	38.06	14.64	50.71	---	---	Peak																																																																																						
2 16740.00	48.41	68.30	-19.89	42.35	41.44	17.43	52.81	---	---	Peak																																																																																						



Mode	18																																																																															
	Band Edge																																																																															
	U-NII-2C_5.47-5.725_802.11be EHT20_CH140_Full_5700MHz																																																																															
ANT	5+7																																																																															
Pol.	Horizontal	Fundamental																																																																														
Peak	<p style="text-align: right;">Date: 2024-12-06</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5735.85</td> <td>58.43</td> <td>68.30</td> <td>-9.87</td> <td>42.90</td> <td>36.67</td> <td>11.65</td> <td>32.79</td> <td>108</td> <td>126</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg	1	5735.85	58.43	68.30	-9.87	42.90	36.67	11.65	32.79	108	126	PEAK	<p style="text-align: right;">Date: 2024-12-06</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5700.00</td> <td>104.09</td> <td>-----</td> <td>-----</td> <td>88.61</td> <td>36.59</td> <td>11.67</td> <td>32.78</td> <td>108</td> <td>126</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg	1	5700.00	104.09	-----	-----	88.61	36.59	11.67	32.78	108	126	PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																							
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																									
MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg																																																																								
1	5735.85	58.43	68.30	-9.87	42.90	36.67	11.65	32.79	108	126	PEAK																																																																					
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																								
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																									
MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg																																																																								
1	5700.00	104.09	-----	-----	88.61	36.59	11.67	32.78	108	126	PEAK																																																																					
Avg	Blank	<p style="text-align: right;">Date: 2024-12-06</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5700.00</td> <td>96.52</td> <td>-----</td> <td>-----</td> <td>81.04</td> <td>36.60</td> <td>11.66</td> <td>32.78</td> <td>108</td> <td>126</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg	1	5700.00	96.52	-----	-----	81.04	36.60	11.66	32.78	108	126	AVERAGE																																							
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																								
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																									
MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg																																																																								
1	5700.00	96.52	-----	-----	81.04	36.60	11.66	32.78	108	126	AVERAGE																																																																					



Mode	18																																																																															
	Band Edge																																																																															
	U-NII-2C_5.47-5.725_802.11be EHT20_CH140_Full_5700MHz																																																																															
ANT	5+7																																																																															
Pol.	Vertical	Fundamental																																																																														
Peak	 <p style="text-align: right;">Date: 2024-12-06</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5740.47</td> <td>61.90</td> <td>68.30</td> <td>-6.40</td> <td>46.37</td> <td>36.68</td> <td>11.65</td> <td>32.80</td> <td>193</td> <td>240</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5740.47	61.90	68.30	-6.40	46.37	36.68	11.65	32.80	193	240	PEAK	 <p style="text-align: right;">Date: 2024-12-06</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5700.00</td> <td>110.35</td> <td>-----</td> <td>-----</td> <td>94.87</td> <td>36.60</td> <td>11.66</td> <td>32.78</td> <td>193</td> <td>240</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5700.00	110.35	-----	-----	94.87	36.60	11.66	32.78	193	240	PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																							
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																								
1	5740.47	61.90	68.30	-6.40	46.37	36.68	11.65	32.80	193	240	PEAK																																																																					
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																								
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																								
1	5700.00	110.35	-----	-----	94.87	36.60	11.66	32.78	193	240	PEAK																																																																					
Avg	Blank	 <p style="text-align: right;">Date: 2024-12-06</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5700.00</td> <td>102.03</td> <td>-----</td> <td>-----</td> <td>86.55</td> <td>36.60</td> <td>11.66</td> <td>32.78</td> <td>193</td> <td>240</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5700.00	102.03	-----	-----	86.55	36.60	11.66	32.78	193	240	AVERAGE																																							
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																								
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																								
1	5700.00	102.03	-----	-----	86.55	36.60	11.66	32.78	193	240	AVERAGE																																																																					



Mode	18																																																																																																								
	Harmonic																																																																																																								
	U-NII-2C_5.47-5.725_802.11be EHT20_CH140_Full_5700MHz																																																																																																								
ANT	5+7																																																																																																								
Pol.	Horizontal	Vertical																																																																																																							
Peak Avg	<p>Date: 2024-12-13</p>	<p>Date: 2024-12-13</p>																																																																																																							
	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11400.00</td> <td>46.61</td> <td>74.00</td> <td>-27.39</td> <td>44.05</td> <td>38.20</td> <td>14.78</td> <td>50.42</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>17100.00</td> <td>48.64</td> <td>68.30</td> <td>-19.66</td> <td>40.83</td> <td>43.00</td> <td>17.53</td> <td>52.72</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11400.00	46.61	74.00	-27.39	44.05	38.20	14.78	50.42	---	---	Peak	2	17100.00	48.64	68.30	-19.66	40.83	43.00	17.53	52.72	---	---	Peak	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11400.00</td> <td>45.82</td> <td>74.00</td> <td>-28.18</td> <td>43.26</td> <td>38.20</td> <td>14.78</td> <td>50.42</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>17100.00</td> <td>47.99</td> <td>68.30</td> <td>-20.31</td> <td>40.18</td> <td>43.00</td> <td>17.53</td> <td>52.72</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11400.00	45.82	74.00	-28.18	43.26	38.20	14.78	50.42	---	---	Peak	2	17100.00	47.99	68.30	-20.31	40.18	43.00	17.53	52.72	---	---
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																
1	11400.00	46.61	74.00	-27.39	44.05	38.20	14.78	50.42	---	---	Peak																																																																																														
2	17100.00	48.64	68.30	-19.66	40.83	43.00	17.53	52.72	---	---	Peak																																																																																														
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																
1	11400.00	45.82	74.00	-28.18	43.26	38.20	14.78	50.42	---	---	Peak																																																																																														
2	17100.00	47.99	68.30	-20.31	40.18	43.00	17.53	52.72	---	---	Peak																																																																																														



Mode	19																																																																									
	Band Edge - L																																																																									
	U-NII-1_5.15-5.25_802.11be EHT40_CH38_Full_5190MHz																																																																									
ANT	5+7																																																																									
Pol.	Horizontal	Fundamental																																																																								
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5149.83</td> <td>58.36</td> <td>74.00</td> <td>-15.64</td> <td>44.20</td> <td>35.70</td> <td>11.09</td> <td>32.63</td> <td>146 129 PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 5149.83	58.36	74.00	-15.64	44.20	35.70	11.09	32.63	146 129 PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5190.00</td> <td>102.22</td> <td>-----</td> <td>-----</td> <td>88.02</td> <td>35.78</td> <td>11.06</td> <td>32.64</td> <td>146 129 PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 5190.00	102.22	-----	-----	88.02	35.78	11.06	32.64	146 129 PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																			
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																		
1 5149.83	58.36	74.00	-15.64	44.20	35.70	11.09	32.63	146 129 PEAK																																																																		
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																			
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																		
1 5190.00	102.22	-----	-----	88.02	35.78	11.06	32.64	146 129 PEAK																																																																		
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5149.99</td> <td>47.83</td> <td>54.00</td> <td>-6.17</td> <td>33.68</td> <td>35.70</td> <td>11.08</td> <td>32.63</td> <td>146 129 AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 5149.99	47.83	54.00	-6.17	33.68	35.70	11.08	32.63	146 129 AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5190.00</td> <td>93.46</td> <td>-----</td> <td>-----</td> <td>79.26</td> <td>35.78</td> <td>11.06</td> <td>32.64</td> <td>146 129 AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 5190.00	93.46	-----	-----	79.26	35.78	11.06	32.64	146 129 AVERAGE
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																			
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																		
1 5149.99	47.83	54.00	-6.17	33.68	35.70	11.08	32.63	146 129 AVERAGE																																																																		
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																			
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																		
1 5190.00	93.46	-----	-----	79.26	35.78	11.06	32.64	146 129 AVERAGE																																																																		



Mode	19																																							
	Band Edge - R																																							
	U-NII-1_5.15-5.25_802.11be EHT40_CH38_Full_5190MHz																																							
ANT	5+7																																							
Pol.	Horizontal	Fundamental																																						
Peak	<p>Date: 2024-12-06</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5379.97</td> <td>53.25</td> <td>74.00</td> <td>-20.75</td> <td>38.97</td> <td>36.04</td> <td>10.92</td> <td>32.68</td> <td>146</td> <td>129 PEAK</td> </tr> </tbody> </table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5379.97	53.25	74.00	-20.75	38.97	36.04	10.92	32.68	146	129 PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																															
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																	
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																
1	5379.97	53.25	74.00	-20.75	38.97	36.04	10.92	32.68	146	129 PEAK																														
Avg	<p>Date: 2024-12-06</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5459.89</td> <td>42.68</td> <td>54.00</td> <td>-11.32</td> <td>28.31</td> <td>35.94</td> <td>11.12</td> <td>32.69</td> <td>146</td> <td>129 AVERAGE</td> </tr> </tbody> </table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5459.89	42.68	54.00	-11.32	28.31	35.94	11.12	32.69	146	129 AVERAGE
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																	
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																
1	5459.89	42.68	54.00	-11.32	28.31	35.94	11.12	32.69	146	129 AVERAGE																														



		<b>19</b>																																																																														
<b>Mode</b>	<b>Band Edge - L</b>																																																																															
	<b>U-NII-1_5.15-5.25_802.11be EHT40_CH38_Full_5190MHz</b>																																																																															
<b>ANT</b>	<b>5+7</b>																																																																															
<b>Pol.</b>	<b>Vertical</b>	<b>Fundamental</b>																																																																														
<b>Peak</b>	<p style="text-align: right;">Date: 2024-12-06</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5147.55</td> <td>60.58</td> <td>74.00</td> <td>-13.42</td> <td>46.42</td> <td>35.70</td> <td>11.09</td> <td>32.63</td> <td>392</td> <td>316</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor	dB	cm	deg	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5147.55	60.58	74.00	-13.42	46.42	35.70	11.09	32.63	392	316	PEAK	<p style="text-align: right;">Date: 2024-12-06</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5190.00</td> <td>103.88</td> <td>-----</td> <td>-----</td> <td>89.69</td> <td>35.76</td> <td>11.07</td> <td>32.64</td> <td>392</td> <td>316</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor	dB	cm	deg	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5190.00	103.88	-----	-----	89.69	35.76	11.07	32.64	392	316	PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																							
Freq	Level	Line	Level	Factor	Loss Factor	dB	cm	deg																																																																								
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	5147.55	60.58	74.00	-13.42	46.42	35.70	11.09	32.63	392	316	PEAK																																																																					
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																								
Freq	Level	Line	Level	Factor	Loss Factor	dB	cm	deg																																																																								
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	5190.00	103.88	-----	-----	89.69	35.76	11.07	32.64	392	316	PEAK																																																																					
<b>Avg</b>	<p style="text-align: right;">Date: 2024-12-06</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5149.82</td> <td>50.53</td> <td>54.00</td> <td>-3.47</td> <td>36.37</td> <td>35.70</td> <td>11.09</td> <td>32.63</td> <td>392</td> <td>316</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor	dB	cm	deg	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5149.82	50.53	54.00	-3.47	36.37	35.70	11.09	32.63	392	316	AVERAGE	<p style="text-align: right;">Date: 2024-12-06</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5190.00</td> <td>93.53</td> <td>-----</td> <td>-----</td> <td>79.34</td> <td>35.76</td> <td>11.07</td> <td>32.64</td> <td>392</td> <td>316</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor	dB	cm	deg	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5190.00	93.53	-----	-----	79.34	35.76	11.07	32.64	392	316	AVERAGE
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																								
Freq	Level	Line	Level	Factor	Loss Factor	dB	cm	deg																																																																								
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	5149.82	50.53	54.00	-3.47	36.37	35.70	11.09	32.63	392	316	AVERAGE																																																																					
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																								
Freq	Level	Line	Level	Factor	Loss Factor	dB	cm	deg																																																																								
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	5190.00	93.53	-----	-----	79.34	35.76	11.07	32.64	392	316	AVERAGE																																																																					



Mode	19																																									
	Band Edge - R																																									
	U-NII-1_5.15-5.25_802.11be EHT40_CH38_Full_5190MHz																																									
ANT	5+7																																									
Pol.	Vertical	Fundamental																																								
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5392.64</td> <td>52.71</td> <td>74.00</td> <td>-21.29</td> <td>38.47</td> <td>36.01</td> <td>10.91</td> <td>32.68</td> <td>392</td> <td>316</td> <td>PEAK</td> </tr> </tbody> </table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor	dB	cm	deg	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5392.64	52.71	74.00	-21.29	38.47	36.01	10.91	32.68	392	316	PEAK	Blank
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																	
Freq	Level	Line	Level	Factor	Loss Factor	dB	cm	deg																																		
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																		
1	5392.64	52.71	74.00	-21.29	38.47	36.01	10.91	32.68	392	316	PEAK																															
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5374.30</td> <td>42.68</td> <td>54.00</td> <td>-11.32</td> <td>28.37</td> <td>36.05</td> <td>10.93</td> <td>32.67</td> <td>392</td> <td>316</td> <td>AVERAGE</td> </tr> </tbody> </table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor	dB	cm	deg	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5374.30	42.68	54.00	-11.32	28.37	36.05	10.93	32.67	392	316	AVERAGE	Blank
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																		
Freq	Level	Line	Level	Factor	Loss Factor	dB	cm	deg																																		
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																		
1	5374.30	42.68	54.00	-11.32	28.37	36.05	10.93	32.67	392	316	AVERAGE																															



Mode	19																																																																																																			
	Harmonic																																																																																																			
	U-NII-1_5.15-5.25_802.11be EHT40_CH38_Full_5190MHz																																																																																																			
ANT	5+7																																																																																																			
Pol.	Horizontal	Vertical																																																																																																		
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10380.00</td> <td>45.90</td> <td>68.30</td> <td>-22.40</td> <td>45.06</td> <td>38.10</td> <td>14.16</td> <td>51.42</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>15570.00</td> <td>46.75</td> <td>74.00</td> <td>-27.25</td> <td>41.53</td> <td>40.60</td> <td>16.87</td> <td>52.25</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	10380.00	45.90	68.30	-22.40	45.06	38.10	14.16	51.42	---	---	Peak	2	15570.00	46.75	74.00	-27.25	41.53	40.60	16.87	52.25	---	---	Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10380.00</td> <td>45.55</td> <td>68.30</td> <td>-22.75</td> <td>44.71</td> <td>38.10</td> <td>14.16</td> <td>51.42</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>15570.00</td> <td>46.51</td> <td>74.00</td> <td>-27.49</td> <td>41.29</td> <td>40.60</td> <td>16.87</td> <td>52.25</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	10380.00	45.55	68.30	-22.75	44.71	38.10	14.16	51.42	---	---	Peak	2	15570.00	46.51	74.00	-27.49	41.29	40.60	16.87	52.25	---	---	Peak
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																												
1	10380.00	45.90	68.30	-22.40	45.06	38.10	14.16	51.42	---	---	Peak																																																																																									
2	15570.00	46.75	74.00	-27.25	41.53	40.60	16.87	52.25	---	---	Peak																																																																																									
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																												
1	10380.00	45.55	68.30	-22.75	44.71	38.10	14.16	51.42	---	---	Peak																																																																																									
2	15570.00	46.51	74.00	-27.49	41.29	40.60	16.87	52.25	---	---	Peak																																																																																									







Mode	20																																																																																																
	Harmonic																																																																																																
	U-NII-1_5.15-5.25_802.11be EHT40_CH46_Full_5230MHz																																																																																																
ANT	5+7																																																																																																
Pol.	Horizontal	Vertical																																																																																															
Peak Avg	<p>Date: 2024-12-13</p>	<p>Date: 2024-12-13</p>																																																																																															
	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>Tpos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10460.00</td> <td>45.80</td> <td>68.30</td> <td>-22.50</td> <td>44.84</td> <td>38.16</td> <td>14.21</td> <td>51.41</td> <td>--- Peak</td> </tr> <tr> <td>2</td> <td>15690.00</td> <td>45.76</td> <td>74.00</td> <td>-28.24</td> <td>40.71</td> <td>40.60</td> <td>16.97</td> <td>52.52</td> <td>--- Peak</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Apos	Tpos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10460.00	45.80	68.30	-22.50	44.84	38.16	14.21	51.41	--- Peak	2	15690.00	45.76	74.00	-28.24	40.71	40.60	16.97	52.52	--- Peak	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>Tpos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10460.00</td> <td>45.89</td> <td>68.30</td> <td>-22.41</td> <td>44.93</td> <td>38.16</td> <td>14.21</td> <td>51.41</td> <td>--- Peak</td> </tr> <tr> <td>2</td> <td>15690.00</td> <td>45.56</td> <td>74.00</td> <td>-28.44</td> <td>40.51</td> <td>40.60</td> <td>16.97</td> <td>52.52</td> <td>--- Peak</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Apos	Tpos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10460.00	45.89	68.30	-22.41	44.93	38.16	14.21	51.41	--- Peak	2	15690.00	45.56	74.00	-28.44	40.51	40.60	16.97	52.52
	Limit	Read	Ant	Cable	Preamp	Apos	Tpos																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	10460.00	45.80	68.30	-22.50	44.84	38.16	14.21	51.41	--- Peak																																																																																								
2	15690.00	45.76	74.00	-28.24	40.71	40.60	16.97	52.52	--- Peak																																																																																								
	Limit	Read	Ant	Cable	Preamp	Apos	Tpos																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	10460.00	45.89	68.30	-22.41	44.93	38.16	14.21	51.41	--- Peak																																																																																								
2	15690.00	45.56	74.00	-28.44	40.51	40.60	16.97	52.52	--- Peak																																																																																								



Mode	21																																																																																														
	Harmonic																																																																																														
	U-NII-2A_5.25-5.35_802.11be EHT40_CH54_Full_5270MHz																																																																																														
ANT	5+7																																																																																														
Pol.	Horizontal	Vertical																																																																																													
Peak Avg	<p>Date: 2024-12-13</p>	<p>Date: 2024-12-13</p>																																																																																													
	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10540.00</td> <td>45.97</td> <td>68.30</td> <td>-22.33</td> <td>44.87</td> <td>38.20</td> <td>14.26</td> <td>51.36</td> <td>--- Peak</td> </tr> <tr> <td>2</td> <td>15810.00</td> <td>45.64</td> <td>74.00</td> <td>-28.36</td> <td>40.64</td> <td>40.72</td> <td>17.06</td> <td>52.78</td> <td>--- Peak</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	10540.00	45.97	68.30	-22.33	44.87	38.20	14.26	51.36	--- Peak	2	15810.00	45.64	74.00	-28.36	40.64	40.72	17.06	52.78	--- Peak	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10540.00</td> <td>46.32</td> <td>68.30</td> <td>-21.98</td> <td>45.22</td> <td>38.20</td> <td>14.26</td> <td>51.36</td> <td>--- Peak</td> </tr> <tr> <td>2</td> <td>15810.00</td> <td>45.64</td> <td>74.00</td> <td>-28.36</td> <td>40.64</td> <td>40.72</td> <td>17.06</td> <td>52.78</td> <td>--- Peak</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	10540.00	46.32	68.30	-21.98	45.22	38.20	14.26	51.36	--- Peak	2	15810.00	45.64	74.00	-28.36	40.64	40.72	17.06	52.78
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																							
1	10540.00	45.97	68.30	-22.33	44.87	38.20	14.26	51.36	--- Peak																																																																																						
2	15810.00	45.64	74.00	-28.36	40.64	40.72	17.06	52.78	--- Peak																																																																																						
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																							
1	10540.00	46.32	68.30	-21.98	45.22	38.20	14.26	51.36	--- Peak																																																																																						
2	15810.00	45.64	74.00	-28.36	40.64	40.72	17.06	52.78	--- Peak																																																																																						



<b>22</b>																																								
<b>Mode</b>																																								
<b>Band Edge - L</b>																																								
<b>U-NII-2A_5.25-5.35_802.11be EHT40_CH62_Full_5310MHz</b>																																								
<b>ANT</b>																																								
<b>5+7</b>																																								
<b>Pol.</b>	<b>Horizontal</b>																																							
<b>Peak</b>	 <p>Date: 2024-12-06</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5038.60</td> <td>53.41</td> <td>74.00</td> <td>-20.59</td> <td>39.07</td> <td>35.80</td> <td>11.15</td> <td>32.61</td> <td>157</td> <td>128</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5038.60	53.41	74.00	-20.59	39.07	35.80	11.15	32.61	157	128	PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																															
Freq	Level	Line	Level	Factor	Loss Factor																																			
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																
1	5038.60	53.41	74.00	-20.59	39.07	35.80	11.15	32.61	157	128	PEAK																													
 <p>Date: 2024-12-06</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5310.00</td> <td>97.08</td> <td>-----</td> <td>-----</td> <td>82.95</td> <td>35.80</td> <td>10.99</td> <td>32.66</td> <td>157</td> <td>128</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5310.00	97.08	-----	-----	82.95	35.80	10.99	32.66	157	128	PEAK	
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																
Freq	Level	Line	Level	Factor	Loss Factor																																			
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																
1	5310.00	97.08	-----	-----	82.95	35.80	10.99	32.66	157	128	PEAK																													
<b>Avg</b>	 <p>Date: 2024-12-06</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5057.85</td> <td>42.81</td> <td>54.00</td> <td>-11.19</td> <td>28.48</td> <td>35.80</td> <td>11.14</td> <td>32.61</td> <td>157</td> <td>128</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5057.85	42.81	54.00	-11.19	28.48	35.80	11.14	32.61	157	128	AVERAGE
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																
Freq	Level	Line	Level	Factor	Loss Factor																																			
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																
1	5057.85	42.81	54.00	-11.19	28.48	35.80	11.14	32.61	157	128	AVERAGE																													
	 <p>Date: 2024-12-06</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5310.00</td> <td>89.28</td> <td>-----</td> <td>-----</td> <td>75.10</td> <td>35.87</td> <td>10.97</td> <td>32.66</td> <td>157</td> <td>128</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5310.00	89.28	-----	-----	75.10	35.87	10.97	32.66	157	128	AVERAGE
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																
Freq	Level	Line	Level	Factor	Loss Factor																																			
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																
1	5310.00	89.28	-----	-----	75.10	35.87	10.97	32.66	157	128	AVERAGE																													



Mode	22																																									
	Band Edge - R																																									
	U-NII-2A_5.25-5.35_802.11be EHT40_CH62_Full_5310MHz																																									
ANT	5+7																																									
Pol.	Horizontal	Fundamental																																								
Peak	<p>Date: 2024-12-06</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5351.18</td> <td>55.59</td> <td>74.00</td> <td>-18.41</td> <td>41.22</td> <td>36.10</td> <td>10.94</td> <td>32.67</td> <td>157</td> <td>128</td> <td>PEAK</td> </tr> </tbody> </table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5351.18	55.59	74.00	-18.41	41.22	36.10	10.94	32.67	157	128	PEAK	Blank
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																	
Freq	Level	Line	Level	Factor	Loss Factor																																					
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																		
1	5351.18	55.59	74.00	-18.41	41.22	36.10	10.94	32.67	157	128	PEAK																															
Avg	<p>Date: 2024-12-06</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5353.73</td> <td>44.57</td> <td>54.00</td> <td>-9.43</td> <td>30.21</td> <td>36.09</td> <td>10.94</td> <td>32.67</td> <td>157</td> <td>128</td> <td>AVERAGE</td> </tr> </tbody> </table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5353.73	44.57	54.00	-9.43	30.21	36.09	10.94	32.67	157	128	AVERAGE	Blank
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																		
Freq	Level	Line	Level	Factor	Loss Factor																																					
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																		
1	5353.73	44.57	54.00	-9.43	30.21	36.09	10.94	32.67	157	128	AVERAGE																															



		22																																																																														
<b>Mode</b>	Band Edge - L																																																																															
	U-NII-2A_5.25-5.35_802.11be EHT40_CH62_Full_5310MHz																																																																															
<b>ANT</b>	5+7																																																																															
<b>Pol.</b>	<b>Vertical</b>	<b>Fundamental</b>																																																																														
<b>Peak</b>	<p style="text-align: right;">Date: 2024-12-06</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5121.06</td> <td>52.51</td> <td>74.00</td> <td>-21.49</td> <td>38.27</td> <td>35.76</td> <td>11.10</td> <td>32.62</td> <td>273</td> <td>337 PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5121.06	52.51	74.00	-21.49	38.27	35.76	11.10	32.62	273	337 PEAK	<p style="text-align: right;">Date: 2024-12-06</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5310.00</td> <td>102.29</td> <td>-----</td> <td>-----</td> <td>88.05</td> <td>35.94</td> <td>10.96</td> <td>32.66</td> <td>273</td> <td>337 PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5310.00	102.29	-----	-----	88.05	35.94	10.96	32.66	273	337 PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																							
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1	5121.06	52.51	74.00	-21.49	38.27	35.76	11.10	32.62	273	337 PEAK																																																																						
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																								
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1	5310.00	102.29	-----	-----	88.05	35.94	10.96	32.66	273	337 PEAK																																																																						
<b>Avg</b>	<p style="text-align: right;">Date: 2024-12-06</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5069.32</td> <td>42.86</td> <td>54.00</td> <td>-11.14</td> <td>28.54</td> <td>35.80</td> <td>11.13</td> <td>32.61</td> <td>273</td> <td>337 AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5069.32	42.86	54.00	-11.14	28.54	35.80	11.13	32.61	273	337 AVERAGE	<p style="text-align: right;">Date: 2024-12-06</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5310.00</td> <td>94.44</td> <td>-----</td> <td>-----</td> <td>80.23</td> <td>35.90</td> <td>10.97</td> <td>32.66</td> <td>273</td> <td>337 AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5310.00	94.44	-----	-----	80.23	35.90	10.97	32.66	273	337 AVERAGE
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																								
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1	5069.32	42.86	54.00	-11.14	28.54	35.80	11.13	32.61	273	337 AVERAGE																																																																						
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																								
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1	5310.00	94.44	-----	-----	80.23	35.90	10.97	32.66	273	337 AVERAGE																																																																						







	<b>22</b>																																								
<b>Mode</b>	<b>Band Edge - R</b>																																								
	<b>U-NII-2A_5.25-5.35_802.11be EHT40_CH62_Full_5310MHz</b>																																								
<b>ANT</b>	<b>5+7</b>																																								
<b>Pol.</b>	<b>Vertical</b>	<b>Fundamental</b>																																							
<b>Peak</b>	<p style="text-align: right;">Date: 2024-12-06</p> <table border="1" style="width: 100%; border-collapse: collapse; font-size: small;"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5352.68</td> <td>60.11</td> <td>74.00</td> <td>-13.89</td> <td>45.75</td> <td>36.09</td> <td>10.94</td> <td>32.67</td> <td>273</td> <td>337</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1	5352.68	60.11	74.00	-13.89	45.75	36.09	10.94	32.67	273	337	PEAK	<b>Blank</b>
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																		
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	Remark																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																	
1	5352.68	60.11	74.00	-13.89	45.75	36.09	10.94	32.67	273	337	PEAK																														
<b>Avg</b>	<p style="text-align: right;">Date: 2024-12-06</p> <table border="1" style="width: 100%; border-collapse: collapse; font-size: small;"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5355.39</td> <td>48.30</td> <td>54.00</td> <td>-5.70</td> <td>33.94</td> <td>36.09</td> <td>10.94</td> <td>32.67</td> <td>273</td> <td>337</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1	5355.39	48.30	54.00	-5.70	33.94	36.09	10.94	32.67	273	337	AVERAGE	<b>Blank</b>
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																		
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	Remark																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																	
1	5355.39	48.30	54.00	-5.70	33.94	36.09	10.94	32.67	273	337	AVERAGE																														



Mode	22																																																																																											
	Harmonic																																																																																											
	U-NII-2A_5.25-5.35_802.11be EHT40_CH62_Full_5310MHz																																																																																											
ANT	5+7																																																																																											
Pol.	Horizontal	Vertical																																																																																										
Peak Avg	<p>Date: 2024-12-13</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10620.00</td> <td>45.65</td> <td>74.00</td> <td>-28.35</td> <td>44.44</td> <td>38.18</td> <td>14.31</td> <td>51.28</td> <td>--- Peak</td> </tr> <tr> <td>2</td> <td>15930.00</td> <td>47.11</td> <td>74.00</td> <td>-26.89</td> <td>42.04</td> <td>40.96</td> <td>17.16</td> <td>53.05</td> <td>--- Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	10620.00	45.65	74.00	-28.35	44.44	38.18	14.31	51.28	--- Peak	2	15930.00	47.11	74.00	-26.89	42.04	40.96	17.16	53.05	--- Peak	<p>Date: 2024-12-13</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10620.00</td> <td>45.50</td> <td>74.00</td> <td>-28.50</td> <td>44.29</td> <td>38.18</td> <td>14.31</td> <td>51.28</td> <td>--- Peak</td> </tr> <tr> <td>2</td> <td>15930.00</td> <td>46.19</td> <td>74.00</td> <td>-27.81</td> <td>41.12</td> <td>40.96</td> <td>17.16</td> <td>53.05</td> <td>--- Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	10620.00	45.50	74.00	-28.50	44.29	38.18	14.31	51.28	--- Peak	2	15930.00	46.19	74.00	-27.81	41.12	40.96	17.16	53.05	--- Peak
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																				
1	10620.00	45.65	74.00	-28.35	44.44	38.18	14.31	51.28	--- Peak																																																																																			
2	15930.00	47.11	74.00	-26.89	42.04	40.96	17.16	53.05	--- Peak																																																																																			
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																				
1	10620.00	45.50	74.00	-28.50	44.29	38.18	14.31	51.28	--- Peak																																																																																			
2	15930.00	46.19	74.00	-27.81	41.12	40.96	17.16	53.05	--- Peak																																																																																			



Mode	23																																																																						
	Band Edge - L																																																																						
	U-NII-2C_5.47-5.725_802.11be EHT40_CH102_Full_5510MHz																																																																						
ANT	5+7																																																																						
Pol.	Horizontal	Fundamental																																																																					
Peak	 <p>Date: 2024-12-07</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5450.26</td> <td>58.22</td> <td>74.00</td> <td>-15.78</td> <td>43.93</td> <td>35.90</td> <td>11.08</td> <td>32.69</td> <td>142</td> <td>129 PEAK</td> </tr> <tr> <td>2</td> <td>5469.92</td> <td>60.64</td> <td>68.30</td> <td>-7.66</td> <td>46.19</td> <td>35.98</td> <td>11.16</td> <td>32.69</td> <td>142</td> <td>129 PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor	dB	cm	deg	1	5450.26	58.22	74.00	-15.78	43.93	35.90	11.08	32.69	142	129 PEAK	2	5469.92	60.64	68.30	-7.66	46.19	35.98	11.16	32.69	142	129 PEAK	 <p>Date: 2024-12-07</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5510.00</td> <td>102.37</td> <td>-----</td> <td>-----</td> <td>87.63</td> <td>36.12</td> <td>11.32</td> <td>32.70</td> <td>142</td> <td>129 PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor	dB	cm	deg	1	5510.00	102.37	-----	-----	87.63	36.12	11.32	32.70	142	129 PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																														
Freq	Level	Line	Level	Factor	Loss Factor	dB	cm	deg																																																															
1	5450.26	58.22	74.00	-15.78	43.93	35.90	11.08	32.69	142	129 PEAK																																																													
2	5469.92	60.64	68.30	-7.66	46.19	35.98	11.16	32.69	142	129 PEAK																																																													
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																															
Freq	Level	Line	Level	Factor	Loss Factor	dB	cm	deg																																																															
1	5510.00	102.37	-----	-----	87.63	36.12	11.32	32.70	142	129 PEAK																																																													
Avg	 <p>Date: 2024-12-07</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5460.00</td> <td>47.41</td> <td>54.00</td> <td>-6.59</td> <td>33.04</td> <td>35.94</td> <td>11.12</td> <td>32.69</td> <td>142</td> <td>129 AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor	dB	cm	deg	1	5460.00	47.41	54.00	-6.59	33.04	35.94	11.12	32.69	142	129 AVERAGE	 <p>Date: 2024-12-07</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5510.00</td> <td>93.84</td> <td>-----</td> <td>-----</td> <td>79.10</td> <td>36.12</td> <td>11.32</td> <td>32.70</td> <td>142</td> <td>129 AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor	dB	cm	deg	1	5510.00	93.84	-----	-----	79.10	36.12	11.32	32.70	142	129 AVERAGE											
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																															
Freq	Level	Line	Level	Factor	Loss Factor	dB	cm	deg																																																															
1	5460.00	47.41	54.00	-6.59	33.04	35.94	11.12	32.69	142	129 AVERAGE																																																													
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																															
Freq	Level	Line	Level	Factor	Loss Factor	dB	cm	deg																																																															
1	5510.00	93.84	-----	-----	79.10	36.12	11.32	32.70	142	129 AVERAGE																																																													



Mode	23																																					
	Band Edge - R																																					
	U-NII-2C_5.47-5.725_802.11be EHT40_CH102_Full_5510MHz																																					
ANT	5+7																																					
Pol.	Horizontal	Fundamental																																				
Peak	<p style="text-align: right;">Date: 2024-12-07</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5739.63</td> <td>53.93</td> <td>68.30</td> <td>-14.37</td> <td>38.40</td> <td>36.68</td> <td>11.65</td> <td>32.80</td> <td>142 129 PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 5739.63	53.93	68.30	-14.37	38.40	36.68	11.65	32.80	142 129 PEAK	Blank
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																															
Freq	Level	Line	Level	Factor	Loss Factor			Remark																														
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																														
1 5739.63	53.93	68.30	-14.37	38.40	36.68	11.65	32.80	142 129 PEAK																														



Mode	23																																																																					
	Band Edge - L																																																																					
	U-NII-2C_5.47-5.725_802.11be EHT40_CH102_Full_5510MHz																																																																					
ANT	5+7																																																																					
Pol.	Vertical	Fundamental																																																																				
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5457.60</td> <td>60.69</td> <td>74.00</td> <td>-13.31</td> <td>46.34</td> <td>35.93</td> <td>11.11</td> <td>32.69</td> <td>400</td> <td>359 PEAK</td> </tr> <tr> <td>2</td> <td>5463.84</td> <td>62.64</td> <td>-5.66</td> <td>48.23</td> <td>35.96</td> <td>11.14</td> <td>32.69</td> <td>400</td> <td>359 PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor	dB	cm	deg	1	5457.60	60.69	74.00	-13.31	46.34	35.93	11.11	32.69	400	359 PEAK	2	5463.84	62.64	-5.66	48.23	35.96	11.14	32.69	400	359 PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5510.00</td> <td>105.76</td> <td>-----</td> <td>-----</td> <td>91.10</td> <td>36.09</td> <td>11.27</td> <td>32.70</td> <td>400</td> <td>359 PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor	dB	cm	deg	1	5510.00	105.76	-----	-----	91.10	36.09	11.27	32.70	400	359 PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																													
Freq	Level	Line	Level	Factor	Loss Factor	dB	cm	deg																																																														
1	5457.60	60.69	74.00	-13.31	46.34	35.93	11.11	32.69	400	359 PEAK																																																												
2	5463.84	62.64	-5.66	48.23	35.96	11.14	32.69	400	359 PEAK																																																													
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																														
Freq	Level	Line	Level	Factor	Loss Factor	dB	cm	deg																																																														
1	5510.00	105.76	-----	-----	91.10	36.09	11.27	32.70	400	359 PEAK																																																												
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5457.46</td> <td>50.01</td> <td>54.00</td> <td>-3.99</td> <td>35.66</td> <td>35.93</td> <td>11.11</td> <td>32.69</td> <td>400</td> <td>359 AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor	dB	cm	deg	1	5457.46	50.01	54.00	-3.99	35.66	35.93	11.11	32.69	400	359 AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5510.00</td> <td>97.73</td> <td>-----</td> <td>-----</td> <td>83.07</td> <td>36.09</td> <td>11.27</td> <td>32.70</td> <td>400</td> <td>359 AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor	dB	cm	deg	1	5510.00	97.73	-----	-----	83.07	36.09	11.27	32.70	400	359 AVERAGE										
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																														
Freq	Level	Line	Level	Factor	Loss Factor	dB	cm	deg																																																														
1	5457.46	50.01	54.00	-3.99	35.66	35.93	11.11	32.69	400	359 AVERAGE																																																												
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																														
Freq	Level	Line	Level	Factor	Loss Factor	dB	cm	deg																																																														
1	5510.00	97.73	-----	-----	83.07	36.09	11.27	32.70	400	359 AVERAGE																																																												



Mode	23																																						
	Band Edge - R																																						
	U-NII-2C_5.47-5.725_802.11be EHT40_CH102_Full_5510MHz																																						
ANT	5+7																																						
Pol.	Vertical	Fundamental																																					
Peak	<p>Date: 2024-12-07</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5729.96</td> <td>54.18</td> <td>68.30</td> <td>-14.12</td> <td>38.66</td> <td>36.66</td> <td>11.65</td> <td>32.79</td> <td>400 359 PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg	1	5729.96	54.18	68.30	-14.12	38.66	36.66	11.65	32.79	400 359 PEAK	Blank
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	Remark																															
MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg																															
1	5729.96	54.18	68.30	-14.12	38.66	36.66	11.65	32.79	400 359 PEAK																														