



		22																																																																										
Mode	Band Edge - L																																																																											
	CO-TX																																																																											
Pol.	Vertical	Fundamental																																																																										
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2389.97</td> <td>57.34</td> <td>74.00</td> <td>-16.66</td> <td>55.80</td> <td>30.44</td> <td>4.80</td> <td>33.70</td> <td>400</td> <td>188</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2389.97	57.34	74.00	-16.66	55.80	30.44	4.80	33.70	400	188	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2422.00</td> <td>96.43</td> <td>74.00</td> <td>22.43</td> <td>94.81</td> <td>30.45</td> <td>4.83</td> <td>33.66</td> <td>400</td> <td>188</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2422.00	96.43	74.00	22.43	94.81	30.45	4.83	33.66	400	188	PEAK
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																				
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																				
1	2389.97	57.34	74.00	-16.66	55.80	30.44	4.80	33.70	400	188	PEAK																																																																	
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																				
1	2422.00	96.43	74.00	22.43	94.81	30.45	4.83	33.66	400	188	PEAK																																																																	
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2389.97</td> <td>46.83</td> <td>54.00</td> <td>-7.17</td> <td>45.29</td> <td>30.44</td> <td>4.80</td> <td>33.70</td> <td>400</td> <td>188</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2389.97	46.83	54.00	-7.17	45.29	30.44	4.80	33.70	400	188	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2422.00</td> <td>86.53</td> <td>54.00</td> <td>32.53</td> <td>84.91</td> <td>30.45</td> <td>4.83</td> <td>33.66</td> <td>400</td> <td>188</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2422.00	86.53	54.00	32.53	84.91	30.45	4.83	33.66	400	188	AVERAGE
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																				
1	2389.97	46.83	54.00	-7.17	45.29	30.44	4.80	33.70	400	188	AVERAGE																																																																	
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																				
1	2422.00	86.53	54.00	32.53	84.91	30.45	4.83	33.66	400	188	AVERAGE																																																																	







Mode	22																																					
	Band Edge - R																																					
	CO-TX																																					
Pol.	Vertical	Fundamental																																				
Peak	<p>Date: 2025-02-27</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2489.08</td> <td>50.85</td> <td>74.00</td> <td>-23.15</td> <td>48.94</td> <td>30.50</td> <td>4.93</td> <td>33.52</td> <td>400</td> <td>188</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	2489.08	50.85	74.00	-23.15	48.94	30.50	4.93	33.52	400	188	PEAK	Blank
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																															
1	2489.08	50.85	74.00	-23.15	48.94	30.50	4.93	33.52	400	188	PEAK																											
Avg	<p>Date: 2025-02-27</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2487.44</td> <td>41.47</td> <td>54.00</td> <td>-12.53</td> <td>39.58</td> <td>30.49</td> <td>4.93</td> <td>33.53</td> <td>400</td> <td>188</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	2487.44	41.47	54.00	-12.53	39.58	30.49	4.93	33.53	400	188	AVERAGE	Blank
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																															
1	2487.44	41.47	54.00	-12.53	39.58	30.49	4.93	33.53	400	188	AVERAGE																											



Mode	22																																																																									
	Band Edge																																																																									
	CO-TX																																																																									
Pol.	Horizontal	Fundamental																																																																								
Peak	<p>Date: 2025-02-27</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2487.70</td> <td>55.27</td> <td>74.00</td> <td>-18.73</td> <td>53.38</td> <td>30.49</td> <td>4.93</td> <td>33.53</td> <td>400</td> <td>307</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2487.70	55.27	74.00	-18.73	53.38	30.49	4.93	33.53	400	307	PEAK	<p>Date: 2025-02-27</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2478.00</td> <td>101.95</td> <td>74.00</td> <td>27.95</td> <td>100.09</td> <td>30.49</td> <td>4.91</td> <td>33.54</td> <td>400</td> <td>307</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2478.00	101.95	74.00	27.95	100.09	30.49	4.91	33.54	400	307	PEAK
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																						
MHz	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																			
1	2487.70	55.27	74.00	-18.73	53.38	30.49	4.93	33.53	400	307	PEAK																																																															
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																			
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																						
MHz	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																			
1	2478.00	101.95	74.00	27.95	100.09	30.49	4.91	33.54	400	307	PEAK																																																															
Avg	<p>Date: 2025-02-27</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2484.03</td> <td>45.89</td> <td>54.00</td> <td>-8.11</td> <td>44.01</td> <td>30.49</td> <td>4.92</td> <td>33.53</td> <td>400</td> <td>307</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2484.03	45.89	54.00	-8.11	44.01	30.49	4.92	33.53	400	307	AVERAGE	<p>Date: 2025-02-27</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2478.00</td> <td>100.00</td> <td>54.00</td> <td>46.00</td> <td>98.14</td> <td>30.49</td> <td>4.91</td> <td>33.54</td> <td>400</td> <td>307</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2478.00	100.00	54.00	46.00	98.14	30.49	4.91	33.54	400	307	AVERAGE
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																			
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																						
MHz	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																			
1	2484.03	45.89	54.00	-8.11	44.01	30.49	4.92	33.53	400	307	AVERAGE																																																															
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																			
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																						
MHz	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																			
1	2478.00	100.00	54.00	46.00	98.14	30.49	4.91	33.54	400	307	AVERAGE																																																															



		22																																																																										
Mode	Band Edge																																																																											
	CO-TX																																																																											
Pol.	Vertical	Fundamental																																																																										
Peak	 <p style="text-align: right;">Date: 2025-02-27</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2487.55</td> <td>58.42</td> <td>74.00</td> <td>-15.58</td> <td>56.53</td> <td>30.49</td> <td>4.93</td> <td>33.53</td> <td>131</td> <td>316</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2487.55	58.42	74.00	-15.58	56.53	30.49	4.93	33.53	131	316	PEAK	 <p style="text-align: right;">Date: 2025-02-27</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2478.00</td> <td>99.05</td> <td>74.00</td> <td>25.05</td> <td>97.44</td> <td>30.45</td> <td>4.82</td> <td>33.66</td> <td>131</td> <td>316</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2478.00	99.05	74.00	25.05	97.44	30.45	4.82	33.66	131	316	PEAK
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																				
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																				
1	2487.55	58.42	74.00	-15.58	56.53	30.49	4.93	33.53	131	316	PEAK																																																																	
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																				
1	2478.00	99.05	74.00	25.05	97.44	30.45	4.82	33.66	131	316	PEAK																																																																	
Avg	 <p style="text-align: right;">Date: 2025-02-27</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2486.95</td> <td>48.72</td> <td>54.00</td> <td>-5.28</td> <td>46.84</td> <td>30.49</td> <td>4.92</td> <td>33.53</td> <td>131</td> <td>316</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2486.95	48.72	54.00	-5.28	46.84	30.49	4.92	33.53	131	316	AVERAGE	 <p style="text-align: right;">Date: 2025-02-27</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2478.00</td> <td>92.44</td> <td>54.00</td> <td>38.44</td> <td>90.58</td> <td>30.49</td> <td>4.91</td> <td>33.54</td> <td>131</td> <td>316</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2478.00	92.44	54.00	38.44	90.58	30.49	4.91	33.54	131	316	AVERAGE
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																				
1	2486.95	48.72	54.00	-5.28	46.84	30.49	4.92	33.53	131	316	AVERAGE																																																																	
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																				
1	2478.00	92.44	54.00	38.44	90.58	30.49	4.91	33.54	131	316	AVERAGE																																																																	



Mode	22																																																																																																																																													
	Harmonic																																																																																																																																													
	CO-TX																																																																																																																																													
Pol.	Horizontal	Vertical																																																																																																																																												
Peak Avg	<p>Data: 3</p> <table border="1"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4844.00</td> <td>43.41</td> <td>-30.59</td> <td>74.00</td> <td>58.37</td> <td>33.84</td> <td>7.76</td> <td>56.56</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>4956.00</td> <td>47.77</td> <td>-26.23</td> <td>74.00</td> <td>62.60</td> <td>33.89</td> <td>7.80</td> <td>56.52</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>3</td> <td>7266.00</td> <td>44.10</td> <td>-29.90</td> <td>74.00</td> <td>58.18</td> <td>36.30</td> <td>8.83</td> <td>59.21</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>4</td> <td>7434.00</td> <td>44.25</td> <td>-29.75</td> <td>74.00</td> <td>58.03</td> <td>36.30</td> <td>9.19</td> <td>59.27</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>	Peak	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark		MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	4844.00	43.41	-30.59	74.00	58.37	33.84	7.76	56.56	---	---	Peak	2	4956.00	47.77	-26.23	74.00	62.60	33.89	7.80	56.52	---	---	Peak	3	7266.00	44.10	-29.90	74.00	58.18	36.30	8.83	59.21	---	---	Peak	4	7434.00	44.25	-29.75	74.00	58.03	36.30	9.19	59.27	---	---	Peak	<p>Data: 4</p> <table border="1"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4844.00</td> <td>42.23</td> <td>-31.77</td> <td>74.00</td> <td>57.19</td> <td>33.84</td> <td>7.76</td> <td>56.56</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>4956.00</td> <td>47.24</td> <td>-26.76</td> <td>74.00</td> <td>62.07</td> <td>33.89</td> <td>7.80</td> <td>56.52</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>3</td> <td>7266.00</td> <td>44.05</td> <td>-29.95</td> <td>74.00</td> <td>58.13</td> <td>36.30</td> <td>8.83</td> <td>59.21</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>4</td> <td>7434.00</td> <td>44.58</td> <td>-29.42</td> <td>74.00</td> <td>58.36</td> <td>36.30</td> <td>9.19</td> <td>59.27</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>	Peak	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark		MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	4844.00	42.23	-31.77	74.00	57.19	33.84	7.76	56.56	---	---	Peak	2	4956.00	47.24	-26.76	74.00	62.07	33.89	7.80	56.52	---	---	Peak	3	7266.00	44.05	-29.95	74.00	58.13	36.30	8.83	59.21	---	---	Peak	4	7434.00	44.58	-29.42	74.00	58.36	36.30	9.19	59.27	---	---	Peak
	Peak	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																																																																			
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																				
1	4844.00	43.41	-30.59	74.00	58.37	33.84	7.76	56.56	---	---	Peak																																																																																																																																			
2	4956.00	47.77	-26.23	74.00	62.60	33.89	7.80	56.52	---	---	Peak																																																																																																																																			
3	7266.00	44.10	-29.90	74.00	58.18	36.30	8.83	59.21	---	---	Peak																																																																																																																																			
4	7434.00	44.25	-29.75	74.00	58.03	36.30	9.19	59.27	---	---	Peak																																																																																																																																			
Peak	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																																																																				
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																				
1	4844.00	42.23	-31.77	74.00	57.19	33.84	7.76	56.56	---	---	Peak																																																																																																																																			
2	4956.00	47.24	-26.76	74.00	62.07	33.89	7.80	56.52	---	---	Peak																																																																																																																																			
3	7266.00	44.05	-29.95	74.00	58.13	36.30	8.83	59.21	---	---	Peak																																																																																																																																			
4	7434.00	44.58	-29.42	74.00	58.36	36.30	9.19	59.27	---	---	Peak																																																																																																																																			


Note: For all plots above, the over limit line signals are Fundamental signal which can be ignored.



Appendix D. Duty Cycle Plots


Band	Duty Cycle(%)	T(ms)	1/T(kHz)	VBW Setting
802.11b	99.31	-	-	10HZ
802.11g	97.47	1.399	0.715	0.75KHZ
802.11ax HE20	95.89	1.014	0.986	1.1KHZ
802.11ax HE40	95.89	1.014	0.986	1.1KHZ
802.11ax HE20 RU26	97.07	1.442	0.693	0.75KHZ
802.11ax HE20 RU52	98.58	-	-	10HZ
802.11ax HE20 RU106	98.22	-	-	10HZ

802.11b






802.11g




802.11ax HE20






802.11ax HE40




802.11ax HE20 RU26





802.11ax HE20 RU52



802.11ax HE20 RU106

