



DC\_66A\_n41A / 30KHz / 60MHz

LCH / DFT-Pi2BPSK\_Edge\_1RB\_Left




Date: 18.JAN.2025 09:00:33

LCH / DFT-QPSK\_Edge\_1RB\_Left




Date: 18.JAN.2025 09:00:53

MCH / DFT-Pi2BPSK\_Edge\_1RB\_Left




Date: 18.JAN.2025 09:01:14

MCH / DFT-QPSK\_Edge\_1RB\_Left




Date: 18.JAN.2025 09:01:34

HCH / DFT-Pi2BPSK\_Edge\_1RB\_Left





Date: 18.JAN.2025 09:01:55


HCH / DFT-QPSK\_Edge\_1RB\_Left




Date: 18.JAN.2025 09:02:15









## 7. Frequency Stability

### 7.1. Test Results

#### 7.1.1. Frequency Error Vs Voltage

SCS	Bandwidth	Channel	RB Config	Modulation	Temperature	Voltage	Deviation Result		Verdict
							(Hz)	(ppm)	
30KHz	100MHz	MCH	Outer_Full	DFT-QPSK	NT	LV	-4.60	-0.001774	Pass
30KHz	100MHz	MCH	Outer_Full	DFT-QPSK	NT	NV	-3.10	-0.001196	Pass
30KHz	100MHz	MCH	Outer_Full	DFT-QPSK	NT	HV	-11.50	-0.004435	Pass

#### 7.1.2. Frequency Error Vs Temperature

SCS	Bandwidth	Channel	RB Config	Modulation	Temperature	Voltage	Deviation Result		Verdict
							(Hz)	(ppm)	
30KHz	100MHz	MCH	Outer_Full	DFT-QPSK	-30°C	NV	-6.50	-0.002507	Pass
30KHz	100MHz	MCH	Outer_Full	DFT-QPSK	-20°C	NV	-4.90	-0.001890	Pass
30KHz	100MHz	MCH	Outer_Full	DFT-QPSK	-10°C	NV	-6.70	-0.002584	Pass
30KHz	100MHz	MCH	Outer_Full	DFT-QPSK	0°C	NV	-5.20	-0.002005	Pass
30KHz	100MHz	MCH	Outer_Full	DFT-QPSK	10°C	NV	-3.00	-0.001157	Pass
30KHz	100MHz	MCH	Outer_Full	DFT-QPSK	20°C	NV	-2.10	-0.000810	Pass
30KHz	100MHz	MCH	Outer_Full	DFT-QPSK	30°C	NV	-1.70	-0.000656	Pass
30KHz	100MHz	MCH	Outer_Full	DFT-QPSK	40°C	NV	-4.60	-0.001774	Pass
30KHz	100MHz	MCH	Outer_Full	DFT-QPSK	50°C	NV	1.30	0.000501	Pass

---

The End