



## SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200006306

Rev.: 01

Page: 270 of 524

### 5. Channel Loading (Payload)

#### 5.1 Test Result

##### 5.1.1 Payload

Band: 2C					
Mode	Bandwidth (MHz)	Frequency (MHz)	Channel Loading (Payload) (%)		Verdict
			Result	Limit	
802.11ax (HEW160)	160	5570	19.12	$\geq 17$	Pass

## SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.


Report No.: SUCR250200006306

Rev.: 01

Page: 271 of 524

### 5.2 Test Graph

#### 5.2.1 Payload





## SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200006306

Rev.: 01

Page: 272 of 524

### 6. Channel Move Time and Closing Transmission Time

#### 6.1 Test Result

##### 6.1.1 CMT\_CTT

Band: 2C					
Mode	Bandwidth (MHz)	Frequency (MHz)	Channel Move Time and Closing Transmission Time		Verdict
			Result	Limit	
802.11ax (HEW160)	160	5570	Refer To Test Graph		Pass

## SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.


Report No.: SUCR250200006306

Rev.: 01

Page: 273 of 524

### 6.2 Test Graph

#### 6.2.1 CMT\_CTT





## SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200006306

Rev.: 01

Page: 274 of 524

### 7. Non-Occupancy Period

#### 7.1 Test Result

##### 7.1.1 Period

Band: 2C					
Mode	Bandwidth (MHz)	Frequency (MHz)	Non-Occupancy Period		Verdict
			Result	Limit	
802.11ax (HEW160)	160	5570	Refer To Test Graph		Pass



# SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.


Report No.: SUCR250200006306

Rev.: 01

Page: 275 of 524

## 7.2 Test Graph


### 7.2.1 Period




### Radiated Spurious Emissions

#### Radiated emission below 1GHz

##### Worst case Mode: 802.11ax160\_Channel 114



Final Data List								
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	AF [dB/m]	QP Value [dBµV/m]	QP Limit [dBµV/m]	QP Margin [dB]	Polarity
1	32.6675	53.21	-42.29	18.10	29.02	40.00	10.98	Horizontal
2	55.705	47.56	-42.06	18.20	23.70	40.00	16.30	Horizontal
3	61.7675	43.26	-41.96	17.42	18.72	40.00	21.28	Horizontal
4	67.345	38.85	-41.87	17.00	13.97	40.00	26.03	Horizontal
5	71.9525	38.42	-41.79	16.20	12.82	40.00	27.18	Horizontal
6	124.575	41.23	-41.34	17.50	17.39	43.50	26.11	Horizontal



Final Data List								
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	AF [dB/m]	QP Value [dBµV/m]	QP Limit [dBµV/m]	QP Margin [dB]	Polarity
1	33.1525	52.56	-42.28	18.12	28.39	40.00	11.61	Vertical
2	60.3125	42.33	-41.99	17.50	17.84	40.00	22.16	Vertical
3	62.7375	42.81	-41.95	17.55	18.41	40.00	21.59	Vertical
4	71.9525	40.01	-41.79	16.20	14.41	40.00	25.59	Vertical
5	77.045	38.53	-41.69	15.40	12.24	40.00	27.76	Vertical
6	84.5625	36.53	-41.54	14.76	9.75	40.00	30.25	Vertical

**Remark:**

1) The field strength is calculated by adding the Antenna Factor, Cable Factor & Preamplifier gain. The basic equation with a sample calculation is as follows:

$$\text{Value} = \text{Reading}(\text{dB}\mu\text{V}) + \text{AF}(\text{dB}/\text{m}) + \text{Factor}(\text{dB}):$$

$$\text{AF} = \text{Antenna Factor}(\text{dB}/\text{m})$$

$$\text{Factor} = \text{Cable Factor}(\text{dB}) - \text{Preamplifier gain}(\text{dB})$$

$$\text{Margin} = \text{Limit}(\text{dB}\mu\text{V}/\text{m}) - \text{Value}(\text{dB}\mu\text{V}/\text{m})$$

2) All channels have been tested, but only the worst case data displayed in this report.



**SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.**

Report No.: SUCR250200006306


Rev.: 01

Page: 278 of 524

**Transmitter emission Above 1GHz**

**For Sample 1**

**802.11a\_Channel 36**



Data List								
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity
1	7932.2292	49.22	37.01	-42.54	43.68	68.30	24.62	Horizontal
2	10370.7083	60.97	38.54	-38.79	60.71	68.30	7.59	Horizontal
3	12808.7083	44.95	39.34	-36.64	47.65	68.30	20.65	Horizontal




# SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200006306

Rev.: 01

Page: 279 of 524

## 802.11a\_Channel 36




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7326.5625	50.69	35.91	-43.19	43.42	74.00	30.58	Vertical
2	10361.125	60.48	38.54	-38.82	60.20	68.30	8.10	Vertical
3	14348.75	44.87	41.08	-35.48	50.47	68.30	17.83	Vertical



**SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.**

Report No.: SUCR250200006306  
 Rev.: 01  
 Page: 280 of 524

**802.11a\_Channel 44**



Data List								
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity
1	7949.9583	48.87	37.03	-42.44	43.46	68.30	24.84	Horizontal
2	10438.75	63.64	38.54	-38.74	63.45	68.30	4.85	Horizontal
3	12768.9375	44.68	39.33	-36.69	47.33	68.30	20.97	Horizontal




# SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200006306

Rev.: 01

Page: 281 of 524

## 802.11a\_Channel 44



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7887.6667	50.03	36.94	-42.72	44.25	68.30	24.05	Vertical
2	10443.0625	63.11	38.54	-38.74	62.92	68.30	5.38	Vertical
3	14494.8958	44.13	41.20	-34.27	51.05	74.00	22.95	Vertical




# SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200006306

Rev.: 01

Page: 282 of 524

## 802.11a\_Channel 48



Data List								
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity
1	7976.3125	48.79	37.07	-42.27	43.58	68.30	24.72	Horizontal
2	10479.9583	59.91	38.55	-38.75	59.71	68.30	8.59	Horizontal
3	13551.8958	44.64	40.17	-36.33	48.48	68.30	19.82	Horizontal




# SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200006306

Rev.: 01

Page: 283 of 524

## 802.11a\_Channel 48




Data List								
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity
1	8072.625	48.63	37.06	-41.56	44.13	74.00	29.87	Vertical
2	10479	61.01	38.55	-38.75	60.81	68.30	7.49	Vertical
3	13532.7292	45.06	40.15	-36.45	48.76	68.30	19.54	Vertical



# SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200006306  
 Rev.: 01  
 Page: 284 of 524

## 802.11a\_Channel 52




Data List								
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity
1	7607.8333	48.29	36.55	-42.76	42.08	74.00	31.92	Horizontal
2	10519.25	60.62	38.55	-38.62	60.56	68.30	7.74	Horizontal
3	12756.9583	44.70	39.33	-36.71	47.32	68.30	20.98	Horizontal



# SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200006306  
 Rev.: 01  
 Page: 285 of 524

## 802.11a\_Channel 52



Data List								
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity
1	7555.6042	50.33	36.48	-42.93	43.88	74.00	30.12	Vertical
2	10520.2083	60.36	38.55	-38.61	60.30	68.30	8.00	Vertical
3	12127.3333	45.08	39.14	-37.17	47.05	74.00	26.95	Vertical




# SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200006306

Rev.: 01

Page: 286 of 524

## 802.11a\_Channel 60



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7891.9792	51.09	36.95	-42.73	45.31	68.30	22.99	Horizontal
2	10605.9792	49.72	38.56	-37.98	50.30	54.00	3.70	Horizontal
3	10611.25	57.79	38.56	-37.95	58.40	74.00	15.60	Horizontal
4	13726.7917	44.76	40.42	-36.06	49.12	68.30	19.18	Horizontal




# SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200006306

Rev.: 01

Page: 287 of 524

## 802.11a\_Channel 60



Data List								
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity
1	7902.5208	49.74	36.96	-42.72	43.98	68.30	24.32	Vertical
2	10597.8333	57.56	38.56	-38.03	58.09	68.30	10.21	Vertical
3	10603.5833	49.99	38.56	-37.99	50.56	54.00	3.44	Vertical
4	12845.6042	45.43	39.35	-36.73	48.05	68.30	20.25	Vertical




# SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200006306

Rev.: 01

Page: 288 of 524

## 802.11a\_Channel 64



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7818.6667	50.04	36.85	-42.61	44.28	68.30	24.02	Horizontal
2	10636.1667	49.93	38.56	-37.82	50.67	54.00	3.33	Horizontal
3	10642.3958	57.91	38.56	-37.79	58.68	74.00	15.32	Horizontal
4	12819.25	45.07	39.35	-36.67	47.75	68.30	20.55	Horizontal




# SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200006306

Rev.: 01

Page: 289 of 524

## 802.11a\_Channel 64




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7863.7083	49.15	36.91	-42.68	43.38	68.30	24.92	Vertical
2	10636.1667	55.46	38.56	-37.82	56.20	74.00	17.80	Vertical
3	10638.0833	48.67	38.56	-37.81	49.42	54.00	4.58	Vertical
4	12079.8958	45.44	39.12	-37.19	47.38	74.00	26.62	Vertical



# SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200006306  
 Rev.: 01  
 Page: 290 of 524

## 802.11a\_Channel 100



Data List								
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity
1	7968.1667	48.78	37.06	-42.32	43.51	68.30	24.79	Horizontal
2	10996.0208	49.26	38.60	-37.60	50.26	54.00	3.74	Horizontal
3	11000.3333	56.59	38.60	-37.59	57.60	74.00	16.40	Horizontal
4	12863.3333	45.84	39.36	-36.78	48.42	68.30	19.88	Horizontal




# SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200006306

Rev.: 01

Page: 291 of 524

## 802.11a\_Channel 100




Data List								
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity
1	8397.9792	48.21	36.86	-41.38	43.69	74.00	30.31	Vertical
2	10998.4167	56.45	38.60	-37.59	57.46	74.00	16.54	Vertical
3	10998.8958	48.65	38.60	-37.59	49.66	54.00	4.34	Vertical
4	13659.2292	45.25	40.32	-36.01	49.56	68.30	18.74	Vertical



# SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200006306  
 Rev.: 01  
 Page: 292 of 524

## 802.11a\_Channel 116




Data List								
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity
1	8379.2917	47.70	36.87	-41.47	43.10	74.00	30.90	Horizontal
2	11157.5	49.11	38.68	-37.09	50.70	54.00	3.30	Horizontal
3	11164.2083	58.13	38.68	-37.01	59.80	74.00	14.20	Horizontal
4	14521.25	43.76	41.22	-34.47	50.51	68.30	17.79	Horizontal



# SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200006306  
 Rev.: 01  
 Page: 293 of 524

## 802.11a\_Channel 116



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8024.2292	48.58	37.09	-41.94	43.73	68.30	24.57	Vertical
2	11157.0208	47.27	38.68	-37.09	48.85	54.00	5.15	Vertical
3	11157.5	57.86	38.68	-37.09	59.45	74.00	14.55	Vertical
4	13519.7917	45.12	40.13	-36.53	48.72	68.30	19.58	Vertical




# SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200006306

Rev.: 01

Page: 294 of 524

## 802.11a\_Channel 140



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7938.9375	49.33	37.01	-42.50	43.84	68.30	24.46	Horizontal
2	11399.4792	58.21	38.80	-37.51	59.50	74.00	14.50	Horizontal
3	11400.9167	49.20	38.80	-37.50	50.50	54.00	3.50	Horizontal
4	13529.375	45.40	40.14	-36.47	49.07	68.30	19.23	Horizontal




# SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200006306

Rev.: 01

Page: 295 of 524

## 802.11a\_Channel 140




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7960.9792	48.90	37.05	-42.37	43.58	68.30	24.72	Vertical
2	11399.9583	45.05	38.80	-37.51	46.34	54.00	7.66	Vertical
3	11400.9167	54.02	38.80	-37.50	55.32	74.00	18.68	Vertical
4	12767.0208	45.71	39.33	-36.69	48.35	68.30	19.95	Vertical



# SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200006306  
 Rev.: 01  
 Page: 296 of 524

## 802.11a\_Channel 144



Data List								
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity
1	8071.1875	49.79	37.06	-41.57	45.28	74.00	28.72	Horizontal
2	11436.375	48.17	38.82	-37.15	49.84	54.00	4.16	Horizontal
3	11441.6458	58.01	38.82	-37.09	59.74	74.00	14.26	Horizontal
4	13769.4375	45.58	40.48	-36.17	49.89	68.30	18.41	Horizontal




# SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200006306

Rev.: 01

Page: 297 of 524

## 802.11a\_Channel 144



Data List								
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity
1	8374.5	47.90	36.88	-41.50	43.28	74.00	30.72	Vertical
2	11440.2083	45.52	38.82	-37.11	47.23	54.00	6.77	Vertical
3	11442.125	54.40	38.82	-37.09	56.13	74.00	17.87	Vertical
4	14951.5417	43.92	41.56	-34.76	50.72	68.30	17.58	Vertical




**SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.**

Report No.: SUCR250200006306

Rev.: 01

Page: 298 of 524

**802.11a\_Channel 120**



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8072.625	47.85	37.06	-41.56	43.35	74.00	30.65	Horizontal
2	11196.7917	56.68	38.70	-36.64	58.74	74.00	15.26	Horizontal
3	11198.2292	48.81	38.70	-36.62	50.89	54.00	3.11	Horizontal
4	13305.125	44.69	39.83	-36.97	47.55	74.00	26.45	Horizontal




# SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200006306

Rev.: 01

Page: 299 of 524

## 802.11a\_Channel 120



Data List								
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity
1	7974.3958	49.16	37.06	-42.29	43.94	68.30	24.36	Vertical
2	11198.2292	45.44	38.70	-36.62	47.52	54.00	6.48	Vertical
3	11203.9792	54.50	38.70	-36.63	56.58	74.00	17.42	Vertical
4	13015.2292	45.17	39.42	-37.19	47.40	68.30	20.90	Vertical




# SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200006306

Rev.: 01

Page: 300 of 524

## 802.11a\_Channel 124



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7930.7917	49.02	37.00	-42.55	43.47	68.30	24.83	Horizontal
2	11240.3958	47.91	38.72	-36.85	49.78	54.00	4.22	Horizontal
3	11240.875	57.99	38.72	-36.86	59.85	74.00	14.15	Horizontal
4	13589.75	44.88	40.23	-36.10	49.00	68.30	19.30	Horizontal




# SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200006306

Rev.: 01

Page: 301 of 524

## 802.11a\_Channel 124



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8397.5	47.77	36.86	-41.38	43.25	74.00	30.75	Vertical
2	11242.7917	45.24	38.72	-36.87	47.09	54.00	6.91	Vertical
3	11242.7917	54.29	38.72	-36.87	56.14	74.00	17.86	Vertical
4	13334.3542	44.07	39.87	-36.69	47.24	74.00	26.76	Vertical




# SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200006306

Rev.: 01

Page: 302 of 524

## 802.11a\_Channel 128



Data List								
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity
1	8126.7708	48.78	37.02	-41.56	44.25	74.00	29.75	Horizontal
2	11279.6875	57.06	38.74	-37.10	58.70	74.00	15.30	Horizontal
3	11281.125	48.42	38.74	-37.11	50.05	54.00	3.95	Horizontal
4	13438.8125	44.52	40.01	-36.30	48.24	68.30	20.06	Horizontal




# SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200006306

Rev.: 01

Page: 303 of 524

## 802.11a\_Channel 128



Data List								
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity
1	8381.2083	48.21	36.87	-41.46	43.62	74.00	30.38	Vertical
2	11278.7292	53.84	38.74	-37.10	55.48	74.00	18.52	Vertical
3	11280.6458	45.38	38.74	-37.11	47.01	54.00	6.99	Vertical
4	13974.5208	43.97	40.76	-34.98	49.75	68.30	18.55	Vertical




# SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200006306

Rev.: 01

Page: 304 of 524

## 802.11a\_Channel 149



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7316.9792	49.67	35.89	-43.24	42.32	74.00	31.68	Horizontal
2	11490.0417	46.94	38.85	-36.61	49.18	54.00	4.82	Horizontal
3	11493.3958	55.85	38.85	-36.58	58.12	74.00	15.88	Horizontal
4	13714.3333	44.53	40.40	-36.03	48.90	68.30	19.40	Horizontal




# SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200006306

Rev.: 01

Page: 305 of 524

## 802.11a\_Channel 149



Data List								
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity
1	7377.3542	49.88	36.06	-42.91	43.02	74.00	30.98	Vertical
2	9094.2083	46.44	36.69	-40.44	42.69	74.00	31.31	Vertical
3	11489.0833	53.55	38.84	-36.62	55.78	74.00	18.22	Vertical
4	11489.5625	44.93	38.84	-36.61	47.16	54.00	6.84	Vertical




**SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.**

Report No.: SUCR250200006306

Rev.: 01

Page: 306 of 524

**802.11a\_Channel 157**



Data List								
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity
1	9552.2917	47.93	37.60	-39.56	45.97	68.30	22.33	Horizontal
2	11569.5833	47.11	38.88	-36.84	49.16	54.00	4.84	Horizontal
3	11571.0208	56.24	38.89	-36.84	58.28	74.00	15.72	Horizontal
4	14432.6042	43.47	41.15	-34.80	49.81	68.30	18.49	Horizontal




# SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200006306

Rev.: 01

Page: 307 of 524

## 802.11a\_Channel 157



Data List								
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity
1	9520.1875	47.73	37.54	-39.81	45.46	68.30	22.84	Vertical
2	11570.0625	54.56	38.89	-36.84	56.61	74.00	17.39	Vertical
3	11570.5417	44.47	38.89	-36.84	46.51	54.00	7.49	Vertical
4	15054.0833	43.98	41.49	-34.45	51.01	68.30	17.29	Vertical




# SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200006306

Rev.: 01


Page: 308 of 524

## 802.11a\_Channel 165



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8408.5208	47.06	36.85	-41.41	42.51	74.00	31.49	Horizontal
2	11649.125	47.39	38.92	-36.54	49.77	54.00	4.23	Horizontal
3	11652.9583	56.77	38.93	-36.51	59.19	74.00	14.81	Horizontal
4	12773.7292	44.46	39.33	-36.68	47.12	68.30	21.18	Horizontal

**802.11a\_Channel 165**




Data List								
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity
1	8603.0625	46.89	36.74	-40.90	42.72	68.30	25.58	Vertical
2	11650.5625	52.33	38.93	-36.53	54.73	74.00	19.27	Vertical
3	11651.0417	44.12	38.93	-36.53	46.52	54.00	7.48	Vertical
4	14450.8125	44.49	41.16	-34.65	51.00	68.30	17.30	Vertical



**SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.**

Report No.: SUCR250200006306  
 Rev.: 01  
 Page: 310 of 524

**802.11ax20\_Channel 36**



Data List								
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity
1	8379.2917	47.56	36.87	-41.47	42.96	74.00	31.04	Horizontal
2	10358.7292	61.95	38.54	-38.82	61.66	68.30	6.64	Horizontal
3	12812.0625	44.81	39.34	-36.65	47.50	68.30	20.80	Horizontal



**SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.**


Report No.: SUCR250200006306  
Rev.: 01  
Page: 311 of 524



**SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.**

Report No.: SUCR250200006306  
 Rev.: 01  
 Page: 312 of 524

**802.11ax20\_Channel 36**



Data List								
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity
1	7969.6042	48.59	37.06	-42.32	43.33	68.30	24.97	Vertical
2	10355.375	61.39	38.54	-38.83	61.09	68.30	7.21	Vertical
3	12109.125	44.71	39.13	-37.18	46.66	74.00	27.34	Vertical




# SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200006306

Rev.: 01

Page: 313 of 524

## 802.11ax20\_Channel 44




Data List								
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity
1	8064.9583	47.75	37.06	-41.62	43.19	74.00	30.81	Horizontal
2	10444.0208	58.92	38.54	-38.74	58.73	68.30	9.57	Horizontal
3	13612.75	44.57	40.26	-36.03	48.79	68.30	19.51	Horizontal



**SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.**

Report No.: SUCR250200006306  
 Rev.: 01  
 Page: 314 of 524

**802.11ax20\_Channel 44**



Data List								
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity
1	7967.2083	48.33	37.05	-42.33	43.05	68.30	25.25	Vertical
2	10434.4375	56.76	38.54	-38.73	56.57	68.30	11.73	Vertical
3	12100.0208	44.84	39.13	-37.19	46.78	74.00	27.22	Vertical




# SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200006306

Rev.: 01

Page: 315 of 524

## 802.11ax20\_Channel 48




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7954.75	48.84	37.04	-42.41	43.47	68.30	24.83	Horizontal
2	10482.8333	56.43	38.55	-38.75	56.23	68.30	12.07	Horizontal
3	13369.3333	43.51	39.92	-36.36	47.07	74.00	26.93	Horizontal



# SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200006306  
 Rev.: 01  
 Page: 316 of 524

## 802.11ax20\_Channel 48



Data List								
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity
1	7616.4583	49.20	36.56	-42.77	42.99	74.00	31.01	Vertical
2	10478.5208	55.78	38.55	-38.75	55.58	68.30	12.72	Vertical
3	13568.6667	44.52	40.20	-36.23	48.48	68.30	19.82	Vertical




# SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200006306

Rev.: 01

Page: 317 of 524

## 802.11ax20\_Channel 52



Data List								
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity
1	7359.625	49.74	36.01	-43.01	42.74	74.00	31.26	Horizontal
2	10516.8542	55.18	38.55	-38.63	55.10	68.30	13.20	Horizontal
3	13588.7917	44.90	40.22	-36.11	49.02	68.30	19.28	Horizontal




# SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200006306

Rev.: 01

Page: 318 of 524

## 802.11ax20\_Channel 52



Data List								
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity
1	7960.0208	49.86	37.04	-42.37	44.53	68.30	23.77	Vertical
2	10512.0625	55.08	38.55	-38.67	54.96	68.30	13.34	Vertical
3	13893.0625	45.01	40.65	-35.62	50.04	68.30	18.26	Vertical




# SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200006306

Rev.: 01

Page: 319 of 524

## 802.11ax20\_Channel 60



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8089.3958	47.85	37.05	-41.42	43.47	74.00	30.53	Horizontal
2	10600.2292	56.64	38.56	-38.01	57.19	74.00	16.81	Horizontal
3	10600.7083	50.01	38.56	-38.01	50.56	54.00	3.44	Horizontal
4	12739.2292	44.55	39.32	-36.75	47.12	68.30	21.18	Horizontal




**SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.**

Report No.: SUCR250200006306

Rev.: 01

Page: 320 of 524

**802.11ax20\_Channel 60**



Data List								
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity
1	8125.3333	47.39	37.02	-41.55	42.87	74.00	31.13	Vertical
2	10596.3958	56.75	38.56	-38.04	57.27	68.30	11.03	Vertical
3	10602.625	48.94	38.56	-38.00	49.50	54.00	4.50	Vertical
4	12734.9167	44.98	39.32	-36.76	47.54	68.30	20.76	Vertical




# SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200006306

Rev.: 01

Page: 321 of 524

## 802.11ax20\_Channel 64




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8092.75	48.56	37.04	-41.40	44.21	74.00	29.79	Horizontal
2	10636.1667	57.21	38.56	-37.82	57.95	74.00	16.05	Horizontal
3	10636.6458	49.72	38.56	-37.82	50.46	54.00	3.54	Horizontal
4	12054.9792	45.22	39.12	-37.19	47.15	74.00	26.85	Horizontal



# SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200006306  
 Rev.: 01  
 Page: 322 of 524

## 802.11ax20\_Channel 64




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7818.1875	49.91	36.85	-42.61	44.15	68.30	24.15	Vertical
2	10638.5625	59.47	38.56	-37.81	60.22	74.00	13.78	Vertical
3	10645.2708	49.24	38.56	-37.77	50.03	54.00	3.97	Vertical
4	12846.5625	45.07	39.35	-36.74	47.69	68.30	20.61	Vertical



# SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200006306  
 Rev.: 01  
 Page: 323 of 524

## 802.11ax20\_Channel 100



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7887.6667	49.44	36.94	-42.72	43.66	68.30	24.64	Horizontal
2	10999.375	48.85	38.60	-37.59	49.86	54.00	4.14	Horizontal
3	11000.8125	57.20	38.60	-37.59	58.21	74.00	15.79	Horizontal
4	14443.625	43.61	41.15	-34.71	50.06	68.30	18.24	Horizontal




# SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200006306

Rev.: 01

Page: 324 of 524

## 802.11ax20\_Channel 100



Data List								
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity
1	7512.4792	48.61	36.42	-43.12	41.91	74.00	32.09	Vertical
2	11000.8125	47.40	38.60	-37.59	48.41	54.00	5.59	Vertical
3	11008.9583	54.97	38.60	-37.60	55.97	74.00	18.03	Vertical
4	13578.7292	44.27	40.21	-36.17	48.31	68.30	19.99	Vertical




# SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200006306

Rev.: 01

Page: 325 of 524

## 802.11ax20\_Channel 116



Data List								
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity
1	8029.5	48.21	37.08	-41.90	43.40	74.00	30.60	Horizontal
2	11161.3333	48.14	38.68	-37.04	49.78	54.00	4.22	Horizontal
3	11161.8125	56.39	38.68	-37.04	58.03	74.00	15.97	Horizontal
4	15053.125	43.70	41.49	-34.45	50.74	68.30	17.56	Horizontal




# SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200006306

Rev.: 01

Page: 326 of 524

## 802.11ax20\_Channel 116



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7324.1667	50.74	35.91	-43.20	43.45	74.00	30.55	Vertical
2	11157.9792	55.47	38.68	-37.08	57.07	74.00	16.93	Vertical
3	11160.8542	46.55	38.68	-37.05	48.18	54.00	5.82	Vertical
4	14461.3542	44.22	41.17	-34.56	50.83	68.30	17.47	Vertical




# SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200006306

Rev.: 01

Page: 327 of 524

## 802.11ax20\_Channel 140



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8396.0625	47.39	36.86	-41.39	42.86	74.00	31.14	Horizontal
2	11403.3125	46.87	38.80	-37.48	48.19	54.00	5.81	Horizontal
3	11405.7083	55.03	38.80	-37.45	56.38	74.00	17.62	Horizontal
4	13991.7708	43.12	40.79	-34.85	49.06	68.30	19.24	Horizontal




# SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200006306

Rev.: 01

Page: 328 of 524

## 802.11ax20\_Channel 140



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8368.75	47.56	36.88	-41.53	42.91	74.00	31.09	Vertical
2	11399.9583	44.02	38.80	-37.51	45.31	54.00	8.69	Vertical
3	11405.7083	51.12	38.80	-37.45	52.47	74.00	21.53	Vertical
4	12964.9167	44.45	39.39	-37.15	46.69	68.30	21.61	Vertical




# SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200006306

Rev.: 01

Page: 329 of 524

## 802.11ax20\_Channel 144



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8648.1042	48.00	36.71	-41.11	43.60	68.30	24.70	Horizontal
2	11440.6875	48.00	38.82	-37.10	49.72	54.00	4.28	Horizontal
3	11445	57.78	38.82	-37.06	59.54	74.00	14.46	Horizontal
4	13957.2708	43.36	40.74	-35.12	48.98	68.30	19.32	Horizontal




# SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200006306

Rev.: 01

Page: 330 of 524

## 802.11ax20\_Channel 144



Data List								
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity
1	1000	37.94	25.40	-23.97	39.37	74.00	34.63	Vertical
2	7715.1667	49.95	36.70	-42.89	43.76	74.00	30.24	Vertical
3	11439.25	53.38	38.82	-37.12	55.08	74.00	18.92	Vertical
4	11439.7292	45.47	38.82	-37.11	47.18	54.00	6.82	Vertical
5	14260.5833	44.04	41.01	-35.64	49.41	68.30	18.89	Vertical




**SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.**

Report No.: SUCR250200006306

Rev.: 01

Page: 331 of 524

**802.11ax20\_Channel 120**



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8039.5625	48.68	37.08	-41.82	43.94	74.00	30.06	Horizontal
2	11200.625	55.80	38.70	-36.60	57.90	74.00	16.10	Horizontal
3	11201.1042	47.82	38.70	-36.61	49.91	54.00	4.09	Horizontal
4	13928.0417	44.56	40.70	-35.35	49.91	68.30	18.39	Horizontal




# SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200006306

Rev.: 01

Page: 332 of 524

## 802.11ax20\_Channel 120



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8095.625	47.27	37.04	-41.37	42.94	74.00	31.06	Vertical
2	11199.1875	45.26	38.70	-36.61	47.35	54.00	6.65	Vertical
3	11199.1875	53.41	38.70	-36.61	55.50	74.00	18.50	Vertical
4	12797.2083	44.96	39.34	-36.63	47.67	68.30	20.63	Vertical




# SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200006306

Rev.: 01

Page: 333 of 524

## 802.11ax20\_Channel 124



Data List								
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity
1	7832.5625	49.09	36.87	-42.63	43.32	68.30	24.98	Horizontal
2	11243.75	56.94	38.72	-36.88	58.79	74.00	15.21	Horizontal
3	11245.6667	47.04	38.72	-36.89	48.88	54.00	5.12	Horizontal
4	14525.0833	43.24	41.22	-34.51	49.95	68.30	18.35	Horizontal




**SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.**

Report No.: SUCR250200006306

Rev.: 01

Page: 334 of 524

**802.11ax20\_Channel 124**



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7892.9375	49.92	36.95	-42.73	44.14	68.30	24.16	Vertical
2	11235.125	54.23	38.72	-36.82	56.13	74.00	17.87	Vertical
3	11238	45.09	38.72	-36.84	46.97	54.00	7.03	Vertical
4	13420.6042	44.59	39.99	-36.19	48.39	68.30	19.91	Vertical




# SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200006306

Rev.: 01

Page: 335 of 524

## 802.11ax20\_Channel 128



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8402.7708	47.49	36.86	-41.38	42.97	74.00	31.03	Horizontal
2	11272.9792	55.43	38.74	-37.06	57.11	74.00	16.89	Horizontal
3	11277.7708	47.23	38.74	-37.09	48.88	54.00	5.12	Horizontal
4	12953.8958	44.84	39.39	-37.10	47.12	68.30	21.18	Horizontal




# SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200006306

Rev.: 01

Page: 336 of 524

## 802.11ax20\_Channel 128




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8385.0417	47.73	36.87	-41.44	43.15	74.00	30.85	Vertical
2	11279.2083	52.42	38.74	-37.10	54.06	74.00	19.94	Vertical
3	11286.3958	45.53	38.74	-37.14	47.13	54.00	6.87	Vertical
4	12227.4792	44.53	39.17	-36.98	46.72	74.00	27.28	Vertical



# SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200006306  
 Rev.: 01  
 Page: 337 of 524

## 802.11ax20\_Channel 149



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8337.6042	47.82	36.90	-41.68	43.04	74.00	30.96	Horizontal
2	11485.7292	54.47	38.84	-36.65	56.66	74.00	17.34	Horizontal
3	11488.6042	46.62	38.84	-36.62	48.84	54.00	5.16	Horizontal
4	13838.9167	44.65	40.57	-35.99	49.24	68.30	19.06	Horizontal




# SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200006306

Rev.: 01

Page: 338 of 524

## 802.11ax20\_Channel 149




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8610.7292	47.58	36.73	-40.94	43.38	68.30	24.92	Vertical
2	11488.6042	50.36	38.84	-36.62	52.58	74.00	21.42	Vertical
3	11492.9167	42.35	38.85	-36.58	44.62	54.00	9.38	Vertical
4	14471.4167	44.40	41.18	-34.47	51.10	74.00	22.90	Vertical



# SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200006306  
 Rev.: 01  
 Page: 339 of 524

## 802.11ax20\_Channel 157



Data List								
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity
1	8232.6667	47.65	36.96	-42.06	42.55	74.00	31.45	Horizontal
2	9144.0417	45.99	36.79	-40.21	42.57	74.00	31.43	Horizontal
3	11566.2292	57.32	38.88	-36.82	59.38	74.00	14.62	Horizontal
4	11567.1875	47.36	38.88	-36.83	49.42	54.00	4.58	Horizontal




**SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.**

Report No.: SUCR250200006306

Rev.: 01

Page: 340 of 524

**802.11ax20\_Channel 157**



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8170.8542	47.59	37.00	-41.91	42.67	74.00	31.33	Vertical
2	9432.9792	46.27	37.37	-39.93	43.70	74.00	30.30	Vertical
3	11567.1875	46.19	38.88	-36.83	48.25	54.00	5.75	Vertical
4	11574.8542	53.28	38.89	-36.86	55.31	74.00	18.69	Vertical




**SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.**

Report No.: SUCR250200006306

Rev.: 01

Page: 341 of 524

**802.11ax20\_Channel 165**



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8915.9583	48.49	36.55	-40.90	44.14	68.30	24.16	Horizontal
2	11647.6875	55.84	38.92	-36.56	58.21	74.00	15.79	Horizontal
3	11651.5208	46.35	38.93	-36.52	48.75	54.00	5.25	Horizontal
4	12871	45.05	39.36	-36.80	47.61	68.30	20.69	Horizontal




# SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200006306

Rev.: 01

Page: 342 of 524

## 802.11ax20\_Channel 165




Data List								
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity
1	8648.5833	47.34	36.71	-41.11	42.94	68.30	25.36	Vertical
2	9547.9792	47.66	37.60	-39.60	45.66	68.30	22.64	Vertical
3	11649.6042	51.29	38.92	-36.54	53.68	74.00	20.32	Vertical
4	11650.0833	42.95	38.93	-36.53	45.34	54.00	8.66	Vertical



**SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.**

Report No.: SUCR250200006306  
 Rev.: 01  
 Page: 343 of 524

**802.11ax40\_Channel 38**



Data List								
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity
1	7882.875	49.22	36.94	-42.71	43.44	68.30	24.86	Horizontal
2	10378.375	57.29	38.54	-38.77	57.05	68.30	11.25	Horizontal
3	12835.0625	44.95	39.35	-36.71	47.59	68.30	20.71	Horizontal




# SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200006306

Rev.: 01

Page: 344 of 524

## 802.11ax40\_Channel 38




Data List								
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity
1	8064	48.34	37.06	-41.62	43.78	74.00	30.22	Vertical
2	10374.0625	58.06	38.54	-38.78	57.81	68.30	10.49	Vertical
3	13469.9583	44.89	40.06	-36.48	48.47	68.30	19.83	Vertical



**SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.**

Report No.: SUCR250200006306  
 Rev.: 01  
 Page: 345 of 524

**802.11ax40\_Channel 46**



Data List								
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity
1	7940.8542	48.70	37.02	-42.49	43.23	68.30	25.07	Horizontal
2	10452.1667	57.19	38.55	-38.74	56.99	68.30	11.31	Horizontal
3	12148.4167	44.73	39.14	-37.15	46.72	74.00	27.28	Horizontal




# SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200006306

Rev.: 01

Page: 346 of 524

## 802.11ax40\_Channel 46




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8060.1667	48.05	37.06	-41.65	43.46	74.00	30.54	Vertical
2	10453.125	56.73	38.55	-38.74	56.53	68.30	11.77	Vertical
3	12787.1458	44.54	39.34	-36.65	47.23	68.30	21.07	Vertical



**SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.**

Report No.: SUCR250200006306  
 Rev.: 01  
 Page: 347 of 524

**802.11ax40\_Channel 54**




Data List								
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity
1	7810.0417	49.07	36.83	-42.60	43.31	68.30	24.99	Horizontal
2	10536.0208	56.17	38.55	-38.49	56.23	68.30	12.07	Horizontal
3	13413.4167	44.65	39.98	-36.15	48.48	68.30	19.82	Horizontal



# SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200006306  
 Rev.: 01  
 Page: 348 of 524

## 802.11ax40\_Channel 54



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7832.5625	49.42	36.87	-42.63	43.65	68.30	24.65	Vertical
2	10539.8542	56.89	38.55	-38.46	56.98	68.30	11.32	Vertical
3	13552.8542	45.05	40.17	-36.33	48.90	68.30	19.40	Vertical




# SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200006306

Rev.: 01

Page: 349 of 524

## 802.11ax40\_Channel 62



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7926.9583	49.03	37.00	-42.58	43.45	68.30	24.85	Horizontal
2	10613.1667	54.45	38.56	-37.94	55.07	74.00	18.93	Horizontal
3	10613.6458	48.07	38.56	-37.94	48.69	54.00	5.31	Horizontal
4	12850.3958	44.61	39.36	-36.75	47.22	68.30	21.08	Horizontal




# SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200006306

Rev.: 01

Page: 350 of 524

## 802.11ax40\_Channel 62



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8106.1667	46.84	37.04	-41.39	42.49	74.00	31.51	Vertical
2	10622.2708	56.21	38.56	-37.89	56.88	74.00	17.12	Vertical
3	10626.5833	47.60	38.56	-37.87	48.29	54.00	5.71	Vertical
4	13204.0208	44.19	39.69	-36.59	47.29	68.30	21.01	Vertical




# SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200006306

Rev.: 01

Page: 351 of 524

## 802.11ax40\_Channel 102



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7753.0208	48.20	36.75	-42.75	42.20	68.30	26.10	Horizontal
2	11015.6667	47.75	38.61	-37.62	48.74	54.00	5.26	Horizontal
3	11015.6667	56.52	38.61	-37.62	57.51	74.00	16.49	Horizontal
4	13549.9792	44.16	40.17	-36.35	47.98	68.30	20.32	Horizontal




# SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200006306

Rev.: 01

Page: 352 of 524

## 802.11ax40\_Channel 102



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7835.4375	48.75	36.87	-42.64	42.98	68.30	25.32	Vertical
2	11019.5	54.99	38.61	-37.62	55.98	74.00	18.02	Vertical
3	11019.9792	46.43	38.61	-37.62	47.42	54.00	6.58	Vertical
4	13598.375	44.78	40.24	-36.05	48.97	68.30	19.33	Vertical




# SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200006306

Rev.: 01

Page: 353 of 524

## 802.11ax40\_Channel 110



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7388.375	49.37	36.09	-42.85	42.60	74.00	31.40	Horizontal
2	11100	55.02	38.65	-37.75	55.92	74.00	18.08	Horizontal
3	11102.3958	46.39	38.65	-37.72	47.32	54.00	6.68	Horizontal
4	13582.0833	44.48	40.21	-36.15	48.55	68.30	19.75	Horizontal




# SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200006306

Rev.: 01

Page: 354 of 524

## 802.11ax40\_Channel 110



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7891.5	49.66	36.95	-42.73	43.88	68.30	24.42	Vertical
2	11103.3542	53.61	38.65	-37.71	54.55	74.00	19.45	Vertical
3	11106.2292	44.71	38.65	-37.68	45.68	54.00	8.32	Vertical
4	14004.7083	43.19	40.80	-34.84	49.15	68.30	19.15	Vertical




**SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.**

Report No.: SUCR250200006306

Rev.: 01

Page: 355 of 524

**802.11ax40\_Channel 134**



Data List								
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity
1	8867.0833	47.70	36.58	-40.99	43.29	68.30	25.01	Horizontal
2	11342.4583	53.17	38.77	-37.35	54.59	74.00	19.41	Horizontal
3	11344.375	44.59	38.77	-37.35	46.01	54.00	7.99	Horizontal
4	14579.7083	44.14	41.26	-35.12	50.28	68.30	18.02	Horizontal




# SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200006306

Rev.: 01

Page: 356 of 524

## 802.11ax40\_Channel 134




Data List								
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity
1	7605.9167	48.42	36.55	-42.75	42.22	74.00	31.78	Vertical
2	11341.9792	50.02	38.77	-37.35	51.44	74.00	22.56	Vertical
3	11347.25	40.57	38.77	-37.36	41.98	54.00	12.02	Vertical
4	14207.3958	43.55	40.97	-35.35	49.17	68.30	19.13	Vertical



# SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200006306  
 Rev.: 01  
 Page: 357 of 524

## 802.11ax40\_Channel 142



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7803.3333	48.22	36.82	-42.59	42.46	68.30	25.84	Horizontal
2	11414.8125	47.28	38.81	-37.36	48.73	54.00	5.27	Horizontal
3	11418.6458	56.74	38.81	-37.32	58.23	74.00	15.77	Horizontal
4	14473.8125	43.77	41.18	-34.45	50.50	74.00	23.50	Horizontal




# SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200006306

Rev.: 01

Page: 358 of 524

## 802.11ax40\_Channel 142




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7816.2708	49.52	36.84	-42.61	43.76	68.30	24.54	Vertical
2	11425.3542	41.99	38.81	-37.26	43.55	54.00	10.45	Vertical
3	11431.1042	50.60	38.82	-37.20	52.22	74.00	21.78	Vertical
4	14472.375	43.55	41.18	-34.46	50.26	74.00	23.74	Vertical



# SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200006306  
 Rev.: 01  
 Page: 359 of 524

## 802.11ax40\_Channel 118



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8071.6667	47.80	37.06	-41.56	43.29	74.00	30.71	Horizontal
2	11175.7083	45.98	38.69	-36.88	47.79	54.00	6.21	Horizontal
3	11176.1875	54.40	38.69	-36.87	56.21	74.00	17.79	Horizontal
4	14014.2917	42.58	40.81	-34.96	48.43	68.30	19.87	Horizontal




# SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200006306

Rev.: 01

Page: 360 of 524

## 802.11ax40\_Channel 118




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8458.8333	47.30	36.82	-41.62	42.50	74.00	31.50	Vertical
2	11174.75	51.52	38.69	-36.89	53.32	74.00	20.68	Vertical
3	11183.8542	44.52	38.69	-36.79	46.43	54.00	7.57	Vertical
4	13695.6458	44.58	40.37	-35.99	48.96	68.30	19.34	Vertical



# SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200006306  
 Rev.: 01  
 Page: 361 of 524

## 802.11ax40\_Channel 126



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8216.375	47.78	36.97	-42.10	42.65	74.00	31.35	Horizontal
2	11261	54.28	38.73	-36.98	56.03	74.00	17.97	Horizontal
3	11267.7083	45.28	38.73	-37.03	46.99	54.00	7.01	Horizontal
4	13878.2083	44.68	40.63	-35.72	49.59	68.30	18.71	Horizontal




# SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200006306

Rev.: 01

Page: 362 of 524

## 802.11ax40\_Channel 126



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8034.7708	48.09	37.08	-41.86	43.31	74.00	30.69	Vertical
2	11252.8542	41.38	38.73	-36.93	43.17	54.00	10.83	Vertical
3	11261.4792	50.85	38.73	-36.99	52.59	74.00	21.41	Vertical
4	13444.5625	43.89	40.02	-36.33	47.58	68.30	20.72	Vertical




**SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.**

Report No.: SUCR250200006306

Rev.: 01

Page: 363 of 524

**802.11ax40\_Channel 151**



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7986.375	47.94	37.08	-42.21	42.81	68.30	25.49	Horizontal
2	11505.8542	52.97	38.85	-36.54	55.29	74.00	18.71	Horizontal
3	11515.9167	43.84	38.86	-36.58	46.11	54.00	7.89	Horizontal
4	14422.0625	43.59	41.14	-34.89	49.84	68.30	18.46	Horizontal




# SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200006306

Rev.: 01

Page: 364 of 524

## 802.11ax40\_Channel 151



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8056.3333	47.91	37.07	-41.68	43.29	74.00	30.71	Vertical
2	11507.2917	49.62	38.85	-36.54	51.93	74.00	22.07	Vertical
3	11512.0833	40.92	38.86	-36.57	43.21	54.00	10.79	Vertical
4	15092.4167	43.76	41.41	-34.48	50.69	68.30	17.61	Vertical




# SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200006306

Rev.: 01

Page: 365 of 524

## 802.11ax40\_Channel 159



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7889.5833	49.19	36.95	-42.72	43.41	68.30	24.89	Horizontal
2	11591.1458	43.82	38.90	-36.94	45.78	54.00	8.22	Horizontal
3	11597.375	52.93	38.90	-36.97	54.86	74.00	19.14	Horizontal
4	14588.8125	43.96	41.27	-35.22	50.01	68.30	18.29	Horizontal




# SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200006306

Rev.: 01

Page: 366 of 524

## 802.11ax40\_Channel 159




Data List								
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity
1	8033.3333	48.33	37.08	-41.87	43.54	74.00	30.46	Vertical
2	11587.3125	41.49	38.89	-36.92	43.46	54.00	10.54	Vertical
3	11592.1042	49.60	38.90	-36.94	51.55	74.00	22.45	Vertical
4	15115.8958	44.13	41.36	-34.37	51.12	68.30	17.18	Vertical



# SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200006306  
 Rev.: 01  
 Page: 367 of 524

## 802.11ax80\_Channel 42




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8458.3542	47.04	36.82	-41.62	42.24	74.00	31.76	Horizontal
2	10376.4583	51.82	38.54	-38.78	51.58	68.30	16.72	Horizontal
3	11922.7292	44.11	39.06	-37.31	45.86	74.00	28.14	Horizontal



# SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200006306  
 Rev.: 01  
 Page: 368 of 524

## 802.11ax80\_Channel 42



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8009.8542	48.34	37.09	-42.05	43.38	68.30	24.92	Vertical
2	10377.4167	52.02	38.54	-38.78	51.78	68.30	16.52	Vertical
3	11198.7083	43.71	38.70	-36.61	45.79	74.00	28.21	Vertical




**SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.**

Report No.: SUCR250200006306

Rev.: 01

Page: 369 of 524

**802.11ax80\_Channel 58**



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7323.2083	50.09	35.90	-43.20	42.79	74.00	31.21	Horizontal
2	10576.2708	48.75	38.56	-38.19	49.12	68.30	19.18	Horizontal
3	12254.7917	45.01	39.18	-36.85	47.33	74.00	26.67	Horizontal




# SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200006306

Rev.: 01

Page: 370 of 524

## 802.11ax80\_Channel 58



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7889.5833	49.41	36.95	-42.72	43.63	68.30	24.67	Vertical
2	10573.3958	49.10	38.56	-38.21	49.45	68.30	18.85	Vertical
3	15103.9167	44.00	41.38	-34.45	50.93	68.30	17.37	Vertical




**SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.**

Report No.: SUCR250200006306

Rev.: 01

Page: 371 of 524

**802.11ax80\_Channel 106**



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8631.3333	47.44	36.72	-41.03	43.13	68.30	25.17	Horizontal
2	11062.625	50.06	38.63	-37.69	51.00	74.00	23.00	Horizontal
3	11076.5208	40.32	38.64	-37.71	41.25	54.00	12.75	Horizontal
4	13633.3542	45.46	40.29	-36.02	49.72	68.30	18.58	Horizontal




# SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200006306

Rev.: 01

Page: 372 of 524

## 802.11ax80\_Channel 106



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8087.4792	48.06	37.05	-41.44	43.67	74.00	30.33	Vertical
2	11055.9167	49.40	38.63	-37.68	50.35	74.00	23.65	Vertical
3	11062.1458	37.89	38.63	-37.69	38.83	54.00	15.17	Vertical
4	13751.2292	44.73	40.45	-36.12	49.06	68.30	19.24	Vertical




# SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200006306

Rev.: 01

Page: 373 of 524

## 802.11ax80\_Channel 122



Data List								
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity
1	9402.7917	45.96	37.31	-39.92	43.34	74.00	30.66	Horizontal
2	11216.9167	49.90	38.71	-36.71	51.90	74.00	22.10	Horizontal
3	11219.3125	41.81	38.71	-36.72	43.80	54.00	10.20	Horizontal
4	13672.6458	44.69	40.34	-36.00	49.03	68.30	19.27	Horizontal




**SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.**

Report No.: SUCR250200006306

Rev.: 01

Page: 374 of 524

**802.11ax80\_Channel 122**



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8374.0208	47.71	36.88	-41.50	43.09	74.00	30.91	Vertical
2	11227.4583	48.76	38.71	-36.77	50.70	74.00	23.30	Vertical
3	11231.2917	39.13	38.72	-36.80	41.05	54.00	12.95	Vertical
4	14032.5	43.55	40.83	-35.19	49.18	68.30	19.12	Vertical




# SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200006306

Rev.: 01

Page: 375 of 524

## 802.11ax80\_Channel 138



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8096.5833	47.43	37.04	-41.37	43.11	74.00	30.89	Horizontal
2	11393.7292	50.45	38.80	-37.49	51.75	74.00	22.25	Horizontal
3	11398.5208	41.53	38.80	-37.51	42.82	54.00	11.18	Horizontal
4	14390.4375	43.72	41.11	-35.15	49.68	68.30	18.62	Horizontal




# SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200006306

Rev.: 01

Page: 376 of 524

## 802.11ax80\_Channel 138



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8041.4792	48.83	37.08	-41.80	44.10	74.00	29.90	Vertical
2	11379.8333	39.02	38.79	-37.45	40.36	54.00	13.64	Vertical
3	11413.8542	46.90	38.81	-37.37	48.34	74.00	25.66	Vertical
4	15186.8125	43.53	41.21	-33.85	50.88	68.30	17.42	Vertical




# SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200006306

Rev.: 01

Page: 377 of 524

## 802.11ax80\_Channel 155



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8097.0625	47.17	37.04	-41.36	42.85	74.00	31.15	Horizontal
2	11529.8125	49.87	38.86	-36.65	52.08	74.00	21.92	Horizontal
3	11543.2292	40.51	38.87	-36.71	42.67	54.00	11.33	Horizontal
4	14490.1042	43.48	41.19	-34.31	50.36	74.00	23.64	Horizontal




**SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.**

Report No.: SUCR250200006306

Rev.: 01

Page: 378 of 524

**802.11ax80\_Channel 155**



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7994.0417	48.52	37.09	-42.17	43.45	68.30	24.85	Vertical
2	11542.2708	37.45	38.87	-36.71	39.61	54.00	14.39	Vertical
3	11563.8333	46.09	38.88	-36.81	48.16	74.00	25.84	Vertical
4	14437.875	43.42	41.15	-34.76	49.81	68.30	18.49	Vertical




# SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200006306

Rev.: 01

Page: 379 of 524

## 802.11ax160\_Channel 50



Data List								
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity
1	9376.9167	45.74	37.25	-39.95	43.04	74.00	30.96	Horizontal
2	10424.8542	47.59	38.54	-38.73	47.40	68.30	20.90	Horizontal
3	13365.5	43.35	39.91	-36.40	46.86	74.00	27.14	Horizontal




**SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.**

Report No.: SUCR250200006306

Rev.: 01

Page: 380 of 524

**802.11ax160\_Channel 50**



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7891.0208	48.79	36.95	-42.73	43.01	68.30	25.29	Vertical
2	11464.1667	44.26	38.83	-36.87	46.22	74.00	27.78	Vertical
3	13377.4792	44.19	39.93	-36.28	47.83	74.00	26.17	Vertical




**SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.**

Report No.: SUCR250200006306

Rev.: 01

Page: 381 of 524

**802.11ax160\_Channel 114**



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8031.4167	48.88	37.08	-41.88	44.08	74.00	29.92	Horizontal
2	10380.2917	44.89	38.54	-38.77	44.66	68.30	23.64	Horizontal
3	12838.8958	44.47	39.35	-36.72	47.10	68.30	21.20	Horizontal




# SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200006306

Rev.: 01

Page: 382 of 524

## 802.11ax160\_Channel 114



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8080.7708	47.60	37.05	-41.49	43.16	74.00	30.84	Vertical
2	10059.7292	45.39	38.51	-38.97	44.92	68.30	23.38	Vertical
3	12716.7083	44.46	39.32	-36.79	46.98	68.30	21.32	Vertical



**SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.**


Report No.: SUCR250200006306

Rev.: 01

Page: 383 of 524

**For Sample 2**

**802.11ax160\_Channel 114**



Data List								
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity
1	7905.875	49.18	36.97	-42.70	43.44	68.30	24.86	Horizontal
2	9479.9375	47.02	37.46	-39.95	44.53	74.00	29.47	Horizontal
3	13429.2292	43.94	40.00	-36.24	47.70	68.30	20.60	Horizontal




# SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200006306

Rev.: 01

Page: 384 of 524

## 802.11ax160\_Channel 114



Data List								
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity
1	8061.125	47.50	37.06	-41.65	42.92	74.00	31.08	Vertical
2	10655.3333	43.87	38.57	-37.72	44.71	74.00	29.29	Vertical
3	12786.6667	45.32	39.34	-36.65	48.01	68.30	20.29	Vertical


### Remark:

- The field strength is calculated by adding the Antenna Factor, Cable Factor & Preamplifier gain. The basic equation with a sample calculation is as follows:  
 $Level = Reading(dB\mu V) + AF(dB/m) + Factor(dB)$   
 $AF = Antenna\ Factor(dB/m)$   
 $Factor = Cable\ Factor(dB) - Preamplifier\ gain(dB)$   
 $Margin = Limit(dB\mu V/m) - Level(dB\mu V/m)$
- All channels have been tested, but only the worst case data displayed in this report.
- Both peak and average measured complies with the limit line, so test result is "PASS"

**Restricted bands around fundamental frequency**

**For Sample 1**

**802.11a\_Channel 36**



Data List								
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity
1	5142.5	28.11	31.66	-19.16	40.61	54.00	13.39	Horizontal
2	5149.3	28.52	31.67	-19.14	41.05	54.00	12.95	Horizontal




# SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200006306

Rev.: 01

Page: 386 of 524

## 802.11a\_Channel 36



Data List								
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity
1	5144	31.10	31.66	-19.15	43.60	54.00	10.40	Vertical
2	5148	31.28	31.67	-19.14	43.80	54.00	10.20	Vertical




# SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200006306

Rev.: 01


Page: 387 of 524

## 802.11a\_Channel 36




Data List								
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity
1	5140.1	38.56	31.65	-19.16	51.05	74.00	22.95	Horizontal
2	5148.4	40.08	31.67	-19.14	52.60	74.00	21.40	Horizontal

### 802.11a\_Channel 36



Data List								
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity
1	5139.5	44.62	31.65	-19.17	57.11	74.00	16.89	Vertical
2	5142.9	44.63	31.66	-19.16	57.13	74.00	16.87	Vertical

### 802.11a\_Channel 64



Data List								
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity
1	5352.3	28.14	32.03	-18.91	41.27	54.00	12.73	Horizontal
2	5363.6	27.76	32.05	-18.93	40.88	54.00	13.12	Horizontal




# SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200006306

Rev.: 01

Page: 390 of 524

## 802.11a\_Channel 64



Data List								
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity
1	5351.3	31.50	32.03	-18.90	44.63	54.00	9.37	Vertical
2	5356.7	31.30	32.04	-18.92	44.43	54.00	9.57	Vertical




# SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200006306

Rev.: 01

Page: 391 of 524

## 802.11a\_Channel 64



Data List								
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity
1	5350.8	40.90	32.03	-18.90	54.03	74.00	19.97	Horizontal
2	5354.9	38.80	32.04	-18.91	51.93	74.00	22.07	Horizontal




# SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250200006306

Rev.: 01


Page: 392 of 524

## 802.11a\_Channel 64




Data List								
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity
1	5351.1	43.15	32.03	-18.90	56.28	74.00	17.72	Vertical
2	5355.8	42.45	32.04	-18.91	55.58	74.00	18.42	Vertical

### 802.11a\_Channel 100




Data List								
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity
1	5433.94	27.41	32.18	-19.07	40.52	54.00	13.48	Horizontal
2	5453.98	28.17	32.22	-19.11	41.28	54.00	12.72	Horizontal

### 802.11a\_Channel 100




Data List								
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity
1	5432.08	28.36	32.18	-19.07	41.47	54.00	12.53	Vertical
2	5446.72	29.31	32.20	-19.09	42.42	54.00	11.58	Vertical

### 802.11a\_Channel 100




Data List								
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity
1	5436.04	39.03	32.18	-19.08	52.14	74.00	21.86	Horizontal
2	5468.02	43.34	32.24	-19.13	56.45	68.30	11.85	Horizontal

### 802.11a\_Channel 100




Data List								
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity
1	5450.74	39.68	32.21	-19.10	52.79	74.00	21.21	Vertical
2	5465.86	45.48	32.24	-19.13	58.59	68.30	9.71	Vertical

### 802.11a\_Channel 140




Data List								
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity
1	5727.45	38.07	32.35	-18.81	51.60	68.30	16.70	Horizontal
2	5734.35	38.27	32.35	-18.83	51.78	68.30	16.52	Horizontal

### 802.11a\_Channel 140




Data List								
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity
1	5728.85	43.14	32.35	-18.82	56.67	68.30	11.63	Vertical
2	5735.9	40.03	32.35	-18.84	53.54	68.30	14.76	Vertical

### 802.11a\_Channel 149



Data List								
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity
1	5643.0375	38.86	32.33	-18.72	52.46	68.30	15.84	Horizontal
2	5672.6125	39.11	32.33	-18.73	52.72	85.07	32.35	Horizontal
3	5711.2875	40.14	32.34	-18.76	53.72	108.46	54.74	Horizontal
4	5723.15	46.47	32.34	-18.80	60.02	118.08	58.06	Horizontal

### 802.11a\_Channel 149



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5642.225	38.88	32.33	-18.72	52.48	68.30	15.82	Vertical
2	5671.8	39.03	32.33	-18.73	52.64	84.47	31.83	Vertical
3	5709.175	43.23	32.34	-18.76	56.81	107.87	51.06	Vertical
4	5723.15	52.07	32.34	-18.80	65.62	118.08	52.46	Vertical