

1. Effective (Isotropic) Radiated Power Output Data

1.1 Test Result

1.1.1 B13_5MHz_ERP

Band: 13 / Bandwidth: 5MHz / NTV									
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	ERP (dBm)		Verdict	
		Size	Offset			Result	Limit		
QPSK	779.5	1	0	23.68	-5.00	16.53	<=34.77	Pass	
			13	23.50	-5.00	16.35	<=34.77	Pass	
			24	23.72	-5.00	16.57	<=34.77	Pass	
		12	0	22.73	-5.00	15.58	<=34.77	Pass	
			6	22.72	-5.00	15.57	<=34.77	Pass	
			13	22.62	-5.00	15.47	<=34.77	Pass	
		25	0	22.71	-5.00	15.56	<=34.77	Pass	
		782	1	0	23.67	-5.00	16.52	<=34.77	Pass
				13	23.52	-5.00	16.37	<=34.77	Pass
	24			23.47	-5.00	16.32	<=34.77	Pass	
	12		0	22.66	-5.00	15.51	<=34.77	Pass	
			6	22.58	-5.00	15.43	<=34.77	Pass	
			13	22.56	-5.00	15.41	<=34.77	Pass	
	25	0	22.62	-5.00	15.47	<=34.77	Pass		
	784.5	1	0	23.63	-5.00	16.48	<=34.77	Pass	
			13	23.54	-5.00	16.39	<=34.77	Pass	
			24	23.47	-5.00	16.32	<=34.77	Pass	
		12	0	22.67	-5.00	15.52	<=34.77	Pass	
6			22.58	-5.00	15.43	<=34.77	Pass		
13			22.53	-5.00	15.38	<=34.77	Pass		
25		0	22.59	-5.00	15.44	<=34.77	Pass		
16QAM		779.5	1	0	22.99	-5.00	15.84	<=34.77	Pass
				13	22.79	-5.00	15.64	<=34.77	Pass
	24			22.74	-5.00	15.59	<=34.77	Pass	
	12		0	21.73	-5.00	14.58	<=34.77	Pass	
			6	21.67	-5.00	14.52	<=34.77	Pass	
			13	21.66	-5.00	14.51	<=34.77	Pass	
	25		0	21.73	-5.00	14.58	<=34.77	Pass	
	782		1	0	22.92	-5.00	15.77	<=34.77	Pass
				13	22.74	-5.00	15.59	<=34.77	Pass
		24		22.72	-5.00	15.57	<=34.77	Pass	
		12	0	21.69	-5.00	14.54	<=34.77	Pass	
			6	21.61	-5.00	14.46	<=34.77	Pass	
			13	21.61	-5.00	14.46	<=34.77	Pass	
	25	0	21.48	-5.00	14.33	<=34.77	Pass		
	784.5	1	0	22.70	-5.00	15.55	<=34.77	Pass	
			13	22.62	-5.00	15.47	<=34.77	Pass	
			24	22.64	-5.00	15.49	<=34.77	Pass	
		12	0	21.59	-5.00	14.44	<=34.77	Pass	
6			21.72	-5.00	14.57	<=34.77	Pass		
13			21.41	-5.00	14.26	<=34.77	Pass		
25		0	21.45	-5.00	14.30	<=34.77	Pass		
64QAM		779.5	1	0	21.95	-5.00	14.80	<=34.77	Pass
				13	21.75	-5.00	14.60	<=34.77	Pass
	24			21.80	-5.00	14.65	<=34.77	Pass	
	12		0	20.81	-5.00	13.66	<=34.77	Pass	
			6	20.78	-5.00	13.63	<=34.77	Pass	
			13	20.77	-5.00	13.62	<=34.77	Pass	
	25		0	20.75	-5.00	13.60	<=34.77	Pass	

	782	1	0	21.85	-5.00	14.70	<=34.77	Pass		
			13	21.67	-5.00	14.52	<=34.77	Pass		
			24	21.67	-5.00	14.52	<=34.77	Pass		
		12	0	20.75	-5.00	13.60	<=34.77	Pass		
			6	20.64	-5.00	13.49	<=34.77	Pass		
			13	20.68	-5.00	13.53	<=34.77	Pass		
		25	0	20.66	-5.00	13.51	<=34.77	Pass		
		784.5	1	0	21.68	-5.00	14.53	<=34.77	Pass	
				13	21.61	-5.00	14.46	<=34.77	Pass	
	24			21.42	-5.00	14.27	<=34.77	Pass		
	12		0	20.72	-5.00	13.57	<=34.77	Pass		
			6	20.69	-5.00	13.54	<=34.77	Pass		
			13	20.63	-5.00	13.48	<=34.77	Pass		
	25		0	20.68	-5.00	13.53	<=34.77	Pass		
	256QAM		779.5	1	0	18.81	-5.00	11.66	<=34.77	Pass
					13	18.90	-5.00	11.75	<=34.77	Pass
		24			18.67	-5.00	11.52	<=34.77	Pass	
		12		0	18.72	-5.00	11.57	<=34.77	Pass	
6				18.71	-5.00	11.56	<=34.77	Pass		
13				18.69	-5.00	11.54	<=34.77	Pass		
25		0		18.69	-5.00	11.54	<=34.77	Pass		
782		1		0	18.77	-5.00	11.62	<=34.77	Pass	
				13	18.72	-5.00	11.57	<=34.77	Pass	
			24	18.69	-5.00	11.54	<=34.77	Pass		
		12	0	18.59	-5.00	11.44	<=34.77	Pass		
			6	18.63	-5.00	11.48	<=34.77	Pass		
			13	18.64	-5.00	11.49	<=34.77	Pass		
		25	0	18.67	-5.00	11.52	<=34.77	Pass		
		784.5	1	0	18.82	-5.00	11.67	<=34.77	Pass	
				13	18.70	-5.00	11.55	<=34.77	Pass	
24				18.71	-5.00	11.56	<=34.77	Pass		
12			0	18.73	-5.00	11.58	<=34.77	Pass		
	6		18.63	-5.00	11.48	<=34.77	Pass			
	13		18.56	-5.00	11.41	<=34.77	Pass			
25	0		18.67	-5.00	11.52	<=34.77	Pass			

Note1: ERP=Conducted Power+Antenna Gain-2.15

1.1.2 B13_10MHz_ERP

Band: 13 / Bandwidth: 10MHz / NTV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	ERP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	782	1	0	23.78	-5.00	16.63	<=34.77	Pass
			25	23.33	-5.00	16.18	<=34.77	Pass
			49	23.50	-5.00	16.35	<=34.77	Pass
		25	0	22.71	-5.00	15.56	<=34.77	Pass
			13	22.64	-5.00	15.49	<=34.77	Pass
			25	22.61	-5.00	15.46	<=34.77	Pass
		50	0	22.59	-5.00	15.44	<=34.77	Pass
16QAM	782	1	0	22.47	-5.00	15.32	<=34.77	Pass
			25	22.56	-5.00	15.41	<=34.77	Pass
			49	22.65	-5.00	15.50	<=34.77	Pass
		25	0	21.59	-5.00	14.44	<=34.77	Pass
			13	21.48	-5.00	14.33	<=34.77	Pass
			25	21.54	-5.00	14.39	<=34.77	Pass
		50	0	21.59	-5.00	14.44	<=34.77	Pass
64QAM	782	1	0	21.62	-5.00	14.47	<=34.77	Pass

			25	21.64	-5.00	14.49	<=34.77	Pass		
			49	21.40	-5.00	14.25	<=34.77	Pass		
		25	0	20.69	-5.00	13.54	<=34.77	Pass		
			13	20.74	-5.00	13.59	<=34.77	Pass		
			25	20.53	-5.00	13.38	<=34.77	Pass		
		50	0	20.61	-5.00	13.46	<=34.77	Pass		
		256QAM	782	1	0	18.72	-5.00	11.57	<=34.77	Pass
					25	18.69	-5.00	11.54	<=34.77	Pass
					49	18.75	-5.00	11.60	<=34.77	Pass
25	0			18.68	-5.00	11.53	<=34.77	Pass		
	13			18.48	-5.00	11.33	<=34.77	Pass		
	25			18.54	-5.00	11.39	<=34.77	Pass		
50	0			18.62	-5.00	11.47	<=34.77	Pass		

Note1: ERP=Conducted Power+Antenna Gain-2.15

2. Frequency Stability

2.1 Test Result

2.1.1 B13_10MHz

Band: 13 / Bandwidth: 10MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	782	50	0	20	3.6	-1.100	-0.0014	-2.5 to 2.5	Pass
					3.88	1.100	0.0014	-2.5 to 2.5	Pass
					4.53	-1.100	-0.0014	-2.5 to 2.5	Pass
				-30	3.88	-2.700	-0.0035	-2.5 to 2.5	Pass
				-20	3.88	-0.900	-0.0012	-2.5 to 2.5	Pass
				-10	3.88	-2.300	-0.0029	-2.5 to 2.5	Pass
				0	3.88	-3.300	-0.0042	-2.5 to 2.5	Pass
				10	3.88	-2.500	-0.0032	-2.5 to 2.5	Pass
				30	3.88	-4.000	-0.0051	-2.5 to 2.5	Pass
				40	3.88	-6.200	-0.0079	-2.5 to 2.5	Pass
				50	3.88	-3.000	-0.0038	-2.5 to 2.5	Pass

3. 99% & 26dB Bandwidth

3.1 Test Result

3.1.1 Band13_OBW



Band: 13 / NTNV							
Bandwidth (MHz)	Modulation	Frequency (MHz)	RB Allocation		99% Occupied Bandwidth (MHz)		Verdict
			Size	Offset	Result	Limit	
5	QPSK	782	25	0	4.512	/	Pass
	16QAM	782	25	0	4.495	/	Pass
10	QPSK	782	50	0	9.001	/	Pass
	16QAM	782	50	0	8.967	/	Pass

3.1.2 Band13_XDB


Band: 13 / NTNV							
Bandwidth (MHz)	Modulation	Frequency (MHz)	RB Allocation		26dB Bandwidth (MHz)		Verdict
			Size	Offset	Result	Limit	
5	QPSK	782	25	0	4.985	/	Pass
	16QAM	782	25	0	4.994	/	Pass
10	QPSK	782	50	0	9.724	/	Pass
	16QAM	782	50	0	9.686	/	Pass

3.2 Test Graph


3.2.1 Band13_OBW





Band13_10MHz_QPSK_MCH_782MHz_RB_50_0_NTNV




Band13_10MHz_16QAM_MCH_782MHz_RB_50_0_NTNV




3.2.2 Band13_XDB



Band13_10MHz_QPSK_MCH_782MHz_RB_50_0_NTNV



Band13_10MHz_16QAM_MCH_782MHz_RB_50_0_NTNV



4. Peak-Average Ratio


4.1 Test Result

4.1.1 B13_10MHz


Band: 13 / Bandwidth: 10MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	782	50	0	5.54	<=13	Pass
16QAM	782	50	0	6.28	<=13	Pass
64QAM	782	50	0	6.44	<=13	Pass
256QAM	782	50	0	6.56	<=13	Pass

4.2 Test Graph


4.2.1 B13_10MHz



Band13_10MHz_64QAM_MCH_782MHz_RB_50_0_NTNV



Band13_10MHz_256QAM_MCH_782MHz_RB_50_0_NTNV



5. Spurious Emission

5.1 Test Result

5.1.1 B13_5MHz


Band: 13 / Bandwidth: 5MHz / NTV						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	779.5	1	0	Refer To Test Graph	Pass	
		25	0	Refer To Test Graph	Pass	
	782	1	0	Refer To Test Graph	Pass	
	784.5	1	0	Refer To Test Graph	Pass	
			24	Refer To Test Graph	Pass	
		25	0	Refer To Test Graph	Pass	

5.1.2 B13_10MHz


Band: 13 / Bandwidth: 10MHz / NTV						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	782	1	0	Refer To Test Graph	Pass	
		50	0	Refer To Test Graph	Pass	
	782	1	49	Refer To Test Graph	Pass	
		50	0	Refer To Test Graph	Pass	

5.2 Test Graph

5.2.1 B13_5MHz




Band13_5MHz_QPSK_LCH_779.5MHz_RB_25_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
758	763	0.1	CHP	1	761.938	-67.80	-13	Pass
763	775	0.00625	CHP	2	774.825	-49.24	-35	Pass
775	776.9	0.1	CHP	3	776.850	-35.23	-13	Pass
776.9	777	0.03	CHP	4	777.000	-34.08	-13	Pass
777	784.5	0.03	CHP	/	/	/	/	/


Band13_5MHz_QPSK_MCH_782MHz_RB_1_0_NTNV



Band13_5MHz_QPSK_HCH_784.5MHz_RB_1_0_NTNV




Band13_5MHz_QPSK_HCH_784.5MHz_RB_1_24_NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
779.5	787	0.03	CHP	/	/	/	/	/
787	787.1	0.03	CHP	1	787.000	-21.38	-13	Pass
787.1	793	0.1	CHP	2	787.150	-26.38	-13	Pass
793	805	0.00625	CHP	3	793.170	-73.81	-35	Pass
805	810	0.1	CHP	4	807.357	-67.65	-13	Pass


Band13_5MHz_QPSK_HCH_784.5MHz_RB_25_0_NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
779.5	787	0.03	CHP	/	/	/	/	/
787	787.1	0.03	CHP	1	787.000	-34.36	-13	Pass
787.1	793	0.1	CHP	2	787.150	-35.12	-13	Pass
793	805	0.00625	CHP	3	793.014	-56.31	-35	Pass
805	810	0.1	CHP	4	807.132	-67.63	-13	Pass


5.2.2 B13_10MHz

Band13_10MHz_QPSK_LCH_782MHz_RB_1_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
758	763	0.1	CHP	1	761.839	-67.55	-13	Pass
763	775	0.00625	CHP	2	773.194	-58.10	-35	Pass
775	776.9	0.1	CHP	3	776.850	-27.02	-13	Pass
776.9	777	0.03	CHP	4	776.997	-26.30	-13	Pass
777	787	0.03	CHP	/	/	/	/	/
787	787.1	0.03	CHP	5	787.002	-54.64	-13	Pass
787.1	792	0.1	CHP	6	789.237	-48.48	-13	Pass

Band13_10MHz_QPSK_LCH_782MHz_RB_1_0_NTNV




Band13_10MHz_QPSK_LCH_782MHz_RB_50_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
758	763	0.1	CHP	1	761.723	-67.66	-13	Pass
763	775	0.00625	CHP	2	774.580	-52.82	-35	Pass
775	776.9	0.1	CHP	3	776.847	-39.33	-13	Pass
776.9	777	0.03	CHP	4	777.000	-41.21	-13	Pass
777	787	0.03	CHP	/	/	/	/	/
787	787.1	0.03	CHP	5	787.005	-41.39	-13	Pass
787.1	792	0.1	CHP	6	787.150	-39.00	-13	Pass

Band13_10MHz_QPSK_HCH_782MHz_RB_1_49_NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
772	775	0.00625	CHP	1	774.747	-59.92	-35	Pass
775	776.9	0.1	CHP	2	776.830	-48.09	-13	Pass
776.9	777	0.03	CHP	3	776.991	-54.21	-13	Pass
777	787	0.03	CHP	/	/	/	/	/
787	787.1	0.03	CHP	4	787.000	-26.68	-13	Pass
787.1	793	0.1	CHP	5	787.150	-27.25	-13	Pass
793	805	0.00625	CHP	6	793.011	-70.34	-35	Pass
805	810	0.1	CHP	7	807.643	-67.67	-13	Pass

Band13_10MHz_QPSK_HCH_782MHz_RB_50_0_NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
772	775	0.00625	CHP	1	774.580	-53.05	-35	Pass
775	776.9	0.1	CHP	2	776.841	-39.41	-13	Pass
776.9	777	0.03	CHP	3	776.998	-41.32	-13	Pass
777	787	0.03	CHP	/	/	/	/	/
787	787.1	0.03	CHP	4	787.000	-41.16	-13	Pass
787.1	793	0.1	CHP	5	787.150	-38.97	-13	Pass
793	805	0.00625	CHP	6	793.420	-56.32	-35	Pass
805	810	0.1	CHP	7	807.751	-67.55	-13	Pass

6. Field Strength of Spurious Radiation

For Sample 1

Test Band = LTE Band13_10M_TM1

Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dB μ V]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1606.8571	45.05	-48.27	25.41	-73.07	-40.00	33.07	Horizontal
2	1881.1429	43.00	-48.03	25.84	-74.45	-13.00	61.45	Horizontal
3	2419.4286	43.71	-47.42	27.04	-71.93	-13.00	58.93	Horizontal
4	2998.2857	43.63	-46.52	28.10	-70.05	-13.00	57.05	Horizontal
5	3524	43.20	-46.49	28.64	-69.91	-13.00	56.91	Horizontal
6	4574.8571	43.31	-45.74	30.72	-66.97	-13.00	53.97	Horizontal

Final Data List								
NO.	Frequency [MHz]	Reading [dB μ V]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1554.8571	47.33	-48.30	25.35	-70.87	-13.00	57.87	Vertical
2	2086.8571	44.87	-47.73	26.37	-71.75	-13.00	58.75	Vertical
3	2475.4286	44.46	-47.31	27.15	-70.96	-13.00	57.96	Vertical
4	2774.2857	44.29	-46.95	27.69	-70.23	-13.00	57.23	Vertical
5	3804	43.42	-46.16	29.09	-68.92	-13.00	55.92	Vertical
6	4018.2857	43.64	-46.15	29.44	-68.32	-13.00	55.32	Vertical

Test Band = LTE Band13_5M_TM1
Test Channel = Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1601.7143	44.04	-48.28	25.40	-74.10	-40.00	34.10	Horizontal
2	1837.7143	42.88	-47.99	25.71	-74.65	-13.00	61.65	Horizontal
3	2530.2857	43.35	-47.17	27.25	-71.82	-13.00	58.82	Horizontal
4	2716.5714	44.44	-47.03	27.59	-70.26	-13.00	57.26	Horizontal
5	3649.1429	43.40	-46.25	28.84	-69.27	-13.00	56.27	Horizontal
6	4590.2857	42.83	-45.77	30.74	-67.46	-13.00	54.46	Horizontal

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1607.4286	43.48	-48.27	25.41	-74.64	-40.00	34.64	Vertical
2	2110.2857	43.11	-47.71	26.42	-73.44	-13.00	60.44	Vertical
3	2406.2857	43.62	-47.44	27.01	-72.07	-13.00	59.07	Vertical
4	3047.4286	42.98	-46.63	28.15	-70.76	-13.00	57.76	Vertical
5	4128.5714	42.81	-45.92	29.71	-68.66	-13.00	55.66	Vertical
6	5657.7143	42.15	-44.87	32.33	-65.64	-13.00	52.64	Vertical

Test Band = LTE Band13_5M_TM1
Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1607.4286	44.96	-48.27	25.41	-73.16	-40.00	33.16	Horizontal
2	2057.1429	43.99	-47.79	26.31	-72.75	-13.00	59.75	Horizontal
3	2484	43.57	-47.30	27.17	-71.82	-13.00	58.82	Horizontal
4	3334.8571	43.84	-46.63	28.43	-69.62	-13.00	56.62	Horizontal
5	4277.1429	43.57	-45.82	30.07	-67.45	-13.00	54.45	Horizontal
6	5402.8571	42.91	-44.97	32.13	-65.20	-13.00	52.20	Horizontal

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1559.4286	48.03	-48.30	25.36	-70.17	-40.00	30.17	Vertical
2	1931.4286	44.49	-48.00	25.99	-72.78	-13.00	59.78	Vertical
3	2195.4286	44.61	-47.68	26.59	-71.74	-13.00	58.74	Vertical
4	2708	44.10	-47.04	27.57	-70.63	-13.00	57.63	Vertical
5	3500	43.51	-46.54	28.60	-69.69	-13.00	56.69	Vertical
6	3528	42.96	-46.48	28.64	-70.14	-13.00	57.14	Vertical

Test Band = LTE Band13_5M_TM1
Test Channel = High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1564.5714	46.54	-48.29	25.36	-71.65	-40.00	31.65	Horizontal
2	1976.5714	44.52	-47.94	26.13	-72.55	-13.00	59.55	Horizontal
3	2306.2857	44.37	-47.50	26.81	-71.57	-13.00	58.57	Horizontal
4	2756.5714	43.76	-46.98	27.66	-70.81	-13.00	57.81	Horizontal
5	3328.5714	43.62	-46.64	28.43	-69.85	-13.00	56.85	Horizontal
6	4760	43.16	-45.70	31.02	-66.79	-13.00	53.79	Horizontal

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1564.5714	48.13	-48.29	25.36	-70.06	-40.00	30.06	Vertical
2	2245.7143	43.11	-47.60	26.69	-73.06	-13.00	60.06	Vertical
3	2562.2857	43.03	-47.06	27.31	-71.98	-13.00	58.98	Vertical
4	3470.2857	41.81	-46.54	28.57	-71.42	-13.00	58.42	Vertical
5	4301.1429	42.73	-45.78	30.12	-68.19	-13.00	55.19	Vertical
6	8399.4286	39.33	-41.68	36.86	-60.75	-13.00	47.75	Vertical