





### N71(5M)\_CP-OFDM\_QPSK\_Outer\_Full\_Mid\_CH




### N71(5M)\_CP-OFDM\_16QAM\_Outer\_Full\_Mid\_CH



### N71(5M)\_CP-OFDM\_64QAM\_Outer\_Full\_Mid\_CH




### N71(5M)\_CP-OFDM\_256QAM\_Outer\_Full\_Mid\_CH







### N71(10M)\_CP-OFDM\_QPSK\_Outer\_Full\_Mid\_CH




### N71(10M)\_CP-OFDM\_16QAM\_Outer\_Full\_Mid\_CH



### N71(10M)\_CP-OFDM\_64QAM\_Outer\_Full\_Mid\_CH




### N71(10M)\_CP-OFDM\_256QAM\_Outer\_Full\_Mid\_CH







N71(15M)\_CP-OFDM\_QPSK\_Outer\_Full\_Mid\_CH




N71(15M)\_CP-OFDM\_16QAM\_Outer\_Full\_Mid\_CH



N71(15M)\_CP-OFDM\_64QAM\_Outer\_Full\_Mid\_CH




N71(15M)\_CP-OFDM\_256QAM\_Outer\_Full\_Mid\_CH







N71(20M)\_CP-OFDM\_QPSK\_Outer\_Full\_Mid\_CH




N71(20M)\_CP-OFDM\_16QAM\_Outer\_Full\_Mid\_CH



N71(20M)\_CP-OFDM\_64QAM\_Outer\_Full\_Mid\_CH




N71(20M)\_CP-OFDM\_256QAM\_Outer\_Full\_Mid\_CH







N71(25M)\_CP-OFDM\_QPSK\_Outer\_Full\_Mid\_CH




N71(25M)\_CP-OFDM\_16QAM\_Outer\_Full\_Mid\_CH



N71(25M)\_CP-OFDM\_64QAM\_Outer\_Full\_Mid\_CH




N71(25M)\_CP-OFDM\_256QAM\_Outer\_Full\_Mid\_CH







N71(30M)\_CP-OFDM\_QPSK\_Outer\_Full\_Mid\_CH




N71(30M)\_CP-OFDM\_16QAM\_Outer\_Full\_Mid\_CH



N71(30M)\_CP-OFDM\_64QAM\_Outer\_Full\_Mid\_CH




N71(30M)\_CP-OFDM\_256QAM\_Outer\_Full\_Mid\_CH







### N71(35M)\_CP-OFDM\_QPSK\_Outer\_Full\_Mid\_CH




### N71(35M)\_CP-OFDM\_16QAM\_Outer\_Full\_Mid\_CH



### N71(35M)\_CP-OFDM\_64QAM\_Outer\_Full\_Mid\_CH



### N71(35M)\_CP-OFDM\_256QAM\_Outer\_Full\_Mid\_CH





### Conducted Spurious Emissions

NR Band	SCS (kHz)	Bandwidth (MHz)	Arfcn	Freq (MHz)	Modulation	RB	Result	Verdict
71	15	5	133100	665.5	DFT-s-OFDM BPSK	1@0	see graph	---
71	15	5	133100	665.5	DFT-s-OFDM BPSK	1@0	see graph	PASS
71	15	5	133100	665.5	DFT-s-OFDM QPSK	1@0	see graph	---
71	15	5	133100	665.5	DFT-s-OFDM QPSK	1@0	see graph	PASS
71	15	5	136100	680.5	DFT-s-OFDM BPSK	1@0	see graph	---
71	15	5	136100	680.5	DFT-s-OFDM BPSK	1@0	see graph	PASS
71	15	5	136100	680.5	DFT-s-OFDM QPSK	1@0	see graph	---
71	15	5	136100	680.5	DFT-s-OFDM QPSK	1@0	see graph	PASS
71	15	5	139100	695.5	DFT-s-OFDM BPSK	1@0	see graph	---
71	15	5	139100	695.5	DFT-s-OFDM BPSK	1@0	see graph	PASS
71	15	5	139100	695.5	DFT-s-OFDM QPSK	1@0	see graph	---
71	15	5	139100	695.5	DFT-s-OFDM QPSK	1@0	see graph	PASS
71	15	20	134600	673.0	DFT-s-OFDM BPSK	1@0	see graph	---
71	15	20	134600	673.0	DFT-s-OFDM BPSK	1@0	see graph	PASS
71	15	20	134600	673.0	DFT-s-OFDM QPSK	1@0	see graph	---
71	15	20	134600	673.0	DFT-s-OFDM QPSK	1@0	see graph	PASS
71	15	20	136100	680.5	DFT-s-OFDM BPSK	1@0	see graph	---
71	15	20	136100	680.5	DFT-s-OFDM BPSK	1@0	see graph	PASS
71	15	20	136100	680.5	DFT-s-OFDM QPSK	1@0	see graph	---
71	15	20	136100	680.5	DFT-s-OFDM QPSK	1@0	see graph	PASS



71	15	20	137600	688.0	DFT-s-OFDM BPSK	1@0	see graph	---
71	15	20	137600	688.0	DFT-s-OFDM BPSK	1@0	see graph	<b>PASS</b>
71	15	20	137600	688.0	DFT-s-OFDM QPSK	1@0	see graph	---
71	15	20	137600	688.0	DFT-s-OFDM QPSK	1@0	see graph	<b>PASS</b>
71	15	35	136100	680.5	DFT-s-OFDM BPSK	1@0	see graph	---
71	15	35	136100	680.5	DFT-s-OFDM BPSK	1@0	see graph	<b>PASS</b>
71	15	35	136100	680.5	DFT-s-OFDM QPSK	1@0	see graph	---
71	15	35	136100	680.5	DFT-s-OFDM QPSK	1@0	see graph	<b>PASS</b>



N71(5M)\_DFT-s-OFDM\_BPSK\_Edge\_1RB\_Left\_Low\_CH



N71(5M)\_DFT-s-OFDM\_QPSK\_Edge\_1RB\_Left\_Low\_CH



N71(5M)\_DFT-s-OFDM\_BPSK\_Edge\_1RB\_Left\_Mid\_CH



N71(5M)\_DFT-s-OFDM\_QPSK\_Edge\_1RB\_Left\_Mid\_CH






N71(5M)\_DFT-s-OFDM\_BPSK\_Edge\_1RB\_Left\_High\_CH



N71(5M)\_DFT-s-OFDM\_QPSK\_Edge\_1RB\_Left\_High\_CH



N71(20M)\_DFT-s-OFDM\_BPSK\_Edge\_1RB\_Left\_Low\_CH



N71(20M)\_DFT-s-OFDM\_QPSK\_Edge\_1RB\_Left\_Low\_CH





N71(20M)\_DFT-s-OFDM\_BPSK\_Edge\_1RB\_Left\_Mid\_CH



N71(20M)\_DFT-s-OFDM\_QPSK\_Edge\_1RB\_Left\_Mid\_CH



N71(20M)\_DFT-s-OFDM\_BPSK\_Edge\_1RB\_Left\_High\_CH




N71(20M)\_DFT-s-OFDM\_QPSK\_Edge\_1RB\_Left\_High\_CH





N71(35M)\_DFT-s-OFDM\_BPSK\_Edge\_1RB\_Left\_Mid\_CH



N71(35M)\_DFT-s-OFDM\_QPSK\_Edge\_1RB\_Left\_Mid\_CH





### Conducted Band Edge


NR Band	SCS (kHz)	Bandwidth (MHz)	Arfcn	Freq (MHz)	Modulation	RB	Result	Verdict
71	15	5	133100	665.5	DFT-s-OFDM BPSK	1@0	see graph	PASS
71	15	5	133100	665.5	DFT-s-OFDM QPSK	1@0	see graph	PASS
71	15	5	133100	665.5	DFT-s-OFDM BPSK	25@0	see graph	PASS
71	15	5	133100	665.5	DFT-s-OFDM QPSK	25@0	see graph	PASS
71	15	5	139100	695.5	DFT-s-OFDM BPSK	1@24	see graph	PASS
71	15	5	139100	695.5	DFT-s-OFDM QPSK	1@24	see graph	PASS
71	15	5	139100	695.5	DFT-s-OFDM BPSK	25@0	see graph	PASS
71	15	5	139100	695.5	DFT-s-OFDM QPSK	25@0	see graph	PASS
71	15	20	134600	673.0	DFT-s-OFDM BPSK	1@0	see graph	PASS
71	15	20	134600	673.0	DFT-s-OFDM QPSK	1@0	see graph	PASS
71	15	20	134600	673.0	DFT-s-OFDM BPSK	100@0	see graph	PASS
71	15	20	134600	673.0	DFT-s-OFDM QPSK	100@0	see graph	PASS
71	15	20	137600	688.0	DFT-s-OFDM BPSK	1@105	see graph	PASS
71	15	20	137600	688.0	DFT-s-OFDM QPSK	1@105	see graph	PASS
71	15	20	137600	688.0	DFT-s-OFDM BPSK	100@0	see graph	PASS
71	15	20	137600	688.0	DFT-s-OFDM QPSK	100@0	see graph	PASS
71	15	30	135600	678.0	DFT-s-OFDM BPSK	1@0	see graph	PASS
71	15	30	135600	678.0	DFT-s-OFDM QPSK	1@0	see graph	PASS
71	15	30	135600	678.0	DFT-s-OFDM BPSK	160@0	see graph	PASS
71	15	30	135600	678.0	DFT-s-OFDM QPSK	160@0	see graph	PASS




71	15	30	136600	683.0	DFT-s-OFDM BPSK	1@159	see graph	<b>PASS</b>
71	15	30	136600	683.0	DFT-s-OFDM QPSK	1@159	see graph	<b>PASS</b>
71	15	30	136600	683.0	DFT-s-OFDM BPSK	160@0	see graph	<b>PASS</b>
71	15	30	136600	683.0	DFT-s-OFDM QPSK	160@0	see graph	<b>PASS</b>



N71(5M)\_DFT-s-OFDM\_BPSK\_Edge\_1RB\_Left\_Low\_CH




N71(5M)\_DFT-s-OFDM\_QPSK\_Edge\_1RB\_Left\_Low\_CH



N71(5M)\_DFT-s-OFDM\_BPSK\_Outer\_Full\_Low\_CH




N71(5M)\_DFT-s-OFDM\_QPSK\_Outer\_Full\_Low\_CH






N71(5M)\_DFT-s-OFDM\_BPSK\_Edge\_1RB\_Right\_High\_CH



N71(5M)\_DFT-s-OFDM\_QPSK\_Edge\_1RB\_Right\_High\_CH



N71(5M)\_DFT-s-OFDM\_BPSK\_Outer\_Full\_High\_CH




N71(5M)\_DFT-s-OFDM\_QPSK\_Outer\_Full\_High\_CH







N71(20M)\_DFT-s-OFDM\_BPSK\_Edge\_1RB\_Left\_Low\_CH




N71(20M)\_DFT-s-OFDM\_QPSK\_Edge\_1RB\_Left\_Low\_CH



N71(20M)\_DFT-s-OFDM\_BPSK\_Outer\_Full\_Low\_CH



N71(20M)\_DFT-s-OFDM\_QPSK\_Outer\_Full\_Low\_CH






N71(20M)\_DFT-s-OFDM\_BPSK\_Edge\_1RB\_Right\_High\_CH



N71(20M)\_DFT-s-OFDM\_QPSK\_Edge\_1RB\_Right\_High\_CH



N71(20M)\_DFT-s-OFDM\_BPSK\_Outer\_Full\_High\_CH




N71(20M)\_DFT-s-OFDM\_QPSK\_Outer\_Full\_High\_CH







N71(30M)\_DFT-s-OFDM\_BPSK\_Edge\_1RB\_Left\_Low\_CH




N71(30M)\_DFT-s-OFDM\_QPSK\_Edge\_1RB\_Left\_Low\_CH



N71(30M)\_DFT-s-OFDM\_BPSK\_Outer\_Full\_Low\_CH




N71(30M)\_DFT-s-OFDM\_QPSK\_Outer\_Full\_Low\_CH






N71(30M)\_DFT-s-OFDM\_BPSK\_Edge\_1RB\_Right\_High\_CH



N71(30M)\_DFT-s-OFDM\_QPSK\_Edge\_1RB\_Right\_High\_CH



N71(30M)\_DFT-s-OFDM\_BPSK\_Outer\_Full\_High\_CH



N71(30M)\_DFT-s-OFDM\_QPSK\_Outer\_Full\_High\_CH





## Appendix B. Test Results of Radiated Test

### Radiated Spurious Emission

Test Engineer :	Bruce	Temperature :	23~25°C
		Relative Humidity :	41~42%

Note: Pre-scanned harmonic for the different antenna combinations, we choose the worst antenna mode to perform final test.

n7 SA / NR 50MHz / QPSK(ANT1)								
Channel	Frequency ( MHz )	EIRP ( dBm )	Limit ( dBm )	Over Limit ( dB )	S.G. Power ( dBm )	TX Cable loss ( dB )	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	5008	-57.52	-25	-32.52	-67.73	3.03	13.24	H
	7500	-53.48	-25	-28.48	-62.93	3.56	13.01	H
	10006	-57.12	-25	-32.12	-66.64	3.92	13.44	H
	5008	-59.38	-25	-34.38	-69.59	3.03	13.24	V
	7500	-53.10	-25	-28.10	-62.55	3.56	13.01	V
	10006	-60.17	-25	-35.17	-69.69	3.92	13.44	V
Middle	5022	-61.47	-25	-36.47	-71.68	3.03	13.24	H
	7528	-53.81	-25	-28.81	-63.26	3.56	13.01	H
	10048	-60.50	-25	-35.50	-70.02	3.92	13.44	H
	5022	-62.65	-25	-37.65	-72.86	3.03	13.24	V
	7528	-56.65	-25	-31.65	-66.10	3.56	13.01	V
	10048	-59.65	-25	-34.65	-69.17	3.92	13.44	V
Highest	5036	-60.66	-25	-35.66	-70.87	3.03	13.24	H
	7556	-52.18	-25	-27.18	-61.63	3.56	13.01	H
	10090	-60.47	-25	-35.47	-69.99	3.92	13.44	H
	5036	-61.10	-25	-36.10	-71.31	3.03	13.24	V
	7556	-52.91	-25	-27.91	-62.36	3.56	13.01	V
	10090	-60.87	-25	-35.87	-70.39	3.92	13.44	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



EN-DC_12A_n7A / LTE 10MHz + NR 50MHz / QPSK (ANT0+1)								
Channel	Frequency ( MHz )	EIRP ( dBm )	Limit ( dBm )	Over Limit ( dB )	S.G. Power ( dBm )	TX Cable loss ( dB )	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	5008	-64.46	-25	-39.46	-74.67	3.03	13.24	H
	7514	-61.61	-25	-36.61	-71.06	3.56	13.01	H
	10006	-58.69	-25	-33.69	-68.21	3.92	13.44	H
	5008	-64.69	-25	-39.69	-74.90	3.03	13.24	V
	7514	-61.19	-25	-36.19	-70.64	3.56	13.01	V
	10006	-60.04	-25	-35.04	-69.56	3.92	13.44	V
Middle	5022	-64.46	-25	-39.46	-74.67	3.03	13.24	H
	7542	-61.86	-25	-36.86	-71.31	3.56	13.01	H
	10048	-60.54	-25	-35.54	-70.06	3.92	13.44	H
	5022	-64.59	-25	-39.59	-74.80	3.03	13.24	V
	7542	-61.84	-25	-36.84	-71.29	3.56	13.01	V
	10048	-62.05	-25	-37.05	-71.57	3.92	13.44	V
Highest	5050	-64.22	-25	-39.22	-74.43	3.03	13.24	H
	7570	-61.69	-25	-36.69	-71.14	3.56	13.01	H
	10090	-59.38	-25	-34.38	-68.90	3.92	13.44	H
	5050	-64.25	-25	-39.25	-74.46	3.03	13.24	V
	7570	-61.14	-25	-36.14	-70.59	3.56	13.01	V
	10090	-60.89	-25	-35.89	-70.41	3.92	13.44	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.

n12 SA / NR 15MHz / QPSK(ANT4)								
Channel	Frequency ( MHz )	ERP ( dBm )	Limit ( dBm )	Over Limit ( dB )	S.G. Power ( dBm )	TX Cable loss ( dB )	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	1399.68	-56.01	-13	-43.01	-62.98	1.58	10.70	H
	2099.52	-51.74	-13	-38.74	-59.99	2.102	12.50	H
	2799.36	-56.07	-13	-43.07	-64.96	2.856	13.90	H
	1399.68	-61.23	-13	-48.23	-68.20	1.58	10.70	V
	2099.52	-58.72	-13	-45.72	-66.97	2.10	12.50	V
	2799.36	-58.43	-13	-45.43	-67.32	2.86	13.90	V
Middle	1401.68	-55.53	-13	-42.53	-62.50	1.58	10.70	H
	2102.52	-50.79	-13	-37.79	-59.04	2.102	12.50	H
	2803.36	-55.90	-13	-42.90	-64.79	2.856	13.90	H
	1401.68	-59.50	-13	-46.50	-66.47	1.58	10.70	V
	2102.52	-57.43	-13	-44.43	-65.68	2.10	12.50	V
	2803.36	-59.20	-13	-46.20	-68.09	2.86	13.90	V
Highest	1403.68	-55.00	-13	-42.00	-61.97	1.58	10.70	H
	2104	-50.06	-13	-37.06	-58.31	2.102	12.50	H
	2808	-55.90	-13	-42.90	-64.79	2.856	13.90	H
	1403.68	-59.17	-13	-46.17	-66.14	1.58	10.70	V
	2104	-57.69	-13	-44.69	-65.94	2.10	12.50	V
	2808	-59.08	-13	-46.08	-67.97	2.86	13.90	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



EN-DC_66A_n12A / LTE 20MHz + NR 15MHz / QPSK (ANT1+4)								
Channel	Frequency ( MHz )	ERP ( dBm )	Limit ( dBm )	Over Limit ( dB )	S.G. Power ( dBm )	TX Cable loss ( dB )	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	1399.68	-66.65	-13	-53.65	-73.62	1.58	10.70	H
	2099.52	-61.86	-13	-48.86	-70.11	2.102	12.50	H
	2799.36	-58.44	-13	-45.44	-67.33	2.856	13.90	H
	1399.68	-66.13	-13	-53.13	-73.10	1.58	10.70	V
	2099.52	-61.17	-13	-48.17	-69.42	2.10	12.50	V
	2799.36	-58.06	-13	-45.06	-66.95	2.86	13.90	V
Middle	1401.68	-66.48	-13	-53.48	-73.45	1.58	10.70	H
	2102.52	-62.73	-13	-49.73	-70.98	2.102	12.50	H
	2803.36	-58.66	-13	-45.66	-67.55	2.856	13.90	H
	1401.68	-66.69	-13	-53.69	-73.66	1.58	10.70	V
	2102.52	-61.44	-13	-48.44	-69.69	2.10	12.50	V
	2803.36	-57.86	-13	-44.86	-66.75	2.86	13.90	V
Highest	1403.68	-66.83	-13	-53.83	-73.80	1.58	10.70	H
	2105.52	-62.34	-13	-49.34	-70.59	2.102	12.50	H
	2807.36	-59.26	-13	-46.26	-68.15	2.856	13.90	H
	1403.68	-66.51	-13	-53.51	-73.48	1.58	10.70	V
	2105.52	-61.84	-13	-48.84	-70.09	2.10	12.50	V
	2807.36	-58.23	-13	-45.23	-67.12	2.86	13.90	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.

n41 SA / NR 100MHz / QPSK(ANT1)								
Channel	Frequency ( MHz )	EIRP ( dBm )	Limit ( dBm )	Over Limit ( dB )	S.G. Power ( dBm )	TX Cable loss ( dB )	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	4994	-55.16	-25	-30.16	-65.37	3.03	13.24	H
	7486	-52.58	-25	-27.58	-62.03	3.56	13.01	H
	9992	-61.65	-25	-36.65	-71.17	3.92	13.44	H
	4994	-60.91	-25	-35.91	-71.12	3.03	13.24	V
	7486	-53.16	-25	-28.16	-62.61	3.56	13.01	V
	9992	-54.27	-25	-29.27	-63.79	3.92	13.44	V
Middle	5092	-57.45	-25	-32.45	-67.66	3.03	13.24	H
	7626	-43.34	-25	-18.34	-52.79	3.56	13.01	H
	10188	-61.26	-25	-36.26	-70.78	3.92	13.44	H
	5092	-61.27	-25	-36.27	-71.48	3.03	13.24	V
	7626	-49.01	-25	-24.01	-58.46	3.56	13.01	V
	10188	-61.95	-25	-36.95	-71.47	3.92	13.44	V
Highest	5176	-59.86	-25	-34.86	-70.07	3.03	13.24	H
	7780	-50.13	-25	-25.13	-59.58	3.56	13.01	H
	10384	-61.59	-25	-36.59	-71.11	3.92	13.44	H
	5176	-61.43	-25	-36.43	-71.64	3.03	13.24	V
	7780	-52.51	-25	-27.51	-61.96	3.56	13.01	V
	10384	-61.83	-25	-36.83	-71.35	3.92	13.44	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



EN-DC_71A_n41A / LTE 20MHz + NR 100MHz / QPSK (ANT4+1)								
Channel	Frequency ( MHz )	EIRP ( dBm )	Limit ( dBm )	Over Limit ( dB )	S.G. Power ( dBm )	TX Cable loss ( dB )	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	5008	-64.41	-25	-39.41	-74.62	3.03	13.24	H
	7500	-61.22	-25	-36.22	-70.67	3.56	13.01	H
	10006	-61.57	-25	-36.57	-71.09	3.92	13.44	H
	5008	-64.59	-25	-39.59	-74.80	3.03	13.24	V
	7500	-61.75	-25	-36.75	-71.20	3.56	13.01	V
	10006	-61.89	-25	-36.89	-71.41	3.92	13.44	V
Middle	5092	-64.51	-25	-39.51	-74.72	3.03	13.24	H
	7640	-61.23	-25	-36.23	-70.68	3.56	13.01	H
	10188	-60.91	-25	-35.91	-70.43	3.92	13.44	H
	5092	-64.58	-25	-39.58	-74.79	3.03	13.24	V
	7640	-60.77	-25	-35.77	-70.22	3.56	13.01	V
	10188	-60.82	-25	-35.82	-70.34	3.92	13.44	V
Highest	5190	-64.82	-25	-39.82	-75.03	3.03	13.24	H
	7780	-61.11	-25	-36.11	-70.56	3.56	13.01	H
	10384	-59.67	-25	-34.67	-69.19	3.92	13.44	H
	5190	-64.90	-25	-39.90	-75.11	3.03	13.24	V
	7780	-58.88	-25	-33.88	-68.33	3.56	13.01	V
	10384	-59.70	-25	-34.70	-69.22	3.92	13.44	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.

n71 SA / NR 35MHz / QPSK(ANT0)								
Channel	Frequency ( MHz )	ERP ( dBm )	Limit ( dBm )	Over Limit ( dB )	S.G. Power ( dBm )	TX Cable loss ( dB )	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	1328	-65.17	-13	-52.17	-66.92	1.02	4.92	H
	1992	-59.42	-13	-46.42	-61.39	1.27	5.39	H
	2656	-57.69	-13	-44.69	-60.62	1.49	6.57	H
	1328	-64.36	-13	-51.36	-66.11	1.02	4.92	V
	1992	-58.56	-13	-45.56	-60.53	1.27	5.39	V
	2656	-57.41	-13	-44.41	-60.34	1.49	6.57	V
Middle	1328	-55.34	-13	-42.34	-57.09	1.02	4.92	H
	1992	-51.80	-13	-38.80	-53.77	1.27	5.39	H
	2656	-55.68	-13	-42.68	-58.61	1.49	6.57	H
	1328	-55.79	-13	-42.79	-57.54	1.02	4.92	V
	1992	-54.78	-13	-41.78	-56.75	1.27	5.39	V
	2656	-57.18	-13	-44.18	-60.11	1.49	6.57	V
Highest	1360	-53.39	-13	-40.39	-55.14	1.02	4.92	H
	2032	-50.46	-13	-37.46	-52.43	1.27	5.39	H
	2712	-54.29	-13	-41.29	-57.22	1.49	6.57	H
	1360	-53.66	-13	-40.66	-55.41	1.02	4.92	V
	2032	-55.11	-13	-42.11	-57.08	1.27	5.39	V
	2712	-57.22	-13	-44.22	-60.15	1.49	6.57	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



EN-DC_48A_n71A / LTE 10MHz + NR 35MHz / QPSK (ANT4+0)								
Channel	Frequency ( MHz )	EIRP ( dBm )	Limit ( dBm )	Over Limit ( dB )	S.G. Power ( dBm )	TX Cable loss ( dB )	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	1312	-65.32	-13	-52.32	-67.07	1.02	4.92	H
	1976	-59.29	-13	-46.29	-61.26	1.27	5.39	H
	2632	-57.54	-13	-44.54	-60.47	1.49	6.57	H
	1312	-64.12	-13	-51.12	-65.87	1.02	4.92	V
	1976	-58.30	-13	-45.30	-60.27	1.27	5.39	V
	2632	-57.06	-13	-44.06	-59.99	1.49	6.57	V
Middle	1328	-52.44	-13	-39.44	-54.19	1.02	4.92	H
	1992	-56.83	-13	-43.83	-58.80	1.27	5.39	H
	2656	-57.54	-13	-44.54	-60.47	1.49	6.57	H
	1328	-54.34	-13	-41.34	-56.09	1.02	4.92	V
	1992	-56.67	-13	-43.67	-58.64	1.27	5.39	V
	2656	-57.03	-13	-44.03	-59.96	1.49	6.57	V
Highest	1344	-64.73	-13	-51.73	-66.48	1.02	4.92	H
	2016	-59.53	-13	-46.53	-61.50	1.27	5.39	H
	2688	-56.84	-13	-43.84	-59.77	1.49	6.57	H
	1344	-64.33	-13	-51.33	-66.08	1.02	4.92	V
	2016	-58.63	-13	-45.63	-60.60	1.27	5.39	V
	2688	-56.84	-13	-43.84	-59.77	1.49	6.57	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.