















Mode	84																																																																																																		
	Band Edge																																																																																																		
	U-NII-2A_5.25-5.35_802.11ax HE20_CH64_RU26/8_5320MHz																																																																																																		
ANT	CDD 6+10																																																																																																		
Pol.	Vertical						Fundamental																																																																																												
Peak																																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5358.40</td><td>50.91</td><td>74.00</td><td>-23.09</td><td>41.92</td><td>34.60</td><td>10.75</td><td>36.36</td><td>0.00</td><td>307 70 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5358.40	50.91	74.00	-23.09	41.92	34.60	10.75	36.36	0.00	307 70 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5320.00</td><td>105.45</td><td>-----</td><td>-----</td><td>96.53</td><td>34.58</td><td>10.74</td><td>36.40</td><td>0.00</td><td>307 70 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5320.00	105.45	-----	-----	96.53	34.58	10.74	36.40	0.00
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5358.40	50.91	74.00	-23.09	41.92	34.60	10.75	36.36	0.00	307 70 PEAK																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5320.00	105.45	-----	-----	96.53	34.58	10.74	36.40	0.00	307 70 PEAK																																																																																									
Avg																																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5356.20</td><td>40.44</td><td>54.00</td><td>-13.56</td><td>31.45</td><td>34.60</td><td>10.75</td><td>36.36</td><td>0.00</td><td>307 70 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5356.20	40.44	54.00	-13.56	31.45	34.60	10.75	36.36	0.00	307 70 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5320.00</td><td>97.26</td><td>-----</td><td>-----</td><td>88.34</td><td>34.58</td><td>10.74</td><td>36.40</td><td>0.00</td><td>307 70 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5320.00	97.26	-----	-----	88.34	34.58	10.74	36.40	0.00
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5356.20	40.44	54.00	-13.56	31.45	34.60	10.75	36.36	0.00	307 70 AVERAGE																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5320.00	97.26	-----	-----	88.34	34.58	10.74	36.40	0.00	307 70 AVERAGE																																																																																									







		85																																																																																																	
Mode		Band Edge																																																																																																	
		U-NII-2A_5.25-5.35_802.11ax HE20_CH64_RU52/40_5320MHz																																																																																																	
ANT		CDD 6+10																																																																																																	
Pol.	Horizontal										Fundamental																																																																																								
Peak																																																																																																			
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5354.50	54.50	74.00	-19.50	45.51	34.60	10.75	36.36	0.00	100	105 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5320.00</td><td>109.10</td><td>-----</td><td>-----</td><td>100.18</td><td>34.58</td><td>10.74</td><td>36.40</td><td>0.00</td><td>100</td><td>105 PEAK</td></tr></table>											Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5320.00	109.10	-----	-----	100.18	34.58	10.74	36.40	0.00	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5354.50	54.50	74.00	-19.50	45.51	34.60	10.75	36.36	0.00	100	105 PEAK																																																																																								
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5320.00	109.10	-----	-----	100.18	34.58	10.74	36.40	0.00	100	105 PEAK																																																																																								
Avg																																																																																																			
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5356.70	41.74	54.00	-12.26	32.75	34.60	10.75	36.36	0.00	100	105 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5320.00</td><td>101.50</td><td>-----</td><td>-----</td><td>92.66</td><td>34.58</td><td>10.74</td><td>36.40</td><td>0.00</td><td>100</td><td>105 AVERAGE</td></tr></table>											Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5320.00	101.50	-----	-----	92.66	34.58	10.74	36.40	0.00	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5356.70	41.74	54.00	-12.26	32.75	34.60	10.75	36.36	0.00	100	105 AVERAGE																																																																																								
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5320.00	101.50	-----	-----	92.66	34.58	10.74	36.40	0.00	100	105 AVERAGE																																																																																								







		85																																																																																						
Mode		Band Edge																																																																																						
		U-NII-2A_5.25-5.35_802.11ax HE20_CH64_RU52/40_5320MHz																																																																																						
ANT		CDD 6+10																																																																																						
Pol.	Vertical										Fundamental																																																																													
Peak																																																																																								
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5370.10	51.31	74.00	-22.69	42.28	34.61	10.76	36.34	0.00	315 70 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5320.00</td><td>109.61</td><td>-----</td><td>-----</td><td>100.69</td><td>34.58</td><td>10.74</td><td>36.40</td><td>0.00</td><td>315 70 PEAK</td></tr></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5320.00	109.61	-----	-----	100.69	34.58	10.74	36.40	0.00
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																														
1	5370.10	51.31	74.00	-22.69	42.28	34.61	10.76	36.34	0.00	315 70 PEAK																																																																														
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																														
1	5320.00	109.61	-----	-----	100.69	34.58	10.74	36.40	0.00	315 70 PEAK																																																																														
Avg																																																																																								
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5357.70	40.90	54.00	-13.10	31.91	34.60	10.75	36.36	0.00	315 70 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5320.00</td><td>100.21</td><td>-----</td><td>-----</td><td>91.29</td><td>34.58</td><td>10.74</td><td>36.40</td><td>0.00</td><td>315 70 AVERAGE</td></tr></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5320.00	100.21	-----	-----	91.29	34.58	10.74	36.40	0.00
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																														
1	5357.70	40.90	54.00	-13.10	31.91	34.60	10.75	36.36	0.00	315 70 AVERAGE																																																																														
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																														
1	5320.00	100.21	-----	-----	91.29	34.58	10.74	36.40	0.00	315 70 AVERAGE																																																																														







		86																																																																																																											
Mode		Band Edge																																																																																																											
		U-NII-2A_5.25-5.35_802.11ax HE20_CH64_RU106/54_5320MHz																																																																																																											
ANT		CDD 6+10																																																																																																											
Pol.	Horizontal										Fundamental																																																																																																		
Peak																																																																																																													
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5352.70</td><td>54.77</td><td>74.00</td><td>-19.23</td><td>45.79</td><td>34.60</td><td>10.75</td><td>36.37</td><td>0.00</td><td>100</td><td>85 PEAK</td></tr></table>											Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5352.70	54.77	74.00	-19.23	45.79	34.60	10.75	36.37	0.00	100	85 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5320.00</td><td>109.52</td><td>-----</td><td>-----</td><td>100.62</td><td>34.57</td><td>10.73</td><td>36.40</td><td>0.00</td><td>100</td><td>85 PEAK</td></tr></table>											Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5320.00	109.52	-----	-----	100.62	34.57	10.73	36.40	0.00	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																			
1	5352.70	54.77	74.00	-19.23	45.79	34.60	10.75	36.37	0.00	100	85 PEAK																																																																																																		
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																			
1	5320.00	109.52	-----	-----	100.62	34.57	10.73	36.40	0.00	100	85 PEAK																																																																																																		
Avg																																																																																																													
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5351.20</td><td>43.27</td><td>54.00</td><td>-10.73</td><td>34.30</td><td>34.59</td><td>10.75</td><td>36.37</td><td>0.00</td><td>100</td><td>85 AVERAGE</td></tr></table>											Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5351.20	43.27	54.00	-10.73	34.30	34.59	10.75	36.37	0.00	100	85 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5320.00</td><td>100.59</td><td>-----</td><td>-----</td><td>91.69</td><td>34.57</td><td>10.73</td><td>36.40</td><td>0.00</td><td>100</td><td>85 AVERAGE</td></tr></table>											Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5320.00	100.59	-----	-----	91.69	34.57	10.73	36.40	0.00	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																			
1	5351.20	43.27	54.00	-10.73	34.30	34.59	10.75	36.37	0.00	100	85 AVERAGE																																																																																																		
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																			
1	5320.00	100.59	-----	-----	91.69	34.57	10.73	36.40	0.00	100	85 AVERAGE																																																																																																		



Mode	86																																																																																																	
	Band Edge																																																																																																	
	U-NII-2A_5.25-5.35_802.11ax HE20_CH64_RU106/54_5320MHz																																																																																																	
ANT	CDD 6+10																																																																																																	
Pol.	Vertical						Fundamental																																																																																											
Peak																																																																																																		
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5351.50</td><td>53.21</td><td>74.00</td><td>-20.79</td><td>44.24</td><td>34.59</td><td>10.75</td><td>36.37</td><td>0.00</td><td>302 52 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5351.50	53.21	74.00	-20.79	44.24	34.59	10.75	36.37	0.00	302 52 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5320.00</td><td>108.30</td><td>-----</td><td>-----</td><td>99.40</td><td>34.57</td><td>10.73</td><td>36.40</td><td>0.00</td><td>302 52 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5320.00	108.30	-----	-----	99.40	34.57	10.73	36.40	0.00
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5351.50	53.21	74.00	-20.79	44.24	34.59	10.75	36.37	0.00	302 52 PEAK																																																																																								
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5320.00	108.30	-----	-----	99.40	34.57	10.73	36.40	0.00	302 52 PEAK																																																																																								
Avg																																																																																																		
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5350.10</td><td>43.16</td><td>54.00</td><td>-10.84</td><td>34.19</td><td>34.59</td><td>10.75</td><td>36.37</td><td>0.00</td><td>302 52 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5350.10	43.16	54.00	-10.84	34.19	34.59	10.75	36.37	0.00	302 52 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5320.00</td><td>99.45</td><td>-----</td><td>-----</td><td>90.55</td><td>34.57</td><td>10.73</td><td>36.40</td><td>0.00</td><td>302 52 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5320.00	99.45	-----	-----	90.55	34.57	10.73	36.40	0.00
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5350.10	43.16	54.00	-10.84	34.19	34.59	10.75	36.37	0.00	302 52 AVERAGE																																																																																								
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5320.00	99.45	-----	-----	90.55	34.57	10.73	36.40	0.00	302 52 AVERAGE																																																																																								





Mode	87																																																																			
	Band Edge																																																																			
	U-NII-2C_5.47-5.725_802.11a_CH100_5500MHz																																																																			
ANT	CDD 6+10																																																																			
Pol.	Horizontal																																																																			
Peak																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5459.12</td><td>55.43</td><td>74.00</td><td>-18.57</td><td>46.11</td><td>34.70</td><td>10.84</td><td>36.22</td><td>0.00</td><td>241</td><td>26 PEAK</td></tr><tr><td>2</td><td>5469.68</td><td>55.80</td><td>68.20</td><td>-12.40</td><td>46.44</td><td>34.71</td><td>10.85</td><td>36.20</td><td>0.00</td><td>241</td><td>26 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5459.12	55.43	74.00	-18.57	46.11	34.70	10.84	36.22	0.00	241	26 PEAK	2	5469.68	55.80	68.20	-12.40	46.44	34.71	10.85	36.20	0.00	241	26 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																										
1	5459.12	55.43	74.00	-18.57	46.11	34.70	10.84	36.22	0.00	241	26 PEAK																																																									
2	5469.68	55.80	68.20	-12.40	46.44	34.71	10.85	36.20	0.00	241	26 PEAK																																																									
Fundamental																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5500.00</td><td>110.36</td><td>-----</td><td>-----</td><td>100.90</td><td>34.73</td><td>10.89</td><td>36.16</td><td>0.00</td><td>241</td><td>26 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	110.36	-----	-----	100.90	34.73	10.89	36.16	0.00	241	26 PEAK												
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																										
1	5500.00	110.36	-----	-----	100.90	34.73	10.89	36.16	0.00	241	26 PEAK																																																									
Avg																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5458.64</td><td>44.75</td><td>54.00</td><td>-9.25</td><td>35.44</td><td>34.69</td><td>10.84</td><td>36.22</td><td>0.00</td><td>241</td><td>26 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5458.64	44.75	54.00	-9.25	35.44	34.69	10.84	36.22	0.00	241	26 AVERAGE												
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																										
1	5458.64	44.75	54.00	-9.25	35.44	34.69	10.84	36.22	0.00	241	26 AVERAGE																																																									
AVERAGE																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5500.00</td><td>103.78</td><td>-----</td><td>-----</td><td>94.32</td><td>34.73</td><td>10.89</td><td>36.16</td><td>0.00</td><td>241</td><td>26 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	103.78	-----	-----	94.32	34.73	10.89	36.16	0.00	241	26 AVERAGE												
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																										
1	5500.00	103.78	-----	-----	94.32	34.73	10.89	36.16	0.00	241	26 AVERAGE																																																									



Mode	87																																																																																																												
	Band Edge																																																																																																												
	U-NII-2C_5.47-5.725_802.11a_CH100_5500MHz																																																																																																												
ANT	CDD 6+10																																																																																																												
Pol.	Vertical					Fundamental																																																																																																							
Peak																																																																																																													
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5436.40</td><td>52.80</td><td>74.00</td><td>-21.20</td><td>43.57</td><td>34.67</td><td>10.81</td><td>36.25</td><td>0.00</td><td>254 360 PEAK</td></tr><tr><td>2</td><td>5466.16</td><td>53.52</td><td>68.20</td><td>-14.68</td><td>44.18</td><td>34.70</td><td>10.85</td><td>36.21</td><td>0.00</td><td>254 360 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5436.40	52.80	74.00	-21.20	43.57	34.67	10.81	36.25	0.00	254 360 PEAK	2	5466.16	53.52	68.20	-14.68	44.18	34.70	10.85	36.21	0.00	254 360 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5500.00</td><td>108.26</td><td>-----</td><td>-----</td><td>98.80</td><td>34.73</td><td>10.89</td><td>36.16</td><td>0.00</td><td>254 360 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	108.26	-----	-----	98.80	34.73	10.89	36.16	0.00	254 360 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																			
1	5436.40	52.80	74.00	-21.20	43.57	34.67	10.81	36.25	0.00	254 360 PEAK																																																																																																			
2	5466.16	53.52	68.20	-14.68	44.18	34.70	10.85	36.21	0.00	254 360 PEAK																																																																																																			
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																			
1	5500.00	108.26	-----	-----	98.80	34.73	10.89	36.16	0.00	254 360 PEAK																																																																																																			
Avg																																																																																																													
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5458.96</td><td>43.64</td><td>54.00</td><td>-10.36</td><td>34.32</td><td>34.70</td><td>10.84</td><td>36.22</td><td>0.00</td><td>254 360 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5458.96	43.64	54.00	-10.36	34.32	34.70	10.84	36.22	0.00	254 360 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5500.00</td><td>101.15</td><td>-----</td><td>-----</td><td>91.69</td><td>34.73</td><td>10.89</td><td>36.16</td><td>0.00</td><td>254 360 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	101.15	-----	-----	91.69	34.73	10.89	36.16	0.00	254 360 AVERAGE											
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																			
1	5458.96	43.64	54.00	-10.36	34.32	34.70	10.84	36.22	0.00	254 360 AVERAGE																																																																																																			
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																			
1	5500.00	101.15	-----	-----	91.69	34.73	10.89	36.16	0.00	254 360 AVERAGE																																																																																																			





Mode	87																																																																																																																																	
	Harmonic																																																																																																																																	
	U-NII-2C_5.47-5.725_802.11a_CH100_5500MHz																																																																																																																																	
ANT	CDD 6+10																																																																																																																																	
Pol.	Horizontal						Vertical																																																																																																																											
Peak Avg																																																																																																																																		
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11000.00</td><td>59.55</td><td>74.00</td><td>-14.45</td><td>72.22</td><td>37.90</td><td>16.04</td><td>66.61</td><td>0.00</td><td>260</td><td>351</td><td>PEAK</td></tr><tr><td>2</td><td>11000.00</td><td>49.81</td><td>54.00</td><td>-4.19</td><td>62.48</td><td>37.90</td><td>16.04</td><td>66.61</td><td>0.00</td><td>260</td><td>351</td><td>AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11000.00	59.55	74.00	-14.45	72.22	37.90	16.04	66.61	0.00	260	351	PEAK	2	11000.00	49.81	54.00	-4.19	62.48	37.90	16.04	66.61	0.00	260	351	AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11000.00</td><td>56.13</td><td>74.00</td><td>-17.87</td><td>68.00</td><td>37.90</td><td>16.04</td><td>66.61</td><td>0.00</td><td>273</td><td>320</td><td>PEAK</td></tr><tr><td>2</td><td>11000.00</td><td>46.01</td><td>54.00</td><td>-7.99</td><td>58.68</td><td>37.90</td><td>16.04</td><td>66.61</td><td>0.00</td><td>273</td><td>320</td><td>AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11000.00	56.13	74.00	-17.87	68.00	37.90	16.04	66.61	0.00	273	320	PEAK	2	11000.00	46.01	54.00	-7.99	58.68	37.90	16.04	66.61	0.00	273	320	AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																								
1	11000.00	59.55	74.00	-14.45	72.22	37.90	16.04	66.61	0.00	260	351	PEAK																																																																																																																						
2	11000.00	49.81	54.00	-4.19	62.48	37.90	16.04	66.61	0.00	260	351	AVERAGE																																																																																																																						
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																								
1	11000.00	56.13	74.00	-17.87	68.00	37.90	16.04	66.61	0.00	273	320	PEAK																																																																																																																						
2	11000.00	46.01	54.00	-7.99	58.68	37.90	16.04	66.61	0.00	273	320	AVERAGE																																																																																																																						






Mode	88																																																																						
	Harmonic																																																																						
	U-NII-2C_5.47-5.725_802.11a_CH116_5580MHz																																																																						
ANT	CDD 6+10																																																																						
Pol.	Horizontal						Vertical																																																																
Peak Avg																																																																							
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11160.00</td><td>56.66</td><td>74.00</td><td>-17.34</td><td>69.17</td><td>37.86</td><td>16.15</td><td>66.52</td><td>0.00</td><td>256</td><td>352</td><td>PEAK</td></tr><tr><td>2</td><td>11160.00</td><td>47.12</td><td>54.00</td><td>-6.88</td><td>59.63</td><td>37.86</td><td>16.15</td><td>66.52</td><td>0.00</td><td>256</td><td>352</td><td>AVERAGE</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11160.00	56.66	74.00	-17.34	69.17	37.86	16.15	66.52	0.00	256	352	PEAK	2	11160.00	47.12	54.00	-6.88	59.63	37.86	16.15	66.52	0.00	256	352	AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																													
1	11160.00	56.66	74.00	-17.34	69.17	37.86	16.15	66.52	0.00	256	352	PEAK																																																											
2	11160.00	47.12	54.00	-6.88	59.63	37.86	16.15	66.52	0.00	256	352	AVERAGE																																																											
<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11160.00</td><td>48.93</td><td>74.00</td><td>-25.07</td><td>61.44</td><td>37.86</td><td>16.15</td><td>66.52</td><td>0.00</td><td>100</td><td>360</td><td>PEAK</td></tr><tr><td>2</td><td>11160.00</td><td>39.08</td><td>54.00</td><td>-14.92</td><td>51.59</td><td>37.86</td><td>16.15</td><td>66.52</td><td>0.00</td><td>100</td><td>360</td><td>AVERAGE</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11160.00	48.93	74.00	-25.07	61.44	37.86	16.15	66.52	0.00	100	360	PEAK	2	11160.00	39.08	54.00	-14.92	51.59	37.86	16.15	66.52	0.00	100	360	AVERAGE	
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																													
1	11160.00	48.93	74.00	-25.07	61.44	37.86	16.15	66.52	0.00	100	360	PEAK																																																											
2	11160.00	39.08	54.00	-14.92	51.59	37.86	16.15	66.52	0.00	100	360	AVERAGE																																																											





Mode	89																																																								
	Band Edge																																																								
	U-NII-2C_5.47-5.725_802.11a_CH140_5700MHz																																																								
ANT	CDD 6+10																																																								
Pol.	Horizontal						Fundamental																																																		
Peak																																																									
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5728.20</td><td>61.18</td><td>68.20</td><td>-7.02</td><td>52.39</td><td>34.95</td><td>11.18</td><td>37.34</td><td>0.00</td><td>304</td><td>321 PEAK</td></tr></tbody></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5728.20	61.18	68.20	-7.02	52.39	34.95	11.18	37.34	0.00	304	321 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																															
1	5728.20	61.18	68.20	-7.02	52.39	34.95	11.18	37.34	0.00	304	321 PEAK																																														
Avg	Blank																																																								
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5700.00</td><td>100.27</td><td>-----</td><td>-----</td><td>91.08</td><td>34.92</td><td>11.14</td><td>36.87</td><td>0.00</td><td>304</td><td>321 AVERAGE</td></tr></tbody></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5700.00	100.27	-----	-----	91.08	34.92	11.14	36.87	0.00	304	321 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																															
1	5700.00	100.27	-----	-----	91.08	34.92	11.14	36.87	0.00	304	321 AVERAGE																																														







	89																																																																																																						
Mode	Band Edge																																																																																																						
	U-NII-2C_5.47-5.725_802.11a_CH140_5700MHz																																																																																																						
ANT	CDD 6+10																																																																																																						
Pol.	Vertical						Fundamental																																																																																																
Peak																																																																																																							
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5726.92</td><td>58.95</td><td>68.20</td><td>-9.25</td><td>50.14</td><td>34.95</td><td>11.18</td><td>37.32</td><td>0.00</td><td>125</td><td>0 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5726.92	58.95	68.20	-9.25	50.14	34.95	11.18	37.32	0.00	125	0 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5700.00</td><td>106.03</td><td>-----</td><td>-----</td><td>96.84</td><td>34.92</td><td>11.14</td><td>36.87</td><td>0.00</td><td>125</td><td>0 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5700.00	106.03	-----	-----	96.84	34.92	11.14	36.87	0.00	125
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																												
1	5726.92	58.95	68.20	-9.25	50.14	34.95	11.18	37.32	0.00	125	0 PEAK																																																																																												
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																												
1	5700.00	106.03	-----	-----	96.84	34.92	11.14	36.87	0.00	125	0 PEAK																																																																																												
Avg	Blank																																																																																																						
							<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5700.00</td><td>98.73</td><td>-----</td><td>-----</td><td>89.54</td><td>34.92</td><td>11.14</td><td>36.87</td><td>0.00</td><td>125</td><td>0 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5700.00	98.73	-----	-----	89.54	34.92	11.14	36.87	0.00	125	0 AVERAGE																																													
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																												
1	5700.00	98.73	-----	-----	89.54	34.92	11.14	36.87	0.00	125	0 AVERAGE																																																																																												







Mode	89																																																																																																																													
	Harmonic																																																																																																																													
	U-NII-2C_5.47-5.725_802.11a_CH140_5700MHz																																																																																																																													
ANT	CDD 6+10																																																																																																																													
Pol.	Horizontal						Vertical																																																																																																																							
Peak Avg																																																																																																																														
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11400.00</td><td>51.65</td><td>74.00</td><td>-22.35</td><td>63.74</td><td>38.00</td><td>16.30</td><td>66.39</td><td>0.00</td><td>100</td><td>80 PEAK</td></tr><tr><td>2</td><td>11400.00</td><td>41.64</td><td>54.00</td><td>-12.36</td><td>53.72</td><td>38.00</td><td>16.30</td><td>66.38</td><td>0.00</td><td>100</td><td>80 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11400.00	51.65	74.00	-22.35	63.74	38.00	16.30	66.39	0.00	100	80 PEAK	2	11400.00	41.64	54.00	-12.36	53.72	38.00	16.30	66.38	0.00	100	80 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11400.00</td><td>54.85</td><td>74.00</td><td>-19.15</td><td>66.94</td><td>38.00</td><td>16.30</td><td>66.39</td><td>0.00</td><td>100</td><td>314 PEAK</td></tr><tr><td>2</td><td>11400.00</td><td>43.71</td><td>54.00</td><td>-10.29</td><td>55.80</td><td>38.00</td><td>16.30</td><td>66.39</td><td>0.00</td><td>100</td><td>314 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11400.00	54.85	74.00	-19.15	66.94	38.00	16.30	66.39	0.00	100	314 PEAK	2	11400.00	43.71	54.00	-10.29	55.80	38.00	16.30	66.39	0.00	100	314 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	11400.00	51.65	74.00	-22.35	63.74	38.00	16.30	66.39	0.00	100	80 PEAK																																																																																																																			
2	11400.00	41.64	54.00	-12.36	53.72	38.00	16.30	66.38	0.00	100	80 AVERAGE																																																																																																																			
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	11400.00	54.85	74.00	-19.15	66.94	38.00	16.30	66.39	0.00	100	314 PEAK																																																																																																																			
2	11400.00	43.71	54.00	-10.29	55.80	38.00	16.30	66.39	0.00	100	314 AVERAGE																																																																																																																			





		90																																																																																																																							
Mode		Band Edge																																																																																																																							
		U-NII-2C_5.47-5.725_802.11ax HE20_CH100_Full RU_5500MHz																																																																																																																							
ANT		CDD 6+10																																																																																																																							
Pol.		Horizontal					Fundamental																																																																																																																		
Peak																																																																																																																									
		<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5458.48</td><td>55.64</td><td>74.00</td><td>-18.36</td><td>46.33</td><td>34.69</td><td>10.84</td><td>36.22</td><td>0.00</td><td>243</td><td>25 PEAK</td></tr><tr><td>2</td><td>5464.40</td><td>59.83</td><td>68.20</td><td>-8.37</td><td>50.49</td><td>34.70</td><td>10.85</td><td>36.21</td><td>0.00</td><td>243</td><td>25 PEAK</td></tr></tbody></table>											Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5458.48	55.64	74.00	-18.36	46.33	34.69	10.84	36.22	0.00	243	25 PEAK	2	5464.40	59.83	68.20	-8.37	50.49	34.70	10.85	36.21	0.00	243	25 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5500.00</td><td>111.16</td><td>-----</td><td>101.70</td><td>34.73</td><td>10.89</td><td>36.16</td><td>0.00</td><td>243</td><td>25 PEAK</td></tr></tbody></table>											Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	111.16	-----	101.70	34.73	10.89	36.16	0.00	243
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																															
1	5458.48	55.64	74.00	-18.36	46.33	34.69	10.84	36.22	0.00	243	25 PEAK																																																																																																														
2	5464.40	59.83	68.20	-8.37	50.49	34.70	10.85	36.21	0.00	243	25 PEAK																																																																																																														
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																															
1	5500.00	111.16	-----	101.70	34.73	10.89	36.16	0.00	243	25 PEAK																																																																																																															
Avg																																																																																																																									
		<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5458.16</td><td>46.06</td><td>54.00</td><td>-7.94</td><td>36.75</td><td>34.69</td><td>10.84</td><td>36.22</td><td>0.00</td><td>243</td><td>25 AVERAGE</td></tr></tbody></table>											Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5458.16	46.06	54.00	-7.94	36.75	34.69	10.84	36.22	0.00	243	25 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5500.00</td><td>103.53</td><td>-----</td><td>94.07</td><td>34.73</td><td>10.89</td><td>36.16</td><td>0.00</td><td>243</td><td>25 AVERAGE</td></tr></tbody></table>											Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	103.53	-----	94.07	34.73	10.89	36.16	0.00	243	25 AVERAGE											
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																															
1	5458.16	46.06	54.00	-7.94	36.75	34.69	10.84	36.22	0.00	243	25 AVERAGE																																																																																																														
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																															
1	5500.00	103.53	-----	94.07	34.73	10.89	36.16	0.00	243	25 AVERAGE																																																																																																															





Mode	90																																																																																																																						
	Band Edge																																																																																																																						
	U-NII-2C_5.47-5.725_802.11ax HE20_CH100_Full RU_5500MHz																																																																																																																						
ANT	CDD 6+10																																																																																																																						
Pol.	Vertical					Fundamental																																																																																																																	
Peak																																																																																																																							
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5443.12</td><td>53.08</td><td>74.00</td><td>-20.92</td><td>43.82</td><td>34.68</td><td>10.82</td><td>36.24</td><td>0.00</td><td>312 360 PEAK</td></tr><tr><td>2</td><td>5468.56</td><td>53.80</td><td>68.20</td><td>-14.40</td><td>44.45</td><td>34.70</td><td>10.85</td><td>36.20</td><td>0.00</td><td>312 360 PEAK</td></tr></tbody></table>											Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5443.12	53.08	74.00	-20.92	43.82	34.68	10.82	36.24	0.00	312 360 PEAK	2	5468.56	53.80	68.20	-14.40	44.45	34.70	10.85	36.20	0.00	312 360 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5500.00</td><td>108.86</td><td>-----</td><td>-----</td><td>99.40</td><td>34.73</td><td>10.89</td><td>36.16</td><td>0.00</td><td>312 360 PEAK</td></tr></tbody></table>											Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	108.86	-----	-----	99.40	34.73	10.89	36.16	0.00	312 360 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																													
1	5443.12	53.08	74.00	-20.92	43.82	34.68	10.82	36.24	0.00	312 360 PEAK																																																																																																													
2	5468.56	53.80	68.20	-14.40	44.45	34.70	10.85	36.20	0.00	312 360 PEAK																																																																																																													
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																													
1	5500.00	108.86	-----	-----	99.40	34.73	10.89	36.16	0.00	312 360 PEAK																																																																																																													
Avg																																																																																																																							
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5458.96</td><td>43.15</td><td>54.00</td><td>-10.85</td><td>33.83</td><td>34.70</td><td>10.84</td><td>36.22</td><td>0.00</td><td>312 360 AVERAGE</td></tr></tbody></table>											Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5458.96	43.15	54.00	-10.85	33.83	34.70	10.84	36.22	0.00	312 360 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5500.00</td><td>100.26</td><td>-----</td><td>-----</td><td>90.80</td><td>34.73</td><td>10.89</td><td>36.16</td><td>0.00</td><td>312 360 AVERAGE</td></tr></tbody></table>											Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	100.26	-----	-----	90.80	34.73	10.89	36.16	0.00	312 360 AVERAGE											
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																													
1	5458.96	43.15	54.00	-10.85	33.83	34.70	10.84	36.22	0.00	312 360 AVERAGE																																																																																																													
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																													
1	5500.00	100.26	-----	-----	90.80	34.73	10.89	36.16	0.00	312 360 AVERAGE																																																																																																													






Mode	90																																																																																																																																	
	Harmonic																																																																																																																																	
	U-NII-2C_5.47-5.725_802.11ax HE20_CH100_Full RU_5500MHz																																																																																																																																	
ANT	CDD 6+10																																																																																																																																	
Pol.	Horizontal						Vertical																																																																																																																											
Peak Avg																																																																																																																																		
	<table><tr><th colspan="2"></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>11000.00</td><td>59.86</td><td>74.00</td><td>-14.14</td><td>72.53</td><td>37.90</td><td>16.04</td><td>66.61</td><td>0.00</td><td>271</td><td>353 PEAK</td></tr><tr><td>2</td><td>11000.00</td><td>49.63</td><td>54.00</td><td>-4.37</td><td>62.30</td><td>37.90</td><td>16.04</td><td>66.61</td><td>0.00</td><td>271</td><td>353 AVERAGE</td></tr></table>								Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	11000.00	59.86	74.00	-14.14	72.53	37.90	16.04	66.61	0.00	271	353 PEAK	2	11000.00	49.63	54.00	-4.37	62.30	37.90	16.04	66.61	0.00	271	353 AVERAGE	<table><tr><th colspan="2"></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>11000.00</td><td>52.43</td><td>74.00</td><td>-21.57</td><td>65.10</td><td>37.90</td><td>16.04</td><td>66.61</td><td>0.00</td><td>100</td><td>7 PEAK</td></tr><tr><td>2</td><td>11000.00</td><td>42.57</td><td>54.00</td><td>-11.43</td><td>55.24</td><td>37.90</td><td>16.04</td><td>66.61</td><td>0.00</td><td>100</td><td>7 AVERAGE</td></tr></table>								Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	11000.00	52.43	74.00	-21.57	65.10	37.90	16.04	66.61	0.00	100	7 PEAK	2	11000.00	42.57	54.00	-11.43	55.24	37.90	16.04	66.61	0.00	100	7 AVERAGE
			Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																						
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																								
1	11000.00	59.86	74.00	-14.14	72.53	37.90	16.04	66.61	0.00	271	353 PEAK																																																																																																																							
2	11000.00	49.63	54.00	-4.37	62.30	37.90	16.04	66.61	0.00	271	353 AVERAGE																																																																																																																							
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																								
1	11000.00	52.43	74.00	-21.57	65.10	37.90	16.04	66.61	0.00	100	7 PEAK																																																																																																																							
2	11000.00	42.57	54.00	-11.43	55.24	37.90	16.04	66.61	0.00	100	7 AVERAGE																																																																																																																							






Mode	91																																																																																																																																	
	Harmonic																																																																																																																																	
	U-NII-2C_5.47-5.725_802.11ax HE20_CH116_Full RU_5580MHz																																																																																																																																	
ANT	CDD 6+10																																																																																																																																	
Pol.	Horizontal						Vertical																																																																																																																											
Peak Avg																																																																																																																																		
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11160.00</td><td>56.06</td><td>74.00</td><td>-17.94</td><td>68.57</td><td>37.86</td><td>16.15</td><td>66.52</td><td>0.00</td><td>300</td><td>351</td><td>PEAK</td></tr><tr><td>2</td><td>11160.00</td><td>45.43</td><td>54.00</td><td>-8.57</td><td>57.94</td><td>37.86</td><td>16.15</td><td>66.52</td><td>0.00</td><td>300</td><td>351</td><td>AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11160.00	56.06	74.00	-17.94	68.57	37.86	16.15	66.52	0.00	300	351	PEAK	2	11160.00	45.43	54.00	-8.57	57.94	37.86	16.15	66.52	0.00	300	351	AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11160.00</td><td>49.63</td><td>74.00</td><td>-24.37</td><td>62.14</td><td>37.86</td><td>16.15</td><td>66.52</td><td>0.00</td><td>100</td><td>360</td><td>PEAK</td></tr><tr><td>2</td><td>11160.00</td><td>38.78</td><td>54.00</td><td>-15.22</td><td>51.30</td><td>37.86</td><td>16.14</td><td>66.52</td><td>0.00</td><td>100</td><td>360</td><td>AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11160.00	49.63	74.00	-24.37	62.14	37.86	16.15	66.52	0.00	100	360	PEAK	2	11160.00	38.78	54.00	-15.22	51.30	37.86	16.14	66.52	0.00	100	360	AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																								
1	11160.00	56.06	74.00	-17.94	68.57	37.86	16.15	66.52	0.00	300	351	PEAK																																																																																																																						
2	11160.00	45.43	54.00	-8.57	57.94	37.86	16.15	66.52	0.00	300	351	AVERAGE																																																																																																																						
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																								
1	11160.00	49.63	74.00	-24.37	62.14	37.86	16.15	66.52	0.00	100	360	PEAK																																																																																																																						
2	11160.00	38.78	54.00	-15.22	51.30	37.86	16.14	66.52	0.00	100	360	AVERAGE																																																																																																																						





Mode	92																																																																																																			
	Band Edge																																																																																																			
	U-NII-2C_5.47-5.725_802.11ax HE20_CH140_Full RU_5700MHz																																																																																																			
ANT	CDD 6+10																																																																																																			
Pol.	Horizontal						Fundamental																																																																																													
Peak																																																																																																				
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5725.72</td><td>64.36</td><td>68.20</td><td>-3.84</td><td>55.53</td><td>34.95</td><td>11.18</td><td>37.30</td><td>0.00</td><td>304</td><td>320 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5725.72	64.36	68.20	-3.84	55.53	34.95	11.18	37.30	0.00	304	320 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5700.00</td><td>105.71</td><td>-----</td><td>-----</td><td>96.52</td><td>34.92</td><td>11.14</td><td>36.87</td><td>0.00</td><td>304</td><td>320 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5700.00	105.71	-----	-----	96.52	34.92	11.14	36.87	0.00	304
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																										
1	5725.72	64.36	68.20	-3.84	55.53	34.95	11.18	37.30	0.00	304	320 PEAK																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																										
1	5700.00	105.71	-----	-----	96.52	34.92	11.14	36.87	0.00	304	320 PEAK																																																																																									
Avg	Blank																																																																																																			
							<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5700.00</td><td>98.79</td><td>-----</td><td>-----</td><td>89.60</td><td>34.92</td><td>11.14</td><td>36.87</td><td>0.00</td><td>304</td><td>320 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5700.00	98.79	-----	-----	89.60	34.92	11.14	36.87	0.00	304	320 AVERAGE																																												
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																										
1	5700.00	98.79	-----	-----	89.60	34.92	11.14	36.87	0.00	304	320 AVERAGE																																																																																									



Mode	92																																																																																																
	Band Edge																																																																																																
	U-NII-2C_5.47-5.725_802.11ax HE20_CH140_Full RU_5700MHz																																																																																																
ANT	CDD 6+10																																																																																																
Pol.	Vertical						Fundamental																																																																																										
Peak																																																																																																	
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5730.76</td><td>64.32</td><td>68.20</td><td>-3.88</td><td>55.57</td><td>34.95</td><td>11.18</td><td>37.38</td><td>0.00</td><td>238</td><td>0 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5730.76	64.32	68.20	-3.88	55.57	34.95	11.18	37.38	0.00	238	0 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5700.00</td><td>104.54</td><td>-----</td><td>-----</td><td>95.42</td><td>34.93</td><td>11.15</td><td>36.96</td><td>0.00</td><td>238</td><td>0 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5700.00	104.54	-----	-----	95.42	34.93	11.15	36.96	0.00	238
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	5730.76	64.32	68.20	-3.88	55.57	34.95	11.18	37.38	0.00	238	0 PEAK																																																																																						
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	5700.00	104.54	-----	-----	95.42	34.93	11.15	36.96	0.00	238	0 PEAK																																																																																						
Avg	Blank																																																																																																
							<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5700.00</td><td>97.67</td><td>-----</td><td>-----</td><td>88.48</td><td>34.92</td><td>11.14</td><td>36.87</td><td>0.00</td><td>238</td><td>0 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5700.00	97.67	-----	-----	88.48	34.92	11.14	36.87	0.00	238	0 AVERAGE																																										
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	5700.00	97.67	-----	-----	88.48	34.92	11.14	36.87	0.00	238	0 AVERAGE																																																																																						




Mode	92																																																																																																																																	
	Harmonic																																																																																																																																	
	U-NII-2C_5.47-5.725_802.11ax HE20_CH140_Full RU_5700MHz																																																																																																																																	
ANT	CDD 6+10																																																																																																																																	
Pol.	Horizontal						Vertical																																																																																																																											
Peak Avg																																																																																																																																		
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11400.00</td><td>51.89</td><td>74.00</td><td>-22.11</td><td>63.98</td><td>38.00</td><td>16.30</td><td>66.39</td><td>0.00</td><td>241</td><td>359</td><td>PEAK</td></tr><tr><td>2</td><td>11400.00</td><td>42.47</td><td>54.00</td><td>-11.53</td><td>54.56</td><td>38.00</td><td>16.30</td><td>66.39</td><td>0.00</td><td>241</td><td>359</td><td>AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11400.00	51.89	74.00	-22.11	63.98	38.00	16.30	66.39	0.00	241	359	PEAK	2	11400.00	42.47	54.00	-11.53	54.56	38.00	16.30	66.39	0.00	241	359	AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11400.00</td><td>48.07</td><td>74.00</td><td>-25.93</td><td>60.16</td><td>38.00</td><td>16.30</td><td>66.39</td><td>0.00</td><td>100</td><td>360</td><td>PEAK</td></tr><tr><td>2</td><td>11400.00</td><td>38.20</td><td>54.00</td><td>-15.80</td><td>50.28</td><td>38.00</td><td>16.30</td><td>66.38</td><td>0.00</td><td>100</td><td>360</td><td>AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11400.00	48.07	74.00	-25.93	60.16	38.00	16.30	66.39	0.00	100	360	PEAK	2	11400.00	38.20	54.00	-15.80	50.28	38.00	16.30	66.38	0.00	100	360	AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																								
1	11400.00	51.89	74.00	-22.11	63.98	38.00	16.30	66.39	0.00	241	359	PEAK																																																																																																																						
2	11400.00	42.47	54.00	-11.53	54.56	38.00	16.30	66.39	0.00	241	359	AVERAGE																																																																																																																						
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																								
1	11400.00	48.07	74.00	-25.93	60.16	38.00	16.30	66.39	0.00	100	360	PEAK																																																																																																																						
2	11400.00	38.20	54.00	-15.80	50.28	38.00	16.30	66.38	0.00	100	360	AVERAGE																																																																																																																						







Mode	93																																																																																																																
	Band Edge - L																																																																																																																
	U-NII-2C_5.47-5.725_802.11ax HE40_CH102_Full RU_5510MHz																																																																																																																
ANT	CDD 6+10																																																																																																																
Pol.	Horizontal						Fundamental																																																																																																										
Peak	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5455.44</td><td>58.65</td><td>74.00</td><td>-15.35</td><td>49.35</td><td>34.69</td><td>10.83</td><td>36.22</td><td>0.00</td><td>301</td><td>21 PEAK</td></tr><tr><td>2</td><td>5470.00</td><td>60.31</td><td>68.20</td><td>-7.89</td><td>50.95</td><td>34.71</td><td>10.85</td><td>36.20</td><td>0.00</td><td>301</td><td>21 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5455.44	58.65	74.00	-15.35	49.35	34.69	10.83	36.22	0.00	301	21 PEAK	2	5470.00	60.31	68.20	-7.89	50.95	34.71	10.85	36.20	0.00	301	21 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5510.00</td><td>107.90</td><td>-----</td><td>-----</td><td>98.39</td><td>34.75</td><td>10.90</td><td>36.14</td><td>0.00</td><td>301</td><td>21 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5510.00	107.90	-----	-----	98.39	34.75	10.90	36.14	0.00	301	21 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5455.44	58.65	74.00	-15.35	49.35	34.69	10.83	36.22	0.00	301	21 PEAK																																																																																																						
2	5470.00	60.31	68.20	-7.89	50.95	34.71	10.85	36.20	0.00	301	21 PEAK																																																																																																						
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5510.00	107.90	-----	-----	98.39	34.75	10.90	36.14	0.00	301	21 PEAK																																																																																																						
Avg	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5458.48</td><td>49.02</td><td>54.00</td><td>-4.98</td><td>39.71</td><td>34.69</td><td>10.84</td><td>36.22</td><td>0.00</td><td>301</td><td>21 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5458.48	49.02	54.00	-4.98	39.71	34.69	10.84	36.22	0.00	301	21 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5510.00</td><td>100.66</td><td>-----</td><td>-----</td><td>91.15</td><td>34.75</td><td>10.90</td><td>36.14</td><td>0.00</td><td>301</td><td>21 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5510.00	100.66	-----	-----	91.15	34.75	10.90	36.14	0.00	301	21 AVERAGE												
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5458.48	49.02	54.00	-4.98	39.71	34.69	10.84	36.22	0.00	301	21 AVERAGE																																																																																																						
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5510.00	100.66	-----	-----	91.15	34.75	10.90	36.14	0.00	301	21 AVERAGE																																																																																																						




	93																																																							
Mode	Band Edge - R																																																							
	U-NII-2C_5.47-5.725_802.11ax HE40_CH102_Full RU_5510MHz																																																							
ANT	CDD 6+10																																																							
Pol.	Horizontal						Fundamental																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5747.80</td><td>53.40</td><td>68.20</td><td>-14.80</td><td>44.87</td><td>34.97</td><td>11.21</td><td>37.65</td><td>0.00</td><td>301</td><td>21</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5747.80	53.40	68.20	-14.80	44.87	34.97	11.21	37.65	0.00	301	21	PEAK	Blank					
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5747.80	53.40	68.20	-14.80	44.87	34.97	11.21	37.65	0.00	301	21	PEAK																																												





		93																																																																																																										
Mode		Band Edge - L																																																																																																										
		U-NII-2C_5.47-5.725_802.11ax HE40_CH102_Full RU_5510MHz																																																																																																										
ANT		CDD 6+10																																																																																																										
Pol.		Vertical					Fundamental																																																																																																					
Peak																																																																																																												
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5458.32	55.64	74.00	-18.36	46.33	34.69	10.84	36.22	0.00	258 360 PEAK	2	5468.72	60.16	68.20	-8.04	50.81	34.70	10.85	36.20	0.00	258 360 PEAK		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5510.00	103.25	-----	-----	93.79	34.73	10.89	36.16	0.00	258 360 PEAK									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																		
1	5458.32	55.64	74.00	-18.36	46.33	34.69	10.84	36.22	0.00	258 360 PEAK																																																																																																		
2	5468.72	60.16	68.20	-8.04	50.81	34.70	10.85	36.20	0.00	258 360 PEAK																																																																																																		
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																		
1	5510.00	103.25	-----	-----	93.79	34.73	10.89	36.16	0.00	258 360 PEAK																																																																																																		
Avg																																																																																																												
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5459.28	46.96	54.00	-7.04	37.64	34.70	10.84	36.22	0.00	258 360 AVERAGE		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5510.00	96.51	-----	-----	87.03	34.74	10.89	36.15	0.00	258 360 AVERAGE																				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																		
1	5459.28	46.96	54.00	-7.04	37.64	34.70	10.84	36.22	0.00	258 360 AVERAGE																																																																																																		
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																		
1	5510.00	96.51	-----	-----	87.03	34.74	10.89	36.15	0.00	258 360 AVERAGE																																																																																																		



Mode	93																																																						
	Band Edge - R																																																						
	U-NII-2C_5.47-5.725_802.11ax HE40_CH102_Full RU_5510MHz																																																						
ANT	CDD 6+10																																																						
Pol.	Vertical						Fundamental																																																
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5742.68</td><td>52.96</td><td>68.20</td><td>-15.24</td><td>44.37</td><td>34.96</td><td>11.20</td><td>37.57</td><td>0.00</td><td>258</td><td>360</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5742.68	52.96	68.20	-15.24	44.37	34.96	11.20	37.57	0.00	258	360	PEAK	Blank				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5742.68	52.96	68.20	-15.24	44.37	34.96	11.20	37.57	0.00	258	360	PEAK																																											




Mode	93																																																																																																																																	
	Harmonic																																																																																																																																	
	U-NII-2C_5.47-5.725_802.11ax HE40_CH102_Full RU_5510MHz																																																																																																																																	
ANT	CDD 6+10																																																																																																																																	
Pol.	Horizontal						Vertical																																																																																																																											
Peak Avg																																																																																																																																		
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11020.00</td><td>55.58</td><td>74.00</td><td>-18.42</td><td>68.24</td><td>37.88</td><td>16.06</td><td>66.60</td><td>0.00</td><td>277</td><td>353</td><td>PEAK</td></tr><tr><td>2</td><td>11020.00</td><td>46.30</td><td>54.00</td><td>-7.70</td><td>58.96</td><td>37.88</td><td>16.06</td><td>66.60</td><td>0.00</td><td>277</td><td>353</td><td>AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11020.00	55.58	74.00	-18.42	68.24	37.88	16.06	66.60	0.00	277	353	PEAK	2	11020.00	46.30	54.00	-7.70	58.96	37.88	16.06	66.60	0.00	277	353	AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11020.00</td><td>48.21</td><td>74.00</td><td>-25.79</td><td>60.87</td><td>37.88</td><td>16.06</td><td>66.60</td><td>0.00</td><td>100</td><td>360</td><td>PEAK</td></tr><tr><td>2</td><td>11020.00</td><td>38.39</td><td>54.00</td><td>-15.61</td><td>51.05</td><td>37.88</td><td>16.06</td><td>66.60</td><td>0.00</td><td>100</td><td>360</td><td>AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11020.00	48.21	74.00	-25.79	60.87	37.88	16.06	66.60	0.00	100	360	PEAK	2	11020.00	38.39	54.00	-15.61	51.05	37.88	16.06	66.60	0.00	100	360	AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																								
1	11020.00	55.58	74.00	-18.42	68.24	37.88	16.06	66.60	0.00	277	353	PEAK																																																																																																																						
2	11020.00	46.30	54.00	-7.70	58.96	37.88	16.06	66.60	0.00	277	353	AVERAGE																																																																																																																						
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																								
1	11020.00	48.21	74.00	-25.79	60.87	37.88	16.06	66.60	0.00	100	360	PEAK																																																																																																																						
2	11020.00	38.39	54.00	-15.61	51.05	37.88	16.06	66.60	0.00	100	360	AVERAGE																																																																																																																						







		94																																																																	
Mode		Band Edge - L																																																																	
		U-NII-2C_5.47-5.725_802.11ax HE40_CH110_Full RU_5550MHz																																																																	
ANT		CDD 6+10																																																																	
Pol.		Horizontal					Fundamental																																																												
Peak																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5455.80</td><td>52.09</td><td>74.00</td><td>-21.91</td><td>42.78</td><td>34.69</td><td>10.84</td><td>36.22</td><td>0.00</td><td>300</td><td>20 PEAK</td></tr><tr><td>2</td><td>5462.40</td><td>58.25</td><td>68.20</td><td>-9.95</td><td>48.92</td><td>34.70</td><td>10.84</td><td>36.21</td><td>0.00</td><td>300</td><td>20 PEAK</td></tr></tbody></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5455.80	52.09	74.00	-21.91	42.78	34.69	10.84	36.22	0.00	300	20 PEAK	2	5462.40	58.25	68.20	-9.95	48.92	34.70	10.84	36.21	0.00	300
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																									
1	5455.80	52.09	74.00	-21.91	42.78	34.69	10.84	36.22	0.00	300	20 PEAK																																																								
2	5462.40	58.25	68.20	-9.95	48.92	34.70	10.84	36.21	0.00	300	20 PEAK																																																								
Avg																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5456.20</td><td>43.91</td><td>54.00</td><td>-10.09</td><td>34.60</td><td>34.69</td><td>10.84</td><td>36.22</td><td>0.00</td><td>300</td><td>20 AVERAGE</td></tr></tbody></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5456.20	43.91	54.00	-10.09	34.60	34.69	10.84	36.22	0.00	300	20 AVERAGE											
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																									
1	5456.20	43.91	54.00	-10.09	34.60	34.69	10.84	36.22	0.00	300	20 AVERAGE																																																								
Peak																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5550.00</td><td>108.76</td><td>-----</td><td>-----</td><td>99.13</td><td>34.78</td><td>10.94</td><td>36.09</td><td>0.00</td><td>300</td><td>20 PEAK</td></tr></tbody></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5550.00	108.76	-----	-----	99.13	34.78	10.94	36.09	0.00	300	20 PEAK											
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																									
1	5550.00	108.76	-----	-----	99.13	34.78	10.94	36.09	0.00	300	20 PEAK																																																								
Avg																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5550.00</td><td>100.15</td><td>-----</td><td>-----</td><td>90.52</td><td>34.78</td><td>10.94</td><td>36.09</td><td>0.00</td><td>300</td><td>20 AVERAGE</td></tr></tbody></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5550.00	100.15	-----	-----	90.52	34.78	10.94	36.09	0.00	300	20 AVERAGE											
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																									
1	5550.00	100.15	-----	-----	90.52	34.78	10.94	36.09	0.00	300	20 AVERAGE																																																								




Mode	94																																																							
	Band Edge - R																																																							
	U-NII-2C_5.47-5.725_802.11ax HE40_CH110_Full RU_5550MHz																																																							
ANT	CDD 6+10																																																							
Pol.	Horizontal						Fundamental																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5753.39</td><td>50.28</td><td>68.20</td><td>-17.92</td><td>41.83</td><td>34.97</td><td>11.22</td><td>37.74</td><td>0.00</td><td>300</td><td>20</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5753.39	50.28	68.20	-17.92	41.83	34.97	11.22	37.74	0.00	300	20	PEAK	Blank					
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5753.39	50.28	68.20	-17.92	41.83	34.97	11.22	37.74	0.00	300	20	PEAK																																												





Mode	94																																																																																																												
	Band Edge - L																																																																																																												
	U-NII-2C_5.47-5.725_802.11ax HE40_CH110_Full RU_5550MHz																																																																																																												
ANT	CDD 6+10																																																																																																												
Pol.	Vertical					Fundamental																																																																																																							
Peak	 <table border="1"> <thead> <tr> <th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr> <tr> <th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr> <tr> <th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr> </thead> <tbody> <tr> <td>1</td><td>5430.20</td><td>51.12</td><td>74.00</td><td>-22.88</td><td>41.90</td><td>34.67</td><td>10.81</td><td>36.26</td><td>0.00</td><td>307 360 PEAK</td></tr> <tr> <td>2</td><td>5469.00</td><td>51.88</td><td>68.20</td><td>-16.32</td><td>42.53</td><td>34.70</td><td>10.85</td><td>36.20</td><td>0.00</td><td>307 360 PEAK</td></tr> </tbody> </table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5430.20	51.12	74.00	-22.88	41.90	34.67	10.81	36.26	0.00	307 360 PEAK	2	5469.00	51.88	68.20	-16.32	42.53	34.70	10.85	36.20	0.00	307 360 PEAK	 <table border="1"> <thead> <tr> <th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr> <tr> <th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr> <tr> <th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr> </thead> <tbody> <tr> <td>1</td><td>5550.00</td><td>105.06</td><td>-----</td><td>-----</td><td>95.43</td><td>34.78</td><td>10.94</td><td>36.09</td><td>0.00</td><td>307 360 PEAK</td></tr> </tbody> </table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5550.00	105.06	-----	-----	95.43	34.78	10.94	36.09	0.00	307 360 PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																			
1	5430.20	51.12	74.00	-22.88	41.90	34.67	10.81	36.26	0.00	307 360 PEAK																																																																																																			
2	5469.00	51.88	68.20	-16.32	42.53	34.70	10.85	36.20	0.00	307 360 PEAK																																																																																																			
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																			
1	5550.00	105.06	-----	-----	95.43	34.78	10.94	36.09	0.00	307 360 PEAK																																																																																																			
Avg	 <table border="1"> <thead> <tr> <th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr> <tr> <th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr> <tr> <th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr> </thead> <tbody> <tr> <td>1</td><td>5458.80</td><td>42.42</td><td>54.00</td><td>-11.58</td><td>33.10</td><td>34.70</td><td>10.84</td><td>36.22</td><td>0.00</td><td>307 360 AVERAGE</td></tr> </tbody> </table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5458.80	42.42	54.00	-11.58	33.10	34.70	10.84	36.22	0.00	307 360 AVERAGE	 <table border="1"> <thead> <tr> <th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr> <tr> <th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr> <tr> <th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr> </thead> <tbody> <tr> <td>1</td><td>5550.00</td><td>97.87</td><td>-----</td><td>-----</td><td>88.22</td><td>34.78</td><td>10.95</td><td>36.08</td><td>0.00</td><td>307 360 AVERAGE</td></tr> </tbody> </table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5550.00	97.87	-----	-----	88.22	34.78	10.95	36.08	0.00	307 360 AVERAGE											
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																			
1	5458.80	42.42	54.00	-11.58	33.10	34.70	10.84	36.22	0.00	307 360 AVERAGE																																																																																																			
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																			
1	5550.00	97.87	-----	-----	88.22	34.78	10.95	36.08	0.00	307 360 AVERAGE																																																																																																			







Mode	94																																																						
	Band Edge - R																																																						
	U-NII-2C_5.47-5.725_802.11ax HE40_CH110_Full RU_5550MHz																																																						
ANT	CDD 6+10																																																						
Pol.	Vertical						Fundamental																																																
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5746.94</td><td>51.05</td><td>68.20</td><td>-17.15</td><td>42.51</td><td>34.97</td><td>11.21</td><td>37.64</td><td>0.00</td><td>307</td><td>360</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5746.94	51.05	68.20	-17.15	42.51	34.97	11.21	37.64	0.00	307	360	PEAK	Blank				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5746.94	51.05	68.20	-17.15	42.51	34.97	11.21	37.64	0.00	307	360	PEAK																																											




Mode	94																																																																																																																																	
	Harmonic																																																																																																																																	
	U-NII-2C_5.47-5.725_802.11ax HE40_CH110_Full RU_5550MHz																																																																																																																																	
ANT	CDD 6+10																																																																																																																																	
Pol.	Horizontal						Vertical																																																																																																																											
Peak Avg																																																																																																																																		
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11100.00</td><td>55.99</td><td>74.00</td><td>-18.01</td><td>68.63</td><td>37.00</td><td>16.11</td><td>66.55</td><td>0.00</td><td>282</td><td>351</td><td>PEAK</td></tr><tr><td>2</td><td>11100.00</td><td>45.59</td><td>54.00</td><td>-8.41</td><td>58.23</td><td>37.00</td><td>16.11</td><td>66.55</td><td>0.00</td><td>282</td><td>351</td><td>AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11100.00	55.99	74.00	-18.01	68.63	37.00	16.11	66.55	0.00	282	351	PEAK	2	11100.00	45.59	54.00	-8.41	58.23	37.00	16.11	66.55	0.00	282	351	AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11100.00</td><td>48.57</td><td>74.00</td><td>-25.43</td><td>61.21</td><td>37.00</td><td>16.11</td><td>66.55</td><td>0.00</td><td>100</td><td>360</td><td>PEAK</td></tr><tr><td>2</td><td>11100.00</td><td>38.75</td><td>54.00</td><td>-15.25</td><td>51.39</td><td>37.00</td><td>16.11</td><td>66.55</td><td>0.00</td><td>100</td><td>360</td><td>AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11100.00	48.57	74.00	-25.43	61.21	37.00	16.11	66.55	0.00	100	360	PEAK	2	11100.00	38.75	54.00	-15.25	51.39	37.00	16.11	66.55	0.00	100	360	AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																								
1	11100.00	55.99	74.00	-18.01	68.63	37.00	16.11	66.55	0.00	282	351	PEAK																																																																																																																						
2	11100.00	45.59	54.00	-8.41	58.23	37.00	16.11	66.55	0.00	282	351	AVERAGE																																																																																																																						
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																								
1	11100.00	48.57	74.00	-25.43	61.21	37.00	16.11	66.55	0.00	100	360	PEAK																																																																																																																						
2	11100.00	38.75	54.00	-15.25	51.39	37.00	16.11	66.55	0.00	100	360	AVERAGE																																																																																																																						







		95																																																																																																													
Mode		Band Edge - L																																																																																																													
		U-NII-2C_5.47-5.725_802.11ax HE40_CH134_Full RU_5670MHz																																																																																																													
ANT		CDD 6+10																																																																																																													
Pol.		Horizontal					Fundamental																																																																																																								
Peak																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5357.20</td><td>50.88</td><td>74.00</td><td>-23.12</td><td>41.89</td><td>34.60</td><td>10.75</td><td>36.36</td><td>0.00</td><td>243</td><td>23 PEAK</td></tr><tr><td>2</td><td>5465.20</td><td>50.68</td><td>68.20</td><td>-17.52</td><td>41.34</td><td>34.70</td><td>10.85</td><td>36.21</td><td>0.00</td><td>243</td><td>23 PEAK</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5357.20	50.88	74.00	-23.12	41.89	34.60	10.75	36.36	0.00	243	23 PEAK	2	5465.20	50.68	68.20	-17.52	41.34	34.70	10.85	36.21	0.00	243	23 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5670.00</td><td>106.47</td><td>-----</td><td>-----</td><td>96.95</td><td>34.90</td><td>11.11</td><td>36.49</td><td>0.00</td><td>243</td><td>23 PEAK</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5670.00	106.47	-----	-----	96.95	34.90	11.11	36.49	0.00	243
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																						
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5357.20	50.88	74.00	-23.12	41.89	34.60	10.75	36.36	0.00	243	23 PEAK																																																																																																				
2	5465.20	50.68	68.20	-17.52	41.34	34.70	10.85	36.21	0.00	243	23 PEAK																																																																																																				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																						
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5670.00	106.47	-----	-----	96.95	34.90	11.11	36.49	0.00	243	23 PEAK																																																																																																				
Avg																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5432.24</td><td>41.41</td><td>54.00</td><td>-12.59</td><td>32.18</td><td>34.67</td><td>10.81</td><td>36.25</td><td>0.00</td><td>243</td><td>23 AVERAGE</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5432.24	41.41	54.00	-12.59	32.18	34.67	10.81	36.25	0.00	243	23 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5670.00</td><td>98.36</td><td>-----</td><td>-----</td><td>88.77</td><td>34.89</td><td>11.10</td><td>36.40</td><td>0.00</td><td>243</td><td>23 AVERAGE</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5670.00	98.36	-----	-----	88.77	34.89	11.10	36.40	0.00	243	23 AVERAGE											
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																						
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5432.24	41.41	54.00	-12.59	32.18	34.67	10.81	36.25	0.00	243	23 AVERAGE																																																																																																				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																						
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5670.00	98.36	-----	-----	88.77	34.89	11.10	36.40	0.00	243	23 AVERAGE																																																																																																				




Mode	95																																																					
	Band Edge - R																																																					
	U-NII-2C_5.47-5.725_802.11ax HE40_CH134_Full RU_5670MHz																																																					
ANT	CDD 6+10																																																					
Pol.	Horizontal						Fundamental																																															
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5727.72</td><td>53.28</td><td>68.20</td><td>-14.92</td><td>44.49</td><td>34.95</td><td>11.18</td><td>37.34</td><td>0.00</td><td>243</td><td>23 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5727.72	53.28	68.20	-14.92	44.49	34.95	11.18	37.34	0.00	243	23 PEAK	Blank				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	5727.72	53.28	68.20	-14.92	44.49	34.95	11.18	37.34	0.00	243	23 PEAK																																											





Mode	95																																																																																																																			
	Band Edge - L																																																																																																																			
	U-NII-2C_5.47-5.725_802.11ax HE40_CH134_Full RU_5670MHz																																																																																																																			
ANT	CDD 6+10																																																																																																																			
Pol.	Vertical						Fundamental																																																																																																													
Peak																																																																																																																				
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5396.40</td><td>52.50</td><td>74.00</td><td>-21.50</td><td>43.39</td><td>34.64</td><td>10.77</td><td>36.30</td><td>0.00</td><td>327</td><td>258</td><td>PEAK</td></tr><tr><td>2</td><td>5468.56</td><td>50.60</td><td>68.20</td><td>-17.60</td><td>41.25</td><td>34.70</td><td>10.85</td><td>36.20</td><td>0.00</td><td>327</td><td>258</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5396.40	52.50	74.00	-21.50	43.39	34.64	10.77	36.30	0.00	327	258	PEAK	2	5468.56	50.60	68.20	-17.60	41.25	34.70	10.85	36.20	0.00	327	258	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5670.00</td><td>105.82</td><td>-----</td><td>-----</td><td>96.23</td><td>34.89</td><td>11.10</td><td>36.40</td><td>0.00</td><td>327</td><td>258</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5670.00	105.82	-----	-----	96.23	34.89	11.10	36.40	0.00	327	258
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																										
1	5396.40	52.50	74.00	-21.50	43.39	34.64	10.77	36.30	0.00	327	258	PEAK																																																																																																								
2	5468.56	50.60	68.20	-17.60	41.25	34.70	10.85	36.20	0.00	327	258	PEAK																																																																																																								
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																										
1	5670.00	105.82	-----	-----	96.23	34.89	11.10	36.40	0.00	327	258	PEAK																																																																																																								
Avg																																																																																																																				
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5458.00</td><td>41.34</td><td>54.00</td><td>-12.66</td><td>32.03</td><td>34.69</td><td>10.84</td><td>36.22</td><td>0.00</td><td>327</td><td>258</td><td>AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5458.00	41.34	54.00	-12.66	32.03	34.69	10.84	36.22	0.00	327	258	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5670.00</td><td>97.56</td><td>-----</td><td>-----</td><td>87.97</td><td>34.89</td><td>11.10</td><td>36.40</td><td>0.00</td><td>327</td><td>258</td><td>AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5670.00	97.56	-----	-----	87.97	34.89	11.10	36.40	0.00	327	258	AVERAGE												
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																										
1	5458.00	41.34	54.00	-12.66	32.03	34.69	10.84	36.22	0.00	327	258	AVERAGE																																																																																																								
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																										
1	5670.00	97.56	-----	-----	87.97	34.89	11.10	36.40	0.00	327	258	AVERAGE																																																																																																								







Mode	95																																																							
	Band Edge - R																																																							
	U-NII-2C_5.47-5.725_802.11ax HE40_CH134_Full RU_5670MHz																																																							
ANT	CDD 6+10																																																							
Pol.	Vertical						Fundamental																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5732.84</td><td>52.90</td><td>68.20</td><td>-15.30</td><td>44.18</td><td>34.95</td><td>11.19</td><td>37.42</td><td>0.00</td><td>327</td><td>258</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5732.84	52.90	68.20	-15.30	44.18	34.95	11.19	37.42	0.00	327	258	PEAK	Blank					
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5732.84	52.90	68.20	-15.30	44.18	34.95	11.19	37.42	0.00	327	258	PEAK																																												




		95																																																																					
Mode		Harmonic																																																																					
		U-NII-2C_5.47-5.725_802.11ax HE40_CH134_Full RU_5670MHz																																																																					
ANT		CDD 6+10																																																																					
Pol.		Horizontal						Vertical																																																															
Peak Avg																																																																							
		<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11340.00</td><td>48.60</td><td>74.00</td><td>-25.40</td><td>60.82</td><td>37.94</td><td>16.26</td><td>66.42</td><td>0.00</td><td>300</td><td>360</td><td>PEAK</td></tr><tr><td>2</td><td>11340.00</td><td>38.86</td><td>54.00</td><td>-15.14</td><td>51.08</td><td>37.94</td><td>16.26</td><td>66.42</td><td>0.00</td><td>300</td><td>360</td><td>AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11340.00	48.60	74.00	-25.40	60.82	37.94	16.26	66.42	0.00	300	360	PEAK	2	11340.00	38.86	54.00	-15.14	51.08	37.94	16.26	66.42	0.00	300	360	AVERAGE
			Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																													
1	11340.00	48.60	74.00	-25.40	60.82	37.94	16.26	66.42	0.00	300	360	PEAK																																																											
2	11340.00	38.86	54.00	-15.14	51.08	37.94	16.26	66.42	0.00	300	360	AVERAGE																																																											
																																																																							
		<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11340.00</td><td>44.90</td><td>74.00</td><td>-29.10</td><td>57.12</td><td>37.94</td><td>16.26</td><td>66.42</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11340.00	44.90	74.00	-29.10	57.12	37.94	16.26	66.42	0.00	---	---	PEAK													
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																													
1	11340.00	44.90	74.00	-29.10	57.12	37.94	16.26	66.42	0.00	---	---	PEAK																																																											







		96																																																																																																													
Mode		Band Edge - L																																																																																																													
		U-NII-2C_5.47-5.725_802.11ax HE80_CH106_Full RU_5530MHz																																																																																																													
ANT		CDD 6+10																																																																																																													
Pol.	Horizontal										Fundamental																																																																																																				
Peak																																																																																																															
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5435.76	60.11	74.00	-13.89	50.88	34.67	10.81	36.25	0.00	254	25 PEAK	2	5462.16	59.53	68.20	-8.67	50.20	34.70	10.84	36.21	0.00	254	25 PEAK		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5530.00	100.74	-----	-----	91.19	34.76	10.91	36.12	0.00	254	25 PEAK									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																						
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5435.76	60.11	74.00	-13.89	50.88	34.67	10.81	36.25	0.00	254	25 PEAK																																																																																																				
2	5462.16	59.53	68.20	-8.67	50.20	34.70	10.84	36.21	0.00	254	25 PEAK																																																																																																				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																						
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5530.00	100.74	-----	-----	91.19	34.76	10.91	36.12	0.00	254	25 PEAK																																																																																																				
Avg																																																																																																															
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5436.24	50.79	54.00	-3.21	41.56	34.67	10.81	36.25	0.00	254	25 AVERAGE		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5530.00	92.90	-----	-----	83.31	34.77	10.93	36.11	0.00	254	25 AVERAGE																					
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																						
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5436.24	50.79	54.00	-3.21	41.56	34.67	10.81	36.25	0.00	254	25 AVERAGE																																																																																																				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																						
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5530.00	92.90	-----	-----	83.31	34.77	10.93	36.11	0.00	254	25 AVERAGE																																																																																																				




	96																																																							
Mode	Band Edge - R																																																							
	U-NII-2C_5.47-5.725_802.11ax HE80_CH106_Full RU_5530MHz																																																							
ANT	CDD 6+10																																																							
Pol.	Horizontal						Fundamental																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5735.88</td><td>51.39</td><td>68.20</td><td>-16.81</td><td>42.70</td><td>34.96</td><td>11.19</td><td>37.46</td><td>0.00</td><td>254</td><td>25</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5735.88	51.39	68.20	-16.81	42.70	34.96	11.19	37.46	0.00	254	25	PEAK	Blank					
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5735.88	51.39	68.20	-16.81	42.70	34.96	11.19	37.46	0.00	254	25	PEAK																																												





		96																																																																																																																
Mode		Band Edge - L																																																																																																																
		U-NII-2C_5.47-5.725_802.11ax HE80_CH106_Full RU_5530MHz																																																																																																																
ANT		CDD 6+10																																																																																																																
Pol.		Vertical					Fundamental																																																																																																											
Peak																																																																																																																		
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5440.40</td><td>55.41</td><td>74.00</td><td>-18.59</td><td>46.15</td><td>34.68</td><td>10.82</td><td>36.24</td><td>0.00</td><td>348</td><td>274</td><td>PEAK</td></tr><tr><td>2</td><td>5466.48</td><td>55.24</td><td>68.20</td><td>-12.96</td><td>45.90</td><td>34.70</td><td>10.85</td><td>36.21</td><td>0.00</td><td>348</td><td>274</td><td>PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5440.40	55.41	74.00	-18.59	46.15	34.68	10.82	36.24	0.00	348	274	PEAK	2	5466.48	55.24	68.20	-12.96	45.90	34.70	10.85	36.21	0.00	348	274	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5530.00</td><td>98.34</td><td>-----</td><td>-----</td><td>88.88</td><td>34.73</td><td>10.89</td><td>36.16</td><td>0.00</td><td>348</td><td>274</td><td>PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5530.00	98.34	-----	-----	88.88	34.73	10.89	36.16	0.00	348	274
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																								
1	5440.40	55.41	74.00	-18.59	46.15	34.68	10.82	36.24	0.00	348	274	PEAK																																																																																																						
2	5466.48	55.24	68.20	-12.96	45.90	34.70	10.85	36.21	0.00	348	274	PEAK																																																																																																						
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																								
1	5530.00	98.34	-----	-----	88.88	34.73	10.89	36.16	0.00	348	274	PEAK																																																																																																						
Avg																																																																																																																		
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5457.68</td><td>46.74</td><td>54.00</td><td>-7.26</td><td>37.43</td><td>34.69</td><td>10.84</td><td>36.22</td><td>0.00</td><td>348</td><td>274</td><td>AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5457.68	46.74	54.00	-7.26	37.43	34.69	10.84	36.22	0.00	348	274	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5530.00</td><td>90.33</td><td>-----</td><td>-----</td><td>80.89</td><td>34.73</td><td>10.88</td><td>36.17</td><td>0.00</td><td>348</td><td>274</td><td>AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5530.00	90.33	-----	-----	80.89	34.73	10.88	36.17	0.00	348	274	AVERAGE												
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																								
1	5457.68	46.74	54.00	-7.26	37.43	34.69	10.84	36.22	0.00	348	274	AVERAGE																																																																																																						
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																								
1	5530.00	90.33	-----	-----	80.89	34.73	10.88	36.17	0.00	348	274	AVERAGE																																																																																																						



Mode	96																																																						
	Band Edge - R																																																						
	U-NII-2C_5.47-5.725_802.11ax HE80_CH106_Full RU_5530MHz																																																						
ANT	CDD 6+10																																																						
Pol.	Vertical						Fundamental																																																
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5754.68</td><td>53.07</td><td>68.20</td><td>-15.13</td><td>44.64</td><td>34.97</td><td>11.22</td><td>37.76</td><td>0.00</td><td>348</td><td>274</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5754.68	53.07	68.20	-15.13	44.64	34.97	11.22	37.76	0.00	348	274	PEAK	Blank				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5754.68	53.07	68.20	-15.13	44.64	34.97	11.22	37.76	0.00	348	274	PEAK																																											




		96																																																										
Mode		Harmonic																																																										
		U-NII-2C_5.47-5.725_802.11ax HE80_CH106_Full RU_5530MHz																																																										
ANT		CDD 6+10																																																										
Pol.		Horizontal						Vertical																																																				
Peak Avg																																																												
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11060.00</td><td>47.20</td><td>74.00</td><td>-26.80</td><td>59.85</td><td>37.84</td><td>16.08</td><td>66.57</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>															Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11060.00	47.20	74.00	-26.80	59.85	37.84	16.08	66.57	0.00	---	---
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																	
1	11060.00	47.20	74.00	-26.80	59.85	37.84	16.08	66.57	0.00	---	---	PEAK																																																
Peak Avg																																																												
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11060.00</td><td>46.23</td><td>74.00</td><td>-27.77</td><td>58.88</td><td>37.84</td><td>16.08</td><td>66.57</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>															Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11060.00	46.23	74.00	-27.77	58.88	37.84	16.08	66.57	0.00	---	---
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																	
1	11060.00	46.23	74.00	-27.77	58.88	37.84	16.08	66.57	0.00	---	---	PEAK																																																







Mode	97																																																																			
	Band Edge - L																																																																			
	U-NII-2C_5.47-5.725_802.11ax HE80_CH122_Full RU_5610MHz																																																																			
ANT	CDD 6+10																																																																			
Pol.	Horizontal																																																																			
Peak																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5453.04</td><td>57.66</td><td>74.00</td><td>-16.34</td><td>48.36</td><td>34.69</td><td>10.83</td><td>36.22</td><td>0.00</td><td>233</td><td>24 PEAK</td></tr><tr><td>2</td><td>5464.24</td><td>58.13</td><td>68.20</td><td>-10.07</td><td>48.79</td><td>34.70</td><td>10.85</td><td>36.21</td><td>0.00</td><td>233</td><td>24 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5453.04	57.66	74.00	-16.34	48.36	34.69	10.83	36.22	0.00	233	24 PEAK	2	5464.24	58.13	68.20	-10.07	48.79	34.70	10.85	36.21	0.00	233	24 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																										
1	5453.04	57.66	74.00	-16.34	48.36	34.69	10.83	36.22	0.00	233	24 PEAK																																																									
2	5464.24	58.13	68.20	-10.07	48.79	34.70	10.85	36.21	0.00	233	24 PEAK																																																									
Fundamental																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5610.00</td><td>103.57</td><td>-----</td><td>-----</td><td>93.77</td><td>34.82</td><td>11.00</td><td>36.02</td><td>0.00</td><td>233</td><td>24 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5610.00	103.57	-----	-----	93.77	34.82	11.00	36.02	0.00	233	24 PEAK												
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																										
1	5610.00	103.57	-----	-----	93.77	34.82	11.00	36.02	0.00	233	24 PEAK																																																									
Avg																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5452.24</td><td>48.34</td><td>54.00</td><td>-5.66</td><td>39.05</td><td>34.69</td><td>10.83</td><td>36.23</td><td>0.00</td><td>233</td><td>24 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5452.24	48.34	54.00	-5.66	39.05	34.69	10.83	36.23	0.00	233	24 AVERAGE												
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																										
1	5452.24	48.34	54.00	-5.66	39.05	34.69	10.83	36.23	0.00	233	24 AVERAGE																																																									
Fundamental																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5610.00</td><td>95.38</td><td>-----</td><td>-----</td><td>85.58</td><td>34.82</td><td>11.00</td><td>36.02</td><td>0.00</td><td>233</td><td>24 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5610.00	95.38	-----	-----	85.58	34.82	11.00	36.02	0.00	233	24 AVERAGE												
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																										
1	5610.00	95.38	-----	-----	85.58	34.82	11.00	36.02	0.00	233	24 AVERAGE																																																									




	97																																																					
Mode	Band Edge - R																																																					
	U-NII-2C_5.47-5.725_802.11ax HE80_CH122_Full RU_5610MHz																																																					
ANT	CDD 6+10																																																					
Pol.	Horizontal						Fundamental																																															
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5739.08</td><td>52.86</td><td>68.20</td><td>-15.34</td><td>44.21</td><td>34.96</td><td>11.20</td><td>37.51</td><td>0.00</td><td>233</td><td>24 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5739.08	52.86	68.20	-15.34	44.21	34.96	11.20	37.51	0.00	233	24 PEAK	Blank				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	5739.08	52.86	68.20	-15.34	44.21	34.96	11.20	37.51	0.00	233	24 PEAK																																											





Mode	97																																																																																																												
	Band Edge - L																																																																																																												
	U-NII-2C_5.47-5.725_802.11ax HE80_CH122_Full RU_5610MHz																																																																																																												
ANT	CDD 6+10																																																																																																												
Pol.	Vertical					Fundamental																																																																																																							
Peak																																																																																																													
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5458.00</td><td>56.13</td><td>74.00</td><td>-17.87</td><td>46.82</td><td>34.69</td><td>10.84</td><td>36.22</td><td>0.00</td><td>317 266 PEAK</td></tr><tr><td>2</td><td>5466.00</td><td>56.71</td><td>68.20</td><td>-11.49</td><td>47.37</td><td>34.70</td><td>10.85</td><td>36.21</td><td>0.00</td><td>317 266 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5458.00	56.13	74.00	-17.87	46.82	34.69	10.84	36.22	0.00	317 266 PEAK	2	5466.00	56.71	68.20	-11.49	47.37	34.70	10.85	36.21	0.00	317 266 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5610.00</td><td>101.61</td><td>-----</td><td>-----</td><td>91.72</td><td>34.85</td><td>11.03</td><td>35.99</td><td>0.00</td><td>317 266 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5610.00	101.61	-----	-----	91.72	34.85	11.03	35.99	0.00	317 266 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																			
1	5458.00	56.13	74.00	-17.87	46.82	34.69	10.84	36.22	0.00	317 266 PEAK																																																																																																			
2	5466.00	56.71	68.20	-11.49	47.37	34.70	10.85	36.21	0.00	317 266 PEAK																																																																																																			
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																			
1	5610.00	101.61	-----	-----	91.72	34.85	11.03	35.99	0.00	317 266 PEAK																																																																																																			
Avg																																																																																																													
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5457.52</td><td>46.99</td><td>54.00</td><td>-7.01</td><td>37.68</td><td>34.69</td><td>10.84</td><td>36.22</td><td>0.00</td><td>317 266 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5457.52	46.99	54.00	-7.01	37.68	34.69	10.84	36.22	0.00	317 266 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5610.00</td><td>93.41</td><td>-----</td><td>-----</td><td>83.55</td><td>34.84</td><td>11.02</td><td>36.00</td><td>0.00</td><td>317 266 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5610.00	93.41	-----	-----	83.55	34.84	11.02	36.00	0.00	317 266 AVERAGE											
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																			
1	5457.52	46.99	54.00	-7.01	37.68	34.69	10.84	36.22	0.00	317 266 AVERAGE																																																																																																			
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																			
1	5610.00	93.41	-----	-----	83.55	34.84	11.02	36.00	0.00	317 266 AVERAGE																																																																																																			







	97																																																						
Mode	Band Edge - R																																																						
	U-NII-2C_5.47-5.725_802.11ax HE80_CH122_Full RU_5610MHz																																																						
ANT	CDD 6+10																																																						
Pol.	Vertical						Fundamental																																																
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5732.52</td><td>53.10</td><td>68.20</td><td>-15.10</td><td>44.37</td><td>34.95</td><td>11.19</td><td>37.41</td><td>0.00</td><td>317 266 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5732.52	53.10	68.20	-15.10	44.37	34.95	11.19	37.41	0.00	317 266 PEAK	Blank				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5732.52	53.10	68.20	-15.10	44.37	34.95	11.19	37.41	0.00	317 266 PEAK																																													







Mode	97																																																																																																																						
	Harmonic																																																																																																																						
	U-NII-2C_5.47-5.725_802.11ax HE80_CH122_Full RU_5610MHz																																																																																																																						
ANT	CDD 6+10																																																																																																																						
Pol.	Horizontal						Vertical																																																																																																																
Peak Avg																																																																																																																							
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11220.00</td><td>49.56</td><td>74.00</td><td>-24.44</td><td>61.96</td><td>37.90</td><td>16.18</td><td>66.48</td><td>0.00</td><td>300</td><td>360</td><td>PEAK</td></tr><tr><td>2</td><td>11220.00</td><td>39.26</td><td>54.00</td><td>-14.74</td><td>51.63</td><td>37.90</td><td>16.20</td><td>66.47</td><td>0.00</td><td>300</td><td>360</td><td>AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11220.00	49.56	74.00	-24.44	61.96	37.90	16.18	66.48	0.00	300	360	PEAK	2	11220.00	39.26	54.00	-14.74	51.63	37.90	16.20	66.47	0.00	300	360	AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11220.00</td><td>45.25</td><td>74.00</td><td>-28.75</td><td>57.65</td><td>37.90</td><td>16.18</td><td>66.48</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11220.00	45.25	74.00	-28.75	57.65	37.90	16.18	66.48	0.00	---	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																												
1	11220.00	49.56	74.00	-24.44	61.96	37.90	16.18	66.48	0.00	300	360	PEAK																																																																																																											
2	11220.00	39.26	54.00	-14.74	51.63	37.90	16.20	66.47	0.00	300	360	AVERAGE																																																																																																											
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																												
1	11220.00	45.25	74.00	-28.75	57.65	37.90	16.18	66.48	0.00	---	---	PEAK																																																																																																											






Mode	98																																																																			
	Band Edge																																																																			
	U-NII-2C_5.47-5.725_802.11ax HE20_CH100_RU26/0_5500MHz																																																																			
ANT	CDD 6+10																																																																			
Pol.	Horizontal																																																																			
Peak																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5451.92</td><td>50.74</td><td>74.00</td><td>-23.26</td><td>41.45</td><td>34.69</td><td>10.83</td><td>36.23</td><td>0.00</td><td>101</td><td>94 PEAK</td></tr><tr><td>2</td><td>5463.60</td><td>52.35</td><td>68.20</td><td>-15.85</td><td>43.02</td><td>34.70</td><td>10.84</td><td>36.21</td><td>0.00</td><td>101</td><td>94 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5451.92	50.74	74.00	-23.26	41.45	34.69	10.83	36.23	0.00	101	94 PEAK	2	5463.60	52.35	68.20	-15.85	43.02	34.70	10.84	36.21	0.00	101	94 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																										
1	5451.92	50.74	74.00	-23.26	41.45	34.69	10.83	36.23	0.00	101	94 PEAK																																																									
2	5463.60	52.35	68.20	-15.85	43.02	34.70	10.84	36.21	0.00	101	94 PEAK																																																									
Fundamental																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5500.00</td><td>106.37</td><td>-----</td><td>-----</td><td>96.93</td><td>34.73</td><td>10.88</td><td>36.17</td><td>0.00</td><td>101</td><td>94 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	106.37	-----	-----	96.93	34.73	10.88	36.17	0.00	101	94 PEAK												
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																										
1	5500.00	106.37	-----	-----	96.93	34.73	10.88	36.17	0.00	101	94 PEAK																																																									
Avg																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5458.80</td><td>40.67</td><td>54.00</td><td>-13.33</td><td>31.35</td><td>34.70</td><td>10.84</td><td>36.22</td><td>0.00</td><td>101</td><td>94 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5458.80	40.67	54.00	-13.33	31.35	34.70	10.84	36.22	0.00	101	94 AVERAGE												
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																										
1	5458.80	40.67	54.00	-13.33	31.35	34.70	10.84	36.22	0.00	101	94 AVERAGE																																																									
Fundamental																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5500.00</td><td>98.27</td><td>-----</td><td>-----</td><td>88.83</td><td>34.73</td><td>10.88</td><td>36.17</td><td>0.00</td><td>101</td><td>94 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	98.27	-----	-----	88.83	34.73	10.88	36.17	0.00	101	94 AVERAGE												
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																										
1	5500.00	98.27	-----	-----	88.83	34.73	10.88	36.17	0.00	101	94 AVERAGE																																																									






Mode	98																																																																			
	Band Edge																																																																			
	U-NII-2C_5.47-5.725_802.11ax HE20_CH100_RU26/0_5500MHz																																																																			
ANT	CDD 6+10																																																																			
Pol.	Vertical																																																																			
Peak																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5437.52</td><td>50.62</td><td>74.00</td><td>-23.38</td><td>41.38</td><td>34.68</td><td>10.81</td><td>36.25</td><td>0.00</td><td>334</td><td>64 PEAK</td></tr><tr><td>2</td><td>5460.56</td><td>50.92</td><td>68.20</td><td>-17.28</td><td>41.59</td><td>34.70</td><td>10.84</td><td>36.21</td><td>0.00</td><td>334</td><td>64 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5437.52	50.62	74.00	-23.38	41.38	34.68	10.81	36.25	0.00	334	64 PEAK	2	5460.56	50.92	68.20	-17.28	41.59	34.70	10.84	36.21	0.00	334	64 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																										
1	5437.52	50.62	74.00	-23.38	41.38	34.68	10.81	36.25	0.00	334	64 PEAK																																																									
2	5460.56	50.92	68.20	-17.28	41.59	34.70	10.84	36.21	0.00	334	64 PEAK																																																									
Fundamental																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5500.00</td><td>105.24</td><td>-----</td><td>-----</td><td>95.80</td><td>34.73</td><td>10.88</td><td>36.17</td><td>0.00</td><td>334</td><td>64 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	105.24	-----	-----	95.80	34.73	10.88	36.17	0.00	334	64 PEAK												
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																										
1	5500.00	105.24	-----	-----	95.80	34.73	10.88	36.17	0.00	334	64 PEAK																																																									
Avg																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5459.92</td><td>40.51</td><td>54.00</td><td>-13.49</td><td>31.18</td><td>34.70</td><td>10.84</td><td>36.21</td><td>0.00</td><td>334</td><td>64 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5459.92	40.51	54.00	-13.49	31.18	34.70	10.84	36.21	0.00	334	64 AVERAGE												
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																										
1	5459.92	40.51	54.00	-13.49	31.18	34.70	10.84	36.21	0.00	334	64 AVERAGE																																																									
Fundamental																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5500.00</td><td>97.70</td><td>-----</td><td>-----</td><td>88.26</td><td>34.73</td><td>10.88</td><td>36.17</td><td>0.00</td><td>334</td><td>64 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	97.70	-----	-----	88.26	34.73	10.88	36.17	0.00	334	64 AVERAGE												
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																										
1	5500.00	97.70	-----	-----	88.26	34.73	10.88	36.17	0.00	334	64 AVERAGE																																																									



Mode	99																																																																																															
	Band Edge																																																																																															
	U-NII-2C_5.47-5.725_802.11ax HE20_CH140_RU26/8_5700MHz																																																																																															
ANT	CDD 6+10																																																																																															
Pol.	Horizontal						Fundamental																																																																																									
Peak																																																																																																
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5725.08</td><td>53.94</td><td>68.20</td><td>-14.26</td><td>45.10</td><td>34.95</td><td>11.18</td><td>37.29</td><td>0.00</td><td>100</td><td>99 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5725.08	53.94	68.20	-14.26	45.10	34.95	11.18	37.29	0.00	100	99 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5700.00</td><td>106.79</td><td>-----</td><td>-----</td><td>97.76</td><td>34.93</td><td>11.16</td><td>37.06</td><td>0.00</td><td>100</td><td>99 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5700.00	106.79	-----	-----	97.76	34.93	11.16	37.06	0.00	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	5725.08	53.94	68.20	-14.26	45.10	34.95	11.18	37.29	0.00	100	99 PEAK																																																																																					
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	5700.00	106.79	-----	-----	97.76	34.93	11.16	37.06	0.00	100	99 PEAK																																																																																					
Avg	Blank																																																																																															
							<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5700.00</td><td>98.88</td><td>-----</td><td>-----</td><td>89.85</td><td>34.93</td><td>11.16</td><td>37.06</td><td>0.00</td><td>100</td><td>99 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5700.00	98.88	-----	-----	89.85	34.93	11.16	37.06	0.00	100	99 AVERAGE																																										
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	5700.00	98.88	-----	-----	89.85	34.93	11.16	37.06	0.00	100	99 AVERAGE																																																																																					



Mode	99																																																																																																			
	Band Edge																																																																																																			
	U-NII-2C_5.47-5.725_802.11ax HE20_CH140_RU26/8_5700MHz																																																																																																			
ANT	CDD 6+10																																																																																																			
Pol.	Vertical						Fundamental																																																																																													
Peak																																																																																																				
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5741.32</td><td>53.12</td><td>68.20</td><td>-15.08</td><td>44.51</td><td>34.96</td><td>11.20</td><td>37.55</td><td>0.00</td><td>308</td><td>65 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5741.32	53.12	68.20	-15.08	44.51	34.96	11.20	37.55	0.00	308	65 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5700.00</td><td>106.66</td><td>-----</td><td>-----</td><td>97.63</td><td>34.93</td><td>11.16</td><td>37.06</td><td>0.00</td><td>308</td><td>65 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5700.00	106.66	-----	-----	97.63	34.93	11.16	37.06	0.00	308
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5741.32	53.12	68.20	-15.08	44.51	34.96	11.20	37.55	0.00	308	65 PEAK																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5700.00	106.66	-----	-----	97.63	34.93	11.16	37.06	0.00	308	65 PEAK																																																																																									
Avg	Blank																																																																																																			
							<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5700.00</td><td>100.01</td><td>-----</td><td>-----</td><td>90.98</td><td>34.93</td><td>11.16</td><td>37.06</td><td>0.00</td><td>308</td><td>65 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5700.00	100.01	-----	-----	90.98	34.93	11.16	37.06	0.00	308	65 AVERAGE																																												
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5700.00	100.01	-----	-----	90.98	34.93	11.16	37.06	0.00	308	65 AVERAGE																																																																																									



Mode	100																																																																			
	Band Edge																																																																			
	U-NII-2C_5.47-5.725_802.11ax HE20_CH100_RU52/37_5500MHz																																																																			
ANT	CDD 6+10																																																																			
Pol.	Horizontal																																																																			
Peak																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5410.16</td><td>52.03</td><td>74.00</td><td>-21.97</td><td>42.89</td><td>34.65</td><td>10.78</td><td>36.29</td><td>0.00</td><td>100</td><td>93 PEAK</td></tr><tr><td>2</td><td>5462.32</td><td>52.38</td><td>68.20</td><td>-15.82</td><td>43.05</td><td>34.70</td><td>10.84</td><td>36.21</td><td>0.00</td><td>100</td><td>93 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5410.16	52.03	74.00	-21.97	42.89	34.65	10.78	36.29	0.00	100	93 PEAK	2	5462.32	52.38	68.20	-15.82	43.05	34.70	10.84	36.21	0.00	100	93 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																										
1	5410.16	52.03	74.00	-21.97	42.89	34.65	10.78	36.29	0.00	100	93 PEAK																																																									
2	5462.32	52.38	68.20	-15.82	43.05	34.70	10.84	36.21	0.00	100	93 PEAK																																																									
Avg																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5459.92</td><td>41.79</td><td>54.00</td><td>-12.21</td><td>32.46</td><td>34.70</td><td>10.84</td><td>36.21</td><td>0.00</td><td>100</td><td>93 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5459.92	41.79	54.00	-12.21	32.46	34.70	10.84	36.21	0.00	100	93 AVERAGE												
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																										
1	5459.92	41.79	54.00	-12.21	32.46	34.70	10.84	36.21	0.00	100	93 AVERAGE																																																									
Fundamental																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5500.00</td><td>110.53</td><td>-----</td><td>-----</td><td>101.09</td><td>34.73</td><td>10.88</td><td>36.17</td><td>0.00</td><td>100</td><td>93 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	110.53	-----	-----	101.09	34.73	10.88	36.17	0.00	100	93 PEAK												
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																										
1	5500.00	110.53	-----	-----	101.09	34.73	10.88	36.17	0.00	100	93 PEAK																																																									
Avg																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5500.00</td><td>101.19</td><td>-----</td><td>-----</td><td>91.75</td><td>34.73</td><td>10.88</td><td>36.17</td><td>0.00</td><td>100</td><td>93 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	101.19	-----	-----	91.75	34.73	10.88	36.17	0.00	100	93 AVERAGE												
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																										
1	5500.00	101.19	-----	-----	91.75	34.73	10.88	36.17	0.00	100	93 AVERAGE																																																									






		100																																																																	
Mode		Band Edge																																																																	
		U-NII-2C_5.47-5.725_802.11ax HE20_CH100_RU52/37_5500MHz																																																																	
ANT		CDD 6+10																																																																	
Pol.		Vertical					Fundamental																																																												
Peak																																																																			
		<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5455.60</td><td>52.47</td><td>74.00</td><td>-21.53</td><td>43.16</td><td>34.69</td><td>10.84</td><td>36.22</td><td>0.00</td><td>300</td><td>64 PEAK</td></tr><tr><td>2</td><td>5460.88</td><td>51.65</td><td>68.20</td><td>-16.55</td><td>42.32</td><td>34.70</td><td>10.84</td><td>36.21</td><td>0.00</td><td>300</td><td>64 PEAK</td></tr></tbody></table>											Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5455.60	52.47	74.00	-21.53	43.16	34.69	10.84	36.22	0.00	300	64 PEAK	2	5460.88	51.65	68.20	-16.55	42.32	34.70	10.84	36.21	0.00	300
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																									
1	5455.60	52.47	74.00	-21.53	43.16	34.69	10.84	36.22	0.00	300	64 PEAK																																																								
2	5460.88	51.65	68.20	-16.55	42.32	34.70	10.84	36.21	0.00	300	64 PEAK																																																								
Avg																																																																			
		<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5458.64</td><td>41.30</td><td>54.00</td><td>-12.70</td><td>31.99</td><td>34.69</td><td>10.84</td><td>36.22</td><td>0.00</td><td>300</td><td>64 AVERAGE</td></tr></tbody></table>											Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5458.64	41.30	54.00	-12.70	31.99	34.69	10.84	36.22	0.00	300	64 AVERAGE											
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																									
1	5458.64	41.30	54.00	-12.70	31.99	34.69	10.84	36.22	0.00	300	64 AVERAGE																																																								
Peak																																																																			
		<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5500.00</td><td>109.67</td><td>-----</td><td>-----</td><td>100.23</td><td>34.73</td><td>10.88</td><td>36.17</td><td>0.00</td><td>300</td><td>64 PEAK</td></tr></tbody></table>											Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	109.67	-----	-----	100.23	34.73	10.88	36.17	0.00	300	64 PEAK											
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																									
1	5500.00	109.67	-----	-----	100.23	34.73	10.88	36.17	0.00	300	64 PEAK																																																								
Avg																																																																			
		<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5500.00</td><td>101.21</td><td>-----</td><td>-----</td><td>91.77</td><td>34.73</td><td>10.88</td><td>36.17</td><td>0.00</td><td>300</td><td>64 AVERAGE</td></tr></tbody></table>											Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	101.21	-----	-----	91.77	34.73	10.88	36.17	0.00	300	64 AVERAGE											
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																									
1	5500.00	101.21	-----	-----	91.77	34.73	10.88	36.17	0.00	300	64 AVERAGE																																																								







Mode	101																																																																																									
	Band Edge																																																																																									
	U-NII-2C_5.47-5.725_802.11ax HE20_CH140_RU52/40_5700MHz																																																																																									
ANT	CDD 6+10																																																																																									
Pol.	Horizontal	Fundamental																																																																																								
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5742.12</td><td>51.65</td><td>68.20</td><td>-16.55</td><td>43.05</td><td>34.96</td><td>11.20</td><td>37.56</td><td>0.00</td><td>91 PEAK</td></tr></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5742.12	51.65	68.20	-16.55	43.05	34.96	11.20	37.56	0.00	91 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5700.00</td><td>103.78</td><td>-----</td><td>-----</td><td>94.75</td><td>34.93</td><td>11.16</td><td>37.06</td><td>0.00</td><td>91 PEAK</td></tr></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5700.00	103.78	-----	-----	94.75	34.93	11.16	37.06	0.00	91 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																
1	5742.12	51.65	68.20	-16.55	43.05	34.96	11.20	37.56	0.00	91 PEAK																																																																																
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																
1	5700.00	103.78	-----	-----	94.75	34.93	11.16	37.06	0.00	91 PEAK																																																																																
Avg	Blank	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5700.00</td><td>97.20</td><td>-----</td><td>-----</td><td>88.17</td><td>34.93</td><td>11.16</td><td>37.06</td><td>0.00</td><td>91 AVERAGE</td></tr></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5700.00	97.20	-----	-----	88.17	34.93	11.16	37.06	0.00	91 AVERAGE																																												
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																
1	5700.00	97.20	-----	-----	88.17	34.93	11.16	37.06	0.00	91 AVERAGE																																																																																







Mode	101																																																																																																		
	Band Edge																																																																																																		
	U-NII-2C_5.47-5.725_802.11ax HE20_CH140_RU52/40_5700MHz																																																																																																		
ANT	CDD 6+10																																																																																																		
Pol.	Vertical						Fundamental																																																																																												
Peak																																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5738.68</td><td>52.61</td><td>68.20</td><td>-15.59</td><td>43.96</td><td>34.96</td><td>11.20</td><td>37.51</td><td>0.00</td><td>309</td><td>68 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5738.68	52.61	68.20	-15.59	43.96	34.96	11.20	37.51	0.00	309	68 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5700.00</td><td>106.75</td><td>-----</td><td>-----</td><td>97.72</td><td>34.93</td><td>11.16</td><td>37.06</td><td>0.00</td><td>309</td><td>68 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5700.00	106.75	-----	-----	97.72	34.93	11.16	37.06	0.00	309	68 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																									
1 5738.68	52.61	68.20	-15.59	43.96	34.96	11.20	37.51	0.00	309	68 PEAK																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																									
1 5700.00	106.75	-----	-----	97.72	34.93	11.16	37.06	0.00	309	68 PEAK																																																																																									
Avg	Blank																																																																																																		
							<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5700.00</td><td>98.72</td><td>-----</td><td>-----</td><td>89.69</td><td>34.93</td><td>11.16</td><td>37.06</td><td>0.00</td><td>309</td><td>68 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5700.00	98.72	-----	-----	89.69	34.93	11.16	37.06	0.00	309	68 AVERAGE																																												
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																									
1 5700.00	98.72	-----	-----	89.69	34.93	11.16	37.06	0.00	309	68 AVERAGE																																																																																									






		102																																																																																																																								
Mode		Band Edge																																																																																																																								
		U-NII-2C_5.47-5.725_802.11ax HE20_CH100_RU106/53_5500MHz																																																																																																																								
ANT		CDD 6+10																																																																																																																								
Pol.	Horizontal										Fundamental																																																																																																															
Peak																																																																																																																										
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5444.24</td><td>51.28</td><td>74.00</td><td>-22.72</td><td>42.02</td><td>34.68</td><td>10.82</td><td>36.24</td><td>0.00</td><td>100</td><td>PEAK</td></tr><tr><td>2</td><td>5469.04</td><td>52.58</td><td>68.20</td><td>-15.62</td><td>43.23</td><td>34.70</td><td>10.85</td><td>36.20</td><td>0.00</td><td>100</td><td>PEAK</td></tr></tbody></table>											Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5444.24	51.28	74.00	-22.72	42.02	34.68	10.82	36.24	0.00	100	PEAK	2	5469.04	52.58	68.20	-15.62	43.23	34.70	10.85	36.20	0.00	100	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5500.00</td><td>108.77</td><td>-----</td><td>-----</td><td>99.31</td><td>34.73</td><td>10.89</td><td>36.16</td><td>0.00</td><td>100</td><td>100 PEAK</td></tr></tbody></table>											Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	108.77	-----	-----	99.31	34.73	10.89	36.16	0.00	100	100 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																
1	5444.24	51.28	74.00	-22.72	42.02	34.68	10.82	36.24	0.00	100	PEAK																																																																																																															
2	5469.04	52.58	68.20	-15.62	43.23	34.70	10.85	36.20	0.00	100	PEAK																																																																																																															
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																
1	5500.00	108.77	-----	-----	99.31	34.73	10.89	36.16	0.00	100	100 PEAK																																																																																																															
Avg																																																																																																																										
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5459.92</td><td>41.19</td><td>54.00</td><td>-12.81</td><td>31.86</td><td>34.70</td><td>10.84</td><td>36.21</td><td>0.00</td><td>100</td><td>AVERAGE</td></tr></tbody></table>											Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5459.92	41.19	54.00	-12.81	31.86	34.70	10.84	36.21	0.00	100	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5500.00</td><td>100.63</td><td>-----</td><td>-----</td><td>91.17</td><td>34.73</td><td>10.89</td><td>36.16</td><td>0.00</td><td>100</td><td>100 AVERAGE</td></tr></tbody></table>											Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	100.63	-----	-----	91.17	34.73	10.89	36.16	0.00	100	100 AVERAGE												
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																
1	5459.92	41.19	54.00	-12.81	31.86	34.70	10.84	36.21	0.00	100	AVERAGE																																																																																																															
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																
1	5500.00	100.63	-----	-----	91.17	34.73	10.89	36.16	0.00	100	100 AVERAGE																																																																																																															




Mode	102																																																																																																																
	Band Edge																																																																																																																
	U-NII-2C_5.47-5.725_802.11ax HE20_CH100_RU106/53_5500MHz																																																																																																																
ANT	CDD 6+10																																																																																																																
Pol.	Vertical						Fundamental																																																																																																										
Peak																																																																																																																	
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5458.80</td><td>53.17</td><td>74.00</td><td>-20.83</td><td>43.85</td><td>34.70</td><td>10.84</td><td>36.22</td><td>0.00</td><td>333</td><td>62 PEAK</td></tr><tr><td>2</td><td>5463.60</td><td>51.98</td><td>68.20</td><td>-16.22</td><td>42.65</td><td>34.70</td><td>10.84</td><td>36.21</td><td>0.00</td><td>333</td><td>62 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5458.80	53.17	74.00	-20.83	43.85	34.70	10.84	36.22	0.00	333	62 PEAK	2	5463.60	51.98	68.20	-16.22	42.65	34.70	10.84	36.21	0.00	333	62 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5500.00</td><td>109.46</td><td>-----</td><td>-----</td><td>100.02</td><td>34.73</td><td>10.88</td><td>36.17</td><td>0.00</td><td>333</td><td>62 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	109.46	-----	-----	100.02	34.73	10.88	36.17	0.00	333	62 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5458.80	53.17	74.00	-20.83	43.85	34.70	10.84	36.22	0.00	333	62 PEAK																																																																																																						
2	5463.60	51.98	68.20	-16.22	42.65	34.70	10.84	36.21	0.00	333	62 PEAK																																																																																																						
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5500.00	109.46	-----	-----	100.02	34.73	10.88	36.17	0.00	333	62 PEAK																																																																																																						
Avg																																																																																																																	
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5458.16</td><td>40.74</td><td>54.00</td><td>-13.26</td><td>31.43</td><td>34.69</td><td>10.84</td><td>36.22</td><td>0.00</td><td>333</td><td>62 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5458.16	40.74	54.00	-13.26	31.43	34.69	10.84	36.22	0.00	333	62 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5500.00</td><td>100.41</td><td>-----</td><td>-----</td><td>90.97</td><td>34.73</td><td>10.88</td><td>36.17</td><td>0.00</td><td>333</td><td>62 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	100.41	-----	-----	90.97	34.73	10.88	36.17	0.00	333	62 AVERAGE												
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5458.16	40.74	54.00	-13.26	31.43	34.69	10.84	36.22	0.00	333	62 AVERAGE																																																																																																						
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5500.00	100.41	-----	-----	90.97	34.73	10.88	36.17	0.00	333	62 AVERAGE																																																																																																						





Mode	103																																																																																																				
	Band Edge																																																																																																				
	U-NII-2C_5.47-5.725_802.11ax HE20_CH140_RU106/54_5700MHz																																																																																																				
ANT	CDD 6+10																																																																																																				
Pol.	Horizontal						Fundamental																																																																																														
Peak																																																																																																					
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5725.48</td><td>54.20</td><td>68.20</td><td>-14.00</td><td>45.37</td><td>34.95</td><td>11.18</td><td>37.30</td><td>0.00</td><td>100</td><td>98 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5725.48	54.20	68.20	-14.00	45.37	34.95	11.18	37.30	0.00	100	98 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5700.00</td><td>105.70</td><td>-----</td><td>-----</td><td>96.67</td><td>34.93</td><td>11.16</td><td>37.06</td><td>0.00</td><td>100</td><td>98 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5700.00	105.70	-----	-----	96.67	34.93	11.16	37.06	0.00	100	98 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	5725.48	54.20	68.20	-14.00	45.37	34.95	11.18	37.30	0.00	100	98 PEAK																																																																																										
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	5700.00	105.70	-----	-----	96.67	34.93	11.16	37.06	0.00	100	98 PEAK																																																																																										
Avg	Blank																																																																																																				
							<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5700.00</td><td>97.75</td><td>-----</td><td>-----</td><td>88.72</td><td>34.93</td><td>11.16</td><td>37.06</td><td>0.00</td><td>100</td><td>98 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5700.00	97.75	-----	-----	88.72	34.93	11.16	37.06	0.00	100	98 AVERAGE																																													
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	5700.00	97.75	-----	-----	88.72	34.93	11.16	37.06	0.00	100	98 AVERAGE																																																																																										






Mode	103																																																																																																			
	Band Edge																																																																																																			
	U-NII-2C_5.47-5.725_802.11ax HE20_CH140_RU106/54_5700MHz																																																																																																			
ANT	CDD 6+10																																																																																																			
Pol.	Vertical						Fundamental																																																																																													
Peak	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5728.68</td><td>53.87</td><td>68.20</td><td>-14.33</td><td>45.09</td><td>34.95</td><td>11.18</td><td>37.35</td><td>0.00</td><td>309</td><td>67</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5728.68	53.87	68.20	-14.33	45.09	34.95	11.18	37.35	0.00	309	67	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5700.00</td><td>106.65</td><td>-----</td><td>-----</td><td>97.62</td><td>34.93</td><td>11.16</td><td>37.06</td><td>0.00</td><td>309</td><td>67</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5700.00	106.65	-----	-----	97.62	34.93	11.16	37.06	0.00	309	67	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5728.68	53.87	68.20	-14.33	45.09	34.95	11.18	37.35	0.00	309	67	PEAK																																																																																								
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5700.00	106.65	-----	-----	97.62	34.93	11.16	37.06	0.00	309	67	PEAK																																																																																								
Avg	Blank						<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5700.00</td><td>98.52</td><td>-----</td><td>-----</td><td>89.40</td><td>34.93</td><td>11.15</td><td>36.96</td><td>0.00</td><td>309</td><td>67</td><td>AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5700.00	98.52	-----	-----	89.40	34.93	11.15	36.96	0.00	309	67	AVERAGE																																												
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5700.00	98.52	-----	-----	89.40	34.93	11.15	36.96	0.00	309	67	AVERAGE																																																																																								








Mode	34																																																																																																																			
	30-1G																																																																																																																			
	U-NII-2C_5.47-5.725_802.11ax HE80_CH106_Full RU_5530MHz																																																																																																																			
ANT	CDD 6+7																																																																																																																			
Pol.	Horizontal						Vertical																																																																																																													
Peak																																																																																																																				
	<table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>deg</th><th></th></tr><tr><td>1</td><td>53.52</td><td>21.23</td><td>40.00</td><td>-18.77</td><td>39.30</td><td>12.88</td><td>1.12</td><td>32.07</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>94.99</td><td>28.05</td><td>43.50</td><td>-15.45</td><td>43.29</td><td>15.28</td><td>1.49</td><td>32.01</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>3</td><td>132.58</td><td>23.05</td><td>43.50</td><td>-20.45</td><td>35.84</td><td>17.52</td><td>1.75</td><td>32.06</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>4</td><td>202.90</td><td>26.85</td><td>43.50</td><td>-16.65</td><td>41.98</td><td>14.79</td><td>2.16</td><td>32.08</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>5</td><td>283.41</td><td>22.61</td><td>46.00</td><td>-23.39</td><td>33.37</td><td>18.80</td><td>2.58</td><td>32.14</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>6</td><td>852.56</td><td>28.75</td><td>46.00</td><td>-17.25</td><td>26.11</td><td>29.68</td><td>4.44</td><td>31.48</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr></table>													Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	deg		1	53.52	21.23	40.00	-18.77	39.30	12.88	1.12	32.07	0.00	---	---	Peak	2	94.99	28.05	43.50	-15.45	43.29	15.28	1.49	32.01	0.00	---	---	Peak	3	132.58	23.05	43.50	-20.45	35.84	17.52	1.75	32.06	0.00	---	---	Peak	4	202.90	26.85	43.50	-16.65	41.98	14.79	2.16	32.08	0.00	---	---	Peak	5	283.41	22.61	46.00	-23.39	33.37	18.80	2.58	32.14	0.00	---	---	Peak	6	852.56	28.75	46.00	-17.25	26.11	29.68	4.44	31.48	0.00	---	---	Peak
		Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	deg																																																																																																									
1	53.52	21.23	40.00	-18.77	39.30	12.88	1.12	32.07	0.00	---	---	Peak																																																																																																								
2	94.99	28.05	43.50	-15.45	43.29	15.28	1.49	32.01	0.00	---	---	Peak																																																																																																								
3	132.58	23.05	43.50	-20.45	35.84	17.52	1.75	32.06	0.00	---	---	Peak																																																																																																								
4	202.90	26.85	43.50	-16.65	41.98	14.79	2.16	32.08	0.00	---	---	Peak																																																																																																								
5	283.41	22.61	46.00	-23.39	33.37	18.80	2.58	32.14	0.00	---	---	Peak																																																																																																								
6	852.56	28.75	46.00	-17.25	26.11	29.68	4.44	31.48	0.00	---	---	Peak																																																																																																								
																																																																																																																				
	<table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>deg</th><th></th></tr><tr><td>1</td><td>52.55</td><td>36.32</td><td>40.00</td><td>-3.68</td><td>54.09</td><td>13.19</td><td>1.11</td><td>32.07</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>93.54</td><td>34.57</td><td>43.50</td><td>-8.93</td><td>50.01</td><td>15.08</td><td>1.48</td><td>32.00</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>3</td><td>203.15</td><td>21.49</td><td>43.50</td><td>-22.01</td><td>36.60</td><td>14.79</td><td>2.17</td><td>32.07</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>4</td><td>277.11</td><td>20.79</td><td>46.00</td><td>-25.21</td><td>31.60</td><td>18.72</td><td>2.55</td><td>32.08</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>5</td><td>425.28</td><td>24.56</td><td>46.00</td><td>-21.44</td><td>31.14</td><td>22.50</td><td>3.15</td><td>32.23</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>6</td><td>853.05</td><td>28.44</td><td>46.00</td><td>-17.56</td><td>25.80</td><td>29.68</td><td>4.44</td><td>31.48</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr></table>													Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	deg		1	52.55	36.32	40.00	-3.68	54.09	13.19	1.11	32.07	0.00	---	---	Peak	2	93.54	34.57	43.50	-8.93	50.01	15.08	1.48	32.00	0.00	---	---	Peak	3	203.15	21.49	43.50	-22.01	36.60	14.79	2.17	32.07	0.00	---	---	Peak	4	277.11	20.79	46.00	-25.21	31.60	18.72	2.55	32.08	0.00	---	---	Peak	5	425.28	24.56	46.00	-21.44	31.14	22.50	3.15	32.23	0.00	---	---	Peak	6	853.05	28.44	46.00	-17.56	25.80	29.68	4.44	31.48	0.00	---	---	Peak
	Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	deg																																																																																																									
1	52.55	36.32	40.00	-3.68	54.09	13.19	1.11	32.07	0.00	---	---	Peak																																																																																																								
2	93.54	34.57	43.50	-8.93	50.01	15.08	1.48	32.00	0.00	---	---	Peak																																																																																																								
3	203.15	21.49	43.50	-22.01	36.60	14.79	2.17	32.07	0.00	---	---	Peak																																																																																																								
4	277.11	20.79	46.00	-25.21	31.60	18.72	2.55	32.08	0.00	---	---	Peak																																																																																																								
5	425.28	24.56	46.00	-21.44	31.14	22.50	3.15	32.23	0.00	---	---	Peak																																																																																																								
6	853.05	28.44	46.00	-17.56	25.80	29.68	4.44	31.48	0.00	---	---	Peak																																																																																																								





	47																																																																																											
Mode	Band Edge																																																																																											
	U-NII-3_5.725-5.85_802.11a_CH149_5745MHz																																																																																											
ANT	CDD 6+7																																																																																											
Pol.	Horizontal																																																																																											
Peak																																																																																												
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5640.40</td><td>55.09</td><td>68.20</td><td>-13.11</td><td>45.13</td><td>34.87</td><td>11.06</td><td>35.97</td><td>0.00</td><td>107</td><td>79 PEAK</td></tr><tr><td>2</td><td>5651.20</td><td>53.01</td><td>69.09</td><td>-16.08</td><td>43.20</td><td>34.88</td><td>11.07</td><td>36.14</td><td>0.00</td><td>107</td><td>79 PEAK</td></tr><tr><td>3</td><td>5697.60</td><td>61.97</td><td>103.53</td><td>-41.56</td><td>52.77</td><td>34.92</td><td>11.14</td><td>36.86</td><td>0.00</td><td>107</td><td>79 Peak</td></tr><tr><td>4</td><td>5715.60</td><td>70.84</td><td>109.67</td><td>-38.83</td><td>61.89</td><td>34.94</td><td>11.16</td><td>37.15</td><td>0.00</td><td>107</td><td>79 Peak</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5640.40	55.09	68.20	-13.11	45.13	34.87	11.06	35.97	0.00	107	79 PEAK	2	5651.20	53.01	69.09	-16.08	43.20	34.88	11.07	36.14	0.00	107	79 PEAK	3	5697.60	61.97	103.53	-41.56	52.77	34.92	11.14	36.86	0.00	107	79 Peak	4	5715.60	70.84	109.67	-38.83	61.89	34.94	11.16	37.15	0.00	107	79 Peak
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																		
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	5640.40	55.09	68.20	-13.11	45.13	34.87	11.06	35.97	0.00	107	79 PEAK																																																																																	
2	5651.20	53.01	69.09	-16.08	43.20	34.88	11.07	36.14	0.00	107	79 PEAK																																																																																	
3	5697.60	61.97	103.53	-41.56	52.77	34.92	11.14	36.86	0.00	107	79 Peak																																																																																	
4	5715.60	70.84	109.67	-38.83	61.89	34.94	11.16	37.15	0.00	107	79 Peak																																																																																	
Avg																																																																																												
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5745.00</td><td>110.42</td><td>-----</td><td>-----</td><td>101.86</td><td>34.97</td><td>11.21</td><td>37.62</td><td>0.00</td><td>107</td><td>79 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5745.00	110.42	-----	-----	101.86	34.97	11.21	37.62	0.00	107	79 PEAK																																			
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																		
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																	
1	5745.00	110.42	-----	-----	101.86	34.97	11.21	37.62	0.00	107	79 PEAK																																																																																	
Blank																																																																																												
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5745.00</td><td>103.65</td><td>-----</td><td>-----</td><td>95.09</td><td>34.97</td><td>11.21</td><td>37.62</td><td>0.00</td><td>107</td><td>79 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5745.00	103.65	-----	-----	95.09	34.97	11.21	37.62	0.00	107	79 AVERAGE																																			
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																		
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																	
1	5745.00	103.65	-----	-----	95.09	34.97	11.21	37.62	0.00	107	79 AVERAGE																																																																																	





Mode	47																																																																																																																																			
	Band Edge																																																																																																																																			
	U-NII-3_5.725-5.85_802.11a_CH149_5745MHz																																																																																																																																			
ANT	CDD 6+7																																																																																																																																			
Pol.	Vertical						Fundamental																																																																																																																													
Peak																																																																																																																																				
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5614.40</td><td>53.06</td><td>68.20</td><td>-15.14</td><td>43.20</td><td>34.84</td><td>11.02</td><td>36.00</td><td>0.00</td><td>277</td><td>244 PEAK</td></tr><tr><td>2 5653.60</td><td>53.39</td><td>70.88</td><td>-17.49</td><td>43.60</td><td>34.88</td><td>11.00</td><td>36.17</td><td>0.00</td><td>277</td><td>244 PEAK</td></tr><tr><td>3 5699.60</td><td>53.66</td><td>105.00</td><td>-51.34</td><td>44.50</td><td>34.92</td><td>11.14</td><td>36.90</td><td>0.00</td><td>277</td><td>244 Peak</td></tr><tr><td>4 5720.00</td><td>63.50</td><td>110.90</td><td>-47.40</td><td>54.61</td><td>34.94</td><td>11.17</td><td>37.22</td><td>0.00</td><td>277</td><td>244 Peak</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5614.40	53.06	68.20	-15.14	43.20	34.84	11.02	36.00	0.00	277	244 PEAK	2 5653.60	53.39	70.88	-17.49	43.60	34.88	11.00	36.17	0.00	277	244 PEAK	3 5699.60	53.66	105.00	-51.34	44.50	34.92	11.14	36.90	0.00	277	244 Peak	4 5720.00	63.50	110.90	-47.40	54.61	34.94	11.17	37.22	0.00	277	244 Peak	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5745.00</td><td>108.39</td><td>-----</td><td>-----</td><td>99.83</td><td>34.97</td><td>11.21</td><td>37.62</td><td>0.00</td><td>277</td><td>244 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5745.00	108.39	-----	-----	99.83	34.97	11.21	37.62	0.00	277	244 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																										
1 5614.40	53.06	68.20	-15.14	43.20	34.84	11.02	36.00	0.00	277	244 PEAK																																																																																																																										
2 5653.60	53.39	70.88	-17.49	43.60	34.88	11.00	36.17	0.00	277	244 PEAK																																																																																																																										
3 5699.60	53.66	105.00	-51.34	44.50	34.92	11.14	36.90	0.00	277	244 Peak																																																																																																																										
4 5720.00	63.50	110.90	-47.40	54.61	34.94	11.17	37.22	0.00	277	244 Peak																																																																																																																										
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																										
1 5745.00	108.39	-----	-----	99.83	34.97	11.21	37.62	0.00	277	244 PEAK																																																																																																																										
Avg	Blank																																																																																																																																			
							<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5745.00</td><td>101.11</td><td>-----</td><td>-----</td><td>92.55</td><td>34.97</td><td>11.21</td><td>37.62</td><td>0.00</td><td>277</td><td>244 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5745.00	101.11	-----	-----	92.55	34.97	11.21	37.62	0.00	277	244 AVERAGE																																																																													
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																										
1 5745.00	101.11	-----	-----	92.55	34.97	11.21	37.62	0.00	277	244 AVERAGE																																																																																																																										






Mode	47																																																																																																																					
	Harmonic																																																																																																																					
	U-NII-3_5.725-5.85_802.11a_CH149_5745MHz																																																																																																																					
ANT	CDD 6+7																																																																																																																					
Pol.	Horizontal						Vertical																																																																																																															
Peak Avg																																																																																																																						
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11490.00</td><td>45.36</td><td>74.00</td><td>-28.64</td><td>57.16</td><td>38.18</td><td>16.36</td><td>66.34</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11490.00	45.36	74.00	-28.64	57.16	38.18	16.36	66.34	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11490.00</td><td>48.22</td><td>74.00</td><td>-25.78</td><td>60.02</td><td>38.18</td><td>16.36</td><td>66.34</td><td>0.00</td><td>100</td><td>360</td><td>PEAK</td></tr><tr><td>2</td><td>11490.00</td><td>39.05</td><td>54.00</td><td>-14.95</td><td>50.85</td><td>38.18</td><td>16.36</td><td>66.34</td><td>0.00</td><td>100</td><td>360</td><td>AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11490.00	48.22	74.00	-25.78	60.02	38.18	16.36	66.34	0.00	100	360	PEAK	2	11490.00	39.05	54.00	-14.95	50.85	38.18	16.36	66.34	0.00	100	360
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																											
1	11490.00	45.36	74.00	-28.64	57.16	38.18	16.36	66.34	0.00	---	---	PEAK																																																																																																										
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																											
1	11490.00	48.22	74.00	-25.78	60.02	38.18	16.36	66.34	0.00	100	360	PEAK																																																																																																										
2	11490.00	39.05	54.00	-14.95	50.85	38.18	16.36	66.34	0.00	100	360	AVERAGE																																																																																																										





Mode	48																																																																						
	Harmonic																																																																						
	U-NII-3_5.725-5.85_802.11a_CH157_5785MHz																																																																						
ANT	CDD 6+7																																																																						
Pol.	Horizontal						Vertical																																																																
Peak Avg																																																																							
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11570.00</td><td>48.27</td><td>74.00</td><td>-25.73</td><td>59.99</td><td>38.20</td><td>16.41</td><td>66.33</td><td>0.00</td><td>300</td><td>360</td><td>PEAK</td></tr><tr><td>2</td><td>11570.00</td><td>38.63</td><td>54.00</td><td>-15.37</td><td>50.35</td><td>38.20</td><td>16.41</td><td>66.33</td><td>0.00</td><td>300</td><td>360</td><td>AVERAGE</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11570.00	48.27	74.00	-25.73	59.99	38.20	16.41	66.33	0.00	300	360	PEAK	2	11570.00	38.63	54.00	-15.37	50.35	38.20	16.41	66.33	0.00	300	360	AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																													
1	11570.00	48.27	74.00	-25.73	59.99	38.20	16.41	66.33	0.00	300	360	PEAK																																																											
2	11570.00	38.63	54.00	-15.37	50.35	38.20	16.41	66.33	0.00	300	360	AVERAGE																																																											
<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11570.00</td><td>54.99</td><td>74.00</td><td>-19.01</td><td>66.71</td><td>38.20</td><td>16.41</td><td>66.33</td><td>0.00</td><td>175</td><td>340</td><td>PEAK</td></tr><tr><td>2</td><td>11570.00</td><td>45.00</td><td>54.00</td><td>-9.00</td><td>56.72</td><td>38.20</td><td>16.41</td><td>66.33</td><td>0.00</td><td>175</td><td>340</td><td>AVERAGE</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11570.00	54.99	74.00	-19.01	66.71	38.20	16.41	66.33	0.00	175	340	PEAK	2	11570.00	45.00	54.00	-9.00	56.72	38.20	16.41	66.33	0.00	175	340	AVERAGE	
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																													
1	11570.00	54.99	74.00	-19.01	66.71	38.20	16.41	66.33	0.00	175	340	PEAK																																																											
2	11570.00	45.00	54.00	-9.00	56.72	38.20	16.41	66.33	0.00	175	340	AVERAGE																																																											





Mode	49																																																																																																																																			
	Band Edge																																																																																																																																			
	U-NII-3_5.725-5.85_802.11a_CH165_5825MHz																																																																																																																																			
ANT	CDD 6+7																																																																																																																																			
Pol.	Horizontal						Fundamental																																																																																																																													
Peak																																																																																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5853.20</td><td>67.27</td><td>115.00</td><td>-47.73</td><td>60.17</td><td>35.07</td><td>11.33</td><td>39.30</td><td>0.00</td><td>100</td><td>81 PEAK</td></tr><tr><td>2 5865.60</td><td>60.70</td><td>107.93</td><td>-47.23</td><td>53.58</td><td>35.08</td><td>11.35</td><td>39.31</td><td>0.00</td><td>100</td><td>81 PEAK</td></tr><tr><td>3 5920.80</td><td>49.64</td><td>71.30</td><td>-21.66</td><td>42.33</td><td>35.13</td><td>11.40</td><td>39.22</td><td>0.00</td><td>100</td><td>81 PEAK</td></tr><tr><td>4 5975.20</td><td>49.62</td><td>68.20</td><td>-18.58</td><td>42.12</td><td>35.18</td><td>11.45</td><td>39.13</td><td>0.00</td><td>100</td><td>81 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5853.20	67.27	115.00	-47.73	60.17	35.07	11.33	39.30	0.00	100	81 PEAK	2 5865.60	60.70	107.93	-47.23	53.58	35.08	11.35	39.31	0.00	100	81 PEAK	3 5920.80	49.64	71.30	-21.66	42.33	35.13	11.40	39.22	0.00	100	81 PEAK	4 5975.20	49.62	68.20	-18.58	42.12	35.18	11.45	39.13	0.00	100	81 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5825.00</td><td>108.35</td><td>-----</td><td>-----</td><td>100.85</td><td>35.04</td><td>11.31</td><td>38.85</td><td>0.00</td><td>100</td><td>81 PEAK</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5825.00	108.35	-----	-----	100.85	35.04	11.31	38.85	0.00	100	81 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																										
1 5853.20	67.27	115.00	-47.73	60.17	35.07	11.33	39.30	0.00	100	81 PEAK																																																																																																																										
2 5865.60	60.70	107.93	-47.23	53.58	35.08	11.35	39.31	0.00	100	81 PEAK																																																																																																																										
3 5920.80	49.64	71.30	-21.66	42.33	35.13	11.40	39.22	0.00	100	81 PEAK																																																																																																																										
4 5975.20	49.62	68.20	-18.58	42.12	35.18	11.45	39.13	0.00	100	81 PEAK																																																																																																																										
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																										
1 5825.00	108.35	-----	-----	100.85	35.04	11.31	38.85	0.00	100	81 PEAK																																																																																																																										
Avg	Blank																																																																																																																																			
							<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5825.00</td><td>101.05</td><td>-----</td><td>-----</td><td>93.55</td><td>35.04</td><td>11.31</td><td>38.85</td><td>0.00</td><td>100</td><td>81 AVERAGE</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5825.00	101.05	-----	-----	93.55	35.04	11.31	38.85	0.00	100	81 AVERAGE																																																																													
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																										
1 5825.00	101.05	-----	-----	93.55	35.04	11.31	38.85	0.00	100	81 AVERAGE																																																																																																																										






		49																																																																																									
Mode	Band Edge																																																																																										
	U-NII-3_5.725-5.85_802.11a_CH165_5825MHz																																																																																										
ANT	CDD 6+7																																																																																										
Pol.	Vertical																																																																																										
Peak																																																																																											
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5854.00</td><td>61.88</td><td>111.36</td><td>-49.48</td><td>54.80</td><td>35.07</td><td>11.34</td><td>39.33</td><td>0.00</td><td>300</td><td>241 PEAK</td></tr><tr><td>2</td><td>5855.20</td><td>63.86</td><td>110.84</td><td>-46.98</td><td>56.78</td><td>35.07</td><td>11.34</td><td>39.33</td><td>0.00</td><td>300</td><td>241 PEAK</td></tr><tr><td>3</td><td>5924.00</td><td>47.90</td><td>68.94</td><td>-21.04</td><td>40.59</td><td>35.13</td><td>11.40</td><td>39.22</td><td>0.00</td><td>300</td><td>241 PEAK</td></tr><tr><td>4</td><td>5949.60</td><td>50.66</td><td>68.20</td><td>-17.54</td><td>43.24</td><td>35.16</td><td>11.43</td><td>39.17</td><td>0.00</td><td>300</td><td>241 PEAK</td></tr></tbody></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5854.00	61.88	111.36	-49.48	54.80	35.07	11.34	39.33	0.00	300	241 PEAK	2	5855.20	63.86	110.84	-46.98	56.78	35.07	11.34	39.33	0.00	300	241 PEAK	3	5924.00	47.90	68.94	-21.04	40.59	35.13	11.40	39.22	0.00	300	241 PEAK	4	5949.60	50.66	68.20	-17.54	43.24	35.16	11.43	39.17	0.00	300
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																	
1	5854.00	61.88	111.36	-49.48	54.80	35.07	11.34	39.33	0.00	300	241 PEAK																																																																																
2	5855.20	63.86	110.84	-46.98	56.78	35.07	11.34	39.33	0.00	300	241 PEAK																																																																																
3	5924.00	47.90	68.94	-21.04	40.59	35.13	11.40	39.22	0.00	300	241 PEAK																																																																																
4	5949.60	50.66	68.20	-17.54	43.24	35.16	11.43	39.17	0.00	300	241 PEAK																																																																																
Avg	Blank																																																																																										
																																																																																											
<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>99.55</td><td>-----</td><td>92.05</td><td>35.04</td><td>11.31</td><td>38.85</td><td>0.00</td><td>300</td><td>241 AVERAGE</td></tr></tbody></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5825.00	99.55	-----	92.05	35.04	11.31	38.85	0.00	300	241 AVERAGE																																					
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																	
1	5825.00	99.55	-----	92.05	35.04	11.31	38.85	0.00	300	241 AVERAGE																																																																																	






		49																																																											
Mode		Harmonic																																																											
		U-NII-3_5.725-5.85_802.11a_CH165_5825MHz																																																											
ANT		CDD 6+7																																																											
Pol.		Horizontal																																																											
Peak Avg																																																													
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>11650.00</td><td>54.31</td><td>74.00</td><td>-19.69</td><td>65.93</td><td>38.25</td><td>16.46</td><td>66.33</td><td>0.00</td><td>195</td><td>340 PEAK</td></tr><tr><td>2</td><td>11650.00</td><td>45.37</td><td>54.00</td><td>-8.63</td><td>56.99</td><td>38.25</td><td>16.46</td><td>66.33</td><td>0.00</td><td>195</td><td>340 AVERAGE</td></tr></tbody></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		cm	deg	1	11650.00	54.31	74.00	-19.69	65.93	38.25	16.46	66.33	0.00	195	340 PEAK	2	11650.00	45.37	54.00	-8.63	56.99	38.25	16.46	66.33	0.00	195	340 AVERAGE	
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																			
	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		cm	deg																																																	
1	11650.00	54.31	74.00	-19.69	65.93	38.25	16.46	66.33	0.00	195	340 PEAK																																																		
2	11650.00	45.37	54.00	-8.63	56.99	38.25	16.46	66.33	0.00	195	340 AVERAGE																																																		
		Vertical																																																											
																																																													
		<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>11650.00</td><td>55.63</td><td>74.00</td><td>-18.37</td><td>67.25</td><td>38.25</td><td>16.46</td><td>66.33</td><td>0.00</td><td>364</td><td>345 PEAK</td></tr><tr><td>2</td><td>11650.00</td><td>46.05</td><td>54.00</td><td>-7.95</td><td>57.67</td><td>38.25</td><td>16.46</td><td>66.33</td><td>0.00</td><td>364</td><td>345 AVERAGE</td></tr></tbody></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		cm	deg	1	11650.00	55.63	74.00	-18.37	67.25	38.25	16.46	66.33	0.00	364	345 PEAK	2	11650.00	46.05	54.00	-7.95	57.67	38.25	16.46	66.33	0.00	364	345 AVERAGE
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		cm	deg																																																		
1	11650.00	55.63	74.00	-18.37	67.25	38.25	16.46	66.33	0.00	364	345 PEAK																																																		
2	11650.00	46.05	54.00	-7.95	57.67	38.25	16.46	66.33	0.00	364	345 AVERAGE																																																		





Mode	50																																																																																																																												
	Band Edge																																																																																																																												
	U-NII-3_5.725-5.85_802.11ax HE20_CH149_Full_5745MHz																																																																																																																												
ANT	CDD 6+7																																																																																																																												
Pol.	Horizontal						Fundamental																																																																																																																						
Peak																																																																																																																													
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5609.60</td><td>52.60</td><td>68.20</td><td>-15.60</td><td>42.74</td><td>34.84</td><td>11.02</td><td>36.00</td><td>0.00</td><td>100</td><td>82</td><td>PEAK</td></tr><tr><td>2</td><td>5650.00</td><td>50.56</td><td>68.00</td><td>-18.24</td><td>40.74</td><td>34.80</td><td>11.07</td><td>36.13</td><td>0.00</td><td>100</td><td>82</td><td>PEAK</td></tr><tr><td>3</td><td>5718.00</td><td>71.19</td><td>110.34</td><td>-39.15</td><td>62.26</td><td>34.94</td><td>11.17</td><td>37.18</td><td>0.00</td><td>100</td><td>82</td><td>PEAK</td></tr><tr><td>4</td><td>5720.40</td><td>73.83</td><td>111.81</td><td>-37.98</td><td>64.94</td><td>34.94</td><td>11.17</td><td>37.22</td><td>0.00</td><td>100</td><td>82</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		cm	deg	1	5609.60	52.60	68.20	-15.60	42.74	34.84	11.02	36.00	0.00	100	82	PEAK	2	5650.00	50.56	68.00	-18.24	40.74	34.80	11.07	36.13	0.00	100	82	PEAK	3	5718.00	71.19	110.34	-39.15	62.26	34.94	11.17	37.18	0.00	100	82	PEAK	4	5720.40	73.83	111.81	-37.98	64.94	34.94	11.17	37.22	0.00	100	82	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>109.20</td><td>-----</td><td>-----</td><td>100.64</td><td>34.97</td><td>11.21</td><td>37.62</td><td>0.00</td><td>100</td><td>82</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		cm	deg	1	5745.00	109.20	-----	-----	100.64	34.97	11.21	37.62	0.00	100	82	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																		
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		cm	deg																																																																																																																		
1	5609.60	52.60	68.20	-15.60	42.74	34.84	11.02	36.00	0.00	100	82	PEAK																																																																																																																	
2	5650.00	50.56	68.00	-18.24	40.74	34.80	11.07	36.13	0.00	100	82	PEAK																																																																																																																	
3	5718.00	71.19	110.34	-39.15	62.26	34.94	11.17	37.18	0.00	100	82	PEAK																																																																																																																	
4	5720.40	73.83	111.81	-37.98	64.94	34.94	11.17	37.22	0.00	100	82	PEAK																																																																																																																	
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		cm	deg																																																																																																																		
1	5745.00	109.20	-----	-----	100.64	34.97	11.21	37.62	0.00	100	82	PEAK																																																																																																																	
Avg	Blank																																																																																																																												
							<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>102.46</td><td>-----</td><td>-----</td><td>93.90</td><td>34.97</td><td>11.21</td><td>37.62</td><td>0.00</td><td>100</td><td>82</td><td>AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		cm	deg	1	5745.00	102.46	-----	-----	93.90	34.97	11.21	37.62	0.00	100	82	AVERAGE																																																																												
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																		
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		cm	deg																																																																																																																		
1	5745.00	102.46	-----	-----	93.90	34.97	11.21	37.62	0.00	100	82	AVERAGE																																																																																																																	





		50																																																																																									
Mode	Band Edge																																																																																										
	U-NII-3_5.725-5.85_802.11ax HE20_CH149_Full_5745MHz																																																																																										
ANT	CDD 6+7																																																																																										
Pol.	Vertical																																																																																										
Peak																																																																																											
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5612.00</td><td>52.27</td><td>68.20</td><td>-15.93</td><td>42.41</td><td>34.84</td><td>11.02</td><td>36.00</td><td>0.00</td><td>306</td><td>251 PEAK</td></tr><tr><td>2</td><td>5650.00</td><td>51.49</td><td>68.00</td><td>-17.31</td><td>41.67</td><td>34.88</td><td>11.07</td><td>36.13</td><td>0.00</td><td>306</td><td>251 PEAK</td></tr><tr><td>3</td><td>5718.40</td><td>68.21</td><td>110.45</td><td>-42.24</td><td>59.29</td><td>34.94</td><td>11.17</td><td>37.19</td><td>0.00</td><td>306</td><td>251 PEAK</td></tr><tr><td>4</td><td>5720.80</td><td>68.17</td><td>112.72</td><td>-44.55</td><td>59.29</td><td>34.94</td><td>11.17</td><td>37.23</td><td>0.00</td><td>306</td><td>251 PEAK</td></tr></tbody></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5612.00	52.27	68.20	-15.93	42.41	34.84	11.02	36.00	0.00	306	251 PEAK	2	5650.00	51.49	68.00	-17.31	41.67	34.88	11.07	36.13	0.00	306	251 PEAK	3	5718.40	68.21	110.45	-42.24	59.29	34.94	11.17	37.19	0.00	306	251 PEAK	4	5720.80	68.17	112.72	-44.55	59.29	34.94	11.17	37.23	0.00	306
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1	5612.00	52.27	68.20	-15.93	42.41	34.84	11.02	36.00	0.00	306	251 PEAK																																																																																
2	5650.00	51.49	68.00	-17.31	41.67	34.88	11.07	36.13	0.00	306	251 PEAK																																																																																
3	5718.40	68.21	110.45	-42.24	59.29	34.94	11.17	37.19	0.00	306	251 PEAK																																																																																
4	5720.80	68.17	112.72	-44.55	59.29	34.94	11.17	37.23	0.00	306	251 PEAK																																																																																
Fundamental																																																																																											
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>107.83</td><td>-----</td><td>-----</td><td>99.27</td><td>34.97</td><td>11.21</td><td>37.62</td><td>0.00</td><td>306</td><td>251 PEAK</td></tr></tbody></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5745.00	107.83	-----	-----	99.27	34.97	11.21	37.62	0.00	306	251 PEAK																																			
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1	5745.00	107.83	-----	-----	99.27	34.97	11.21	37.62	0.00	306	251 PEAK																																																																																
Avg	Blank																																																																																										
																																																																																											
<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>100.56</td><td>-----</td><td>-----</td><td>92.00</td><td>34.97</td><td>11.21</td><td>37.62</td><td>0.00</td><td>306</td><td>251 AVERAGE</td></tr></tbody></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5745.00	100.56	-----	-----	92.00	34.97	11.21	37.62	0.00	306	251 AVERAGE																																			
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1	5745.00	100.56	-----	-----	92.00	34.97	11.21	37.62	0.00	306	251 AVERAGE																																																																																






Mode	50																																																																																																																																		
	Harmonic																																																																																																																																		
	U-NII-3_5.725-5.85_802.11ax HE20_CH149_Full_5745MHz																																																																																																																																		
ANT	CDD 6+7																																																																																																																																		
Pol.	Horizontal						Vertical																																																																																																																												
Peak Avg																																																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11490.00</td><td>48.04</td><td>74.00</td><td>-25.96</td><td>59.84</td><td>38.18</td><td>16.36</td><td>66.34</td><td>0.00</td><td>100</td><td>360</td><td>PEAK</td></tr><tr><td>2</td><td>11490.00</td><td>39.53</td><td>54.00</td><td>-14.47</td><td>51.32</td><td>38.18</td><td>16.36</td><td>66.33</td><td>0.00</td><td>100</td><td>360</td><td>AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11490.00	48.04	74.00	-25.96	59.84	38.18	16.36	66.34	0.00	100	360	PEAK	2	11490.00	39.53	54.00	-14.47	51.32	38.18	16.36	66.33	0.00	100	360	AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11490.00</td><td>51.23</td><td>74.00</td><td>-22.77</td><td>63.03</td><td>38.18</td><td>16.36</td><td>66.34</td><td>0.00</td><td>300</td><td>360</td><td>PEAK</td></tr><tr><td>2</td><td>11490.00</td><td>41.68</td><td>54.00</td><td>-12.32</td><td>53.48</td><td>38.18</td><td>16.36</td><td>66.34</td><td>0.00</td><td>300</td><td>360</td><td>AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11490.00	51.23	74.00	-22.77	63.03	38.18	16.36	66.34	0.00	300	360	PEAK	2	11490.00	41.68	54.00	-12.32	53.48	38.18	16.36	66.34	0.00	300	360
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																								
1	11490.00	48.04	74.00	-25.96	59.84	38.18	16.36	66.34	0.00	100	360	PEAK																																																																																																																							
2	11490.00	39.53	54.00	-14.47	51.32	38.18	16.36	66.33	0.00	100	360	AVERAGE																																																																																																																							
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																								
1	11490.00	51.23	74.00	-22.77	63.03	38.18	16.36	66.34	0.00	300	360	PEAK																																																																																																																							
2	11490.00	41.68	54.00	-12.32	53.48	38.18	16.36	66.34	0.00	300	360	AVERAGE																																																																																																																							






Mode	51																																																																																																																																	
	Harmonic																																																																																																																																	
	U-NII-3_5.725-5.85_802.11ax HE20_CH157_Full_5785MHz																																																																																																																																	
ANT	CDD 6+7																																																																																																																																	
Pol.	Horizontal						Vertical																																																																																																																											
Peak Avg																																																																																																																																		
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11570.00</td><td>54.86</td><td>74.00</td><td>-19.14</td><td>66.58</td><td>38.20</td><td>16.41</td><td>66.33</td><td>0.00</td><td>100</td><td>340</td><td>PEAK</td></tr><tr><td>2</td><td>11570.00</td><td>43.41</td><td>54.00</td><td>-10.59</td><td>55.13</td><td>38.20</td><td>16.41</td><td>66.33</td><td>0.00</td><td>100</td><td>340</td><td>AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11570.00	54.86	74.00	-19.14	66.58	38.20	16.41	66.33	0.00	100	340	PEAK	2	11570.00	43.41	54.00	-10.59	55.13	38.20	16.41	66.33	0.00	100	340	AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11570.00</td><td>49.45</td><td>74.00</td><td>-24.55</td><td>61.17</td><td>38.20</td><td>16.41</td><td>66.33</td><td>0.00</td><td>300</td><td>360</td><td>PEAK</td></tr><tr><td>2</td><td>11570.00</td><td>41.28</td><td>54.00</td><td>-12.72</td><td>53.00</td><td>38.20</td><td>16.41</td><td>66.33</td><td>0.00</td><td>300</td><td>360</td><td>AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11570.00	49.45	74.00	-24.55	61.17	38.20	16.41	66.33	0.00	300	360	PEAK	2	11570.00	41.28	54.00	-12.72	53.00	38.20	16.41	66.33	0.00	300	360	AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																								
1	11570.00	54.86	74.00	-19.14	66.58	38.20	16.41	66.33	0.00	100	340	PEAK																																																																																																																						
2	11570.00	43.41	54.00	-10.59	55.13	38.20	16.41	66.33	0.00	100	340	AVERAGE																																																																																																																						
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																								
1	11570.00	49.45	74.00	-24.55	61.17	38.20	16.41	66.33	0.00	300	360	PEAK																																																																																																																						
2	11570.00	41.28	54.00	-12.72	53.00	38.20	16.41	66.33	0.00	300	360	AVERAGE																																																																																																																						





Mode	52																																																																																							
	Band Edge																																																																																							
	U-NII-3_5.725-5.85_802.11ax HE20_CH165_Full_5825MHz																																																																																							
ANT	CDD 6+7																																																																																							
Pol.	Horizontal																																																																																							
Peak																																																																																								
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5854.00</td><td>69.40</td><td>113.18</td><td>-43.78</td><td>62.32</td><td>35.07</td><td>11.33</td><td>39.32</td><td>0.00</td><td>100</td><td>148 PEAK</td></tr><tr><td>2 5858.40</td><td>67.34</td><td>109.95</td><td>-42.61</td><td>60.25</td><td>35.07</td><td>11.34</td><td>39.32</td><td>0.00</td><td>100</td><td>148 PEAK</td></tr><tr><td>3 5923.60</td><td>49.00</td><td>69.23</td><td>-20.23</td><td>41.69</td><td>35.13</td><td>11.40</td><td>39.22</td><td>0.00</td><td>100</td><td>148 PEAK</td></tr><tr><td>4 5990.40</td><td>49.80</td><td>68.20</td><td>-18.40</td><td>42.25</td><td>35.20</td><td>11.46</td><td>39.11</td><td>0.00</td><td>100</td><td>148 PEAK</td></tr></tbody></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5854.00	69.40	113.18	-43.78	62.32	35.07	11.33	39.32	0.00	100	148 PEAK	2 5858.40	67.34	109.95	-42.61	60.25	35.07	11.34	39.32	0.00	100	148 PEAK	3 5923.60	49.00	69.23	-20.23	41.69	35.13	11.40	39.22	0.00	100	148 PEAK	4 5990.40	49.80	68.20	-18.40	42.25	35.20	11.46	39.11	0.00	100	148 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																														
1 5854.00	69.40	113.18	-43.78	62.32	35.07	11.33	39.32	0.00	100	148 PEAK																																																																														
2 5858.40	67.34	109.95	-42.61	60.25	35.07	11.34	39.32	0.00	100	148 PEAK																																																																														
3 5923.60	49.00	69.23	-20.23	41.69	35.13	11.40	39.22	0.00	100	148 PEAK																																																																														
4 5990.40	49.80	68.20	-18.40	42.25	35.20	11.46	39.11	0.00	100	148 PEAK																																																																														
Avg	Blank																																																																																							
																																																																																								
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5825.00</td><td>109.32</td><td>-----</td><td>-----</td><td>101.82</td><td>35.04</td><td>11.31</td><td>38.85</td><td>0.00</td><td>100</td><td>148 PEAK</td></tr></tbody></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5825.00	109.32	-----	-----	101.82	35.04	11.31	38.85	0.00	100	148 PEAK																																	
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																														
1 5825.00	109.32	-----	-----	101.82	35.04	11.31	38.85	0.00	100	148 PEAK																																																																														
Avg	Blank																																																																																							
																																																																																								
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5825.00</td><td>100.53</td><td>-----</td><td>-----</td><td>93.03</td><td>35.04</td><td>11.31</td><td>38.85</td><td>0.00</td><td>100</td><td>148 AVERAGE</td></tr></tbody></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5825.00	100.53	-----	-----	93.03	35.04	11.31	38.85	0.00	100	148 AVERAGE																																	
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																														
1 5825.00	100.53	-----	-----	93.03	35.04	11.31	38.85	0.00	100	148 AVERAGE																																																																														






		52																																																																																																																																									
Mode		Band Edge																																																																																																																																									
		U-NII-3_5.725-5.85_802.11ax HE20_CH165_Full_5825MHz																																																																																																																																									
ANT		CDD 6+7																																																																																																																																									
Pol.		Vertical					Fundamental																																																																																																																																				
Peak																																																																																																																																											
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5853.60</td><td>67.42</td><td>114.09</td><td>-46.67</td><td>60.33</td><td>35.07</td><td>11.33</td><td>39.31</td><td>0.00</td><td>300</td><td>240</td><td>PEAK</td></tr><tr><td>2</td><td>5856.00</td><td>69.38</td><td>110.62</td><td>-41.24</td><td>62.30</td><td>35.07</td><td>11.34</td><td>39.33</td><td>0.00</td><td>300</td><td>240</td><td>PEAK</td></tr><tr><td>3</td><td>5924.80</td><td>47.73</td><td>68.35</td><td>-20.62</td><td>40.42</td><td>35.13</td><td>11.40</td><td>39.22</td><td>0.00</td><td>300</td><td>240</td><td>PEAK</td></tr><tr><td>4</td><td>5947.20</td><td>50.95</td><td>68.20</td><td>-17.25</td><td>43.55</td><td>35.16</td><td>11.42</td><td>39.18</td><td>0.00</td><td>300</td><td>240</td><td>PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5853.60	67.42	114.09	-46.67	60.33	35.07	11.33	39.31	0.00	300	240	PEAK	2	5856.00	69.38	110.62	-41.24	62.30	35.07	11.34	39.33	0.00	300	240	PEAK	3	5924.80	47.73	68.35	-20.62	40.42	35.13	11.40	39.22	0.00	300	240	PEAK	4	5947.20	50.95	68.20	-17.25	43.55	35.16	11.42	39.18	0.00	300	240	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>106.55</td><td>-----</td><td>99.05</td><td>35.04</td><td>11.31</td><td>38.85</td><td>0.00</td><td>300</td><td>240</td><td>PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5825.00	106.55	-----	99.05	35.04	11.31	38.85	0.00	300	240
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																	
1	5853.60	67.42	114.09	-46.67	60.33	35.07	11.33	39.31	0.00	300	240	PEAK																																																																																																																															
2	5856.00	69.38	110.62	-41.24	62.30	35.07	11.34	39.33	0.00	300	240	PEAK																																																																																																																															
3	5924.80	47.73	68.35	-20.62	40.42	35.13	11.40	39.22	0.00	300	240	PEAK																																																																																																																															
4	5947.20	50.95	68.20	-17.25	43.55	35.16	11.42	39.18	0.00	300	240	PEAK																																																																																																																															
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																	
1	5825.00	106.55	-----	99.05	35.04	11.31	38.85	0.00	300	240	PEAK																																																																																																																																
Avg	Blank																																																																																																																																										
						<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>98.56</td><td>-----</td><td>91.06</td><td>35.04</td><td>11.31</td><td>38.85</td><td>0.00</td><td>300</td><td>240</td><td>AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5825.00	98.56	-----	91.06	35.04	11.31	38.85	0.00	300	240	AVERAGE																																																																																				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																	
1	5825.00	98.56	-----	91.06	35.04	11.31	38.85	0.00	300	240	AVERAGE																																																																																																																																




Mode	52																																																																																																																																	
	Harmonic																																																																																																																																	
	U-NII-3_5.725-5.85_802.11ax HE20_CH165_Full_5825MHz																																																																																																																																	
ANT	CDD 6+7																																																																																																																																	
Pol.	Horizontal						Vertical																																																																																																																											
Peak Avg																																																																																																																																		
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11650.00</td><td>49.78</td><td>74.00</td><td>-24.22</td><td>61.40</td><td>38.25</td><td>16.46</td><td>66.33</td><td>0.00</td><td>100</td><td>360</td><td>PEAK</td></tr><tr><td>2</td><td>11650.00</td><td>40.64</td><td>54.00</td><td>-13.36</td><td>52.26</td><td>38.25</td><td>16.46</td><td>66.33</td><td>0.00</td><td>100</td><td>360</td><td>AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11650.00	49.78	74.00	-24.22	61.40	38.25	16.46	66.33	0.00	100	360	PEAK	2	11650.00	40.64	54.00	-13.36	52.26	38.25	16.46	66.33	0.00	100	360	AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11650.00</td><td>51.76</td><td>74.00</td><td>-22.24</td><td>63.38</td><td>38.25</td><td>16.46</td><td>66.33</td><td>0.00</td><td>300</td><td>360</td><td>PEAK</td></tr><tr><td>2</td><td>11650.00</td><td>42.33</td><td>54.00</td><td>-11.67</td><td>53.95</td><td>38.25</td><td>16.46</td><td>66.33</td><td>0.00</td><td>300</td><td>360</td><td>AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11650.00	51.76	74.00	-22.24	63.38	38.25	16.46	66.33	0.00	300	360	PEAK	2	11650.00	42.33	54.00	-11.67	53.95	38.25	16.46	66.33	0.00	300	360	AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																								
1	11650.00	49.78	74.00	-24.22	61.40	38.25	16.46	66.33	0.00	100	360	PEAK																																																																																																																						
2	11650.00	40.64	54.00	-13.36	52.26	38.25	16.46	66.33	0.00	100	360	AVERAGE																																																																																																																						
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																								
1	11650.00	51.76	74.00	-22.24	63.38	38.25	16.46	66.33	0.00	300	360	PEAK																																																																																																																						
2	11650.00	42.33	54.00	-11.67	53.95	38.25	16.46	66.33	0.00	300	360	AVERAGE																																																																																																																						






Mode	53																																																																																																																																								
	Band Edge - L																																																																																																																																								
	U-NII-3_5.725-5.85_802.11ax HE40_CH151_Full_5755MHz																																																																																																																																								
ANT	CDD 6+7																																																																																																																																								
Pol.	Horizontal						Fundamental																																																																																																																																		
Peak																																																																																																																																									
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5646.97</td><td>54.16</td><td>68.20</td><td>-14.04</td><td>44.29</td><td>34.87</td><td>11.07</td><td>36.07</td><td>0.00</td><td>100</td><td>78 PEAK</td></tr><tr><td>2</td><td>5651.46</td><td>54.94</td><td>69.29</td><td>-14.35</td><td>45.13</td><td>34.88</td><td>11.07</td><td>36.14</td><td>0.00</td><td>100</td><td>78 PEAK</td></tr><tr><td>3</td><td>5708.19</td><td>69.45</td><td>107.60</td><td>-38.15</td><td>60.40</td><td>34.93</td><td>11.15</td><td>37.03</td><td>0.00</td><td>100</td><td>78 PEAK</td></tr><tr><td>4</td><td>5720.90</td><td>68.57</td><td>112.95</td><td>-44.38</td><td>59.69</td><td>34.94</td><td>11.17</td><td>37.23</td><td>0.00</td><td>100</td><td>78 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5646.97	54.16	68.20	-14.04	44.29	34.87	11.07	36.07	0.00	100	78 PEAK	2	5651.46	54.94	69.29	-14.35	45.13	34.88	11.07	36.14	0.00	100	78 PEAK	3	5708.19	69.45	107.60	-38.15	60.40	34.93	11.15	37.03	0.00	100	78 PEAK	4	5720.90	68.57	112.95	-44.38	59.69	34.94	11.17	37.23	0.00	100	78 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5755.00</td><td>108.22</td><td>-----</td><td>-----</td><td>99.83</td><td>34.98</td><td>11.22</td><td>37.81</td><td>0.00</td><td>100</td><td>78 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5755.00	108.22	-----	-----	99.83	34.98	11.22	37.81	0.00	100	78 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																															
1	5646.97	54.16	68.20	-14.04	44.29	34.87	11.07	36.07	0.00	100	78 PEAK																																																																																																																														
2	5651.46	54.94	69.29	-14.35	45.13	34.88	11.07	36.14	0.00	100	78 PEAK																																																																																																																														
3	5708.19	69.45	107.60	-38.15	60.40	34.93	11.15	37.03	0.00	100	78 PEAK																																																																																																																														
4	5720.90	68.57	112.95	-44.38	59.69	34.94	11.17	37.23	0.00	100	78 PEAK																																																																																																																														
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																															
1	5755.00	108.22	-----	-----	99.83	34.98	11.22	37.81	0.00	100	78 PEAK																																																																																																																														
Avg	Blank																																																																																																																																								
							<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5755.00</td><td>100.57</td><td>-----</td><td>-----</td><td>92.18</td><td>34.98</td><td>11.22</td><td>37.81</td><td>0.00</td><td>100</td><td>78 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5755.00	100.57	-----	-----	92.18	34.98	11.22	37.81	0.00	100	78 AVERAGE																																																																																	
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																															
1	5755.00	100.57	-----	-----	92.18	34.98	11.22	37.81	0.00	100	78 AVERAGE																																																																																																																														




Mode	53																																																																																		
	Band Edge - R																																																																																		
	U-NII-3_5.725-5.85_802.11ax HE40_CH151_Full_5755MHz																																																																																		
ANT	CDD 6+7																																																																																		
Pol.	Horizontal	Fundamental																																																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.45</td><td>49.15</td><td>112.15</td><td>-63.00</td><td>42.07</td><td>35.07</td><td>11.33</td><td>39.32</td><td>0.00</td><td>100</td><td>78 PEAK</td></tr><tr><td>2</td><td>5872.59</td><td>49.56</td><td>105.98</td><td>-56.42</td><td>42.42</td><td>35.09</td><td>11.35</td><td>39.30</td><td>0.00</td><td>100</td><td>78 PEAK</td></tr><tr><td>3</td><td>5924.85</td><td>49.12</td><td>68.31</td><td>-19.19</td><td>41.81</td><td>35.13</td><td>11.40</td><td>39.22</td><td>0.00</td><td>100</td><td>78 PEAK</td></tr><tr><td>4</td><td>5932.26</td><td>49.68</td><td>68.20</td><td>-18.52</td><td>42.33</td><td>35.14</td><td>11.41</td><td>39.20</td><td>0.00</td><td>100</td><td>78 PEAK</td></tr></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.45	49.15	112.15	-63.00	42.07	35.07	11.33	39.32	0.00	100	78 PEAK	2	5872.59	49.56	105.98	-56.42	42.42	35.09	11.35	39.30	0.00	100	78 PEAK	3	5924.85	49.12	68.31	-19.19	41.81	35.13	11.40	39.22	0.00	100	78 PEAK	4	5932.26	49.68	68.20	-18.52	42.33	35.14	11.41	39.20	0.00	100	78 PEAK	Blank
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	5854.45	49.15	112.15	-63.00	42.07	35.07	11.33	39.32	0.00	100	78 PEAK																																																																								
2	5872.59	49.56	105.98	-56.42	42.42	35.09	11.35	39.30	0.00	100	78 PEAK																																																																								
3	5924.85	49.12	68.31	-19.19	41.81	35.13	11.40	39.22	0.00	100	78 PEAK																																																																								
4	5932.26	49.68	68.20	-18.52	42.33	35.14	11.41	39.20	0.00	100	78 PEAK																																																																								





		53																																																																																									
Mode	Band Edge - L																																																																																										
	U-NII-3_5.725-5.85_802.11ax HE40_CH151_Full_5755MHz																																																																																										
ANT	CDD 6+7																																																																																										
Pol.	Vertical																																																																																										
Peak																																																																																											
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5643.25</td><td>52.73</td><td>68.20</td><td>-15.47</td><td>42.81</td><td>34.87</td><td>11.06</td><td>36.81</td><td>0.00</td><td>300</td><td>245 PEAK</td></tr><tr><td>2</td><td>5653.48</td><td>54.99</td><td>70.79</td><td>-15.80</td><td>45.20</td><td>34.88</td><td>11.08</td><td>36.17</td><td>0.00</td><td>300</td><td>245 PEAK</td></tr><tr><td>3</td><td>5706.02</td><td>63.87</td><td>106.99</td><td>-43.12</td><td>54.79</td><td>34.93</td><td>11.15</td><td>37.00</td><td>0.00</td><td>300</td><td>245 PEAK</td></tr><tr><td>4</td><td>5721.06</td><td>66.78</td><td>113.31</td><td>-46.53</td><td>57.90</td><td>34.94</td><td>11.17</td><td>37.23</td><td>0.00</td><td>300</td><td>245 PEAK</td></tr></tbody></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5643.25	52.73	68.20	-15.47	42.81	34.87	11.06	36.81	0.00	300	245 PEAK	2	5653.48	54.99	70.79	-15.80	45.20	34.88	11.08	36.17	0.00	300	245 PEAK	3	5706.02	63.87	106.99	-43.12	54.79	34.93	11.15	37.00	0.00	300	245 PEAK	4	5721.06	66.78	113.31	-46.53	57.90	34.94	11.17	37.23	0.00	300
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																	
1	5643.25	52.73	68.20	-15.47	42.81	34.87	11.06	36.81	0.00	300	245 PEAK																																																																																
2	5653.48	54.99	70.79	-15.80	45.20	34.88	11.08	36.17	0.00	300	245 PEAK																																																																																
3	5706.02	63.87	106.99	-43.12	54.79	34.93	11.15	37.00	0.00	300	245 PEAK																																																																																
4	5721.06	66.78	113.31	-46.53	57.90	34.94	11.17	37.23	0.00	300	245 PEAK																																																																																
Fundamental																																																																																											
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5755.00</td><td>105.00</td><td>-----</td><td>-----</td><td>96.54</td><td>34.97</td><td>11.21</td><td>37.72</td><td>0.00</td><td>300</td><td>245 PEAK</td></tr></tbody></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5755.00	105.00	-----	-----	96.54	34.97	11.21	37.72	0.00	300	245 PEAK																																			
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																	
1	5755.00	105.00	-----	-----	96.54	34.97	11.21	37.72	0.00	300	245 PEAK																																																																																
Avg	Blank																																																																																										
																																																																																											
<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5755.00</td><td>97.93</td><td>-----</td><td>-----</td><td>89.47</td><td>34.97</td><td>11.21</td><td>37.72</td><td>0.00</td><td>300</td><td>245 AVERAGE</td></tr></tbody></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5755.00	97.93	-----	-----	89.47	34.97	11.21	37.72	0.00	300	245 AVERAGE																																				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																	
1	5755.00	97.93	-----	-----	89.47	34.97	11.21	37.72	0.00	300	245 AVERAGE																																																																																






Mode	53																																																																																											
	Band Edge - R																																																																																											
	U-NII-3_5.725-5.85_802.11ax HE40_CH151_Full_5755MHz																																																																																											
ANT	CDD 6+7																																																																																											
Pol.	Vertical						Fundamental																																																																																					
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.84</td><td>48.02</td><td>111.26</td><td>-63.24</td><td>40.94</td><td>35.07</td><td>11.34</td><td>39.33</td><td>0.00</td><td>300</td><td>245 PEAK</td></tr><tr><td>2</td><td>5874.93</td><td>48.94</td><td>105.32</td><td>-56.38</td><td>41.00</td><td>35.09</td><td>11.35</td><td>39.30</td><td>0.00</td><td>300</td><td>245 PEAK</td></tr><tr><td>3</td><td>5924.26</td><td>48.37</td><td>68.75</td><td>-20.38</td><td>41.06</td><td>35.13</td><td>11.40</td><td>39.22</td><td>0.00</td><td>300</td><td>245 PEAK</td></tr><tr><td>4</td><td>5948.05</td><td>49.25</td><td>68.20</td><td>-18.95</td><td>41.85</td><td>35.16</td><td>11.42</td><td>39.18</td><td>0.00</td><td>300</td><td>245 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.84	48.02	111.26	-63.24	40.94	35.07	11.34	39.33	0.00	300	245 PEAK	2	5874.93	48.94	105.32	-56.38	41.00	35.09	11.35	39.30	0.00	300	245 PEAK	3	5924.26	48.37	68.75	-20.38	41.06	35.13	11.40	39.22	0.00	300	245 PEAK	4	5948.05	49.25	68.20	-18.95	41.85	35.16	11.42	39.18	0.00	300	245 PEAK	Blank				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	5854.84	48.02	111.26	-63.24	40.94	35.07	11.34	39.33	0.00	300	245 PEAK																																																																																	
2	5874.93	48.94	105.32	-56.38	41.00	35.09	11.35	39.30	0.00	300	245 PEAK																																																																																	
3	5924.26	48.37	68.75	-20.38	41.06	35.13	11.40	39.22	0.00	300	245 PEAK																																																																																	
4	5948.05	49.25	68.20	-18.95	41.85	35.16	11.42	39.18	0.00	300	245 PEAK																																																																																	




Mode	53																																																																																																																					
	Harmonic																																																																																																																					
	U-NII-3_5.725-5.85_802.11ax HE40_CH151_Full_5755MHz																																																																																																																					
ANT	CDD 6+7																																																																																																																					
Pol.	Horizontal						Vertical																																																																																																															
Peak Avg																																																																																																																						
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11510.00</td><td>47.45</td><td>74.00</td><td>-26.55</td><td>59.21</td><td>38.20</td><td>16.37</td><td>66.33</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11510.00	47.45	74.00	-26.55	59.21	38.20	16.37	66.33	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11510.00</td><td>49.84</td><td>74.00</td><td>-24.16</td><td>61.60</td><td>38.20</td><td>16.37</td><td>66.33</td><td>0.00</td><td>300</td><td>360</td><td>PEAK</td></tr><tr><td>2</td><td>11510.00</td><td>40.51</td><td>54.00</td><td>-13.49</td><td>52.27</td><td>38.20</td><td>16.37</td><td>66.33</td><td>0.00</td><td>300</td><td>360</td><td>AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11510.00	49.84	74.00	-24.16	61.60	38.20	16.37	66.33	0.00	300	360	PEAK	2	11510.00	40.51	54.00	-13.49	52.27	38.20	16.37	66.33	0.00	300	360
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																											
1	11510.00	47.45	74.00	-26.55	59.21	38.20	16.37	66.33	0.00	---	---	PEAK																																																																																																										
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																											
1	11510.00	49.84	74.00	-24.16	61.60	38.20	16.37	66.33	0.00	300	360	PEAK																																																																																																										
2	11510.00	40.51	54.00	-13.49	52.27	38.20	16.37	66.33	0.00	300	360	AVERAGE																																																																																																										






Mode	54																																																																																																																		
	Band Edge - L																																																																																																																		
	U-NII-3_5.725-5.85_802.11ax HE40_CH159_Full_5795MHz																																																																																																																		
ANT	CDD 6+7																																																																																																																		
Pol.	Horizontal						Fundamental																																																																																																												
Peak	 Horizontal Peak Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz) from 5600 to 6000 MHz. The plot shows a blue signal line with a peak at 5720 MHz and a red limit line. The peak level is 59.09 dBuV/m. <table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><td>1</td><td>5616.40</td><td>51.34</td><td>68.20</td><td>-16.86</td><td>41.46</td><td>34.84</td><td>11.03</td><td>35.99</td><td>0.00</td><td>114</td><td>79 PEAK</td></tr><tr><td>2</td><td>5651.60</td><td>49.62</td><td>69.39</td><td>-19.77</td><td>39.81</td><td>34.88</td><td>11.07</td><td>36.14</td><td>0.00</td><td>114</td><td>79 PEAK</td></tr><tr><td>3</td><td>5700.00</td><td>57.28</td><td>105.30</td><td>-48.02</td><td>48.12</td><td>34.92</td><td>11.14</td><td>36.90</td><td>0.00</td><td>114</td><td>79 PEAK</td></tr><tr><td>4</td><td>5720.00</td><td>59.09</td><td>110.90</td><td>-51.81</td><td>50.20</td><td>34.94</td><td>11.17</td><td>37.22</td><td>0.00</td><td>114</td><td>79 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			1	5616.40	51.34	68.20	-16.86	41.46	34.84	11.03	35.99	0.00	114	79 PEAK	2	5651.60	49.62	69.39	-19.77	39.81	34.88	11.07	36.14	0.00	114	79 PEAK	3	5700.00	57.28	105.30	-48.02	48.12	34.92	11.14	36.90	0.00	114	79 PEAK	4	5720.00	59.09	110.90	-51.81	50.20	34.94	11.17	37.22	0.00	114	79 PEAK	 Fundamental Peak Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz) from 1000 to 7000 MHz. The plot shows a blue signal line with a peak at 5795 MHz and a red limit line. The peak level is 108.36 dBuV/m. <table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><td>1</td><td>5795.00</td><td>108.36</td><td>-----</td><td>-----</td><td>100.46</td><td>35.01</td><td>11.27</td><td>38.38</td><td>0.00</td><td>114</td><td>79 PEAK</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			1	5795.00	108.36	-----	-----	100.46	35.01	11.27	38.38	0.00	114	79 PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																											
1	5616.40	51.34	68.20	-16.86	41.46	34.84	11.03	35.99	0.00	114	79 PEAK																																																																																																								
2	5651.60	49.62	69.39	-19.77	39.81	34.88	11.07	36.14	0.00	114	79 PEAK																																																																																																								
3	5700.00	57.28	105.30	-48.02	48.12	34.92	11.14	36.90	0.00	114	79 PEAK																																																																																																								
4	5720.00	59.09	110.90	-51.81	50.20	34.94	11.17	37.22	0.00	114	79 PEAK																																																																																																								
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																											
1	5795.00	108.36	-----	-----	100.46	35.01	11.27	38.38	0.00	114	79 PEAK																																																																																																								
Avg	Blank						 Fundamental Average Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz) from 1000 to 7000 MHz. The plot shows a blue signal line with a peak at 5795 MHz and a red limit line. The peak level is 99.36 dBuV/m. <table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><td>1</td><td>5795.00</td><td>99.36</td><td>-----</td><td>-----</td><td>91.46</td><td>35.01</td><td>11.27</td><td>38.38</td><td>0.00</td><td>114</td><td>79 AVERAGE</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			1	5795.00	99.36	-----	-----	91.46	35.01	11.27	38.38	0.00	114	79 AVERAGE																																																																						
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																											
1	5795.00	99.36	-----	-----	91.46	35.01	11.27	38.38	0.00	114	79 AVERAGE																																																																																																								




Mode	54																																																																																		
	Band Edge - R																																																																																		
	U-NII-3_5.725-5.85_802.11ax HE40_CH159_Full_5795MHz																																																																																		
ANT	CDD 6+7																																																																																		
Pol.	Horizontal	Fundamental																																																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.00</td><td>58.68</td><td>111.36</td><td>-52.68</td><td>51.60</td><td>35.07</td><td>11.34</td><td>39.33</td><td>0.00</td><td>114</td><td>79 PEAK</td></tr><tr><td>2</td><td>5874.00</td><td>59.58</td><td>105.58</td><td>-46.00</td><td>52.44</td><td>35.09</td><td>11.35</td><td>39.30</td><td>0.00</td><td>114</td><td>79 PEAK</td></tr><tr><td>3</td><td>5924.00</td><td>46.80</td><td>68.35</td><td>-21.55</td><td>39.49</td><td>35.13</td><td>11.40</td><td>39.22</td><td>0.00</td><td>114</td><td>79 PEAK</td></tr><tr><td>4</td><td>5926.80</td><td>50.41</td><td>68.20</td><td>-17.79</td><td>43.08</td><td>35.14</td><td>11.40</td><td>39.21</td><td>0.00</td><td>114</td><td>79 PEAK</td></tr></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5854.00	58.68	111.36	-52.68	51.60	35.07	11.34	39.33	0.00	114	79 PEAK	2	5874.00	59.58	105.58	-46.00	52.44	35.09	11.35	39.30	0.00	114	79 PEAK	3	5924.00	46.80	68.35	-21.55	39.49	35.13	11.40	39.22	0.00	114	79 PEAK	4	5926.80	50.41	68.20	-17.79	43.08	35.14	11.40	39.21	0.00	114	79 PEAK	Blank
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																									
1	5854.00	58.68	111.36	-52.68	51.60	35.07	11.34	39.33	0.00	114	79 PEAK																																																																								
2	5874.00	59.58	105.58	-46.00	52.44	35.09	11.35	39.30	0.00	114	79 PEAK																																																																								
3	5924.00	46.80	68.35	-21.55	39.49	35.13	11.40	39.22	0.00	114	79 PEAK																																																																								
4	5926.80	50.41	68.20	-17.79	43.08	35.14	11.40	39.21	0.00	114	79 PEAK																																																																								





		54																																																																																																																																					
Mode		Band Edge - L																																																																																																																																					
		U-NII-3_5.725-5.85_802.11ax HE40_CH159_Full_5795MHz																																																																																																																																					
ANT		CDD 6+7																																																																																																																																					
Pol.		Vertical					Fundamental																																																																																																																																
Peak																																																																																																																																							
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5623.60</td><td>51.40</td><td>68.20</td><td>-16.80</td><td>41.49</td><td>34.85</td><td>11.04</td><td>35.98</td><td>0.00</td><td>272</td><td>258 PEAK</td></tr><tr><td>2</td><td>5650.80</td><td>49.89</td><td>68.80</td><td>-18.91</td><td>40.07</td><td>34.88</td><td>11.07</td><td>36.13</td><td>0.00</td><td>272</td><td>258 PEAK</td></tr><tr><td>3</td><td>5702.40</td><td>57.92</td><td>105.97</td><td>-48.05</td><td>48.80</td><td>34.92</td><td>11.14</td><td>36.94</td><td>0.00</td><td>272</td><td>258 PEAK</td></tr><tr><td>4</td><td>5721.60</td><td>58.79</td><td>114.55</td><td>-55.76</td><td>49.92</td><td>34.94</td><td>11.17</td><td>37.24</td><td>0.00</td><td>272</td><td>258 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5623.60	51.40	68.20	-16.80	41.49	34.85	11.04	35.98	0.00	272	258 PEAK	2	5650.80	49.89	68.80	-18.91	40.07	34.88	11.07	36.13	0.00	272	258 PEAK	3	5702.40	57.92	105.97	-48.05	48.80	34.92	11.14	36.94	0.00	272	258 PEAK	4	5721.60	58.79	114.55	-55.76	49.92	34.94	11.17	37.24	0.00	272	258 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5795.00</td><td>108.07</td><td>-----</td><td>-----</td><td>100.24</td><td>35.02</td><td>11.28</td><td>38.47</td><td>0.00</td><td>272</td><td>258 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5795.00	108.07	-----	-----	100.24	35.02	11.28	38.47	0.00	272
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																													
1	5623.60	51.40	68.20	-16.80	41.49	34.85	11.04	35.98	0.00	272	258 PEAK																																																																																																																												
2	5650.80	49.89	68.80	-18.91	40.07	34.88	11.07	36.13	0.00	272	258 PEAK																																																																																																																												
3	5702.40	57.92	105.97	-48.05	48.80	34.92	11.14	36.94	0.00	272	258 PEAK																																																																																																																												
4	5721.60	58.79	114.55	-55.76	49.92	34.94	11.17	37.24	0.00	272	258 PEAK																																																																																																																												
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																													
1	5795.00	108.07	-----	-----	100.24	35.02	11.28	38.47	0.00	272	258 PEAK																																																																																																																												
Avg	Blank																																																																																																																																						
						<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5795.00</td><td>97.00</td><td>-----</td><td>-----</td><td>89.18</td><td>35.01</td><td>11.27</td><td>38.38</td><td>0.00</td><td>272</td><td>258 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5795.00	97.00	-----	-----	89.18	35.01	11.27	38.38	0.00	272	258 AVERAGE																																																																																
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																													
1	5795.00	97.00	-----	-----	89.18	35.01	11.27	38.38	0.00	272	258 AVERAGE																																																																																																																												






Mode	54																																																																														
	Band Edge - R																																																																														
	U-NII-3_5.725-5.85_802.11ax HE40_CH159_Full_5795MHz																																																																														
ANT	CDD 6+7																																																																														
Pol.	Vertical	Fundamental																																																																													
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5854.00</td><td>56.39</td><td>113.18</td><td>-56.79</td><td>49.31</td><td>35.07</td><td>11.33</td><td>39.32</td><td>0.00</td><td>272</td><td>258 PEAK</td></tr><tr><td>2 5872.80</td><td>56.41</td><td>105.92</td><td>-49.51</td><td>49.27</td><td>35.09</td><td>11.35</td><td>39.30</td><td>0.00</td><td>272</td><td>258 PEAK</td></tr><tr><td>3 5924.80</td><td>47.48</td><td>68.35</td><td>-20.87</td><td>40.17</td><td>35.13</td><td>11.40</td><td>39.22</td><td>0.00</td><td>272</td><td>258 PEAK</td></tr><tr><td>4 5932.40</td><td>50.18</td><td>68.20</td><td>-18.02</td><td>42.83</td><td>35.14</td><td>11.41</td><td>39.20</td><td>0.00</td><td>272</td><td>258 PEAK</td></tr></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5854.00	56.39	113.18	-56.79	49.31	35.07	11.33	39.32	0.00	272	258 PEAK	2 5872.80	56.41	105.92	-49.51	49.27	35.09	11.35	39.30	0.00	272	258 PEAK	3 5924.80	47.48	68.35	-20.87	40.17	35.13	11.40	39.22	0.00	272	258 PEAK	4 5932.40	50.18	68.20	-18.02	42.83	35.14	11.41	39.20	0.00	272	258 PEAK	Blank
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																					
1 5854.00	56.39	113.18	-56.79	49.31	35.07	11.33	39.32	0.00	272	258 PEAK																																																																					
2 5872.80	56.41	105.92	-49.51	49.27	35.09	11.35	39.30	0.00	272	258 PEAK																																																																					
3 5924.80	47.48	68.35	-20.87	40.17	35.13	11.40	39.22	0.00	272	258 PEAK																																																																					
4 5932.40	50.18	68.20	-18.02	42.83	35.14	11.41	39.20	0.00	272	258 PEAK																																																																					




Mode	54																																																																																																																					
	Harmonic																																																																																																																					
	U-NII-3_5.725-5.85_802.11ax HE40_CH159_Full_5795MHz																																																																																																																					
ANT	CDD 6+7																																																																																																																					
Pol.	Horizontal						Vertical																																																																																																															
Peak Avg																																																																																																																						
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11590.00</td><td>47.52</td><td>74.00</td><td>-26.48</td><td>59.23</td><td>38.20</td><td>16.42</td><td>66.33</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11590.00	47.52	74.00	-26.48	59.23	38.20	16.42	66.33	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11590.00</td><td>51.78</td><td>74.00</td><td>-22.22</td><td>63.49</td><td>38.20</td><td>16.42</td><td>66.33</td><td>0.00</td><td>300</td><td>360</td><td>PEAK</td></tr><tr><td>2</td><td>11590.00</td><td>42.42</td><td>54.00</td><td>-11.58</td><td>54.13</td><td>38.20</td><td>16.42</td><td>66.33</td><td>0.00</td><td>300</td><td>360</td><td>AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11590.00	51.78	74.00	-22.22	63.49	38.20	16.42	66.33	0.00	300	360	PEAK	2	11590.00	42.42	54.00	-11.58	54.13	38.20	16.42	66.33	0.00	300	360
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																											
1	11590.00	47.52	74.00	-26.48	59.23	38.20	16.42	66.33	0.00	---	---	PEAK																																																																																																										
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																											
1	11590.00	51.78	74.00	-22.22	63.49	38.20	16.42	66.33	0.00	300	360	PEAK																																																																																																										
2	11590.00	42.42	54.00	-11.58	54.13	38.20	16.42	66.33	0.00	300	360	AVERAGE																																																																																																										






	55																																																																																																																																		
Mode	Band Edge - L																																																																																																																																		
	U-NII-3_5.725-5.85_802.11ax HE80_CH155_Full_5775MHz																																																																																																																																		
ANT	CDD 6+7																																																																																																																																		
Pol.	Horizontal						Fundamental																																																																																																																												
Peak																																																																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5622.80</td><td>64.58</td><td>68.20</td><td>-3.62</td><td>54.68</td><td>34.85</td><td>11.03</td><td>35.98</td><td>0.00</td><td>100</td><td>76 PEAK</td></tr><tr><td>2 5650.80</td><td>63.72</td><td>68.80</td><td>-5.08</td><td>53.90</td><td>34.88</td><td>11.07</td><td>36.13</td><td>0.00</td><td>100</td><td>76 PEAK</td></tr><tr><td>3 5785.60</td><td>77.74</td><td>106.87</td><td>-29.13</td><td>68.65</td><td>34.93</td><td>11.15</td><td>36.99</td><td>0.00</td><td>100</td><td>76 PEAK</td></tr><tr><td>4 5720.40</td><td>72.69</td><td>111.81</td><td>-39.12</td><td>63.80</td><td>34.94</td><td>11.17</td><td>37.22</td><td>0.00</td><td>100</td><td>76 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5622.80	64.58	68.20	-3.62	54.68	34.85	11.03	35.98	0.00	100	76 PEAK	2 5650.80	63.72	68.80	-5.08	53.90	34.88	11.07	36.13	0.00	100	76 PEAK	3 5785.60	77.74	106.87	-29.13	68.65	34.93	11.15	36.99	0.00	100	76 PEAK	4 5720.40	72.69	111.81	-39.12	63.80	34.94	11.17	37.22	0.00	100	76 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5775.00</td><td>103.25</td><td>-----</td><td>-----</td><td>94.86</td><td>34.98</td><td>11.22</td><td>37.81</td><td>0.00</td><td>100</td><td>76 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5775.00	103.25	-----	-----	94.86	34.98	11.22	37.81	0.00	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																									
1 5622.80	64.58	68.20	-3.62	54.68	34.85	11.03	35.98	0.00	100	76 PEAK																																																																																																																									
2 5650.80	63.72	68.80	-5.08	53.90	34.88	11.07	36.13	0.00	100	76 PEAK																																																																																																																									
3 5785.60	77.74	106.87	-29.13	68.65	34.93	11.15	36.99	0.00	100	76 PEAK																																																																																																																									
4 5720.40	72.69	111.81	-39.12	63.80	34.94	11.17	37.22	0.00	100	76 PEAK																																																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																									
1 5775.00	103.25	-----	-----	94.86	34.98	11.22	37.81	0.00	100	76 PEAK																																																																																																																									
Avg	Blank																																																																																																																																		
							<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5775.00</td><td>94.38</td><td>-----</td><td>-----</td><td>85.75</td><td>34.96</td><td>11.20</td><td>37.53</td><td>0.00</td><td>100</td><td>76 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5775.00	94.38	-----	-----	85.75	34.96	11.20	37.53	0.00	100	76 AVERAGE																																																																												
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																									
1 5775.00	94.38	-----	-----	85.75	34.96	11.20	37.53	0.00	100	76 AVERAGE																																																																																																																									




Mode	55																																																																																											
	Band Edge - R																																																																																											
	U-NII-3_5.725-5.85_802.11ax HE80_CH155_Full_5775MHz																																																																																											
ANT	CDD 6+7																																																																																											
Pol.	Horizontal						Fundamental																																																																																					
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5853.60</td><td>71.96</td><td>114.09</td><td>-42.13</td><td>64.87</td><td>35.07</td><td>11.33</td><td>39.31</td><td>0.00</td><td>100</td><td>76 PEAK</td></tr><tr><td>2</td><td>5870.80</td><td>71.06</td><td>106.47</td><td>-34.61</td><td>64.73</td><td>35.00</td><td>11.35</td><td>39.30</td><td>0.00</td><td>100</td><td>76 PEAK</td></tr><tr><td>3</td><td>5923.20</td><td>53.85</td><td>69.53</td><td>-15.68</td><td>46.54</td><td>35.13</td><td>11.40</td><td>39.22</td><td>0.00</td><td>100</td><td>76 PEAK</td></tr><tr><td>4</td><td>5941.20</td><td>57.77</td><td>68.20</td><td>-10.43</td><td>50.39</td><td>35.15</td><td>11.42</td><td>39.19</td><td>0.00</td><td>100</td><td>76 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5853.60	71.96	114.09	-42.13	64.87	35.07	11.33	39.31	0.00	100	76 PEAK	2	5870.80	71.06	106.47	-34.61	64.73	35.00	11.35	39.30	0.00	100	76 PEAK	3	5923.20	53.85	69.53	-15.68	46.54	35.13	11.40	39.22	0.00	100	76 PEAK	4	5941.20	57.77	68.20	-10.43	50.39	35.15	11.42	39.19	0.00	100	76 PEAK	Blank				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																		
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	5853.60	71.96	114.09	-42.13	64.87	35.07	11.33	39.31	0.00	100	76 PEAK																																																																																	
2	5870.80	71.06	106.47	-34.61	64.73	35.00	11.35	39.30	0.00	100	76 PEAK																																																																																	
3	5923.20	53.85	69.53	-15.68	46.54	35.13	11.40	39.22	0.00	100	76 PEAK																																																																																	
4	5941.20	57.77	68.20	-10.43	50.39	35.15	11.42	39.19	0.00	100	76 PEAK																																																																																	





Mode	55																																																																																																																																							
	Band Edge - L																																																																																																																																							
	U-NII-3_5.725-5.85_802.11ax HE80_CH155_Full_5775MHz																																																																																																																																							
ANT	CDD 6+7																																																																																																																																							
Pol.	Vertical						Fundamental																																																																																																																																	
Peak																																																																																																																																								
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5640.80</td><td>62.68</td><td>68.20</td><td>-5.52</td><td>52.72</td><td>34.87</td><td>11.06</td><td>35.97</td><td>0.00</td><td>300</td><td>246 PEAK</td></tr><tr><td>2</td><td>5651.60</td><td>60.29</td><td>69.39</td><td>-9.10</td><td>50.48</td><td>34.88</td><td>11.07</td><td>36.14</td><td>0.00</td><td>300</td><td>246 PEAK</td></tr><tr><td>3</td><td>5717.20</td><td>76.85</td><td>110.12</td><td>-33.27</td><td>67.91</td><td>34.94</td><td>11.17</td><td>37.17</td><td>0.00</td><td>300</td><td>246 PEAK</td></tr><tr><td>4</td><td>5720.40</td><td>71.46</td><td>111.81</td><td>-40.35</td><td>62.57</td><td>34.94</td><td>11.17</td><td>37.22</td><td>0.00</td><td>300</td><td>246 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5640.80	62.68	68.20	-5.52	52.72	34.87	11.06	35.97	0.00	300	246 PEAK	2	5651.60	60.29	69.39	-9.10	50.48	34.88	11.07	36.14	0.00	300	246 PEAK	3	5717.20	76.85	110.12	-33.27	67.91	34.94	11.17	37.17	0.00	300	246 PEAK	4	5720.40	71.46	111.81	-40.35	62.57	34.94	11.17	37.22	0.00	300	246 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5775.00</td><td>102.27</td><td>-----</td><td>93.97</td><td>34.98</td><td>11.23</td><td>37.91</td><td>0.00</td><td>300</td><td>246 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5775.00	102.27	-----	93.97	34.98	11.23	37.91	0.00	300
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																														
1	5640.80	62.68	68.20	-5.52	52.72	34.87	11.06	35.97	0.00	300	246 PEAK																																																																																																																													
2	5651.60	60.29	69.39	-9.10	50.48	34.88	11.07	36.14	0.00	300	246 PEAK																																																																																																																													
3	5717.20	76.85	110.12	-33.27	67.91	34.94	11.17	37.17	0.00	300	246 PEAK																																																																																																																													
4	5720.40	71.46	111.81	-40.35	62.57	34.94	11.17	37.22	0.00	300	246 PEAK																																																																																																																													
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																														
1	5775.00	102.27	-----	93.97	34.98	11.23	37.91	0.00	300	246 PEAK																																																																																																																														
Avg	Blank																																																																																																																																							
							<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5775.00</td><td>92.82</td><td>-----</td><td>84.43</td><td>34.98</td><td>11.22</td><td>37.81</td><td>0.00</td><td>300</td><td>246 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5775.00	92.82	-----	84.43	34.98	11.22	37.81	0.00	300	246 AVERAGE																																																																																
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																														
1	5775.00	92.82	-----	84.43	34.98	11.22	37.81	0.00	300	246 AVERAGE																																																																																																																														






Mode	55																																																																																		
	Band Edge - R																																																																																		
	U-NII-3_5.725-5.85_802.11ax HE80_CH155_Full_5775MHz																																																																																		
ANT	CDD 6+7																																																																																		
Pol.	Vertical	Fundamental																																																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.40</td><td>64.41</td><td>112.27</td><td>-47.86</td><td>57.33</td><td>35.07</td><td>11.33</td><td>39.32</td><td>0.00</td><td>300</td><td>246 PEAK</td></tr><tr><td>2</td><td>5873.60</td><td>62.49</td><td>105.69</td><td>-43.20</td><td>55.35</td><td>35.09</td><td>11.35</td><td>39.30</td><td>0.00</td><td>300</td><td>246 PEAK</td></tr><tr><td>3</td><td>5923.60</td><td>57.23</td><td>69.23</td><td>-12.00</td><td>49.92</td><td>35.13</td><td>11.40</td><td>39.22</td><td>0.00</td><td>300</td><td>246 PEAK</td></tr><tr><td>4</td><td>5928.80</td><td>54.28</td><td>68.20</td><td>-13.92</td><td>46.94</td><td>35.14</td><td>11.41</td><td>39.21</td><td>0.00</td><td>300</td><td>246 PEAK</td></tr></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.40	64.41	112.27	-47.86	57.33	35.07	11.33	39.32	0.00	300	246 PEAK	2	5873.60	62.49	105.69	-43.20	55.35	35.09	11.35	39.30	0.00	300	246 PEAK	3	5923.60	57.23	69.23	-12.00	49.92	35.13	11.40	39.22	0.00	300	246 PEAK	4	5928.80	54.28	68.20	-13.92	46.94	35.14	11.41	39.21	0.00	300	246 PEAK	Blank
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																									
	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																								
		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																								
	1	5854.40	64.41	112.27	-47.86	57.33	35.07	11.33	39.32	0.00	300	246 PEAK																																																																							
2	5873.60	62.49	105.69	-43.20	55.35	35.09	11.35	39.30	0.00	300	246 PEAK																																																																								
3	5923.60	57.23	69.23	-12.00	49.92	35.13	11.40	39.22	0.00	300	246 PEAK																																																																								
4	5928.80	54.28	68.20	-13.92	46.94	35.14	11.41	39.21	0.00	300	246 PEAK																																																																								







Mode	55																																																																																																								
	Harmonic																																																																																																								
	U-NII-3_5.725-5.85_802.11ax HE80_CH155_Full_5775MHz																																																																																																								
ANT	CDD 6+7																																																																																																								
Pol.	Horizontal						Vertical																																																																																																		
Peak Avg																																																																																																									
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11550.00</td><td>45.11</td><td>74.00</td><td>-28.89</td><td>56.85</td><td>38.20</td><td>16.39</td><td>66.33</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11550.00	45.11	74.00	-28.89	56.85	38.20	16.39	66.33	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11550.00</td><td>47.24</td><td>74.00</td><td>-26.76</td><td>58.98</td><td>38.20</td><td>16.39</td><td>66.33</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11550.00	47.24	74.00	-26.76	58.98	38.20	16.39	66.33	0.00	---	---
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																														
1	11550.00	45.11	74.00	-28.89	56.85	38.20	16.39	66.33	0.00	---	---	PEAK																																																																																													
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																														
1	11550.00	47.24	74.00	-26.76	58.98	38.20	16.39	66.33	0.00	---	---	PEAK																																																																																													






		56																																																																																										
Mode	Band Edge																																																																																											
	U-NII-3_5.725-5.85_802.11ax HE20_CH149_RU26/0_5745MHz																																																																																											
ANT	CDD 6+7																																																																																											
Pol.	Horizontal																																																																																											
Peak																																																																																												
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5604.00</td><td>52.27</td><td>68.20</td><td>-15.93</td><td>42.44</td><td>34.83</td><td>11.01</td><td>36.01</td><td>0.00</td><td>104</td><td>242 PEAK</td></tr><tr><td>2</td><td>5650.00</td><td>50.75</td><td>68.20</td><td>-17.45</td><td>40.92</td><td>34.88</td><td>11.07</td><td>36.12</td><td>0.00</td><td>104</td><td>242 PEAK</td></tr><tr><td>3</td><td>5700.00</td><td>55.22</td><td>105.30</td><td>-50.08</td><td>46.06</td><td>34.92</td><td>11.14</td><td>36.90</td><td>0.00</td><td>104</td><td>242 PEAK</td></tr><tr><td>4</td><td>5720.40</td><td>48.48</td><td>111.81</td><td>-63.33</td><td>39.59</td><td>34.94</td><td>11.17</td><td>37.22</td><td>0.00</td><td>104</td><td>242 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5604.00	52.27	68.20	-15.93	42.44	34.83	11.01	36.01	0.00	104	242 PEAK	2	5650.00	50.75	68.20	-17.45	40.92	34.88	11.07	36.12	0.00	104	242 PEAK	3	5700.00	55.22	105.30	-50.08	46.06	34.92	11.14	36.90	0.00	104	242 PEAK	4	5720.40	48.48	111.81	-63.33	39.59	34.94	11.17	37.22	0.00	104	242 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																		
1	5604.00	52.27	68.20	-15.93	42.44	34.83	11.01	36.01	0.00	104	242 PEAK																																																																																	
2	5650.00	50.75	68.20	-17.45	40.92	34.88	11.07	36.12	0.00	104	242 PEAK																																																																																	
3	5700.00	55.22	105.30	-50.08	46.06	34.92	11.14	36.90	0.00	104	242 PEAK																																																																																	
4	5720.40	48.48	111.81	-63.33	39.59	34.94	11.17	37.22	0.00	104	242 PEAK																																																																																	
Fundamental																																																																																												
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5745.00</td><td>111.37</td><td>-----</td><td>-----</td><td>102.74</td><td>34.96</td><td>11.20</td><td>37.53</td><td>0.00</td><td>104</td><td>242 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5745.00	111.37	-----	-----	102.74	34.96	11.20	37.53	0.00	104	242 PEAK																																				
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																		
1	5745.00	111.37	-----	-----	102.74	34.96	11.20	37.53	0.00	104	242 PEAK																																																																																	
Avg	Blank																																																																																											
																																																																																												
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5745.00</td><td>104.15</td><td>-----</td><td>-----</td><td>95.44</td><td>34.95</td><td>11.19</td><td>37.43</td><td>0.00</td><td>104</td><td>242 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5745.00	104.15	-----	-----	95.44	34.95	11.19	37.43	0.00	104	242 AVERAGE																																				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																		
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																		
1	5745.00	104.15	-----	-----	95.44	34.95	11.19	37.43	0.00	104	242 AVERAGE																																																																																	






		56																																																																																									
Mode		Band Edge																																																																																									
		U-NII-3_5.725-5.85_802.11ax HE20_CH149_RU26/0_5745MHz																																																																																									
ANT		CDD 6+7																																																																																									
Pol.		Vertical					Fundamental																																																																																				
Peak																																																																																											
		<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5637.20</td><td>52.29</td><td>68.20</td><td>-15.91</td><td>42.34</td><td>34.86</td><td>11.05</td><td>35.96</td><td>0.00</td><td>313</td><td>60 PEAK</td></tr><tr><td>2</td><td>5650.40</td><td>48.87</td><td>68.50</td><td>-19.63</td><td>39.04</td><td>34.88</td><td>11.07</td><td>36.12</td><td>0.00</td><td>313</td><td>60 PEAK</td></tr><tr><td>3</td><td>5701.60</td><td>51.12</td><td>105.75</td><td>-54.63</td><td>41.99</td><td>34.92</td><td>11.14</td><td>36.93</td><td>0.00</td><td>313</td><td>60 PEAK</td></tr><tr><td>4</td><td>5720.00</td><td>51.62</td><td>110.90</td><td>-59.28</td><td>42.73</td><td>34.94</td><td>11.17</td><td>37.22</td><td>0.00</td><td>313</td><td>60 PEAK</td></tr></tbody></table>											Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5637.20	52.29	68.20	-15.91	42.34	34.86	11.05	35.96	0.00	313	60 PEAK	2	5650.40	48.87	68.50	-19.63	39.04	34.88	11.07	36.12	0.00	313	60 PEAK	3	5701.60	51.12	105.75	-54.63	41.99	34.92	11.14	36.93	0.00	313	60 PEAK	4	5720.00	51.62	110.90	-59.28	42.73	34.94	11.17	37.22	0.00	313
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																	
1	5637.20	52.29	68.20	-15.91	42.34	34.86	11.05	35.96	0.00	313	60 PEAK																																																																																
2	5650.40	48.87	68.50	-19.63	39.04	34.88	11.07	36.12	0.00	313	60 PEAK																																																																																
3	5701.60	51.12	105.75	-54.63	41.99	34.92	11.14	36.93	0.00	313	60 PEAK																																																																																
4	5720.00	51.62	110.90	-59.28	42.73	34.94	11.17	37.22	0.00	313	60 PEAK																																																																																
Avg																																																																																											
		<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>110.37</td><td>-----</td><td>-----</td><td>101.74</td><td>34.96</td><td>11.20</td><td>37.53</td><td>0.00</td><td>313</td><td>60 PEAK</td></tr></tbody></table>											Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5745.00	110.37	-----	-----	101.74	34.96	11.20	37.53	0.00	313	60 PEAK																																			
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																	
1	5745.00	110.37	-----	-----	101.74	34.96	11.20	37.53	0.00	313	60 PEAK																																																																																
Blank																																																																																											
		<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>102.69</td><td>-----</td><td>-----</td><td>93.98</td><td>34.95</td><td>11.19</td><td>37.43</td><td>0.00</td><td>313</td><td>60 AVERAGE</td></tr></tbody></table>											Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5745.00	102.69	-----	-----	93.98	34.95	11.19	37.43	0.00	313	60 AVERAGE																																			
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																	
1	5745.00	102.69	-----	-----	93.98	34.95	11.19	37.43	0.00	313	60 AVERAGE																																																																																
																																																																																											
		<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>102.69</td><td>-----</td><td>-----</td><td>93.98</td><td>34.95</td><td>11.19</td><td>37.43</td><td>0.00</td><td>313</td><td>60 AVERAGE</td></tr></tbody></table>											Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5745.00	102.69	-----	-----	93.98	34.95	11.19	37.43	0.00	313	60 AVERAGE																																			
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																	
1	5745.00	102.69	-----	-----	93.98	34.95	11.19	37.43	0.00	313	60 AVERAGE																																																																																





Mode	57																																																																																																																						
	Band Edge																																																																																																																						
	U-NII-3_5.725-5.85_802.11ax HE20_CH165_RU26/8_5825MHz																																																																																																																						
ANT	CDD 6+7																																																																																																																						
Pol.	Horizontal						Fundamental																																																																																																																
Peak																																																																																																																							
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5854.00</td><td>47.88</td><td>113.18</td><td>-65.30</td><td>40.80</td><td>35.07</td><td>11.33</td><td>39.32</td><td>0.00</td><td>100</td><td>112 PEAK</td></tr><tr><td>2</td><td>5869.60</td><td>51.42</td><td>106.81</td><td>-55.39</td><td>44.30</td><td>35.00</td><td>11.35</td><td>39.31</td><td>0.00</td><td>100</td><td>112 PEAK</td></tr><tr><td>3</td><td>5924.80</td><td>47.85</td><td>68.35</td><td>-20.50</td><td>40.54</td><td>35.13</td><td>11.40</td><td>39.22</td><td>0.00</td><td>100</td><td>112 PEAK</td></tr><tr><td>4</td><td>5927.20</td><td>51.06</td><td>68.20</td><td>-17.14</td><td>43.73</td><td>35.14</td><td>11.40</td><td>39.21</td><td>0.00</td><td>100</td><td>112 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		cm	deg	1	5854.00	47.88	113.18	-65.30	40.80	35.07	11.33	39.32	0.00	100	112 PEAK	2	5869.60	51.42	106.81	-55.39	44.30	35.00	11.35	39.31	0.00	100	112 PEAK	3	5924.80	47.85	68.35	-20.50	40.54	35.13	11.40	39.22	0.00	100	112 PEAK	4	5927.20	51.06	68.20	-17.14	43.73	35.14	11.40	39.21	0.00	100	112 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>105.77</td><td>-----</td><td>-----</td><td>98.44</td><td>35.05</td><td>11.32</td><td>39.04</td><td>0.00</td><td>100</td><td>112 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		cm	deg	1	5825.00	105.77	-----	-----	98.44	35.05	11.32	39.04	0.00	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		cm	deg																																																																																																												
1	5854.00	47.88	113.18	-65.30	40.80	35.07	11.33	39.32	0.00	100	112 PEAK																																																																																																												
2	5869.60	51.42	106.81	-55.39	44.30	35.00	11.35	39.31	0.00	100	112 PEAK																																																																																																												
3	5924.80	47.85	68.35	-20.50	40.54	35.13	11.40	39.22	0.00	100	112 PEAK																																																																																																												
4	5927.20	51.06	68.20	-17.14	43.73	35.14	11.40	39.21	0.00	100	112 PEAK																																																																																																												
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		cm	deg																																																																																																												
1	5825.00	105.77	-----	-----	98.44	35.05	11.32	39.04	0.00	100	112 PEAK																																																																																																												
Avg	Blank																																																																																																																						
							<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>99.01</td><td>-----</td><td>-----</td><td>91.68</td><td>35.05</td><td>11.32</td><td>39.04</td><td>0.00</td><td>100</td><td>112 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		cm	deg	1	5825.00	99.01	-----	-----	91.68	35.05	11.32	39.04	0.00	100	112 AVERAGE																																																																							
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		cm	deg																																																																																																												
1	5825.00	99.01	-----	-----	91.68	35.05	11.32	39.04	0.00	100	112 AVERAGE																																																																																																												






		57																																																																																																																																		
Mode	Band Edge																																																																																																																																			
	U-NII-3_5.725-5.85_802.11ax HE20_CH165_RU26/8_5825MHz																																																																																																																																			
ANT	CDD 6+7																																																																																																																																			
Pol.	Vertical						Fundamental																																																																																																																													
Peak																																																																																																																																				
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5854.40</td><td>48.15</td><td>112.27</td><td>-64.12</td><td>41.07</td><td>35.07</td><td>11.33</td><td>39.32</td><td>0.00</td><td>273</td><td>72 PEAK</td></tr><tr><td>2 5874.00</td><td>48.13</td><td>105.36</td><td>-57.23</td><td>40.99</td><td>35.09</td><td>11.35</td><td>39.30</td><td>0.00</td><td>273</td><td>72 PEAK</td></tr><tr><td>3 5924.00</td><td>49.39</td><td>68.94</td><td>-19.55</td><td>42.08</td><td>35.13</td><td>11.40</td><td>39.22</td><td>0.00</td><td>273</td><td>72 PEAK</td></tr><tr><td>4 5962.40</td><td>49.91</td><td>68.20</td><td>-18.29</td><td>42.45</td><td>35.17</td><td>11.44</td><td>39.15</td><td>0.00</td><td>273</td><td>72 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5854.40	48.15	112.27	-64.12	41.07	35.07	11.33	39.32	0.00	273	72 PEAK	2 5874.00	48.13	105.36	-57.23	40.99	35.09	11.35	39.30	0.00	273	72 PEAK	3 5924.00	49.39	68.94	-19.55	42.08	35.13	11.40	39.22	0.00	273	72 PEAK	4 5962.40	49.91	68.20	-18.29	42.45	35.17	11.44	39.15	0.00	273	72 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5825.00</td><td>107.17</td><td>-----</td><td>-----</td><td>99.84</td><td>35.05</td><td>11.32</td><td>39.04</td><td>0.00</td><td>273</td><td>72 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5825.00	107.17	-----	-----	99.84	35.05	11.32	39.04	0.00	273
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																										
1 5854.40	48.15	112.27	-64.12	41.07	35.07	11.33	39.32	0.00	273	72 PEAK																																																																																																																										
2 5874.00	48.13	105.36	-57.23	40.99	35.09	11.35	39.30	0.00	273	72 PEAK																																																																																																																										
3 5924.00	49.39	68.94	-19.55	42.08	35.13	11.40	39.22	0.00	273	72 PEAK																																																																																																																										
4 5962.40	49.91	68.20	-18.29	42.45	35.17	11.44	39.15	0.00	273	72 PEAK																																																																																																																										
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																										
1 5825.00	107.17	-----	-----	99.84	35.05	11.32	39.04	0.00	273	72 PEAK																																																																																																																										
Avg	Blank																																																																																																																																			
							<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5825.00</td><td>97.72</td><td>-----</td><td>-----</td><td>90.39</td><td>35.05</td><td>11.32</td><td>39.04</td><td>0.00</td><td>273</td><td>72 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5825.00	97.72	-----	-----	90.39	35.05	11.32	39.04	0.00	273	72 AVERAGE																																																																												
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																										
1 5825.00	97.72	-----	-----	90.39	35.05	11.32	39.04	0.00	273	72 AVERAGE																																																																																																																										






		58																																																																																									
Mode		Band Edge																																																																																									
		U-NII-3_5.725-5.85_802.11ax HE20_CH149_RU52/37_5745MHz																																																																																									
ANT		CDD 6+7																																																																																									
Pol.		Horizontal					Fundamental																																																																																				
Peak																																																																																											
		<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5631.20</td><td>53.01</td><td>68.20</td><td>-15.19</td><td>43.07</td><td>34.06</td><td>11.05</td><td>35.97</td><td>0.00</td><td>106</td><td>233 PEAK</td></tr><tr><td>2</td><td>5650.00</td><td>50.25</td><td>68.20</td><td>-17.95</td><td>40.42</td><td>34.08</td><td>11.07</td><td>36.12</td><td>0.00</td><td>106</td><td>233 PEAK</td></tr><tr><td>3</td><td>5704.00</td><td>52.58</td><td>106.42</td><td>-53.84</td><td>43.46</td><td>34.93</td><td>11.15</td><td>36.96</td><td>0.00</td><td>106</td><td>233 PEAK</td></tr><tr><td>4</td><td>5720.40</td><td>50.26</td><td>111.81</td><td>-61.55</td><td>41.37</td><td>34.94</td><td>11.17</td><td>37.22</td><td>0.00</td><td>106</td><td>233 PEAK</td></tr></tbody></table>											Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5631.20	53.01	68.20	-15.19	43.07	34.06	11.05	35.97	0.00	106	233 PEAK	2	5650.00	50.25	68.20	-17.95	40.42	34.08	11.07	36.12	0.00	106	233 PEAK	3	5704.00	52.58	106.42	-53.84	43.46	34.93	11.15	36.96	0.00	106	233 PEAK	4	5720.40	50.26	111.81	-61.55	41.37	34.94	11.17	37.22	0.00	106
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																	
1	5631.20	53.01	68.20	-15.19	43.07	34.06	11.05	35.97	0.00	106	233 PEAK																																																																																
2	5650.00	50.25	68.20	-17.95	40.42	34.08	11.07	36.12	0.00	106	233 PEAK																																																																																
3	5704.00	52.58	106.42	-53.84	43.46	34.93	11.15	36.96	0.00	106	233 PEAK																																																																																
4	5720.40	50.26	111.81	-61.55	41.37	34.94	11.17	37.22	0.00	106	233 PEAK																																																																																
Avg		Blank																																																																																									
							<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>102.21</td><td>-----</td><td>-----</td><td>93.58</td><td>34.96</td><td>11.20</td><td>37.53</td><td>0.00</td><td>106</td><td>233 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5745.00	102.21	-----	-----	93.58	34.96	11.20	37.53	0.00	106	233 AVERAGE																																			
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																	
1	5745.00	102.21	-----	-----	93.58	34.96	11.20	37.53	0.00	106	233 AVERAGE																																																																																






		58																																																																																																																																					
Mode		Band Edge																																																																																																																																					
		U-NII-3_5.725-5.85_802.11ax HE20_CH149_RU52/37_5745MHz																																																																																																																																					
ANT		CDD 6+7																																																																																																																																					
Pol.		Vertical					Fundamental																																																																																																																																
Peak																																																																																																																																							
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5627.20</td><td>52.89</td><td>68.20</td><td>-15.31</td><td>42.98</td><td>34.85</td><td>11.04</td><td>35.98</td><td>0.00</td><td>326</td><td>51 PEAK</td></tr><tr><td>2</td><td>5650.00</td><td>48.73</td><td>68.20</td><td>-19.47</td><td>38.90</td><td>34.88</td><td>11.07</td><td>36.12</td><td>0.00</td><td>326</td><td>51 PEAK</td></tr><tr><td>3</td><td>5700.00</td><td>50.61</td><td>105.30</td><td>-54.69</td><td>41.45</td><td>34.92</td><td>11.14</td><td>36.90</td><td>0.00</td><td>326</td><td>51 PEAK</td></tr><tr><td>4</td><td>5720.00</td><td>49.61</td><td>110.90</td><td>-61.29</td><td>40.72</td><td>34.94</td><td>11.17</td><td>37.22</td><td>0.00</td><td>326</td><td>51 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5627.20	52.89	68.20	-15.31	42.98	34.85	11.04	35.98	0.00	326	51 PEAK	2	5650.00	48.73	68.20	-19.47	38.90	34.88	11.07	36.12	0.00	326	51 PEAK	3	5700.00	50.61	105.30	-54.69	41.45	34.92	11.14	36.90	0.00	326	51 PEAK	4	5720.00	49.61	110.90	-61.29	40.72	34.94	11.17	37.22	0.00	326	51 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>107.76</td><td>-----</td><td>-----</td><td>99.13</td><td>34.96</td><td>11.20</td><td>37.53</td><td>0.00</td><td>326</td><td>51 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5745.00	107.76	-----	-----	99.13	34.96	11.20	37.53	0.00	326
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																													
1	5627.20	52.89	68.20	-15.31	42.98	34.85	11.04	35.98	0.00	326	51 PEAK																																																																																																																												
2	5650.00	48.73	68.20	-19.47	38.90	34.88	11.07	36.12	0.00	326	51 PEAK																																																																																																																												
3	5700.00	50.61	105.30	-54.69	41.45	34.92	11.14	36.90	0.00	326	51 PEAK																																																																																																																												
4	5720.00	49.61	110.90	-61.29	40.72	34.94	11.17	37.22	0.00	326	51 PEAK																																																																																																																												
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																													
1	5745.00	107.76	-----	-----	99.13	34.96	11.20	37.53	0.00	326	51 PEAK																																																																																																																												
Avg	Blank																																																																																																																																						
						<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>101.09</td><td>-----</td><td>-----</td><td>92.46</td><td>34.96</td><td>11.20</td><td>37.53</td><td>0.00</td><td>326</td><td>51 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5745.00	101.09	-----	-----	92.46	34.96	11.20	37.53	0.00	326	51 AVERAGE																																																																																
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																													
1	5745.00	101.09	-----	-----	92.46	34.96	11.20	37.53	0.00	326	51 AVERAGE																																																																																																																												






Mode	59																																																																																							
	Band Edge																																																																																							
	U-NII-3_5.725-5.85_802.11ax HE20_CH165_RU52/40_5825MHz																																																																																							
ANT	CDD 6+7																																																																																							
Pol.	Horizontal																																																																																							
Peak																																																																																								
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5854.00</td><td>50.32</td><td>111.36</td><td>-61.04</td><td>43.24</td><td>35.07</td><td>11.34</td><td>39.33</td><td>0.00</td><td>100</td><td>299 PEAK</td></tr><tr><td>2 5874.00</td><td>48.78</td><td>105.36</td><td>-56.58</td><td>41.64</td><td>35.09</td><td>11.35</td><td>39.30</td><td>0.00</td><td>100</td><td>299 PEAK</td></tr><tr><td>3 5923.60</td><td>49.21</td><td>69.23</td><td>-20.02</td><td>41.90</td><td>35.13</td><td>11.40</td><td>39.22</td><td>0.00</td><td>100</td><td>299 PEAK</td></tr><tr><td>4 5925.20</td><td>49.43</td><td>68.20</td><td>-18.77</td><td>42.10</td><td>35.14</td><td>11.40</td><td>39.21</td><td>0.00</td><td>100</td><td>299 PEAK</td></tr></tbody></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5854.00	50.32	111.36	-61.04	43.24	35.07	11.34	39.33	0.00	100	299 PEAK	2 5874.00	48.78	105.36	-56.58	41.64	35.09	11.35	39.30	0.00	100	299 PEAK	3 5923.60	49.21	69.23	-20.02	41.90	35.13	11.40	39.22	0.00	100	299 PEAK	4 5925.20	49.43	68.20	-18.77	42.10	35.14	11.40	39.21	0.00	100	299 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																														
1 5854.00	50.32	111.36	-61.04	43.24	35.07	11.34	39.33	0.00	100	299 PEAK																																																																														
2 5874.00	48.78	105.36	-56.58	41.64	35.09	11.35	39.30	0.00	100	299 PEAK																																																																														
3 5923.60	49.21	69.23	-20.02	41.90	35.13	11.40	39.22	0.00	100	299 PEAK																																																																														
4 5925.20	49.43	68.20	-18.77	42.10	35.14	11.40	39.21	0.00	100	299 PEAK																																																																														
Fundamental																																																																																								
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5825.00</td><td>106.60</td><td>-----</td><td>-----</td><td>99.18</td><td>35.05</td><td>11.31</td><td>38.94</td><td>0.00</td><td>100</td><td>299 PEAK</td></tr></tbody></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5825.00	106.60	-----	-----	99.18	35.05	11.31	38.94	0.00	100	299 PEAK																																	
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																														
1 5825.00	106.60	-----	-----	99.18	35.05	11.31	38.94	0.00	100	299 PEAK																																																																														
Avg	Blank																																																																																							
																																																																																								
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5825.00</td><td>98.82</td><td>-----</td><td>-----</td><td>91.40</td><td>35.05</td><td>11.31</td><td>38.94</td><td>0.00</td><td>100</td><td>299 AVERAGE</td></tr></tbody></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5825.00	98.82	-----	-----	91.40	35.05	11.31	38.94	0.00	100	299 AVERAGE																																	
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																														
1 5825.00	98.82	-----	-----	91.40	35.05	11.31	38.94	0.00	100	299 AVERAGE																																																																														





	59																																																																																																																																								
Mode	Band Edge																																																																																																																																								
	U-NII-3_5.725-5.85_802.11ax HE20_CH165_RU52/40_5825MHz																																																																																																																																								
ANT	CDD 6+7																																																																																																																																								
Pol.	Vertical						Fundamental																																																																																																																																		
Peak																																																																																																																																									
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5854.00</td><td>48.34</td><td>111.36</td><td>-63.02</td><td>41.26</td><td>35.07</td><td>11.34</td><td>39.33</td><td>0.00</td><td>306</td><td>50 PEAK</td></tr><tr><td>2</td><td>5873.60</td><td>50.16</td><td>105.69</td><td>-55.53</td><td>43.02</td><td>35.09</td><td>11.35</td><td>39.30</td><td>0.00</td><td>306</td><td>50 PEAK</td></tr><tr><td>3</td><td>5923.20</td><td>50.17</td><td>69.53</td><td>-19.36</td><td>42.86</td><td>35.13</td><td>11.40</td><td>39.22</td><td>0.00</td><td>306</td><td>50 PEAK</td></tr><tr><td>4</td><td>5930.00</td><td>50.29</td><td>68.20</td><td>-17.91</td><td>42.95</td><td>35.14</td><td>11.41</td><td>39.21</td><td>0.00</td><td>306</td><td>50 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5854.00	48.34	111.36	-63.02	41.26	35.07	11.34	39.33	0.00	306	50 PEAK	2	5873.60	50.16	105.69	-55.53	43.02	35.09	11.35	39.30	0.00	306	50 PEAK	3	5923.20	50.17	69.53	-19.36	42.86	35.13	11.40	39.22	0.00	306	50 PEAK	4	5930.00	50.29	68.20	-17.91	42.95	35.14	11.41	39.21	0.00	306	50 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>107.48</td><td>-----</td><td>-----</td><td>100.06</td><td>35.05</td><td>11.31</td><td>38.94</td><td>0.00</td><td>306</td><td>50 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5825.00	107.48	-----	-----	100.06	35.05	11.31	38.94	0.00	306	50 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																															
1	5854.00	48.34	111.36	-63.02	41.26	35.07	11.34	39.33	0.00	306	50 PEAK																																																																																																																														
2	5873.60	50.16	105.69	-55.53	43.02	35.09	11.35	39.30	0.00	306	50 PEAK																																																																																																																														
3	5923.20	50.17	69.53	-19.36	42.86	35.13	11.40	39.22	0.00	306	50 PEAK																																																																																																																														
4	5930.00	50.29	68.20	-17.91	42.95	35.14	11.41	39.21	0.00	306	50 PEAK																																																																																																																														
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																															
1	5825.00	107.48	-----	-----	100.06	35.05	11.31	38.94	0.00	306	50 PEAK																																																																																																																														
Avg	Blank																																																																																																																																								
							<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>98.97</td><td>-----</td><td>-----</td><td>91.55</td><td>35.05</td><td>11.31</td><td>38.94</td><td>0.00</td><td>306</td><td>50 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5825.00	98.97	-----	-----	91.55	35.05	11.31	38.94	0.00	306	50 AVERAGE																																																																																	
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																															
1	5825.00	98.97	-----	-----	91.55	35.05	11.31	38.94	0.00	306	50 AVERAGE																																																																																																																														






Mode	60																																																																																											
	Band Edge																																																																																											
	U-NII-3_5.725-5.85_802.11ax HE20_CH149_RU106/53_5745MHz																																																																																											
ANT	CDD 6+7																																																																																											
Pol.	Horizontal																																																																																											
Peak																																																																																												
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5643.60</td><td>52.01</td><td>68.20</td><td>-16.19</td><td>42.10</td><td>34.87</td><td>11.06</td><td>36.02</td><td>0.00</td><td>100</td><td>233 PEAK</td></tr><tr><td>2</td><td>5652.40</td><td>52.02</td><td>69.99</td><td>-17.97</td><td>42.21</td><td>34.88</td><td>11.06</td><td>36.15</td><td>0.00</td><td>100</td><td>233 PEAK</td></tr><tr><td>3</td><td>5715.60</td><td>69.19</td><td>109.67</td><td>-40.48</td><td>60.24</td><td>34.94</td><td>11.16</td><td>37.15</td><td>0.00</td><td>100</td><td>233 PEAK</td></tr><tr><td>4</td><td>5724.40</td><td>76.40</td><td>120.93</td><td>-44.53</td><td>67.55</td><td>34.95</td><td>11.18</td><td>37.28</td><td>0.00</td><td>100</td><td>233 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5643.60	52.01	68.20	-16.19	42.10	34.87	11.06	36.02	0.00	100	233 PEAK	2	5652.40	52.02	69.99	-17.97	42.21	34.88	11.06	36.15	0.00	100	233 PEAK	3	5715.60	69.19	109.67	-40.48	60.24	34.94	11.16	37.15	0.00	100	233 PEAK	4	5724.40	76.40	120.93	-44.53	67.55	34.95	11.18	37.28	0.00	100	233 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																		
1	5643.60	52.01	68.20	-16.19	42.10	34.87	11.06	36.02	0.00	100	233 PEAK																																																																																	
2	5652.40	52.02	69.99	-17.97	42.21	34.88	11.06	36.15	0.00	100	233 PEAK																																																																																	
3	5715.60	69.19	109.67	-40.48	60.24	34.94	11.16	37.15	0.00	100	233 PEAK																																																																																	
4	5724.40	76.40	120.93	-44.53	67.55	34.95	11.18	37.28	0.00	100	233 PEAK																																																																																	
Avg	Blank																																																																																											
																																																																																												
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5745.00</td><td>109.67</td><td>-----</td><td>-----</td><td>101.04</td><td>34.96</td><td>11.20</td><td>37.53</td><td>0.00</td><td>100</td><td>233 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5745.00	109.67	-----	-----	101.04	34.96	11.20	37.53	0.00	100	233 PEAK																																				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																		
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																		
1	5745.00	109.67	-----	-----	101.04	34.96	11.20	37.53	0.00	100	233 PEAK																																																																																	
Avg	Blank																																																																																											
																																																																																												
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5745.00</td><td>101.96</td><td>-----</td><td>-----</td><td>93.33</td><td>34.96</td><td>11.20</td><td>37.53</td><td>0.00</td><td>100</td><td>233 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5745.00	101.96	-----	-----	93.33	34.96	11.20	37.53	0.00	100	233 AVERAGE																																				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																		
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																		
1	5745.00	101.96	-----	-----	93.33	34.96	11.20	37.53	0.00	100	233 AVERAGE																																																																																	






Mode	60																																																																																							
	Band Edge																																																																																							
	U-NII-3_5.725-5.85_802.11ax HE20_CH149_RU106/53_5745MHz																																																																																							
ANT	CDD 6+7																																																																																							
Pol.	Vertical																																																																																							
Peak																																																																																								
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5646.00</td><td>51.63</td><td>68.20</td><td>-16.57</td><td>41.74</td><td>34.87</td><td>11.07</td><td>36.05</td><td>0.00</td><td>313</td><td>47 PEAK</td></tr><tr><td>2 5650.00</td><td>50.00</td><td>68.20</td><td>-18.20</td><td>40.17</td><td>34.88</td><td>11.07</td><td>36.12</td><td>0.00</td><td>313</td><td>47 PEAK</td></tr><tr><td>3 5710.00</td><td>61.16</td><td>108.10</td><td>-46.94</td><td>52.13</td><td>34.93</td><td>11.16</td><td>37.06</td><td>0.00</td><td>313</td><td>47 PEAK</td></tr><tr><td>4 5720.00</td><td>62.74</td><td>110.90</td><td>-48.16</td><td>53.85</td><td>34.94</td><td>11.17</td><td>37.22</td><td>0.00</td><td>313</td><td>47 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5646.00	51.63	68.20	-16.57	41.74	34.87	11.07	36.05	0.00	313	47 PEAK	2 5650.00	50.00	68.20	-18.20	40.17	34.88	11.07	36.12	0.00	313	47 PEAK	3 5710.00	61.16	108.10	-46.94	52.13	34.93	11.16	37.06	0.00	313	47 PEAK	4 5720.00	62.74	110.90	-48.16	53.85	34.94	11.17	37.22	0.00	313	47 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																														
1 5646.00	51.63	68.20	-16.57	41.74	34.87	11.07	36.05	0.00	313	47 PEAK																																																																														
2 5650.00	50.00	68.20	-18.20	40.17	34.88	11.07	36.12	0.00	313	47 PEAK																																																																														
3 5710.00	61.16	108.10	-46.94	52.13	34.93	11.16	37.06	0.00	313	47 PEAK																																																																														
4 5720.00	62.74	110.90	-48.16	53.85	34.94	11.17	37.22	0.00	313	47 PEAK																																																																														
Avg	Blank																																																																																							
																																																																																								
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5745.00</td><td>108.53</td><td>-----</td><td>-----</td><td>99.90</td><td>34.96</td><td>11.20</td><td>37.53</td><td>0.00</td><td>313</td><td>47 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5745.00	108.53	-----	-----	99.90	34.96	11.20	37.53	0.00	313	47 PEAK																																	
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																														
1 5745.00	108.53	-----	-----	99.90	34.96	11.20	37.53	0.00	313	47 PEAK																																																																														






Mode	61																																																																																																																																	
	Band Edge																																																																																																																																	
	U-NII-3_5.725-5.85_802.11ax HE20_CH165_RU106/54_5825MHz																																																																																																																																	
ANT	CDD 6+7																																																																																																																																	
Pol.	Horizontal					Fundamental																																																																																																																												
Peak																																																																																																																																		
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5854.00</td><td>61.91</td><td>113.18</td><td>-51.27</td><td>54.83</td><td>35.07</td><td>11.33</td><td>39.32</td><td>0.00</td><td>100</td><td>235 PEAK</td></tr><tr><td>2 5856.00</td><td>59.07</td><td>110.62</td><td>-51.55</td><td>51.99</td><td>35.07</td><td>11.34</td><td>39.33</td><td>0.00</td><td>100</td><td>235 PEAK</td></tr><tr><td>3 5924.00</td><td>48.90</td><td>68.94</td><td>-20.04</td><td>41.59</td><td>35.13</td><td>11.40</td><td>39.22</td><td>0.00</td><td>100</td><td>235 PEAK</td></tr><tr><td>4 5933.20</td><td>50.02</td><td>68.20</td><td>-18.18</td><td>42.67</td><td>35.14</td><td>11.41</td><td>39.20</td><td>0.00</td><td>100</td><td>235 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5854.00	61.91	113.18	-51.27	54.83	35.07	11.33	39.32	0.00	100	235 PEAK	2 5856.00	59.07	110.62	-51.55	51.99	35.07	11.34	39.33	0.00	100	235 PEAK	3 5924.00	48.90	68.94	-20.04	41.59	35.13	11.40	39.22	0.00	100	235 PEAK	4 5933.20	50.02	68.20	-18.18	42.67	35.14	11.41	39.20	0.00	100	235 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5825.00</td><td>107.61</td><td>-----</td><td>-----</td><td>100.19</td><td>35.05</td><td>11.31</td><td>38.94</td><td>0.00</td><td>100</td><td>235 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5825.00	107.61	-----	-----	100.19	35.05	11.31	38.94	0.00	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor																																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																								
1 5854.00	61.91	113.18	-51.27	54.83	35.07	11.33	39.32	0.00	100	235 PEAK																																																																																																																								
2 5856.00	59.07	110.62	-51.55	51.99	35.07	11.34	39.33	0.00	100	235 PEAK																																																																																																																								
3 5924.00	48.90	68.94	-20.04	41.59	35.13	11.40	39.22	0.00	100	235 PEAK																																																																																																																								
4 5933.20	50.02	68.20	-18.18	42.67	35.14	11.41	39.20	0.00	100	235 PEAK																																																																																																																								
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor																																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																								
1 5825.00	107.61	-----	-----	100.19	35.05	11.31	38.94	0.00	100	235 PEAK																																																																																																																								
Avg	Blank																																																																																																																																	
						<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5825.00</td><td>99.68</td><td>-----</td><td>-----</td><td>92.26</td><td>35.05</td><td>11.31</td><td>38.94</td><td>0.00</td><td>100</td><td>235 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5825.00	99.68	-----	-----	92.26	35.05	11.31	38.94	0.00	100	235 AVERAGE																																																																												
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor																																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																								
1 5825.00	99.68	-----	-----	92.26	35.05	11.31	38.94	0.00	100	235 AVERAGE																																																																																																																								






	61																																																																																																																																							
Mode	Band Edge																																																																																																																																							
	U-NII-3_5.725-5.85_802.11ax HE20_CH165_RU106/54_5825MHz																																																																																																																																							
ANT	CDD 6+7																																																																																																																																							
Pol.	Vertical						Fundamental																																																																																																																																	
Peak																																																																																																																																								
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5854.40</td><td>58.22</td><td>112.27</td><td>-54.05</td><td>51.14</td><td>35.07</td><td>11.33</td><td>39.32</td><td>0.00</td><td>322</td><td>50 PEAK</td></tr><tr><td>2</td><td>5858.00</td><td>59.44</td><td>109.83</td><td>-50.39</td><td>52.35</td><td>35.07</td><td>11.34</td><td>39.32</td><td>0.00</td><td>322</td><td>50 PEAK</td></tr><tr><td>3</td><td>5924.40</td><td>48.90</td><td>68.64</td><td>-19.74</td><td>41.59</td><td>35.13</td><td>11.40</td><td>39.22</td><td>0.00</td><td>322</td><td>50 PEAK</td></tr><tr><td>4</td><td>5960.00</td><td>50.42</td><td>68.20</td><td>-17.78</td><td>42.97</td><td>35.17</td><td>11.44</td><td>39.16</td><td>0.00</td><td>322</td><td>50 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5854.40	58.22	112.27	-54.05	51.14	35.07	11.33	39.32	0.00	322	50 PEAK	2	5858.00	59.44	109.83	-50.39	52.35	35.07	11.34	39.32	0.00	322	50 PEAK	3	5924.40	48.90	68.64	-19.74	41.59	35.13	11.40	39.22	0.00	322	50 PEAK	4	5960.00	50.42	68.20	-17.78	42.97	35.17	11.44	39.16	0.00	322	50 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>108.49</td><td>-----</td><td>-----</td><td>101.07</td><td>35.05</td><td>11.31</td><td>38.94</td><td>0.00</td><td>322</td><td>50 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5825.00	108.49	-----	-----	101.07	35.05	11.31	38.94	0.00	322
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																														
1	5854.40	58.22	112.27	-54.05	51.14	35.07	11.33	39.32	0.00	322	50 PEAK																																																																																																																													
2	5858.00	59.44	109.83	-50.39	52.35	35.07	11.34	39.32	0.00	322	50 PEAK																																																																																																																													
3	5924.40	48.90	68.64	-19.74	41.59	35.13	11.40	39.22	0.00	322	50 PEAK																																																																																																																													
4	5960.00	50.42	68.20	-17.78	42.97	35.17	11.44	39.16	0.00	322	50 PEAK																																																																																																																													
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																														
1	5825.00	108.49	-----	-----	101.07	35.05	11.31	38.94	0.00	322	50 PEAK																																																																																																																													
Avg	Blank																																																																																																																																							
							<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>98.84</td><td>-----</td><td>-----</td><td>91.42</td><td>35.05</td><td>11.31</td><td>38.94</td><td>0.00</td><td>322</td><td>50 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5825.00	98.84	-----	-----	91.42	35.05	11.31	38.94	0.00	322	50 AVERAGE																																																																																
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																														
1	5825.00	98.84	-----	-----	91.42	35.05	11.31	38.94	0.00	322	50 AVERAGE																																																																																																																													





Mode	109																																																																																											
	Band Edge																																																																																											
	U-NII-3_5.725-5.85_802.11a_CH149_5745MHz																																																																																											
ANT	CDD 6+10																																																																																											
Pol.	Horizontal																																																																																											
Peak																																																																																												
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5624.00</td><td>53.35</td><td>68.20</td><td>-14.85</td><td>43.44</td><td>34.85</td><td>11.04</td><td>35.98</td><td>0.00</td><td>299</td><td>318 PEAK</td></tr><tr><td>2</td><td>5650.00</td><td>50.79</td><td>68.00</td><td>-18.01</td><td>40.97</td><td>34.88</td><td>11.07</td><td>36.13</td><td>0.00</td><td>299</td><td>318 PEAK</td></tr><tr><td>3</td><td>5713.60</td><td>69.09</td><td>109.11</td><td>-40.02</td><td>60.10</td><td>34.94</td><td>11.16</td><td>37.11</td><td>0.00</td><td>299</td><td>318 PEAK</td></tr><tr><td>4</td><td>5720.00</td><td>69.72</td><td>110.90</td><td>-41.18</td><td>60.83</td><td>34.94</td><td>11.17</td><td>37.22</td><td>0.00</td><td>299</td><td>318 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5624.00	53.35	68.20	-14.85	43.44	34.85	11.04	35.98	0.00	299	318 PEAK	2	5650.00	50.79	68.00	-18.01	40.97	34.88	11.07	36.13	0.00	299	318 PEAK	3	5713.60	69.09	109.11	-40.02	60.10	34.94	11.16	37.11	0.00	299	318 PEAK	4	5720.00	69.72	110.90	-41.18	60.83	34.94	11.17	37.22	0.00	299	318 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	5624.00	53.35	68.20	-14.85	43.44	34.85	11.04	35.98	0.00	299	318 PEAK																																																																																	
2	5650.00	50.79	68.00	-18.01	40.97	34.88	11.07	36.13	0.00	299	318 PEAK																																																																																	
3	5713.60	69.09	109.11	-40.02	60.10	34.94	11.16	37.11	0.00	299	318 PEAK																																																																																	
4	5720.00	69.72	110.90	-41.18	60.83	34.94	11.17	37.22	0.00	299	318 PEAK																																																																																	
Avg	Blank																																																																																											
																																																																																												
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5745.00</td><td>109.21</td><td>-----</td><td>-----</td><td>100.65</td><td>34.97</td><td>11.21</td><td>37.62</td><td>0.00</td><td>299</td><td>318 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5745.00	109.21	-----	-----	100.65	34.97	11.21	37.62	0.00	299	318 PEAK																																				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																		
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	5745.00	109.21	-----	-----	100.65	34.97	11.21	37.62	0.00	299	318 PEAK																																																																																	
Avg	Blank																																																																																											
																																																																																												
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5745.00</td><td>100.98</td><td>-----</td><td>-----</td><td>92.42</td><td>34.97</td><td>11.21</td><td>37.62</td><td>0.00</td><td>299</td><td>318 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5745.00	100.98	-----	-----	92.42	34.97	11.21	37.62	0.00	299	318 AVERAGE																																				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																		
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	5745.00	100.98	-----	-----	92.42	34.97	11.21	37.62	0.00	299	318 AVERAGE																																																																																	





Mode	109																																																																																							
	Band Edge																																																																																							
	U-NII-3_5.725-5.85_802.11a_CH149_5745MHz																																																																																							
ANT	CDD 6+10																																																																																							
Pol.	Vertical																																																																																							
Peak																																																																																								
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5644.00</td><td>52.32</td><td>68.20</td><td>-15.88</td><td>42.41</td><td>34.87</td><td>11.06</td><td>36.02</td><td>0.00</td><td>333 263 PEAK</td></tr><tr><td>2</td><td>5651.20</td><td>49.84</td><td>69.09</td><td>-19.25</td><td>40.03</td><td>34.88</td><td>11.07</td><td>36.14</td><td>0.00</td><td>333 263 PEAK</td></tr><tr><td>3</td><td>5719.60</td><td>68.31</td><td>110.79</td><td>-42.48</td><td>59.41</td><td>34.94</td><td>11.17</td><td>37.21</td><td>0.00</td><td>333 263 PEAK</td></tr><tr><td>4</td><td>5720.00</td><td>64.50</td><td>110.90</td><td>-46.40</td><td>55.61</td><td>34.94</td><td>11.17</td><td>37.22</td><td>0.00</td><td>333 263 PEAK</td></tr></tbody></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5644.00	52.32	68.20	-15.88	42.41	34.87	11.06	36.02	0.00	333 263 PEAK	2	5651.20	49.84	69.09	-19.25	40.03	34.88	11.07	36.14	0.00	333 263 PEAK	3	5719.60	68.31	110.79	-42.48	59.41	34.94	11.17	37.21	0.00	333 263 PEAK	4	5720.00	64.50	110.90	-46.40	55.61	34.94	11.17	37.22	0.00	333 263 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																														
1	5644.00	52.32	68.20	-15.88	42.41	34.87	11.06	36.02	0.00	333 263 PEAK																																																																														
2	5651.20	49.84	69.09	-19.25	40.03	34.88	11.07	36.14	0.00	333 263 PEAK																																																																														
3	5719.60	68.31	110.79	-42.48	59.41	34.94	11.17	37.21	0.00	333 263 PEAK																																																																														
4	5720.00	64.50	110.90	-46.40	55.61	34.94	11.17	37.22	0.00	333 263 PEAK																																																																														
Fundamental																																																																																								
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>107.62</td><td>-----</td><td>-----</td><td>99.06</td><td>34.97</td><td>11.21</td><td>37.62</td><td>0.00</td><td>333 263 PEAK</td></tr></tbody></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5745.00	107.62	-----	-----	99.06	34.97	11.21	37.62	0.00	333 263 PEAK																																	
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																														
1	5745.00	107.62	-----	-----	99.06	34.97	11.21	37.62	0.00	333 263 PEAK																																																																														
Avg	Blank																																																																																							
																																																																																								
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>100.57</td><td>-----</td><td>-----</td><td>92.01</td><td>34.97</td><td>11.21</td><td>37.62</td><td>0.00</td><td>333 263 AVERAGE</td></tr></tbody></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5745.00	100.57	-----	-----	92.01	34.97	11.21	37.62	0.00	333 263 AVERAGE																																	
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																														
1	5745.00	100.57	-----	-----	92.01	34.97	11.21	37.62	0.00	333 263 AVERAGE																																																																														






Mode	109																																																																								
	Harmonic																																																																								
	U-NII-3_5.725-5.85_802.11a_CH149_5745MHz																																																																								
ANT	CDD 6+10																																																																								
Pol.	Horizontal						Vertical																																																																		
Peak Avg																																																																									
	<table><tr><th colspan="2"></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th colspan="2"></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11490.00</td><td>54.06</td><td>74.00</td><td>-19.94</td><td>65.86</td><td>38.18</td><td>16.36</td><td>66.34</td><td>0.00</td><td>215</td><td>353</td><td>PEAK</td></tr><tr><td>2</td><td>11490.00</td><td>44.58</td><td>54.00</td><td>-9.42</td><td>56.38</td><td>38.18</td><td>16.36</td><td>66.34</td><td>0.00</td><td>215</td><td>353</td><td>AVERAGE</td></tr></table>														Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11490.00	54.06	74.00	-19.94	65.86	38.18	16.36	66.34	0.00	215	353	PEAK	2	11490.00	44.58	54.00	-9.42	56.38	38.18	16.36	66.34	0.00	215	353	AVERAGE
			Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																	
		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																														
1	11490.00	54.06	74.00	-19.94	65.86	38.18	16.36	66.34	0.00	215	353	PEAK																																																													
2	11490.00	44.58	54.00	-9.42	56.38	38.18	16.36	66.34	0.00	215	353	AVERAGE																																																													
<table><tr><th colspan="2"></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th colspan="2"></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11490.00</td><td>49.14</td><td>74.00</td><td>-24.86</td><td>60.94</td><td>38.18</td><td>16.36</td><td>66.34</td><td>0.00</td><td>100</td><td>360</td><td>PEAK</td></tr><tr><td>2</td><td>11490.00</td><td>39.16</td><td>54.00</td><td>-14.84</td><td>50.96</td><td>38.18</td><td>16.36</td><td>66.34</td><td>0.00</td><td>100</td><td>360</td><td>AVERAGE</td></tr></table>														Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11490.00	49.14	74.00	-24.86	60.94	38.18	16.36	66.34	0.00	100	360	PEAK	2	11490.00	39.16	54.00	-14.84	50.96	38.18	16.36	66.34	0.00	100	360	AVERAGE	
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																	
		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																														
1	11490.00	49.14	74.00	-24.86	60.94	38.18	16.36	66.34	0.00	100	360	PEAK																																																													
2	11490.00	39.16	54.00	-14.84	50.96	38.18	16.36	66.34	0.00	100	360	AVERAGE																																																													





Mode	110																																																																																																																													
	Harmonic																																																																																																																													
	U-NII-3_5.725-5.85_802.11a_CH157_5785MHz																																																																																																																													
ANT	CDD 6+10																																																																																																																													
Pol.	Horizontal						Vertical																																																																																																																							
Peak Avg																																																																																																																														
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11570.00</td><td>53.57</td><td>74.00</td><td>-20.43</td><td>65.29</td><td>38.20</td><td>16.41</td><td>66.33</td><td>0.00</td><td>100</td><td>80 PEAK</td></tr><tr><td>2</td><td>11570.00</td><td>44.73</td><td>54.00</td><td>-9.27</td><td>56.45</td><td>38.20</td><td>16.41</td><td>66.33</td><td>0.00</td><td>100</td><td>80 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11570.00	53.57	74.00	-20.43	65.29	38.20	16.41	66.33	0.00	100	80 PEAK	2	11570.00	44.73	54.00	-9.27	56.45	38.20	16.41	66.33	0.00	100	80 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11570.00</td><td>49.13</td><td>74.00</td><td>-24.87</td><td>60.85</td><td>38.20</td><td>16.41</td><td>66.33</td><td>0.00</td><td>300</td><td>0 PEAK</td></tr><tr><td>2</td><td>11570.00</td><td>39.19</td><td>54.00</td><td>-14.81</td><td>50.91</td><td>38.20</td><td>16.41</td><td>66.33</td><td>0.00</td><td>300</td><td>0 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11570.00	49.13	74.00	-24.87	60.85	38.20	16.41	66.33	0.00	300	0 PEAK	2	11570.00	39.19	54.00	-14.81	50.91	38.20	16.41	66.33	0.00	300	0 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	11570.00	53.57	74.00	-20.43	65.29	38.20	16.41	66.33	0.00	100	80 PEAK																																																																																																																			
2	11570.00	44.73	54.00	-9.27	56.45	38.20	16.41	66.33	0.00	100	80 AVERAGE																																																																																																																			
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	11570.00	49.13	74.00	-24.87	60.85	38.20	16.41	66.33	0.00	300	0 PEAK																																																																																																																			
2	11570.00	39.19	54.00	-14.81	50.91	38.20	16.41	66.33	0.00	300	0 AVERAGE																																																																																																																			





Mode	111																																																																																																																																									
	Band Edge																																																																																																																																									
	U-NII-3_5.725-5.85_802.11a_CH165_5825MHz																																																																																																																																									
ANT	CDD 6+10																																																																																																																																									
Pol.	Horizontal						Fundamental																																																																																																																																			
Peak																																																																																																																																										
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.00</td><td>61.14</td><td>111.36</td><td>-50.22</td><td>54.06</td><td>35.07</td><td>11.34</td><td>39.33</td><td>0.00</td><td>292</td><td>318 PEAK</td></tr><tr><td>2</td><td>5864.40</td><td>63.87</td><td>108.27</td><td>-44.40</td><td>56.76</td><td>35.08</td><td>11.34</td><td>39.31</td><td>0.00</td><td>292</td><td>318 PEAK</td></tr><tr><td>3</td><td>5924.00</td><td>48.54</td><td>68.35</td><td>-19.81</td><td>41.23</td><td>35.13</td><td>11.40</td><td>39.22</td><td>0.00</td><td>292</td><td>318 PEAK</td></tr><tr><td>4</td><td>5932.40</td><td>50.14</td><td>68.20</td><td>-18.06</td><td>42.79</td><td>35.14</td><td>11.41</td><td>39.20</td><td>0.00</td><td>292</td><td>318 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5854.00	61.14	111.36	-50.22	54.06	35.07	11.34	39.33	0.00	292	318 PEAK	2	5864.40	63.87	108.27	-44.40	56.76	35.08	11.34	39.31	0.00	292	318 PEAK	3	5924.00	48.54	68.35	-19.81	41.23	35.13	11.40	39.22	0.00	292	318 PEAK	4	5932.40	50.14	68.20	-18.06	42.79	35.14	11.41	39.20	0.00	292	318 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5825.00</td><td>107.62</td><td>-----</td><td>-----</td><td>100.12</td><td>35.04</td><td>11.31</td><td>38.85</td><td>0.00</td><td>292</td><td>318 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5825.00	107.62	-----	-----	100.12	35.04	11.31	38.85	0.00	292	318 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																															
	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																															
1	5854.00	61.14	111.36	-50.22	54.06	35.07	11.34	39.33	0.00	292	318 PEAK																																																																																																																															
2	5864.40	63.87	108.27	-44.40	56.76	35.08	11.34	39.31	0.00	292	318 PEAK																																																																																																																															
3	5924.00	48.54	68.35	-19.81	41.23	35.13	11.40	39.22	0.00	292	318 PEAK																																																																																																																															
4	5932.40	50.14	68.20	-18.06	42.79	35.14	11.41	39.20	0.00	292	318 PEAK																																																																																																																															
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																
1	5825.00	107.62	-----	-----	100.12	35.04	11.31	38.85	0.00	292	318 PEAK																																																																																																																															
Avg	Blank																																																																																																																																									
							<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5825.00</td><td>100.24</td><td>-----</td><td>-----</td><td>92.74</td><td>35.04</td><td>11.31</td><td>38.85</td><td>0.00</td><td>292</td><td>318 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5825.00	100.24	-----	-----	92.74	35.04	11.31	38.85	0.00	292	318 AVERAGE																																																																																	
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																
1	5825.00	100.24	-----	-----	92.74	35.04	11.31	38.85	0.00	292	318 AVERAGE																																																																																																																															






		111																																																																																				
Mode		Band Edge																																																																																				
		U-NII-3_5.725-5.85_802.11a_CH165_5825MHz																																																																																				
ANT		CDD 6+10																																																																																				
Pol.		Vertical					Fundamental																																																																															
Peak																																																																																						
		<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5854.00</td><td>61.82</td><td>111.36</td><td>-49.54</td><td>54.74</td><td>35.07</td><td>11.34</td><td>39.33</td><td>0.00</td><td>300</td><td>259 PEAK</td></tr><tr><td>2 5864.00</td><td>59.34</td><td>108.15</td><td>-48.81</td><td>52.23</td><td>35.00</td><td>11.34</td><td>39.31</td><td>0.00</td><td>300</td><td>259 PEAK</td></tr><tr><td>3 5921.60</td><td>49.23</td><td>70.71</td><td>-21.48</td><td>41.92</td><td>35.13</td><td>11.40</td><td>39.22</td><td>0.00</td><td>300</td><td>259 PEAK</td></tr><tr><td>4 5951.60</td><td>50.00</td><td>68.20</td><td>-18.20</td><td>42.58</td><td>35.16</td><td>11.43</td><td>39.17</td><td>0.00</td><td>300</td><td>259 PEAK</td></tr></tbody></table>											Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5854.00	61.82	111.36	-49.54	54.74	35.07	11.34	39.33	0.00	300	259 PEAK	2 5864.00	59.34	108.15	-48.81	52.23	35.00	11.34	39.31	0.00	300	259 PEAK	3 5921.60	49.23	70.71	-21.48	41.92	35.13	11.40	39.22	0.00	300	259 PEAK	4 5951.60	50.00	68.20	-18.20	42.58	35.16	11.43	39.17	0.00
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																												
1 5854.00	61.82	111.36	-49.54	54.74	35.07	11.34	39.33	0.00	300	259 PEAK																																																																												
2 5864.00	59.34	108.15	-48.81	52.23	35.00	11.34	39.31	0.00	300	259 PEAK																																																																												
3 5921.60	49.23	70.71	-21.48	41.92	35.13	11.40	39.22	0.00	300	259 PEAK																																																																												
4 5951.60	50.00	68.20	-18.20	42.58	35.16	11.43	39.17	0.00	300	259 PEAK																																																																												
Avg		Blank																																																																																				
							<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5825.00</td><td>97.91</td><td>-----</td><td>-----</td><td>90.41</td><td>35.04</td><td>11.31</td><td>38.85</td><td>0.00</td><td>300</td><td>259 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5825.00	97.91	-----	-----	90.41	35.04	11.31	38.85	0.00	300	259 AVERAGE																															
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																												
1 5825.00	97.91	-----	-----	90.41	35.04	11.31	38.85	0.00	300	259 AVERAGE																																																																												






Mode	111																																																																																																																													
	Harmonic																																																																																																																													
	U-NII-3_5.725-5.85_802.11a_CH165_5825MHz																																																																																																																													
ANT	CDD 6+10																																																																																																																													
Pol.	Horizontal						Vertical																																																																																																																							
Peak Avg																																																																																																																														
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11650.00</td><td>58.74</td><td>74.00</td><td>-15.26</td><td>70.36</td><td>38.25</td><td>16.46</td><td>66.33</td><td>0.00</td><td>133</td><td>76 PEAK</td></tr><tr><td>2</td><td>11650.00</td><td>47.67</td><td>54.00</td><td>-6.33</td><td>59.29</td><td>38.25</td><td>16.46</td><td>66.33</td><td>0.00</td><td>133</td><td>76 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11650.00	58.74	74.00	-15.26	70.36	38.25	16.46	66.33	0.00	133	76 PEAK	2	11650.00	47.67	54.00	-6.33	59.29	38.25	16.46	66.33	0.00	133	76 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11650.00</td><td>55.49</td><td>74.00</td><td>-18.51</td><td>67.11</td><td>38.25</td><td>16.46</td><td>66.33</td><td>0.00</td><td>100</td><td>314 PEAK</td></tr><tr><td>2</td><td>11650.00</td><td>45.62</td><td>54.00</td><td>-8.38</td><td>57.24</td><td>38.25</td><td>16.46</td><td>66.33</td><td>0.00</td><td>100</td><td>314 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11650.00	55.49	74.00	-18.51	67.11	38.25	16.46	66.33	0.00	100	314 PEAK	2	11650.00	45.62	54.00	-8.38	57.24	38.25	16.46	66.33	0.00	100	314 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	11650.00	58.74	74.00	-15.26	70.36	38.25	16.46	66.33	0.00	133	76 PEAK																																																																																																																			
2	11650.00	47.67	54.00	-6.33	59.29	38.25	16.46	66.33	0.00	133	76 AVERAGE																																																																																																																			
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	11650.00	55.49	74.00	-18.51	67.11	38.25	16.46	66.33	0.00	100	314 PEAK																																																																																																																			
2	11650.00	45.62	54.00	-8.38	57.24	38.25	16.46	66.33	0.00	100	314 AVERAGE																																																																																																																			





		112																																																																																																																	
Mode	Band Edge																																																																																																																		
	U-NII-3_5.725-5.85_802.11ax HE20_CH149_Full_5745MHz																																																																																																																		
ANT	CDD 6+10																																																																																																																		
Pol.	Horizontal						Fundamental																																																																																																												
Peak																																																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr></thead><tbody><tr><td>1</td><td>5636.00</td><td>52.55</td><td>68.20</td><td>-15.65</td><td>42.61</td><td>34.86</td><td>11.05</td><td>35.97</td><td>0.00</td><td>300</td><td>319 PEAK</td></tr><tr><td>2</td><td>5652.40</td><td>51.77</td><td>69.99</td><td>-18.22</td><td>41.96</td><td>34.88</td><td>11.08</td><td>36.15</td><td>0.00</td><td>300</td><td>319 PEAK</td></tr><tr><td>3</td><td>5714.40</td><td>66.38</td><td>109.33</td><td>-42.95</td><td>57.41</td><td>34.94</td><td>11.16</td><td>37.13</td><td>0.00</td><td>300</td><td>319 PEAK</td></tr><tr><td>4</td><td>5720.80</td><td>69.62</td><td>112.72</td><td>-43.10</td><td>60.74</td><td>34.94</td><td>11.17</td><td>37.23</td><td>0.00</td><td>300</td><td>319 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			1	5636.00	52.55	68.20	-15.65	42.61	34.86	11.05	35.97	0.00	300	319 PEAK	2	5652.40	51.77	69.99	-18.22	41.96	34.88	11.08	36.15	0.00	300	319 PEAK	3	5714.40	66.38	109.33	-42.95	57.41	34.94	11.16	37.13	0.00	300	319 PEAK	4	5720.80	69.62	112.72	-43.10	60.74	34.94	11.17	37.23	0.00	300	319 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>107.76</td><td>-----</td><td>-----</td><td>99.20</td><td>34.97</td><td>11.21</td><td>37.62</td><td>0.00</td><td>300</td><td>319 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			1	5745.00	107.76	-----	-----	99.20	34.97	11.21	37.62	0.00	300
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																											
1	5636.00	52.55	68.20	-15.65	42.61	34.86	11.05	35.97	0.00	300	319 PEAK																																																																																																								
2	5652.40	51.77	69.99	-18.22	41.96	34.88	11.08	36.15	0.00	300	319 PEAK																																																																																																								
3	5714.40	66.38	109.33	-42.95	57.41	34.94	11.16	37.13	0.00	300	319 PEAK																																																																																																								
4	5720.80	69.62	112.72	-43.10	60.74	34.94	11.17	37.23	0.00	300	319 PEAK																																																																																																								
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																											
1	5745.00	107.76	-----	-----	99.20	34.97	11.21	37.62	0.00	300	319 PEAK																																																																																																								
Avg	Blank																																																																																																																		
							<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>100.09</td><td>-----</td><td>-----</td><td>91.53</td><td>34.97</td><td>11.21</td><td>37.62</td><td>0.00</td><td>300</td><td>319 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			1	5745.00	100.09	-----	-----	91.53	34.97	11.21	37.62	0.00	300	319 AVERAGE																																																																					
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																											
1	5745.00	100.09	-----	-----	91.53	34.97	11.21	37.62	0.00	300	319 AVERAGE																																																																																																								




Mode	112																																																																																																																	
	Band Edge																																																																																																																	
	U-NII-3_5.725-5.85_802.11ax HE20_CH149_Full_5745MHz																																																																																																																	
ANT	CDD 6+10																																																																																																																	
Pol.	Vertical						Fundamental																																																																																																											
Peak																																																																																																																		
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr></thead><tbody><tr><td>1</td><td>5632.00</td><td>53.10</td><td>68.20</td><td>-15.10</td><td>43.16</td><td>34.06</td><td>11.05</td><td>35.97</td><td>0.00</td><td>333</td><td>262 PEAK</td></tr><tr><td>2</td><td>5650.00</td><td>50.58</td><td>68.00</td><td>-18.22</td><td>40.76</td><td>34.08</td><td>11.07</td><td>36.13</td><td>0.00</td><td>333</td><td>262 PEAK</td></tr><tr><td>3</td><td>5718.40</td><td>68.29</td><td>110.45</td><td>-42.16</td><td>59.37</td><td>34.94</td><td>11.17</td><td>37.19</td><td>0.00</td><td>333</td><td>262 PEAK</td></tr><tr><td>4</td><td>5721.20</td><td>68.79</td><td>113.64</td><td>-44.85</td><td>59.91</td><td>34.94</td><td>11.17</td><td>37.23</td><td>0.00</td><td>333</td><td>262 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			1	5632.00	53.10	68.20	-15.10	43.16	34.06	11.05	35.97	0.00	333	262 PEAK	2	5650.00	50.58	68.00	-18.22	40.76	34.08	11.07	36.13	0.00	333	262 PEAK	3	5718.40	68.29	110.45	-42.16	59.37	34.94	11.17	37.19	0.00	333	262 PEAK	4	5721.20	68.79	113.64	-44.85	59.91	34.94	11.17	37.23	0.00	333	262 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>105.97</td><td>-----</td><td>-----</td><td>97.34</td><td>34.96</td><td>11.20</td><td>37.53</td><td>0.00</td><td>333</td><td>262 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			1	5745.00	105.97	-----	-----	97.34	34.96	11.20	37.53	0.00	333
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																										
1	5632.00	53.10	68.20	-15.10	43.16	34.06	11.05	35.97	0.00	333	262 PEAK																																																																																																							
2	5650.00	50.58	68.00	-18.22	40.76	34.08	11.07	36.13	0.00	333	262 PEAK																																																																																																							
3	5718.40	68.29	110.45	-42.16	59.37	34.94	11.17	37.19	0.00	333	262 PEAK																																																																																																							
4	5721.20	68.79	113.64	-44.85	59.91	34.94	11.17	37.23	0.00	333	262 PEAK																																																																																																							
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																										
1	5745.00	105.97	-----	-----	97.34	34.96	11.20	37.53	0.00	333	262 PEAK																																																																																																							
Avg	Blank																																																																																																																	
							<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>99.97</td><td>-----</td><td>-----</td><td>91.41</td><td>34.97</td><td>11.21</td><td>37.62</td><td>0.00</td><td>333</td><td>262 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			1	5745.00	99.97	-----	-----	91.41	34.97	11.21	37.62	0.00	333	262 AVERAGE																																																																					
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																										
1	5745.00	99.97	-----	-----	91.41	34.97	11.21	37.62	0.00	333	262 AVERAGE																																																																																																							






		112																																																																																																																																																				
Mode		Harmonic																																																																																																																																																				
		U-NII-3_5.725-5.85_802.11ax HE20_CH149_Full_5745MHz																																																																																																																																																				
ANT		CDD 6+10																																																																																																																																																				
Pol.		Horizontal						Vertical																																																																																																																																														
Peak Avg																																																																																																																																																						
	<table><tr><th colspan="2"></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th colspan="2"></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11490.00</td><td>48.75</td><td>74.00</td><td>-25.25</td><td>60.55</td><td>38.18</td><td>16.36</td><td>66.34</td><td>0.00</td><td>300</td><td>360</td><td>PEAK</td></tr><tr><td>2</td><td>11490.00</td><td>39.69</td><td>54.00</td><td>-14.31</td><td>51.47</td><td>38.19</td><td>16.36</td><td>66.33</td><td>0.00</td><td>300</td><td>360</td><td>AVERAGE</td></tr></table>																Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11490.00	48.75	74.00	-25.25	60.55	38.18	16.36	66.34	0.00	300	360	PEAK	2	11490.00	39.69	54.00	-14.31	51.47	38.19	16.36	66.33	0.00	300	360	AVERAGE	<table><tr><th colspan="2"></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th colspan="2"></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11490.00</td><td>56.92</td><td>74.00</td><td>-17.08</td><td>60.72</td><td>38.18</td><td>16.36</td><td>66.34</td><td>0.00</td><td>101</td><td>313</td><td>PEAK</td></tr><tr><td>2</td><td>11490.00</td><td>44.45</td><td>54.00</td><td>-9.55</td><td>56.26</td><td>38.18</td><td>16.35</td><td>66.34</td><td>0.00</td><td>101</td><td>313</td><td>AVERAGE</td></tr></table>																Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11490.00	56.92	74.00	-17.08	60.72	38.18	16.36	66.34	0.00	101	313	PEAK	2	11490.00	44.45	54.00	-9.55	56.26	38.18	16.35	66.34	0.00	101	313	AVERAGE
			Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																														
		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																											
1	11490.00	48.75	74.00	-25.25	60.55	38.18	16.36	66.34	0.00	300	360	PEAK																																																																																																																																										
2	11490.00	39.69	54.00	-14.31	51.47	38.19	16.36	66.33	0.00	300	360	AVERAGE																																																																																																																																										
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																														
		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																											
1	11490.00	56.92	74.00	-17.08	60.72	38.18	16.36	66.34	0.00	101	313	PEAK																																																																																																																																										
2	11490.00	44.45	54.00	-9.55	56.26	38.18	16.35	66.34	0.00	101	313	AVERAGE																																																																																																																																										






		113																																																																									
Mode		Harmonic																																																																									
		U-NII-3_5.725-5.85_802.11ax HE20_CH157_Full_5785MHz																																																																									
ANT		CDD 6+10																																																																									
Pol.		Horizontal																																																																									
Peak Avg																																																																											
	<table><tr><th colspan="2"></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th colspan="2"></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11570.00</td><td>55.95</td><td>74.00</td><td>-18.05</td><td>67.67</td><td>38.20</td><td>16.41</td><td>66.33</td><td>0.00</td><td>100</td><td>79</td><td>PEAK</td></tr><tr><td>2</td><td>11570.00</td><td>46.03</td><td>54.00</td><td>-7.97</td><td>57.75</td><td>38.20</td><td>16.41</td><td>66.33</td><td>0.00</td><td>100</td><td>79</td><td>AVERAGE</td></tr></table>														Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11570.00	55.95	74.00	-18.05	67.67	38.20	16.41	66.33	0.00	100	79	PEAK	2	11570.00	46.03	54.00	-7.97	57.75	38.20	16.41	66.33	0.00	100	79	AVERAGE	
			Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																			
		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																															
1	11570.00	55.95	74.00	-18.05	67.67	38.20	16.41	66.33	0.00	100	79	PEAK																																																															
2	11570.00	46.03	54.00	-7.97	57.75	38.20	16.41	66.33	0.00	100	79	AVERAGE																																																															
		<table><tr><th colspan="2"></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th colspan="2"></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11570.00</td><td>55.25</td><td>74.00</td><td>-18.75</td><td>66.97</td><td>38.20</td><td>16.41</td><td>66.33</td><td>0.00</td><td>101</td><td>315</td><td>PEAK</td></tr><tr><td>2</td><td>11570.00</td><td>45.09</td><td>54.00</td><td>-8.91</td><td>56.81</td><td>38.20</td><td>16.41</td><td>66.33</td><td>0.00</td><td>101</td><td>315</td><td>AVERAGE</td></tr></table>														Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11570.00	55.25	74.00	-18.75	66.97	38.20	16.41	66.33	0.00	101	315	PEAK	2	11570.00	45.09	54.00	-8.91	56.81	38.20	16.41	66.33	0.00	101	315	AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																			
		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																															
1	11570.00	55.25	74.00	-18.75	66.97	38.20	16.41	66.33	0.00	101	315	PEAK																																																															
2	11570.00	45.09	54.00	-8.91	56.81	38.20	16.41	66.33	0.00	101	315	AVERAGE																																																															





Mode	114																																																																																							
	Band Edge																																																																																							
	U-NII-3_5.725-5.85_802.11ax HE20_CH165_Full_5825MHz																																																																																							
ANT	CDD 6+10																																																																																							
Pol.	Horizontal																																																																																							
Peak																																																																																								
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5854.40</td><td>68.39</td><td>112.27</td><td>-43.88</td><td>61.31</td><td>35.07</td><td>11.33</td><td>39.32</td><td>0.00</td><td>292</td><td>320 PEAK</td></tr><tr><td>2 5864.00</td><td>66.45</td><td>108.38</td><td>-41.93</td><td>59.34</td><td>35.00</td><td>11.34</td><td>39.31</td><td>0.00</td><td>292</td><td>320 PEAK</td></tr><tr><td>3 5924.00</td><td>48.29</td><td>68.35</td><td>-20.06</td><td>40.98</td><td>35.13</td><td>11.40</td><td>39.22</td><td>0.00</td><td>292</td><td>320 PEAK</td></tr><tr><td>4 5954.00</td><td>50.14</td><td>68.20</td><td>-18.06</td><td>42.72</td><td>35.16</td><td>11.43</td><td>39.17</td><td>0.00</td><td>292</td><td>320 PEAK</td></tr></tbody></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5854.40	68.39	112.27	-43.88	61.31	35.07	11.33	39.32	0.00	292	320 PEAK	2 5864.00	66.45	108.38	-41.93	59.34	35.00	11.34	39.31	0.00	292	320 PEAK	3 5924.00	48.29	68.35	-20.06	40.98	35.13	11.40	39.22	0.00	292	320 PEAK	4 5954.00	50.14	68.20	-18.06	42.72	35.16	11.43	39.17	0.00	292	320 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																														
1 5854.40	68.39	112.27	-43.88	61.31	35.07	11.33	39.32	0.00	292	320 PEAK																																																																														
2 5864.00	66.45	108.38	-41.93	59.34	35.00	11.34	39.31	0.00	292	320 PEAK																																																																														
3 5924.00	48.29	68.35	-20.06	40.98	35.13	11.40	39.22	0.00	292	320 PEAK																																																																														
4 5954.00	50.14	68.20	-18.06	42.72	35.16	11.43	39.17	0.00	292	320 PEAK																																																																														
Avg	Blank																																																																																							
																																																																																								
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5825.00</td><td>106.17</td><td>-----</td><td>-----</td><td>98.75</td><td>35.05</td><td>11.31</td><td>38.94</td><td>0.00</td><td>292</td><td>320 PEAK</td></tr></tbody></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5825.00	106.17	-----	-----	98.75	35.05	11.31	38.94	0.00	292	320 PEAK																																	
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																														
1 5825.00	106.17	-----	-----	98.75	35.05	11.31	38.94	0.00	292	320 PEAK																																																																														
Avg	Blank																																																																																							
																																																																																								
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5825.00</td><td>99.46</td><td>-----</td><td>-----</td><td>91.96</td><td>35.04</td><td>11.31</td><td>38.85</td><td>0.00</td><td>292</td><td>320 AVERAGE</td></tr></tbody></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5825.00	99.46	-----	-----	91.96	35.04	11.31	38.85	0.00	292	320 AVERAGE																																	
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																														
1 5825.00	99.46	-----	-----	91.96	35.04	11.31	38.85	0.00	292	320 AVERAGE																																																																														



	114																																																																																						
Mode	Band Edge																																																																																						
	U-NII-3_5.725-5.85_802.11ax HE20_CH165_Full_5825MHz																																																																																						
ANT	CDD 6+10																																																																																						
Pol.	Vertical																																																																																						
Peak																																																																																							
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5852.80</td><td>67.76</td><td>115.92</td><td>-48.16</td><td>60.66</td><td>35.07</td><td>11.33</td><td>39.30</td><td>0.00</td><td>325</td><td>260 PEAK</td></tr><tr><td>2 5867.60</td><td>64.10</td><td>107.37</td><td>-43.27</td><td>56.98</td><td>35.08</td><td>11.35</td><td>39.31</td><td>0.00</td><td>325</td><td>260 PEAK</td></tr><tr><td>3 5924.00</td><td>49.67</td><td>68.94</td><td>-19.27</td><td>42.36</td><td>35.13</td><td>11.40</td><td>39.22</td><td>0.00</td><td>325</td><td>260 PEAK</td></tr><tr><td>4 5965.60</td><td>49.55</td><td>68.20</td><td>-18.65</td><td>42.09</td><td>35.17</td><td>11.44</td><td>39.15</td><td>0.00</td><td>325</td><td>260 PEAK</td></tr></tbody></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5852.80	67.76	115.92	-48.16	60.66	35.07	11.33	39.30	0.00	325	260 PEAK	2 5867.60	64.10	107.37	-43.27	56.98	35.08	11.35	39.31	0.00	325	260 PEAK	3 5924.00	49.67	68.94	-19.27	42.36	35.13	11.40	39.22	0.00	325	260 PEAK	4 5965.60	49.55	68.20	-18.65	42.09	35.17	11.44	39.15	0.00	325
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																													
1 5852.80	67.76	115.92	-48.16	60.66	35.07	11.33	39.30	0.00	325	260 PEAK																																																																													
2 5867.60	64.10	107.37	-43.27	56.98	35.08	11.35	39.31	0.00	325	260 PEAK																																																																													
3 5924.00	49.67	68.94	-19.27	42.36	35.13	11.40	39.22	0.00	325	260 PEAK																																																																													
4 5965.60	49.55	68.20	-18.65	42.09	35.17	11.44	39.15	0.00	325	260 PEAK																																																																													
Fundamental																																																																																							
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5825.00</td><td>105.96</td><td>-----</td><td>-----</td><td>98.46</td><td>35.04</td><td>11.31</td><td>38.85</td><td>0.00</td><td>325</td><td>260 PEAK</td></tr></tbody></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5825.00	105.96	-----	-----	98.46	35.04	11.31	38.85	0.00	325	260 PEAK																																
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																													
1 5825.00	105.96	-----	-----	98.46	35.04	11.31	38.85	0.00	325	260 PEAK																																																																													
Avg	Blank																																																																																						
																																																																																							
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5825.00</td><td>98.05</td><td>-----</td><td>-----</td><td>90.55</td><td>35.04</td><td>11.31</td><td>38.85</td><td>0.00</td><td>325</td><td>260 AVERAGE</td></tr></tbody></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5825.00	98.05	-----	-----	90.55	35.04	11.31	38.85	0.00	325	260 AVERAGE																																
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																													
1 5825.00	98.05	-----	-----	90.55	35.04	11.31	38.85	0.00	325	260 AVERAGE																																																																													



		114																																																																																																																																																				
Mode		Harmonic																																																																																																																																																				
		U-NII-3_5.725-5.85_802.11ax HE20_CH165_Full_5825MHz																																																																																																																																																				
ANT		CDD 6+10																																																																																																																																																				
Pol.		Horizontal						Vertical																																																																																																																																														
Peak Avg																																																																																																																																																						
	<table><tr><th colspan="2"></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th colspan="2"></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11650.00</td><td>48.65</td><td>74.00</td><td>-25.35</td><td>60.27</td><td>38.25</td><td>16.46</td><td>66.33</td><td>0.00</td><td>300</td><td>360</td><td>PEAK</td></tr><tr><td>2</td><td>11650.00</td><td>39.46</td><td>54.00</td><td>-14.54</td><td>51.08</td><td>38.25</td><td>16.46</td><td>66.33</td><td>0.00</td><td>300</td><td>360</td><td>AVERAGE</td></tr></table>																Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11650.00	48.65	74.00	-25.35	60.27	38.25	16.46	66.33	0.00	300	360	PEAK	2	11650.00	39.46	54.00	-14.54	51.08	38.25	16.46	66.33	0.00	300	360	AVERAGE	<table><tr><th colspan="2"></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th colspan="2"></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11650.00</td><td>56.28</td><td>74.00</td><td>-17.72</td><td>67.90</td><td>38.25</td><td>16.46</td><td>66.33</td><td>0.00</td><td>101</td><td>314</td><td>PEAK</td></tr><tr><td>2</td><td>11650.00</td><td>45.62</td><td>54.00</td><td>-8.38</td><td>57.25</td><td>38.25</td><td>16.45</td><td>66.33</td><td>0.00</td><td>101</td><td>314</td><td>AVERAGE</td></tr></table>																Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11650.00	56.28	74.00	-17.72	67.90	38.25	16.46	66.33	0.00	101	314	PEAK	2	11650.00	45.62	54.00	-8.38	57.25	38.25	16.45	66.33	0.00	101	314	AVERAGE
			Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																														
		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																											
1	11650.00	48.65	74.00	-25.35	60.27	38.25	16.46	66.33	0.00	300	360	PEAK																																																																																																																																										
2	11650.00	39.46	54.00	-14.54	51.08	38.25	16.46	66.33	0.00	300	360	AVERAGE																																																																																																																																										
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																														
		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																											
1	11650.00	56.28	74.00	-17.72	67.90	38.25	16.46	66.33	0.00	101	314	PEAK																																																																																																																																										
2	11650.00	45.62	54.00	-8.38	57.25	38.25	16.45	66.33	0.00	101	314	AVERAGE																																																																																																																																										