






N41(100M)_DFT-s-OFDM_BPSK_Edge_1RB_Left_High_CH




N41(100M)_DFT-s-OFDM_BPSK_Edge_1RB_Left_High_CH



N41(100M)_DFT-s-OFDM_QPSK_Edge_1RB_Left_High_CH



N41(100M)_DFT-s-OFDM_QPSK_Edge_1RB_Left_High_CH





Conducted Band Edge


NR Band	SCS (kHz)	Bandwidth (MHz)	Arfcn	Freq (MHz)	Modulation	RB	Result	Verdict
41	30	10	500202	2501.01	DFT-s-OFDM BPSK	1@0	see graph	PASS
41	30	10	500202	2501.01	DFT-s-OFDM QPSK	1@0	see graph	PASS
41	30	10	500202	2501.01	DFT-s-OFDM BPSK	24@0	see graph	PASS
41	30	10	500202	2501.01	DFT-s-OFDM QPSK	24@0	see graph	PASS
41	30	10	537000	2685.0	DFT-s-OFDM BPSK	1@23	see graph	PASS
41	30	10	537000	2685.0	DFT-s-OFDM QPSK	1@23	see graph	PASS
41	30	10	537000	2685.0	DFT-s-OFDM BPSK	24@0	see graph	PASS
41	30	10	537000	2685.0	DFT-s-OFDM QPSK	24@0	see graph	PASS
41	30	40	503202	2516.01	DFT-s-OFDM BPSK	1@0	see graph	PASS
41	30	40	503202	2516.01	DFT-s-OFDM QPSK	1@0	see graph	PASS
41	30	40	503202	2516.01	DFT-s-OFDM BPSK	100@0	see graph	PASS
41	30	40	503202	2516.01	DFT-s-OFDM QPSK	100@0	see graph	PASS
41	30	40	534000	2670.0	DFT-s-OFDM BPSK	1@105	see graph	PASS
41	30	40	534000	2670.0	DFT-s-OFDM QPSK	1@105	see graph	PASS
41	30	40	534000	2670.0	DFT-s-OFDM BPSK	100@0	see graph	PASS
41	30	40	534000	2670.0	DFT-s-OFDM QPSK	100@0	see graph	PASS
41	30	100	509202	2546.01	DFT-s-OFDM BPSK	1@0	see graph	PASS
41	30	100	509202	2546.01	DFT-s-OFDM QPSK	1@0	see graph	PASS
41	30	100	509202	2546.01	DFT-s-OFDM BPSK	270@0	see graph	PASS
41	30	100	509202	2546.01	DFT-s-OFDM QPSK	270@0	see graph	PASS




41	30	100	528000	2640.0	DFT-s-OFDM BPSK	1@272	see graph	PASS
41	30	100	528000	2640.0	DFT-s-OFDM QPSK	1@272	see graph	PASS
41	30	100	528000	2640.0	DFT-s-OFDM BPSK	270@0	see graph	PASS
41	30	100	528000	2640.0	DFT-s-OFDM QPSK	270@0	see graph	PASS



N41(10M)_DFT-s-OFDM_BPSK_Edge_1RB_Left_Low_CH




N41(10M)_DFT-s-OFDM_QPSK_Edge_1RB_Left_Low_CH



N41(10M)_DFT-s-OFDM_BPSK_Outer_Full_Low_CH




N41(10M)_DFT-s-OFDM_QPSK_Outer_Full_Low_CH







N41(10M)_DFT-s-OFDM_BPSK_Edge_1RB_Right_High_CH




N41(10M)_DFT-s-OFDM_QPSK_Edge_1RB_Right_High_CH



N41(10M)_DFT-s-OFDM_BPSK_Outer_Full_High_CH




N41(10M)_DFT-s-OFDM_QPSK_Outer_Full_High_CH







N41(40M)_DFT-s-OFDM_BPSK_Edge_1RB_Left_Low_CH




N41(40M)_DFT-s-OFDM_QPSK_Edge_1RB_Left_Low_CH



N41(40M)_DFT-s-OFDM_BPSK_Outer_Full_Low_CH




N41(40M)_DFT-s-OFDM_QPSK_Outer_Full_Low_CH







N41(40M)_DFT-s-OFDM_BPSK_Edge_1RB_Right_High_CH




N41(40M)_DFT-s-OFDM_BPSK_Edge_1RB_Right_High_CH_CHP_PASS



N41(40M)_DFT-s-OFDM_QPSK_Edge_1RB_Right_High_CH




N41(40M)_DFT-s-OFDM_QPSK_Edge_1RB_Right_High_CH_CHP_PASS







N41(40M)_DFT-s-OFDM_BPSK_Outer_Full_High_CH



N41(40M)_DFT-s-OFDM_QPSK_Outer_Full_High_CH



N41(100M)_DFT-s-OFDM_BPSK_Edge_1RB_Left_Low_CH




N41(100M)_DFT-s-OFDM_BPSK_Edge_1RB_Left_Low_CH_CHP_PASS







N41(100M)_DFT-s-OFDM_QPSK_Edge_1RB_Left_Low_CH




N41(100M)_DFT-s-OFDM_QPSK_Edge_1RB_Left_Low_CH_CHP_PASS



N41(100M)_DFT-s-OFDM_BPSK_Outer_Full_Low_CH




N41(100M)_DFT-s-OFDM_QPSK_Outer_Full_Low_CH







N41(100M)_DFT-s-OFDM_BPSK_Edge_1RB_Right_High_CH




N41(100M)_DFT-s-OFDM_BPSK_Edge_1RB_Right_High_CH_CHP_PASS



N41(100M)_DFT-s-OFDM_QPSK_Edge_1RB_Right_High_CH




N41(100M)_DFT-s-OFDM_QPSK_Edge_1RB_Right_High_CH_CHP_PASS






N41(100M)_DFT-s-OFDM_BPSK_Outer_Full_High_CH



N41(100M)_DFT-s-OFDM_QPSK_Outer_Full_High_CH





Appendix B. Test Results of Radiated Test

Radiated Spurious Emission

Test Engineer :	Shunping You	Temperature :	22~25°C
		Relative Humidity :	48~52%

Note: Pre-scanned harmonic for the different antenna combinations, we choose the worst antenna mode to perform final test.

n7 SA / NR 50MHz / QPSK(ANT2)									
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	5050.00	-61.67	-25	-36.67	-78.99	-67.23	7.12	12.68	H
	7575.00	-57.51	-25	-32.51	-79.25	-60.84	8.26	11.59	H
	10100.00	-53.43	-25	-28.43	-79.52	-54.96	10.45	11.98	H
	5050.00	-61.82	-25	-36.82	-79.07	-67.38	7.12	12.68	V
	7575.00	-57.93	-25	-32.93	-79.48	-61.26	8.26	11.59	V
	10100.00	-54.38	-25	-29.38	-79.98	-55.91	10.45	11.98	V
Middle	5070.00	-61.84	-25	-36.84	-79.18	-67.40	7.14	12.70	H
	7605.00	-57.26	-25	-32.26	-78.94	-60.56	8.30	11.60	H
	10140.00	-53.53	-25	-28.53	-79.61	-55.05	10.48	12.00	H
	5070.00	-61.96	-25	-36.96	-79.23	-67.52	7.14	12.70	V
	7605.00	-57.45	-25	-32.45	-78.91	-60.75	8.30	11.60	V
	10140.00	-53.84	-25	-28.84	-79.47	-55.36	10.48	12.00	V
Highest	5090.00	-61.93	-25	-36.93	-79.29	-67.49	7.16	12.72	H
	7635.00	-57.55	-25	-32.55	-79.31	-60.85	8.33	11.63	H
	10180.00	-53.58	-25	-28.58	-79.64	-55.18	10.50	12.10	H
	5090.00	-62.27	-25	-37.27	-79.56	-67.83	7.16	12.72	V
	7635.00	-57.40	-25	-32.40	-78.98	-60.70	8.33	11.63	V
	10180.00	-53.83	-25	-28.83	-79.48	-55.43	10.50	12.10	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



DC 5A_n7A / LTE 10MHz + NR 50MHz / QPSK (ANT1+2)									
Channel	Frequency (MHz)	ERP/EIRP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
NR n7 Lowest	5012.00	-62.05	-25	-37.05	-79.34	-67.61	7.12	12.68	H
	7518.00	-57.74	-25	-32.74	-79.63	-61.07	8.26	11.59	H
	10024.00	-53.16	-25	-28.16	-79.29	-54.69	10.45	11.98	H
	5012.00	-62.13	-25	-37.13	-79.34	-67.69	7.12	12.68	V
	7518.00	-57.83	-25	-32.83	-79.61	-61.16	8.26	11.59	V
	10024.00	-53.47	-25	-28.47	-79.01	-55.00	10.45	11.98	V
LTE Band5 Lowest	1664.18	-68.15	-13	-55.15	-74.02	-71.40	4.00	9.40	H
	2496.27	-65.79	-13	-52.79	-76.08	-69.36	4.88	10.60	H
	3328.36	-64.98	-13	-51.98	-77.11	-69.91	5.52	12.60	H
	1664.18	-68.59	-13	-55.59	-74.23	-71.84	4.00	9.40	V
	2496.27	-64.86	-13	-51.86	-75.49	-68.43	4.88	10.60	V
	3328.36	-64.49	-13	-51.49	-77.03	-69.42	5.52	12.60	V
NR n7 Middle	5032.00	-62.07	-25	-37.07	-79.37	-67.63	7.14	12.70	H
	7548.00	-57.74	-25	-32.74	-79.55	-61.04	8.30	11.60	H
	10064.00	-53.56	-25	-28.56	-79.66	-55.08	10.48	12.00	H
	5032.00	-62.15	-25	-37.15	-79.37	-67.71	7.14	12.70	V
	7548.00	-57.93	-25	-32.93	-79.58	-61.23	8.30	11.60	V
	10064.00	-54.31	-25	-29.31	-79.88	-55.83	10.48	12.00	V
LTE Band5 Middle	1664.18	-68.49	-13	-55.49	-74.36	-71.74	4.00	9.40	H
	2496.27	-65.71	-13	-52.71	-76.00	-69.28	4.88	10.60	H
	3328.36	-65.07	-13	-52.07	-77.20	-70.00	5.52	12.60	H
	1664.18	-68.85	-13	-55.85	-74.49	-72.10	4.00	9.40	V
	2496.27	-65.33	-13	-52.33	-75.96	-68.90	4.88	10.60	V
	3328.36	-64.68	-13	-51.68	-77.22	-69.61	5.52	12.60	V
NR n7 Highest	5052.00	-61.58	-25	-36.58	-78.90	-67.14	7.16	12.72	H
	7578.00	-57.73	-25	-32.73	-79.46	-61.03	8.33	11.63	H
	10104.00	-53.02	-25	-28.02	-79.11	-54.62	10.50	12.10	H
	5052.00	-61.59	-25	-36.59	-78.84	-67.15	7.16	12.72	V
	7578.00	-57.84	-25	-32.84	-79.37	-61.14	8.33	11.63	V
	10104.00	-54.05	-25	-29.05	-79.65	-55.65	10.50	12.10	V
LTE Band5 Highest	1664.18	-68.44	-13	-55.44	-74.31	-71.69	4.00	9.40	H
	2496.27	-65.89	-13	-52.89	-76.18	-69.46	4.88	10.60	H
	3328.36	-65.12	-13	-52.12	-77.25	-70.05	5.52	12.60	H
	1664.18	-68.65	-13	-55.65	-74.29	-71.90	4.00	9.40	V
	2496.27	-64.37	-13	-51.37	-75.00	-67.94	4.88	10.60	V
	3328.36	-64.53	-13	-51.53	-77.07	-69.46	5.52	12.60	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



n41 SA / NR 100MHz / QPSK(ANT2)									
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	4994.80	-62.20	-25	-37.20	-79.48	-67.76	7.12	12.68	H
	7492.20	-57.97	-25	-32.97	-79.93	-61.30	8.26	11.59	H
	9989.60	-54.60	-25	-29.60	-80.71	-56.13	10.45	11.98	H
	4994.80	-62.48	-25	-37.48	-79.68	-68.04	7.12	12.68	V
	7492.20	-58.01	-25	-33.01	-79.89	-61.34	8.26	11.59	V
	9989.60	-55.19	-25	-30.19	-80.71	-56.72	10.45	11.98	V
Middle	5089.00	-62.00	-25	-37.00	-79.35	-67.56	7.14	12.70	H
	7633.50	-57.91	-25	-32.91	-79.67	-61.21	8.30	11.60	H
	10178.00	-54.48	-25	-29.48	-80.54	-56.00	10.48	12.00	H
	5089.00	-62.14	-25	-37.14	-79.42	-67.70	7.14	12.70	V
	7633.50	-58.03	-25	-33.03	-79.6	-61.33	8.30	11.60	V
	10178.00	-54.66	-25	-29.66	-80.31	-56.18	10.48	12.00	V
Highest	5182.80	-62.52	-25	-37.52	-79.96	-68.08	7.16	12.72	H
	7774.20	-57.34	-25	-32.34	-79.47	-60.64	8.33	11.63	H
	10365.60	-54.50	-25	-29.50	-80.50	-56.10	10.50	12.10	H
	5182.80	-62.73	-25	-37.73	-80.12	-68.29	7.16	12.72	V
	7774.20	-57.26	-25	-32.26	-79.38	-60.56	8.33	11.63	V
	10365.60	-54.52	-25	-29.52	-80.32	-56.12	10.50	12.10	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



DC_5A_n41A / LTE 10MHz + NR 100MHz / QPSK (ANT0+2)									
Channel	Frequency (MHz)	ERP/EIRP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
NR n41 Lowest	4994.80	-62.25	-25	-37.25	-79.53	-67.81	7.12	12.68	H
	7492.20	-57.23	-25	-32.23	-79.19	-60.56	8.26	11.59	H
	9989.60	-53.45	-25	-28.45	-79.56	-54.98	10.45	11.98	H
	4994.80	-62.10	-25	-37.10	-79.3	-67.66	7.12	12.68	V
	7492.20	-57.62	-25	-32.62	-79.5	-60.95	8.26	11.59	V
	9989.60	-54.13	-25	-29.13	-79.65	-55.66	10.45	11.98	V
LTE Band5 Lowest	1664.18	-67.56	-13	-54.56	-73.43	-70.79	3.98	9.36	H
	2496.27	-56.88	-13	-43.88	-67.17	-60.43	4.85	10.55	H
	3328.36	-63.84	-13	-50.84	-75.97	-68.77	5.50	12.58	H
	1664.18	-67.24	-13	-54.24	-72.88	-70.47	3.98	9.36	V
	2496.27	-55.30	-13	-42.30	-65.93	-58.85	4.85	10.55	V
	3328.36	-63.31	-13	-50.31	-75.85	-68.24	5.50	12.58	V
NR n41 Middle	5089.00	-62.07	-25	-37.07	-79.42	-67.63	7.14	12.70	H
	7633.50	-57.19	-25	-32.19	-78.95	-60.49	8.30	11.60	H
	10178.00	-53.50	-25	-28.50	-79.56	-55.02	10.48	12.00	H
	5089.00	-62.27	-25	-37.27	-79.55	-67.83	7.14	12.70	V
	7633.50	-56.37	-25	-31.37	-77.94	-59.67	8.30	11.60	V
	10178.00	-53.71	-25	-28.71	-79.36	-55.23	10.48	12.00	V
LTE Band5 Middle	1664.18	-68.32	-13	-55.32	-74.19	-71.57	4.00	9.40	H
	2496.27	-52.49	-13	-39.49	-62.78	-56.06	4.88	10.60	H
	3328.36	-63.66	-13	-50.66	-75.79	-68.59	5.52	12.60	H
	1664.18	-67.07	-13	-54.07	-72.71	-70.32	4.00	9.40	V
	2496.27	-52.61	-13	-39.61	-63.24	-56.18	4.88	10.60	V
	3328.36	-63.21	-13	-50.21	-75.75	-68.14	5.52	12.60	V
NR n41 Highest	5182.80	-62.16	-25	-37.16	-79.60	-67.72	7.16	12.72	H
	7774.20	-56.63	-25	-31.63	-78.76	-59.93	8.33	11.63	H
	10365.60	-53.46	-25	-28.46	-79.46	-55.06	10.50	12.10	H
	5182.80	-62.37	-25	-37.37	-79.76	-67.93	7.16	12.72	V
	7774.20	-56.38	-25	-31.38	-78.5	-59.68	8.33	11.63	V
	10365.60	-53.05	-25	-28.05	-78.85	-54.65	10.50	12.10	V
LTE Band5 Highest	1664.18	-68.48	-13	-55.48	-74.35	-71.65	4.10	9.42	H
	2496.27	-59.93	-13	-46.93	-70.22	-63.51	4.90	10.63	H
	3328.36	-63.77	-13	-50.77	-75.90	-68.69	5.55	12.62	H
	1664.18	-67.12	-13	-54.12	-72.76	-70.29	4.10	9.42	V
	2496.27	-57.05	-13	-44.05	-67.68	-60.63	4.90	10.63	V
	3328.36	-62.83	-13	-49.83	-75.37	-67.75	5.55	12.62	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



DC 25A_n41A other PA/ LTE 10MHz + NR 100MHz / QPSK (ANT0+2)									
Channel	Frequency (MHz)	ERP/EIRP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
NR n41 Lowest	4994.80	-61.99	-25	-36.99	-79.27	-67.55	7.12	12.68	H
	7492.20	-57.52	-25	-32.52	-79.48	-60.85	8.26	11.59	H
	9989.60	-53.44	-25	-28.44	-79.55	-54.97	10.45	11.98	H
	4994.80	-62.13	-25	-37.13	-79.33	-67.69	7.12	12.68	V
	7492.20	-57.64	-25	-32.64	-79.52	-60.97	8.26	11.59	V
	9989.60	-54.25	-25	-29.25	-79.77	-55.78	10.45	11.98	V
LTE Band25 Lowest	3747	-63.97	-13	-50.97	-78.35	-70.73	5.82	12.58	H
	5620.5	-62.63	-13	-49.63	-80.16	-68.35	7.28	13.00	H
	7494	-57.45	-13	-44.45	-79.40	-60.61	8.32	11.48	H
	3747	-63.40	-13	-50.40	-77.99	-70.16	5.82	12.58	V
	5620.5	-62.61	-13	-49.61	-80.05	-68.33	7.28	13.00	V
	7494	-57.64	-13	-44.64	-79.51	-60.80	8.32	11.48	V
NR n41 Middle	5089.00	-61.63	-25	-36.63	-78.98	-67.19	7.14	12.70	H
	7633.50	-57.57	-25	-32.57	-79.33	-60.87	8.30	11.60	H
	10188.00	-52.52	-25	-27.52	-78.58	-54.04	10.48	12.00	H
	5089.00	-62.16	-25	-37.16	-79.44	-67.72	7.14	12.70	V
	7633.50	-55.66	-25	-30.66	-77.23	-58.96	8.30	11.60	V
	10178.00	-53.99	-25	-28.99	-79.64	-55.51	10.48	12.00	V
LTE Band25 Middle	3747	-64.03	-13	-51.03	-78.41	-70.78	5.85	12.60	H
	5620.5	-62.47	-13	-49.47	-80.00	-68.27	7.30	13.10	H
	7494	-57.50	-13	-44.50	-79.45	-60.65	8.35	11.50	H
	3747	-63.87	-13	-50.87	-78.46	-70.62	5.85	12.60	V
	5620.5	-62.74	-13	-49.74	-80.18	-68.54	7.30	13.10	V
	7494	-57.35	-13	-44.35	-79.22	-60.50	8.35	11.50	V
NR n41 Highest	5182.80	-62.22	-25	-37.22	-79.66	-67.78	7.16	12.72	H
	7774.20	-57.19	-25	-32.19	-79.32	-60.49	8.33	11.63	H
	10365.60	-53.18	-25	-28.18	-79.18	-54.78	10.50	12.10	H
	5182.80	-62.53	-25	-37.53	-79.92	-68.09	7.16	12.72	V
	7774.20	-57.08	-25	-32.08	-79.2	-60.38	8.33	11.63	V
	10365.60	-52.77	-25	-27.77	-78.57	-54.37	10.50	12.10	V
LTE Band25 Highest	3747	-64.47	-13	-51.47	-78.85	-71.21	5.88	12.62	H
	5620.5	-62.50	-13	-49.50	-80.03	-68.31	7.32	13.13	H
	7494	-57.40	-13	-44.40	-79.35	-60.56	8.38	11.54	H
	3747	-64.17	-13	-51.17	-78.76	-70.91	5.88	12.62	V
	5620.5	-62.39	-13	-49.39	-79.83	-68.20	7.32	13.13	V
	7494	-57.40	-13	-44.40	-79.27	-60.56	8.38	11.54	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



n41 UL MIMO SA / NR 100MHz / QPSK(ANT2+1)									
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	4994.80	-62.41	-25	-37.41	-79.69	-67.97	7.12	12.68	H
	7492.20	-57.45	-25	-32.45	-79.41	-60.78	8.26	11.59	H
	9989.60	-52.76	-25	-27.76	-78.87	-54.29	10.45	11.98	H
	4994.80	-62.44	-25	-37.44	-79.64	-68.00	7.12	12.68	V
	7492.20	-57.68	-25	-32.68	-79.56	-61.01	8.26	11.59	V
	9989.60	-53.82	-25	-28.82	-79.34	-55.35	10.45	11.98	V
Middle	5089.00	-62.37	-25	-37.37	-79.72	-67.93	7.14	12.70	H
	7633.50	-57.66	-25	-32.66	-79.42	-60.96	8.30	11.60	H
	10178.00	-53.37	-25	-28.37	-79.43	-54.89	10.48	12.00	H
	5089.00	-62.14	-25	-37.14	-79.42	-67.70	7.14	12.70	V
	7633.50	-57.50	-25	-32.50	-79.07	-60.80	8.30	11.60	V
	10178.00	-53.88	-25	-28.88	-79.53	-55.40	10.48	12.00	V
Highest	5182.80	-62.72	-25	-37.72	-80.16	-68.28	7.16	12.72	H
	7774.20	-57.11	-25	-32.11	-79.24	-60.41	8.33	11.63	H
	10365.60	-53.34	-25	-28.34	-79.34	-54.94	10.50	12.10	H
	5182.80	-62.84	-25	-37.84	-80.23	-68.40	7.16	12.72	V
	7774.20	-56.79	-25	-31.79	-78.91	-60.09	8.33	11.63	V
	10365.60	-53.74	-25	-28.74	-79.54	-55.34	10.50	12.10	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.