





LTE Band 66 / 5MHz / 16QAM

Lowest Band Edge / 1 RB




Date: 19. JAN. 2025 14:14:09

Highest Band Edge / 1 RB




Date: 19. JAN. 2025 14:21:43

Lowest Band Edge / Full RB



Date: 19. JAN. 2025 14:17:16

Highest Band Edge / Full RB




Date: 19. JAN. 2025 14:23:45




LTE Band 66 / 5MHz / 64QAM

Lowest Band Edge / 1 RB




Date: 19. JAN. 2025 14:14:50

Highest Band Edge / 1 RB




Date: 19. JAN. 2025 14:22:24

Lowest Band Edge / Full RB



Date: 19. JAN. 2025 14:17:56

Highest Band Edge / Full RB




Date: 19. JAN. 2025 14:24:29




LTE Band 66 / 10MHz / QPSK


Lowest Band Edge / 1RB




Highest Band Edge / 1RB



Lowest Band Edge / Full RB




Highest Band Edge / Full RB






LTE Band 66 / 10MHz / 16QAM

Lowest Band Edge / 1 RB




Date: 19. JAN. 2025 14:27:42

Highest Band Edge / 1 RB




Date: 19. JAN. 2025 14:35:23

Lowest Band Edge / Full RB



Date: 19. JAN. 2025 14:29:48

Highest Band Edge / Full RB




Date: 19. JAN. 2025 14:37:26




LTE Band 66 / 10MHz / 64QAM

Lowest Band Edge / 1 RB




Date: 19. JAN. 2025 14:28:26

Highest Band Edge / 1 RB




Date: 19. JAN. 2025 14:36:04

Lowest Band Edge / Full RB



Date: 19. JAN. 2025 14:30:32

Highest Band Edge / Full RB




Date: 19. JAN. 2025 14:38:06




LTE Band 66 / 15MHz / QPSK


Lowest Band Edge / 1RB




Highest Band Edge / 1RB



Lowest Band Edge / Full RB




Highest Band Edge / Full RB






LTE Band 66 / 15MHz / 16QAM

Lowest Band Edge / 1 RB




Date: 19. JAN. 2025 14:41:16

Highest Band Edge / 1 RB




Date: 19. JAN. 2025 14:48:57

Lowest Band Edge / Full RB



Date: 19. JAN. 2025 14:43:18

Highest Band Edge / Full RB




Date: 19. JAN. 2025 14:50:59




LTE Band 66 / 15MHz / 64QAM

Lowest Band Edge / 1 RB




Date: 19. JAN. 2025 14:41:57

Highest Band Edge / 1 RB




Date: 19. JAN. 2025 14:49:37

Lowest Band Edge / Full RB



Date: 19. JAN. 2025 14:43:59

Highest Band Edge / Full RB




Date: 19. JAN. 2025 14:51:40




LTE Band 66 / 20MHz / QPSK


Lowest Band Edge / 1RB




Highest Band Edge / 1RB



Lowest Band Edge / Full RB




Highest Band Edge / Full RB






LTE Band 66 / 20MHz / 16QAM

Lowest Band Edge / 1 RB




Date: 19. JAN. 2025 14:54:49

Highest Band Edge / 1 RB




Date: 19. JAN. 2025 15:03:46

Lowest Band Edge / Full RB



Date: 19. JAN. 2025 14:56:51

Highest Band Edge / Full RB




Date: 19. JAN. 2025 15:05:48




LTE Band 66 / 20MHz / 64QAM

Lowest Band Edge / 1 RB




Date: 19. JAN. 2025 14:55:30

Highest Band Edge / 1 RB




Date: 19. JAN. 2025 15:04:26

Lowest Band Edge / Full RB



Date: 19. JAN. 2025 14:57:32

Highest Band Edge / Full RB




Date: 19. JAN. 2025 15:06:28



Conducted Spurious Emission


LTE Band 66 / 1.4MHz

Lowest Channel / QPSK




Date: 19.JAN.2025 13:48:56

Middle Channel / QPSK



Date: 19.JAN.2025 13:52:03

Highest Channel / QPSK




Date: 19.JAN.2025 13:56:31




LTE Band 66 / 3MHz

Lowest Channel / QPSK




Date: 19.JAN.2025 14:02:24

Middle Channel / QPSK



Date: 19.JAN.2025 14:05:34

Highest Channel / QPSK




Date: 19.JAN.2025 14:12:05




LTE Band 66 / 5MHz

Lowest Channel / QPSK




Date: 19.JAN.2025 14:15:55

Middle Channel / QPSK



Date: 19.JAN.2025 14:19:02

Highest Channel / QPSK




Date: 19.JAN.2025 14:25:34




LTE Band 66 / 10MHz

Lowest Channel / QPSK




Date: 19.JAN.2025 14:31:37

Middle Channel / QPSK



Date: 19.JAN.2025 14:32:42

Highest Channel / QPSK




Date: 19.JAN.2025 14:39:12




LTE Band 66 / 15MHz

Lowest Channel / QPSK




Date: 19.JAN.2025 14:45:04

Middle Channel / QPSK



Date: 19.JAN.2025 14:46:12

Highest Channel / QPSK




Date: 19.JAN.2025 14:52:45




LTE Band 66 / 20MHz

Lowest Channel / QPSK




Date: 19.JAN.2025 14:58:38

Middle Channel / QPSK



Date: 19.JAN.2025 14:59:42

Highest Channel / QPSK



Date: 19.JAN.2025 15:07:34



Frequency Stability

Test Conditions		LTE Band 66 (QPSK) / Middle Channel	Limit
Temperature (°C)	Voltage (Volt)	BW 1.4MHz	Note 2.
		Frequency Offset (Δf) (Hz)	Result
50	Normal Voltage	4.2	PASS
40	Normal Voltage	3.2	
30	Normal Voltage	-3.1	
20(Ref.)	Normal Voltage	2.1	
10	Normal Voltage	1.9	
0	Normal Voltage	2	
-10	Normal Voltage	2.9	
-20	Normal Voltage	2.3	
-30	Normal Voltage	2.8	
20	Maximum Voltage	3.4	
20	Normal Voltage	2.1	
20	Battery End Point	3.5	

Note:

1. Normal Voltage = 3.91 V.; Battery End Point (BEP) = 3.6 V.; Maximum Voltage = 4.5 V.
2. The frequency fundamental emissions stay within the authorized frequency block.

$|\text{MAX}(\Delta f)| = 4.2\text{Hz}$

Frequency Stability	Frequency (MHz)	Limit Line	Result
$f_L - \text{MAX}(\Delta f) $	1710.154546	$\geq 1710 \text{ MHz}$	PASS
$f_H + \text{MAX}(\Delta f) $	1779.845454	$\leq 1780 \text{ MHz}$	



Appendix B. Test Results of Radiated Test

Radiated Spurious Emission

Test Engineer :	Shunping You	Temperature :	22~25°C
		Relative Humidity :	48~52%

Note: Pre-scanned harmonic for the different antennas, we choose the worst antenna mode to perform final test and record in the report.

LTE Band 25 / 20MHz / QPSK / ANT0									
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	3702	-64.68	-13	-51.68	-79.00	-71.44	5.82	12.58	H
	5553	-62.74	-13	-49.74	-80.13	-68.46	7.28	13.00	H
	7404	-57.63	-13	-44.63	-79.90	-60.79	8.32	11.48	H
	3702	-64.44	-13	-51.44	-79.05	-71.20	5.82	12.58	V
	5553	-63.28	-13	-50.28	-80.72	-69.00	7.28	13.00	V
	7404	-57.45	-13	-44.45	-79.76	-60.61	8.32	11.48	V
Middle	3747	-64.60	-13	-51.60	-78.98	-71.35	5.85	12.60	H
	5620.5	-62.95	-13	-49.95	-80.48	-68.75	7.30	13.10	H
	7494	-57.82	-13	-44.82	-79.77	-60.97	8.35	11.50	H
	3747	-64.19	-13	-51.19	-78.78	-70.94	5.85	12.60	V
	5620.5	-63.14	-13	-50.14	-80.58	-68.94	7.30	13.10	V
	7494	-57.57	-13	-44.57	-79.44	-60.72	8.35	11.50	V
Highest	3792	-64.14	-13	-51.14	-78.59	-70.88	5.88	12.62	H
	5688	-62.49	-13	-49.49	-80.15	-68.30	7.32	13.13	H
	7584	-57.96	-13	-44.96	-79.68	-61.12	8.38	11.54	H
	3792	-64.19	-13	-51.19	-78.76	-70.93	5.88	12.62	V
	5688	-62.28	-13	-49.28	-79.94	-68.09	7.32	13.13	V
	7584	-58.02	-13	-45.02	-79.53	-61.18	8.38	11.54	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



DC_25A_n78A/ LTE 10MHz + NR 20MHz / QPSK (ANT0+4)									
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
NR n78 Lowest	7405.00	-59.23	-13	-46.23	-56.38	-62.56	8.25	11.58	H
	11106.00	-51.35	-13	-38.35	-55.45	-52.90	10.45	12.00	H
	14805.00	-52.10	-13	-39.10	-59.22	-53.81	11.74	13.45	H
	7405.00	-58.79	-13	-45.79	-55.98	-62.12	8.25	11.58	V
	11106.00	-53.76	-13	-40.76	-57.57	-55.31	10.45	12.00	V
	14805.00	-52.13	-13	-39.13	-59.44	-53.84	11.74	13.45	V
LTE Band25 Lowest	3747	-61.56	-13	-48.56	-75.94	-68.32	5.82	12.58	H
	5620.5	-62.56	-13	-49.56	-80.09	-68.28	7.28	13.00	H
	7494	-59.19	-13	-46.19	-56.04	-62.35	8.32	11.48	H
	3747	-61.87	-13	-48.87	-76.46	-68.63	5.82	12.58	V
	5620.5	-62.48	-13	-49.48	-79.92	-68.20	7.28	13.00	V
	7494	-59.38	-13	-46.38	-56.15	-62.54	8.32	11.48	V
NR n78 Middle	7455.00	-59.41	-13	-46.41	-56.39	-62.71	8.30	11.60	H
	11178.00	-53.34	-13	-40.34	-57.83	-54.86	10.48	12.00	H
	14904.00	-52.01	-13	-39.01	-58.83	-53.71	11.80	13.50	H
	7455.00	-59.61	-13	-46.61	-56.57	-62.91	8.30	11.60	V
	11178.00	-53.52	-13	-40.52	-57.74	-55.04	10.48	12.00	V
	14904.00	-51.68	-13	-38.68	-58.81	-53.38	11.80	13.50	V
LTE Band25 Middle	3747	-62.49	-13	-49.49	-76.87	-69.24	5.85	12.60	H
	5620.5	-62.41	-13	-49.41	-79.94	-68.21	7.30	13.10	H
	7494	-59.26	-13	-46.26	-56.11	-62.41	8.35	11.50	H
	3747	-62.33	-13	-49.33	-76.92	-69.08	5.85	12.60	V
	5620.5	-62.69	-13	-49.69	-80.13	-68.49	7.30	13.10	V
	7494	-59.06	-13	-46.06	-55.83	-62.21	8.35	11.50	V
NR n78 Highest	7494.00	-59.19	-13	-46.19	-56.04	-62.49	8.32	11.62	H
	11259.00	-52.55	-13	-39.55	-57.47	-54.23	10.52	12.20	H
	15003.00	-52.57	-13	-39.57	-59.09	-54.27	11.85	13.55	H
	7494.00	-59.31	-13	-46.31	-56.08	-62.61	8.32	11.62	V
	11259.00	-53.26	-13	-40.26	-57.94	-54.94	10.52	12.20	V
	15003.00	-52.36	-13	-39.36	-59.30	-54.06	11.85	13.55	V
LTE Band25 Highest	3747	-62.36	-13	-49.36	-76.74	-69.10	5.88	12.62	H
	5620.5	-62.37	-13	-49.37	-79.90	-68.18	7.32	13.13	H
	7502.5	-59.90	-13	-46.90	-56.73	-63.06	8.38	11.54	H
	3747	-62.14	-13	-49.14	-76.73	-68.88	5.88	12.62	V
	5620.5	-62.50	-13	-49.50	-79.94	-68.31	7.32	13.13	V
	7502.5	-59.98	-13	-46.98	-56.71	-63.14	8.38	11.54	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



LTE Band 25(Other PA) / 20MHz / QPSK / ANT0									
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	3702	-64.63	-13	-51.63	-78.95	-71.39	5.82	12.58	H
	5553	-62.85	-13	-49.85	-80.24	-68.57	7.28	13.00	H
	7404	-57.15	-13	-44.15	-79.42	-60.31	8.32	11.48	H
	3702	-61.72	-13	-48.72	-76.33	-68.48	5.82	12.58	V
	5553	-63.29	-13	-50.29	-80.73	-69.01	7.28	13.00	V
	7404	-56.98	-13	-43.98	-79.29	-60.14	8.32	11.48	V
Middle	3747	-60.38	-13	-47.38	-74.76	-67.13	5.85	12.60	H
	5620.5	-62.13	-13	-49.13	-79.66	-67.93	7.30	13.10	H
	7494	-57.38	-13	-44.38	-79.33	-60.53	8.35	11.50	H
	3747	-61.09	-13	-48.09	-75.68	-67.84	5.85	12.60	V
	5620.5	-62.12	-13	-49.12	-79.56	-67.92	7.30	13.10	V
	7494	-57.37	-13	-44.37	-79.24	-60.52	8.35	11.50	V
Highest	3792	-60.77	-13	-47.77	-75.22	-67.51	5.88	12.62	H
	5688	-62.86	-13	-49.86	-80.52	-68.67	7.32	13.13	H
	7584	-57.68	-13	-44.68	-79.40	-60.84	8.38	11.54	H
	3792	-60.86	-13	-47.86	-75.43	-67.60	5.88	12.62	V
	5688	-62.73	-13	-49.73	-80.39	-68.54	7.32	13.13	V
	7584	-57.64	-13	-44.64	-79.15	-60.80	8.38	11.54	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.

LTE Band 66 / 20MHz / QPSK / ANT0									
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	3422	-65.38	-13	-52.38	-77.57	-72.26	5.60	12.48	H
	5133	-62.87	-13	-49.87	-80.26	-68.55	7.10	12.78	H
	6844	-59.94	-13	-46.94	-79.89	-63.33	8.38	11.77	H
	3422	-64.49	-13	-51.49	-77.24	-71.37	5.60	12.48	V
	5133	-62.64	-13	-49.64	-79.97	-68.32	7.10	12.78	V
	6844	-60.44	-13	-47.44	-80.15	-63.83	8.38	11.77	V
Middle	3472	-64.98	-13	-51.98	-77.71	-71.83	5.65	12.50	H
	5208	-62.51	-13	-49.51	-79.87	-68.18	7.13	12.80	H
	6944	-59.67	-13	-46.67	-80.08	-63.07	8.40	11.80	H
	3472	-64.21	-13	-51.21	-77.49	-71.06	5.65	12.50	V
	5208	-62.61	-13	-49.61	-79.92	-68.28	7.13	12.80	V
	6944	-59.28	-13	-46.28	-79.74	-62.68	8.40	11.80	V
Highest	3522	-63.69	-13	-50.69	-76.98	-70.53	5.68	12.52	H
	5283	-63.78	-13	-50.78	-80.64	-69.45	7.15	12.82	H
	7044	-58.87	-13	-45.87	-79.71	-62.30	8.42	11.85	H
	3522	-63.96	-13	-50.96	-77.78	-70.80	5.68	12.52	V
	5283	-63.63	-13	-50.63	-80.54	-69.30	7.15	12.82	V
	7044	-58.50	-13	-45.50	-79.52	-61.93	8.42	11.85	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



DC_66A_n7A/ LTE 10MHz + NR 20MHz / QPSK (ANT1+2)									
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
NR n7 Lowest	5050.00	-62.31	-25	-37.31	-79.63	-67.87	7.14	12.70	H
	7575.00	-58.08	-25	-33.08	-79.82	-61.38	8.30	11.60	H
	10100.00	-53.80	-25	-28.80	-79.89	-55.32	10.48	12.00	H
	5050.00	-62.44	-25	-37.44	-79.69	-68.00	7.14	12.70	V
	7575.00	-58.27	-25	-33.27	-79.82	-61.57	8.30	11.60	V
	10100.00	-54.53	-25	-29.53	-80.13	-56.05	10.48	12.00	V
LTE Band66 Lowest	3472	-65.21	-13	-52.21	-77.94	-72.09	5.60	12.48	H
	5208	-62.98	-13	-49.98	-80.34	-68.66	7.10	12.78	H
	6944	-59.92	-13	-46.92	-80.33	-63.31	8.38	11.77	H
	5050	-62.44	-13	-49.44	-77.82	-69.32	5.60	12.48	V
	6944	-59.54	-13	-46.54	-80	-65.22	7.10	12.78	V
	7575	-58.27	-13	-45.27	-79.82	-61.66	8.38	11.77	V
NR n7 Middle	5022.00	-62.60	-25	-37.60	-79.89	-68.16	7.14	12.70	H
	7533.00	-58.34	-25	-33.34	-80.19	-61.64	8.30	11.60	H
	10044.00	-54.02	-25	-29.02	-80.14	-55.54	10.48	12.00	H
	5022.00	-62.64	-25	-37.64	-79.86	-68.20	7.14	12.70	V
	7533.00	-58.46	-25	-33.46	-80.17	-61.76	8.30	11.60	V
	10044.00	-54.76	-25	-29.76	-80.32	-56.28	10.48	12.00	V
LTE Band66 Middle	3472	-65.04	-13	-52.04	-77.77	-71.89	5.65	12.50	H
	5208	-62.81	-13	-49.81	-80.17	-68.48	7.13	12.80	H
	6944	-59.75	-13	-46.75	-80.16	-63.15	8.40	11.80	H
	3472	-64.54	-13	-51.54	-77.82	-71.39	5.65	12.50	V
	5208	-62.77	-13	-49.77	-80.08	-68.44	7.13	12.80	V
	6944	-59.54	-13	-46.54	-80	-62.94	8.40	11.80	V
NR n7 Highest	5090.00	-62.19	-25	-37.19	-79.55	-67.75	7.14	12.70	H
	7635.00	-57.69	-25	-32.69	-79.45	-60.99	8.30	11.60	H
	10180.00	-53.27	-25	-28.27	-79.33	-54.79	10.48	12.00	H
	5090.00	-62.07	-25	-37.07	-79.36	-67.63	7.14	12.70	V
	7635.00	-57.53	-25	-32.53	-79.11	-60.83	8.30	11.60	V
	10180.00	-53.77	-25	-28.77	-79.42	-55.29	10.48	12.00	V
LTE Band66 Highest	3472	-64.68	-13	-51.68	-77.41	-71.52	5.68	12.52	H
	5208	-62.44	-13	-49.44	-79.80	-68.11	7.15	12.82	H
	6944	-59.38	-13	-46.38	-79.79	-62.81	8.42	11.85	H
	3472	-64.05	-13	-51.05	-77.33	-70.89	5.68	12.52	V
	5208	-62.28	-13	-49.28	-79.59	-67.95	7.15	12.82	V
	6944	-59.05	-13	-46.05	-79.51	-62.48	8.42	11.85	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



LTE Band 66(Other PA) / 20MHz / QPSK / ANT0									
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	3422	-59.94	-13	-46.94	-72.13	-66.82	5.60	12.48	H
	5133	-59.89	-13	-46.89	-77.28	-65.57	7.10	12.78	H
	6844	-59.54	-13	-46.54	-79.49	-62.93	8.38	11.77	H
	3422	-58.81	-13	-45.81	-71.56	-65.69	5.60	12.48	V
	5133	-61.55	-13	-48.55	-78.88	-67.23	7.10	12.78	V
	6844	-59.79	-13	-46.79	-79.5	-63.18	8.38	11.77	V
Middle	3492	-61.47	-13	-48.47	-74.42	-68.32	5.65	12.50	H
	5238	-61.29	-13	-48.29	-78.29	-66.96	7.13	12.80	H
	6984	-58.32	-13	-45.32	-78.92	-61.72	8.40	11.80	H
	3492	-60.32	-13	-47.32	-73.8	-67.17	5.65	12.50	V
	5238	-61.19	-13	-48.19	-78.13	-66.86	7.13	12.80	V
	6984	-58.10	-13	-45.10	-78.86	-61.50	8.40	11.80	V
Highest	3522	-59.75	-13	-46.75	-73.04	-66.59	5.68	12.52	H
	5283	-61.25	-13	-48.25	-78.11	-66.92	7.15	12.82	H
	7044	-58.06	-13	-45.06	-78.90	-61.49	8.42	11.85	H
	3522	-60.66	-13	-47.66	-74.48	-67.50	5.68	12.52	V
	5283	-62.17	-13	-49.17	-79.08	-67.84	7.15	12.82	V
	7044	-57.96	-13	-44.96	-78.98	-61.39	8.42	11.85	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.