









Mode	42																																																																	
	Harmonic																																																																	
	U-NII-2C_5.47-5.725_802.11a_CH144_5720MHz																																																																	
ANT	4																																																																	
Pol.	Horizontal						Vertical																																																											
Peak Avg																																																																		
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th colspan="2">Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 11440.00</td><td>47.06</td><td>74.00</td><td>-26.94</td><td>54.81</td><td>38.00</td><td>18.54</td><td>64.29</td><td>0.00</td><td>100</td><td>360 PEAK</td></tr><tr><td>2 11440.00</td><td>37.68</td><td>54.00</td><td>-16.32</td><td>45.38</td><td>38.00</td><td>18.55</td><td>64.25</td><td>0.00</td><td>100</td><td>360 AVERAGE</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 11440.00	47.06	74.00	-26.94	54.81	38.00	18.54	64.29	0.00	100	360 PEAK	2 11440.00	37.68	54.00	-16.32	45.38	38.00	18.55	64.25	0.00	100	360 AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																								
1 11440.00	47.06	74.00	-26.94	54.81	38.00	18.54	64.29	0.00	100	360 PEAK																																																								
2 11440.00	37.68	54.00	-16.32	45.38	38.00	18.55	64.25	0.00	100	360 AVERAGE																																																								
<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th colspan="2">Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 11440.00</td><td>47.37</td><td>74.00</td><td>-26.63</td><td>55.12</td><td>38.00</td><td>18.54</td><td>64.29</td><td>0.00</td><td>100</td><td>0 PEAK</td></tr><tr><td>2 11440.00</td><td>37.82</td><td>54.00</td><td>-16.18</td><td>45.52</td><td>38.00</td><td>18.55</td><td>64.25</td><td>0.00</td><td>100</td><td>0 AVERAGE</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 11440.00	47.37	74.00	-26.63	55.12	38.00	18.54	64.29	0.00	100	0 PEAK	2 11440.00	37.82	54.00	-16.18	45.52	38.00	18.55	64.25	0.00	100	0 AVERAGE	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																								
1 11440.00	47.37	74.00	-26.63	55.12	38.00	18.54	64.29	0.00	100	0 PEAK																																																								
2 11440.00	37.82	54.00	-16.18	45.52	38.00	18.55	64.25	0.00	100	0 AVERAGE																																																								





Mode	43																																																																																																												
	Harmonic																																																																																																												
	U-NII-2C_5.47-5.725_802.11ax HE20_CH144_Full RU_5720MHz																																																																																																												
ANT	4																																																																																																												
Pol.	Horizontal						Vertical																																																																																																						
Peak Avg																																																																																																													
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 11440.00</td><td>47.51</td><td>74.00</td><td>-26.49</td><td>55.26</td><td>38.00</td><td>18.54</td><td>64.29</td><td>0.00</td><td>100</td><td>360</td><td>PEAK</td></tr><tr><td>2 11440.00</td><td>37.62</td><td>54.00</td><td>-16.38</td><td>45.32</td><td>38.00</td><td>18.55</td><td>64.25</td><td>0.00</td><td>100</td><td>360</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 11440.00	47.51	74.00	-26.49	55.26	38.00	18.54	64.29	0.00	100	360	PEAK	2 11440.00	37.62	54.00	-16.38	45.32	38.00	18.55	64.25	0.00	100	360	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 11440.00</td><td>46.67</td><td>74.00</td><td>-27.33</td><td>54.42</td><td>38.00</td><td>18.54</td><td>64.29</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 11440.00	46.67	74.00	-27.33	54.42	38.00	18.54	64.29	0.00	--	--	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																			
1 11440.00	47.51	74.00	-26.49	55.26	38.00	18.54	64.29	0.00	100	360	PEAK																																																																																																		
2 11440.00	37.62	54.00	-16.38	45.32	38.00	18.55	64.25	0.00	100	360	AVERAGE																																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																			
1 11440.00	46.67	74.00	-27.33	54.42	38.00	18.54	64.29	0.00	--	--	PEAK																																																																																																		






Mode	44																																																																																																															
	Harmonic																																																																																																															
	U-NII-2C_5.47-5.725_802.11ax HE40_CH142_Full RU_5710MHz																																																																																																															
ANT	4																																																																																																															
Pol.	Horizontal						Vertical																																																																																																									
Peak Avg																																																																																																																
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11420.00</td><td>46.90</td><td>74.00</td><td>-27.10</td><td>54.75</td><td>38.00</td><td>18.52</td><td>64.37</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11420.00	46.90	74.00	-27.10	54.75	38.00	18.52	64.37	0.00	--	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11420.00</td><td>47.22</td><td>74.00</td><td>-26.78</td><td>55.07</td><td>38.00</td><td>18.52</td><td>64.37</td><td>0.00</td><td>100</td><td>360</td><td>PEAK</td></tr><tr><td>2</td><td>11420.00</td><td>37.72</td><td>54.00</td><td>-16.28</td><td>45.57</td><td>38.00</td><td>18.52</td><td>64.37</td><td>0.00</td><td>100</td><td>360</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11420.00	47.22	74.00	-26.78	55.07	38.00	18.52	64.37	0.00	100	360	PEAK	2	11420.00	37.72	54.00	-16.28	45.57	38.00	18.52	64.37	0.00	100	360	AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	11420.00	46.90	74.00	-27.10	54.75	38.00	18.52	64.37	0.00	--	PEAK																																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	11420.00	47.22	74.00	-26.78	55.07	38.00	18.52	64.37	0.00	100	360	PEAK																																																																																																				
2	11420.00	37.72	54.00	-16.28	45.57	38.00	18.52	64.37	0.00	100	360	AVERAGE																																																																																																				






Mode	45																																																																											
	Harmonic																																																																											
	U-NII-2C_5.47-5.725_802.11ax HE80_CH138_Full RU_5690MHz																																																																											
ANT	4																																																																											
Pol.	Horizontal						Vertical																																																																					
Peak Avg																																																																												
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>11380.00</td><td>47.02</td><td>74.00</td><td>-26.98</td><td>55.08</td><td>37.98</td><td>18.48</td><td>64.52</td><td>0.00</td><td>100</td><td>0</td><td>PEAK</td></tr><tr><td>2</td><td>11380.00</td><td>37.72</td><td>54.00</td><td>-16.28</td><td>45.60</td><td>38.00</td><td>18.51</td><td>64.39</td><td>0.00</td><td>100</td><td>0</td><td>AVERAGE</td></tr></table>														Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg		1	11380.00	47.02	74.00	-26.98	55.08	37.98	18.48	64.52	0.00	100	0	PEAK	2	11380.00	37.72	54.00	-16.28	45.60	38.00	18.51	64.39	0.00	100	0	AVERAGE
			Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																	
1	11380.00	47.02	74.00	-26.98	55.08	37.98	18.48	64.52	0.00	100	0	PEAK																																																																
2	11380.00	37.72	54.00	-16.28	45.60	38.00	18.51	64.39	0.00	100	0	AVERAGE																																																																
<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>11380.00</td><td>46.25</td><td>74.00</td><td>-27.75</td><td>54.31</td><td>37.98</td><td>18.48</td><td>64.52</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>														Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg		1	11380.00	46.25	74.00	-27.75	54.31	37.98	18.48	64.52	0.00	--	--	PEAK														
		Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																	
1	11380.00	46.25	74.00	-27.75	54.31	37.98	18.48	64.52	0.00	--	--	PEAK																																																																





Mode	47																																																																																																																																									
	Band Edge																																																																																																																																									
	U-NII-3_5.725-5.85_802.11a_CH149_5745MHz																																																																																																																																									
ANT	4																																																																																																																																									
Pol.	Horizontal						Fundamental																																																																																																																																			
Peak																																																																																																																																										
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5685.41</td><td>57.68</td><td>68.20</td><td>-10.52</td><td>40.38</td><td>34.51</td><td>12.53</td><td>29.74</td><td>0.00</td><td>101</td><td>114</td><td>PEAK</td></tr><tr><td>2</td><td>5650.00</td><td>54.27</td><td>68.20</td><td>-13.93</td><td>36.95</td><td>34.60</td><td>12.58</td><td>29.86</td><td>0.00</td><td>101</td><td>114</td><td>PEAK</td></tr><tr><td>3</td><td>5719.01</td><td>64.63</td><td>110.62</td><td>-45.99</td><td>47.27</td><td>34.64</td><td>12.67</td><td>29.95</td><td>0.00</td><td>101</td><td>114</td><td>PEAK</td></tr><tr><td>4</td><td>5721.01</td><td>68.25</td><td>113.21</td><td>-44.96</td><td>50.89</td><td>34.64</td><td>12.67</td><td>29.95</td><td>0.00</td><td>101</td><td>114</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5685.41	57.68	68.20	-10.52	40.38	34.51	12.53	29.74	0.00	101	114	PEAK	2	5650.00	54.27	68.20	-13.93	36.95	34.60	12.58	29.86	0.00	101	114	PEAK	3	5719.01	64.63	110.62	-45.99	47.27	34.64	12.67	29.95	0.00	101	114	PEAK	4	5721.01	68.25	113.21	-44.96	50.89	34.64	12.67	29.95	0.00	101	114	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>106.18</td><td>-----</td><td>-----</td><td>88.68</td><td>34.69</td><td>12.70</td><td>29.89</td><td>0.00</td><td>101</td><td>114</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5745.00	106.18	-----	-----	88.68	34.69	12.70	29.89	0.00	101	114
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																
1	5685.41	57.68	68.20	-10.52	40.38	34.51	12.53	29.74	0.00	101	114	PEAK																																																																																																																														
2	5650.00	54.27	68.20	-13.93	36.95	34.60	12.58	29.86	0.00	101	114	PEAK																																																																																																																														
3	5719.01	64.63	110.62	-45.99	47.27	34.64	12.67	29.95	0.00	101	114	PEAK																																																																																																																														
4	5721.01	68.25	113.21	-44.96	50.89	34.64	12.67	29.95	0.00	101	114	PEAK																																																																																																																														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																
1	5745.00	106.18	-----	-----	88.68	34.69	12.70	29.89	0.00	101	114	PEAK																																																																																																																														
Avg	Blank																																																																																																																																									
							<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>98.61</td><td>-----</td><td>-----</td><td>81.11</td><td>34.69</td><td>12.70</td><td>29.89</td><td>0.00</td><td>101</td><td>114</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5745.00	98.61	-----	-----	81.11	34.69	12.70	29.89	0.00	101	114	AVERAGE																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																
1	5745.00	98.61	-----	-----	81.11	34.69	12.70	29.89	0.00	101	114	AVERAGE																																																																																																																														






Mode	47																																																																																																																																								
	Band Edge																																																																																																																																								
	U-NII-3_5.725-5.85_802.11a_CH149_5745MHz																																																																																																																																								
ANT	4																																																																																																																																								
Pol.	Vertical						Fundamental																																																																																																																																		
Peak																																																																																																																																									
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5680.21</td><td>57.14</td><td>68.20</td><td>-11.06</td><td>39.85</td><td>34.50</td><td>12.52</td><td>29.73</td><td>0.00</td><td>337</td><td>55 PEAK</td></tr><tr><td>2</td><td>5658.61</td><td>54.08</td><td>68.66</td><td>-14.58</td><td>36.77</td><td>34.60</td><td>12.58</td><td>29.87</td><td>0.00</td><td>337</td><td>55 PEAK</td></tr><tr><td>3</td><td>5714.61</td><td>60.90</td><td>109.39</td><td>-48.49</td><td>43.57</td><td>34.63</td><td>12.66</td><td>29.96</td><td>0.00</td><td>337</td><td>55 PEAK</td></tr><tr><td>4</td><td>5721.41</td><td>66.56</td><td>114.12</td><td>-47.56</td><td>49.20</td><td>34.64</td><td>12.67</td><td>29.95</td><td>0.00</td><td>337</td><td>55 PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5680.21	57.14	68.20	-11.06	39.85	34.50	12.52	29.73	0.00	337	55 PEAK	2	5658.61	54.08	68.66	-14.58	36.77	34.60	12.58	29.87	0.00	337	55 PEAK	3	5714.61	60.90	109.39	-48.49	43.57	34.63	12.66	29.96	0.00	337	55 PEAK	4	5721.41	66.56	114.12	-47.56	49.20	34.64	12.67	29.95	0.00	337	55 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>103.64</td><td>-----</td><td>-----</td><td>86.19</td><td>34.67</td><td>12.69</td><td>29.91</td><td>0.00</td><td>337</td><td>55 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5745.00	103.64	-----	-----	86.19	34.67	12.69	29.91	0.00	337	55 PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																															
1	5680.21	57.14	68.20	-11.06	39.85	34.50	12.52	29.73	0.00	337	55 PEAK																																																																																																																														
2	5658.61	54.08	68.66	-14.58	36.77	34.60	12.58	29.87	0.00	337	55 PEAK																																																																																																																														
3	5714.61	60.90	109.39	-48.49	43.57	34.63	12.66	29.96	0.00	337	55 PEAK																																																																																																																														
4	5721.41	66.56	114.12	-47.56	49.20	34.64	12.67	29.95	0.00	337	55 PEAK																																																																																																																														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																															
1	5745.00	103.64	-----	-----	86.19	34.67	12.69	29.91	0.00	337	55 PEAK																																																																																																																														
Avg	Blank																																																																																																																																								
							<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>95.75</td><td>-----</td><td>-----</td><td>78.25</td><td>34.69</td><td>12.70</td><td>29.89</td><td>0.00</td><td>337</td><td>55 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5745.00	95.75	-----	-----	78.25	34.69	12.70	29.89	0.00	337	55 AVERAGE																																																																																	
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																															
1	5745.00	95.75	-----	-----	78.25	34.69	12.70	29.89	0.00	337	55 AVERAGE																																																																																																																														



Mode	47																																																																																																																													
	Harmonic																																																																																																																													
	U-NII-3_5.725-5.85_802.11a_CH149_5745MHz																																																																																																																													
ANT	4																																																																																																																													
Pol.	Horizontal						Vertical																																																																																																																							
Peak Avg																																																																																																																														
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11490.00</td><td>48.06</td><td>74.00</td><td>-25.94</td><td>55.58</td><td>38.00</td><td>18.58</td><td>64.10</td><td>0.00</td><td>100</td><td>0</td><td>PEAK</td></tr><tr><td>2</td><td>11490.00</td><td>38.12</td><td>54.00</td><td>-15.88</td><td>45.61</td><td>38.00</td><td>18.59</td><td>64.08</td><td>0.00</td><td>100</td><td>0</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11490.00	48.06	74.00	-25.94	55.58	38.00	18.58	64.10	0.00	100	0	PEAK	2	11490.00	38.12	54.00	-15.88	45.61	38.00	18.59	64.08	0.00	100	0	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11490.00</td><td>47.75</td><td>74.00</td><td>-26.25</td><td>55.27</td><td>38.00</td><td>18.58</td><td>64.10</td><td>0.00</td><td>100</td><td>360</td><td>PEAK</td></tr><tr><td>2</td><td>11490.00</td><td>38.12</td><td>54.00</td><td>-15.88</td><td>45.60</td><td>38.00</td><td>18.59</td><td>64.07</td><td>0.00</td><td>100</td><td>360</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11490.00	47.75	74.00	-26.25	55.27	38.00	18.58	64.10	0.00	100	360	PEAK	2	11490.00	38.12	54.00	-15.88	45.60	38.00	18.59	64.07	0.00	100	360	AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																				
1	11490.00	48.06	74.00	-25.94	55.58	38.00	18.58	64.10	0.00	100	0	PEAK																																																																																																																		
2	11490.00	38.12	54.00	-15.88	45.61	38.00	18.59	64.08	0.00	100	0	AVERAGE																																																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																				
1	11490.00	47.75	74.00	-26.25	55.27	38.00	18.58	64.10	0.00	100	360	PEAK																																																																																																																		
2	11490.00	38.12	54.00	-15.88	45.60	38.00	18.59	64.07	0.00	100	360	AVERAGE																																																																																																																		






Mode	48																																																																																																																	
	Band Edge - L																																																																																																																	
	U-NII-3_5.725-5.85_802.11a_CH157_5785MHz																																																																																																																	
ANT	4																																																																																																																	
Pol.	Horizontal						Fundamental																																																																																																											
Peak																																																																																																																		
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5618.61</td><td>56.51</td><td>68.20</td><td>-11.69</td><td>39.21</td><td>34.54</td><td>12.54</td><td>29.78</td><td>0.00</td><td>100</td><td>114 PEAK</td></tr><tr><td>2</td><td>5658.00</td><td>54.02</td><td>68.20</td><td>-14.18</td><td>36.70</td><td>34.60</td><td>12.58</td><td>29.86</td><td>0.00</td><td>100</td><td>114 PEAK</td></tr><tr><td>3</td><td>5700.19</td><td>53.89</td><td>105.35</td><td>-51.46</td><td>36.64</td><td>34.60</td><td>12.65</td><td>30.00</td><td>0.00</td><td>100</td><td>114 PEAK</td></tr><tr><td>4</td><td>5720.00</td><td>53.92</td><td>110.90</td><td>-56.98</td><td>36.56</td><td>34.64</td><td>12.67</td><td>29.95</td><td>0.00</td><td>100</td><td>114 PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	1	5618.61	56.51	68.20	-11.69	39.21	34.54	12.54	29.78	0.00	100	114 PEAK	2	5658.00	54.02	68.20	-14.18	36.70	34.60	12.58	29.86	0.00	100	114 PEAK	3	5700.19	53.89	105.35	-51.46	36.64	34.60	12.65	30.00	0.00	100	114 PEAK	4	5720.00	53.92	110.90	-56.98	36.56	34.64	12.67	29.95	0.00	100	114 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5785.00</td><td>107.57</td><td>-----</td><td>-----</td><td>89.84</td><td>34.77</td><td>12.75</td><td>29.79</td><td>0.00</td><td>100</td><td>114 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	1	5785.00	107.57	-----	-----	89.84	34.77	12.75	29.79	0.00	100
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																																																																								
1	5618.61	56.51	68.20	-11.69	39.21	34.54	12.54	29.78	0.00	100	114 PEAK																																																																																																							
2	5658.00	54.02	68.20	-14.18	36.70	34.60	12.58	29.86	0.00	100	114 PEAK																																																																																																							
3	5700.19	53.89	105.35	-51.46	36.64	34.60	12.65	30.00	0.00	100	114 PEAK																																																																																																							
4	5720.00	53.92	110.90	-56.98	36.56	34.64	12.67	29.95	0.00	100	114 PEAK																																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																																																																								
1	5785.00	107.57	-----	-----	89.84	34.77	12.75	29.79	0.00	100	114 PEAK																																																																																																							
Avg	Blank																																																																																																																	
							<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5785.00</td><td>99.16</td><td>-----</td><td>-----</td><td>81.43</td><td>34.77</td><td>12.75</td><td>29.79</td><td>0.00</td><td>100</td><td>114 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	1	5785.00	99.16	-----	-----	81.43	34.77	12.75	29.79	0.00	100	114 AVERAGE																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																																																																								
1	5785.00	99.16	-----	-----	81.43	34.77	12.75	29.79	0.00	100	114 AVERAGE																																																																																																							




Mode	48																																																																																													
	Band Edge - R																																																																																													
	U-NII-3_5.725-5.85_802.11a_CH157_5785MHz																																																																																													
ANT	4																																																																																													
Pol.	Horizontal						Fundamental																																																																																							
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.99</td><td>52.77</td><td>110.93</td><td>-58.16</td><td>34.90</td><td>34.83</td><td>12.86</td><td>29.82</td><td>0.00</td><td>100</td><td>114</td><td>PEAK</td></tr><tr><td>2</td><td>5873.39</td><td>55.56</td><td>105.75</td><td>-50.19</td><td>37.57</td><td>34.94</td><td>12.89</td><td>29.84</td><td>0.00</td><td>100</td><td>114</td><td>PEAK</td></tr><tr><td>3</td><td>5924.99</td><td>57.07</td><td>68.21</td><td>-11.14</td><td>38.84</td><td>35.10</td><td>12.98</td><td>29.85</td><td>0.00</td><td>100</td><td>114</td><td>PEAK</td></tr><tr><td>4</td><td>5925.01</td><td>57.20</td><td>68.20</td><td>-11.00</td><td>38.97</td><td>35.10</td><td>12.98</td><td>29.85</td><td>0.00</td><td>100</td><td>114</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5854.99	52.77	110.93	-58.16	34.90	34.83	12.86	29.82	0.00	100	114	PEAK	2	5873.39	55.56	105.75	-50.19	37.57	34.94	12.89	29.84	0.00	100	114	PEAK	3	5924.99	57.07	68.21	-11.14	38.84	35.10	12.98	29.85	0.00	100	114	PEAK	4	5925.01	57.20	68.20	-11.00	38.97	35.10	12.98	29.85	0.00	100	114	PEAK	Blank				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																				
1	5854.99	52.77	110.93	-58.16	34.90	34.83	12.86	29.82	0.00	100	114	PEAK																																																																																		
2	5873.39	55.56	105.75	-50.19	37.57	34.94	12.89	29.84	0.00	100	114	PEAK																																																																																		
3	5924.99	57.07	68.21	-11.14	38.84	35.10	12.98	29.85	0.00	100	114	PEAK																																																																																		
4	5925.01	57.20	68.20	-11.00	38.97	35.10	12.98	29.85	0.00	100	114	PEAK																																																																																		





Mode	48																																																																																																												
	Band Edge - L																																																																																																												
	U-NII-3_5.725-5.85_802.11a_CH157_5785MHz																																																																																																												
ANT	4																																																																																																												
Pol.	Vertical						Fundamental																																																																																																						
Peak																																																																																																													
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5606.61</td><td>56.81</td><td>68.20</td><td>-11.39</td><td>39.52</td><td>34.51</td><td>12.53</td><td>29.75</td><td>0.00</td><td>368</td><td>50 PEAK</td></tr><tr><td>2 5652.21</td><td>55.97</td><td>69.85</td><td>-13.88</td><td>38.65</td><td>34.60</td><td>12.59</td><td>29.87</td><td>0.00</td><td>368</td><td>50 PEAK</td></tr><tr><td>3 5702.61</td><td>54.84</td><td>106.03</td><td>-51.19</td><td>37.57</td><td>34.61</td><td>12.65</td><td>29.99</td><td>0.00</td><td>368</td><td>50 PEAK</td></tr><tr><td>4 5721.01</td><td>53.61</td><td>113.21</td><td>-59.60</td><td>36.25</td><td>34.64</td><td>12.67</td><td>29.95</td><td>0.00</td><td>368</td><td>50 PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	1 5606.61	56.81	68.20	-11.39	39.52	34.51	12.53	29.75	0.00	368	50 PEAK	2 5652.21	55.97	69.85	-13.88	38.65	34.60	12.59	29.87	0.00	368	50 PEAK	3 5702.61	54.84	106.03	-51.19	37.57	34.61	12.65	29.99	0.00	368	50 PEAK	4 5721.01	53.61	113.21	-59.60	36.25	34.64	12.67	29.95	0.00	368	50 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5785.00</td><td>104.24</td><td>-----</td><td>-----</td><td>86.54</td><td>34.76</td><td>12.74</td><td>29.80</td><td>0.00</td><td>368</td><td>50 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	1 5785.00	104.24	-----	-----	86.54	34.76	12.74	29.80	0.00	368
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																																																																			
1 5606.61	56.81	68.20	-11.39	39.52	34.51	12.53	29.75	0.00	368	50 PEAK																																																																																																			
2 5652.21	55.97	69.85	-13.88	38.65	34.60	12.59	29.87	0.00	368	50 PEAK																																																																																																			
3 5702.61	54.84	106.03	-51.19	37.57	34.61	12.65	29.99	0.00	368	50 PEAK																																																																																																			
4 5721.01	53.61	113.21	-59.60	36.25	34.64	12.67	29.95	0.00	368	50 PEAK																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																																																																			
1 5785.00	104.24	-----	-----	86.54	34.76	12.74	29.80	0.00	368	50 PEAK																																																																																																			
Avg	Blank																																																																																																												
							<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5785.00</td><td>96.00</td><td>-----</td><td>-----</td><td>78.35</td><td>34.77</td><td>12.75</td><td>29.79</td><td>0.00</td><td>368</td><td>50 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	1 5785.00	96.00	-----	-----	78.35	34.77	12.75	29.79	0.00	368	50 AVERAGE																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																																																																			
1 5785.00	96.00	-----	-----	78.35	34.77	12.75	29.79	0.00	368	50 AVERAGE																																																																																																			



Mode	48																																																																																													
	Band Edge - R																																																																																													
	U-NII-3_5.725-5.85_802.11a_CH157_5785MHz																																																																																													
ANT	4																																																																																													
Pol.	Vertical						Fundamental																																																																																							
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.99</td><td>54.01</td><td>110.93</td><td>-56.92</td><td>36.14</td><td>34.83</td><td>12.86</td><td>29.82</td><td>0.00</td><td>368</td><td>50</td><td>PEAK</td></tr><tr><td>2</td><td>5874.99</td><td>54.05</td><td>105.30</td><td>-51.25</td><td>36.04</td><td>34.95</td><td>12.90</td><td>29.84</td><td>0.00</td><td>368</td><td>50</td><td>PEAK</td></tr><tr><td>3</td><td>5924.21</td><td>55.61</td><td>68.78</td><td>-13.17</td><td>37.38</td><td>35.10</td><td>12.98</td><td>29.85</td><td>0.00</td><td>368</td><td>50</td><td>PEAK</td></tr><tr><td>4</td><td>5975.41</td><td>56.95</td><td>68.20</td><td>-11.25</td><td>38.59</td><td>35.10</td><td>13.07</td><td>29.81</td><td>0.00</td><td>368</td><td>50</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5854.99	54.01	110.93	-56.92	36.14	34.83	12.86	29.82	0.00	368	50	PEAK	2	5874.99	54.05	105.30	-51.25	36.04	34.95	12.90	29.84	0.00	368	50	PEAK	3	5924.21	55.61	68.78	-13.17	37.38	35.10	12.98	29.85	0.00	368	50	PEAK	4	5975.41	56.95	68.20	-11.25	38.59	35.10	13.07	29.81	0.00	368	50	PEAK	Blank				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																				
1	5854.99	54.01	110.93	-56.92	36.14	34.83	12.86	29.82	0.00	368	50	PEAK																																																																																		
2	5874.99	54.05	105.30	-51.25	36.04	34.95	12.90	29.84	0.00	368	50	PEAK																																																																																		
3	5924.21	55.61	68.78	-13.17	37.38	35.10	12.98	29.85	0.00	368	50	PEAK																																																																																		
4	5975.41	56.95	68.20	-11.25	38.59	35.10	13.07	29.81	0.00	368	50	PEAK																																																																																		





Mode	48																																																																					
	Harmonic																																																																					
	U-NII-3_5.725-5.85_802.11a_CH157_5785MHz																																																																					
ANT	4																																																																					
Pol.	Horizontal																																																																					
Peak Avg																																																																						
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 11570.00</td><td>47.19</td><td>74.00</td><td>-26.81</td><td>54.57</td><td>38.07</td><td>18.65</td><td>64.10</td><td>0.00</td><td>100</td><td>0</td><td>PEAK</td></tr><tr><td>2 11570.00</td><td>37.83</td><td>54.00</td><td>-16.17</td><td>45.19</td><td>38.08</td><td>18.66</td><td>64.10</td><td>0.00</td><td>100</td><td>0</td><td>AVERAGE</td></tr></table>													Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 11570.00	47.19	74.00	-26.81	54.57	38.07	18.65	64.10	0.00	100	0	PEAK	2 11570.00	37.83	54.00	-16.17	45.19	38.08	18.66	64.10	0.00	100	0	AVERAGE
			Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																												
1 11570.00	47.19	74.00	-26.81	54.57	38.07	18.65	64.10	0.00	100	0	PEAK																																																											
2 11570.00	37.83	54.00	-16.17	45.19	38.08	18.66	64.10	0.00	100	0	AVERAGE																																																											
																																																																						
<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 11570.00</td><td>47.73</td><td>74.00</td><td>-26.27</td><td>55.11</td><td>38.07</td><td>18.65</td><td>64.10</td><td>0.00</td><td>100</td><td>360</td><td>PEAK</td></tr><tr><td>2 11570.00</td><td>37.95</td><td>54.00</td><td>-16.05</td><td>45.31</td><td>38.08</td><td>18.66</td><td>64.10</td><td>0.00</td><td>100</td><td>360</td><td>AVERAGE</td></tr></table>													Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 11570.00	47.73	74.00	-26.27	55.11	38.07	18.65	64.10	0.00	100	360	PEAK	2 11570.00	37.95	54.00	-16.05	45.31	38.08	18.66	64.10	0.00	100	360	AVERAGE	
		Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																												
1 11570.00	47.73	74.00	-26.27	55.11	38.07	18.65	64.10	0.00	100	360	PEAK																																																											
2 11570.00	37.95	54.00	-16.05	45.31	38.08	18.66	64.10	0.00	100	360	AVERAGE																																																											



Mode	49																																																																																									
	Band Edge																																																																																									
	U-NII-3_5.725-5.85_802.11a_CH165_5825MHz																																																																																									
ANT	4																																																																																									
Pol.	Vertical																																																																																									
Peak																																																																																										
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5853.41</td><td>59.85</td><td>114.52</td><td>-54.67</td><td>41.98</td><td>34.82</td><td>12.86</td><td>29.81</td><td>0.00</td><td>300</td><td>47 PEAK</td></tr><tr><td>2</td><td>5874.99</td><td>55.84</td><td>105.30</td><td>-49.46</td><td>37.83</td><td>34.95</td><td>12.90</td><td>29.84</td><td>0.00</td><td>300</td><td>47 PEAK</td></tr><tr><td>3</td><td>5924.99</td><td>55.89</td><td>68.21</td><td>-12.32</td><td>37.66</td><td>35.10</td><td>12.98</td><td>29.85</td><td>0.00</td><td>300</td><td>47 PEAK</td></tr><tr><td>4</td><td>5970.21</td><td>56.89</td><td>68.20</td><td>-11.31</td><td>38.54</td><td>35.10</td><td>13.06</td><td>29.81</td><td>0.00</td><td>300</td><td>47 PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5853.41	59.85	114.52	-54.67	41.98	34.82	12.86	29.81	0.00	300	47 PEAK	2	5874.99	55.84	105.30	-49.46	37.83	34.95	12.90	29.84	0.00	300	47 PEAK	3	5924.99	55.89	68.21	-12.32	37.66	35.10	12.98	29.85	0.00	300	47 PEAK	4	5970.21	56.89	68.20	-11.31	38.54	35.10	13.06	29.81	0.00	300	47 PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																
1	5853.41	59.85	114.52	-54.67	41.98	34.82	12.86	29.81	0.00	300	47 PEAK																																																																															
2	5874.99	55.84	105.30	-49.46	37.83	34.95	12.90	29.84	0.00	300	47 PEAK																																																																															
3	5924.99	55.89	68.21	-12.32	37.66	35.10	12.98	29.85	0.00	300	47 PEAK																																																																															
4	5970.21	56.89	68.20	-11.31	38.54	35.10	13.06	29.81	0.00	300	47 PEAK																																																																															
Fundamental																																																																																										
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5825.00</td><td>101.12</td><td>-----</td><td>-----</td><td>83.29</td><td>34.80</td><td>12.81</td><td>29.78</td><td>0.00</td><td>300</td><td>47 PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5825.00	101.12	-----	-----	83.29	34.80	12.81	29.78	0.00	300	47 PEAK																																				
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																
1	5825.00	101.12	-----	-----	83.29	34.80	12.81	29.78	0.00	300	47 PEAK																																																																															
Avg	Blank																																																																																									
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5825.00</td><td>93.48</td><td>-----</td><td>-----</td><td>75.65</td><td>34.80</td><td>12.81</td><td>29.78</td><td>0.00</td><td>300</td><td>47 AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5825.00	93.48	-----	-----	75.65	34.80	12.81	29.78	0.00	300	47 AVERAGE																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																
1	5825.00	93.48	-----	-----	75.65	34.80	12.81	29.78	0.00	300	47 AVERAGE																																																																															





Mode	49																																																																				
	Harmonic																																																																				
	U-NII-3_5.725-5.85_802.11a_CH165_5825MHz																																																																				
ANT	4																																																																				
Pol.	Horizontal						Vertical																																																														
Peak Avg																																																																					
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11650.00</td><td>47.11</td><td>74.00</td><td>-26.89</td><td>54.33</td><td>38.20</td><td>18.72</td><td>64.14</td><td>0.00</td><td>100</td><td>0</td><td>PEAK</td></tr><tr><td>2</td><td>11650.00</td><td>37.38</td><td>54.00</td><td>-16.62</td><td>44.63</td><td>38.18</td><td>18.71</td><td>64.14</td><td>0.00</td><td>100</td><td>0</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11650.00	47.11	74.00	-26.89	54.33	38.20	18.72	64.14	0.00	100	0	PEAK	2	11650.00	37.38	54.00	-16.62	44.63	38.18	18.71	64.14	0.00	100	0	AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																											
1	11650.00	47.11	74.00	-26.89	54.33	38.20	18.72	64.14	0.00	100	0	PEAK																																																									
2	11650.00	37.38	54.00	-16.62	44.63	38.18	18.71	64.14	0.00	100	0	AVERAGE																																																									
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11650.00</td><td>46.68</td><td>74.00</td><td>-27.32</td><td>53.90</td><td>38.20</td><td>18.72</td><td>64.14</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11650.00	46.68	74.00	-27.32	53.90	38.20	18.72	64.14	0.00	--	--	PEAK														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																											
1	11650.00	46.68	74.00	-27.32	53.90	38.20	18.72	64.14	0.00	--	--	PEAK																																																									




Mode	50										
	Band Edge										
	U-NII-3_5.725-5.85_802.11ax HE20_CH149_Full RU_5745MHz										
ANT	4										
Pol.	Horizontal										
Peak	<										






Mode	50																																																																																							
	Band Edge																																																																																							
	U-NII-3_5.725-5.85_802.11ax HE20_CH149_Full RU_5745MHz																																																																																							
ANT	4																																																																																							
Pol.	Vertical																																																																																							
Peak	 Vertical Peak Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz) from 5600 to 6000 MHz. The plot shows a red limit line and a blue test signal. Four peaks are marked with vertical lines and numbered 1 to 4.																																																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5627.20</td><td>57.53</td><td>68.20</td><td>-10.67</td><td>40.23</td><td>34.55</td><td>12.55</td><td>29.80</td><td>0.00</td><td>374 49 PEAK</td></tr><tr><td>2</td><td>5650.00</td><td>52.87</td><td>68.20</td><td>-15.33</td><td>35.55</td><td>34.60</td><td>12.58</td><td>29.86</td><td>0.00</td><td>374 49 PEAK</td></tr><tr><td>3</td><td>5718.80</td><td>64.60</td><td>110.56</td><td>-45.96</td><td>47.24</td><td>34.64</td><td>12.67</td><td>29.95</td><td>0.00</td><td>374 49 PEAK</td></tr><tr><td>4</td><td>5722.00</td><td>70.45</td><td>115.46</td><td>-45.01</td><td>53.08</td><td>34.64</td><td>12.67</td><td>29.94</td><td>0.00</td><td>374 49 PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5627.20	57.53	68.20	-10.67	40.23	34.55	12.55	29.80	0.00	374 49 PEAK	2	5650.00	52.87	68.20	-15.33	35.55	34.60	12.58	29.86	0.00	374 49 PEAK	3	5718.80	64.60	110.56	-45.96	47.24	34.64	12.67	29.95	0.00	374 49 PEAK	4	5722.00	70.45	115.46	-45.01	53.08	34.64	12.67	29.94	0.00	374 49 PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																														
1	5627.20	57.53	68.20	-10.67	40.23	34.55	12.55	29.80	0.00	374 49 PEAK																																																																														
2	5650.00	52.87	68.20	-15.33	35.55	34.60	12.58	29.86	0.00	374 49 PEAK																																																																														
3	5718.80	64.60	110.56	-45.96	47.24	34.64	12.67	29.95	0.00	374 49 PEAK																																																																														
4	5722.00	70.45	115.46	-45.01	53.08	34.64	12.67	29.94	0.00	374 49 PEAK																																																																														
Avg	Blank																																																																																							
	 Vertical Average Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz) from 1000 to 7000 MHz. The plot shows a red limit line and a blue test signal. A single peak is marked with a vertical line and numbered 1.																																																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5745.00</td><td>94.08</td><td>-----</td><td>-----</td><td>76.58</td><td>34.69</td><td>12.70</td><td>29.89</td><td>0.00</td><td>374 49 AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5745.00	94.08	-----	-----	76.58	34.69	12.70	29.89	0.00	374 49 AVERAGE																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																														
1	5745.00	94.08	-----	-----	76.58	34.69	12.70	29.89	0.00	374 49 AVERAGE																																																																														




Mode	50																																																																	
	Harmonic																																																																	
	U-NII-3_5.725-5.85_802.11ax HE20_CH149_Full RU_5745MHz																																																																	
ANT	4																																																																	
Pol.	Horizontal																																																																	
Peak Avg																																																																		
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th colspan="2">Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 11490.00</td><td>48.60</td><td>74.00</td><td>-25.40</td><td>56.12</td><td>38.00</td><td>18.58</td><td>64.10</td><td>0.00</td><td>100</td><td>0 PEAK</td></tr><tr><td>2 11490.00</td><td>38.18</td><td>54.00</td><td>-15.82</td><td>45.66</td><td>38.00</td><td>18.59</td><td>64.07</td><td>0.00</td><td>100</td><td>0 AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 11490.00	48.60	74.00	-25.40	56.12	38.00	18.58	64.10	0.00	100	0 PEAK	2 11490.00	38.18	54.00	-15.82	45.66	38.00	18.59	64.07	0.00	100	0 AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																									
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																								
1 11490.00	48.60	74.00	-25.40	56.12	38.00	18.58	64.10	0.00	100	0 PEAK																																																								
2 11490.00	38.18	54.00	-15.82	45.66	38.00	18.59	64.07	0.00	100	0 AVERAGE																																																								
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th colspan="2">Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 11490.00</td><td>47.90</td><td>74.00</td><td>-26.10</td><td>55.42</td><td>38.00</td><td>18.58</td><td>64.10</td><td>0.00</td><td>100</td><td>360 PEAK</td></tr><tr><td>2 11490.00</td><td>38.15</td><td>54.00</td><td>-15.85</td><td>45.64</td><td>38.00</td><td>18.59</td><td>64.08</td><td>0.00</td><td>100</td><td>360 AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 11490.00	47.90	74.00	-26.10	55.42	38.00	18.58	64.10	0.00	100	360 PEAK	2 11490.00	38.15	54.00	-15.85	45.64	38.00	18.59	64.08	0.00	100	360 AVERAGE	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																								
1 11490.00	47.90	74.00	-26.10	55.42	38.00	18.58	64.10	0.00	100	360 PEAK																																																								
2 11490.00	38.15	54.00	-15.85	45.64	38.00	18.59	64.08	0.00	100	360 AVERAGE																																																								
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th colspan="2">Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 11490.00</td><td>47.90</td><td>74.00</td><td>-26.10</td><td>55.42</td><td>38.00</td><td>18.58</td><td>64.10</td><td>0.00</td><td>100</td><td>360 PEAK</td></tr><tr><td>2 11490.00</td><td>38.15</td><td>54.00</td><td>-15.85</td><td>45.64</td><td>38.00</td><td>18.59</td><td>64.08</td><td>0.00</td><td>100</td><td>360 AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 11490.00	47.90	74.00	-26.10	55.42	38.00	18.58	64.10	0.00	100	360 PEAK	2 11490.00	38.15	54.00	-15.85	45.64	38.00	18.59	64.08	0.00	100	360 AVERAGE	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																								
1 11490.00	47.90	74.00	-26.10	55.42	38.00	18.58	64.10	0.00	100	360 PEAK																																																								
2 11490.00	38.15	54.00	-15.85	45.64	38.00	18.59	64.08	0.00	100	360 AVERAGE																																																								






Mode	51																																																																																																																																								
	Band Edge - L																																																																																																																																								
	U-NII-3_5.725-5.85_802.11ax HE20_CH157_Full RU_5785MHz																																																																																																																																								
ANT	4																																																																																																																																								
Pol.	Horizontal						Fundamental																																																																																																																																		
Peak	 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5603.20</td><td>56.06</td><td>68.20</td><td>-12.14</td><td>38.77</td><td>34.51</td><td>12.52</td><td>29.74</td><td>0.00</td><td>100</td><td>110</td><td>PEAK</td></tr><tr><td>2 5651.60</td><td>54.68</td><td>69.39</td><td>-14.71</td><td>37.37</td><td>34.60</td><td>12.58</td><td>29.87</td><td>0.00</td><td>100</td><td>110</td><td>PEAK</td></tr><tr><td>3 5700.00</td><td>55.71</td><td>105.30</td><td>-49.59</td><td>38.46</td><td>34.60</td><td>12.65</td><td>30.00</td><td>0.00</td><td>100</td><td>110</td><td>PEAK</td></tr><tr><td>4 5720.00</td><td>52.80</td><td>110.90</td><td>-58.10</td><td>35.44</td><td>34.64</td><td>12.67</td><td>29.95</td><td>0.00</td><td>100</td><td>110</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5603.20	56.06	68.20	-12.14	38.77	34.51	12.52	29.74	0.00	100	110	PEAK	2 5651.60	54.68	69.39	-14.71	37.37	34.60	12.58	29.87	0.00	100	110	PEAK	3 5700.00	55.71	105.30	-49.59	38.46	34.60	12.65	30.00	0.00	100	110	PEAK	4 5720.00	52.80	110.90	-58.10	35.44	34.64	12.67	29.95	0.00	100	110	PEAK	 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5785.00</td><td>106.00</td><td>-----</td><td>-----</td><td>88.24</td><td>34.78</td><td>12.76</td><td>29.78</td><td>0.00</td><td>100</td><td>110</td><td>PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5785.00	106.00	-----	-----	88.24	34.78	12.76	29.78	0.00	100	110	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																															
1 5603.20	56.06	68.20	-12.14	38.77	34.51	12.52	29.74	0.00	100	110	PEAK																																																																																																																														
2 5651.60	54.68	69.39	-14.71	37.37	34.60	12.58	29.87	0.00	100	110	PEAK																																																																																																																														
3 5700.00	55.71	105.30	-49.59	38.46	34.60	12.65	30.00	0.00	100	110	PEAK																																																																																																																														
4 5720.00	52.80	110.90	-58.10	35.44	34.64	12.67	29.95	0.00	100	110	PEAK																																																																																																																														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																															
1 5785.00	106.00	-----	-----	88.24	34.78	12.76	29.78	0.00	100	110	PEAK																																																																																																																														
Avg	Blank						 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5785.00</td><td>98.01</td><td>-----</td><td>-----</td><td>88.25</td><td>34.78</td><td>12.76</td><td>29.78</td><td>0.00</td><td>100</td><td>110</td><td>AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5785.00	98.01	-----	-----	88.25	34.78	12.76	29.78	0.00	100	110	AVERAGE																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																															
1 5785.00	98.01	-----	-----	88.25	34.78	12.76	29.78	0.00	100	110	AVERAGE																																																																																																																														




Mode	51																																																																																													
	Band Edge - R																																																																																													
	U-NII-3_5.725-5.85_802.11ax HE20_CH157_Full RU_5785MHz																																																																																													
ANT	4																																																																																													
Pol.	Horizontal						Fundamental																																																																																							
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.40</td><td>54.35</td><td>112.27</td><td>-57.92</td><td>36.48</td><td>34.83</td><td>12.86</td><td>29.82</td><td>0.00</td><td>100</td><td>110</td><td>PEAK</td></tr><tr><td>2</td><td>5874.00</td><td>54.38</td><td>105.58</td><td>-51.20</td><td>36.38</td><td>34.94</td><td>12.90</td><td>29.84</td><td>0.00</td><td>100</td><td>110</td><td>PEAK</td></tr><tr><td>3</td><td>5924.00</td><td>54.05</td><td>68.94</td><td>-14.89</td><td>35.82</td><td>35.10</td><td>12.98</td><td>29.85</td><td>0.00</td><td>100</td><td>110</td><td>PEAK</td></tr><tr><td>4</td><td>5934.00</td><td>57.40</td><td>68.20</td><td>-10.80</td><td>39.14</td><td>35.10</td><td>13.00</td><td>29.84</td><td>0.00</td><td>100</td><td>110</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5854.40	54.35	112.27	-57.92	36.48	34.83	12.86	29.82	0.00	100	110	PEAK	2	5874.00	54.38	105.58	-51.20	36.38	34.94	12.90	29.84	0.00	100	110	PEAK	3	5924.00	54.05	68.94	-14.89	35.82	35.10	12.98	29.85	0.00	100	110	PEAK	4	5934.00	57.40	68.20	-10.80	39.14	35.10	13.00	29.84	0.00	100	110	PEAK	Blank				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																				
1	5854.40	54.35	112.27	-57.92	36.48	34.83	12.86	29.82	0.00	100	110	PEAK																																																																																		
2	5874.00	54.38	105.58	-51.20	36.38	34.94	12.90	29.84	0.00	100	110	PEAK																																																																																		
3	5924.00	54.05	68.94	-14.89	35.82	35.10	12.98	29.85	0.00	100	110	PEAK																																																																																		
4	5934.00	57.40	68.20	-10.80	39.14	35.10	13.00	29.84	0.00	100	110	PEAK																																																																																		




Mode	51																																																																																																																							
	Band Edge - L																																																																																																																							
	U-NII-3_5.725-5.85_802.11ax HE20_CH157_Full RU_5785MHz																																																																																																																							
ANT	4																																																																																																																							
Pol.	Vertical						Fundamental																																																																																																																	
Peak																																																																																																																								
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5604.00</td><td>56.25</td><td>68.20</td><td>-11.95</td><td>38.96</td><td>34.51</td><td>12.52</td><td>29.74</td><td>0.00</td><td>368</td><td>48</td><td>PEAK</td></tr><tr><td>2</td><td>5658.80</td><td>54.82</td><td>68.80</td><td>-13.98</td><td>37.51</td><td>34.60</td><td>12.58</td><td>29.87</td><td>0.00</td><td>368</td><td>48</td><td>PEAK</td></tr><tr><td>3</td><td>5704.00</td><td>54.65</td><td>106.42</td><td>-51.77</td><td>37.38</td><td>34.61</td><td>12.65</td><td>29.99</td><td>0.00</td><td>368</td><td>48</td><td>PEAK</td></tr><tr><td>4</td><td>5720.00</td><td>52.15</td><td>110.90</td><td>-58.75</td><td>34.79</td><td>34.64</td><td>12.67</td><td>29.95</td><td>0.00</td><td>368</td><td>48</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	1	5604.00	56.25	68.20	-11.95	38.96	34.51	12.52	29.74	0.00	368	48	PEAK	2	5658.80	54.82	68.80	-13.98	37.51	34.60	12.58	29.87	0.00	368	48	PEAK	3	5704.00	54.65	106.42	-51.77	37.38	34.61	12.65	29.99	0.00	368	48	PEAK	4	5720.00	52.15	110.90	-58.75	34.79	34.64	12.67	29.95	0.00	368	48	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5785.00</td><td>103.80</td><td>-----</td><td>-----</td><td>86.09</td><td>34.76</td><td>12.75</td><td>29.80</td><td>0.00</td><td>368</td><td>48</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	1	5785.00	103.80	-----	-----	86.09	34.76	12.75	29.80	0.00	368	48
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																																																																														
1	5604.00	56.25	68.20	-11.95	38.96	34.51	12.52	29.74	0.00	368	48	PEAK																																																																																																												
2	5658.80	54.82	68.80	-13.98	37.51	34.60	12.58	29.87	0.00	368	48	PEAK																																																																																																												
3	5704.00	54.65	106.42	-51.77	37.38	34.61	12.65	29.99	0.00	368	48	PEAK																																																																																																												
4	5720.00	52.15	110.90	-58.75	34.79	34.64	12.67	29.95	0.00	368	48	PEAK																																																																																																												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																																																																														
1	5785.00	103.80	-----	-----	86.09	34.76	12.75	29.80	0.00	368	48	PEAK																																																																																																												
Avg	Blank																																																																																																																							
							<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5785.00</td><td>94.80</td><td>-----</td><td>-----</td><td>77.09</td><td>34.76</td><td>12.75</td><td>29.80</td><td>0.00</td><td>368</td><td>48</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	1	5785.00	94.80	-----	-----	77.09	34.76	12.75	29.80	0.00	368	48	AVERAGE																																																																									
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																																																																														
1	5785.00	94.80	-----	-----	77.09	34.76	12.75	29.80	0.00	368	48	AVERAGE																																																																																																												



Mode	51																																																																																													
	Band Edge - R																																																																																													
	U-NII-3_5.725-5.85_802.11ax HE20_CH157_Full RU_5785MHz																																																																																													
ANT	4																																																																																													
Pol.	Vertical						Fundamental																																																																																							
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.40</td><td>53.20</td><td>112.27</td><td>-59.07</td><td>35.33</td><td>34.83</td><td>12.86</td><td>29.82</td><td>0.00</td><td>368</td><td>48</td><td>PEAK</td></tr><tr><td>2</td><td>5873.60</td><td>54.26</td><td>105.69</td><td>-51.43</td><td>36.26</td><td>34.94</td><td>12.90</td><td>29.84</td><td>0.00</td><td>368</td><td>48</td><td>PEAK</td></tr><tr><td>3</td><td>5922.80</td><td>54.53</td><td>69.83</td><td>-15.30</td><td>36.30</td><td>35.10</td><td>12.98</td><td>29.85</td><td>0.00</td><td>368</td><td>48</td><td>PEAK</td></tr><tr><td>4</td><td>5994.40</td><td>57.05</td><td>68.20</td><td>-11.15</td><td>38.64</td><td>35.10</td><td>13.10</td><td>29.79</td><td>0.00</td><td>368</td><td>48</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5854.40	53.20	112.27	-59.07	35.33	34.83	12.86	29.82	0.00	368	48	PEAK	2	5873.60	54.26	105.69	-51.43	36.26	34.94	12.90	29.84	0.00	368	48	PEAK	3	5922.80	54.53	69.83	-15.30	36.30	35.10	12.98	29.85	0.00	368	48	PEAK	4	5994.40	57.05	68.20	-11.15	38.64	35.10	13.10	29.79	0.00	368	48	PEAK	Blank				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																				
1	5854.40	53.20	112.27	-59.07	35.33	34.83	12.86	29.82	0.00	368	48	PEAK																																																																																		
2	5873.60	54.26	105.69	-51.43	36.26	34.94	12.90	29.84	0.00	368	48	PEAK																																																																																		
3	5922.80	54.53	69.83	-15.30	36.30	35.10	12.98	29.85	0.00	368	48	PEAK																																																																																		
4	5994.40	57.05	68.20	-11.15	38.64	35.10	13.10	29.79	0.00	368	48	PEAK																																																																																		






Mode	51																																																																	
	Harmonic																																																																	
	U-NII-3_5.725-5.85_802.11ax HE20_CH157_Full RU_5785MHz																																																																	
ANT	4																																																																	
Pol.	Horizontal																																																																	
Peak Avg																																																																		
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th colspan="2">Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 11570.00</td><td>48.31</td><td>74.00</td><td>-25.69</td><td>55.69</td><td>38.07</td><td>18.65</td><td>64.10</td><td>0.00</td><td>100</td><td>0 PEAK</td></tr><tr><td>2 11570.00</td><td>37.98</td><td>54.00</td><td>-16.02</td><td>45.34</td><td>38.08</td><td>18.66</td><td>64.10</td><td>0.00</td><td>100</td><td>0 AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 11570.00	48.31	74.00	-25.69	55.69	38.07	18.65	64.10	0.00	100	0 PEAK	2 11570.00	37.98	54.00	-16.02	45.34	38.08	18.66	64.10	0.00	100	0 AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																									
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																								
1 11570.00	48.31	74.00	-25.69	55.69	38.07	18.65	64.10	0.00	100	0 PEAK																																																								
2 11570.00	37.98	54.00	-16.02	45.34	38.08	18.66	64.10	0.00	100	0 AVERAGE																																																								
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th colspan="2">Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 11570.00</td><td>47.54</td><td>74.00</td><td>-26.46</td><td>54.92</td><td>38.07</td><td>18.65</td><td>64.10</td><td>0.00</td><td>100</td><td>360 PEAK</td></tr><tr><td>2 11570.00</td><td>37.96</td><td>54.00</td><td>-16.04</td><td>45.32</td><td>38.08</td><td>18.66</td><td>64.10</td><td>0.00</td><td>100</td><td>360 AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 11570.00	47.54	74.00	-26.46	54.92	38.07	18.65	64.10	0.00	100	360 PEAK	2 11570.00	37.96	54.00	-16.04	45.32	38.08	18.66	64.10	0.00	100	360 AVERAGE	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																								
1 11570.00	47.54	74.00	-26.46	54.92	38.07	18.65	64.10	0.00	100	360 PEAK																																																								
2 11570.00	37.96	54.00	-16.04	45.32	38.08	18.66	64.10	0.00	100	360 AVERAGE																																																								





Mode	52																																																																																																																																									
	Band Edge																																																																																																																																									
	U-NII-3_5.725-5.85_802.11ax HE20_CH165_Full RU_5825MHz																																																																																																																																									
ANT	4																																																																																																																																									
Pol.	Horizontal						Fundamental																																																																																																																																			
Peak																																																																																																																																										
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5850.00</td><td>75.90</td><td>122.30</td><td>-46.40</td><td>58.06</td><td>34.80</td><td>12.85</td><td>29.81</td><td>0.00</td><td>100</td><td>100</td><td>PEAK</td></tr><tr><td>2</td><td>5864.00</td><td>61.59</td><td>108.38</td><td>-46.79</td><td>43.66</td><td>34.88</td><td>12.88</td><td>29.83</td><td>0.00</td><td>100</td><td>100</td><td>PEAK</td></tr><tr><td>3</td><td>5922.00</td><td>55.90</td><td>70.42</td><td>-14.52</td><td>37.67</td><td>35.10</td><td>12.98</td><td>29.85</td><td>0.00</td><td>100</td><td>100</td><td>PEAK</td></tr><tr><td>4</td><td>5925.60</td><td>57.40</td><td>68.20</td><td>-10.80</td><td>39.17</td><td>35.10</td><td>12.98</td><td>29.85</td><td>0.00</td><td>100</td><td>100</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5850.00	75.90	122.30	-46.40	58.06	34.80	12.85	29.81	0.00	100	100	PEAK	2	5864.00	61.59	108.38	-46.79	43.66	34.88	12.88	29.83	0.00	100	100	PEAK	3	5922.00	55.90	70.42	-14.52	37.67	35.10	12.98	29.85	0.00	100	100	PEAK	4	5925.60	57.40	68.20	-10.80	39.17	35.10	12.98	29.85	0.00	100	100	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>105.77</td><td>-----</td><td>-----</td><td>87.94</td><td>34.80</td><td>12.82</td><td>29.79</td><td>0.00</td><td>100</td><td>100</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5825.00	105.77	-----	-----	87.94	34.80	12.82	29.79	0.00	100	100
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																
1	5850.00	75.90	122.30	-46.40	58.06	34.80	12.85	29.81	0.00	100	100	PEAK																																																																																																																														
2	5864.00	61.59	108.38	-46.79	43.66	34.88	12.88	29.83	0.00	100	100	PEAK																																																																																																																														
3	5922.00	55.90	70.42	-14.52	37.67	35.10	12.98	29.85	0.00	100	100	PEAK																																																																																																																														
4	5925.60	57.40	68.20	-10.80	39.17	35.10	12.98	29.85	0.00	100	100	PEAK																																																																																																																														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																
1	5825.00	105.77	-----	-----	87.94	34.80	12.82	29.79	0.00	100	100	PEAK																																																																																																																														
Avg	Blank																																																																																																																																									
							<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>97.51</td><td>-----</td><td>-----</td><td>79.68</td><td>34.80</td><td>12.81</td><td>29.78</td><td>0.00</td><td>100</td><td>100</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5825.00	97.51	-----	-----	79.68	34.80	12.81	29.78	0.00	100	100	AVERAGE																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																
1	5825.00	97.51	-----	-----	79.68	34.80	12.81	29.78	0.00	100	100	AVERAGE																																																																																																																														






Mode	52																																																																																																																												
	Band Edge																																																																																																																												
	U-NII-3_5.725-5.85_802.11ax HE20_CH165_Full RU_5825MHz																																																																																																																												
ANT	4																																																																																																																												
Pol.	Vertical					Fundamental																																																																																																																							
Peak																																																																																																																													
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th></tr></thead><tbody><tr><td>1 5854.00</td><td>60.10</td><td>111.36</td><td>-51.26</td><td>42.23</td><td>34.83</td><td>12.86</td><td>29.82</td><td>0.00</td><td>295</td><td>48 PEAK</td></tr><tr><td>2 5874.00</td><td>56.00</td><td>105.36</td><td>-49.36</td><td>37.99</td><td>34.95</td><td>12.90</td><td>29.84</td><td>0.00</td><td>295</td><td>48 PEAK</td></tr><tr><td>3 5924.00</td><td>55.30</td><td>68.35</td><td>-13.05</td><td>37.07</td><td>35.10</td><td>12.98</td><td>29.85</td><td>0.00</td><td>295</td><td>48 PEAK</td></tr><tr><td>4 5935.60</td><td>57.12</td><td>68.20</td><td>-11.08</td><td>38.86</td><td>35.10</td><td>13.00</td><td>29.84</td><td>0.00</td><td>295</td><td>48 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	1 5854.00	60.10	111.36	-51.26	42.23	34.83	12.86	29.82	0.00	295	48 PEAK	2 5874.00	56.00	105.36	-49.36	37.99	34.95	12.90	29.84	0.00	295	48 PEAK	3 5924.00	55.30	68.35	-13.05	37.07	35.10	12.98	29.85	0.00	295	48 PEAK	4 5935.60	57.12	68.20	-11.08	38.86	35.10	13.00	29.84	0.00	295	48 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th></tr></thead><tbody><tr><td>1 5825.00</td><td>102.10</td><td>-----</td><td>-----</td><td>84.27</td><td>34.80</td><td>12.81</td><td>29.78</td><td>0.00</td><td>295</td><td>48 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	1 5825.00	102.10	-----	-----	84.27	34.80	12.81	29.78	0.00	295	48 PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm																																																																																																																				
1 5854.00	60.10	111.36	-51.26	42.23	34.83	12.86	29.82	0.00	295	48 PEAK																																																																																																																			
2 5874.00	56.00	105.36	-49.36	37.99	34.95	12.90	29.84	0.00	295	48 PEAK																																																																																																																			
3 5924.00	55.30	68.35	-13.05	37.07	35.10	12.98	29.85	0.00	295	48 PEAK																																																																																																																			
4 5935.60	57.12	68.20	-11.08	38.86	35.10	13.00	29.84	0.00	295	48 PEAK																																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm																																																																																																																				
1 5825.00	102.10	-----	-----	84.27	34.80	12.81	29.78	0.00	295	48 PEAK																																																																																																																			
Avg	Blank																																																																																																																												
						<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th></tr></thead><tbody><tr><td>1 5825.00</td><td>93.26</td><td>-----</td><td>-----</td><td>75.43</td><td>34.80</td><td>12.81</td><td>29.78</td><td>0.00</td><td>295</td><td>48 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	1 5825.00	93.26	-----	-----	75.43	34.80	12.81	29.78	0.00	295	48 AVERAGE																																																																										
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm																																																																																																																				
1 5825.00	93.26	-----	-----	75.43	34.80	12.81	29.78	0.00	295	48 AVERAGE																																																																																																																			




Mode	52																																																																																																	
	Harmonic																																																																																																	
	U-NII-3_5.725-5.85_802.11ax HE20_CH165_Full RU_5825MHz																																																																																																	
ANT	4																																																																																																	
Pol.	Horizontal						Vertical																																																																																											
Peak Avg																																																																																																		
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11650.00</td><td>46.80</td><td>74.00</td><td>-27.20</td><td>54.02</td><td>38.20</td><td>18.72</td><td>64.14</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11650.00	46.80	74.00	-27.20	54.02	38.20	18.72	64.14	0.00	--	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11650.00</td><td>46.71</td><td>74.00</td><td>-27.29</td><td>53.93</td><td>38.20</td><td>18.72</td><td>64.14</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11650.00	46.71	74.00	-27.29	53.93	38.20	18.72	64.14	0.00	--	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	11650.00	46.80	74.00	-27.20	54.02	38.20	18.72	64.14	0.00	--	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	11650.00	46.71	74.00	-27.29	53.93	38.20	18.72	64.14	0.00	--	PEAK																																																																																							






Mode	53																																																																																																																																									
	Band Edge - L																																																																																																																																									
	U-NII-3_5.725-5.85_802.11ax HE40_CH151_Full RU_5755MHz																																																																																																																																									
ANT	4																																																																																																																																									
Pol.	Horizontal						Fundamental																																																																																																																																			
Peak																																																																																																																																										
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5646.19</td><td>57.78</td><td>68.20</td><td>-10.42</td><td>40.46</td><td>34.59</td><td>12.58</td><td>29.85</td><td>0.00</td><td>105</td><td>110</td><td>PEAK</td></tr><tr><td>2</td><td>5651.31</td><td>56.62</td><td>69.17</td><td>-12.55</td><td>39.31</td><td>34.60</td><td>12.58</td><td>29.87</td><td>0.00</td><td>105</td><td>110</td><td>PEAK</td></tr><tr><td>3</td><td>5718.42</td><td>80.90</td><td>110.46</td><td>-29.56</td><td>63.54</td><td>34.64</td><td>12.67</td><td>29.95</td><td>0.00</td><td>105</td><td>110</td><td>PEAK</td></tr><tr><td>4</td><td>5720.13</td><td>79.00</td><td>111.19</td><td>-32.19</td><td>61.64</td><td>34.64</td><td>12.67</td><td>29.95</td><td>0.00</td><td>105</td><td>110</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5646.19	57.78	68.20	-10.42	40.46	34.59	12.58	29.85	0.00	105	110	PEAK	2	5651.31	56.62	69.17	-12.55	39.31	34.60	12.58	29.87	0.00	105	110	PEAK	3	5718.42	80.90	110.46	-29.56	63.54	34.64	12.67	29.95	0.00	105	110	PEAK	4	5720.13	79.00	111.19	-32.19	61.64	34.64	12.67	29.95	0.00	105	110	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5755.00</td><td>103.87</td><td>-----</td><td>-----</td><td>86.25</td><td>34.73</td><td>12.73</td><td>29.84</td><td>0.00</td><td>105</td><td>110</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5755.00	103.87	-----	-----	86.25	34.73	12.73	29.84	0.00	105	110
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																
1	5646.19	57.78	68.20	-10.42	40.46	34.59	12.58	29.85	0.00	105	110	PEAK																																																																																																																														
2	5651.31	56.62	69.17	-12.55	39.31	34.60	12.58	29.87	0.00	105	110	PEAK																																																																																																																														
3	5718.42	80.90	110.46	-29.56	63.54	34.64	12.67	29.95	0.00	105	110	PEAK																																																																																																																														
4	5720.13	79.00	111.19	-32.19	61.64	34.64	12.67	29.95	0.00	105	110	PEAK																																																																																																																														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																
1	5755.00	103.87	-----	-----	86.25	34.73	12.73	29.84	0.00	105	110	PEAK																																																																																																																														
Avg	Blank																																																																																																																																									
							<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5755.00</td><td>95.20</td><td>-----</td><td>-----</td><td>77.66</td><td>34.70</td><td>12.71</td><td>29.87</td><td>0.00</td><td>105</td><td>110</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5755.00	95.20	-----	-----	77.66	34.70	12.71	29.87	0.00	105	110	AVERAGE																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																
1	5755.00	95.20	-----	-----	77.66	34.70	12.71	29.87	0.00	105	110	AVERAGE																																																																																																																														




Mode	53																																																																																													
	Band Edge - R																																																																																													
	U-NII-3_5.725-5.85_802.11ax HE40_CH151_Full RU_5755MHz																																																																																													
ANT	4																																																																																													
Pol.	Horizontal						Fundamental																																																																																							
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.26</td><td>56.15</td><td>112.60</td><td>-56.45</td><td>38.28</td><td>34.83</td><td>12.86</td><td>29.82</td><td>0.00</td><td>105</td><td>110</td><td>PEAK</td></tr><tr><td>2</td><td>5873.95</td><td>55.68</td><td>105.59</td><td>-49.91</td><td>37.68</td><td>34.94</td><td>12.90</td><td>29.84</td><td>0.00</td><td>105</td><td>110</td><td>PEAK</td></tr><tr><td>3</td><td>5924.46</td><td>54.50</td><td>68.60</td><td>-14.10</td><td>36.27</td><td>35.10</td><td>12.98</td><td>29.85</td><td>0.00</td><td>105</td><td>110</td><td>PEAK</td></tr><tr><td>4</td><td>5949.03</td><td>57.71</td><td>68.20</td><td>-10.49</td><td>39.42</td><td>35.10</td><td>13.02</td><td>29.83</td><td>0.00</td><td>105</td><td>110</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5854.26	56.15	112.60	-56.45	38.28	34.83	12.86	29.82	0.00	105	110	PEAK	2	5873.95	55.68	105.59	-49.91	37.68	34.94	12.90	29.84	0.00	105	110	PEAK	3	5924.46	54.50	68.60	-14.10	36.27	35.10	12.98	29.85	0.00	105	110	PEAK	4	5949.03	57.71	68.20	-10.49	39.42	35.10	13.02	29.83	0.00	105	110	PEAK	Blank				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																				
1	5854.26	56.15	112.60	-56.45	38.28	34.83	12.86	29.82	0.00	105	110	PEAK																																																																																		
2	5873.95	55.68	105.59	-49.91	37.68	34.94	12.90	29.84	0.00	105	110	PEAK																																																																																		
3	5924.46	54.50	68.60	-14.10	36.27	35.10	12.98	29.85	0.00	105	110	PEAK																																																																																		
4	5949.03	57.71	68.20	-10.49	39.42	35.10	13.02	29.83	0.00	105	110	PEAK																																																																																		





Mode	53																																																																																																																											
	Band Edge - L																																																																																																																											
	U-NII-3_5.725-5.85_802.11ax HE40_CH151_Full RU_5755MHz																																																																																																																											
ANT	4																																																																																																																											
Pol.	Vertical					Fundamental																																																																																																																						
Peak																																																																																																																												
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th></tr></thead><tbody><tr><td>1 5611.01</td><td>57.86</td><td>68.20</td><td>-10.34</td><td>40.57</td><td>34.52</td><td>12.53</td><td>29.76</td><td>0.00</td><td>374</td><td>51 PEAK</td></tr><tr><td>2 5650.84</td><td>55.75</td><td>68.83</td><td>-13.08</td><td>38.44</td><td>34.60</td><td>12.58</td><td>29.87</td><td>0.00</td><td>374</td><td>51 PEAK</td></tr><tr><td>3 5710.36</td><td>72.63</td><td>108.20</td><td>-35.57</td><td>55.32</td><td>34.62</td><td>12.66</td><td>29.97</td><td>0.00</td><td>374</td><td>51 PEAK</td></tr><tr><td>4 5720.28</td><td>77.27</td><td>111.54</td><td>-34.27</td><td>59.91</td><td>34.64</td><td>12.67</td><td>29.95</td><td>0.00</td><td>374</td><td>51 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	1 5611.01	57.86	68.20	-10.34	40.57	34.52	12.53	29.76	0.00	374	51 PEAK	2 5650.84	55.75	68.83	-13.08	38.44	34.60	12.58	29.87	0.00	374	51 PEAK	3 5710.36	72.63	108.20	-35.57	55.32	34.62	12.66	29.97	0.00	374	51 PEAK	4 5720.28	77.27	111.54	-34.27	59.91	34.64	12.67	29.95	0.00	374	51 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th></tr></thead><tbody><tr><td>1 5755.00</td><td>100.30</td><td>-----</td><td>-----</td><td>82.76</td><td>34.70</td><td>12.71</td><td>29.87</td><td>0.00</td><td>374</td><td>51 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	1 5755.00	100.30	-----	-----	82.76	34.70	12.71	29.87	0.00	374
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm																																																																																																																			
1 5611.01	57.86	68.20	-10.34	40.57	34.52	12.53	29.76	0.00	374	51 PEAK																																																																																																																		
2 5650.84	55.75	68.83	-13.08	38.44	34.60	12.58	29.87	0.00	374	51 PEAK																																																																																																																		
3 5710.36	72.63	108.20	-35.57	55.32	34.62	12.66	29.97	0.00	374	51 PEAK																																																																																																																		
4 5720.28	77.27	111.54	-34.27	59.91	34.64	12.67	29.95	0.00	374	51 PEAK																																																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm																																																																																																																			
1 5755.00	100.30	-----	-----	82.76	34.70	12.71	29.87	0.00	374	51 PEAK																																																																																																																		
Avg	Blank																																																																																																																											
						<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th></tr></thead><tbody><tr><td>1 5755.00</td><td>92.46</td><td>-----</td><td>-----</td><td>74.92</td><td>34.70</td><td>12.71</td><td>29.87</td><td>0.00</td><td>374</td><td>51 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	1 5755.00	92.46	-----	-----	74.92	34.70	12.71	29.87	0.00	374	51 AVERAGE																																																																									
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm																																																																																																																			
1 5755.00	92.46	-----	-----	74.92	34.70	12.71	29.87	0.00	374	51 AVERAGE																																																																																																																		






Mode	53																																																																																									
	Band Edge - R																																																																																									
	U-NII-3_5.725-5.85_802.11ax HE40_CH151_Full RU_5755MHz																																																																																									
ANT	4																																																																																									
Pol.	Vertical						Fundamental																																																																																			
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.65</td><td>57.20</td><td>111.71</td><td>-54.51</td><td>39.33</td><td>34.83</td><td>12.86</td><td>29.82</td><td>0.00</td><td>374</td><td>51 PEAK</td></tr><tr><td>2</td><td>5878.83</td><td>56.19</td><td>106.47</td><td>-50.28</td><td>38.21</td><td>34.92</td><td>12.89</td><td>29.83</td><td>0.00</td><td>374</td><td>51 PEAK</td></tr><tr><td>3</td><td>5924.46</td><td>54.81</td><td>68.60</td><td>-13.79</td><td>36.58</td><td>35.10</td><td>12.98</td><td>29.85</td><td>0.00</td><td>374</td><td>51 PEAK</td></tr><tr><td>4</td><td>5946.49</td><td>56.85</td><td>68.20</td><td>-11.35</td><td>38.56</td><td>35.10</td><td>13.02</td><td>29.83</td><td>0.00</td><td>374</td><td>51 PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5854.65	57.20	111.71	-54.51	39.33	34.83	12.86	29.82	0.00	374	51 PEAK	2	5878.83	56.19	106.47	-50.28	38.21	34.92	12.89	29.83	0.00	374	51 PEAK	3	5924.46	54.81	68.60	-13.79	36.58	35.10	12.98	29.85	0.00	374	51 PEAK	4	5946.49	56.85	68.20	-11.35	38.56	35.10	13.02	29.83	0.00	374	51 PEAK	Blank				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																
1	5854.65	57.20	111.71	-54.51	39.33	34.83	12.86	29.82	0.00	374	51 PEAK																																																																															
2	5878.83	56.19	106.47	-50.28	38.21	34.92	12.89	29.83	0.00	374	51 PEAK																																																																															
3	5924.46	54.81	68.60	-13.79	36.58	35.10	12.98	29.85	0.00	374	51 PEAK																																																																															
4	5946.49	56.85	68.20	-11.35	38.56	35.10	13.02	29.83	0.00	374	51 PEAK																																																																															




Mode	53																																																																																																														
	Harmonic																																																																																																														
	U-NII-3_5.725-5.85_802.11ax HE40_CH151_Full RU_5755MHz																																																																																																														
ANT	4																																																																																																														
Pol.	Horizontal						Vertical																																																																																																								
Peak Avg																																																																																																															
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>11510.00</td><td>46.96</td><td>74.00</td><td>-27.04</td><td>54.42</td><td>38.01</td><td>18.60</td><td>64.07</td><td>0.00</td><td>--</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11510.00	46.96	74.00	-27.04	54.42	38.01	18.60	64.07	0.00	--	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>11510.00</td><td>47.37</td><td>74.00</td><td>-26.63</td><td>54.83</td><td>38.01</td><td>18.60</td><td>64.07</td><td>0.00</td><td>100</td><td>360</td><td>PEAK</td></tr><tr><td>2</td><td>11510.00</td><td>38.13</td><td>54.00</td><td>-15.87</td><td>45.61</td><td>38.00</td><td>18.59</td><td>64.07</td><td>0.00</td><td>100</td><td>360</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11510.00	47.37	74.00	-26.63	54.83	38.01	18.60	64.07	0.00	100	360	PEAK	2	11510.00	38.13	54.00	-15.87	45.61	38.00	18.59	64.07	0.00	100	360
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	11510.00	46.96	74.00	-27.04	54.42	38.01	18.60	64.07	0.00	--	PEAK																																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	11510.00	47.37	74.00	-26.63	54.83	38.01	18.60	64.07	0.00	100	360	PEAK																																																																																																			
2	11510.00	38.13	54.00	-15.87	45.61	38.00	18.59	64.07	0.00	100	360	AVERAGE																																																																																																			






Mode	54																																																																																																																																									
	Band Edge - L																																																																																																																																									
	U-NII-3_5.725-5.85_802.11ax HE40_CH159_Full RU_5795MHz																																																																																																																																									
ANT	4																																																																																																																																									
Pol.	Horizontal						Fundamental																																																																																																																																			
Peak																																																																																																																																										
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5610.00</td><td>56.59</td><td>68.20</td><td>-11.61</td><td>39.30</td><td>34.52</td><td>12.53</td><td>29.76</td><td>0.00</td><td>105</td><td>111</td><td>PEAK</td></tr><tr><td>2</td><td>5651.60</td><td>53.38</td><td>69.39</td><td>-16.01</td><td>36.07</td><td>34.60</td><td>12.58</td><td>29.87</td><td>0.00</td><td>105</td><td>111</td><td>PEAK</td></tr><tr><td>3</td><td>5700.80</td><td>56.94</td><td>105.52</td><td>-48.58</td><td>39.69</td><td>34.60</td><td>12.65</td><td>30.00</td><td>0.00</td><td>105</td><td>111</td><td>PEAK</td></tr><tr><td>4</td><td>5721.60</td><td>58.92</td><td>114.55</td><td>-55.63</td><td>41.56</td><td>34.64</td><td>12.67</td><td>29.95</td><td>0.00</td><td>105</td><td>111</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5610.00	56.59	68.20	-11.61	39.30	34.52	12.53	29.76	0.00	105	111	PEAK	2	5651.60	53.38	69.39	-16.01	36.07	34.60	12.58	29.87	0.00	105	111	PEAK	3	5700.80	56.94	105.52	-48.58	39.69	34.60	12.65	30.00	0.00	105	111	PEAK	4	5721.60	58.92	114.55	-55.63	41.56	34.64	12.67	29.95	0.00	105	111	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5795.00</td><td>104.22</td><td>-----</td><td>-----</td><td>86.43</td><td>34.79</td><td>12.76</td><td>29.76</td><td>0.00</td><td>105</td><td>111</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5795.00	104.22	-----	-----	86.43	34.79	12.76	29.76	0.00	105	111
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																
1	5610.00	56.59	68.20	-11.61	39.30	34.52	12.53	29.76	0.00	105	111	PEAK																																																																																																																														
2	5651.60	53.38	69.39	-16.01	36.07	34.60	12.58	29.87	0.00	105	111	PEAK																																																																																																																														
3	5700.80	56.94	105.52	-48.58	39.69	34.60	12.65	30.00	0.00	105	111	PEAK																																																																																																																														
4	5721.60	58.92	114.55	-55.63	41.56	34.64	12.67	29.95	0.00	105	111	PEAK																																																																																																																														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																
1	5795.00	104.22	-----	-----	86.43	34.79	12.76	29.76	0.00	105	111	PEAK																																																																																																																														
Avg	Blank																																																																																																																																									
							<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5795.00</td><td>95.30</td><td>-----</td><td>-----</td><td>77.51</td><td>34.79</td><td>12.76</td><td>29.76</td><td>0.00</td><td>105</td><td>111</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5795.00	95.30	-----	-----	77.51	34.79	12.76	29.76	0.00	105	111	AVERAGE																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																
1	5795.00	95.30	-----	-----	77.51	34.79	12.76	29.76	0.00	105	111	AVERAGE																																																																																																																														




Mode	54																																																																																													
	Band Edge - R																																																																																													
	U-NII-3_5.725-5.85_802.11ax HE40_CH159_Full RU_5795MHz																																																																																													
ANT	4																																																																																													
Pol.	Horizontal						Fundamental																																																																																							
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.80</td><td>64.96</td><td>111.36</td><td>-46.40</td><td>47.09</td><td>34.83</td><td>12.86</td><td>29.82</td><td>0.00</td><td>105</td><td>111</td><td>PEAK</td></tr><tr><td>2</td><td>5868.80</td><td>63.18</td><td>109.27</td><td>-46.09</td><td>45.27</td><td>34.86</td><td>12.87</td><td>29.82</td><td>0.00</td><td>105</td><td>111</td><td>PEAK</td></tr><tr><td>3</td><td>5922.80</td><td>55.87</td><td>69.83</td><td>-13.96</td><td>37.64</td><td>35.10</td><td>12.98</td><td>29.85</td><td>0.00</td><td>105</td><td>111</td><td>PEAK</td></tr><tr><td>4</td><td>5948.40</td><td>56.60</td><td>68.20</td><td>-11.60</td><td>38.31</td><td>35.10</td><td>13.02</td><td>29.83</td><td>0.00</td><td>105</td><td>111</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5854.80	64.96	111.36	-46.40	47.09	34.83	12.86	29.82	0.00	105	111	PEAK	2	5868.80	63.18	109.27	-46.09	45.27	34.86	12.87	29.82	0.00	105	111	PEAK	3	5922.80	55.87	69.83	-13.96	37.64	35.10	12.98	29.85	0.00	105	111	PEAK	4	5948.40	56.60	68.20	-11.60	38.31	35.10	13.02	29.83	0.00	105	111	PEAK	Blank				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																				
1	5854.80	64.96	111.36	-46.40	47.09	34.83	12.86	29.82	0.00	105	111	PEAK																																																																																		
2	5868.80	63.18	109.27	-46.09	45.27	34.86	12.87	29.82	0.00	105	111	PEAK																																																																																		
3	5922.80	55.87	69.83	-13.96	37.64	35.10	12.98	29.85	0.00	105	111	PEAK																																																																																		
4	5948.40	56.60	68.20	-11.60	38.31	35.10	13.02	29.83	0.00	105	111	PEAK																																																																																		





Mode	54																																																																																																																																			
	Band Edge - L																																																																																																																																			
	U-NII-3_5.725-5.85_802.11ax HE40_CH159_Full RU_5795MHz																																																																																																																																			
ANT	4																																																																																																																																			
Pol.	Vertical						Fundamental																																																																																																																													
Peak	 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th></th><th></th></tr></thead><tbody><tr><td>1 5609.60</td><td>55.47</td><td>68.20</td><td>-12.73</td><td>38.18</td><td>34.52</td><td>12.53</td><td>29.76</td><td>0.00</td><td>369</td><td>50 PEAK</td></tr><tr><td>2 5658.80</td><td>54.83</td><td>68.80</td><td>-13.97</td><td>37.52</td><td>34.60</td><td>12.58</td><td>29.87</td><td>0.00</td><td>369</td><td>50 PEAK</td></tr><tr><td>3 5703.20</td><td>55.31</td><td>106.20</td><td>-50.89</td><td>38.04</td><td>34.61</td><td>12.65</td><td>29.99</td><td>0.00</td><td>369</td><td>50 PEAK</td></tr><tr><td>4 5720.00</td><td>58.48</td><td>110.90</td><td>-52.42</td><td>41.12</td><td>34.64</td><td>12.67</td><td>29.95</td><td>0.00</td><td>369</td><td>50 PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB			1 5609.60	55.47	68.20	-12.73	38.18	34.52	12.53	29.76	0.00	369	50 PEAK	2 5658.80	54.83	68.80	-13.97	37.52	34.60	12.58	29.87	0.00	369	50 PEAK	3 5703.20	55.31	106.20	-50.89	38.04	34.61	12.65	29.99	0.00	369	50 PEAK	4 5720.00	58.48	110.90	-52.42	41.12	34.64	12.67	29.95	0.00	369	50 PEAK	 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th></th><th></th></tr></thead><tbody><tr><td>1 5795.00</td><td>100.10</td><td>-----</td><td>-----</td><td>82.28</td><td>34.80</td><td>12.77</td><td>29.75</td><td>0.00</td><td>369</td><td>50 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB			1 5795.00	100.10	-----	-----	82.28	34.80	12.77	29.75	0.00	369	50 PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																																												
1 5609.60	55.47	68.20	-12.73	38.18	34.52	12.53	29.76	0.00	369	50 PEAK																																																																																																																										
2 5658.80	54.83	68.80	-13.97	37.52	34.60	12.58	29.87	0.00	369	50 PEAK																																																																																																																										
3 5703.20	55.31	106.20	-50.89	38.04	34.61	12.65	29.99	0.00	369	50 PEAK																																																																																																																										
4 5720.00	58.48	110.90	-52.42	41.12	34.64	12.67	29.95	0.00	369	50 PEAK																																																																																																																										
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																																												
1 5795.00	100.10	-----	-----	82.28	34.80	12.77	29.75	0.00	369	50 PEAK																																																																																																																										
Avg	Blank						 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th></th><th></th></tr></thead><tbody><tr><td>1 5795.00</td><td>91.56</td><td>-----</td><td>-----</td><td>73.77</td><td>34.79</td><td>12.76</td><td>29.76</td><td>0.00</td><td>369</td><td>50 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB			1 5795.00	91.56	-----	-----	73.77	34.79	12.76	29.76	0.00	369	50 AVERAGE																																																																													
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																																												
1 5795.00	91.56	-----	-----	73.77	34.79	12.76	29.76	0.00	369	50 AVERAGE																																																																																																																										






Mode	54																																																																																
	Band Edge - R																																																																																
	U-NII-3_5.725-5.85_802.11ax HE40_CH159_Full RU_5795MHz																																																																																
ANT	4																																																																																
Pol.	Vertical	Fundamental																																																																															
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5854.40</td><td>59.58</td><td>112.27</td><td>-52.69</td><td>41.71</td><td>34.83</td><td>12.86</td><td>29.82</td><td>0.00</td><td>369</td><td>50</td><td>PEAK</td></tr><tr><td>2 5866.40</td><td>57.39</td><td>107.71</td><td>-50.32</td><td>39.44</td><td>34.90</td><td>12.88</td><td>29.83</td><td>0.00</td><td>369</td><td>50</td><td>PEAK</td></tr><tr><td>3 5924.80</td><td>55.18</td><td>68.35</td><td>-13.17</td><td>36.95</td><td>35.10</td><td>12.98</td><td>29.85</td><td>0.00</td><td>369</td><td>50</td><td>PEAK</td></tr><tr><td>4 5972.00</td><td>57.85</td><td>68.20</td><td>-10.35</td><td>39.50</td><td>35.10</td><td>13.06</td><td>29.81</td><td>0.00</td><td>369</td><td>50</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5854.40	59.58	112.27	-52.69	41.71	34.83	12.86	29.82	0.00	369	50	PEAK	2 5866.40	57.39	107.71	-50.32	39.44	34.90	12.88	29.83	0.00	369	50	PEAK	3 5924.80	55.18	68.35	-13.17	36.95	35.10	12.98	29.85	0.00	369	50	PEAK	4 5972.00	57.85	68.20	-10.35	39.50	35.10	13.06	29.81	0.00	369	50	PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																							
1 5854.40	59.58	112.27	-52.69	41.71	34.83	12.86	29.82	0.00	369	50	PEAK																																																																						
2 5866.40	57.39	107.71	-50.32	39.44	34.90	12.88	29.83	0.00	369	50	PEAK																																																																						
3 5924.80	55.18	68.35	-13.17	36.95	35.10	12.98	29.85	0.00	369	50	PEAK																																																																						
4 5972.00	57.85	68.20	-10.35	39.50	35.10	13.06	29.81	0.00	369	50	PEAK																																																																						




Mode	54																																																																					
	Harmonic																																																																					
	U-NII-3_5.725-5.85_802.11ax HE40_CH159_Full RU_5795MHz																																																																					
ANT	4																																																																					
Pol.	Horizontal																																																																					
Peak Avg																																																																						
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 11590.00</td><td>47.85</td><td>74.00</td><td>-26.15</td><td>55.20</td><td>38.09</td><td>18.67</td><td>64.11</td><td>0.00</td><td>100</td><td>0</td><td>PEAK</td></tr><tr><td>2 11590.00</td><td>38.08</td><td>54.00</td><td>-15.92</td><td>45.43</td><td>38.09</td><td>18.67</td><td>64.11</td><td>0.00</td><td>100</td><td>0</td><td>AVERAGE</td></tr></table>													Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 11590.00	47.85	74.00	-26.15	55.20	38.09	18.67	64.11	0.00	100	0	PEAK	2 11590.00	38.08	54.00	-15.92	45.43	38.09	18.67	64.11	0.00	100	0	AVERAGE
			Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																										
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																												
1 11590.00	47.85	74.00	-26.15	55.20	38.09	18.67	64.11	0.00	100	0	PEAK																																																											
2 11590.00	38.08	54.00	-15.92	45.43	38.09	18.67	64.11	0.00	100	0	AVERAGE																																																											
Vertical																																																																						
																																																																						
<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 11590.00</td><td>47.73</td><td>74.00</td><td>-26.27</td><td>55.08</td><td>38.09</td><td>18.67</td><td>64.11</td><td>0.00</td><td>100</td><td>146</td><td>PEAK</td></tr><tr><td>2 11590.00</td><td>38.06</td><td>54.00</td><td>-15.94</td><td>45.41</td><td>38.09</td><td>18.67</td><td>64.11</td><td>0.00</td><td>100</td><td>146</td><td>AVERAGE</td></tr></table>													Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 11590.00	47.73	74.00	-26.27	55.08	38.09	18.67	64.11	0.00	100	146	PEAK	2 11590.00	38.06	54.00	-15.94	45.41	38.09	18.67	64.11	0.00	100	146	AVERAGE	
		Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																												
1 11590.00	47.73	74.00	-26.27	55.08	38.09	18.67	64.11	0.00	100	146	PEAK																																																											
2 11590.00	38.06	54.00	-15.94	45.41	38.09	18.67	64.11	0.00	100	146	AVERAGE																																																											






Mode	55																																																																																																																																									
	Band Edge - L																																																																																																																																									
	U-NII-3_5.725-5.85_802.11ax HE80_CH155_Full RU_5775MHz																																																																																																																																									
ANT	4																																																																																																																																									
Pol.	Horizontal						Fundamental																																																																																																																																			
Peak																																																																																																																																										
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5630.40</td><td>60.06</td><td>68.20</td><td>-8.14</td><td>42.75</td><td>34.56</td><td>12.56</td><td>29.81</td><td>0.00</td><td>112</td><td>111</td><td>PEAK</td></tr><tr><td>2</td><td>5651.20</td><td>58.26</td><td>69.09</td><td>-10.83</td><td>40.95</td><td>34.60</td><td>12.58</td><td>29.87</td><td>0.00</td><td>112</td><td>111</td><td>PEAK</td></tr><tr><td>3</td><td>5719.20</td><td>78.21</td><td>110.68</td><td>-32.47</td><td>60.85</td><td>34.64</td><td>12.67</td><td>29.95</td><td>0.00</td><td>112</td><td>111</td><td>PEAK</td></tr><tr><td>4</td><td>5721.20</td><td>78.35</td><td>113.64</td><td>-35.29</td><td>60.99</td><td>34.64</td><td>12.67</td><td>29.95</td><td>0.00</td><td>112</td><td>111</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5630.40	60.06	68.20	-8.14	42.75	34.56	12.56	29.81	0.00	112	111	PEAK	2	5651.20	58.26	69.09	-10.83	40.95	34.60	12.58	29.87	0.00	112	111	PEAK	3	5719.20	78.21	110.68	-32.47	60.85	34.64	12.67	29.95	0.00	112	111	PEAK	4	5721.20	78.35	113.64	-35.29	60.99	34.64	12.67	29.95	0.00	112	111	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5775.00</td><td>100.60</td><td>-----</td><td>-----</td><td>82.89</td><td>34.76</td><td>12.75</td><td>29.80</td><td>0.00</td><td>112</td><td>111</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5775.00	100.60	-----	-----	82.89	34.76	12.75	29.80	0.00	112	111
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																
1	5630.40	60.06	68.20	-8.14	42.75	34.56	12.56	29.81	0.00	112	111	PEAK																																																																																																																														
2	5651.20	58.26	69.09	-10.83	40.95	34.60	12.58	29.87	0.00	112	111	PEAK																																																																																																																														
3	5719.20	78.21	110.68	-32.47	60.85	34.64	12.67	29.95	0.00	112	111	PEAK																																																																																																																														
4	5721.20	78.35	113.64	-35.29	60.99	34.64	12.67	29.95	0.00	112	111	PEAK																																																																																																																														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																
1	5775.00	100.60	-----	-----	82.89	34.76	12.75	29.80	0.00	112	111	PEAK																																																																																																																														
Avg	Blank																																																																																																																																									
							<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5775.00</td><td>91.58</td><td>-----</td><td>-----</td><td>73.90</td><td>34.75</td><td>12.74</td><td>29.81</td><td>0.00</td><td>112</td><td>111</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5775.00	91.58	-----	-----	73.90	34.75	12.74	29.81	0.00	112	111	AVERAGE																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																
1	5775.00	91.58	-----	-----	73.90	34.75	12.74	29.81	0.00	112	111	AVERAGE																																																																																																																														




Mode	55																																																																																													
	Band Edge - R																																																																																													
	U-NII-3_5.725-5.85_802.11ax HE80_CH155_Full RU_5775MHz																																																																																													
ANT	4																																																																																													
Pol.	Horizontal										Fundamental																																																																																			
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.00</td><td>70.73</td><td>111.36</td><td>-40.63</td><td>52.06</td><td>34.83</td><td>12.86</td><td>29.82</td><td>0.00</td><td>112</td><td>111</td><td>PEAK</td></tr><tr><td>2</td><td>5859.60</td><td>69.50</td><td>109.61</td><td>-40.11</td><td>51.59</td><td>34.86</td><td>12.87</td><td>29.82</td><td>0.00</td><td>112</td><td>111</td><td>PEAK</td></tr><tr><td>3</td><td>5924.00</td><td>55.68</td><td>68.94</td><td>-13.26</td><td>37.45</td><td>35.10</td><td>12.98</td><td>29.85</td><td>0.00</td><td>112</td><td>111</td><td>PEAK</td></tr><tr><td>4</td><td>5945.20</td><td>56.97</td><td>68.20</td><td>-11.23</td><td>38.68</td><td>35.10</td><td>13.02</td><td>29.83</td><td>0.00</td><td>112</td><td>111</td><td>PEAK</td></tr></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5854.00	70.73	111.36	-40.63	52.06	34.83	12.86	29.82	0.00	112	111	PEAK	2	5859.60	69.50	109.61	-40.11	51.59	34.86	12.87	29.82	0.00	112	111	PEAK	3	5924.00	55.68	68.94	-13.26	37.45	35.10	12.98	29.85	0.00	112	111	PEAK	4	5945.20	56.97	68.20	-11.23	38.68	35.10	13.02	29.83	0.00	112	111	PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																				
1	5854.00	70.73	111.36	-40.63	52.06	34.83	12.86	29.82	0.00	112	111	PEAK																																																																																		
2	5859.60	69.50	109.61	-40.11	51.59	34.86	12.87	29.82	0.00	112	111	PEAK																																																																																		
3	5924.00	55.68	68.94	-13.26	37.45	35.10	12.98	29.85	0.00	112	111	PEAK																																																																																		
4	5945.20	56.97	68.20	-11.23	38.68	35.10	13.02	29.83	0.00	112	111	PEAK																																																																																		






Mode	55																																																																																																																																								
	Band Edge - L																																																																																																																																								
	U-NII-3_5.725-5.85_802.11ax HE80_CH155_Full RU_5775MHz																																																																																																																																								
ANT	4																																																																																																																																								
Pol.	Vertical						Fundamental																																																																																																																																		
Peak																																																																																																																																									
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th></tr></thead><tbody><tr><td>1</td><td>5638.00</td><td>56.96</td><td>68.20</td><td>-11.24</td><td>39.64</td><td>34.58</td><td>12.57</td><td>29.83</td><td>0.00</td><td>371</td><td>51</td><td>PEAK</td></tr><tr><td>2</td><td>5652.00</td><td>56.78</td><td>69.69</td><td>-12.91</td><td>39.46</td><td>34.60</td><td>12.59</td><td>29.87</td><td>0.00</td><td>371</td><td>51</td><td>PEAK</td></tr><tr><td>3</td><td>5702.40</td><td>69.02</td><td>105.97</td><td>-36.95</td><td>51.76</td><td>34.60</td><td>12.65</td><td>29.99</td><td>0.00</td><td>371</td><td>51</td><td>PEAK</td></tr><tr><td>4</td><td>5720.00</td><td>71.00</td><td>110.90</td><td>-39.90</td><td>53.64</td><td>34.64</td><td>12.67</td><td>29.95</td><td>0.00</td><td>371</td><td>51</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	1	5638.00	56.96	68.20	-11.24	39.64	34.58	12.57	29.83	0.00	371	51	PEAK	2	5652.00	56.78	69.69	-12.91	39.46	34.60	12.59	29.87	0.00	371	51	PEAK	3	5702.40	69.02	105.97	-36.95	51.76	34.60	12.65	29.99	0.00	371	51	PEAK	4	5720.00	71.00	110.90	-39.90	53.64	34.64	12.67	29.95	0.00	371	51	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th></tr></thead><tbody><tr><td>1</td><td>5775.00</td><td>96.15</td><td>-----</td><td>-----</td><td>78.36</td><td>34.79</td><td>12.76</td><td>29.76</td><td>0.00</td><td>371</td><td>51</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	1	5775.00	96.15	-----	-----	78.36	34.79	12.76	29.76	0.00	371	51	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm																																																																																																																																
1	5638.00	56.96	68.20	-11.24	39.64	34.58	12.57	29.83	0.00	371	51	PEAK																																																																																																																													
2	5652.00	56.78	69.69	-12.91	39.46	34.60	12.59	29.87	0.00	371	51	PEAK																																																																																																																													
3	5702.40	69.02	105.97	-36.95	51.76	34.60	12.65	29.99	0.00	371	51	PEAK																																																																																																																													
4	5720.00	71.00	110.90	-39.90	53.64	34.64	12.67	29.95	0.00	371	51	PEAK																																																																																																																													
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm																																																																																																																																
1	5775.00	96.15	-----	-----	78.36	34.79	12.76	29.76	0.00	371	51	PEAK																																																																																																																													
Avg	Blank																																																																																																																																								
							<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th></tr></thead><tbody><tr><td>1</td><td>5775.00</td><td>89.38</td><td>-----</td><td>-----</td><td>71.70</td><td>34.75</td><td>12.74</td><td>29.81</td><td>0.00</td><td>371</td><td>51</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	1	5775.00	89.38	-----	-----	71.70	34.75	12.74	29.81	0.00	371	51	AVERAGE																																																																																		
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm																																																																																																																																
1	5775.00	89.38	-----	-----	71.70	34.75	12.74	29.81	0.00	371	51	AVERAGE																																																																																																																													






Mode	55																																																																																				
	Band Edge - R																																																																																				
	U-NII-3_5.725-5.85_802.11ax HE80_CH155_Full RU_5775MHz																																																																																				
ANT	4																																																																																				
Pol.	Vertical	Fundamental																																																																																			
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.80</td><td>66.34</td><td>111.36</td><td>-45.02</td><td>48.47</td><td>34.83</td><td>12.86</td><td>29.82</td><td>0.00</td><td>371</td><td>51</td><td>PEAK</td></tr><tr><td>2</td><td>5862.80</td><td>66.73</td><td>108.71</td><td>-41.98</td><td>48.80</td><td>34.88</td><td>12.88</td><td>29.83</td><td>0.00</td><td>371</td><td>51</td><td>PEAK</td></tr><tr><td>3</td><td>5924.80</td><td>54.96</td><td>68.35</td><td>-13.39</td><td>36.73</td><td>35.10</td><td>12.98</td><td>29.85</td><td>0.00</td><td>371</td><td>51</td><td>PEAK</td></tr><tr><td>4</td><td>5945.60</td><td>56.99</td><td>68.20</td><td>-11.21</td><td>38.70</td><td>35.10</td><td>13.02</td><td>29.83</td><td>0.00</td><td>371</td><td>51</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5854.80	66.34	111.36	-45.02	48.47	34.83	12.86	29.82	0.00	371	51	PEAK	2	5862.80	66.73	108.71	-41.98	48.80	34.88	12.88	29.83	0.00	371	51	PEAK	3	5924.80	54.96	68.35	-13.39	36.73	35.10	12.98	29.85	0.00	371	51	PEAK	4	5945.60	56.99	68.20	-11.21	38.70	35.10	13.02	29.83	0.00	371	51	PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																											
1	5854.80	66.34	111.36	-45.02	48.47	34.83	12.86	29.82	0.00	371	51	PEAK																																																																									
2	5862.80	66.73	108.71	-41.98	48.80	34.88	12.88	29.83	0.00	371	51	PEAK																																																																									
3	5924.80	54.96	68.35	-13.39	36.73	35.10	12.98	29.85	0.00	371	51	PEAK																																																																									
4	5945.60	56.99	68.20	-11.21	38.70	35.10	13.02	29.83	0.00	371	51	PEAK																																																																									






Mode	55																																																																																																																					
	Harmonic																																																																																																																					
	U-NII-3_5.725-5.85_802.11ax HE80_CH155_Full RU_5775MHz																																																																																																																					
ANT	4																																																																																																																					
Pol.	Horizontal						Vertical																																																																																																															
Peak Avg																																																																																																																						
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr></thead><tbody><tr><td>MHz</td><td>dBuV/m</td><td>dBuV/m</td><td>dB</td><td>dBuV</td><td>dB/m</td><td>dB</td><td>dB</td><td>dB</td><td>cm</td><td>deg</td></tr><tr><td>1 11550.00</td><td>47.46</td><td>74.00</td><td>-26.54</td><td>54.87</td><td>38.05</td><td>18.63</td><td>64.09</td><td>0.00</td><td>100</td><td>360 PEAK</td></tr><tr><td>2 11550.00</td><td>38.08</td><td>54.00</td><td>-15.92</td><td>45.45</td><td>38.08</td><td>18.66</td><td>64.11</td><td>0.00</td><td>100</td><td>360 AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 11550.00	47.46	74.00	-26.54	54.87	38.05	18.63	64.09	0.00	100	360 PEAK	2 11550.00	38.08	54.00	-15.92	45.45	38.08	18.66	64.11	0.00	100	360 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr></thead><tbody><tr><td>MHz</td><td>dBuV/m</td><td>dBuV/m</td><td>dB</td><td>dBuV</td><td>dB/m</td><td>dB</td><td>dB</td><td>dB</td><td>cm</td><td>deg</td></tr><tr><td>1 11550.00</td><td>47.25</td><td>74.00</td><td>-26.75</td><td>54.66</td><td>38.05</td><td>18.63</td><td>64.09</td><td>0.00</td><td>100</td><td>0 PEAK</td></tr><tr><td>2 11550.00</td><td>38.05</td><td>54.00</td><td>-15.95</td><td>45.40</td><td>38.09</td><td>18.67</td><td>64.11</td><td>0.00</td><td>100</td><td>0 AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 11550.00	47.25	74.00	-26.75	54.66	38.05	18.63	64.09	0.00	100	0 PEAK	2 11550.00	38.05	54.00	-15.95	45.40	38.09	18.67	64.11	0.00	100	0 AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																												
1 11550.00	47.46	74.00	-26.54	54.87	38.05	18.63	64.09	0.00	100	360 PEAK																																																																																																												
2 11550.00	38.08	54.00	-15.92	45.45	38.08	18.66	64.11	0.00	100	360 AVERAGE																																																																																																												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																												
1 11550.00	47.25	74.00	-26.75	54.66	38.05	18.63	64.09	0.00	100	0 PEAK																																																																																																												
2 11550.00	38.05	54.00	-15.95	45.40	38.09	18.67	64.11	0.00	100	0 AVERAGE																																																																																																												








Mode	56																																																																																																																																										
	Band Edge																																																																																																																																										
	U-NII-3_5.725-5.85_802.11ax HE20_CH149_Partial_26/0RU_5745MHz																																																																																																																																										
ANT	4																																																																																																																																										
Pol.	Horizontal						Fundamental																																																																																																																																				
Peak																																																																																																																																											
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5606.00</td><td>55.81</td><td>68.20</td><td>-12.39</td><td>38.52</td><td>34.51</td><td>12.53</td><td>29.75</td><td>0.00</td><td>100</td><td>119</td><td>PEAK</td></tr><tr><td>2</td><td>5652.00</td><td>56.30</td><td>69.69</td><td>-13.39</td><td>38.98</td><td>34.60</td><td>12.59</td><td>29.87</td><td>0.00</td><td>100</td><td>119</td><td>PEAK</td></tr><tr><td>3</td><td>5704.00</td><td>71.87</td><td>106.65</td><td>-34.78</td><td>54.60</td><td>34.61</td><td>12.65</td><td>29.99</td><td>0.00</td><td>100</td><td>119</td><td>PEAK</td></tr><tr><td>4</td><td>5721.20</td><td>63.96</td><td>113.64</td><td>-49.68</td><td>46.60</td><td>34.64</td><td>12.67</td><td>29.95</td><td>0.00</td><td>100</td><td>119</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5606.00	55.81	68.20	-12.39	38.52	34.51	12.53	29.75	0.00	100	119	PEAK	2	5652.00	56.30	69.69	-13.39	38.98	34.60	12.59	29.87	0.00	100	119	PEAK	3	5704.00	71.87	106.65	-34.78	54.60	34.61	12.65	29.99	0.00	100	119	PEAK	4	5721.20	63.96	113.64	-49.68	46.60	34.64	12.67	29.95	0.00	100	119	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>114.50</td><td>-----</td><td>-----</td><td>97.03</td><td>34.68</td><td>12.69</td><td>29.90</td><td>0.00</td><td>100</td><td>119</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5745.00	114.50	-----	-----	97.03	34.68	12.69	29.90	0.00	100	119
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																	
1	5606.00	55.81	68.20	-12.39	38.52	34.51	12.53	29.75	0.00	100	119	PEAK																																																																																																																															
2	5652.00	56.30	69.69	-13.39	38.98	34.60	12.59	29.87	0.00	100	119	PEAK																																																																																																																															
3	5704.00	71.87	106.65	-34.78	54.60	34.61	12.65	29.99	0.00	100	119	PEAK																																																																																																																															
4	5721.20	63.96	113.64	-49.68	46.60	34.64	12.67	29.95	0.00	100	119	PEAK																																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																
1	5745.00	114.50	-----	-----	97.03	34.68	12.69	29.90	0.00	100	119	PEAK																																																																																																																															
Avg	Blank																																																																																																																																										
							<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>108.02</td><td>-----</td><td>-----</td><td>90.58</td><td>34.67</td><td>12.69</td><td>29.92</td><td>0.00</td><td>100</td><td>119</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5745.00	108.02	-----	-----	90.58	34.67	12.69	29.92	0.00	100	119	AVERAGE																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																
1	5745.00	108.02	-----	-----	90.58	34.67	12.69	29.92	0.00	100	119	AVERAGE																																																																																																																															






Mode	56																																																																																																																		
	Band Edge																																																																																																																		
	U-NII-3_5.725-5.85_802.11ax HE20_CH149_Partial_26/0RU_5745MHz																																																																																																																		
ANT	4																																																																																																																		
Pol.	Vertical						Fundamental																																																																																																												
Peak																																																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5631.20</td><td>56.49</td><td>68.20</td><td>-11.71</td><td>39.18</td><td>34.56</td><td>12.56</td><td>29.81</td><td>0.00</td><td>304</td><td>53 PEAK</td></tr><tr><td>2</td><td>5651.20</td><td>55.38</td><td>69.09</td><td>-13.71</td><td>38.07</td><td>34.60</td><td>12.58</td><td>29.87</td><td>0.00</td><td>304</td><td>53 PEAK</td></tr><tr><td>3</td><td>5703.20</td><td>65.61</td><td>106.20</td><td>-40.59</td><td>48.34</td><td>34.61</td><td>12.65</td><td>29.99</td><td>0.00</td><td>304</td><td>53 PEAK</td></tr><tr><td>4</td><td>5720.00</td><td>68.97</td><td>110.90</td><td>-41.93</td><td>51.61</td><td>34.64</td><td>12.67</td><td>29.95</td><td>0.00</td><td>304</td><td>53 PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	1	5631.20	56.49	68.20	-11.71	39.18	34.56	12.56	29.81	0.00	304	53 PEAK	2	5651.20	55.38	69.09	-13.71	38.07	34.60	12.58	29.87	0.00	304	53 PEAK	3	5703.20	65.61	106.20	-40.59	48.34	34.61	12.65	29.99	0.00	304	53 PEAK	4	5720.00	68.97	110.90	-41.93	51.61	34.64	12.67	29.95	0.00	304	53 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>110.79</td><td>-----</td><td>-----</td><td>93.35</td><td>34.67</td><td>12.69</td><td>29.92</td><td>0.00</td><td>304</td><td>53 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	1	5745.00	110.79	-----	-----	93.35	34.67	12.69	29.92	0.00	304	53 PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																																																																									
1	5631.20	56.49	68.20	-11.71	39.18	34.56	12.56	29.81	0.00	304	53 PEAK																																																																																																								
2	5651.20	55.38	69.09	-13.71	38.07	34.60	12.58	29.87	0.00	304	53 PEAK																																																																																																								
3	5703.20	65.61	106.20	-40.59	48.34	34.61	12.65	29.99	0.00	304	53 PEAK																																																																																																								
4	5720.00	68.97	110.90	-41.93	51.61	34.64	12.67	29.95	0.00	304	53 PEAK																																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																																																																									
1	5745.00	110.79	-----	-----	93.35	34.67	12.69	29.92	0.00	304	53 PEAK																																																																																																								
Avg	Blank																																																																																																																		
							<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>104.68</td><td>-----</td><td>-----</td><td>87.24</td><td>34.67</td><td>12.69</td><td>29.92</td><td>0.00</td><td>304</td><td>53 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	1	5745.00	104.68	-----	-----	87.24	34.67	12.69	29.92	0.00	304	53 AVERAGE																																																																						
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																																																																									
1	5745.00	104.68	-----	-----	87.24	34.67	12.69	29.92	0.00	304	53 AVERAGE																																																																																																								






Mode	57																																																																																																																																									
	Band Edge																																																																																																																																									
	U-NII-3_5.725-5.85_802.11ax HE20_CH165_Partial_26/8RU_5825MHz																																																																																																																																									
ANT	4																																																																																																																																									
Pol.	Horizontal						Fundamental																																																																																																																																			
Peak																																																																																																																																										
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5854.00</td><td>52.78</td><td>111.36</td><td>-58.58</td><td>34.91</td><td>34.83</td><td>12.86</td><td>29.82</td><td>0.00</td><td>113</td><td>116</td><td>PEAK</td></tr><tr><td>2</td><td>5866.80</td><td>64.29</td><td>107.59</td><td>-43.30</td><td>46.34</td><td>34.90</td><td>12.88</td><td>29.83</td><td>0.00</td><td>113</td><td>116</td><td>PEAK</td></tr><tr><td>3</td><td>5924.80</td><td>54.73</td><td>68.35</td><td>-13.62</td><td>36.50</td><td>35.10</td><td>12.98</td><td>29.85</td><td>0.00</td><td>113</td><td>116</td><td>PEAK</td></tr><tr><td>4</td><td>5979.20</td><td>58.06</td><td>68.20</td><td>-10.14</td><td>39.70</td><td>35.10</td><td>13.07</td><td>29.81</td><td>0.00</td><td>113</td><td>116</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5854.00	52.78	111.36	-58.58	34.91	34.83	12.86	29.82	0.00	113	116	PEAK	2	5866.80	64.29	107.59	-43.30	46.34	34.90	12.88	29.83	0.00	113	116	PEAK	3	5924.80	54.73	68.35	-13.62	36.50	35.10	12.98	29.85	0.00	113	116	PEAK	4	5979.20	58.06	68.20	-10.14	39.70	35.10	13.07	29.81	0.00	113	116	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>111.92</td><td>-----</td><td>-----</td><td>94.08</td><td>34.80</td><td>12.83</td><td>29.79</td><td>0.00</td><td>113</td><td>116</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5825.00	111.92	-----	-----	94.08	34.80	12.83	29.79	0.00	113	116
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																
1	5854.00	52.78	111.36	-58.58	34.91	34.83	12.86	29.82	0.00	113	116	PEAK																																																																																																																														
2	5866.80	64.29	107.59	-43.30	46.34	34.90	12.88	29.83	0.00	113	116	PEAK																																																																																																																														
3	5924.80	54.73	68.35	-13.62	36.50	35.10	12.98	29.85	0.00	113	116	PEAK																																																																																																																														
4	5979.20	58.06	68.20	-10.14	39.70	35.10	13.07	29.81	0.00	113	116	PEAK																																																																																																																														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																
1	5825.00	111.92	-----	-----	94.08	34.80	12.83	29.79	0.00	113	116	PEAK																																																																																																																														
Avg	Blank																																																																																																																																									
							<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>107.17</td><td>-----</td><td>-----</td><td>89.33</td><td>34.80</td><td>12.83</td><td>29.79</td><td>0.00</td><td>113</td><td>116</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5825.00	107.17	-----	-----	89.33	34.80	12.83	29.79	0.00	113	116	AVERAGE																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																
1	5825.00	107.17	-----	-----	89.33	34.80	12.83	29.79	0.00	113	116	AVERAGE																																																																																																																														



Mode	57																																																																																																																															
	Band Edge																																																																																																																															
	U-NII-3_5.725-5.85_802.11ax HE20_CH165_Partial_26/8RU_5825MHz																																																																																																																															
ANT	4																																																																																																																															
Pol.	Vertical						Fundamental																																																																																																																									
Peak																																																																																																																																
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5854.00</td><td>54.20</td><td>111.36</td><td>-57.16</td><td>36.33</td><td>34.83</td><td>12.86</td><td>29.82</td><td>0.00</td><td>344</td><td>55 PEAK</td></tr><tr><td>2 5866.40</td><td>61.32</td><td>107.71</td><td>-46.39</td><td>43.37</td><td>34.90</td><td>12.88</td><td>29.83</td><td>0.00</td><td>344</td><td>55 PEAK</td></tr><tr><td>3 5924.00</td><td>54.94</td><td>68.35</td><td>-13.41</td><td>36.71</td><td>35.10</td><td>12.98</td><td>29.85</td><td>0.00</td><td>344</td><td>55 PEAK</td></tr><tr><td>4 5970.00</td><td>57.84</td><td>68.20</td><td>-10.36</td><td>39.49</td><td>35.10</td><td>13.06</td><td>29.81</td><td>0.00</td><td>344</td><td>55 PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5854.00	54.20	111.36	-57.16	36.33	34.83	12.86	29.82	0.00	344	55 PEAK	2 5866.40	61.32	107.71	-46.39	43.37	34.90	12.88	29.83	0.00	344	55 PEAK	3 5924.00	54.94	68.35	-13.41	36.71	35.10	12.98	29.85	0.00	344	55 PEAK	4 5970.00	57.84	68.20	-10.36	39.49	35.10	13.06	29.81	0.00	344	55 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5825.00</td><td>109.19</td><td>-----</td><td>-----</td><td>91.35</td><td>34.80</td><td>12.83</td><td>29.79</td><td>0.00</td><td>344</td><td>55 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5825.00	109.19	-----	-----	91.35	34.80	12.83	29.79	0.00	344	55 PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																						
1 5854.00	54.20	111.36	-57.16	36.33	34.83	12.86	29.82	0.00	344	55 PEAK																																																																																																																						
2 5866.40	61.32	107.71	-46.39	43.37	34.90	12.88	29.83	0.00	344	55 PEAK																																																																																																																						
3 5924.00	54.94	68.35	-13.41	36.71	35.10	12.98	29.85	0.00	344	55 PEAK																																																																																																																						
4 5970.00	57.84	68.20	-10.36	39.49	35.10	13.06	29.81	0.00	344	55 PEAK																																																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																						
1 5825.00	109.19	-----	-----	91.35	34.80	12.83	29.79	0.00	344	55 PEAK																																																																																																																						
Avg	Blank																																																																																																																															
							<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5825.00</td><td>103.32</td><td>-----</td><td>-----</td><td>85.48</td><td>34.80</td><td>12.83</td><td>29.79</td><td>0.00</td><td>344</td><td>55 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5825.00	103.32	-----	-----	85.48	34.80	12.83	29.79	0.00	344	55 AVERAGE																																																																											
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																						
1 5825.00	103.32	-----	-----	85.48	34.80	12.83	29.79	0.00	344	55 AVERAGE																																																																																																																						






Mode	58																																																																																																																																																																
	Band Edge																																																																																																																																																																
	U-NII-3_5.725-5.85_802.11ax HE20_CH149_Partial_52/37RU_5745MHz																																																																																																																																																																
ANT	4																																																																																																																																																																
Pol.	Horizontal						Fundamental																																																																																																																																																										
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5646.80</td><td>55.96</td><td>68.20</td><td>-12.24</td><td>38.65</td><td>34.59</td><td>12.58</td><td>29.86</td><td>0.00</td><td>100</td><td>118</td><td>PEAK</td></tr><tr><td>2</td><td>5652.00</td><td>54.95</td><td>69.69</td><td>-14.74</td><td>37.63</td><td>34.60</td><td>12.59</td><td>29.87</td><td>0.00</td><td>100</td><td>118</td><td>PEAK</td></tr><tr><td>3</td><td>5706.40</td><td>62.34</td><td>107.09</td><td>-44.75</td><td>45.06</td><td>34.61</td><td>12.65</td><td>29.98</td><td>0.00</td><td>100</td><td>118</td><td>PEAK</td></tr><tr><td>4</td><td>5720.80</td><td>68.94</td><td>112.72</td><td>-43.78</td><td>51.58</td><td>34.64</td><td>12.67</td><td>29.95</td><td>0.00</td><td>100</td><td>118</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5646.80	55.96	68.20	-12.24	38.65	34.59	12.58	29.86	0.00	100	118	PEAK	2	5652.00	54.95	69.69	-14.74	37.63	34.60	12.59	29.87	0.00	100	118	PEAK	3	5706.40	62.34	107.09	-44.75	45.06	34.61	12.65	29.98	0.00	100	118	PEAK	4	5720.80	68.94	112.72	-43.78	51.58	34.64	12.67	29.95	0.00	100	118	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5745.00</td><td>111.83</td><td>-----</td><td>-----</td><td>94.36</td><td>34.68</td><td>12.69</td><td>29.90</td><td>0.00</td><td>100</td><td>118</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5745.00	111.83	-----	-----	94.36	34.68	12.69	29.90	0.00	100	118	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																							
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																							
1	5646.80	55.96	68.20	-12.24	38.65	34.59	12.58	29.86	0.00	100	118	PEAK																																																																																																																																																					
2	5652.00	54.95	69.69	-14.74	37.63	34.60	12.59	29.87	0.00	100	118	PEAK																																																																																																																																																					
3	5706.40	62.34	107.09	-44.75	45.06	34.61	12.65	29.98	0.00	100	118	PEAK																																																																																																																																																					
4	5720.80	68.94	112.72	-43.78	51.58	34.64	12.67	29.95	0.00	100	118	PEAK																																																																																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																							
1	5745.00	111.83	-----	-----	94.36	34.68	12.69	29.90	0.00	100	118	PEAK																																																																																																																																																					
Avg	Blank						<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5745.00</td><td>104.37</td><td>-----</td><td>-----</td><td>86.93</td><td>34.67</td><td>12.69</td><td>29.92</td><td>0.00</td><td>100</td><td>118</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5745.00	104.37	-----	-----	86.93	34.67	12.69	29.92	0.00	100	118	AVERAGE																																																																																																				
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																							
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																							
1	5745.00	104.37	-----	-----	86.93	34.67	12.69	29.92	0.00	100	118	AVERAGE																																																																																																																																																					






Mode	58																																																																																									
	Band Edge																																																																																									
	U-NII-3_5.725-5.85_802.11ax HE20_CH149_Partial_52/37RU_5745MHz																																																																																									
ANT	4																																																																																									
Pol.	Vertical																																																																																									
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5618.00</td><td>56.81</td><td>68.20</td><td>-11.39</td><td>39.51</td><td>34.54</td><td>12.54</td><td>29.78</td><td>0.00</td><td>323</td><td>53 PEAK</td></tr><tr><td>2</td><td>5651.20</td><td>55.21</td><td>69.09</td><td>-13.88</td><td>37.90</td><td>34.60</td><td>12.58</td><td>29.87</td><td>0.00</td><td>323</td><td>53 PEAK</td></tr><tr><td>3</td><td>5704.00</td><td>60.07</td><td>106.42</td><td>-46.35</td><td>42.80</td><td>34.61</td><td>12.65</td><td>29.99</td><td>0.00</td><td>323</td><td>53 PEAK</td></tr><tr><td>4</td><td>5723.20</td><td>63.83</td><td>118.20</td><td>-54.37</td><td>46.45</td><td>34.65</td><td>12.67</td><td>29.94</td><td>0.00</td><td>323</td><td>53 PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5618.00	56.81	68.20	-11.39	39.51	34.54	12.54	29.78	0.00	323	53 PEAK	2	5651.20	55.21	69.09	-13.88	37.90	34.60	12.58	29.87	0.00	323	53 PEAK	3	5704.00	60.07	106.42	-46.35	42.80	34.61	12.65	29.99	0.00	323	53 PEAK	4	5723.20	63.83	118.20	-54.37	46.45	34.65	12.67	29.94	0.00	323	53 PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																
1	5618.00	56.81	68.20	-11.39	39.51	34.54	12.54	29.78	0.00	323	53 PEAK																																																																															
2	5651.20	55.21	69.09	-13.88	37.90	34.60	12.58	29.87	0.00	323	53 PEAK																																																																															
3	5704.00	60.07	106.42	-46.35	42.80	34.61	12.65	29.99	0.00	323	53 PEAK																																																																															
4	5723.20	63.83	118.20	-54.37	46.45	34.65	12.67	29.94	0.00	323	53 PEAK																																																																															
Fundamental	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5745.00</td><td>108.59</td><td>-----</td><td>-----</td><td>91.12</td><td>34.68</td><td>12.69</td><td>29.90</td><td>0.00</td><td>323</td><td>53 PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5745.00	108.59	-----	-----	91.12	34.68	12.69	29.90	0.00	323	53 PEAK																																				
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																
1	5745.00	108.59	-----	-----	91.12	34.68	12.69	29.90	0.00	323	53 PEAK																																																																															
Avg	Blank																																																																																									
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5745.00</td><td>100.48</td><td>-----</td><td>-----</td><td>83.04</td><td>34.67</td><td>12.69</td><td>29.92</td><td>0.00</td><td>323</td><td>53 AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5745.00	100.48	-----	-----	83.04	34.67	12.69	29.92	0.00	323	53 AVERAGE																																				
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																
1	5745.00	100.48	-----	-----	83.04	34.67	12.69	29.92	0.00	323	53 AVERAGE																																																																															






Mode	59																																																																																																																																									
	Band Edge																																																																																																																																									
	U-NII-3_5.725-5.85_802.11ax HE20_CH165_Partial_52/40RU_5825MHz																																																																																																																																									
ANT	4																																																																																																																																									
Pol.	Horizontal						Fundamental																																																																																																																																			
Peak																																																																																																																																										
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5853.60</td><td>62.57</td><td>114.09</td><td>-51.52</td><td>44.70</td><td>34.82</td><td>12.86</td><td>29.81</td><td>0.00</td><td>112</td><td>117</td><td>PEAK</td></tr><tr><td>2</td><td>5863.20</td><td>60.66</td><td>108.60</td><td>-47.94</td><td>42.73</td><td>34.88</td><td>12.88</td><td>29.83</td><td>0.00</td><td>112</td><td>117</td><td>PEAK</td></tr><tr><td>3</td><td>5924.40</td><td>55.98</td><td>68.64</td><td>-12.66</td><td>37.75</td><td>35.10</td><td>12.98</td><td>29.85</td><td>0.00</td><td>112</td><td>117</td><td>PEAK</td></tr><tr><td>4</td><td>5935.20</td><td>58.53</td><td>68.20</td><td>-9.67</td><td>40.27</td><td>35.10</td><td>13.00</td><td>29.84</td><td>0.00</td><td>112</td><td>117</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5853.60	62.57	114.09	-51.52	44.70	34.82	12.86	29.81	0.00	112	117	PEAK	2	5863.20	60.66	108.60	-47.94	42.73	34.88	12.88	29.83	0.00	112	117	PEAK	3	5924.40	55.98	68.64	-12.66	37.75	35.10	12.98	29.85	0.00	112	117	PEAK	4	5935.20	58.53	68.20	-9.67	40.27	35.10	13.00	29.84	0.00	112	117	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5825.00</td><td>111.25</td><td>-----</td><td>-----</td><td>93.42</td><td>34.80</td><td>12.82</td><td>29.79</td><td>0.00</td><td>112</td><td>117</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5825.00	111.25	-----	-----	93.42	34.80	12.82	29.79	0.00	112	117
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																
1	5853.60	62.57	114.09	-51.52	44.70	34.82	12.86	29.81	0.00	112	117	PEAK																																																																																																																														
2	5863.20	60.66	108.60	-47.94	42.73	34.88	12.88	29.83	0.00	112	117	PEAK																																																																																																																														
3	5924.40	55.98	68.64	-12.66	37.75	35.10	12.98	29.85	0.00	112	117	PEAK																																																																																																																														
4	5935.20	58.53	68.20	-9.67	40.27	35.10	13.00	29.84	0.00	112	117	PEAK																																																																																																																														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																
1	5825.00	111.25	-----	-----	93.42	34.80	12.82	29.79	0.00	112	117	PEAK																																																																																																																														
Avg	Blank																																																																																																																																									
							<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5825.00</td><td>103.74</td><td>-----</td><td>-----</td><td>85.91</td><td>34.80</td><td>12.82</td><td>29.79</td><td>0.00</td><td>112</td><td>117</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5825.00	103.74	-----	-----	85.91	34.80	12.82	29.79	0.00	112	117	AVERAGE																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																
1	5825.00	103.74	-----	-----	85.91	34.80	12.82	29.79	0.00	112	117	AVERAGE																																																																																																																														






Mode	59																																																																																																																													
	Band Edge																																																																																																																													
	U-NII-3_5.725-5.85_802.11ax HE20_CH165_Partial_52/40RU_5825MHz																																																																																																																													
ANT	4																																																																																																																													
Pol.	Vertical					Fundamental																																																																																																																								
Peak																																																																																																																														
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5854.00</td><td>53.42</td><td>111.36</td><td>-57.94</td><td>35.55</td><td>34.83</td><td>12.86</td><td>29.82</td><td>0.00</td><td>345</td><td>56 PEAK</td></tr><tr><td>2 5873.60</td><td>55.30</td><td>105.69</td><td>-50.39</td><td>37.30</td><td>34.94</td><td>12.90</td><td>29.84</td><td>0.00</td><td>345</td><td>56 PEAK</td></tr><tr><td>3 5924.00</td><td>55.49</td><td>68.94</td><td>-13.45</td><td>37.26</td><td>35.10</td><td>12.98</td><td>29.85</td><td>0.00</td><td>345</td><td>56 PEAK</td></tr><tr><td>4 5980.40</td><td>57.93</td><td>68.20</td><td>-10.27</td><td>39.56</td><td>35.10</td><td>13.08</td><td>29.81</td><td>0.00</td><td>345</td><td>56 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5854.00	53.42	111.36	-57.94	35.55	34.83	12.86	29.82	0.00	345	56 PEAK	2 5873.60	55.30	105.69	-50.39	37.30	34.94	12.90	29.84	0.00	345	56 PEAK	3 5924.00	55.49	68.94	-13.45	37.26	35.10	12.98	29.85	0.00	345	56 PEAK	4 5980.40	57.93	68.20	-10.27	39.56	35.10	13.08	29.81	0.00	345	56 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5825.00</td><td>107.58</td><td>-----</td><td>-----</td><td>89.75</td><td>34.80</td><td>12.82</td><td>29.79</td><td>0.00</td><td>345</td><td>56 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5825.00	107.58	-----	-----	89.75	34.80	12.82	29.79	0.00	345
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																				
1 5854.00	53.42	111.36	-57.94	35.55	34.83	12.86	29.82	0.00	345	56 PEAK																																																																																																																				
2 5873.60	55.30	105.69	-50.39	37.30	34.94	12.90	29.84	0.00	345	56 PEAK																																																																																																																				
3 5924.00	55.49	68.94	-13.45	37.26	35.10	12.98	29.85	0.00	345	56 PEAK																																																																																																																				
4 5980.40	57.93	68.20	-10.27	39.56	35.10	13.08	29.81	0.00	345	56 PEAK																																																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																				
1 5825.00	107.58	-----	-----	89.75	34.80	12.82	29.79	0.00	345	56 PEAK																																																																																																																				
Avg	Blank																																																																																																																													
						<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5825.00</td><td>100.55</td><td>-----</td><td>-----</td><td>82.71</td><td>34.80</td><td>12.83</td><td>29.79</td><td>0.00</td><td>345</td><td>56 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5825.00	100.55	-----	-----	82.71	34.80	12.83	29.79	0.00	345	56 AVERAGE																																																																										
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																				
1 5825.00	100.55	-----	-----	82.71	34.80	12.83	29.79	0.00	345	56 AVERAGE																																																																																																																				





Mode	60																																																																																																																																					
	Band Edge																																																																																																																																					
	U-NII-3_5.725-5.85_802.11ax HE20_CH149_Partial_106/53RU_5745MHz																																																																																																																																					
ANT	4																																																																																																																																					
Pol.	Horizontal						Fundamental																																																																																																																															
Peak																																																																																																																																						
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5614.00</td><td>57.27</td><td>68.20</td><td>-10.93</td><td>39.97</td><td>34.53</td><td>12.54</td><td>29.77</td><td>0.00</td><td>100</td><td>117 PEAK</td></tr><tr><td>2</td><td>5658.00</td><td>53.99</td><td>68.20</td><td>-14.21</td><td>36.67</td><td>34.60</td><td>12.58</td><td>29.86</td><td>0.00</td><td>100</td><td>117 PEAK</td></tr><tr><td>3</td><td>5714.40</td><td>62.99</td><td>109.33</td><td>-46.34</td><td>45.66</td><td>34.63</td><td>12.66</td><td>29.96</td><td>0.00</td><td>100</td><td>117 PEAK</td></tr><tr><td>4</td><td>5720.40</td><td>63.11</td><td>111.81</td><td>-48.70</td><td>45.75</td><td>34.64</td><td>12.67</td><td>29.95</td><td>0.00</td><td>100</td><td>117 PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5614.00	57.27	68.20	-10.93	39.97	34.53	12.54	29.77	0.00	100	117 PEAK	2	5658.00	53.99	68.20	-14.21	36.67	34.60	12.58	29.86	0.00	100	117 PEAK	3	5714.40	62.99	109.33	-46.34	45.66	34.63	12.66	29.96	0.00	100	117 PEAK	4	5720.40	63.11	111.81	-48.70	45.75	34.64	12.67	29.95	0.00	100	117 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>109.94</td><td>-----</td><td>-----</td><td>92.50</td><td>34.67</td><td>12.69</td><td>29.92</td><td>0.00</td><td>100</td><td>117 PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5745.00	109.94	-----	-----	92.50	34.67	12.69	29.92	0.00	100	117 PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																												
1	5614.00	57.27	68.20	-10.93	39.97	34.53	12.54	29.77	0.00	100	117 PEAK																																																																																																																											
2	5658.00	53.99	68.20	-14.21	36.67	34.60	12.58	29.86	0.00	100	117 PEAK																																																																																																																											
3	5714.40	62.99	109.33	-46.34	45.66	34.63	12.66	29.96	0.00	100	117 PEAK																																																																																																																											
4	5720.40	63.11	111.81	-48.70	45.75	34.64	12.67	29.95	0.00	100	117 PEAK																																																																																																																											
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																												
1	5745.00	109.94	-----	-----	92.50	34.67	12.69	29.92	0.00	100	117 PEAK																																																																																																																											
Avg	Blank																																																																																																																																					
							<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>101.09</td><td>-----</td><td>-----</td><td>83.62</td><td>34.68</td><td>12.69</td><td>29.90</td><td>0.00</td><td>100</td><td>117 AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5745.00	101.09	-----	-----	83.62	34.68	12.69	29.90	0.00	100	117 AVERAGE																																																																															
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																												
1	5745.00	101.09	-----	-----	83.62	34.68	12.69	29.90	0.00	100	117 AVERAGE																																																																																																																											






Mode	60																																																																																																																															
	Band Edge																																																																																																																															
	U-NII-3_5.725-5.85_802.11ax HE20_CH149_Partial_106/53RU_5745MHz																																																																																																																															
ANT	4																																																																																																																															
Pol.	Vertical						Fundamental																																																																																																																									
Peak																																																																																																																																
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5609.20</td><td>56.47</td><td>68.20</td><td>-11.73</td><td>39.17</td><td>34.52</td><td>12.53</td><td>29.75</td><td>0.00</td><td>322</td><td>53 PEAK</td></tr><tr><td>2 5658.00</td><td>54.09</td><td>68.20</td><td>-14.11</td><td>36.77</td><td>34.60</td><td>12.58</td><td>29.86</td><td>0.00</td><td>322</td><td>53 PEAK</td></tr><tr><td>3 5706.80</td><td>57.46</td><td>107.21</td><td>-49.75</td><td>40.18</td><td>34.61</td><td>12.65</td><td>29.98</td><td>0.00</td><td>322</td><td>53 PEAK</td></tr><tr><td>4 5720.00</td><td>61.00</td><td>110.90</td><td>-49.90</td><td>43.64</td><td>34.64</td><td>12.67</td><td>29.95</td><td>0.00</td><td>322</td><td>53 PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5609.20	56.47	68.20	-11.73	39.17	34.52	12.53	29.75	0.00	322	53 PEAK	2 5658.00	54.09	68.20	-14.11	36.77	34.60	12.58	29.86	0.00	322	53 PEAK	3 5706.80	57.46	107.21	-49.75	40.18	34.61	12.65	29.98	0.00	322	53 PEAK	4 5720.00	61.00	110.90	-49.90	43.64	34.64	12.67	29.95	0.00	322	53 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5745.00</td><td>105.52</td><td>-----</td><td>-----</td><td>88.08</td><td>34.67</td><td>12.69</td><td>29.92</td><td>0.00</td><td>322</td><td>53 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5745.00	105.52	-----	-----	88.08	34.67	12.69	29.92	0.00	322	53 PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																						
1 5609.20	56.47	68.20	-11.73	39.17	34.52	12.53	29.75	0.00	322	53 PEAK																																																																																																																						
2 5658.00	54.09	68.20	-14.11	36.77	34.60	12.58	29.86	0.00	322	53 PEAK																																																																																																																						
3 5706.80	57.46	107.21	-49.75	40.18	34.61	12.65	29.98	0.00	322	53 PEAK																																																																																																																						
4 5720.00	61.00	110.90	-49.90	43.64	34.64	12.67	29.95	0.00	322	53 PEAK																																																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																						
1 5745.00	105.52	-----	-----	88.08	34.67	12.69	29.92	0.00	322	53 PEAK																																																																																																																						
Avg	Blank																																																																																																																															
							<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5745.00</td><td>97.94</td><td>-----</td><td>-----</td><td>88.47</td><td>34.68</td><td>12.69</td><td>29.90</td><td>0.00</td><td>322</td><td>53 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5745.00	97.94	-----	-----	88.47	34.68	12.69	29.90	0.00	322	53 AVERAGE																																																																											
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																						
1 5745.00	97.94	-----	-----	88.47	34.68	12.69	29.90	0.00	322	53 AVERAGE																																																																																																																						







Mode	61																																																																																							
	Band Edge																																																																																							
	U-NII-3_5.725-5.85_802.11ax HE20_CH165_Partial_106/54RU_5825MHz																																																																																							
ANT	4																																																																																							
Pol.	Horizontal																																																																																							
Peak																																																																																								
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5854.00</td><td>58.30</td><td>111.36</td><td>-53.06</td><td>40.43</td><td>34.83</td><td>12.86</td><td>29.82</td><td>0.00</td><td>109</td><td>116 PEAK</td></tr><tr><td>2 5870.00</td><td>56.61</td><td>106.70</td><td>-50.09</td><td>38.63</td><td>34.92</td><td>12.89</td><td>29.83</td><td>0.00</td><td>109</td><td>116 PEAK</td></tr><tr><td>3 5924.00</td><td>55.94</td><td>68.35</td><td>-12.41</td><td>37.71</td><td>35.10</td><td>12.98</td><td>29.85</td><td>0.00</td><td>109</td><td>116 PEAK</td></tr><tr><td>4 5926.00</td><td>58.30</td><td>68.20</td><td>-9.90</td><td>40.06</td><td>35.10</td><td>12.99</td><td>29.85</td><td>0.00</td><td>109</td><td>116 PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5854.00	58.30	111.36	-53.06	40.43	34.83	12.86	29.82	0.00	109	116 PEAK	2 5870.00	56.61	106.70	-50.09	38.63	34.92	12.89	29.83	0.00	109	116 PEAK	3 5924.00	55.94	68.35	-12.41	37.71	35.10	12.98	29.85	0.00	109	116 PEAK	4 5926.00	58.30	68.20	-9.90	40.06	35.10	12.99	29.85	0.00	109	116 PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																														
1 5854.00	58.30	111.36	-53.06	40.43	34.83	12.86	29.82	0.00	109	116 PEAK																																																																														
2 5870.00	56.61	106.70	-50.09	38.63	34.92	12.89	29.83	0.00	109	116 PEAK																																																																														
3 5924.00	55.94	68.35	-12.41	37.71	35.10	12.98	29.85	0.00	109	116 PEAK																																																																														
4 5926.00	58.30	68.20	-9.90	40.06	35.10	12.99	29.85	0.00	109	116 PEAK																																																																														
Avg	Blank																																																																																							
																																																																																								
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5825.00</td><td>109.00</td><td>-----</td><td>-----</td><td>91.25</td><td>34.80</td><td>12.82</td><td>29.79</td><td>0.00</td><td>109</td><td>116 PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5825.00	109.00	-----	-----	91.25	34.80	12.82	29.79	0.00	109	116 PEAK																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																														
1 5825.00	109.00	-----	-----	91.25	34.80	12.82	29.79	0.00	109	116 PEAK																																																																														







Mode	61																																																																																																																																			
	Band Edge																																																																																																																																			
	U-NII-3_5.725-5.85_802.11ax HE20_CH165_Partial_106/54RU_5825MHz																																																																																																																																			
ANT	4																																																																																																																																			
Pol.	Vertical						Fundamental																																																																																																																													
Peak																																																																																																																																				
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5854.00</td><td>56.49</td><td>111.36</td><td>-54.87</td><td>38.62</td><td>34.83</td><td>12.86</td><td>29.82</td><td>0.00</td><td>314</td><td>54 PEAK</td></tr><tr><td>2 5874.40</td><td>54.93</td><td>105.47</td><td>-50.54</td><td>36.92</td><td>34.95</td><td>12.90</td><td>29.84</td><td>0.00</td><td>314</td><td>54 PEAK</td></tr><tr><td>3 5924.40</td><td>54.91</td><td>68.64</td><td>-13.73</td><td>36.68</td><td>35.10</td><td>12.98</td><td>29.85</td><td>0.00</td><td>314</td><td>54 PEAK</td></tr><tr><td>4 5996.80</td><td>56.63</td><td>68.20</td><td>-11.57</td><td>38.22</td><td>35.10</td><td>13.10</td><td>29.79</td><td>0.00</td><td>314</td><td>54 PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5854.00	56.49	111.36	-54.87	38.62	34.83	12.86	29.82	0.00	314	54 PEAK	2 5874.40	54.93	105.47	-50.54	36.92	34.95	12.90	29.84	0.00	314	54 PEAK	3 5924.40	54.91	68.64	-13.73	36.68	35.10	12.98	29.85	0.00	314	54 PEAK	4 5996.80	56.63	68.20	-11.57	38.22	35.10	13.10	29.79	0.00	314	54 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5825.00</td><td>106.89</td><td>-----</td><td>-----</td><td>89.06</td><td>34.80</td><td>12.82</td><td>29.79</td><td>0.00</td><td>314</td><td>54 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5825.00	106.89	-----	-----	89.06	34.80	12.82	29.79	0.00	314	54 PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																										
1 5854.00	56.49	111.36	-54.87	38.62	34.83	12.86	29.82	0.00	314	54 PEAK																																																																																																																										
2 5874.40	54.93	105.47	-50.54	36.92	34.95	12.90	29.84	0.00	314	54 PEAK																																																																																																																										
3 5924.40	54.91	68.64	-13.73	36.68	35.10	12.98	29.85	0.00	314	54 PEAK																																																																																																																										
4 5996.80	56.63	68.20	-11.57	38.22	35.10	13.10	29.79	0.00	314	54 PEAK																																																																																																																										
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																										
1 5825.00	106.89	-----	-----	89.06	34.80	12.82	29.79	0.00	314	54 PEAK																																																																																																																										
Avg	Blank																																																																																																																																			
							<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5825.00</td><td>97.66</td><td>-----</td><td>-----</td><td>79.83</td><td>34.80</td><td>12.82</td><td>29.79</td><td>0.00</td><td>314</td><td>54 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5825.00	97.66	-----	-----	79.83	34.80	12.82	29.79	0.00	314	54 AVERAGE																																																																													
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																										
1 5825.00	97.66	-----	-----	79.83	34.80	12.82	29.79	0.00	314	54 AVERAGE																																																																																																																										





Mode	62																																																																																																		
	Band Edge																																																																																																		
	U-NII-1_5.15-5.25_802.11ax HE20_CH36_Full RU_5180MHz																																																																																																		
ANT	4																																																																																																		
Pol.	Horizontal						Fundamental																																																																																												
Peak																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5149.85</td><td>62.77</td><td>74.00</td><td>-11.23</td><td>46.51</td><td>34.10</td><td>12.03</td><td>29.87</td><td>0.00</td><td>103</td><td>238</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5149.85	62.77	74.00	-11.23	46.51	34.10	12.03	29.87	0.00	103	238	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5180.00</td><td>105.74</td><td>-----</td><td>-----</td><td>89.38</td><td>34.19</td><td>12.05</td><td>29.88</td><td>0.00</td><td>103</td><td>238</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	105.74	-----	-----	89.38	34.19	12.05	29.88	0.00	103	238
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5149.85	62.77	74.00	-11.23	46.51	34.10	12.03	29.87	0.00	103	238	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5180.00	105.74	-----	-----	89.38	34.19	12.05	29.88	0.00	103	238	PEAK																																																																																							
Avg																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5149.65</td><td>50.02</td><td>54.00</td><td>-3.98</td><td>33.76</td><td>34.10</td><td>12.03</td><td>29.87</td><td>0.00</td><td>103</td><td>238</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5149.65	50.02	54.00	-3.98	33.76	34.10	12.03	29.87	0.00	103	238	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5180.00</td><td>97.20</td><td>-----</td><td>-----</td><td>80.80</td><td>34.22</td><td>12.06</td><td>29.88</td><td>0.00</td><td>103</td><td>238</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	97.20	-----	-----	80.80	34.22	12.06	29.88	0.00	103	238
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5149.65	50.02	54.00	-3.98	33.76	34.10	12.03	29.87	0.00	103	238	AVERAGE																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5180.00	97.20	-----	-----	80.80	34.22	12.06	29.88	0.00	103	238	AVERAGE																																																																																							







Mode	62																																																																																																		
	Band Edge																																																																																																		
	U-NII-1_5.15-5.25_802.11ax HE20_CH36_Full RU_5180MHz																																																																																																		
ANT	4																																																																																																		
Pol.	Vertical						Fundamental																																																																																												
Peak																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5149.45</td><td>57.36</td><td>74.00</td><td>-16.64</td><td>41.10</td><td>34.10</td><td>12.03</td><td>29.87</td><td>0.00</td><td>372</td><td>53</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5149.45	57.36	74.00	-16.64	41.10	34.10	12.03	29.87	0.00	372	53	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5180.00</td><td>102.95</td><td>-----</td><td>-----</td><td>86.59</td><td>34.19</td><td>12.05</td><td>29.88</td><td>0.00</td><td>372</td><td>53</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	102.95	-----	-----	86.59	34.19	12.05	29.88	0.00	372	53
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5149.45	57.36	74.00	-16.64	41.10	34.10	12.03	29.87	0.00	372	53	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5180.00	102.95	-----	-----	86.59	34.19	12.05	29.88	0.00	372	53	PEAK																																																																																							
Avg																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5149.85</td><td>47.95</td><td>54.00</td><td>-6.05</td><td>31.69</td><td>34.10</td><td>12.03</td><td>29.87</td><td>0.00</td><td>372</td><td>53</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5149.85	47.95	54.00	-6.05	31.69	34.10	12.03	29.87	0.00	372	53	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5180.00</td><td>97.59</td><td>-----</td><td>-----</td><td>87.85</td><td>32.27</td><td>8.14</td><td>30.67</td><td>0.00</td><td>372</td><td>53</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	97.59	-----	-----	87.85	32.27	8.14	30.67	0.00	372	53
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5149.85	47.95	54.00	-6.05	31.69	34.10	12.03	29.87	0.00	372	53	AVERAGE																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5180.00	97.59	-----	-----	87.85	32.27	8.14	30.67	0.00	372	53	AVERAGE																																																																																							





Mode	62																																																																																																									
	Harmonic																																																																																																									
	U-NII-1_5.15-5.25_802.11ax HE20_CH36_Full RU_5180MHz																																																																																																									
ANT	4																																																																																																									
Pol.	Horizontal						Vertical																																																																																																			
Peak Avg																																																																																																										
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 10360.00</td><td>45.84</td><td>68.20</td><td>-22.36</td><td>56.27</td><td>37.47</td><td>17.54</td><td>65.44</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>								Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 10360.00	45.84	68.20	-22.36	56.27	37.47	17.54	65.44	0.00	--	--	PEAK	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 10360.00</td><td>46.59</td><td>68.20</td><td>-21.61</td><td>57.05</td><td>37.46</td><td>17.53</td><td>65.45</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>								Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 10360.00	46.59	68.20	-21.61	57.05	37.46	17.53	65.45	0.00	--	--	PEAK
			Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																
1 10360.00	45.84	68.20	-22.36	56.27	37.47	17.54	65.44	0.00	--	--	PEAK																																																																																															
		Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																
1 10360.00	46.59	68.20	-21.61	57.05	37.46	17.53	65.45	0.00	--	--	PEAK																																																																																															







Mode	62																																																																																																
	Band Edge - L																																																																																																
	2400-2483.5_2400-2483.5_Bluetooth-LE_GFSK_CH19_2440MHz																																																																																																
ANT	3																																																																																																
Pol.	Horizontal						Fundamental																																																																																										
Peak																																																																																																	
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2378.77</td><td>55.29</td><td>74.00</td><td>-18.71</td><td>39.87</td><td>32.07</td><td>8.04</td><td>30.69</td><td>6.00</td><td>138</td><td>302 PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2378.77	55.29	74.00	-18.71	39.87	32.07	8.04	30.69	6.00	138	302 PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2440.00</td><td>105.38</td><td>-----</td><td>-----</td><td>89.62</td><td>32.28</td><td>8.15</td><td>30.67</td><td>6.00</td><td>138</td><td>302 PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2440.00	105.38	-----	-----	89.62	32.28	8.15	30.67	6.00	138
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	2378.77	55.29	74.00	-18.71	39.87	32.07	8.04	30.69	6.00	138	302 PEAK																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	2440.00	105.38	-----	-----	89.62	32.28	8.15	30.67	6.00	138	302 PEAK																																																																																						
Avg																																																																																																	
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2382.67</td><td>43.79</td><td>54.00</td><td>-10.21</td><td>28.34</td><td>32.10</td><td>8.04</td><td>30.69</td><td>6.00</td><td>138</td><td>302 AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2382.67	43.79	54.00	-10.21	28.34	32.10	8.04	30.69	6.00	138	302 AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2440.00</td><td>104.21</td><td>-----</td><td>-----</td><td>88.45</td><td>32.28</td><td>8.15</td><td>30.67</td><td>6.00</td><td>138</td><td>302 AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2440.00	104.21	-----	-----	88.45	32.28	8.15	30.67	6.00	138
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	2382.67	43.79	54.00	-10.21	28.34	32.10	8.04	30.69	6.00	138	302 AVERAGE																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	2440.00	104.21	-----	-----	88.45	32.28	8.15	30.67	6.00	138	302 AVERAGE																																																																																						





Mode	62																																																					
	Band Edge - R																																																					
	2400-2483.5_2400-2483.5_Bluetooth-LE_GFSK_CH19_2440MHz																																																					
ANT	3																																																					
Pol.	Horizontal										Fundamental																																											
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2498.38</td><td>55.59</td><td>74.00</td><td>-18.41</td><td>39.58</td><td>32.40</td><td>8.26</td><td>30.65</td><td>6.00</td><td>138</td><td>302 PEAK</td></tr></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2498.38	55.59	74.00	-18.41	39.58	32.40	8.26	30.65	6.00	138	302 PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	2498.38	55.59	74.00	-18.41	39.58	32.40	8.26	30.65	6.00	138	302 PEAK																																											
Avg	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2485.30</td><td>44.70</td><td>54.00</td><td>-9.30</td><td>28.74</td><td>32.37</td><td>8.24</td><td>30.65</td><td>6.00</td><td>138</td><td>302 AVERAGE</td></tr></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2485.30	44.70	54.00	-9.30	28.74	32.37	8.24	30.65	6.00	138	302 AVERAGE	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	2485.30	44.70	54.00	-9.30	28.74	32.37	8.24	30.65	6.00	138	302 AVERAGE																																											





Mode	62																																																																																																												
	Band Edge - L																																																																																																												
	2400-2483.5_2400-2483.5_Bluetooth-LE_GFSK_CH19_2440MHz																																																																																																												
ANT	3																																																																																																												
Pol.	Vertical						Fundamental																																																																																																						
Peak																																																																																																													
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2387.22</td><td>54.77</td><td>74.00</td><td>-19.23</td><td>39.29</td><td>32.12</td><td>8.05</td><td>30.69</td><td>6.00</td><td>387</td><td>58 PEAK</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2387.22	54.77	74.00	-19.23	39.29	32.12	8.05	30.69	6.00	387	58 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2440.00</td><td>102.43</td><td>-----</td><td>-----</td><td>86.67</td><td>32.28</td><td>8.15</td><td>30.67</td><td>6.00</td><td>387</td><td>58 PEAK</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2440.00	102.43	-----	-----	86.67	32.28	8.15	30.67	6.00	387
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																			
1	2387.22	54.77	74.00	-19.23	39.29	32.12	8.05	30.69	6.00	387	58 PEAK																																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																			
1	2440.00	102.43	-----	-----	86.67	32.28	8.15	30.67	6.00	387	58 PEAK																																																																																																		
Avg																																																																																																													
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2377.21</td><td>43.72</td><td>54.00</td><td>-10.28</td><td>28.32</td><td>32.06</td><td>8.03</td><td>30.69</td><td>6.00</td><td>387</td><td>58 AVERAGE</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2377.21	43.72	54.00	-10.28	28.32	32.06	8.03	30.69	6.00	387	58 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2440.00</td><td>101.32</td><td>-----</td><td>-----</td><td>85.56</td><td>32.28</td><td>8.15</td><td>30.67</td><td>6.00</td><td>387</td><td>58 AVERAGE</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2440.00	101.32	-----	-----	85.56	32.28	8.15	30.67	6.00	387
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																			
1	2377.21	43.72	54.00	-10.28	28.32	32.06	8.03	30.69	6.00	387	58 AVERAGE																																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																			
1	2440.00	101.32	-----	-----	85.56	32.28	8.15	30.67	6.00	387	58 AVERAGE																																																																																																		



Mode	62																																																							
	Band Edge - R																																																							
	2400-2483.5_2400-2483.5_Bluetooth-LE_GFSK_CH19_2440MHz																																																							
ANT	3																																																							
Pol.	Vertical						Fundamental																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2495.56</td><td>55.60</td><td>74.00</td><td>-18.40</td><td>39.60</td><td>32.39</td><td>8.26</td><td>30.65</td><td>6.00</td><td>387</td><td>58</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2495.56	55.60	74.00	-18.40	39.60	32.39	8.26	30.65	6.00	387	58	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	2495.56	55.60	74.00	-18.40	39.60	32.39	8.26	30.65	6.00	387	58	PEAK																																												
Avg	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2495.74</td><td>44.43</td><td>54.00</td><td>-9.57</td><td>28.43</td><td>32.39</td><td>8.26</td><td>30.65</td><td>6.00</td><td>387</td><td>58</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2495.74	44.43	54.00	-9.57	28.43	32.39	8.26	30.65	6.00	387	58	AVERAGE	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	2495.74	44.43	54.00	-9.57	28.43	32.39	8.26	30.65	6.00	387	58	AVERAGE																																												




Mode	62																																																																																																									
	Harmonic																																																																																																									
	2400-2483.5_2400-2483.5_Bluetooth-LE_GFSK_CH19_2440MHz																																																																																																									
ANT	3																																																																																																									
Pol.	Horizontal												Vertical																																																																																													
Peak Avg																																																																																																										
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1</td><td>4880.00</td><td>53.79</td><td>74.00</td><td>-20.21</td><td>73.21</td><td>34.14</td><td>11.69</td><td>65.25</td></tr><tr><td>2</td><td>4880.00</td><td>50.59</td><td>54.00</td><td>-3.41</td><td>70.01</td><td>34.14</td><td>11.69</td><td>65.25</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	4880.00	53.79	74.00	-20.21	73.21	34.14	11.69	65.25	2	4880.00	50.59	54.00	-3.41	70.01	34.14	11.69	65.25	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1</td><td>4880.00</td><td>50.37</td><td>74.00</td><td>-23.63</td><td>69.79</td><td>34.14</td><td>11.69</td><td>65.25</td></tr><tr><td>2</td><td>4880.00</td><td>46.69</td><td>54.00</td><td>-7.31</td><td>66.11</td><td>34.14</td><td>11.69</td><td>65.25</td></tr></table>					Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	4880.00	50.37	74.00	-23.63	69.79	34.14	11.69	65.25	2	4880.00	46.69	54.00	-7.31	66.11	34.14	11.69	65.25
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																		
1	4880.00	53.79	74.00	-20.21	73.21	34.14	11.69	65.25																																																																																																		
2	4880.00	50.59	54.00	-3.41	70.01	34.14	11.69	65.25																																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																		
1	4880.00	50.37	74.00	-23.63	69.79	34.14	11.69	65.25																																																																																																		
2	4880.00	46.69	54.00	-7.31	66.11	34.14	11.69	65.25																																																																																																		
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1</td><td>4880.00</td><td>53.79</td><td>74.00</td><td>-20.21</td><td>73.21</td><td>34.14</td><td>11.69</td><td>65.25</td></tr><tr><td>2</td><td>4880.00</td><td>50.59</td><td>54.00</td><td>-3.41</td><td>70.01</td><td>34.14</td><td>11.69</td><td>65.25</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	4880.00	53.79	74.00	-20.21	73.21	34.14	11.69	65.25	2	4880.00	50.59	54.00	-3.41	70.01	34.14	11.69	65.25	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1</td><td>4880.00</td><td>50.37</td><td>74.00</td><td>-23.63</td><td>69.79</td><td>34.14</td><td>11.69</td><td>65.25</td></tr><tr><td>2</td><td>4880.00</td><td>46.69</td><td>54.00</td><td>-7.31</td><td>66.11</td><td>34.14</td><td>11.69</td><td>65.25</td></tr></table>					Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	4880.00	50.37	74.00	-23.63	69.79	34.14	11.69	65.25	2	4880.00	46.69	54.00	-7.31	66.11	34.14	11.69	65.25
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																		
1	4880.00	53.79	74.00	-20.21	73.21	34.14	11.69	65.25																																																																																																		
2	4880.00	50.59	54.00	-3.41	70.01	34.14	11.69	65.25																																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																		
1	4880.00	50.37	74.00	-23.63	69.79	34.14	11.69	65.25																																																																																																		
2	4880.00	46.69	54.00	-7.31	66.11	34.14	11.69	65.25																																																																																																		

Note: For all plots above, the over limit line signals are Fundamental signal which can be ignored

Appendix D. Duty Cycle Plots


Band	Duty Cycle(%)	T(ms)	1/T(kHz)	VBW Setting
802.11a	96.97	1.391	0.719	0.75KHz
802.11ax HE20	95.89	1.014	0.986	1KHz
802.11ax HE40	92.46	0.533	1.875	2KHz
802.11ax HE80	86.84	0.287	3.485	3.6KHz

802.11a






802.11ax HE20



802.11ax HE40





802.11ax HE80

