




Reference level measurement


Test Result


TestMode	Antenna	Freq(MHz)	Max.Point[MHz]	Result[dBm/100KHz]
11B	Ant6	2412	2411.51	10.00
		2437	2438.00	9.92
		2462	2462.49	9.96
11G	Ant6	2412	2410.74	7.49
		2437	2438.25	7.69
		2457	2455.73	7.36
		2462	2460.76	4.31
11N20	Ant6	2412	2413.26	7.52
		2437	2435.74	7.65
		2457	2455.75	5.80
		2462	2463.26	2.90
11N40	Ant6	2422	2427.03	3.46
		2437	2442.04	1.49
		2452	2449.52	-0.48
11AX20	Ant6	2412	2413.27	7.42
		2437	2435.75	7.51
		2457	2455.72	5.63
		2462	2464.49	2.55
11AX40	Ant6	2422	2426.99	3.54
		2437	2442.01	1.32
		2452	2449.55	-0.58





Test Graphs





























Band edge measurements


Test Result


TestMode	Antenna	ChName	Freq(MHz)	RefLevel[dBm /100KHz]	Result[dBm /100KHz]	Limit[dBm /100KHz]	Verdict
11B	Ant6	Low	2412	10.00	-36.25	≤-10	PASS
		High	2462	9.96	-42.11	≤-10.04	PASS
11G	Ant6	Low	2412	7.49	-19.35	≤-12.51	PASS
		High	2457	7.36	-41.15	≤-12.64	PASS
			2462	4.31	-38.35	≤-15.69	PASS
11N20	Ant6	Low	2412	7.52	-19.4	≤-12.48	PASS
		High	2457	5.80	-41.02	≤-14.2	PASS
			2462	2.90	-39.67	≤-17.1	PASS
11N40	Ant6	Low	2422	3.46	-25.9	≤-16.54	PASS
		High	2452	-0.48	-35.91	≤-20.48	PASS
11AX20	Ant6	Low	2412	7.42	-18.38	≤-12.58	PASS
		High	2457	5.63	-40.1	≤-14.37	PASS
			2462	2.55	-39.18	≤-17.45	PASS
11AX40	Ant6	Low	2422	3.54	-24.39	≤-16.46	PASS
		High	2452	-0.58	-38.65	≤-20.58	PASS





Test Graphs























Conducted Spurious Emission


Test Result


TestMode	Antenna	Freq(MHz)	FreqRange [Mhz]	RefLevel [dBm/100KHz]	Result [dBm/100KHz]	Limit [dBm/100KHz]	Verdict		
11B	Ant6	2412	30~1000	10.00	-44.88	≤-10	PASS		
			1000~26500	10.00	-36.13	≤-10	PASS		
		2437	30~1000	9.92	-44.26	≤-10.08	PASS		
			1000~26500	9.92	-35.72	≤-10.08	PASS		
		2462	30~1000	9.96	-45.27	≤-10.04	PASS		
			1000~26500	9.96	-35.74	≤-10.04	PASS		
11G	Ant6	2412	30~1000	7.49	-44.75	≤-12.51	PASS		
			1000~26500	7.49	-35.88	≤-12.51	PASS		
		2437	30~1000	7.69	-45.11	≤-12.31	PASS		
			1000~26500	7.69	-36.45	≤-12.31	PASS		
		2457	30~1000	7.36	-44.42	≤-12.64	PASS		
			1000~26500	7.36	-35.79	≤-12.64	PASS		
		2462	30~1000	4.31	-44.37	≤-15.69	PASS		
			1000~26500	4.31	-36.15	≤-15.69	PASS		
		11N20	Ant6	2412	30~1000	7.52	-44.68	≤-12.48	PASS
					1000~26500	7.52	-36.05	≤-12.48	PASS
2437	30~1000			7.65	-44.85	≤-12.35	PASS		
	1000~26500			7.65	-36.32	≤-12.35	PASS		
2457	30~1000			5.80	-44.74	≤-14.2	PASS		
	1000~26500			5.80	-35.31	≤-14.2	PASS		
2462	30~1000	2.90	-44.62	≤-17.1	PASS				
	1000~26500	2.90	-35.24	≤-17.1	PASS				
11N40	Ant6	2422	30~1000	3.46	-44.81	≤-16.54	PASS		
			1000~26500	3.46	-35.68	≤-16.54	PASS		
		2437	30~1000	1.49	-45.12	≤-18.51	PASS		
			1000~26500	1.49	-35.97	≤-18.51	PASS		
		2452	30~1000	-0.48	-45.1	≤-20.48	PASS		
			1000~26500	-0.48	-35.39	≤-20.48	PASS		
11AX20	Ant6	2412	30~1000	7.42	-44.18	≤-12.58	PASS		
			1000~26500	7.42	-36.09	≤-12.58	PASS		
		2437	30~1000	7.51	-44.16	≤-12.49	PASS		
			1000~26500	7.51	-35.9	≤-12.49	PASS		
		2457	30~1000	5.63	-44.9	≤-14.37	PASS		
			1000~26500	5.63	-34.94	≤-14.37	PASS		
		2462	30~1000	2.55	-44.93	≤-17.45	PASS		
			1000~26500	2.55	-35.96	≤-17.45	PASS		
11AX40	Ant6	2422	30~1000	3.54	-44.94	≤-16.46	PASS		
			1000~26500	3.54	-35.74	≤-16.46	PASS		
		2437	30~1000	1.32	-45.37	≤-18.68	PASS		
			1000~26500	1.32	-36.03	≤-18.68	PASS		
		2452	30~1000	-0.58	-44.9	≤-20.58	PASS		
			1000~26500	-0.58	-35.94	≤-20.58	PASS		





Test Graphs





























































Partial RU:



Maximum power spectral density


Test Result


TestMode	Antenna	Freq(MHz)	RuSize	RuIndex	Result [dBm/3kHz]	Limit [dBm/3kHz]	Verdict
11AX20	Ant6	2412	26Tone	RU0	-8.40	≤8.00	PASS
			52Tone	RU37	-8.37	≤8.00	PASS
			106Tone	RU53	-7.93	≤8.00	PASS
		2437	26Tone	RU0	-8.27	≤8.00	PASS
			52Tone	RU37	-8.15	≤8.00	PASS
			106Tone	RU53	-8.17	≤8.00	PASS
		2462	26Tone	RU8	-12.20	≤8.00	PASS
			52Tone	RU40	-12.04	≤8.00	PASS
			106Tone	RU54	-12.19	≤8.00	PASS





Test Graphs














Appendix B. AC Conducted Emission Test Results

Test Engineer :	XuRuibin	Temperature :	22~24°C
		Relative Humidity :	44~50%
Test Voltage :	120Vac / 60Hz	Phase :	Line
Remark :	All emissions not reported here are more than 10 dB below the prescribed limit.		




Site : CO02-SZ
 Condition : FCC 15C_QP LISN_2025-L LINE

	Freq	Level	Over Limit	Limit Line	Read Level	LISN Factor	Cable Loss	Remark
	MHz	dBuV	dB	dBuV	dBuV	dB	dB	
1	0.18	36.28	-18.05	54.33	16.41	9.69	10.18	Average
2 *	0.18	57.58	-6.75	64.33	37.71	9.69	10.18	QP
3	0.28	27.95	-22.90	50.85	8.01	9.74	10.20	Average
4	0.28	47.55	-13.30	60.85	27.61	9.74	10.20	QP
5	0.37	27.24	-21.28	48.52	7.30	9.72	10.22	Average
6	0.37	46.24	-12.28	58.52	26.30	9.72	10.22	QP
7	0.48	29.42	-16.94	46.36	9.49	9.69	10.24	Average
8	0.48	44.92	-11.44	56.36	24.99	9.69	10.24	QP
9	4.67	37.72	-8.28	46.00	17.80	9.65	10.27	Average
10	4.67	48.02	-7.98	56.00	28.10	9.65	10.27	QP
11	12.52	40.37	-9.63	50.00	20.50	9.64	10.23	Average
12	12.52	48.27	-11.73	60.00	28.40	9.64	10.23	QP



Test Engineer :	XuRuibin	Temperature :	22~24°C
		Relative Humidity :	44~50%
Test Voltage :	120Vac / 60Hz	Phase :	Neutral
Remark :	All emissions not reported here are more than 10 dB below the prescribed limit.		



Site : CO02-SZ
 Condition : FCC 15C_QP LISN_2025-N NEUTRAL

	Freq	Level	Over	Limit	Read	LISN	Cable	Remark
	MHz	dBuV	Limit	Line	Level	Factor	Loss	
			dB	dBuV	dBuV	dB	dB	
1	0.19	37.21	-16.85	54.06	17.20	9.83	10.18	Average
2 *	0.19	55.11	-8.95	64.06	35.10	9.83	10.18	QP
3	0.28	28.10	-22.58	50.68	8.10	9.80	10.20	Average
4	0.28	43.80	-16.88	60.68	23.80	9.80	10.20	QP
5	0.35	30.30	-18.75	49.05	10.49	9.59	10.22	Average
6	0.35	44.60	-14.45	59.05	24.79	9.59	10.22	QP
7	0.47	31.35	-15.14	46.49	11.09	10.02	10.24	Average
8	0.47	46.25	-10.24	56.49	25.99	10.02	10.24	QP
9	10.13	34.80	-15.20	50.00	15.00	9.62	10.18	Average
10	10.13	44.80	-15.20	60.00	25.00	9.62	10.18	QP
11	12.32	35.99	-14.01	50.00	16.09	9.67	10.23	Average
12	12.32	48.29	-11.71	60.00	28.39	9.67	10.23	QP

Note:

- Level(dBμV) = Read Level(dBμV) + LISN Factor(dB) + Cable Loss(dB)
- Over Limit(dB) = Level(dBμV) – Limit Line(dBμV)



Appendix C. Radiated Spurious Emission

Test Engineer :	Reid Huang	Relative Humidity :	50%
		Temperature :	20-24°C

Radiated Spurious Emission Test Modes

Mode	Band (MHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 12	2400-2483.5	6	802.11b	01	2412	1Mbps	-	-
Mode 13	2400-2483.5	6	802.11b	06	2437	1Mbps	-	-
Mode 14	2400-2483.5	6	802.11b	11	2462	1Mbps	-	-
Mode 15	2400-2483.5	6	802.11g	01	2412	6Mbps	-	-
Mode 16	2400-2483.5	6	802.11g	06	2437	6Mbps	-	-
Mode 17	2400-2483.5	6	802.11g	11	2462	6Mbps	-	-
Mode 18	2400-2483.5	6	802.11ax HE20	01	2412	MCS0	Full	-
Mode 19	2400-2483.5	6	802.11ax HE20	06	2437	MCS0	Full	-
Mode 20	2400-2483.5	6	802.11ax HE20	11	2462	MCS0	Full	-
Mode 21	2400-2483.5	6	802.11ax HE20	01	2412	MCS0	Partial RU26/0	-
Mode 22	2400-2483.5	6	802.11ax HE20	01	2412	MCS0	Partial RU52/37	-
Mode 23	2400-2483.5	6	802.11ax HE20	01	2412	MCS0	Partial RU106/53	-
Mode 24	2400-2483.5	6	802.11ax HE20	11	2462	MCS0	Partial RU26/8	-
Mode 25	2400-2483.5	6	802.11ax HE20	11	2462	MCS0	Partial RU52/40	-
Mode 26	2400-2483.5	6	802.11ax HE20	11	2462	MCS0	Partial RU106/54	-
Mode 27	2400-2483.5	6	802.11ax HE40	03	2422	MCS0	-	-
Mode 28	2400-2483.5	6	802.11ax HE40	06	2437	MCS0	-	-
Mode 29	2400-2483.5	6	802.11ax HE40	09	2452	MCS0	-	-
Mode 30	2400-2483.5	6	802.11g_LF	11	2462	6Mbps	-	LF
Mode 31	CO-TX	0	LTE Band 13 Link	-	-	-	-	-
		6	802.11g	11	2462	-	-	-
Mode 32	2400-2483.5	6	802.11ax HE20	10	2457	MCS0	-	-
Mode 33	2400-2483.5	6	802.11g	10	2457	6Mbps	-	-



Summary of each worse mode

Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
12	802.11b	01	2363.69	38.47	54.00	-15.53	H	AVERAGE	Pass	Band Edge
12	802.11b	01	4824.00	43.63	54.00	-10.37	V	Average	Pass	Harmonic
13	802.11b	06	-	-	-	-	-	-	-	Band Edge
13	802.11b	06	4874.00	46.39	54.00	-7.61	V	Average	Pass	Harmonic
14	802.11b	11	2483.51	43.21	54.00	-10.79	V	AVERAGE	Pass	Band Edge
14	802.11b	11	4924.00	46.92	74.00	-27.08	V	Peak	Pass	Harmonic
15	802.11g	01	2389.95	46.44	54.00	-7.56	V	AVERAGE	Pass	Band Edge
15	802.11g	01	4824.00	43.90	74.00	-30.10	V	Peak	Pass	Harmonic
16	802.11g	06	2484.12	41.16	54.00	-12.84	V	AVERAGE	Pass	Band Edge
16	802.11g	06	7311.00	45.56	74.00	-28.44	H	Peak	Pass	Harmonic
17	802.11g	11	2483.55	50.75	54.00	-3.25	V	AVERAGE	Pass	Band Edge
17	802.11g	11	7386.00	44.95	74.00	-29.05	V	Peak	Pass	Harmonic
18	802.11ax HE20	01	2389.95	50.60	54.00	-3.40	V	AVERAGE	Pass	Band Edge
18	802.11ax HE20	01	4824.00	42.81	74.00	-31.19	V	Peak	Pass	Harmonic
19	802.11ax HE20	06	2483.56	41.52	54.00	-12.48	V	AVERAGE	Pass	Band Edge
19	802.11ax HE20	06	7311.00	45.16	74.00	-28.84	H	Peak	Pass	Harmonic
20	802.11ax HE20	11	2483.81	49.50	54.00	-4.50	V	AVERAGE	Pass	Band Edge
20	802.11ax HE20	11	7386.00	45.46	74.00	-28.54	H	Peak	Pass	Harmonic
21	802.11ax HE20	01	2363.82	38.96	54.00	-15.04	V	AVERAGE	Pass	Band Edge
21	802.11ax HE20	01	-	-	-	-	-	-	-	Harmonic
22	802.11ax HE20	01	2359.40	38.55	54.00	-15.45	H	AVERAGE	Pass	Band Edge
22	802.11ax HE20	01	-	-	-	-	-	-	-	Harmonic
23	802.11ax HE20	01	2389.95	39.16	54.00	-14.84	V	AVERAGE	Pass	Band Edge
23	802.11ax HE20	01	-	-	-	-	-	-	-	Harmonic
24	802.11ax HE20	11	2484.08	39.05	54.00	-14.95	V	AVERAGE	Pass	Band Edge
24	802.11ax HE20	11	-	-	-	-	-	-	-	Harmonic
25	802.11ax HE20	11	2483.74	39.24	54.00	-14.76	V	AVERAGE	Pass	Band Edge
25	802.11ax HE20	11	-	-	-	-	-	-	-	Harmonic
26	802.11ax HE20	11	2483.51	45.48	54.00	-8.52	V	AVERAGE	Pass	Band Edge
26	802.11ax HE20	11	-	-	-	-	-	-	-	Harmonic
27	802.11ax HE40	03	2389.30	49.60	54.00	-4.40	V	AVERAGE	Pass	Band Edge
27	802.11ax HE40	03	-	-	-	-	-	-	-	Harmonic
28	802.11ax HE40	06	2483.62	49.79	54.00	-4.21	V	AVERAGE	Pass	Band Edge
28	802.11ax HE40	06	-	-	-	-	-	-	-	Harmonic
29	802.11ax HE40	09	2483.82	50.27	54.00	-3.73	V	AVERAGE	Pass	Band Edge
29	802.11ax HE40	09	-	-	-	-	-	-	-	Harmonic
30	802.11g_LF	11	34.85	25.73	40.00	-14.27	V	Peak	Pass	LF
31	802.11g	11	2483.55	50.07	54.00	-3.93	V	AVERAGE	Pass	Band Edge
	802.11g	11	7386.00	45.70	74.00	-28.30	V	Peak	Pass	Harmonic
32	802.11ax HE20	10	2483.57	48.96	54.00	-5.04	V	AVERAGE	Pass	Band Edge
32	802.11ax HE20	10	-	-	-	-	-	-	-	Harmonic
33	802.11g	10	2483.53	50.01	54.00	-3.99	V	AVERAGE	Pass	Band Edge
33	802.11g	10	-	-	-	-	-	-	-	Harmonic



Mode	12																																																																									
	Band Edge																																																																									
	2400-2483.5_802.11b_CH01_2412MHz																																																																									
ANT	6																																																																									
Pol.	Horizontal	Fundamental																																																																								
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2374.48</td> <td>49.17</td> <td>74.00</td> <td>-24.83</td> <td>47.69</td> <td>30.43</td> <td>4.78</td> <td>33.73</td> <td>322</td> <td>329</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	2374.48	49.17	74.00	-24.83	47.69	30.43	4.78	33.73	322	329	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2412.00</td> <td>97.66</td> <td>-----</td> <td>-----</td> <td>96.05</td> <td>30.45</td> <td>4.82</td> <td>33.66</td> <td>322</td> <td>329</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	2412.00	97.66	-----	-----	96.05	30.45	4.82	33.66	322	329	PEAK
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																			
1	2374.48	49.17	74.00	-24.83	47.69	30.43	4.78	33.73	322	329	PEAK																																																															
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																			
1	2412.00	97.66	-----	-----	96.05	30.45	4.82	33.66	322	329	PEAK																																																															
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2363.69</td> <td>38.47</td> <td>54.00</td> <td>-15.53</td> <td>37.03</td> <td>30.42</td> <td>4.77</td> <td>33.75</td> <td>322</td> <td>329</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	2363.69	38.47	54.00	-15.53	37.03	30.42	4.77	33.75	322	329	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2412.00</td> <td>95.44</td> <td>-----</td> <td>-----</td> <td>93.83</td> <td>30.45</td> <td>4.82</td> <td>33.66</td> <td>322</td> <td>329</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	2412.00	95.44	-----	-----	93.83	30.45	4.82	33.66	322	329	AVERAGE
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																			
1	2363.69	38.47	54.00	-15.53	37.03	30.42	4.77	33.75	322	329	AVERAGE																																																															
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																			
1	2412.00	95.44	-----	-----	93.83	30.45	4.82	33.66	322	329	AVERAGE																																																															



Mode	12																																																																									
	Band Edge																																																																									
	2400-2483.5_802.11b_CH01_2412MHz																																																																									
ANT	6																																																																									
Pol.	Vertical	Fundamental																																																																								
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2346.01</td> <td>48.85</td> <td>74.00</td> <td>-25.15</td> <td>47.47</td> <td>30.41</td> <td>4.75</td> <td>33.78</td> <td>126</td> <td>234</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	2346.01	48.85	74.00	-25.15	47.47	30.41	4.75	33.78	126	234	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2412.00</td> <td>101.27</td> <td>-----</td> <td>-----</td> <td>99.66</td> <td>30.45</td> <td>4.82</td> <td>33.66</td> <td>126</td> <td>234</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	2412.00	101.27	-----	-----	99.66	30.45	4.82	33.66	126	234	PEAK
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																			
1	2346.01	48.85	74.00	-25.15	47.47	30.41	4.75	33.78	126	234	PEAK																																																															
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																			
1	2412.00	101.27	-----	-----	99.66	30.45	4.82	33.66	126	234	PEAK																																																															
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2387.22</td> <td>38.46</td> <td>54.00</td> <td>-15.54</td> <td>36.95</td> <td>30.43</td> <td>4.79</td> <td>33.71</td> <td>126</td> <td>234</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	2387.22	38.46	54.00	-15.54	36.95	30.43	4.79	33.71	126	234	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2412.00</td> <td>99.13</td> <td>-----</td> <td>-----</td> <td>97.52</td> <td>30.45</td> <td>4.82</td> <td>33.66</td> <td>126</td> <td>234</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	2412.00	99.13	-----	-----	97.52	30.45	4.82	33.66	126	234	AVERAGE
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																			
1	2387.22	38.46	54.00	-15.54	36.95	30.43	4.79	33.71	126	234	AVERAGE																																																															
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																			
1	2412.00	99.13	-----	-----	97.52	30.45	4.82	33.66	126	234	AVERAGE																																																															



Mode	12																																																																																	
	Harmonic																																																																																	
	2400-2483.5_802.11b_CH01_2412MHz																																																																																	
ANT	6																																																																																	
Pol.	Horizontal	Vertical																																																																																
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Line</th> <th>Level</th> <th>Level</th> <th>Loss</th> <th>Loss</th> <th></th> <th></th> <th></th> </tr> <tr> <th>Margin</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>74.00</td> <td>44.64</td> <td>60.54</td> <td>33.83</td> <td>7.75</td> <td>57.48</td> <td>100</td> <td>98 Peak</td> </tr> <tr> <td>-11.47</td> <td>42.53</td> <td>58.43</td> <td>33.83</td> <td>7.75</td> <td>57.48</td> <td>100</td> <td>98 Average</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Line	Level	Level	Loss	Loss				Margin	Factor	Factor	Factor	Factor	cm	deg		74.00	44.64	60.54	33.83	7.75	57.48	100	98 Peak	-11.47	42.53	58.43	33.83	7.75	57.48	100	98 Average	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Line</th> <th>Level</th> <th>Level</th> <th>Loss</th> <th>Loss</th> <th></th> <th></th> <th></th> </tr> <tr> <th>Margin</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>74.00</td> <td>46.33</td> <td>62.23</td> <td>33.83</td> <td>7.75</td> <td>57.48</td> <td>105</td> <td>333 Peak</td> </tr> <tr> <td>-10.37</td> <td>43.63</td> <td>59.53</td> <td>33.83</td> <td>7.75</td> <td>57.48</td> <td>105</td> <td>333 Average</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Line	Level	Level	Loss	Loss				Margin	Factor	Factor	Factor	Factor	cm	deg		74.00	46.33	62.23	33.83	7.75	57.48	105	333 Peak	-10.37	43.63	59.53	33.83	7.75	57.48	105	333 Average
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																										
Line	Level	Level	Loss	Loss																																																																														
Margin	Factor	Factor	Factor	Factor	cm	deg																																																																												
74.00	44.64	60.54	33.83	7.75	57.48	100	98 Peak																																																																											
-11.47	42.53	58.43	33.83	7.75	57.48	100	98 Average																																																																											
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																											
Line	Level	Level	Loss	Loss																																																																														
Margin	Factor	Factor	Factor	Factor	cm	deg																																																																												
74.00	46.33	62.23	33.83	7.75	57.48	105	333 Peak																																																																											
-10.37	43.63	59.53	33.83	7.75	57.48	105	333 Average																																																																											



Mode	13																																																																																																																											
	Harmonic																																																																																																																											
	2400-2483.5_802.11b_CH06_2437MHz																																																																																																																											
ANT	6																																																																																																																											
Pol.	Horizontal	Vertical																																																																																																																										
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4874.00</td> <td>47.58</td> <td>74.00</td> <td>-26.42</td> <td>63.48</td> <td>33.85</td> <td>7.77</td> <td>57.52</td> <td>100</td> <td>106</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>4874.00</td> <td>44.62</td> <td>54.00</td> <td>-9.38</td> <td>60.52</td> <td>33.85</td> <td>7.77</td> <td>57.52</td> <td>100</td> <td>106</td> <td>Average</td> </tr> <tr> <td>3</td> <td>7311.00</td> <td>45.29</td> <td>74.00</td> <td>-28.71</td> <td>58.98</td> <td>36.30</td> <td>8.93</td> <td>58.92</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	4874.00	47.58	74.00	-26.42	63.48	33.85	7.77	57.52	100	106	Peak	2	4874.00	44.62	54.00	-9.38	60.52	33.85	7.77	57.52	100	106	Average	3	7311.00	45.29	74.00	-28.71	58.98	36.30	8.93	58.92	--	--	Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4874.00</td> <td>48.59</td> <td>74.00</td> <td>-25.41</td> <td>64.49</td> <td>33.85</td> <td>7.77</td> <td>57.52</td> <td>103</td> <td>334</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>4874.00</td> <td>46.39</td> <td>54.00</td> <td>-7.61</td> <td>62.29</td> <td>33.85</td> <td>7.77</td> <td>57.52</td> <td>103</td> <td>334</td> <td>Average</td> </tr> <tr> <td>3</td> <td>7311.00</td> <td>44.57</td> <td>74.00</td> <td>-29.43</td> <td>58.26</td> <td>36.30</td> <td>8.93</td> <td>58.92</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	4874.00	48.59	74.00	-25.41	64.49	33.85	7.77	57.52	103	334	Peak	2	4874.00	46.39	54.00	-7.61	62.29	33.85	7.77	57.52	103	334	Average	3	7311.00	44.57	74.00	-29.43	58.26	36.30	8.93	58.92	--	--	Peak
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																					
Freq	Level	Line Margin	Level	Factor	Loss Factor																																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																																																				
1	4874.00	47.58	74.00	-26.42	63.48	33.85	7.77	57.52	100	106	Peak																																																																																																																	
2	4874.00	44.62	54.00	-9.38	60.52	33.85	7.77	57.52	100	106	Average																																																																																																																	
3	7311.00	45.29	74.00	-28.71	58.98	36.30	8.93	58.92	--	--	Peak																																																																																																																	
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																					
Freq	Level	Line Margin	Level	Factor	Loss Factor																																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																																																				
1	4874.00	48.59	74.00	-25.41	64.49	33.85	7.77	57.52	103	334	Peak																																																																																																																	
2	4874.00	46.39	54.00	-7.61	62.29	33.85	7.77	57.52	103	334	Average																																																																																																																	
3	7311.00	44.57	74.00	-29.43	58.26	36.30	8.93	58.92	--	--	Peak																																																																																																																	



Mode	14																																																																									
	Band Edge																																																																									
	2400-2483.5_802.11b_CH11_2462MHz																																																																									
ANT	6																																																																									
Pol.	Horizontal	Fundamental																																																																								
Peak	<p style="text-align: right;">Date: 2025-04-02</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2486.21</td> <td>50.38</td> <td>74.00</td> <td>-23.62</td> <td>48.50</td> <td>30.49</td> <td>4.92</td> <td>33.53</td> <td>312</td> <td>331</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	2486.21	50.38	74.00	-23.62	48.50	30.49	4.92	33.53	312	331	PEAK	<p style="text-align: right;">Date: 2025-04-02</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2462.00</td> <td>98.27</td> <td>-----</td> <td>-----</td> <td>96.47</td> <td>30.48</td> <td>4.89</td> <td>33.57</td> <td>312</td> <td>331</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	2462.00	98.27	-----	-----	96.47	30.48	4.89	33.57	312	331	PEAK
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																			
1	2486.21	50.38	74.00	-23.62	48.50	30.49	4.92	33.53	312	331	PEAK																																																															
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																			
1	2462.00	98.27	-----	-----	96.47	30.48	4.89	33.57	312	331	PEAK																																																															
Avg	<p style="text-align: right;">Date: 2025-04-02</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2483.51</td> <td>41.69</td> <td>54.00</td> <td>-12.31</td> <td>39.81</td> <td>30.49</td> <td>4.92</td> <td>33.53</td> <td>312</td> <td>331</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	2483.51	41.69	54.00	-12.31	39.81	30.49	4.92	33.53	312	331	AVERAGE	<p style="text-align: right;">Date: 2025-04-02</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2462.00</td> <td>96.02</td> <td>-----</td> <td>-----</td> <td>94.22</td> <td>30.48</td> <td>4.89</td> <td>33.57</td> <td>312</td> <td>331</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	2462.00	96.02	-----	-----	94.22	30.48	4.89	33.57	312	331	AVERAGE
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																			
1	2483.51	41.69	54.00	-12.31	39.81	30.49	4.92	33.53	312	331	AVERAGE																																																															
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																			
1	2462.00	96.02	-----	-----	94.22	30.48	4.89	33.57	312	331	AVERAGE																																																															



Mode	14																																																																									
	Band Edge																																																																									
	2400-2483.5_802.11b_CH11_2462MHz																																																																									
ANT	6																																																																									
Pol.	Vertical	Fundamental																																																																								
Peak	<p style="text-align: right;">Date: 2025-04-02</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2483.51</td> <td>51.34</td> <td>74.00</td> <td>-22.66</td> <td>49.46</td> <td>30.49</td> <td>4.92</td> <td>33.53</td> <td>100</td> <td>237</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	2483.51	51.34	74.00	-22.66	49.46	30.49	4.92	33.53	100	237	PEAK	<p style="text-align: right;">Date: 2025-04-02</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2462.00</td> <td>102.54</td> <td>-----</td> <td>-----</td> <td>100.74</td> <td>30.48</td> <td>4.89</td> <td>33.57</td> <td>100</td> <td>237</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	2462.00	102.54	-----	-----	100.74	30.48	4.89	33.57	100	237	PEAK
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																			
1	2483.51	51.34	74.00	-22.66	49.46	30.49	4.92	33.53	100	237	PEAK																																																															
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																			
1	2462.00	102.54	-----	-----	100.74	30.48	4.89	33.57	100	237	PEAK																																																															
Avg	<p style="text-align: right;">Date: 2025-04-02</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2483.51</td> <td>43.21</td> <td>54.00</td> <td>-10.79</td> <td>41.33</td> <td>30.49</td> <td>4.92</td> <td>33.53</td> <td>100</td> <td>237</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	2483.51	43.21	54.00	-10.79	41.33	30.49	4.92	33.53	100	237	AVERAGE	<p style="text-align: right;">Date: 2025-04-02</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2462.00</td> <td>100.18</td> <td>-----</td> <td>-----</td> <td>98.38</td> <td>30.48</td> <td>4.89</td> <td>33.57</td> <td>100</td> <td>237</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	2462.00	100.18	-----	-----	98.38	30.48	4.89	33.57	100	237	AVERAGE
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																			
1	2483.51	43.21	54.00	-10.79	41.33	30.49	4.92	33.53	100	237	AVERAGE																																																															
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																			
1	2462.00	100.18	-----	-----	98.38	30.48	4.89	33.57	100	237	AVERAGE																																																															



Mode	14																																																																																																	
	Harmonic																																																																																																	
	2400-2483.5_802.11b_CH11_2462MHz																																																																																																	
ANT	6																																																																																																	
Pol.	Horizontal	Vertical																																																																																																
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4924.00</td> <td>44.28</td> <td>74.00</td> <td>-29.72</td> <td>60.17</td> <td>33.87</td> <td>7.79</td> <td>57.55</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>7386.00</td> <td>44.78</td> <td>74.00</td> <td>-29.22</td> <td>58.26</td> <td>36.30</td> <td>9.17</td> <td>58.95</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	4924.00	44.28	74.00	-29.72	60.17	33.87	7.79	57.55	--	--	Peak	2	7386.00	44.78	74.00	-29.22	58.26	36.30	9.17	58.95	--	--	Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4924.00</td> <td>46.92</td> <td>74.00</td> <td>-27.08</td> <td>62.81</td> <td>33.87</td> <td>7.79</td> <td>57.55</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>7386.00</td> <td>44.85</td> <td>74.00</td> <td>-29.15</td> <td>58.33</td> <td>36.30</td> <td>9.17</td> <td>58.95</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	4924.00	46.92	74.00	-27.08	62.81	33.87	7.79	57.55	--	--	Peak	2	7386.00	44.85	74.00	-29.15	58.33	36.30	9.17	58.95	--	--	Peak
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																											
1	4924.00	44.28	74.00	-29.72	60.17	33.87	7.79	57.55	--	--	Peak																																																																																							
2	7386.00	44.78	74.00	-29.22	58.26	36.30	9.17	58.95	--	--	Peak																																																																																							
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																											
1	4924.00	46.92	74.00	-27.08	62.81	33.87	7.79	57.55	--	--	Peak																																																																																							
2	7386.00	44.85	74.00	-29.15	58.33	36.30	9.17	58.95	--	--	Peak																																																																																							