



| | 47 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-------|--|--|--------|--------|--------|--------|--------|--------|--------|--------|---------|-------|--------|--------|--------|--------|--------|--------|--------|--------|--------|------|------|------|----|----|---------|---------|--------|--------|-------|-------|-------|-------|-------|-----|------|---------|---------|-------|--------|--------|-------|-------|------|-------|-----|-----|------|---|---------|-------|-------|--------|-------|-------|------|-------|-----|-----|------|---|---------|-------|-------|--------|-------|-------|------|-------|-----|-----|------|---|-------|------|-----|-------|--------|------|------|--------|------|-------|------|--------|-------|--------|------|--------|-----|--------|--------|----|------|------|----|----|---|---------|-------|-------|-------|-------|-------|------|-------|-----|-----|------|
| Mode | Band Edge | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | U-NII-3_5.725-5.85_802.11ax HE20_CH165_Full_5825MHz | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| ANT | 5 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Pol. | Vertical | Fundamental | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Peak | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5854.38</td> <td>60.76</td> <td>112.22</td> <td>-51.46</td> <td>49.93</td> <td>34.84</td> <td>8.87</td> <td>32.88</td> <td>100</td> <td>289</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5858.75</td> <td>61.52</td> <td>109.75</td> <td>-48.23</td> <td>50.68</td> <td>34.85</td> <td>8.87</td> <td>32.88</td> <td>100</td> <td>289</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5925.00</td> <td>47.87</td> <td>68.20</td> <td>-20.33</td> <td>37.04</td> <td>34.97</td> <td>8.79</td> <td>32.93</td> <td>100</td> <td>289</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5948.38</td> <td>49.20</td> <td>68.30</td> <td>-19.10</td> <td>38.38</td> <td>35.01</td> <td>8.76</td> <td>32.95</td> <td>100</td> <td>289</td> <td>PEAK</td> </tr> </tbody> </table> | Limit | Read | Ant | Cable | Preamp | APos | TPos | Remark | Freq | Level | Line | Margin | Level | Factor | Loss | Factor | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | 1 | 5854.38 | 60.76 | 112.22 | -51.46 | 49.93 | 34.84 | 8.87 | 32.88 | 100 | 289 | PEAK | 2 | 5858.75 | 61.52 | 109.75 | -48.23 | 50.68 | 34.85 | 8.87 | 32.88 | 100 | 289 | PEAK | 3 | 5925.00 | 47.87 | 68.20 | -20.33 | 37.04 | 34.97 | 8.79 | 32.93 | 100 | 289 | PEAK | 4 | 5948.38 | 49.20 | 68.30 | -19.10 | 38.38 | 35.01 | 8.76 | 32.95 | 100 | 289 | PEAK | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5825.00</td> <td>99.38</td> <td>-----</td> <td>-----</td> <td>88.55</td> <td>34.79</td> <td>8.90</td> <td>32.86</td> <td>100</td> <td>289</td> <td>PEAK</td> </tr> </tbody> </table> | Limit | Read | Ant | Cable | Preamp | APos | TPos | Remark | Freq | Level | Line | Margin | Level | Factor | Loss | Factor | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | 1 | 5825.00 | 99.38 | ----- | ----- | 88.55 | 34.79 | 8.90 | 32.86 | 100 | 289 | PEAK |
| | Limit | Read | Ant | Cable | Preamp | APos | TPos | Remark | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Freq | Level | Line | Margin | Level | Factor | Loss | Factor | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 | 5854.38 | 60.76 | 112.22 | -51.46 | 49.93 | 34.84 | 8.87 | 32.88 | 100 | 289 | PEAK | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 2 | 5858.75 | 61.52 | 109.75 | -48.23 | 50.68 | 34.85 | 8.87 | 32.88 | 100 | 289 | PEAK | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 3 | 5925.00 | 47.87 | 68.20 | -20.33 | 37.04 | 34.97 | 8.79 | 32.93 | 100 | 289 | PEAK | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 4 | 5948.38 | 49.20 | 68.30 | -19.10 | 38.38 | 35.01 | 8.76 | 32.95 | 100 | 289 | PEAK | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Limit | Read | Ant | Cable | Preamp | APos | TPos | Remark | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Freq | Level | Line | Margin | Level | Factor | Loss | Factor | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 | 5825.00 | 99.38 | ----- | ----- | 88.55 | 34.79 | 8.90 | 32.86 | 100 | 289 | PEAK | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Avg | Blank | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5825.00</td> <td>91.38</td> <td>-----</td> <td>-----</td> <td>80.55</td> <td>34.78</td> <td>8.91</td> <td>32.86</td> <td>100</td> <td>289</td> <td>AVERAGE</td> </tr> </tbody> </table> | Limit | Read | Ant | Cable | Preamp | APos | TPos | Remark | Freq | Level | Line | Margin | Level | Factor | Loss | Factor | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | 1 | 5825.00 | 91.38 | ----- | ----- | 80.55 | 34.78 | 8.91 | 32.86 | 100 | 289 | AVERAGE | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Limit | Read | Ant | Cable | Preamp | APos | TPos | Remark | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Freq | Level | Line | Margin | Level | Factor | Loss | Factor | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 | 5825.00 | 91.38 | ----- | ----- | 80.55 | 34.78 | 8.91 | 32.86 | 100 | 289 | AVERAGE | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |



| Mode | 47 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|------------|---|-------------|--------|--------|-------------|--------|-------|------------|--|--|------|-------|-------------|-------|--------|-------------|--|----|-----|------------|-------|-------|--------|-------|-------|-------|-------|------------|------------|-------|-------|--------|-------|-------|-------|-------|------------|---|-------|------|-----|-------|--------|------|------|--|--|------|-------|-------------|-------|--------|-------------|--|----|-----|------------|-------|-------|--------|-------|-------|-------|-------|------------|------------|-------|-------|--------|-------|-------|-------|-------|------------|
| | Harmonic | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | U-NII-3_5.725-5.85_802.11ax HE20_CH165_Full_5825MHz | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| ANT | 5 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Pol. | Horizontal | Vertical | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Peak Avg | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th colspan="2"></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 11650.00</td> <td>48.79</td> <td>74.00</td> <td>-25.21</td> <td>57.33</td> <td>37.51</td> <td>11.53</td> <td>57.58</td> <td>-- -- Peak</td> </tr> <tr> <td>2 17475.00</td> <td>48.67</td> <td>68.30</td> <td>-19.63</td> <td>51.33</td> <td>41.74</td> <td>13.23</td> <td>57.63</td> <td>-- -- Peak</td> </tr> </tbody> </table> | Limit | Read | Ant | Cable | Preamp | APos | TPos | | | Freq | Level | Line Margin | Level | Factor | Loss Factor | | cm | deg | 1 11650.00 | 48.79 | 74.00 | -25.21 | 57.33 | 37.51 | 11.53 | 57.58 | -- -- Peak | 2 17475.00 | 48.67 | 68.30 | -19.63 | 51.33 | 41.74 | 13.23 | 57.63 | -- -- Peak | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th colspan="2"></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 11650.00</td> <td>48.23</td> <td>74.00</td> <td>-25.77</td> <td>56.77</td> <td>37.51</td> <td>11.53</td> <td>57.58</td> <td>-- -- Peak</td> </tr> <tr> <td>2 17475.00</td> <td>49.04</td> <td>68.30</td> <td>-19.26</td> <td>51.70</td> <td>41.74</td> <td>13.23</td> <td>57.63</td> <td>-- -- Peak</td> </tr> </tbody> </table> | Limit | Read | Ant | Cable | Preamp | APos | TPos | | | Freq | Level | Line Margin | Level | Factor | Loss Factor | | cm | deg | 1 11650.00 | 48.23 | 74.00 | -25.77 | 56.77 | 37.51 | 11.53 | 57.58 | -- -- Peak | 2 17475.00 | 49.04 | 68.30 | -19.26 | 51.70 | 41.74 | 13.23 | 57.63 | -- -- Peak |
| | Limit | Read | Ant | Cable | Preamp | APos | TPos | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Freq | Level | Line Margin | Level | Factor | Loss Factor | | cm | deg | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 11650.00 | 48.79 | 74.00 | -25.21 | 57.33 | 37.51 | 11.53 | 57.58 | -- -- Peak | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 2 17475.00 | 48.67 | 68.30 | -19.63 | 51.33 | 41.74 | 13.23 | 57.63 | -- -- Peak | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Limit | Read | Ant | Cable | Preamp | APos | TPos | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Freq | Level | Line Margin | Level | Factor | Loss Factor | | cm | deg | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 11650.00 | 48.23 | 74.00 | -25.77 | 56.77 | 37.51 | 11.53 | 57.58 | -- -- Peak | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 2 17475.00 | 49.04 | 68.30 | -19.26 | 51.70 | 41.74 | 13.23 | 57.63 | -- -- Peak | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |



| Mode | 48 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-------|---|--|--------|--------|--------|--------|--------|--------|--------|--------|---------|-------|--------|--------|--------|--------|--------|--------|-----|-----|---------|---------|-------|--------|-------|-------|-------|-------|-------|-----|------|---------|---------|-------|-------|--------|-------|-------|------|-------|-----|----|------|---|---------|-------|--------|--------|-------|-------|------|-------|-----|----|------|---|---------|-------|--------|--------|-------|-------|------|-------|-----|----|------|--|-------|------|-----|-------|--------|------|------|--------|------|-------|------|--------|-------|--------|------|--------|----|-----|---|---------|--------|-------|-------|-------|-------|------|-------|-----|----|------|
| | Band Edge - L | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | U-NII-3_5.725-5.85_802.11ax HE40_CH151_Full_5755MHz | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| ANT | 5 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Pol. | Horizontal | Fundamental | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Peak | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5606.05</td> <td>50.26</td> <td>68.30</td> <td>-18.04</td> <td>40.34</td> <td>34.38</td> <td>8.23</td> <td>32.69</td> <td>115</td> <td>17</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5650.22</td> <td>49.35</td> <td>68.46</td> <td>-19.11</td> <td>39.20</td> <td>34.47</td> <td>8.40</td> <td>32.72</td> <td>115</td> <td>17</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5719.04</td> <td>75.76</td> <td>110.53</td> <td>-34.77</td> <td>65.29</td> <td>34.59</td> <td>8.65</td> <td>32.77</td> <td>115</td> <td>17</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5720.28</td> <td>72.75</td> <td>111.44</td> <td>-38.69</td> <td>62.28</td> <td>34.59</td> <td>8.66</td> <td>32.78</td> <td>115</td> <td>17</td> <td>PEAK</td> </tr> </tbody> </table> | Limit | Read | Ant | Cable | Preamp | APos | TPos | Remark | Freq | Level | Line | Margin | Level | Factor | Loss | Factor | cm | deg | 1 | 5606.05 | 50.26 | 68.30 | -18.04 | 40.34 | 34.38 | 8.23 | 32.69 | 115 | 17 | PEAK | 2 | 5650.22 | 49.35 | 68.46 | -19.11 | 39.20 | 34.47 | 8.40 | 32.72 | 115 | 17 | PEAK | 3 | 5719.04 | 75.76 | 110.53 | -34.77 | 65.29 | 34.59 | 8.65 | 32.77 | 115 | 17 | PEAK | 4 | 5720.28 | 72.75 | 111.44 | -38.69 | 62.28 | 34.59 | 8.66 | 32.78 | 115 | 17 | PEAK | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5755.00</td> <td>101.71</td> <td>-----</td> <td>-----</td> <td>91.09</td> <td>34.65</td> <td>8.77</td> <td>32.80</td> <td>115</td> <td>17</td> <td>PEAK</td> </tr> </tbody> </table> | Limit | Read | Ant | Cable | Preamp | APos | TPos | Remark | Freq | Level | Line | Margin | Level | Factor | Loss | Factor | cm | deg | 1 | 5755.00 | 101.71 | ----- | ----- | 91.09 | 34.65 | 8.77 | 32.80 | 115 | 17 | PEAK |
| | Limit | Read | Ant | Cable | Preamp | APos | TPos | Remark | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Freq | Level | Line | Margin | Level | Factor | Loss | Factor | cm | deg | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 | 5606.05 | 50.26 | 68.30 | -18.04 | 40.34 | 34.38 | 8.23 | 32.69 | 115 | 17 | PEAK | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 2 | 5650.22 | 49.35 | 68.46 | -19.11 | 39.20 | 34.47 | 8.40 | 32.72 | 115 | 17 | PEAK | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 3 | 5719.04 | 75.76 | 110.53 | -34.77 | 65.29 | 34.59 | 8.65 | 32.77 | 115 | 17 | PEAK | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 4 | 5720.28 | 72.75 | 111.44 | -38.69 | 62.28 | 34.59 | 8.66 | 32.78 | 115 | 17 | PEAK | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Limit | Read | Ant | Cable | Preamp | APos | TPos | Remark | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Freq | Level | Line | Margin | Level | Factor | Loss | Factor | cm | deg | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 | 5755.00 | 101.71 | ----- | ----- | 91.09 | 34.65 | 8.77 | 32.80 | 115 | 17 | PEAK | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Avg | Blank | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5755.00</td> <td>91.69</td> <td>-----</td> <td>-----</td> <td>81.07</td> <td>34.65</td> <td>8.77</td> <td>32.80</td> <td>115</td> <td>17</td> <td>AVERAGE</td> </tr> </tbody> </table> | Limit | Read | Ant | Cable | Preamp | APos | TPos | Remark | Freq | Level | Line | Margin | Level | Factor | Loss | Factor | cm | deg | 1 | 5755.00 | 91.69 | ----- | ----- | 81.07 | 34.65 | 8.77 | 32.80 | 115 | 17 | AVERAGE | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Limit | Read | Ant | Cable | Preamp | APos | TPos | Remark | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Freq | Level | Line | Margin | Level | Factor | Loss | Factor | cm | deg | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 | 5755.00 | 91.69 | ----- | ----- | 81.07 | 34.65 | 8.77 | 32.80 | 115 | 17 | AVERAGE | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |



| Mode | 48 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-------|---|-------------|--------|--------|--------|--------|--------|-------|--------|------|-------|------|--------|-------|--------|------|--------|----|-----|---|---------|-------|--------|--------|-------|-------|------|-------|-----|----|------|---|---------|-------|--------|--------|-------|-------|------|-------|-----|----|------|---|---------|-------|-------|--------|-------|-------|------|-------|-----|----|------|---|---------|-------|-------|--------|-------|-------|------|-------|-----|----|------|-------|
| | Band Edge - R | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | U-NII-3_5.725-5.85_802.11ax HE40_CH151_Full_5755MHz | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| ANT | 5 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Pol. | Horizontal | Fundamental | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Peak | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5854.84</td> <td>48.46</td> <td>111.17</td> <td>-62.71</td> <td>37.63</td> <td>34.84</td> <td>8.87</td> <td>32.88</td> <td>115</td> <td>17</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5873.95</td> <td>49.56</td> <td>105.49</td> <td>-55.93</td> <td>38.73</td> <td>34.87</td> <td>8.85</td> <td>32.89</td> <td>115</td> <td>17</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5923.68</td> <td>48.59</td> <td>69.18</td> <td>-20.59</td> <td>37.77</td> <td>34.96</td> <td>8.79</td> <td>32.93</td> <td>115</td> <td>17</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5929.53</td> <td>49.05</td> <td>68.30</td> <td>-19.25</td> <td>38.24</td> <td>34.97</td> <td>8.78</td> <td>32.94</td> <td>115</td> <td>17</td> <td>PEAK</td> </tr> </tbody> </table> | Limit | Read | Ant | Cable | Preamp | APos | TPos | Remark | Freq | Level | Line | Margin | Level | Factor | Loss | Factor | cm | deg | 1 | 5854.84 | 48.46 | 111.17 | -62.71 | 37.63 | 34.84 | 8.87 | 32.88 | 115 | 17 | PEAK | 2 | 5873.95 | 49.56 | 105.49 | -55.93 | 38.73 | 34.87 | 8.85 | 32.89 | 115 | 17 | PEAK | 3 | 5923.68 | 48.59 | 69.18 | -20.59 | 37.77 | 34.96 | 8.79 | 32.93 | 115 | 17 | PEAK | 4 | 5929.53 | 49.05 | 68.30 | -19.25 | 38.24 | 34.97 | 8.78 | 32.94 | 115 | 17 | PEAK | Blank |
| Limit | Read | Ant | Cable | Preamp | APos | TPos | Remark | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Freq | Level | Line | Margin | Level | Factor | Loss | Factor | cm | deg | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 | 5854.84 | 48.46 | 111.17 | -62.71 | 37.63 | 34.84 | 8.87 | 32.88 | 115 | 17 | PEAK | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 2 | 5873.95 | 49.56 | 105.49 | -55.93 | 38.73 | 34.87 | 8.85 | 32.89 | 115 | 17 | PEAK | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 3 | 5923.68 | 48.59 | 69.18 | -20.59 | 37.77 | 34.96 | 8.79 | 32.93 | 115 | 17 | PEAK | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 4 | 5929.53 | 49.05 | 68.30 | -19.25 | 38.24 | 34.97 | 8.78 | 32.94 | 115 | 17 | PEAK | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |



| Mode | 48 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-------|--|--|--------|--------|--------|--------|--------|--------|--------|--------|---------|-------|--------|--------|--------|--------|--------|--------|--------|--------|--------|------|------|------|----|----|---------|---------|-------|--------|-------|-------|-------|-------|-------|-----|------|---------|---------|-------|-------|--------|-------|-------|------|-------|-----|-----|------|---|---------|-------|--------|--------|-------|-------|------|-------|-----|-----|------|---|---------|-------|--------|--------|-------|-------|------|-------|-----|-----|------|---|-------|------|-----|-------|--------|------|------|--------|------|-------|------|--------|-------|--------|------|--------|-----|--------|--------|----|------|------|----|----|---|---------|-------|-------|-------|-------|-------|------|-------|-----|-----|------|
| | Band Edge - L | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | U-NII-3_5.725-5.85_802.11ax HE40_CH151_Full_5755MHz | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| ANT | 5 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Pol. | Vertical | Fundamental | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Peak | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5635.96</td> <td>49.46</td> <td>68.30</td> <td>-18.84</td> <td>39.38</td> <td>34.44</td> <td>8.35</td> <td>32.71</td> <td>100</td> <td>282</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5650.07</td> <td>48.88</td> <td>68.35</td> <td>-19.47</td> <td>38.74</td> <td>34.46</td> <td>8.40</td> <td>32.72</td> <td>100</td> <td>282</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5719.35</td> <td>71.12</td> <td>110.62</td> <td>-39.50</td> <td>60.65</td> <td>34.59</td> <td>8.65</td> <td>32.77</td> <td>100</td> <td>282</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5720.13</td> <td>67.93</td> <td>111.09</td> <td>-43.16</td> <td>57.46</td> <td>34.59</td> <td>8.66</td> <td>32.78</td> <td>100</td> <td>282</td> <td>PEAK</td> </tr> </tbody> </table> | Limit | Read | Ant | Cable | Preamp | APos | TPos | Remark | Freq | Level | Line | Margin | Level | Factor | Loss | Factor | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | 1 | 5635.96 | 49.46 | 68.30 | -18.84 | 39.38 | 34.44 | 8.35 | 32.71 | 100 | 282 | PEAK | 2 | 5650.07 | 48.88 | 68.35 | -19.47 | 38.74 | 34.46 | 8.40 | 32.72 | 100 | 282 | PEAK | 3 | 5719.35 | 71.12 | 110.62 | -39.50 | 60.65 | 34.59 | 8.65 | 32.77 | 100 | 282 | PEAK | 4 | 5720.13 | 67.93 | 111.09 | -43.16 | 57.46 | 34.59 | 8.66 | 32.78 | 100 | 282 | PEAK | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5755.00</td> <td>96.48</td> <td>-----</td> <td>-----</td> <td>85.86</td> <td>34.65</td> <td>8.77</td> <td>32.80</td> <td>100</td> <td>282</td> <td>PEAK</td> </tr> </tbody> </table> | Limit | Read | Ant | Cable | Preamp | APos | TPos | Remark | Freq | Level | Line | Margin | Level | Factor | Loss | Factor | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | 1 | 5755.00 | 96.48 | ----- | ----- | 85.86 | 34.65 | 8.77 | 32.80 | 100 | 282 | PEAK |
| | Limit | Read | Ant | Cable | Preamp | APos | TPos | Remark | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Freq | Level | Line | Margin | Level | Factor | Loss | Factor | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 | 5635.96 | 49.46 | 68.30 | -18.84 | 39.38 | 34.44 | 8.35 | 32.71 | 100 | 282 | PEAK | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 2 | 5650.07 | 48.88 | 68.35 | -19.47 | 38.74 | 34.46 | 8.40 | 32.72 | 100 | 282 | PEAK | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 3 | 5719.35 | 71.12 | 110.62 | -39.50 | 60.65 | 34.59 | 8.65 | 32.77 | 100 | 282 | PEAK | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 4 | 5720.13 | 67.93 | 111.09 | -43.16 | 57.46 | 34.59 | 8.66 | 32.78 | 100 | 282 | PEAK | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Limit | Read | Ant | Cable | Preamp | APos | TPos | Remark | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Freq | Level | Line | Margin | Level | Factor | Loss | Factor | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 | 5755.00 | 96.48 | ----- | ----- | 85.86 | 34.65 | 8.77 | 32.80 | 100 | 282 | PEAK | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Avg | Blank | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5755.00</td> <td>87.42</td> <td>-----</td> <td>-----</td> <td>76.76</td> <td>34.66</td> <td>8.80</td> <td>32.80</td> <td>100</td> <td>282</td> <td>AVERAGE</td> </tr> </tbody> </table> | Limit | Read | Ant | Cable | Preamp | APos | TPos | Remark | Freq | Level | Line | Margin | Level | Factor | Loss | Factor | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | 1 | 5755.00 | 87.42 | ----- | ----- | 76.76 | 34.66 | 8.80 | 32.80 | 100 | 282 | AVERAGE | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Limit | Read | Ant | Cable | Preamp | APos | TPos | Remark | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Freq | Level | Line | Margin | Level | Factor | Loss | Factor | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 | 5755.00 | 87.42 | ----- | ----- | 76.76 | 34.66 | 8.80 | 32.80 | 100 | 282 | AVERAGE | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |



| Mode | 48 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-------|--|-------------|--------|--------|--------|--------|--------|-------|--------|------|-------|------|--------|-------|--------|------|--------|-----|--------|--------|----|------|------|----|----|---|---------|-------|--------|--------|-------|-------|------|-------|-----|-----|------|---|---------|-------|--------|--------|-------|-------|------|-------|-----|-----|------|---|---------|-------|-------|--------|-------|-------|------|-------|-----|-----|------|---|---------|-------|-------|--------|-------|-------|------|-------|-----|-----|------|-------|
| | Band Edge - R | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | U-NII-3_5.725-5.85_802.11ax HE40_CH151_Full_5755MHz | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| ANT | 5 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Pol. | Vertical | Fundamental | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Peak | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5854.84</td> <td>47.54</td> <td>111.17</td> <td>-63.63</td> <td>36.71</td> <td>34.84</td> <td>8.87</td> <td>32.88</td> <td>100</td> <td>282</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5873.37</td> <td>48.69</td> <td>105.66</td> <td>-56.97</td> <td>37.86</td> <td>34.87</td> <td>8.85</td> <td>32.89</td> <td>100</td> <td>282</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5924.07</td> <td>49.61</td> <td>68.89</td> <td>-19.28</td> <td>38.78</td> <td>34.97</td> <td>8.79</td> <td>32.93</td> <td>100</td> <td>282</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5934.79</td> <td>49.17</td> <td>68.30</td> <td>-19.13</td> <td>38.35</td> <td>34.98</td> <td>8.78</td> <td>32.94</td> <td>100</td> <td>282</td> <td>PEAK</td> </tr> </tbody> </table> | Limit | Read | Ant | Cable | Preamp | APos | TPos | Remark | Freq | Level | Line | Margin | Level | Factor | Loss | Factor | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | 1 | 5854.84 | 47.54 | 111.17 | -63.63 | 36.71 | 34.84 | 8.87 | 32.88 | 100 | 282 | PEAK | 2 | 5873.37 | 48.69 | 105.66 | -56.97 | 37.86 | 34.87 | 8.85 | 32.89 | 100 | 282 | PEAK | 3 | 5924.07 | 49.61 | 68.89 | -19.28 | 38.78 | 34.97 | 8.79 | 32.93 | 100 | 282 | PEAK | 4 | 5934.79 | 49.17 | 68.30 | -19.13 | 38.35 | 34.98 | 8.78 | 32.94 | 100 | 282 | PEAK | Blank |
| Limit | Read | Ant | Cable | Preamp | APos | TPos | Remark | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Freq | Level | Line | Margin | Level | Factor | Loss | Factor | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 | 5854.84 | 47.54 | 111.17 | -63.63 | 36.71 | 34.84 | 8.87 | 32.88 | 100 | 282 | PEAK | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 2 | 5873.37 | 48.69 | 105.66 | -56.97 | 37.86 | 34.87 | 8.85 | 32.89 | 100 | 282 | PEAK | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 3 | 5924.07 | 49.61 | 68.89 | -19.28 | 38.78 | 34.97 | 8.79 | 32.93 | 100 | 282 | PEAK | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 4 | 5934.79 | 49.17 | 68.30 | -19.13 | 38.35 | 34.98 | 8.78 | 32.94 | 100 | 282 | PEAK | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |



| Mode | 48 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|----------|--|-------------|-------|--------|-------------|--------|-------|-------|----|----|------|-------|-------------|-------|--------|-------------|--|----|-----|-----|--------|--------|----|------|------|----|----|-----|---|----------|-------|-------|--------|-------|-------|-------|-------|----|----|------|---|----------|-------|-------|--------|-------|-------|-------|-------|----|----|------|--|-------|------|-----|-------|--------|------|------|--|--|------|-------|-------------|-------|--------|-------------|--|----|-----|-----|--------|--------|----|------|------|----|----|-----|---|----------|-------|-------|--------|-------|-------|-------|-------|----|----|------|---|----------|-------|-------|--------|-------|-------|-------|-------|----|----|------|
| | Harmonic | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | U-NII-3_5.725-5.85_802.11ax HE40_CH151_Full_5755MHz | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| ANT | 5 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Pol. | Horizontal | Vertical | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Peak Avg | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th colspan="2"></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11510.00</td> <td>47.11</td> <td>74.00</td> <td>-26.89</td> <td>56.28</td> <td>37.11</td> <td>11.46</td> <td>57.74</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>17265.00</td> <td>49.63</td> <td>68.30</td> <td>-18.67</td> <td>53.05</td> <td>41.33</td> <td>13.18</td> <td>57.93</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> </tbody> </table> | Limit | Read | Ant | Cable | Preamp | APos | TPos | | | Freq | Level | Line Margin | Level | Factor | Loss Factor | | cm | deg | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | cm | deg | 1 | 11510.00 | 47.11 | 74.00 | -26.89 | 56.28 | 37.11 | 11.46 | 57.74 | -- | -- | Peak | 2 | 17265.00 | 49.63 | 68.30 | -18.67 | 53.05 | 41.33 | 13.18 | 57.93 | -- | -- | Peak | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th colspan="2"></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11510.00</td> <td>46.88</td> <td>74.00</td> <td>-27.12</td> <td>56.05</td> <td>37.11</td> <td>11.46</td> <td>57.74</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>17265.00</td> <td>47.80</td> <td>68.30</td> <td>-20.50</td> <td>51.22</td> <td>41.33</td> <td>13.18</td> <td>57.93</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> </tbody> </table> | Limit | Read | Ant | Cable | Preamp | APos | TPos | | | Freq | Level | Line Margin | Level | Factor | Loss Factor | | cm | deg | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | cm | deg | 1 | 11510.00 | 46.88 | 74.00 | -27.12 | 56.05 | 37.11 | 11.46 | 57.74 | -- | -- | Peak | 2 | 17265.00 | 47.80 | 68.30 | -20.50 | 51.22 | 41.33 | 13.18 | 57.93 | -- | -- | Peak |
| | Limit | Read | Ant | Cable | Preamp | APos | TPos | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Freq | Level | Line Margin | Level | Factor | Loss Factor | | cm | deg | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | cm | deg | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 | 11510.00 | 47.11 | 74.00 | -26.89 | 56.28 | 37.11 | 11.46 | 57.74 | -- | -- | Peak | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 2 | 17265.00 | 49.63 | 68.30 | -18.67 | 53.05 | 41.33 | 13.18 | 57.93 | -- | -- | Peak | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Limit | Read | Ant | Cable | Preamp | APos | TPos | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Freq | Level | Line Margin | Level | Factor | Loss Factor | | cm | deg | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | cm | deg | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 | 11510.00 | 46.88 | 74.00 | -27.12 | 56.05 | 37.11 | 11.46 | 57.74 | -- | -- | Peak | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 2 | 17265.00 | 47.80 | 68.30 | -20.50 | 51.22 | 41.33 | 13.18 | 57.93 | -- | -- | Peak | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |



| | 49 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-------------|---|--|--------|--------|-------------|--------|--------|--------|--------|--------|---------|-------|-------------|-------------|--------|-------------|-------------|----|-----|-----|---------|---------|-------|--------|-------|-------|-------|-------|-------|-----|------|---------|---------|-------|-------|--------|-------|-------|------|-------|-----|----|------|---|---------|-------|--------|--------|-------|-------|------|-------|-----|----|------|---|---------|-------|--------|--------|-------|-------|------|-------|-----|----|------|--|--|-------|------|-----|-------|--------|------|------|--------|------|-------|-------------|-------|--------|-------------|----|----|-----|---|---------|--------|-------|-------|-------|-------|------|-------|-----|----|------|
| Mode | Band Edge - L | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | U-NII-3_5.725-5.85_802.11ax HE40_CH159_Full_5795MHz | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| ANT | 5 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Pol. | Horizontal | Fundamental | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Peak | <table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5603.71</td> <td>49.20</td> <td>68.30</td> <td>-19.10</td> <td>39.28</td> <td>34.38</td> <td>8.23</td> <td>32.69</td> <td>100</td> <td>29</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5650.12</td> <td>48.53</td> <td>68.39</td> <td>-19.86</td> <td>38.39</td> <td>34.46</td> <td>8.40</td> <td>32.72</td> <td>100</td> <td>29</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5701.21</td> <td>51.27</td> <td>105.54</td> <td>-54.27</td> <td>40.88</td> <td>34.56</td> <td>8.59</td> <td>32.76</td> <td>100</td> <td>29</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5720.32</td> <td>54.66</td> <td>111.52</td> <td>-56.86</td> <td>44.19</td> <td>34.59</td> <td>8.66</td> <td>32.78</td> <td>100</td> <td>29</td> <td>PEAK</td> </tr> </tbody> </table> | | Limit | Read | Ant | Cable | Preamp | APos | TPos | Remark | Freq | Level | Line Margin | Level | Factor | Loss Factor | dB | cm | deg | 1 | 5603.71 | 49.20 | 68.30 | -19.10 | 39.28 | 34.38 | 8.23 | 32.69 | 100 | 29 | PEAK | 2 | 5650.12 | 48.53 | 68.39 | -19.86 | 38.39 | 34.46 | 8.40 | 32.72 | 100 | 29 | PEAK | 3 | 5701.21 | 51.27 | 105.54 | -54.27 | 40.88 | 34.56 | 8.59 | 32.76 | 100 | 29 | PEAK | 4 | 5720.32 | 54.66 | 111.52 | -56.86 | 44.19 | 34.59 | 8.66 | 32.78 | 100 | 29 | PEAK | <table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5795.00</td> <td>100.78</td> <td>-----</td> <td>-----</td> <td>89.95</td> <td>34.73</td> <td>8.93</td> <td>32.83</td> <td>100</td> <td>29</td> <td>PEAK</td> </tr> </tbody> </table> | | Limit | Read | Ant | Cable | Preamp | APos | TPos | Remark | Freq | Level | Line Margin | Level | Factor | Loss Factor | dB | cm | deg | 1 | 5795.00 | 100.78 | ----- | ----- | 89.95 | 34.73 | 8.93 | 32.83 | 100 | 29 | PEAK |
| | | Limit | Read | Ant | Cable | Preamp | APos | TPos | Remark | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Freq | Level | Line Margin | Level | Factor | Loss Factor | dB | cm | deg | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 | 5603.71 | 49.20 | 68.30 | -19.10 | 39.28 | 34.38 | 8.23 | 32.69 | 100 | 29 | PEAK | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 2 | 5650.12 | 48.53 | 68.39 | -19.86 | 38.39 | 34.46 | 8.40 | 32.72 | 100 | 29 | PEAK | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 3 | 5701.21 | 51.27 | 105.54 | -54.27 | 40.88 | 34.56 | 8.59 | 32.76 | 100 | 29 | PEAK | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 4 | 5720.32 | 54.66 | 111.52 | -56.86 | 44.19 | 34.59 | 8.66 | 32.78 | 100 | 29 | PEAK | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | Limit | Read | Ant | Cable | Preamp | APos | TPos | Remark | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Freq | Level | Line Margin | Level | Factor | Loss Factor | dB | cm | deg | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 | 5795.00 | 100.78 | ----- | ----- | 89.95 | 34.73 | 8.93 | 32.83 | 100 | 29 | PEAK | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Avg | Blank | <table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5795.00</td> <td>91.83</td> <td>-----</td> <td>-----</td> <td>81.00</td> <td>34.73</td> <td>8.93</td> <td>32.83</td> <td>100</td> <td>29</td> <td>AVERAGE</td> </tr> </tbody> </table> | | Limit | Read | Ant | Cable | Preamp | APos | TPos | Remark | Freq | Level | Line Margin | Level | Factor | Loss Factor | dB | cm | deg | 1 | 5795.00 | 91.83 | ----- | ----- | 81.00 | 34.73 | 8.93 | 32.83 | 100 | 29 | AVERAGE | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | Limit | Read | Ant | Cable | Preamp | APos | TPos | Remark | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Freq | Level | Line Margin | Level | Factor | Loss Factor | dB | cm | deg | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 | 5795.00 | 91.83 | ----- | ----- | 81.00 | 34.73 | 8.93 | 32.83 | 100 | 29 | AVERAGE | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |



| Mode | 49 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-------|--|-------------|--------|--------|--------|--------|--------|-------|--------|------|-------|------|--------|-------|--------|------|--------|-----|--------|--------|----|------|------|----|----|---|---------|-------|--------|--------|-------|-------|------|-------|-----|----|------|---|---------|-------|--------|--------|-------|-------|------|-------|-----|----|------|---|---------|-------|-------|--------|-------|-------|------|-------|-----|----|------|---|---------|-------|-------|--------|-------|-------|------|-------|-----|----|------|-------|
| | Band Edge - R | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | U-NII-3_5.725-5.85_802.11ax HE40_CH159_Full_5795MHz | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| ANT | 5 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Pol. | Horizontal | Fundamental | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Peak | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5854.99</td> <td>56.03</td> <td>110.83</td> <td>-54.80</td> <td>45.20</td> <td>34.84</td> <td>8.87</td> <td>32.88</td> <td>100</td> <td>29</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5865.53</td> <td>59.39</td> <td>107.85</td> <td>-48.46</td> <td>48.56</td> <td>34.86</td> <td>8.86</td> <td>32.89</td> <td>100</td> <td>29</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5924.58</td> <td>49.26</td> <td>68.51</td> <td>-19.25</td> <td>38.43</td> <td>34.97</td> <td>8.79</td> <td>32.93</td> <td>100</td> <td>29</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5943.80</td> <td>49.11</td> <td>68.30</td> <td>-19.19</td> <td>38.29</td> <td>35.00</td> <td>8.77</td> <td>32.95</td> <td>100</td> <td>29</td> <td>PEAK</td> </tr> </tbody> </table> | Limit | Read | Ant | Cable | Preamp | APos | TPos | Remark | Freq | Level | Line | Margin | Level | Factor | Loss | Factor | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | 1 | 5854.99 | 56.03 | 110.83 | -54.80 | 45.20 | 34.84 | 8.87 | 32.88 | 100 | 29 | PEAK | 2 | 5865.53 | 59.39 | 107.85 | -48.46 | 48.56 | 34.86 | 8.86 | 32.89 | 100 | 29 | PEAK | 3 | 5924.58 | 49.26 | 68.51 | -19.25 | 38.43 | 34.97 | 8.79 | 32.93 | 100 | 29 | PEAK | 4 | 5943.80 | 49.11 | 68.30 | -19.19 | 38.29 | 35.00 | 8.77 | 32.95 | 100 | 29 | PEAK | Blank |
| Limit | Read | Ant | Cable | Preamp | APos | TPos | Remark | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Freq | Level | Line | Margin | Level | Factor | Loss | Factor | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 | 5854.99 | 56.03 | 110.83 | -54.80 | 45.20 | 34.84 | 8.87 | 32.88 | 100 | 29 | PEAK | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 2 | 5865.53 | 59.39 | 107.85 | -48.46 | 48.56 | 34.86 | 8.86 | 32.89 | 100 | 29 | PEAK | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 3 | 5924.58 | 49.26 | 68.51 | -19.25 | 38.43 | 34.97 | 8.79 | 32.93 | 100 | 29 | PEAK | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 4 | 5943.80 | 49.11 | 68.30 | -19.19 | 38.29 | 35.00 | 8.77 | 32.95 | 100 | 29 | PEAK | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |



| | 49 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-------------|---|---|--------|--------|-------------|--------|--------|--------|--------|--------|---------|-------|-------------|-------------|--------|-------------|-------------|--|--|-----|--------|--------|--------|------|------|------|----|-----|-----|---------|---------|-------|--------|-------|-------|-------|-------|-------|-----|------|---------|---------|-------|-------|--------|-------|-------|------|-------|-----|-----|------|---|---------|-------|--------|--------|-------|-------|------|-------|-----|-----|------|---|---------|-------|--------|--------|-------|-------|------|-------|-----|-----|------|--|--|-------|------|-----|-------|--------|------|------|--------|------|-------|-------------|-------|--------|-------------|--|--|--|-----|--------|--------|----|------|------|----|----|-----|---|---------|-------|-------|-------|-------|-------|------|-------|-----|-----|------|
| Mode | Band Edge - L | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | U-NII-3_5.725-5.85_802.11ax HE40_CH159_Full_5795MHz | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| ANT | 5 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Pol. | Vertical | Fundamental | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Peak | <table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5629.06</td> <td>49.48</td> <td>68.30</td> <td>-18.82</td> <td>39.44</td> <td>34.43</td> <td>8.32</td> <td>32.71</td> <td>100</td> <td>282</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5650.90</td> <td>47.77</td> <td>68.96</td> <td>-21.19</td> <td>37.62</td> <td>34.47</td> <td>8.40</td> <td>32.72</td> <td>100</td> <td>282</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5700.62</td> <td>49.31</td> <td>105.37</td> <td>-56.06</td> <td>38.93</td> <td>34.56</td> <td>8.58</td> <td>32.76</td> <td>100</td> <td>282</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5720.12</td> <td>52.38</td> <td>111.07</td> <td>-58.69</td> <td>41.91</td> <td>34.59</td> <td>8.66</td> <td>32.78</td> <td>100</td> <td>282</td> <td>PEAK</td> </tr> </tbody> </table> | | Limit | Read | Ant | Cable | Preamp | APos | TPos | Remark | Freq | Level | Line Margin | Level | Factor | Loss Factor | | | | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | cm | deg | 1 | 5629.06 | 49.48 | 68.30 | -18.82 | 39.44 | 34.43 | 8.32 | 32.71 | 100 | 282 | PEAK | 2 | 5650.90 | 47.77 | 68.96 | -21.19 | 37.62 | 34.47 | 8.40 | 32.72 | 100 | 282 | PEAK | 3 | 5700.62 | 49.31 | 105.37 | -56.06 | 38.93 | 34.56 | 8.58 | 32.76 | 100 | 282 | PEAK | 4 | 5720.12 | 52.38 | 111.07 | -58.69 | 41.91 | 34.59 | 8.66 | 32.78 | 100 | 282 | PEAK | <table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5795.00</td> <td>96.46</td> <td>-----</td> <td>-----</td> <td>85.62</td> <td>34.74</td> <td>8.94</td> <td>32.84</td> <td>100</td> <td>282</td> <td>PEAK</td> </tr> </tbody> </table> | | Limit | Read | Ant | Cable | Preamp | APos | TPos | Remark | Freq | Level | Line Margin | Level | Factor | Loss Factor | | | | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | cm | deg | 1 | 5795.00 | 96.46 | ----- | ----- | 85.62 | 34.74 | 8.94 | 32.84 | 100 | 282 | PEAK |
| | | Limit | Read | Ant | Cable | Preamp | APos | TPos | Remark | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Freq | Level | Line Margin | Level | Factor | Loss Factor | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | cm | deg | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 | 5629.06 | 49.48 | 68.30 | -18.82 | 39.44 | 34.43 | 8.32 | 32.71 | 100 | 282 | PEAK | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 2 | 5650.90 | 47.77 | 68.96 | -21.19 | 37.62 | 34.47 | 8.40 | 32.72 | 100 | 282 | PEAK | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 3 | 5700.62 | 49.31 | 105.37 | -56.06 | 38.93 | 34.56 | 8.58 | 32.76 | 100 | 282 | PEAK | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 4 | 5720.12 | 52.38 | 111.07 | -58.69 | 41.91 | 34.59 | 8.66 | 32.78 | 100 | 282 | PEAK | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | Limit | Read | Ant | Cable | Preamp | APos | TPos | Remark | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Freq | Level | Line Margin | Level | Factor | Loss Factor | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | cm | deg | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 | 5795.00 | 96.46 | ----- | ----- | 85.62 | 34.74 | 8.94 | 32.84 | 100 | 282 | PEAK | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Avg | Blank | <table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5795.00</td> <td>87.99</td> <td>-----</td> <td>-----</td> <td>77.16</td> <td>34.73</td> <td>8.93</td> <td>32.83</td> <td>100</td> <td>282</td> <td>AVERAGE</td> </tr> </tbody> </table> | | Limit | Read | Ant | Cable | Preamp | APos | TPos | Remark | Freq | Level | Line Margin | Level | Factor | Loss Factor | | | | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | cm | deg | 1 | 5795.00 | 87.99 | ----- | ----- | 77.16 | 34.73 | 8.93 | 32.83 | 100 | 282 | AVERAGE | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | Limit | Read | Ant | Cable | Preamp | APos | TPos | Remark | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Freq | Level | Line Margin | Level | Factor | Loss Factor | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | cm | deg | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 | 5795.00 | 87.99 | ----- | ----- | 77.16 | 34.73 | 8.93 | 32.83 | 100 | 282 | AVERAGE | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |



| Mode | 49 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-------|--|-------------|--------|--------|--------|--------|--------|-------|--------|------|-------|------|--------|-------|--------|------|--------|-----|--------|--------|----|------|------|----|----|---|---------|-------|--------|--------|-------|-------|------|-------|-----|-----|------|---|---------|-------|--------|--------|-------|-------|------|-------|-----|-----|------|---|---------|-------|-------|--------|-------|-------|------|-------|-----|-----|------|---|---------|-------|-------|--------|-------|-------|------|-------|-----|-----|------|-------|
| | Band Edge - R | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | U-NII-3_5.725-5.85_802.11ax HE40_CH159_Full_5795MHz | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| ANT | 5 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Pol. | Vertical | Fundamental | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Peak | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5854.99</td> <td>53.54</td> <td>110.83</td> <td>-57.29</td> <td>42.71</td> <td>34.84</td> <td>8.87</td> <td>32.88</td> <td>100</td> <td>282</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5873.90</td> <td>52.62</td> <td>105.51</td> <td>-52.89</td> <td>41.79</td> <td>34.87</td> <td>8.85</td> <td>32.89</td> <td>100</td> <td>282</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5924.89</td> <td>48.19</td> <td>68.28</td> <td>-20.09</td> <td>37.36</td> <td>34.97</td> <td>8.79</td> <td>32.93</td> <td>100</td> <td>282</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5946.90</td> <td>50.31</td> <td>68.30</td> <td>-17.99</td> <td>39.49</td> <td>35.01</td> <td>8.76</td> <td>32.95</td> <td>100</td> <td>282</td> <td>PEAK</td> </tr> </tbody> </table> | Limit | Read | Ant | Cable | Preamp | APos | TPos | Remark | Freq | Level | Line | Margin | Level | Factor | Loss | Factor | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | 1 | 5854.99 | 53.54 | 110.83 | -57.29 | 42.71 | 34.84 | 8.87 | 32.88 | 100 | 282 | PEAK | 2 | 5873.90 | 52.62 | 105.51 | -52.89 | 41.79 | 34.87 | 8.85 | 32.89 | 100 | 282 | PEAK | 3 | 5924.89 | 48.19 | 68.28 | -20.09 | 37.36 | 34.97 | 8.79 | 32.93 | 100 | 282 | PEAK | 4 | 5946.90 | 50.31 | 68.30 | -17.99 | 39.49 | 35.01 | 8.76 | 32.95 | 100 | 282 | PEAK | Blank |
| Limit | Read | Ant | Cable | Preamp | APos | TPos | Remark | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Freq | Level | Line | Margin | Level | Factor | Loss | Factor | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 | 5854.99 | 53.54 | 110.83 | -57.29 | 42.71 | 34.84 | 8.87 | 32.88 | 100 | 282 | PEAK | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 2 | 5873.90 | 52.62 | 105.51 | -52.89 | 41.79 | 34.87 | 8.85 | 32.89 | 100 | 282 | PEAK | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 3 | 5924.89 | 48.19 | 68.28 | -20.09 | 37.36 | 34.97 | 8.79 | 32.93 | 100 | 282 | PEAK | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 4 | 5946.90 | 50.31 | 68.30 | -17.99 | 39.49 | 35.01 | 8.76 | 32.95 | 100 | 282 | PEAK | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |



| Mode | 49 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|----------|---|-------------|-------|--------|-------------|--------|-------|-------|------|-------|-------------|-------|--------|-------------|--------|-----|--------|--------|----|------|------|----|----|-----|---|----------|-------|-------|--------|-------|-------|-------|-------|----|----|------|---|----------|-------|-------|--------|-------|-------|-------|-------|----|----|------|---|-------|------|-----|-------|--------|------|------|------|-------|-------------|-------|--------|-------------|--------|-----|--------|--------|----|------|------|----|----|-----|---|----------|-------|-------|--------|-------|-------|-------|-------|----|----|------|---|----------|-------|-------|--------|-------|-------|-------|-------|----|----|------|
| | Harmonic | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | U-NII-3_5.725-5.85_802.11ax HE40_CH159_Full_5795MHz | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| ANT | 5 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Pol. | Horizontal | Vertical | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Peak Avg | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11590.00</td> <td>48.07</td> <td>74.00</td> <td>-25.93</td> <td>56.88</td> <td>37.34</td> <td>11.50</td> <td>57.65</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>17385.00</td> <td>48.44</td> <td>68.30</td> <td>-19.86</td> <td>51.43</td> <td>41.56</td> <td>13.21</td> <td>57.76</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> </tbody> </table> | Limit | Read | Ant | Cable | Preamp | APos | TPos | Freq | Level | Line Margin | Level | Factor | Loss Factor | Remark | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | cm | deg | 1 | 11590.00 | 48.07 | 74.00 | -25.93 | 56.88 | 37.34 | 11.50 | 57.65 | -- | -- | Peak | 2 | 17385.00 | 48.44 | 68.30 | -19.86 | 51.43 | 41.56 | 13.21 | 57.76 | -- | -- | Peak | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11590.00</td> <td>48.24</td> <td>74.00</td> <td>-25.76</td> <td>57.05</td> <td>37.34</td> <td>11.50</td> <td>57.65</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>17385.00</td> <td>48.71</td> <td>68.30</td> <td>-19.59</td> <td>51.70</td> <td>41.56</td> <td>13.21</td> <td>57.76</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> </tbody> </table> | Limit | Read | Ant | Cable | Preamp | APos | TPos | Freq | Level | Line Margin | Level | Factor | Loss Factor | Remark | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | cm | deg | 1 | 11590.00 | 48.24 | 74.00 | -25.76 | 57.05 | 37.34 | 11.50 | 57.65 | -- | -- | Peak | 2 | 17385.00 | 48.71 | 68.30 | -19.59 | 51.70 | 41.56 | 13.21 | 57.76 | -- | -- | Peak |
| | Limit | Read | Ant | Cable | Preamp | APos | TPos | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Freq | Level | Line Margin | Level | Factor | Loss Factor | Remark | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | cm | deg | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 | 11590.00 | 48.07 | 74.00 | -25.93 | 56.88 | 37.34 | 11.50 | 57.65 | -- | -- | Peak | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 2 | 17385.00 | 48.44 | 68.30 | -19.86 | 51.43 | 41.56 | 13.21 | 57.76 | -- | -- | Peak | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Limit | Read | Ant | Cable | Preamp | APos | TPos | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Freq | Level | Line Margin | Level | Factor | Loss Factor | Remark | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | cm | deg | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 | 11590.00 | 48.24 | 74.00 | -25.76 | 57.05 | 37.34 | 11.50 | 57.65 | -- | -- | Peak | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 2 | 17385.00 | 48.71 | 68.30 | -19.59 | 51.70 | 41.56 | 13.21 | 57.76 | -- | -- | Peak | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |



| Mode | 50 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-------|--|---|--------|--------|-------------|--------|--------|--------|--------|--------|---------|-------------|-------------|--------|-------------|-------------|--|-----|--------|--------|--------|------|------|------|----|----|---------|---------|-------|--------|-------|-------|-------|-------|-------|-----|------|---------|---------|-------|-------|--------|-------|-------|------|-------|-----|----|------|---|---------|-------|--------|--------|-------|-------|------|-------|-----|----|------|---|---------|-------|--------|--------|-------|-------|------|-------|-----|----|------|--|-------|------|-----|-------|--------|------|------|--------|------|-------|-------------|-------|--------|-------------|--|--|-----|--------|--------|----|------|------|----|----|---|---------|-------|-------|-------|-------|-------|------|-------|-----|----|------|
| | Band Edge - L | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | U-NII-3_5.725-5.85_802.11ax HE80_CH155_Full_5775MHz | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| ANT | 5 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Pol. | Horizontal | Fundamental | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Peak | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5640.95</td> <td>55.48</td> <td>68.30</td> <td>-12.82</td> <td>45.38</td> <td>34.45</td> <td>8.36</td> <td>32.71</td> <td>106</td> <td>28</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5650.58</td> <td>50.91</td> <td>68.73</td> <td>-17.82</td> <td>40.76</td> <td>34.47</td> <td>8.40</td> <td>32.72</td> <td>106</td> <td>28</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5709.73</td> <td>70.26</td> <td>107.93</td> <td>-37.67</td> <td>59.84</td> <td>34.57</td> <td>8.62</td> <td>32.77</td> <td>106</td> <td>28</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5720.23</td> <td>67.44</td> <td>111.31</td> <td>-43.87</td> <td>56.97</td> <td>34.59</td> <td>8.66</td> <td>32.78</td> <td>106</td> <td>28</td> <td>PEAK</td> </tr> </tbody> </table> | Limit | Read | Ant | Cable | Preamp | APos | TPos | Remark | Freq | Level | Line Margin | Level | Factor | Loss Factor | | | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | cm | 1 | 5640.95 | 55.48 | 68.30 | -12.82 | 45.38 | 34.45 | 8.36 | 32.71 | 106 | 28 | PEAK | 2 | 5650.58 | 50.91 | 68.73 | -17.82 | 40.76 | 34.47 | 8.40 | 32.72 | 106 | 28 | PEAK | 3 | 5709.73 | 70.26 | 107.93 | -37.67 | 59.84 | 34.57 | 8.62 | 32.77 | 106 | 28 | PEAK | 4 | 5720.23 | 67.44 | 111.31 | -43.87 | 56.97 | 34.59 | 8.66 | 32.78 | 106 | 28 | PEAK | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5775.00</td> <td>96.26</td> <td>-----</td> <td>-----</td> <td>85.49</td> <td>34.71</td> <td>8.88</td> <td>32.82</td> <td>106</td> <td>28</td> <td>PEAK</td> </tr> </tbody> </table> | Limit | Read | Ant | Cable | Preamp | APos | TPos | Remark | Freq | Level | Line Margin | Level | Factor | Loss Factor | | | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | cm | 1 | 5775.00 | 96.26 | ----- | ----- | 85.49 | 34.71 | 8.88 | 32.82 | 106 | 28 | PEAK |
| | Limit | Read | Ant | Cable | Preamp | APos | TPos | Remark | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Freq | Level | Line Margin | Level | Factor | Loss Factor | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | cm | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 | 5640.95 | 55.48 | 68.30 | -12.82 | 45.38 | 34.45 | 8.36 | 32.71 | 106 | 28 | PEAK | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 2 | 5650.58 | 50.91 | 68.73 | -17.82 | 40.76 | 34.47 | 8.40 | 32.72 | 106 | 28 | PEAK | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 3 | 5709.73 | 70.26 | 107.93 | -37.67 | 59.84 | 34.57 | 8.62 | 32.77 | 106 | 28 | PEAK | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 4 | 5720.23 | 67.44 | 111.31 | -43.87 | 56.97 | 34.59 | 8.66 | 32.78 | 106 | 28 | PEAK | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Limit | Read | Ant | Cable | Preamp | APos | TPos | Remark | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Freq | Level | Line Margin | Level | Factor | Loss Factor | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | cm | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 | 5775.00 | 96.26 | ----- | ----- | 85.49 | 34.71 | 8.88 | 32.82 | 106 | 28 | PEAK | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Avg | Blank | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5775.00</td> <td>88.42</td> <td>-----</td> <td>-----</td> <td>77.65</td> <td>34.71</td> <td>8.88</td> <td>32.82</td> <td>106</td> <td>28</td> <td>AVERAGE</td> </tr> </tbody> </table> | Limit | Read | Ant | Cable | Preamp | APos | TPos | Remark | Freq | Level | Line Margin | Level | Factor | Loss Factor | | | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | cm | 1 | 5775.00 | 88.42 | ----- | ----- | 77.65 | 34.71 | 8.88 | 32.82 | 106 | 28 | AVERAGE | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Limit | Read | Ant | Cable | Preamp | APos | TPos | Remark | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Freq | Level | Line Margin | Level | Factor | Loss Factor | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | cm | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 | 5775.00 | 88.42 | ----- | ----- | 77.65 | 34.71 | 8.88 | 32.82 | 106 | 28 | AVERAGE | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |



| Mode | 50 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-------|---|-------------|--------|--------|--------|--------|--------|-------|--------|------|-------|------|--------|-------|--------|------|--------|----|-----|---|---------|-------|--------|--------|-------|-------|------|-------|-----|----|------|---|---------|-------|--------|--------|-------|-------|------|-------|-----|----|------|---|---------|-------|-------|--------|-------|-------|------|-------|-----|----|------|---|---------|-------|-------|--------|-------|-------|------|-------|-----|----|------|-------|
| | Band Edge - R | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | U-NII-3_5.725-5.85_802.11ax HE80_CH155_Full_5775MHz | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| ANT | 5 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Pol. | Horizontal | Fundamental | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Peak | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5854.98</td> <td>61.02</td> <td>110.86</td> <td>-49.84</td> <td>50.19</td> <td>34.84</td> <td>8.87</td> <td>32.88</td> <td>106</td> <td>28</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5870.73</td> <td>63.68</td> <td>106.40</td> <td>-42.72</td> <td>52.85</td> <td>34.87</td> <td>8.85</td> <td>32.89</td> <td>106</td> <td>28</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5924.80</td> <td>49.49</td> <td>68.35</td> <td>-18.86</td> <td>38.66</td> <td>34.97</td> <td>8.79</td> <td>32.93</td> <td>106</td> <td>28</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5927.08</td> <td>50.06</td> <td>68.30</td> <td>-18.24</td> <td>39.23</td> <td>34.97</td> <td>8.79</td> <td>32.93</td> <td>106</td> <td>28</td> <td>PEAK</td> </tr> </tbody> </table> | Limit | Read | Ant | Cable | Preamp | APos | TPos | Remark | Freq | Level | Line | Margin | Level | Factor | Loss | Factor | cm | deg | 1 | 5854.98 | 61.02 | 110.86 | -49.84 | 50.19 | 34.84 | 8.87 | 32.88 | 106 | 28 | PEAK | 2 | 5870.73 | 63.68 | 106.40 | -42.72 | 52.85 | 34.87 | 8.85 | 32.89 | 106 | 28 | PEAK | 3 | 5924.80 | 49.49 | 68.35 | -18.86 | 38.66 | 34.97 | 8.79 | 32.93 | 106 | 28 | PEAK | 4 | 5927.08 | 50.06 | 68.30 | -18.24 | 39.23 | 34.97 | 8.79 | 32.93 | 106 | 28 | PEAK | Blank |
| Limit | Read | Ant | Cable | Preamp | APos | TPos | Remark | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Freq | Level | Line | Margin | Level | Factor | Loss | Factor | cm | deg | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 | 5854.98 | 61.02 | 110.86 | -49.84 | 50.19 | 34.84 | 8.87 | 32.88 | 106 | 28 | PEAK | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 2 | 5870.73 | 63.68 | 106.40 | -42.72 | 52.85 | 34.87 | 8.85 | 32.89 | 106 | 28 | PEAK | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 3 | 5924.80 | 49.49 | 68.35 | -18.86 | 38.66 | 34.97 | 8.79 | 32.93 | 106 | 28 | PEAK | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 4 | 5927.08 | 50.06 | 68.30 | -18.24 | 39.23 | 34.97 | 8.79 | 32.93 | 106 | 28 | PEAK | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |



| Mode | 50 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|------|---|---|--------|--------|-------------|--------|--------|--------|--------|--------|---------|-------|-------------|-------------|--------|-------------|-------------|--|--|-----|--------|--------|--------|------|------|------|----|-----|-----|---------|---------|-------|--------|-------|-------|-------|-------|-------|-----|------|---------|---------|-------|-------|--------|-------|-------|------|-------|-----|-----|------|---|---------|-------|--------|--------|-------|-------|------|-------|-----|-----|------|---|---------|-------|--------|--------|-------|-------|------|-------|-----|-----|------|--|--|-------|------|-----|-------|--------|------|------|--------|------|-------|-------------|-------|--------|-------------|--|--|--|-----|--------|--------|----|------|------|----|----|-----|---|---------|-------|-------|-------|-------|-------|------|-------|-----|-----|------|
| | Band Edge - L | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | U-NII-3_5.725-5.85_802.11ax HE80_CH155_Full_5775MHz | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| ANT | 5 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Pol. | Vertical | Fundamental | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Peak | <table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5629.05</td> <td>49.81</td> <td>68.30</td> <td>-18.49</td> <td>39.77</td> <td>34.43</td> <td>8.32</td> <td>32.71</td> <td>104</td> <td>284</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5650.23</td> <td>49.56</td> <td>68.47</td> <td>-18.91</td> <td>39.41</td> <td>34.47</td> <td>8.40</td> <td>32.72</td> <td>104</td> <td>284</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5706.93</td> <td>63.18</td> <td>107.14</td> <td>-43.96</td> <td>52.77</td> <td>34.57</td> <td>8.61</td> <td>32.77</td> <td>104</td> <td>284</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5720.05</td> <td>62.29</td> <td>110.91</td> <td>-48.62</td> <td>51.82</td> <td>34.59</td> <td>8.66</td> <td>32.78</td> <td>104</td> <td>284</td> <td>PEAK</td> </tr> </tbody> </table> | | Limit | Read | Ant | Cable | Preamp | APos | TPos | Remark | Freq | Level | Line Margin | Level | Factor | Loss Factor | | | | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | cm | deg | 1 | 5629.05 | 49.81 | 68.30 | -18.49 | 39.77 | 34.43 | 8.32 | 32.71 | 104 | 284 | PEAK | 2 | 5650.23 | 49.56 | 68.47 | -18.91 | 39.41 | 34.47 | 8.40 | 32.72 | 104 | 284 | PEAK | 3 | 5706.93 | 63.18 | 107.14 | -43.96 | 52.77 | 34.57 | 8.61 | 32.77 | 104 | 284 | PEAK | 4 | 5720.05 | 62.29 | 110.91 | -48.62 | 51.82 | 34.59 | 8.66 | 32.78 | 104 | 284 | PEAK | <table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5775.00</td> <td>93.09</td> <td>-----</td> <td>-----</td> <td>82.29</td> <td>34.72</td> <td>8.91</td> <td>32.83</td> <td>104</td> <td>284</td> <td>PEAK</td> </tr> </tbody> </table> | | Limit | Read | Ant | Cable | Preamp | APos | TPos | Remark | Freq | Level | Line Margin | Level | Factor | Loss Factor | | | | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | cm | deg | 1 | 5775.00 | 93.09 | ----- | ----- | 82.29 | 34.72 | 8.91 | 32.83 | 104 | 284 | PEAK |
| | | Limit | Read | Ant | Cable | Preamp | APos | TPos | Remark | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Freq | Level | Line Margin | Level | Factor | Loss Factor | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | cm | deg | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 | 5629.05 | 49.81 | 68.30 | -18.49 | 39.77 | 34.43 | 8.32 | 32.71 | 104 | 284 | PEAK | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 2 | 5650.23 | 49.56 | 68.47 | -18.91 | 39.41 | 34.47 | 8.40 | 32.72 | 104 | 284 | PEAK | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 3 | 5706.93 | 63.18 | 107.14 | -43.96 | 52.77 | 34.57 | 8.61 | 32.77 | 104 | 284 | PEAK | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 4 | 5720.05 | 62.29 | 110.91 | -48.62 | 51.82 | 34.59 | 8.66 | 32.78 | 104 | 284 | PEAK | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | Limit | Read | Ant | Cable | Preamp | APos | TPos | Remark | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Freq | Level | Line Margin | Level | Factor | Loss Factor | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | cm | deg | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 | 5775.00 | 93.09 | ----- | ----- | 82.29 | 34.72 | 8.91 | 32.83 | 104 | 284 | PEAK | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Avg | Blank | <table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5775.00</td> <td>84.47</td> <td>-----</td> <td>-----</td> <td>73.70</td> <td>34.71</td> <td>8.88</td> <td>32.82</td> <td>104</td> <td>284</td> <td>AVERAGE</td> </tr> </tbody> </table> | | Limit | Read | Ant | Cable | Preamp | APos | TPos | Remark | Freq | Level | Line Margin | Level | Factor | Loss Factor | | | | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | cm | deg | 1 | 5775.00 | 84.47 | ----- | ----- | 73.70 | 34.71 | 8.88 | 32.82 | 104 | 284 | AVERAGE | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | Limit | Read | Ant | Cable | Preamp | APos | TPos | Remark | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Freq | Level | Line Margin | Level | Factor | Loss Factor | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | cm | deg | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 | 5775.00 | 84.47 | ----- | ----- | 73.70 | 34.71 | 8.88 | 32.82 | 104 | 284 | AVERAGE | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |



| Mode | 50 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-----------|---|-------------|--------|--------|--------|--------|--------|------|--------|------|-------|------|--------|-------|--------|------|--------|----|-----|-----------|-------|--------|--------|-------|-------|------|-------|-----|-----|------|-----------|-------|--------|--------|-------|-------|------|-------|-----|-----|------|-----------|-------|-------|--------|-------|-------|------|-------|-----|-----|------|-----------|-------|-------|--------|-------|-------|------|-------|-----|-----|------|-------|
| | Band Edge - R | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | U-NII-3_5.725-5.85_802.11ax HE80_CH155_Full_5775MHz | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| ANT | 5 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Pol. | Vertical | Fundamental | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Peak | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5854.80</td> <td>57.58</td> <td>111.26</td> <td>-53.68</td> <td>46.75</td> <td>34.84</td> <td>8.87</td> <td>32.88</td> <td>104</td> <td>284</td> <td>PEAK</td> </tr> <tr> <td>2 5870.55</td> <td>59.78</td> <td>106.44</td> <td>-46.66</td> <td>48.95</td> <td>34.87</td> <td>8.85</td> <td>32.89</td> <td>104</td> <td>284</td> <td>PEAK</td> </tr> <tr> <td>3 5924.80</td> <td>47.56</td> <td>68.35</td> <td>-20.79</td> <td>36.73</td> <td>34.97</td> <td>8.79</td> <td>32.93</td> <td>104</td> <td>284</td> <td>PEAK</td> </tr> <tr> <td>4 5941.95</td> <td>49.81</td> <td>68.30</td> <td>-18.49</td> <td>38.99</td> <td>35.00</td> <td>8.77</td> <td>32.95</td> <td>104</td> <td>284</td> <td>PEAK</td> </tr> </tbody> </table> | Limit | Read | Ant | Cable | Preamp | APos | TPos | Remark | Freq | Level | Line | Margin | Level | Factor | Loss | Factor | cm | deg | 1 5854.80 | 57.58 | 111.26 | -53.68 | 46.75 | 34.84 | 8.87 | 32.88 | 104 | 284 | PEAK | 2 5870.55 | 59.78 | 106.44 | -46.66 | 48.95 | 34.87 | 8.85 | 32.89 | 104 | 284 | PEAK | 3 5924.80 | 47.56 | 68.35 | -20.79 | 36.73 | 34.97 | 8.79 | 32.93 | 104 | 284 | PEAK | 4 5941.95 | 49.81 | 68.30 | -18.49 | 38.99 | 35.00 | 8.77 | 32.95 | 104 | 284 | PEAK | Blank |
| Limit | Read | Ant | Cable | Preamp | APos | TPos | Remark | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Freq | Level | Line | Margin | Level | Factor | Loss | Factor | cm | deg | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 5854.80 | 57.58 | 111.26 | -53.68 | 46.75 | 34.84 | 8.87 | 32.88 | 104 | 284 | PEAK | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 2 5870.55 | 59.78 | 106.44 | -46.66 | 48.95 | 34.87 | 8.85 | 32.89 | 104 | 284 | PEAK | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 3 5924.80 | 47.56 | 68.35 | -20.79 | 36.73 | 34.97 | 8.79 | 32.93 | 104 | 284 | PEAK | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 4 5941.95 | 49.81 | 68.30 | -18.49 | 38.99 | 35.00 | 8.77 | 32.95 | 104 | 284 | PEAK | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |



| Mode | 50 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|----------|---|-------------|-------|--------|-------------|--------|-------|-------|----|----|------|-------|-------------|-------|--------|-------------|--|----|-----|-----|--------|--------|----|------|------|----|--|--|---|----------|-------|-------|--------|-------|-------|-------|-------|----|----|------|---|----------|-------|-------|--------|-------|-------|-------|-------|----|----|------|---|-------|------|-----|-------|--------|------|------|--|--|------|-------|-------------|-------|--------|-------------|--|----|-----|-----|--------|--------|----|------|------|----|--|--|---|----------|-------|-------|--------|-------|-------|-------|-------|----|----|------|---|----------|-------|-------|--------|-------|-------|-------|-------|----|----|------|
| | Harmonic | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | U-NII-3_5.725-5.85_802.11ax HE80_CH155_Full_5775MHz | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| ANT | 5 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Pol. | Horizontal | Vertical | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Peak Avg | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th colspan="2"></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11550.00</td> <td>47.93</td> <td>74.00</td> <td>-26.07</td> <td>56.92</td> <td>37.22</td> <td>11.48</td> <td>57.69</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>17325.00</td> <td>49.64</td> <td>68.30</td> <td>-18.66</td> <td>52.85</td> <td>41.44</td> <td>13.19</td> <td>57.84</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> </tbody> </table> | Limit | Read | Ant | Cable | Preamp | APos | TPos | | | Freq | Level | Line Margin | Level | Factor | Loss Factor | | cm | deg | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | | | 1 | 11550.00 | 47.93 | 74.00 | -26.07 | 56.92 | 37.22 | 11.48 | 57.69 | -- | -- | Peak | 2 | 17325.00 | 49.64 | 68.30 | -18.66 | 52.85 | 41.44 | 13.19 | 57.84 | -- | -- | Peak | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th colspan="2"></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11550.00</td> <td>47.73</td> <td>74.00</td> <td>-26.27</td> <td>56.72</td> <td>37.22</td> <td>11.48</td> <td>57.69</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>17325.00</td> <td>49.44</td> <td>68.30</td> <td>-18.86</td> <td>52.65</td> <td>41.44</td> <td>13.19</td> <td>57.84</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> </tbody> </table> | Limit | Read | Ant | Cable | Preamp | APos | TPos | | | Freq | Level | Line Margin | Level | Factor | Loss Factor | | cm | deg | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | | | 1 | 11550.00 | 47.73 | 74.00 | -26.27 | 56.72 | 37.22 | 11.48 | 57.69 | -- | -- | Peak | 2 | 17325.00 | 49.44 | 68.30 | -18.86 | 52.65 | 41.44 | 13.19 | 57.84 | -- | -- | Peak |
| | Limit | Read | Ant | Cable | Preamp | APos | TPos | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Freq | Level | Line Margin | Level | Factor | Loss Factor | | cm | deg | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 | 11550.00 | 47.93 | 74.00 | -26.07 | 56.92 | 37.22 | 11.48 | 57.69 | -- | -- | Peak | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 2 | 17325.00 | 49.64 | 68.30 | -18.66 | 52.85 | 41.44 | 13.19 | 57.84 | -- | -- | Peak | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Limit | Read | Ant | Cable | Preamp | APos | TPos | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Freq | Level | Line Margin | Level | Factor | Loss Factor | | cm | deg | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 | 11550.00 | 47.73 | 74.00 | -26.27 | 56.72 | 37.22 | 11.48 | 57.69 | -- | -- | Peak | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 2 | 17325.00 | 49.44 | 68.30 | -18.86 | 52.65 | 41.44 | 13.19 | 57.84 | -- | -- | Peak | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |



| Mode | 51 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-----------|---|---|--------|--------|-------------|--------|--------|----------------|------|------|------|-------|-------------|-------------|--------|-------------|-------------|--|--------|--------|--------|--------|--------|------|------|------|----|-----|-----------|-----------|-------|--------|-------|-------|-------|-------|-------------|----------------|-------|-------|--------|-------|-------|------|-------|-------------|-----------|-------|--------|--------|-------|-------|------|-------|-------------|-----------|-------|--------|--------|-------|-------|------|-------|-------------|---|--|-------|------|-----|-------|--------|------|------|--|------|-------|-------------|-------|--------|-------------|--|--|--------|-----|--------|--------|----|------|------|----|----|-----|-----------|--------|-------|-------|-------|-------|------|-------|-------------|
| | Band Edge | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | U-NII-3_5.725-5.85_802.11ax HE20_CH149_Partial RU26/0_5745MHz | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| ANT | 5 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Pol. | Horizontal | Fundamental | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Peak | <table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5615.08</td> <td>49.57</td> <td>68.30</td> <td>-18.73</td> <td>39.59</td> <td>34.40</td> <td>8.27</td> <td>32.69</td> <td>104 18 PEAK</td> </tr> <tr> <td>2 5650.03</td> <td>46.63</td> <td>68.32</td> <td>-21.69</td> <td>36.49</td> <td>34.46</td> <td>8.40</td> <td>32.72</td> <td>104 18 PEAK</td> </tr> <tr> <td>3 5701.94</td> <td>49.30</td> <td>105.74</td> <td>-56.44</td> <td>38.91</td> <td>34.56</td> <td>8.59</td> <td>32.76</td> <td>104 18 PEAK</td> </tr> <tr> <td>4 5720.35</td> <td>48.70</td> <td>111.60</td> <td>-62.90</td> <td>38.23</td> <td>34.59</td> <td>8.66</td> <td>32.78</td> <td>104 18 PEAK</td> </tr> </tbody> </table> | | Limit | Read | Ant | Cable | Preamp | APos | TPos | | Freq | Level | Line Margin | Level | Factor | Loss Factor | | | Remark | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | cm | deg | 1 5615.08 | 49.57 | 68.30 | -18.73 | 39.59 | 34.40 | 8.27 | 32.69 | 104 18 PEAK | 2 5650.03 | 46.63 | 68.32 | -21.69 | 36.49 | 34.46 | 8.40 | 32.72 | 104 18 PEAK | 3 5701.94 | 49.30 | 105.74 | -56.44 | 38.91 | 34.56 | 8.59 | 32.76 | 104 18 PEAK | 4 5720.35 | 48.70 | 111.60 | -62.90 | 38.23 | 34.59 | 8.66 | 32.78 | 104 18 PEAK | <table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5745.00</td> <td>102.86</td> <td>-----</td> <td>-----</td> <td>92.29</td> <td>34.63</td> <td>8.73</td> <td>32.79</td> <td>104 18 PEAK</td> </tr> </tbody> </table> | | Limit | Read | Ant | Cable | Preamp | APos | TPos | | Freq | Level | Line Margin | Level | Factor | Loss Factor | | | Remark | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | cm | deg | 1 5745.00 | 102.86 | ----- | ----- | 92.29 | 34.63 | 8.73 | 32.79 | 104 18 PEAK |
| | | Limit | Read | Ant | Cable | Preamp | APos | TPos | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Freq | Level | Line Margin | Level | Factor | Loss Factor | | | Remark | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | cm | deg | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 5615.08 | 49.57 | 68.30 | -18.73 | 39.59 | 34.40 | 8.27 | 32.69 | 104 18 PEAK | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 2 5650.03 | 46.63 | 68.32 | -21.69 | 36.49 | 34.46 | 8.40 | 32.72 | 104 18 PEAK | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 3 5701.94 | 49.30 | 105.74 | -56.44 | 38.91 | 34.56 | 8.59 | 32.76 | 104 18 PEAK | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 4 5720.35 | 48.70 | 111.60 | -62.90 | 38.23 | 34.59 | 8.66 | 32.78 | 104 18 PEAK | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | Limit | Read | Ant | Cable | Preamp | APos | TPos | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Freq | Level | Line Margin | Level | Factor | Loss Factor | | | Remark | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | cm | deg | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 5745.00 | 102.86 | ----- | ----- | 92.29 | 34.63 | 8.73 | 32.79 | 104 18 PEAK | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Avg | Blank | <table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5745.00</td> <td>95.80</td> <td>-----</td> <td>-----</td> <td>85.26</td> <td>34.62</td> <td>8.71</td> <td>32.79</td> <td>104 18 AVERAGE</td> </tr> </tbody> </table> | | Limit | Read | Ant | Cable | Preamp | APos | TPos | | Freq | Level | Line Margin | Level | Factor | Loss Factor | | | Remark | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | cm | deg | 1 5745.00 | 95.80 | ----- | ----- | 85.26 | 34.62 | 8.71 | 32.79 | 104 18 AVERAGE | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | Limit | Read | Ant | Cable | Preamp | APos | TPos | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Freq | Level | Line Margin | Level | Factor | Loss Factor | | | Remark | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | cm | deg | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 5745.00 | 95.80 | ----- | ----- | 85.26 | 34.62 | 8.71 | 32.79 | 104 18 AVERAGE | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |



| | 51 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-------------|---|---|--------|--------|--------|--------|--------|--------|------|------|---------|-------|-------|--------|--------|--------|--------|--------|--------|--------|-----|--------|--------|--------|------|------|------|----|-----|-----|---------|---------|-------|--------|-------|-------|-------|-------|-------|-----|------|---------|---------|-------|-------|--------|-------|-------|------|-------|-----|-----|------|---|---------|-------|--------|--------|-------|-------|------|-------|-----|-----|------|---|---------|-------|--------|--------|-------|-------|------|-------|-----|-----|------|--|--|-------|------|-----|-------|--------|------|------|--|------|-------|------|--------|-------|--------|------|--------|--------|--|-----|--------|--------|----|------|------|----|----|-----|---|---------|-------|-------|-------|-------|-------|------|-------|-----|-----|------|
| Mode | Band Edge | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | U-NII-3_5.725-5.85_802.11ax HE20_CH149_Partial RU26/0_5745MHz | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| ANT | 5 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Pol. | Vertical | Fundamental | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Peak | <table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5613.92</td> <td>48.92</td> <td>68.30</td> <td>-19.38</td> <td>38.95</td> <td>34.40</td> <td>8.26</td> <td>32.69</td> <td>104</td> <td>285</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5650.46</td> <td>48.11</td> <td>68.64</td> <td>-20.53</td> <td>37.96</td> <td>34.47</td> <td>8.40</td> <td>32.72</td> <td>104</td> <td>285</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5702.23</td> <td>48.99</td> <td>105.82</td> <td>-56.83</td> <td>38.60</td> <td>34.56</td> <td>8.59</td> <td>32.76</td> <td>104</td> <td>285</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5720.06</td> <td>47.44</td> <td>110.94</td> <td>-63.50</td> <td>36.97</td> <td>34.59</td> <td>8.66</td> <td>32.78</td> <td>104</td> <td>285</td> <td>PEAK</td> </tr> </tbody> </table> | | Limit | Read | Ant | Cable | Preamp | APos | TPos | | Freq | Level | Line | Margin | Level | Factor | Loss | Factor | Remark | | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | cm | deg | 1 | 5613.92 | 48.92 | 68.30 | -19.38 | 38.95 | 34.40 | 8.26 | 32.69 | 104 | 285 | PEAK | 2 | 5650.46 | 48.11 | 68.64 | -20.53 | 37.96 | 34.47 | 8.40 | 32.72 | 104 | 285 | PEAK | 3 | 5702.23 | 48.99 | 105.82 | -56.83 | 38.60 | 34.56 | 8.59 | 32.76 | 104 | 285 | PEAK | 4 | 5720.06 | 47.44 | 110.94 | -63.50 | 36.97 | 34.59 | 8.66 | 32.78 | 104 | 285 | PEAK | <table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5745.00</td> <td>98.45</td> <td>-----</td> <td>-----</td> <td>87.88</td> <td>34.63</td> <td>8.73</td> <td>32.79</td> <td>104</td> <td>285</td> <td>PEAK</td> </tr> </tbody> </table> | | Limit | Read | Ant | Cable | Preamp | APos | TPos | | Freq | Level | Line | Margin | Level | Factor | Loss | Factor | Remark | | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | cm | deg | 1 | 5745.00 | 98.45 | ----- | ----- | 87.88 | 34.63 | 8.73 | 32.79 | 104 | 285 | PEAK |
| | | Limit | Read | Ant | Cable | Preamp | APos | TPos | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Freq | Level | Line | Margin | Level | Factor | Loss | Factor | Remark | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | cm | deg | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 | 5613.92 | 48.92 | 68.30 | -19.38 | 38.95 | 34.40 | 8.26 | 32.69 | 104 | 285 | PEAK | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 2 | 5650.46 | 48.11 | 68.64 | -20.53 | 37.96 | 34.47 | 8.40 | 32.72 | 104 | 285 | PEAK | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 3 | 5702.23 | 48.99 | 105.82 | -56.83 | 38.60 | 34.56 | 8.59 | 32.76 | 104 | 285 | PEAK | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 4 | 5720.06 | 47.44 | 110.94 | -63.50 | 36.97 | 34.59 | 8.66 | 32.78 | 104 | 285 | PEAK | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | Limit | Read | Ant | Cable | Preamp | APos | TPos | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Freq | Level | Line | Margin | Level | Factor | Loss | Factor | Remark | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | cm | deg | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 | 5745.00 | 98.45 | ----- | ----- | 87.88 | 34.63 | 8.73 | 32.79 | 104 | 285 | PEAK | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Avg | Blank | <table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5745.00</td> <td>90.87</td> <td>-----</td> <td>-----</td> <td>80.33</td> <td>34.62</td> <td>8.71</td> <td>32.79</td> <td>104</td> <td>285</td> <td>AVERAGE</td> </tr> </tbody> </table> | | Limit | Read | Ant | Cable | Preamp | APos | TPos | | Freq | Level | Line | Margin | Level | Factor | Loss | Factor | Remark | | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | cm | deg | 1 | 5745.00 | 90.87 | ----- | ----- | 80.33 | 34.62 | 8.71 | 32.79 | 104 | 285 | AVERAGE | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | Limit | Read | Ant | Cable | Preamp | APos | TPos | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Freq | Level | Line | Margin | Level | Factor | Loss | Factor | Remark | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | cm | deg | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 | 5745.00 | 90.87 | ----- | ----- | 80.33 | 34.62 | 8.71 | 32.79 | 104 | 285 | AVERAGE | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |



| Mode | 52 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-----------|--|--|--------|--------|--------|--------|--------|------|--------|---------|-------|-------|--------|--------|--------|--------|--------|--------|--------|--------|--------|------|------|------|----|-----------|-----------|--------|--------|-------|-------|-------|-------|-------|-----|------|-----------|-------|--------|--------|-------|-------|------|-------|-----|----|------|-----------|-------|-------|--------|-------|-------|------|-------|-----|----|------|-----------|-------|-------|--------|-------|-------|------|-------|-----|----|------|--|-------|------|-----|-------|--------|------|------|--------|------|-------|------|--------|-------|--------|------|--------|-----|--------|--------|----|------|------|----|----|-----------|--------|-------|-------|-------|-------|------|-------|-----|----|------|
| | Band Edge | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | U-NII-3_5.725-5.85_802.11ax HE20_CH165_Partial RU26/8_5825MHz | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| ANT | 5 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Pol. | Horizontal | Fundamental | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Peak | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 5854.63</td> <td>48.04</td> <td>111.65</td> <td>-63.61</td> <td>37.21</td> <td>34.84</td> <td>8.87</td> <td>32.88</td> <td>118</td> <td>28</td> <td>PEAK</td> </tr> <tr> <td>2 5874.63</td> <td>49.17</td> <td>105.30</td> <td>-56.13</td> <td>38.34</td> <td>34.87</td> <td>8.85</td> <td>32.89</td> <td>118</td> <td>28</td> <td>PEAK</td> </tr> <tr> <td>3 5925.00</td> <td>48.23</td> <td>68.20</td> <td>-19.97</td> <td>37.40</td> <td>34.97</td> <td>8.79</td> <td>32.93</td> <td>118</td> <td>28</td> <td>PEAK</td> </tr> <tr> <td>4 5947.25</td> <td>49.31</td> <td>68.30</td> <td>-18.99</td> <td>38.49</td> <td>35.01</td> <td>8.76</td> <td>32.95</td> <td>118</td> <td>28</td> <td>PEAK</td> </tr> </tbody> </table> | Limit | Read | Ant | Cable | Preamp | APos | TPos | Remark | Freq | Level | Line | Margin | Level | Factor | Loss | Factor | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | 1 5854.63 | 48.04 | 111.65 | -63.61 | 37.21 | 34.84 | 8.87 | 32.88 | 118 | 28 | PEAK | 2 5874.63 | 49.17 | 105.30 | -56.13 | 38.34 | 34.87 | 8.85 | 32.89 | 118 | 28 | PEAK | 3 5925.00 | 48.23 | 68.20 | -19.97 | 37.40 | 34.97 | 8.79 | 32.93 | 118 | 28 | PEAK | 4 5947.25 | 49.31 | 68.30 | -18.99 | 38.49 | 35.01 | 8.76 | 32.95 | 118 | 28 | PEAK | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 5825.00</td> <td>103.00</td> <td>-----</td> <td>-----</td> <td>92.17</td> <td>34.79</td> <td>8.90</td> <td>32.86</td> <td>118</td> <td>28</td> <td>PEAK</td> </tr> </tbody> </table> | Limit | Read | Ant | Cable | Preamp | APos | TPos | Remark | Freq | Level | Line | Margin | Level | Factor | Loss | Factor | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | 1 5825.00 | 103.00 | ----- | ----- | 92.17 | 34.79 | 8.90 | 32.86 | 118 | 28 | PEAK |
| Limit | Read | Ant | Cable | Preamp | APos | TPos | Remark | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Freq | Level | Line | Margin | Level | Factor | Loss | Factor | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 5854.63 | 48.04 | 111.65 | -63.61 | 37.21 | 34.84 | 8.87 | 32.88 | 118 | 28 | PEAK | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 2 5874.63 | 49.17 | 105.30 | -56.13 | 38.34 | 34.87 | 8.85 | 32.89 | 118 | 28 | PEAK | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 3 5925.00 | 48.23 | 68.20 | -19.97 | 37.40 | 34.97 | 8.79 | 32.93 | 118 | 28 | PEAK | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 4 5947.25 | 49.31 | 68.30 | -18.99 | 38.49 | 35.01 | 8.76 | 32.95 | 118 | 28 | PEAK | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Limit | Read | Ant | Cable | Preamp | APos | TPos | Remark | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Freq | Level | Line | Margin | Level | Factor | Loss | Factor | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 5825.00 | 103.00 | ----- | ----- | 92.17 | 34.79 | 8.90 | 32.86 | 118 | 28 | PEAK | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Avg | Blank | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 5825.00</td> <td>94.18</td> <td>-----</td> <td>-----</td> <td>83.35</td> <td>34.80</td> <td>8.89</td> <td>32.86</td> <td>118</td> <td>28</td> <td>AVERAGE</td> </tr> </tbody> </table> | Limit | Read | Ant | Cable | Preamp | APos | TPos | Remark | Freq | Level | Line | Margin | Level | Factor | Loss | Factor | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | 1 5825.00 | 94.18 | ----- | ----- | 83.35 | 34.80 | 8.89 | 32.86 | 118 | 28 | AVERAGE | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Limit | Read | Ant | Cable | Preamp | APos | TPos | Remark | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Freq | Level | Line | Margin | Level | Factor | Loss | Factor | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 5825.00 | 94.18 | ----- | ----- | 83.35 | 34.80 | 8.89 | 32.86 | 118 | 28 | AVERAGE | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |



| | 52 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-------|--|--|--------|--------|--------|--------|--------|--------|--------|--------|---------|-------|--------|--------|--------|--------|--------|--------|--------|--------|--------|------|------|------|----|----|---------|---------|--------|--------|-------|-------|-------|-------|-------|-----|------|---------|---------|-------|--------|--------|-------|-------|------|-------|-----|-----|------|---|---------|-------|-------|--------|-------|-------|------|-------|-----|-----|------|---|---------|-------|-------|--------|-------|-------|------|-------|-----|-----|------|---|-------|------|-----|-------|--------|------|------|--------|------|-------|------|--------|-------|--------|------|--------|-----|--------|--------|----|------|------|----|----|---|---------|-------|-------|-------|-------|-------|------|-------|-----|-----|------|
| Mode | Band Edge | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | U-NII-3_5.725-5.85_802.11ax HE20_CH165_Partial RU26/8_5825MHz | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| ANT | 5 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Pol. | Vertical | Fundamental | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Peak | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5855.00</td> <td>48.58</td> <td>110.80</td> <td>-62.22</td> <td>37.75</td> <td>34.84</td> <td>8.87</td> <td>32.88</td> <td>100</td> <td>267</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5873.25</td> <td>50.27</td> <td>105.69</td> <td>-55.42</td> <td>39.44</td> <td>34.87</td> <td>8.85</td> <td>32.89</td> <td>100</td> <td>267</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5925.00</td> <td>48.75</td> <td>68.20</td> <td>-19.45</td> <td>37.92</td> <td>34.97</td> <td>8.79</td> <td>32.93</td> <td>100</td> <td>267</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5935.00</td> <td>49.48</td> <td>68.30</td> <td>-18.82</td> <td>38.66</td> <td>34.98</td> <td>8.78</td> <td>32.94</td> <td>100</td> <td>267</td> <td>PEAK</td> </tr> </tbody> </table> | Limit | Read | Ant | Cable | Preamp | APos | TPos | Remark | Freq | Level | Line | Margin | Level | Factor | Loss | Factor | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | 1 | 5855.00 | 48.58 | 110.80 | -62.22 | 37.75 | 34.84 | 8.87 | 32.88 | 100 | 267 | PEAK | 2 | 5873.25 | 50.27 | 105.69 | -55.42 | 39.44 | 34.87 | 8.85 | 32.89 | 100 | 267 | PEAK | 3 | 5925.00 | 48.75 | 68.20 | -19.45 | 37.92 | 34.97 | 8.79 | 32.93 | 100 | 267 | PEAK | 4 | 5935.00 | 49.48 | 68.30 | -18.82 | 38.66 | 34.98 | 8.78 | 32.94 | 100 | 267 | PEAK | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5825.00</td> <td>99.18</td> <td>-----</td> <td>-----</td> <td>88.35</td> <td>34.80</td> <td>8.89</td> <td>32.86</td> <td>100</td> <td>267</td> <td>PEAK</td> </tr> </tbody> </table> | Limit | Read | Ant | Cable | Preamp | APos | TPos | Remark | Freq | Level | Line | Margin | Level | Factor | Loss | Factor | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | 1 | 5825.00 | 99.18 | ----- | ----- | 88.35 | 34.80 | 8.89 | 32.86 | 100 | 267 | PEAK |
| | Limit | Read | Ant | Cable | Preamp | APos | TPos | Remark | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Freq | Level | Line | Margin | Level | Factor | Loss | Factor | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 | 5855.00 | 48.58 | 110.80 | -62.22 | 37.75 | 34.84 | 8.87 | 32.88 | 100 | 267 | PEAK | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 2 | 5873.25 | 50.27 | 105.69 | -55.42 | 39.44 | 34.87 | 8.85 | 32.89 | 100 | 267 | PEAK | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 3 | 5925.00 | 48.75 | 68.20 | -19.45 | 37.92 | 34.97 | 8.79 | 32.93 | 100 | 267 | PEAK | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 4 | 5935.00 | 49.48 | 68.30 | -18.82 | 38.66 | 34.98 | 8.78 | 32.94 | 100 | 267 | PEAK | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Limit | Read | Ant | Cable | Preamp | APos | TPos | Remark | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Freq | Level | Line | Margin | Level | Factor | Loss | Factor | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 | 5825.00 | 99.18 | ----- | ----- | 88.35 | 34.80 | 8.89 | 32.86 | 100 | 267 | PEAK | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Avg | Blank | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5825.00</td> <td>91.62</td> <td>-----</td> <td>-----</td> <td>80.79</td> <td>34.80</td> <td>8.89</td> <td>32.86</td> <td>100</td> <td>267</td> <td>AVERAGE</td> </tr> </tbody> </table> | Limit | Read | Ant | Cable | Preamp | APos | TPos | Remark | Freq | Level | Line | Margin | Level | Factor | Loss | Factor | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | 1 | 5825.00 | 91.62 | ----- | ----- | 80.79 | 34.80 | 8.89 | 32.86 | 100 | 267 | AVERAGE | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Limit | Read | Ant | Cable | Preamp | APos | TPos | Remark | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Freq | Level | Line | Margin | Level | Factor | Loss | Factor | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 | 5825.00 | 91.62 | ----- | ----- | 80.79 | 34.80 | 8.89 | 32.86 | 100 | 267 | AVERAGE | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |



| Mode | 53 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|------|---|--|--------|--------|-------------|-------|--------|--------|------|--------|---------|-------|-------------|-------------|--------|-------------|-------------|--|--|-----|--------|--------|--------|------|------|------|----|-----|-----|---------|---------|-------|--------|-------|-------|-------|-------|-------|-----|------|---------|---------|-------|-------|--------|-------|-------|------|-------|-----|----|------|---|---------|-------|--------|--------|-------|-------|------|-------|-----|----|------|---|---------|-------|--------|--------|-------|-------|------|-------|-----|----|------|--|--|-------|------|-----|-------|--------|------|------|--------|------|-------|-------------|-------|--------|-------------|--|--|--|-----|--------|--------|----|------|------|----|----|-----|---|---------|--------|-------|-------|-------|-------|------|-------|-----|----|------|
| | Band Edge | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | U-NII-3_5.725-5.85_802.11ax HE20_CH149_Partial RU52/37_5745MHz | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| ANT | 5 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Pol. | Horizontal | Fundamental | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Peak | <table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5619.72</td> <td>49.46</td> <td>68.30</td> <td>-18.84</td> <td>39.46</td> <td>34.41</td> <td>8.29</td> <td>32.70</td> <td>104</td> <td>15</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5650.17</td> <td>48.60</td> <td>68.43</td> <td>-19.83</td> <td>38.45</td> <td>34.47</td> <td>8.40</td> <td>32.72</td> <td>104</td> <td>15</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5702.66</td> <td>52.03</td> <td>105.95</td> <td>-53.92</td> <td>41.64</td> <td>34.56</td> <td>8.59</td> <td>32.76</td> <td>104</td> <td>15</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5720.06</td> <td>48.25</td> <td>110.94</td> <td>-62.69</td> <td>37.78</td> <td>34.59</td> <td>8.66</td> <td>32.78</td> <td>104</td> <td>15</td> <td>PEAK</td> </tr> </tbody> </table> | | Limit | Read | Ant | Cable | Preamp | APos | TPos | Remark | Freq | Level | Line Margin | Level | Factor | Loss Factor | | | | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | cm | deg | 1 | 5619.72 | 49.46 | 68.30 | -18.84 | 39.46 | 34.41 | 8.29 | 32.70 | 104 | 15 | PEAK | 2 | 5650.17 | 48.60 | 68.43 | -19.83 | 38.45 | 34.47 | 8.40 | 32.72 | 104 | 15 | PEAK | 3 | 5702.66 | 52.03 | 105.95 | -53.92 | 41.64 | 34.56 | 8.59 | 32.76 | 104 | 15 | PEAK | 4 | 5720.06 | 48.25 | 110.94 | -62.69 | 37.78 | 34.59 | 8.66 | 32.78 | 104 | 15 | PEAK | <table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5745.00</td> <td>103.99</td> <td>-----</td> <td>-----</td> <td>93.45</td> <td>34.62</td> <td>8.71</td> <td>32.79</td> <td>104</td> <td>15</td> <td>PEAK</td> </tr> </tbody> </table> | | Limit | Read | Ant | Cable | Preamp | APos | TPos | Remark | Freq | Level | Line Margin | Level | Factor | Loss Factor | | | | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | cm | deg | 1 | 5745.00 | 103.99 | ----- | ----- | 93.45 | 34.62 | 8.71 | 32.79 | 104 | 15 | PEAK |
| | Limit | Read | Ant | Cable | Preamp | APos | TPos | Remark | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Freq | Level | Line Margin | Level | Factor | Loss Factor | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | cm | deg | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 | 5619.72 | 49.46 | 68.30 | -18.84 | 39.46 | 34.41 | 8.29 | 32.70 | 104 | 15 | PEAK | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 2 | 5650.17 | 48.60 | 68.43 | -19.83 | 38.45 | 34.47 | 8.40 | 32.72 | 104 | 15 | PEAK | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 3 | 5702.66 | 52.03 | 105.95 | -53.92 | 41.64 | 34.56 | 8.59 | 32.76 | 104 | 15 | PEAK | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 4 | 5720.06 | 48.25 | 110.94 | -62.69 | 37.78 | 34.59 | 8.66 | 32.78 | 104 | 15 | PEAK | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | Limit | Read | Ant | Cable | Preamp | APos | TPos | Remark | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Freq | Level | Line Margin | Level | Factor | Loss Factor | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | cm | deg | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 | 5745.00 | 103.99 | ----- | ----- | 93.45 | 34.62 | 8.71 | 32.79 | 104 | 15 | PEAK | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Avg | Blank | <table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5745.00</td> <td>95.63</td> <td>-----</td> <td>-----</td> <td>85.06</td> <td>34.63</td> <td>8.73</td> <td>32.79</td> <td>104</td> <td>15</td> <td>AVERAGE</td> </tr> </tbody> </table> | | Limit | Read | Ant | Cable | Preamp | APos | TPos | Remark | Freq | Level | Line Margin | Level | Factor | Loss Factor | | | | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | cm | deg | 1 | 5745.00 | 95.63 | ----- | ----- | 85.06 | 34.63 | 8.73 | 32.79 | 104 | 15 | AVERAGE | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | Limit | Read | Ant | Cable | Preamp | APos | TPos | Remark | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Freq | Level | Line Margin | Level | Factor | Loss Factor | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | cm | deg | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 | 5745.00 | 95.63 | ----- | ----- | 85.06 | 34.63 | 8.73 | 32.79 | 104 | 15 | AVERAGE | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |



| Mode | 53 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-------|---|---|--------|--------|-------------|--------|--------|--------|--------|--------|---------|-------------|-------------|--------|-------------|-------------|--|-----|--------|--------|--------|------|------|------|----|-----|-----|---------|---------|-------|--------|-------|-------|-------|-------|-------|-----|------|---------|---------|-------|-------|--------|-------|-------|------|-------|-----|-----|------|---|---------|-------|--------|--------|-------|-------|------|-------|-----|-----|------|---|---------|-------|--------|--------|-------|-------|------|-------|-----|-----|------|--|-------|------|-----|-------|--------|------|------|--------|------|-------|-------------|-------|--------|-------------|--|--|-----|--------|--------|----|------|------|----|----|-----|---|---------|-------|-------|-------|-------|-------|------|-------|-----|-----|------|
| | Band Edge | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | U-NII-3_5.725-5.85_802.11ax HE20_CH149_Partial RU52/37_5745MHz | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| ANT | 5 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Pol. | Vertical | Fundamental | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Peak | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5626.68</td> <td>49.16</td> <td>68.30</td> <td>-19.14</td> <td>39.13</td> <td>34.42</td> <td>8.31</td> <td>32.70</td> <td>100</td> <td>264</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5650.03</td> <td>47.53</td> <td>68.32</td> <td>-20.79</td> <td>37.39</td> <td>34.46</td> <td>8.40</td> <td>32.72</td> <td>100</td> <td>264</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5700.92</td> <td>49.24</td> <td>105.46</td> <td>-56.22</td> <td>38.85</td> <td>34.56</td> <td>8.59</td> <td>32.76</td> <td>100</td> <td>264</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5720.06</td> <td>47.89</td> <td>110.94</td> <td>-63.05</td> <td>37.42</td> <td>34.59</td> <td>8.66</td> <td>32.78</td> <td>100</td> <td>264</td> <td>PEAK</td> </tr> </tbody> </table> | Limit | Read | Ant | Cable | Preamp | APos | TPos | Remark | Freq | Level | Line Margin | Level | Factor | Loss Factor | | | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | cm | deg | 1 | 5626.68 | 49.16 | 68.30 | -19.14 | 39.13 | 34.42 | 8.31 | 32.70 | 100 | 264 | PEAK | 2 | 5650.03 | 47.53 | 68.32 | -20.79 | 37.39 | 34.46 | 8.40 | 32.72 | 100 | 264 | PEAK | 3 | 5700.92 | 49.24 | 105.46 | -56.22 | 38.85 | 34.56 | 8.59 | 32.76 | 100 | 264 | PEAK | 4 | 5720.06 | 47.89 | 110.94 | -63.05 | 37.42 | 34.59 | 8.66 | 32.78 | 100 | 264 | PEAK | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5745.00</td> <td>99.41</td> <td>-----</td> <td>-----</td> <td>88.84</td> <td>34.63</td> <td>8.73</td> <td>32.79</td> <td>100</td> <td>264</td> <td>PEAK</td> </tr> </tbody> </table> | Limit | Read | Ant | Cable | Preamp | APos | TPos | Remark | Freq | Level | Line Margin | Level | Factor | Loss Factor | | | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | cm | deg | 1 | 5745.00 | 99.41 | ----- | ----- | 88.84 | 34.63 | 8.73 | 32.79 | 100 | 264 | PEAK |
| | Limit | Read | Ant | Cable | Preamp | APos | TPos | Remark | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Freq | Level | Line Margin | Level | Factor | Loss Factor | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | cm | deg | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 | 5626.68 | 49.16 | 68.30 | -19.14 | 39.13 | 34.42 | 8.31 | 32.70 | 100 | 264 | PEAK | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 2 | 5650.03 | 47.53 | 68.32 | -20.79 | 37.39 | 34.46 | 8.40 | 32.72 | 100 | 264 | PEAK | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 3 | 5700.92 | 49.24 | 105.46 | -56.22 | 38.85 | 34.56 | 8.59 | 32.76 | 100 | 264 | PEAK | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 4 | 5720.06 | 47.89 | 110.94 | -63.05 | 37.42 | 34.59 | 8.66 | 32.78 | 100 | 264 | PEAK | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Limit | Read | Ant | Cable | Preamp | APos | TPos | Remark | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Freq | Level | Line Margin | Level | Factor | Loss Factor | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | cm | deg | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 | 5745.00 | 99.41 | ----- | ----- | 88.84 | 34.63 | 8.73 | 32.79 | 100 | 264 | PEAK | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Avg | Blank | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5745.00</td> <td>90.70</td> <td>-----</td> <td>-----</td> <td>80.13</td> <td>34.63</td> <td>8.73</td> <td>32.79</td> <td>100</td> <td>264</td> <td>AVERAGE</td> </tr> </tbody> </table> | Limit | Read | Ant | Cable | Preamp | APos | TPos | Remark | Freq | Level | Line Margin | Level | Factor | Loss Factor | | | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | cm | deg | 1 | 5745.00 | 90.70 | ----- | ----- | 80.13 | 34.63 | 8.73 | 32.79 | 100 | 264 | AVERAGE | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Limit | Read | Ant | Cable | Preamp | APos | TPos | Remark | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Freq | Level | Line Margin | Level | Factor | Loss Factor | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | cm | deg | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 | 5745.00 | 90.70 | ----- | ----- | 80.13 | 34.63 | 8.73 | 32.79 | 100 | 264 | AVERAGE | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |



| Mode | 54 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|------|--|--|--------|--------|-------|--------|-------|--------|---------------|------|--------|--------|-----|--------|--------|--------|------|------|------|----|-----|-----|---------|---------|--------|--------|-------|-------|-------|-------|------------|---------------|---------|-------|--------|--------|-------|-------|------|-------|------------|---|---------|-------|-------|--------|-------|-------|------|-------|------------|---|---------|-------|-------|--------|-------|-------|------|-------|------------|--|------|------|-------|------|-----|-------|--------|------|------|--------|--|-----|--------|--------|----|------|------|----|----|-----|---|---------|--------|-------|-------|-------|-------|------|-------|------------|
| | Band Edge | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | U-NII-3_5.725-5.85_802.11ax HE20_CH165_Partial RU52/40_5825MHz | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| ANT | 5 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Pol. | Horizontal | Fundamental | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Peak | <table border="1"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5854.88</td> <td>48.13</td> <td>111.08</td> <td>-62.95</td> <td>37.30</td> <td>34.84</td> <td>8.87</td> <td>32.88</td> <td>111 8 PEAK</td> </tr> <tr> <td>2</td> <td>5872.50</td> <td>50.32</td> <td>105.90</td> <td>-55.58</td> <td>39.49</td> <td>34.87</td> <td>8.85</td> <td>32.89</td> <td>111 8 PEAK</td> </tr> <tr> <td>3</td> <td>5924.38</td> <td>49.11</td> <td>68.66</td> <td>-19.55</td> <td>38.28</td> <td>34.97</td> <td>8.79</td> <td>32.93</td> <td>111 8 PEAK</td> </tr> <tr> <td>4</td> <td>5937.88</td> <td>49.93</td> <td>68.30</td> <td>-18.37</td> <td>39.11</td> <td>34.99</td> <td>8.77</td> <td>32.94</td> <td>111 8 PEAK</td> </tr> </tbody> </table> | Peak | Freq | Limit | Read | Ant | Cable | Preamp | APos | TPos | Remark | | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | cm | deg | 1 | 5854.88 | 48.13 | 111.08 | -62.95 | 37.30 | 34.84 | 8.87 | 32.88 | 111 8 PEAK | 2 | 5872.50 | 50.32 | 105.90 | -55.58 | 39.49 | 34.87 | 8.85 | 32.89 | 111 8 PEAK | 3 | 5924.38 | 49.11 | 68.66 | -19.55 | 38.28 | 34.97 | 8.79 | 32.93 | 111 8 PEAK | 4 | 5937.88 | 49.93 | 68.30 | -18.37 | 39.11 | 34.99 | 8.77 | 32.94 | 111 8 PEAK | <table border="1"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5825.00</td> <td>102.87</td> <td>-----</td> <td>-----</td> <td>92.04</td> <td>34.79</td> <td>8.90</td> <td>32.86</td> <td>111 8 PEAK</td> </tr> </tbody> </table> | Peak | Freq | Limit | Read | Ant | Cable | Preamp | APos | TPos | Remark | | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | cm | deg | 1 | 5825.00 | 102.87 | ----- | ----- | 92.04 | 34.79 | 8.90 | 32.86 | 111 8 PEAK |
| Peak | Freq | Limit | Read | Ant | Cable | Preamp | APos | TPos | Remark | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | cm | deg | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 | 5854.88 | 48.13 | 111.08 | -62.95 | 37.30 | 34.84 | 8.87 | 32.88 | 111 8 PEAK | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 2 | 5872.50 | 50.32 | 105.90 | -55.58 | 39.49 | 34.87 | 8.85 | 32.89 | 111 8 PEAK | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 3 | 5924.38 | 49.11 | 68.66 | -19.55 | 38.28 | 34.97 | 8.79 | 32.93 | 111 8 PEAK | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 4 | 5937.88 | 49.93 | 68.30 | -18.37 | 39.11 | 34.99 | 8.77 | 32.94 | 111 8 PEAK | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Peak | Freq | Limit | Read | Ant | Cable | Preamp | APos | TPos | Remark | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | cm | deg | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 | 5825.00 | 102.87 | ----- | ----- | 92.04 | 34.79 | 8.90 | 32.86 | 111 8 PEAK | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Avg | Blank | <table border="1"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5825.00</td> <td>95.31</td> <td>-----</td> <td>-----</td> <td>84.48</td> <td>34.79</td> <td>8.90</td> <td>32.86</td> <td>111 8 AVERAGE</td> </tr> </tbody> </table> | Peak | Freq | Limit | Read | Ant | Cable | Preamp | APos | TPos | Remark | | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | cm | deg | 1 | 5825.00 | 95.31 | ----- | ----- | 84.48 | 34.79 | 8.90 | 32.86 | 111 8 AVERAGE | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Peak | Freq | Limit | Read | Ant | Cable | Preamp | APos | TPos | Remark | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | cm | deg | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 | 5825.00 | 95.31 | ----- | ----- | 84.48 | 34.79 | 8.90 | 32.86 | 111 8 AVERAGE | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |






| Mode | 54 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-------|--|--|--------|--------|--------|--------|--------|--------|--------|--------|---------|-------|--------|--------|--------|--------|--------|--------|--------|--------|--------|------|------|------|----|----|---------|---------|--------|--------|-------|-------|-------|-------|-------|-----|------|---------|---------|-------|--------|--------|-------|-------|------|-------|-----|-----|------|---|---------|-------|-------|--------|-------|-------|------|-------|-----|-----|------|---|---------|-------|-------|--------|-------|-------|------|-------|-----|-----|------|--|-------|------|-----|-------|--------|------|------|--------|------|-------|------|--------|-------|--------|------|--------|-----|--------|--------|----|------|------|----|----|---|---------|--------|-------|-------|-------|-------|------|-------|-----|-----|------|
| | Band Edge | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | U-NII-3_5.725-5.85_802.11ax HE20_CH165_Partial RU52/40_5825MHz | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| ANT | 5 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Pol. | Vertical | Fundamental | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Peak | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5854.88</td> <td>48.92</td> <td>111.08</td> <td>-62.16</td> <td>38.09</td> <td>34.84</td> <td>8.87</td> <td>32.88</td> <td>100</td> <td>280</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5874.63</td> <td>47.97</td> <td>105.30</td> <td>-57.33</td> <td>37.14</td> <td>34.87</td> <td>8.85</td> <td>32.89</td> <td>100</td> <td>280</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5924.63</td> <td>48.49</td> <td>68.48</td> <td>-19.99</td> <td>37.66</td> <td>34.97</td> <td>8.79</td> <td>32.93</td> <td>100</td> <td>280</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5947.75</td> <td>49.48</td> <td>68.30</td> <td>-18.82</td> <td>38.66</td> <td>35.01</td> <td>8.76</td> <td>32.95</td> <td>100</td> <td>280</td> <td>PEAK</td> </tr> </tbody> </table> | Limit | Read | Ant | Cable | Preamp | APos | TPos | Remark | Freq | Level | Line | Margin | Level | Factor | Loss | Factor | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | cm | 1 | 5854.88 | 48.92 | 111.08 | -62.16 | 38.09 | 34.84 | 8.87 | 32.88 | 100 | 280 | PEAK | 2 | 5874.63 | 47.97 | 105.30 | -57.33 | 37.14 | 34.87 | 8.85 | 32.89 | 100 | 280 | PEAK | 3 | 5924.63 | 48.49 | 68.48 | -19.99 | 37.66 | 34.97 | 8.79 | 32.93 | 100 | 280 | PEAK | 4 | 5947.75 | 49.48 | 68.30 | -18.82 | 38.66 | 35.01 | 8.76 | 32.95 | 100 | 280 | PEAK | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5825.00</td> <td>100.66</td> <td>-----</td> <td>-----</td> <td>89.83</td> <td>34.79</td> <td>8.90</td> <td>32.86</td> <td>100</td> <td>280</td> <td>PEAK</td> </tr> </tbody> </table> | Limit | Read | Ant | Cable | Preamp | APos | TPos | Remark | Freq | Level | Line | Margin | Level | Factor | Loss | Factor | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | cm | 1 | 5825.00 | 100.66 | ----- | ----- | 89.83 | 34.79 | 8.90 | 32.86 | 100 | 280 | PEAK |
| | Limit | Read | Ant | Cable | Preamp | APos | TPos | Remark | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Freq | Level | Line | Margin | Level | Factor | Loss | Factor | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | cm | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 | 5854.88 | 48.92 | 111.08 | -62.16 | 38.09 | 34.84 | 8.87 | 32.88 | 100 | 280 | PEAK | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 2 | 5874.63 | 47.97 | 105.30 | -57.33 | 37.14 | 34.87 | 8.85 | 32.89 | 100 | 280 | PEAK | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 3 | 5924.63 | 48.49 | 68.48 | -19.99 | 37.66 | 34.97 | 8.79 | 32.93 | 100 | 280 | PEAK | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 4 | 5947.75 | 49.48 | 68.30 | -18.82 | 38.66 | 35.01 | 8.76 | 32.95 | 100 | 280 | PEAK | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Limit | Read | Ant | Cable | Preamp | APos | TPos | Remark | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Freq | Level | Line | Margin | Level | Factor | Loss | Factor | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | cm | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 | 5825.00 | 100.66 | ----- | ----- | 89.83 | 34.79 | 8.90 | 32.86 | 100 | 280 | PEAK | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Avg | Blank | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5825.00</td> <td>91.18</td> <td>-----</td> <td>-----</td> <td>80.35</td> <td>34.80</td> <td>8.89</td> <td>32.86</td> <td>100</td> <td>280</td> <td>AVERAGE</td> </tr> </tbody> </table> | Limit | Read | Ant | Cable | Preamp | APos | TPos | Remark | Freq | Level | Line | Margin | Level | Factor | Loss | Factor | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | cm | 1 | 5825.00 | 91.18 | ----- | ----- | 80.35 | 34.80 | 8.89 | 32.86 | 100 | 280 | AVERAGE | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Limit | Read | Ant | Cable | Preamp | APos | TPos | Remark | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Freq | Level | Line | Margin | Level | Factor | Loss | Factor | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | cm | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 | 5825.00 | 91.18 | ----- | ----- | 80.35 | 34.80 | 8.89 | 32.86 | 100 | 280 | AVERAGE | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |



| Mode | 55 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|------|--|--|--------|--------|-------|--------|--------|--------|--------|------------|--------|--------|-----|--------|--------|--------|------|------|------|----|-----|-----|---------|---------|-------|--------|-------|-------|-------|-------|-------|---------|------------|---------|-------|-------|--------|-------|-------|------|-------|-----|---------|---|---------|-------|--------|--------|-------|-------|------|-------|-----|---------|---|---------|-------|--------|--------|-------|-------|------|-------|-----|---------|--|------|------|-------|------|-----|-------|--------|------|------|--------|--|-----|--------|--------|----|------|------|----|----|-----|---|---------|--------|-------|-------|-------|-------|------|-------|-----|---------|
| | Band Edge | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | U-NII-3_5.725-5.85_802.11ax HE20_CH149_Partial RU106/53_5745MHz | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| ANT | 5 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Pol. | Horizontal | Fundamental | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Peak | <table border="1"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5629.58</td> <td>50.05</td> <td>68.30</td> <td>-18.25</td> <td>40.01</td> <td>34.43</td> <td>8.32</td> <td>32.71</td> <td>103</td> <td>11 PEAK</td> </tr> <tr> <td>2</td> <td>5650.32</td> <td>50.13</td> <td>68.53</td> <td>-18.40</td> <td>39.98</td> <td>34.47</td> <td>8.40</td> <td>32.72</td> <td>103</td> <td>11 PEAK</td> </tr> <tr> <td>3</td> <td>5716.00</td> <td>55.87</td> <td>109.68</td> <td>-53.81</td> <td>45.41</td> <td>34.59</td> <td>8.64</td> <td>32.77</td> <td>103</td> <td>11 PEAK</td> </tr> <tr> <td>4</td> <td>5720.50</td> <td>55.22</td> <td>111.93</td> <td>-56.71</td> <td>44.75</td> <td>34.59</td> <td>8.66</td> <td>32.78</td> <td>103</td> <td>11 PEAK</td> </tr> </tbody> </table> | Peak | Freq | Limit | Read | Ant | Cable | Preamp | APos | TPos | Remark | | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | cm | deg | 1 | 5629.58 | 50.05 | 68.30 | -18.25 | 40.01 | 34.43 | 8.32 | 32.71 | 103 | 11 PEAK | 2 | 5650.32 | 50.13 | 68.53 | -18.40 | 39.98 | 34.47 | 8.40 | 32.72 | 103 | 11 PEAK | 3 | 5716.00 | 55.87 | 109.68 | -53.81 | 45.41 | 34.59 | 8.64 | 32.77 | 103 | 11 PEAK | 4 | 5720.50 | 55.22 | 111.93 | -56.71 | 44.75 | 34.59 | 8.66 | 32.78 | 103 | 11 PEAK | <table border="1"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5745.00</td> <td>104.57</td> <td>-----</td> <td>-----</td> <td>94.00</td> <td>34.63</td> <td>8.73</td> <td>32.79</td> <td>103</td> <td>11 PEAK</td> </tr> </tbody> </table> | Peak | Freq | Limit | Read | Ant | Cable | Preamp | APos | TPos | Remark | | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | cm | deg | 1 | 5745.00 | 104.57 | ----- | ----- | 94.00 | 34.63 | 8.73 | 32.79 | 103 | 11 PEAK |
| | Peak | Freq | Limit | Read | Ant | Cable | Preamp | APos | TPos | Remark | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | cm | deg | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 | 5629.58 | 50.05 | 68.30 | -18.25 | 40.01 | 34.43 | 8.32 | 32.71 | 103 | 11 PEAK | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 2 | 5650.32 | 50.13 | 68.53 | -18.40 | 39.98 | 34.47 | 8.40 | 32.72 | 103 | 11 PEAK | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 3 | 5716.00 | 55.87 | 109.68 | -53.81 | 45.41 | 34.59 | 8.64 | 32.77 | 103 | 11 PEAK | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 4 | 5720.50 | 55.22 | 111.93 | -56.71 | 44.75 | 34.59 | 8.66 | 32.78 | 103 | 11 PEAK | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Peak | Freq | Limit | Read | Ant | Cable | Preamp | APos | TPos | Remark | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | cm | deg | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 | 5745.00 | 104.57 | ----- | ----- | 94.00 | 34.63 | 8.73 | 32.79 | 103 | 11 PEAK | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Avg | Blank | <table border="1"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5745.00</td> <td>96.00</td> <td>-----</td> <td>-----</td> <td>85.43</td> <td>34.63</td> <td>8.73</td> <td>32.79</td> <td>103</td> <td>11 AVERAGE</td> </tr> </tbody> </table> | Peak | Freq | Limit | Read | Ant | Cable | Preamp | APos | TPos | Remark | | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | cm | deg | 1 | 5745.00 | 96.00 | ----- | ----- | 85.43 | 34.63 | 8.73 | 32.79 | 103 | 11 AVERAGE | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Peak | Freq | Limit | Read | Ant | Cable | Preamp | APos | TPos | Remark | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | cm | deg | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 | 5745.00 | 96.00 | ----- | ----- | 85.43 | 34.63 | 8.73 | 32.79 | 103 | 11 AVERAGE | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |



| Mode | 55 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-------|---|---|--------------|--------------|--------------|--------------|--------|--------|--------|-------|-------------|-------------|--------|-------------|-------------|-----|--------|--------|--------|------|------|------|----|-----|-----|---------|---------|-------|--------|-------|-------|-------|-------|-------|-----|------|---------|---------|-------|-------|--------|-------|-------|------|-------|-----|-----|------|---|---------|-------|--------|--------|-------|-------|------|-------|-----|-----|------|---|---------|-------|--------|--------|-------|-------|------|-------|-----|-----|------|--|-------|------|-----|--------------|------|------|--------|------|-------|-------------|-------|--------|-------------|--|-----|--------|--------|----|------|------|----|----|-----|---|---------|--------|-------|-------|-------|-------|------|-------|-----|-----|------|
| | Band Edge | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | U-NII-3_5.725-5.85_802.11ax HE20_CH149_Partial RU106/53_5745MHz | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| ANT | 5 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Pol. | Vertical | Fundamental | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Peak |  <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5625.52</td> <td>49.32</td> <td>68.30</td> <td>-18.98</td> <td>39.29</td> <td>34.42</td> <td>8.31</td> <td>32.70</td> <td>102</td> <td>281</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5650.75</td> <td>47.08</td> <td>68.86</td> <td>-21.78</td> <td>36.93</td> <td>34.47</td> <td>8.40</td> <td>32.72</td> <td>102</td> <td>281</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5707.45</td> <td>53.39</td> <td>107.29</td> <td>-53.90</td> <td>42.98</td> <td>34.57</td> <td>8.61</td> <td>32.77</td> <td>102</td> <td>281</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5720.21</td> <td>51.24</td> <td>111.27</td> <td>-60.03</td> <td>40.77</td> <td>34.59</td> <td>8.66</td> <td>32.78</td> <td>102</td> <td>281</td> <td>PEAK</td> </tr> </tbody> </table> | Limit | Read | Ant | Cable Preamp | APos | TPos | Remark | Freq | Level | Line Margin | Level | Factor | Loss Factor | | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | cm | deg | 1 | 5625.52 | 49.32 | 68.30 | -18.98 | 39.29 | 34.42 | 8.31 | 32.70 | 102 | 281 | PEAK | 2 | 5650.75 | 47.08 | 68.86 | -21.78 | 36.93 | 34.47 | 8.40 | 32.72 | 102 | 281 | PEAK | 3 | 5707.45 | 53.39 | 107.29 | -53.90 | 42.98 | 34.57 | 8.61 | 32.77 | 102 | 281 | PEAK | 4 | 5720.21 | 51.24 | 111.27 | -60.03 | 40.77 | 34.59 | 8.66 | 32.78 | 102 | 281 | PEAK |  <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5745.00</td> <td>101.55</td> <td>-----</td> <td>-----</td> <td>90.98</td> <td>34.63</td> <td>8.73</td> <td>32.79</td> <td>102</td> <td>281</td> <td>PEAK</td> </tr> </tbody> </table> | Limit | Read | Ant | Cable Preamp | APos | TPos | Remark | Freq | Level | Line Margin | Level | Factor | Loss Factor | | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | cm | deg | 1 | 5745.00 | 101.55 | ----- | ----- | 90.98 | 34.63 | 8.73 | 32.79 | 102 | 281 | PEAK |
| | Limit | Read | Ant | Cable Preamp | APos | TPos | Remark | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Freq | Level | Line Margin | Level | Factor | Loss Factor | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | cm | deg | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 | 5625.52 | 49.32 | 68.30 | -18.98 | 39.29 | 34.42 | 8.31 | 32.70 | 102 | 281 | PEAK | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 2 | 5650.75 | 47.08 | 68.86 | -21.78 | 36.93 | 34.47 | 8.40 | 32.72 | 102 | 281 | PEAK | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 3 | 5707.45 | 53.39 | 107.29 | -53.90 | 42.98 | 34.57 | 8.61 | 32.77 | 102 | 281 | PEAK | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 4 | 5720.21 | 51.24 | 111.27 | -60.03 | 40.77 | 34.59 | 8.66 | 32.78 | 102 | 281 | PEAK | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Limit | Read | Ant | Cable Preamp | APos | TPos | Remark | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Freq | Level | Line Margin | Level | Factor | Loss Factor | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | cm | deg | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 | 5745.00 | 101.55 | ----- | ----- | 90.98 | 34.63 | 8.73 | 32.79 | 102 | 281 | PEAK | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Avg | Blank |  <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5745.00</td> <td>90.72</td> <td>-----</td> <td>-----</td> <td>80.15</td> <td>34.63</td> <td>8.73</td> <td>32.79</td> <td>102</td> <td>281</td> <td>AVERAGE</td> </tr> </tbody> </table> | Limit | Read | Ant | Cable Preamp | APos | TPos | Remark | Freq | Level | Line Margin | Level | Factor | Loss Factor | | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | cm | deg | 1 | 5745.00 | 90.72 | ----- | ----- | 80.15 | 34.63 | 8.73 | 32.79 | 102 | 281 | AVERAGE | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Limit | Read | Ant | Cable Preamp | APos | TPos | Remark | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Freq | Level | Line Margin | Level | Factor | Loss Factor | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | cm | deg | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 | 5745.00 | 90.72 | ----- | ----- | 80.15 | 34.63 | 8.73 | 32.79 | 102 | 281 | AVERAGE | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |



| Mode | 56 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|------|--|---|--------|-------------|-------------|-------------|-------------|------------|------------|------------|---------|--------|--------|--------|---------|---------|--------|--------|-------|-------|-------|-------|-------|-----|------|---------|---------|-------|--------|--------|-------|-------|------|-------|-----|----|------|---|---------|-------|-------|--------|-------|-------|------|-------|-----|----|------|---|---------|-------|-------|--------|-------|-------|------|-------|-----|----|------|---|------|------|-------|-------|-------------|------------|------------|------------|--------|------|------|--------|---|---------|--------|-------|-------|-------|-------|------|-------|-----|----|------|
| | Band Edge | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | U-NII-3_5.725-5.85_802.11ax HE20_CH165_Partial RU106/54_5825MHz | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| ANT | 5 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Pol. | Horizontal | Fundamental | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Peak | <table border="1"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line Margin</th> <th>Read Level</th> <th>Ant Factor</th> <th>Cable Loss</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>1</th> <th>5855.00</th> <th>50.91</th> <th>110.80</th> <th>-59.89</th> <th>40.08</th> <th>34.84</th> <th>8.87</th> <th>32.88</th> <th>102</th> <th>14</th> <th>PEAK</th> </tr> <tr> <th>2</th> <th>5870.88</th> <th>49.81</th> <th>106.35</th> <th>-56.54</th> <th>38.98</th> <th>34.87</th> <th>8.85</th> <th>32.89</th> <th>102</th> <th>14</th> <th>PEAK</th> </tr> <tr> <th>3</th> <th>5922.13</th> <th>49.57</th> <th>70.32</th> <th>-20.75</th> <th>38.75</th> <th>34.96</th> <th>8.79</th> <th>32.93</th> <th>102</th> <th>14</th> <th>PEAK</th> </tr> <tr> <th>4</th> <th>5938.88</th> <th>50.44</th> <th>68.30</th> <th>-17.86</th> <th>39.62</th> <th>34.99</th> <th>8.77</th> <th>32.94</th> <th>102</th> <th>14</th> <th>PEAK</th> </tr> </thead> </table> | Peak | Freq | Level | Limit | Line Margin | Read Level | Ant Factor | Cable Loss | Preamp | APos | TPos | Remark | 1 | 5855.00 | 50.91 | 110.80 | -59.89 | 40.08 | 34.84 | 8.87 | 32.88 | 102 | 14 | PEAK | 2 | 5870.88 | 49.81 | 106.35 | -56.54 | 38.98 | 34.87 | 8.85 | 32.89 | 102 | 14 | PEAK | 3 | 5922.13 | 49.57 | 70.32 | -20.75 | 38.75 | 34.96 | 8.79 | 32.93 | 102 | 14 | PEAK | 4 | 5938.88 | 50.44 | 68.30 | -17.86 | 39.62 | 34.99 | 8.77 | 32.94 | 102 | 14 | PEAK | <table border="1"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line Margin</th> <th>Read Level</th> <th>Ant Factor</th> <th>Cable Loss</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>1</th> <th>5825.00</th> <th>103.24</th> <th>-----</th> <th>-----</th> <th>92.41</th> <th>34.79</th> <th>8.90</th> <th>32.86</th> <th>102</th> <th>14</th> <th>PEAK</th> </tr> </thead> </table> | Peak | Freq | Level | Limit | Line Margin | Read Level | Ant Factor | Cable Loss | Preamp | APos | TPos | Remark | 1 | 5825.00 | 103.24 | ----- | ----- | 92.41 | 34.79 | 8.90 | 32.86 | 102 | 14 | PEAK |
| | Peak | Freq | Level | Limit | Line Margin | Read Level | Ant Factor | Cable Loss | Preamp | APos | TPos | Remark | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 | 5855.00 | 50.91 | 110.80 | -59.89 | 40.08 | 34.84 | 8.87 | 32.88 | 102 | 14 | PEAK | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 2 | 5870.88 | 49.81 | 106.35 | -56.54 | 38.98 | 34.87 | 8.85 | 32.89 | 102 | 14 | PEAK | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 3 | 5922.13 | 49.57 | 70.32 | -20.75 | 38.75 | 34.96 | 8.79 | 32.93 | 102 | 14 | PEAK | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 4 | 5938.88 | 50.44 | 68.30 | -17.86 | 39.62 | 34.99 | 8.77 | 32.94 | 102 | 14 | PEAK | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Peak | Freq | Level | Limit | Line Margin | Read Level | Ant Factor | Cable Loss | Preamp | APos | TPos | Remark | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 | 5825.00 | 103.24 | ----- | ----- | 92.41 | 34.79 | 8.90 | 32.86 | 102 | 14 | PEAK | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Avg | Blank | <table border="1"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line Margin</th> <th>Read Level</th> <th>Ant Factor</th> <th>Cable Loss</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>1</th> <th>5825.00</th> <th>95.30</th> <th>-----</th> <th>-----</th> <th>84.47</th> <th>34.79</th> <th>8.90</th> <th>32.86</th> <th>102</th> <th>14</th> <th>AVERAGE</th> </tr> </thead> </table> | Peak | Freq | Level | Limit | Line Margin | Read Level | Ant Factor | Cable Loss | Preamp | APos | TPos | Remark | 1 | 5825.00 | 95.30 | ----- | ----- | 84.47 | 34.79 | 8.90 | 32.86 | 102 | 14 | AVERAGE | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Peak | Freq | Level | Limit | Line Margin | Read Level | Ant Factor | Cable Loss | Preamp | APos | TPos | Remark | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 | 5825.00 | 95.30 | ----- | ----- | 84.47 | 34.79 | 8.90 | 32.86 | 102 | 14 | AVERAGE | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |



| Mode | 56 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-------|---|---|--------|--------|--------|--------|--------|--------|--------|--------|---------|-------|--------|--------|--------|--------|--------|--------|-----|-----|---------|---------|--------|--------|-------|-------|-------|-------|-------|-----|------|---------|---------|-------|--------|--------|-------|-------|------|-------|-----|-----|------|---|---------|-------|-------|--------|-------|-------|------|-------|-----|-----|------|---|---------|-------|-------|--------|-------|-------|------|-------|-----|-----|------|--|-------|------|-----|-------|--------|------|------|--------|------|-------|------|--------|-------|--------|------|--------|----|-----|---|---------|-------|-------|-------|-------|-------|------|-------|-----|-----|------|
| | Band Edge | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | U-NII-3_5.725-5.85_802.11ax HE20_CH165_Partial RU106/54_5825MHz | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| ANT | 5 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Pol. | Vertical | Fundamental | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Peak | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5855.00</td> <td>48.91</td> <td>110.80</td> <td>-61.89</td> <td>38.08</td> <td>34.84</td> <td>8.87</td> <td>32.88</td> <td>101</td> <td>283</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5873.88</td> <td>49.43</td> <td>105.51</td> <td>-56.08</td> <td>38.60</td> <td>34.87</td> <td>8.85</td> <td>32.89</td> <td>101</td> <td>283</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5924.63</td> <td>49.00</td> <td>68.48</td> <td>-19.48</td> <td>38.17</td> <td>34.97</td> <td>8.79</td> <td>32.93</td> <td>101</td> <td>283</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5930.88</td> <td>49.37</td> <td>68.30</td> <td>-18.93</td> <td>38.55</td> <td>34.98</td> <td>8.78</td> <td>32.94</td> <td>101</td> <td>283</td> <td>PEAK</td> </tr> </tbody> </table> | Limit | Read | Ant | Cable | Preamp | APos | TPos | Remark | Freq | Level | Line | Margin | Level | Factor | Loss | Factor | cm | deg | 1 | 5855.00 | 48.91 | 110.80 | -61.89 | 38.08 | 34.84 | 8.87 | 32.88 | 101 | 283 | PEAK | 2 | 5873.88 | 49.43 | 105.51 | -56.08 | 38.60 | 34.87 | 8.85 | 32.89 | 101 | 283 | PEAK | 3 | 5924.63 | 49.00 | 68.48 | -19.48 | 38.17 | 34.97 | 8.79 | 32.93 | 101 | 283 | PEAK | 4 | 5930.88 | 49.37 | 68.30 | -18.93 | 38.55 | 34.98 | 8.78 | 32.94 | 101 | 283 | PEAK | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5825.00</td> <td>99.25</td> <td>-----</td> <td>-----</td> <td>88.42</td> <td>34.79</td> <td>8.90</td> <td>32.86</td> <td>101</td> <td>283</td> <td>PEAK</td> </tr> </tbody> </table> | Limit | Read | Ant | Cable | Preamp | APos | TPos | Remark | Freq | Level | Line | Margin | Level | Factor | Loss | Factor | cm | deg | 1 | 5825.00 | 99.25 | ----- | ----- | 88.42 | 34.79 | 8.90 | 32.86 | 101 | 283 | PEAK |
| | Limit | Read | Ant | Cable | Preamp | APos | TPos | Remark | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Freq | Level | Line | Margin | Level | Factor | Loss | Factor | cm | deg | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 | 5855.00 | 48.91 | 110.80 | -61.89 | 38.08 | 34.84 | 8.87 | 32.88 | 101 | 283 | PEAK | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 2 | 5873.88 | 49.43 | 105.51 | -56.08 | 38.60 | 34.87 | 8.85 | 32.89 | 101 | 283 | PEAK | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 3 | 5924.63 | 49.00 | 68.48 | -19.48 | 38.17 | 34.97 | 8.79 | 32.93 | 101 | 283 | PEAK | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 4 | 5930.88 | 49.37 | 68.30 | -18.93 | 38.55 | 34.98 | 8.78 | 32.94 | 101 | 283 | PEAK | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Limit | Read | Ant | Cable | Preamp | APos | TPos | Remark | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Freq | Level | Line | Margin | Level | Factor | Loss | Factor | cm | deg | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 | 5825.00 | 99.25 | ----- | ----- | 88.42 | 34.79 | 8.90 | 32.86 | 101 | 283 | PEAK | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Avg | Blank | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5825.00</td> <td>91.98</td> <td>-----</td> <td>-----</td> <td>81.15</td> <td>34.80</td> <td>8.89</td> <td>32.86</td> <td>101</td> <td>283</td> <td>AVERAGE</td> </tr> </tbody> </table> | Limit | Read | Ant | Cable | Preamp | APos | TPos | Remark | Freq | Level | Line | Margin | Level | Factor | Loss | Factor | cm | deg | 1 | 5825.00 | 91.98 | ----- | ----- | 81.15 | 34.80 | 8.89 | 32.86 | 101 | 283 | AVERAGE | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Limit | Read | Ant | Cable | Preamp | APos | TPos | Remark | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Freq | Level | Line | Margin | Level | Factor | Loss | Factor | cm | deg | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 | 5825.00 | 91.98 | ----- | ----- | 81.15 | 34.80 | 8.89 | 32.86 | 101 | 283 | AVERAGE | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |



| Mode | 57 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|----------|---|-------------|-------|--------|-------------|--------|-------|-------|------|-------|-------------|-------|--------|-------------|--------|-----|--------|--------|----|------|------|----|----|-----|---|----------|-------|-------|--------|-------|-------|-------|-------|-----|-----|------|---|----------|-------|-------|--------|-------|-------|-------|-------|-----|-----|------|---|-------|------|-----|-------|--------|------|------|------|-------|-------------|-------|--------|-------------|--------|-----|--------|--------|----|------|------|----|----|-----|---|----------|-------|-------|--------|-------|-------|-------|-------|-----|-----|------|---|----------|-------|-------|--------|-------|-------|-------|-------|-----|-----|------|
| | Harmonic | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | U-NII-2C-3_5.47-5.725_802.11a_CH144_5720MHz | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| ANT | 5 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Pol. | Horizontal | Vertical | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Peak Avg | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11440.00</td> <td>46.93</td> <td>74.00</td> <td>-27.07</td> <td>56.04</td> <td>37.28</td> <td>11.42</td> <td>57.81</td> <td>157</td> <td>285</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>17160.00</td> <td>48.32</td> <td>68.30</td> <td>-19.98</td> <td>52.11</td> <td>41.12</td> <td>13.16</td> <td>58.07</td> <td>165</td> <td>246</td> <td>Peak</td> </tr> </tbody> </table> | Limit | Read | Ant | Cable | Preamp | APos | TPos | Freq | Level | Line Margin | Level | Factor | Loss Factor | Remark | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | cm | deg | 1 | 11440.00 | 46.93 | 74.00 | -27.07 | 56.04 | 37.28 | 11.42 | 57.81 | 157 | 285 | Peak | 2 | 17160.00 | 48.32 | 68.30 | -19.98 | 52.11 | 41.12 | 13.16 | 58.07 | 165 | 246 | Peak | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11440.00</td> <td>48.71</td> <td>74.00</td> <td>-25.29</td> <td>57.82</td> <td>37.28</td> <td>11.42</td> <td>57.81</td> <td>122</td> <td>291</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>17160.00</td> <td>49.47</td> <td>68.30</td> <td>-18.83</td> <td>53.26</td> <td>41.12</td> <td>13.16</td> <td>58.07</td> <td>153</td> <td>102</td> <td>Peak</td> </tr> </tbody> </table> | Limit | Read | Ant | Cable | Preamp | APos | TPos | Freq | Level | Line Margin | Level | Factor | Loss Factor | Remark | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | cm | deg | 1 | 11440.00 | 48.71 | 74.00 | -25.29 | 57.82 | 37.28 | 11.42 | 57.81 | 122 | 291 | Peak | 2 | 17160.00 | 49.47 | 68.30 | -18.83 | 53.26 | 41.12 | 13.16 | 58.07 | 153 | 102 | Peak |
| | Limit | Read | Ant | Cable | Preamp | APos | TPos | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Freq | Level | Line Margin | Level | Factor | Loss Factor | Remark | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | cm | deg | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 | 11440.00 | 46.93 | 74.00 | -27.07 | 56.04 | 37.28 | 11.42 | 57.81 | 157 | 285 | Peak | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 2 | 17160.00 | 48.32 | 68.30 | -19.98 | 52.11 | 41.12 | 13.16 | 58.07 | 165 | 246 | Peak | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Limit | Read | Ant | Cable | Preamp | APos | TPos | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Freq | Level | Line Margin | Level | Factor | Loss Factor | Remark | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | cm | deg | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 | 11440.00 | 48.71 | 74.00 | -25.29 | 57.82 | 37.28 | 11.42 | 57.81 | 122 | 291 | Peak | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 2 | 17160.00 | 49.47 | 68.30 | -18.83 | 53.26 | 41.12 | 13.16 | 58.07 | 153 | 102 | Peak | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |



| Mode | 58 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|----------|---|-------------|-------|--------|-------------|--------|-------|-------|------|-------|-------------|-------|--------|-------------|--------|-----|--------|--------|----|------|------|----|----|-----|---|----------|-------|-------|--------|-------|-------|-------|-------|-----|-----|------|---|----------|-------|-------|--------|-------|-------|-------|-------|-----|-----|------|---|-------|------|-----|-------|--------|------|------|------|-------|-------------|-------|--------|-------------|--------|-----|--------|--------|----|------|------|----|----|-----|---|----------|-------|-------|--------|-------|-------|-------|-------|-----|-----|------|---|----------|-------|-------|--------|-------|-------|-------|-------|-----|-----|------|
| | Harmonic | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | U-NII-2C-3_5.47-5.725_802.11ax HE20_CH144_Full_5720MHz | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| ANT | 5 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Pol. | Horizontal | Vertical | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Peak Avg | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11440.00</td> <td>47.55</td> <td>74.00</td> <td>-26.45</td> <td>56.66</td> <td>37.28</td> <td>11.42</td> <td>57.81</td> <td>157</td> <td>285</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>17160.00</td> <td>49.03</td> <td>68.30</td> <td>-19.27</td> <td>52.82</td> <td>41.12</td> <td>13.16</td> <td>58.07</td> <td>165</td> <td>246</td> <td>Peak</td> </tr> </tbody> </table> | Limit | Read | Ant | Cable | Preamp | APos | TPos | Freq | Level | Line Margin | Level | Factor | Loss Factor | Remark | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | cm | deg | 1 | 11440.00 | 47.55 | 74.00 | -26.45 | 56.66 | 37.28 | 11.42 | 57.81 | 157 | 285 | Peak | 2 | 17160.00 | 49.03 | 68.30 | -19.27 | 52.82 | 41.12 | 13.16 | 58.07 | 165 | 246 | Peak | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11440.00</td> <td>48.38</td> <td>74.00</td> <td>-25.62</td> <td>57.49</td> <td>37.28</td> <td>11.42</td> <td>57.81</td> <td>122</td> <td>291</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>17160.00</td> <td>48.58</td> <td>68.30</td> <td>-19.72</td> <td>52.37</td> <td>41.12</td> <td>13.16</td> <td>58.07</td> <td>153</td> <td>102</td> <td>Peak</td> </tr> </tbody> </table> | Limit | Read | Ant | Cable | Preamp | APos | TPos | Freq | Level | Line Margin | Level | Factor | Loss Factor | Remark | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | cm | deg | 1 | 11440.00 | 48.38 | 74.00 | -25.62 | 57.49 | 37.28 | 11.42 | 57.81 | 122 | 291 | Peak | 2 | 17160.00 | 48.58 | 68.30 | -19.72 | 52.37 | 41.12 | 13.16 | 58.07 | 153 | 102 | Peak |
| | Limit | Read | Ant | Cable | Preamp | APos | TPos | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Freq | Level | Line Margin | Level | Factor | Loss Factor | Remark | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | cm | deg | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 | 11440.00 | 47.55 | 74.00 | -26.45 | 56.66 | 37.28 | 11.42 | 57.81 | 157 | 285 | Peak | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 2 | 17160.00 | 49.03 | 68.30 | -19.27 | 52.82 | 41.12 | 13.16 | 58.07 | 165 | 246 | Peak | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Limit | Read | Ant | Cable | Preamp | APos | TPos | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Freq | Level | Line Margin | Level | Factor | Loss Factor | Remark | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | cm | deg | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 | 11440.00 | 48.38 | 74.00 | -25.62 | 57.49 | 37.28 | 11.42 | 57.81 | 122 | 291 | Peak | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 2 | 17160.00 | 48.58 | 68.30 | -19.72 | 52.37 | 41.12 | 13.16 | 58.07 | 153 | 102 | Peak | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |



| Mode | 59 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|------------|---|-------------|--------|--------|-------------|--------|-------|------|-----|------|------|-------|-------------|-------|--------|-------------|--|----|-----|------------|-------|-------|--------|-------|-------|-------|-------|-----|-----|------|------------|-------|-------|--------|-------|-------|-------|-------|-----|-----|------|---|-------|------|-----|-------|--------|------|------|--|--|------|-------|-------------|-------|--------|-------------|--|----|-----|------------|-------|-------|--------|-------|-------|-------|-------|-----|-----|------|------------|-------|-------|--------|-------|-------|-------|-------|-----|-----|------|
| | Harmonic | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | U-NII-2C-3_5.47-5.725_802.11ax HE40_CH142_Full_5710MHz | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| ANT | 5 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Pol. | Horizontal | Vertical | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Peak Avg | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th colspan="2"></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 11420.00</td> <td>47.62</td> <td>74.00</td> <td>-26.38</td> <td>56.70</td> <td>37.34</td> <td>11.41</td> <td>57.83</td> <td>157</td> <td>285</td> <td>Peak</td> </tr> <tr> <td>2 17130.00</td> <td>49.30</td> <td>68.30</td> <td>-19.00</td> <td>53.20</td> <td>41.06</td> <td>13.15</td> <td>58.11</td> <td>165</td> <td>246</td> <td>Peak</td> </tr> </tbody> </table> | Limit | Read | Ant | Cable | Preamp | APos | TPos | | | Freq | Level | Line Margin | Level | Factor | Loss Factor | | cm | deg | 1 11420.00 | 47.62 | 74.00 | -26.38 | 56.70 | 37.34 | 11.41 | 57.83 | 157 | 285 | Peak | 2 17130.00 | 49.30 | 68.30 | -19.00 | 53.20 | 41.06 | 13.15 | 58.11 | 165 | 246 | Peak | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th colspan="2"></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 11420.00</td> <td>47.67</td> <td>74.00</td> <td>-26.33</td> <td>56.75</td> <td>37.34</td> <td>11.41</td> <td>57.83</td> <td>122</td> <td>291</td> <td>Peak</td> </tr> <tr> <td>2 17130.00</td> <td>48.89</td> <td>68.30</td> <td>-19.41</td> <td>52.79</td> <td>41.06</td> <td>13.15</td> <td>58.11</td> <td>153</td> <td>102</td> <td>Peak</td> </tr> </tbody> </table> | Limit | Read | Ant | Cable | Preamp | APos | TPos | | | Freq | Level | Line Margin | Level | Factor | Loss Factor | | cm | deg | 1 11420.00 | 47.67 | 74.00 | -26.33 | 56.75 | 37.34 | 11.41 | 57.83 | 122 | 291 | Peak | 2 17130.00 | 48.89 | 68.30 | -19.41 | 52.79 | 41.06 | 13.15 | 58.11 | 153 | 102 | Peak |
| | Limit | Read | Ant | Cable | Preamp | APos | TPos | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Freq | Level | Line Margin | Level | Factor | Loss Factor | | cm | deg | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 11420.00 | 47.62 | 74.00 | -26.38 | 56.70 | 37.34 | 11.41 | 57.83 | 157 | 285 | Peak | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 2 17130.00 | 49.30 | 68.30 | -19.00 | 53.20 | 41.06 | 13.15 | 58.11 | 165 | 246 | Peak | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Limit | Read | Ant | Cable | Preamp | APos | TPos | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Freq | Level | Line Margin | Level | Factor | Loss Factor | | cm | deg | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 11420.00 | 47.67 | 74.00 | -26.33 | 56.75 | 37.34 | 11.41 | 57.83 | 122 | 291 | Peak | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 2 17130.00 | 48.89 | 68.30 | -19.41 | 52.79 | 41.06 | 13.15 | 58.11 | 153 | 102 | Peak | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |



| Mode | 60 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|------------|---|-------------|--------|--------|-------------|--------|-------|------|-----|------|------|-------|-------------|-------|--------|-------------|--|----|-----|------------|-------|-------|--------|-------|-------|-------|-------|-----|-----|------|------------|-------|-------|--------|-------|-------|-------|-------|-----|-----|------|---|-------|------|-----|-------|--------|------|------|--|--|------|-------|-------------|-------|--------|-------------|--|----|-----|------------|-------|-------|--------|-------|-------|-------|-------|-----|-----|------|------------|-------|-------|--------|-------|-------|-------|-------|-----|-----|------|
| | Harmonic | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | U-NII-2C-3_5.47-5.725_802.11ax HE80_CH138_Full_5690MHz | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| ANT | 5 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Pol. | Horizontal | Vertical | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Peak Avg | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th colspan="2"></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 11380.00</td> <td>47.58</td> <td>74.00</td> <td>-26.42</td> <td>56.61</td> <td>37.45</td> <td>11.40</td> <td>57.88</td> <td>157</td> <td>285</td> <td>Peak</td> </tr> <tr> <td>2 17070.00</td> <td>48.87</td> <td>68.30</td> <td>-19.43</td> <td>52.99</td> <td>40.94</td> <td>13.14</td> <td>58.20</td> <td>165</td> <td>246</td> <td>Peak</td> </tr> </tbody> </table> | Limit | Read | Ant | Cable | Preamp | APos | TPos | | | Freq | Level | Line Margin | Level | Factor | Loss Factor | | cm | deg | 1 11380.00 | 47.58 | 74.00 | -26.42 | 56.61 | 37.45 | 11.40 | 57.88 | 157 | 285 | Peak | 2 17070.00 | 48.87 | 68.30 | -19.43 | 52.99 | 40.94 | 13.14 | 58.20 | 165 | 246 | Peak | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th colspan="2"></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 11380.00</td> <td>47.72</td> <td>74.00</td> <td>-26.28</td> <td>56.75</td> <td>37.45</td> <td>11.40</td> <td>57.88</td> <td>122</td> <td>291</td> <td>Peak</td> </tr> <tr> <td>2 17070.00</td> <td>49.50</td> <td>68.30</td> <td>-18.80</td> <td>53.62</td> <td>40.94</td> <td>13.14</td> <td>58.20</td> <td>153</td> <td>102</td> <td>Peak</td> </tr> </tbody> </table> | Limit | Read | Ant | Cable | Preamp | APos | TPos | | | Freq | Level | Line Margin | Level | Factor | Loss Factor | | cm | deg | 1 11380.00 | 47.72 | 74.00 | -26.28 | 56.75 | 37.45 | 11.40 | 57.88 | 122 | 291 | Peak | 2 17070.00 | 49.50 | 68.30 | -18.80 | 53.62 | 40.94 | 13.14 | 58.20 | 153 | 102 | Peak |
| | Limit | Read | Ant | Cable | Preamp | APos | TPos | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Freq | Level | Line Margin | Level | Factor | Loss Factor | | cm | deg | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 11380.00 | 47.58 | 74.00 | -26.42 | 56.61 | 37.45 | 11.40 | 57.88 | 157 | 285 | Peak | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 2 17070.00 | 48.87 | 68.30 | -19.43 | 52.99 | 40.94 | 13.14 | 58.20 | 165 | 246 | Peak | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Limit | Read | Ant | Cable | Preamp | APos | TPos | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Freq | Level | Line Margin | Level | Factor | Loss Factor | | cm | deg | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 11380.00 | 47.72 | 74.00 | -26.28 | 56.75 | 37.45 | 11.40 | 57.88 | 122 | 291 | Peak | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 2 17070.00 | 49.50 | 68.30 | -18.80 | 53.62 | 40.94 | 13.14 | 58.20 | 153 | 102 | Peak | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |



| Mode | 61 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-------------|--|-------------|-------|--------|-------------|--------|--------|--------|--------|--------|------|-------|-------------|-------|--------|-------------|--|--|--|-----|--------|--------|----|------|------|----|----|----|-----|---|-------|-------|-------|--------|-------|-------|------|-------|----|----|------|---|--------|-------|-------|--------|-------|-------|------|-------|----|----|------|---|--------|-------|-------|--------|-------|-------|------|-------|----|----|------|---|--------|-------|-------|--------|-------|-------|------|-------|----|----|------|---|--------|-------|-------|--------|-------|-------|------|-------|----|----|------|---|--------|-------|-------|--------|-------|-------|------|-------|----|----|------|--|--|-------|------|-----|-------|--------|------|------|--------|------|-------|-------------|-------|--------|-------------|--|--|--|-----|--------|--------|----|------|------|----|----|----|-----|---|-------|-------|-------|--------|-------|-------|------|-------|----|----|------|---|--------|-------|-------|--------|-------|-------|------|-------|----|----|------|---|--------|-------|-------|--------|-------|-------|------|-------|----|----|------|---|--------|-------|-------|--------|-------|-------|------|-------|----|----|------|---|--------|-------|-------|--------|-------|-------|------|-------|----|----|------|---|--------|-------|-------|--------|-------|-------|------|-------|----|----|------|
| | Harmonic | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | U-NII-2A_5.25-5.35_802.11ax HE20_LF_CH64_Full_5320MHz | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| ANT | 5 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Pol. | Horizontal | Vertical | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Peak Avg | <table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr><td>1</td><td>46.49</td><td>21.87</td><td>40.00</td><td>-18.13</td><td>36.56</td><td>19.62</td><td>0.69</td><td>35.00</td><td>--</td><td>--</td><td>Peak</td></tr> <tr><td>2</td><td>142.52</td><td>23.81</td><td>43.50</td><td>-19.69</td><td>38.93</td><td>18.35</td><td>1.25</td><td>34.72</td><td>--</td><td>--</td><td>Peak</td></tr> <tr><td>3</td><td>287.05</td><td>25.91</td><td>46.00</td><td>-20.09</td><td>40.06</td><td>18.72</td><td>1.76</td><td>34.63</td><td>--</td><td>--</td><td>Peak</td></tr> <tr><td>4</td><td>353.98</td><td>27.69</td><td>46.00</td><td>-18.31</td><td>40.02</td><td>20.31</td><td>1.95</td><td>34.59</td><td>--</td><td>--</td><td>Peak</td></tr> <tr><td>5</td><td>686.69</td><td>27.68</td><td>46.00</td><td>-18.32</td><td>32.46</td><td>26.87</td><td>2.78</td><td>34.43</td><td>--</td><td>--</td><td>Peak</td></tr> <tr><td>6</td><td>919.49</td><td>31.24</td><td>46.00</td><td>-14.76</td><td>33.28</td><td>29.07</td><td>3.19</td><td>34.30</td><td>--</td><td>--</td><td>Peak</td></tr> </tbody> </table> | | Limit | Read | Ant | Cable | Preamp | APos | TPos | Remark | Freq | Level | Line Margin | Level | Factor | Loss Factor | | | | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 | 46.49 | 21.87 | 40.00 | -18.13 | 36.56 | 19.62 | 0.69 | 35.00 | -- | -- | Peak | 2 | 142.52 | 23.81 | 43.50 | -19.69 | 38.93 | 18.35 | 1.25 | 34.72 | -- | -- | Peak | 3 | 287.05 | 25.91 | 46.00 | -20.09 | 40.06 | 18.72 | 1.76 | 34.63 | -- | -- | Peak | 4 | 353.98 | 27.69 | 46.00 | -18.31 | 40.02 | 20.31 | 1.95 | 34.59 | -- | -- | Peak | 5 | 686.69 | 27.68 | 46.00 | -18.32 | 32.46 | 26.87 | 2.78 | 34.43 | -- | -- | Peak | 6 | 919.49 | 31.24 | 46.00 | -14.76 | 33.28 | 29.07 | 3.19 | 34.30 | -- | -- | Peak | <table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr><td>1</td><td>34.85</td><td>25.73</td><td>40.00</td><td>-14.27</td><td>41.37</td><td>18.68</td><td>0.58</td><td>34.90</td><td>--</td><td>--</td><td>Peak</td></tr> <tr><td>2</td><td>112.45</td><td>23.80</td><td>43.50</td><td>-19.70</td><td>41.54</td><td>15.92</td><td>1.12</td><td>34.78</td><td>--</td><td>--</td><td>Peak</td></tr> <tr><td>3</td><td>141.55</td><td>26.03</td><td>43.50</td><td>-17.47</td><td>41.23</td><td>18.27</td><td>1.25</td><td>34.72</td><td>--</td><td>--</td><td>Peak</td></tr> <tr><td>4</td><td>198.78</td><td>23.84</td><td>43.50</td><td>-19.66</td><td>41.01</td><td>16.05</td><td>1.48</td><td>34.70</td><td>--</td><td>--</td><td>Peak</td></tr> <tr><td>5</td><td>282.20</td><td>22.45</td><td>46.00</td><td>-23.55</td><td>36.78</td><td>18.57</td><td>1.74</td><td>34.64</td><td>--</td><td>--</td><td>Peak</td></tr> <tr><td>6</td><td>915.61</td><td>31.36</td><td>46.00</td><td>-14.64</td><td>33.50</td><td>28.98</td><td>3.18</td><td>34.30</td><td>--</td><td>--</td><td>Peak</td></tr> </tbody> </table> | | Limit | Read | Ant | Cable | Preamp | APos | TPos | Remark | Freq | Level | Line Margin | Level | Factor | Loss Factor | | | | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 | 34.85 | 25.73 | 40.00 | -14.27 | 41.37 | 18.68 | 0.58 | 34.90 | -- | -- | Peak | 2 | 112.45 | 23.80 | 43.50 | -19.70 | 41.54 | 15.92 | 1.12 | 34.78 | -- | -- | Peak | 3 | 141.55 | 26.03 | 43.50 | -17.47 | 41.23 | 18.27 | 1.25 | 34.72 | -- | -- | Peak | 4 | 198.78 | 23.84 | 43.50 | -19.66 | 41.01 | 16.05 | 1.48 | 34.70 | -- | -- | Peak | 5 | 282.20 | 22.45 | 46.00 | -23.55 | 36.78 | 18.57 | 1.74 | 34.64 | -- | -- | Peak | 6 | 915.61 | 31.36 | 46.00 | -14.64 | 33.50 | 28.98 | 3.18 | 34.30 | -- | -- | Peak |
| | | Limit | Read | Ant | Cable | Preamp | APos | TPos | Remark | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Freq | Level | Line Margin | Level | Factor | Loss Factor | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 | 46.49 | 21.87 | 40.00 | -18.13 | 36.56 | 19.62 | 0.69 | 35.00 | -- | -- | Peak | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 2 | 142.52 | 23.81 | 43.50 | -19.69 | 38.93 | 18.35 | 1.25 | 34.72 | -- | -- | Peak | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 3 | 287.05 | 25.91 | 46.00 | -20.09 | 40.06 | 18.72 | 1.76 | 34.63 | -- | -- | Peak | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 4 | 353.98 | 27.69 | 46.00 | -18.31 | 40.02 | 20.31 | 1.95 | 34.59 | -- | -- | Peak | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 5 | 686.69 | 27.68 | 46.00 | -18.32 | 32.46 | 26.87 | 2.78 | 34.43 | -- | -- | Peak | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 6 | 919.49 | 31.24 | 46.00 | -14.76 | 33.28 | 29.07 | 3.19 | 34.30 | -- | -- | Peak | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | Limit | Read | Ant | Cable | Preamp | APos | TPos | Remark | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Freq | Level | Line Margin | Level | Factor | Loss Factor | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 | 34.85 | 25.73 | 40.00 | -14.27 | 41.37 | 18.68 | 0.58 | 34.90 | -- | -- | Peak | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 2 | 112.45 | 23.80 | 43.50 | -19.70 | 41.54 | 15.92 | 1.12 | 34.78 | -- | -- | Peak | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 3 | 141.55 | 26.03 | 43.50 | -17.47 | 41.23 | 18.27 | 1.25 | 34.72 | -- | -- | Peak | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 4 | 198.78 | 23.84 | 43.50 | -19.66 | 41.01 | 16.05 | 1.48 | 34.70 | -- | -- | Peak | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 5 | 282.20 | 22.45 | 46.00 | -23.55 | 36.78 | 18.57 | 1.74 | 34.64 | -- | -- | Peak | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 6 | 915.61 | 31.36 | 46.00 | -14.64 | 33.50 | 28.98 | 3.18 | 34.30 | -- | -- | Peak | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |



| Mode | 62 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|----------|--|-------------|-------|--------|-------------|-------|--------|--------|------|--------|------|-------|-------------|-------|--------|-------------|--|--|--|-----|--------|--------|----|------|------|----|----|----|-----|---|-------|-------|-------|--------|-------|-------|------|-------|----|----|------|---|--------|-------|-------|--------|-------|-------|------|-------|----|----|------|---|--------|-------|-------|--------|-------|-------|------|-------|----|----|------|---|--------|-------|-------|--------|-------|-------|------|-------|----|----|------|---|--------|-------|-------|--------|-------|-------|------|-------|----|----|------|---|--------|-------|-------|--------|-------|-------|------|-------|----|----|------|--|--|-------|------|-----|-------|--------|------|------|--------|------|-------|-------------|-------|--------|-------------|--|--|--|-----|--------|--------|----|------|------|----|----|----|-----|---|-------|-------|-------|--------|-------|-------|------|-------|----|----|------|---|--------|-------|-------|--------|-------|-------|------|-------|----|----|------|---|--------|-------|-------|--------|-------|-------|------|-------|----|----|------|---|--------|-------|-------|--------|-------|-------|------|-------|----|----|------|---|--------|-------|-------|--------|-------|-------|------|-------|----|----|------|---|--------|-------|-------|--------|-------|-------|------|-------|----|----|
| | Harmonic | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | U-NII-3_5.725-5.85_802.11ax HE80_LF_CH155_Full_5775MHz | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| ANT | 5 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Pol. | Horizontal | Vertical | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Peak Avg | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | <table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>56.19</td> <td>23.60</td> <td>40.00</td> <td>-16.40</td> <td>38.48</td> <td>19.26</td> <td>0.76</td> <td>34.90</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>141.55</td> <td>24.78</td> <td>43.50</td> <td>-18.72</td> <td>39.98</td> <td>18.27</td> <td>1.25</td> <td>34.72</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>3</td> <td>196.84</td> <td>24.47</td> <td>43.50</td> <td>-19.03</td> <td>41.53</td> <td>16.17</td> <td>1.47</td> <td>34.70</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>4</td> <td>283.17</td> <td>23.95</td> <td>46.00</td> <td>-22.05</td> <td>38.23</td> <td>18.60</td> <td>1.75</td> <td>34.63</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>5</td> <td>355.92</td> <td>28.78</td> <td>46.00</td> <td>-17.22</td> <td>41.05</td> <td>20.36</td> <td>1.96</td> <td>34.59</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>6</td> <td>606.18</td> <td>27.17</td> <td>46.00</td> <td>-18.83</td> <td>33.03</td> <td>26.11</td> <td>2.62</td> <td>34.59</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> </tbody> </table> | | Limit | Read | Ant | Cable | Preamp | APos | TPos | Remark | Freq | Level | Line Margin | Level | Factor | Loss Factor | | | | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 | 56.19 | 23.60 | 40.00 | -16.40 | 38.48 | 19.26 | 0.76 | 34.90 | -- | -- | Peak | 2 | 141.55 | 24.78 | 43.50 | -18.72 | 39.98 | 18.27 | 1.25 | 34.72 | -- | -- | Peak | 3 | 196.84 | 24.47 | 43.50 | -19.03 | 41.53 | 16.17 | 1.47 | 34.70 | -- | -- | Peak | 4 | 283.17 | 23.95 | 46.00 | -22.05 | 38.23 | 18.60 | 1.75 | 34.63 | -- | -- | Peak | 5 | 355.92 | 28.78 | 46.00 | -17.22 | 41.05 | 20.36 | 1.96 | 34.59 | -- | -- | Peak | 6 | 606.18 | 27.17 | 46.00 | -18.83 | 33.03 | 26.11 | 2.62 | 34.59 | -- | -- | Peak | <table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>49.40</td> <td>26.18</td> <td>40.00</td> <td>-13.82</td> <td>40.84</td> <td>19.63</td> <td>0.71</td> <td>35.00</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>141.55</td> <td>28.36</td> <td>43.50</td> <td>-15.14</td> <td>43.56</td> <td>18.27</td> <td>1.25</td> <td>34.72</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>3</td> <td>197.81</td> <td>25.50</td> <td>43.50</td> <td>-18.00</td> <td>42.62</td> <td>16.11</td> <td>1.47</td> <td>34.70</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>4</td> <td>280.26</td> <td>25.74</td> <td>46.00</td> <td>-20.26</td> <td>40.13</td> <td>18.51</td> <td>1.74</td> <td>34.64</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>5</td> <td>467.47</td> <td>25.65</td> <td>46.00</td> <td>-20.35</td> <td>34.91</td> <td>22.96</td> <td>2.28</td> <td>34.50</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>6</td> <td>799.21</td> <td>28.55</td> <td>46.00</td> <td>-17.45</td> <td>31.98</td> <td>27.84</td> <td>3.03</td> <td>34.30</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> </tbody> </table> | | Limit | Read | Ant | Cable | Preamp | APos | TPos | Remark | Freq | Level | Line Margin | Level | Factor | Loss Factor | | | | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 | 49.40 | 26.18 | 40.00 | -13.82 | 40.84 | 19.63 | 0.71 | 35.00 | -- | -- | Peak | 2 | 141.55 | 28.36 | 43.50 | -15.14 | 43.56 | 18.27 | 1.25 | 34.72 | -- | -- | Peak | 3 | 197.81 | 25.50 | 43.50 | -18.00 | 42.62 | 16.11 | 1.47 | 34.70 | -- | -- | Peak | 4 | 280.26 | 25.74 | 46.00 | -20.26 | 40.13 | 18.51 | 1.74 | 34.64 | -- | -- | Peak | 5 | 467.47 | 25.65 | 46.00 | -20.35 | 34.91 | 22.96 | 2.28 | 34.50 | -- | -- | Peak | 6 | 799.21 | 28.55 | 46.00 | -17.45 | 31.98 | 27.84 | 3.03 | 34.30 | -- | -- |
| | Limit | Read | Ant | Cable | Preamp | APos | TPos | Remark | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Freq | Level | Line Margin | Level | Factor | Loss Factor | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 | 56.19 | 23.60 | 40.00 | -16.40 | 38.48 | 19.26 | 0.76 | 34.90 | -- | -- | Peak | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 2 | 141.55 | 24.78 | 43.50 | -18.72 | 39.98 | 18.27 | 1.25 | 34.72 | -- | -- | Peak | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 3 | 196.84 | 24.47 | 43.50 | -19.03 | 41.53 | 16.17 | 1.47 | 34.70 | -- | -- | Peak | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 4 | 283.17 | 23.95 | 46.00 | -22.05 | 38.23 | 18.60 | 1.75 | 34.63 | -- | -- | Peak | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 5 | 355.92 | 28.78 | 46.00 | -17.22 | 41.05 | 20.36 | 1.96 | 34.59 | -- | -- | Peak | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 6 | 606.18 | 27.17 | 46.00 | -18.83 | 33.03 | 26.11 | 2.62 | 34.59 | -- | -- | Peak | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | Limit | Read | Ant | Cable | Preamp | APos | TPos | Remark | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Freq | Level | Line Margin | Level | Factor | Loss Factor | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 | 49.40 | 26.18 | 40.00 | -13.82 | 40.84 | 19.63 | 0.71 | 35.00 | -- | -- | Peak | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 2 | 141.55 | 28.36 | 43.50 | -15.14 | 43.56 | 18.27 | 1.25 | 34.72 | -- | -- | Peak | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 3 | 197.81 | 25.50 | 43.50 | -18.00 | 42.62 | 16.11 | 1.47 | 34.70 | -- | -- | Peak | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 4 | 280.26 | 25.74 | 46.00 | -20.26 | 40.13 | 18.51 | 1.74 | 34.64 | -- | -- | Peak | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 5 | 467.47 | 25.65 | 46.00 | -20.35 | 34.91 | 22.96 | 2.28 | 34.50 | -- | -- | Peak | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 6 | 799.21 | 28.55 | 46.00 | -17.45 | 31.98 | 27.84 | 3.03 | 34.30 | -- | -- | Peak | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |



<Co-location mode>





Radiated Spurious Emission Test Modes

| Mode | Band | Band (GHz) | Antenna | Modulation | Channel | Frequency | Data Rate | RU | Remark |
|---------|-------|-------------|---------|------------------|---------|-----------|-----------|------|--------|
| Mode 63 | CO-TX | - | 0 | LTE Band 13 Link | - | - | - | - | - |
| | | 5.25-5.35 | 5 | 802.11ax HE20 | 64 | 5320 | MCS0 | Full | - |
| Mode 64 | CO-TX | - | 0 | LTE Band 13 Link | - | - | - | - | - |
| | | 5.25-5.35 | 5 | 802.11ax HE20 | 64 | 5320 | MCS0 | Full | - |
| | | 2400-2483.5 | 6 | Bluetooth LE | 38 | 2478 | 2M | - | - |
| Mode 65 | CO-TX | 5.25-5.35 | 5 | 802.11ax HE20 | 64 | 5320 | MCS0 | Full | - |
| | | 2400-2483.5 | 6 | Bluetooth LE | 38 | 2478 | 2M | - | - |

Summary of each worse mode

| Mode | Modulation | Ch. | Freq. (MHz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Pol. | Peak Avg. | Result | Remark |
|------|---------------|-----|-------------|----------------|----------------|-------------|------|-----------|--------|-----------|
| 63 | 802.11ax HE20 | 64 | 5350.24 | 50.34 | 54.00 | -3.66 | H | AVERAGE | Pass | Band Edge |
| 63 | 802.11ax HE20 | 64 | 15960.00 | 47.92 | 74.00 | -26.08 | V | Peak | Pass | Harmonic |
| 64 | 802.11ax HE20 | 64 | 5350.10 | 50.25 | 54.00 | -3.75 | H | AVERAGE | Pass | Band Edge |
| 64 | 802.11ax HE20 | 64 | 15960.00 | 48.48 | 74.00 | -25.52 | V | Peak | Pass | Harmonic |
| 65 | 802.11ax HE20 | 64 | 5350.10 | 50.22 | 54.00 | -3.78 | H | AVERAGE | Pass | Band Edge |
| 64 | 802.11ax HE20 | 64 | 15960.00 | 48.92 | 74.00 | -25.08 | V | Peak | Pass | Harmonic |



| | | 63 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-------|--|-------------|--------|--------|--------|--------|--------|--------|-----|------------|------|-------|------|--------|-------|--------|------|--------|--------|-----|--------|--------|----|------|------|----|----|----|-----|---|---------|-------|-------|--------|-------|-------|------|-------|-----|------------|---|-------|------|-----|-------|--------|------|------|--|--|------|-------|------|--------|-------|--------|------|--------|--------|-----|--------|--------|----|------|------|----|----|----|-----|---|---------|--------|-------|-------|-------|-------|------|-------|-----|------------|
| Mode | Band Edge | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | 802.11ax HE20 CH64+ LTE Band 13 Link CO-TX | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| ANT | 5 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Pol. | Horizontal | Fundamental | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Peak |  <p style="text-align: right;">Date: 2025-04-15</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th colspan="2"></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5350.66</td> <td>62.85</td> <td>74.00</td> <td>-11.15</td> <td>53.07</td> <td>34.11</td> <td>8.33</td> <td>32.66</td> <td>105</td> <td>58 PEAK</td> </tr> </tbody> </table> | Limit | Read | Ant | Cable | Preamp | APos | TPos | | | Freq | Level | Line | Margin | Level | Factor | Loss | Factor | Remark | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 | 5350.66 | 62.85 | 74.00 | -11.15 | 53.07 | 34.11 | 8.33 | 32.66 | 105 | 58 PEAK |  <p style="text-align: right;">Date: 2025-04-15</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th colspan="2"></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5320.00</td> <td>103.28</td> <td>-----</td> <td>-----</td> <td>93.60</td> <td>34.09</td> <td>8.26</td> <td>32.67</td> <td>105</td> <td>58 PEAK</td> </tr> </tbody> </table> | Limit | Read | Ant | Cable | Preamp | APos | TPos | | | Freq | Level | Line | Margin | Level | Factor | Loss | Factor | Remark | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 | 5320.00 | 103.28 | ----- | ----- | 93.60 | 34.09 | 8.26 | 32.67 | 105 | 58 PEAK |
| | Limit | Read | Ant | Cable | Preamp | APos | TPos | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Freq | Level | Line | Margin | Level | Factor | Loss | Factor | Remark | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 | 5350.66 | 62.85 | 74.00 | -11.15 | 53.07 | 34.11 | 8.33 | 32.66 | 105 | 58 PEAK | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Limit | Read | Ant | Cable | Preamp | APos | TPos | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Freq | Level | Line | Margin | Level | Factor | Loss | Factor | Remark | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 | 5320.00 | 103.28 | ----- | ----- | 93.60 | 34.09 | 8.26 | 32.67 | 105 | 58 PEAK | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Avg |  <p style="text-align: right;">Date: 2025-04-15</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th colspan="2"></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5350.24</td> <td>50.34</td> <td>54.00</td> <td>-3.66</td> <td>40.56</td> <td>34.11</td> <td>8.33</td> <td>32.66</td> <td>105</td> <td>58 AVERAGE</td> </tr> </tbody> </table> | Limit | Read | Ant | Cable | Preamp | APos | TPos | | | Freq | Level | Line | Margin | Level | Factor | Loss | Factor | Remark | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 | 5350.24 | 50.34 | 54.00 | -3.66 | 40.56 | 34.11 | 8.33 | 32.66 | 105 | 58 AVERAGE |  <p style="text-align: right;">Date: 2025-04-15</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th colspan="2"></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5320.00</td> <td>94.75</td> <td>-----</td> <td>-----</td> <td>85.08</td> <td>34.09</td> <td>8.25</td> <td>32.67</td> <td>105</td> <td>58 AVERAGE</td> </tr> </tbody> </table> | Limit | Read | Ant | Cable | Preamp | APos | TPos | | | Freq | Level | Line | Margin | Level | Factor | Loss | Factor | Remark | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 | 5320.00 | 94.75 | ----- | ----- | 85.08 | 34.09 | 8.25 | 32.67 | 105 | 58 AVERAGE |
| Limit | Read | Ant | Cable | Preamp | APos | TPos | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Freq | Level | Line | Margin | Level | Factor | Loss | Factor | Remark | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 | 5350.24 | 50.34 | 54.00 | -3.66 | 40.56 | 34.11 | 8.33 | 32.66 | 105 | 58 AVERAGE | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Limit | Read | Ant | Cable | Preamp | APos | TPos | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Freq | Level | Line | Margin | Level | Factor | Loss | Factor | Remark | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 | 5320.00 | 94.75 | ----- | ----- | 85.08 | 34.09 | 8.25 | 32.67 | 105 | 58 AVERAGE | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |







| | | 63 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-------|---|-------------|--------|--------|--------|--------|--------|--------|-----|-----|---------|-------|------|--------|-------|--------|------|--------|--------|-----|--------|--------|----|------|------|----|----|-----|---|---------|-------|-------|--------|-------|-------|------|-------|-----|-----|---------|--|-------|------|-----|-------|--------|------|------|--|--|------|-------|------|--------|-------|--------|------|--------|--------|-----|--------|--------|----|------|------|----|----|-----|---|---------|-------|-------|-------|-------|-------|------|-------|-----|-----|---------|
| Mode | Band Edge | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | 802.11ax HE20 CH64+ LTE Band 13 Link CO-TX | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| ANT | 5 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Pol. | Vertical | Fundamental | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Peak | <p style="text-align: right;">Date: 2025-04-15</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th colspan="2"></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5352.62</td> <td>54.39</td> <td>74.00</td> <td>-19.61</td> <td>44.61</td> <td>34.11</td> <td>8.33</td> <td>32.66</td> <td>100</td> <td>283</td> <td>PEAK</td> </tr> </tbody> </table> | Limit | Read | Ant | Cable | Preamp | APos | TPos | | | Freq | Level | Line | Margin | Level | Factor | Loss | Factor | Remark | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | cm | deg | 1 | 5352.62 | 54.39 | 74.00 | -19.61 | 44.61 | 34.11 | 8.33 | 32.66 | 100 | 283 | PEAK | <p style="text-align: right;">Date: 2025-04-15</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th colspan="2"></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5320.00</td> <td>95.07</td> <td>-----</td> <td>-----</td> <td>85.40</td> <td>34.09</td> <td>8.25</td> <td>32.67</td> <td>100</td> <td>283</td> <td>PEAK</td> </tr> </tbody> </table> | Limit | Read | Ant | Cable | Preamp | APos | TPos | | | Freq | Level | Line | Margin | Level | Factor | Loss | Factor | Remark | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | cm | deg | 1 | 5320.00 | 95.07 | ----- | ----- | 85.40 | 34.09 | 8.25 | 32.67 | 100 | 283 | PEAK |
| | Limit | Read | Ant | Cable | Preamp | APos | TPos | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Freq | Level | Line | Margin | Level | Factor | Loss | Factor | Remark | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | cm | deg | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 | 5352.62 | 54.39 | 74.00 | -19.61 | 44.61 | 34.11 | 8.33 | 32.66 | 100 | 283 | PEAK | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Limit | Read | Ant | Cable | Preamp | APos | TPos | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Freq | Level | Line | Margin | Level | Factor | Loss | Factor | Remark | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | cm | deg | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 | 5320.00 | 95.07 | ----- | ----- | 85.40 | 34.09 | 8.25 | 32.67 | 100 | 283 | PEAK | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Avg | <p style="text-align: right;">Date: 2025-04-15</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th colspan="2"></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5350.10</td> <td>43.43</td> <td>54.00</td> <td>-10.57</td> <td>33.65</td> <td>34.11</td> <td>8.33</td> <td>32.66</td> <td>100</td> <td>283</td> <td>AVERAGE</td> </tr> </tbody> </table> | Limit | Read | Ant | Cable | Preamp | APos | TPos | | | Freq | Level | Line | Margin | Level | Factor | Loss | Factor | Remark | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | cm | deg | 1 | 5350.10 | 43.43 | 54.00 | -10.57 | 33.65 | 34.11 | 8.33 | 32.66 | 100 | 283 | AVERAGE | <p style="text-align: right;">Date: 2025-04-15</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th colspan="2"></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5320.00</td> <td>86.34</td> <td>-----</td> <td>-----</td> <td>76.67</td> <td>34.09</td> <td>8.25</td> <td>32.67</td> <td>100</td> <td>283</td> <td>AVERAGE</td> </tr> </tbody> </table> | Limit | Read | Ant | Cable | Preamp | APos | TPos | | | Freq | Level | Line | Margin | Level | Factor | Loss | Factor | Remark | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | cm | deg | 1 | 5320.00 | 86.34 | ----- | ----- | 76.67 | 34.09 | 8.25 | 32.67 | 100 | 283 | AVERAGE |
| Limit | Read | Ant | Cable | Preamp | APos | TPos | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Freq | Level | Line | Margin | Level | Factor | Loss | Factor | Remark | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | cm | deg | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 | 5350.10 | 43.43 | 54.00 | -10.57 | 33.65 | 34.11 | 8.33 | 32.66 | 100 | 283 | AVERAGE | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Limit | Read | Ant | Cable | Preamp | APos | TPos | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Freq | Level | Line | Margin | Level | Factor | Loss | Factor | Remark | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | cm | deg | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 | 5320.00 | 86.34 | ----- | ----- | 76.67 | 34.09 | 8.25 | 32.67 | 100 | 283 | AVERAGE | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |



| Mode | 63 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-------------|---|-------------|-------|--------|-------------|--------|-------|-------|------|-------|-------------|-------|--------|-------------|--------|-----|--------|--------|----|------|------|----|----|-----|---|----------|-------|-------|--------|-------|-------|-------|-------|----|----|------|---|----------|-------|-------|--------|-------|-------|-------|-------|----|----|------|---|-------|------|-----|-------|--------|------|------|------|-------|-------------|-------|--------|-------------|--------|-----|--------|--------|----|------|------|----|----|-----|---|----------|-------|-------|--------|-------|-------|-------|-------|----|----|------|---|----------|-------|-------|--------|-------|-------|-------|-------|----|----|------|
| | Harmonic | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | 802.11ax HE20 CH64+ LTE Band 13 Link CO-TX | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| ANT | 5 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Pol. | Horizontal | Vertical | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Peak Avg | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10640.00</td> <td>46.25</td> <td>74.00</td> <td>-27.75</td> <td>56.22</td> <td>37.78</td> <td>10.94</td> <td>58.69</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>15960.00</td> <td>46.66</td> <td>74.00</td> <td>-27.34</td> <td>53.74</td> <td>39.59</td> <td>12.70</td> <td>59.37</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> </tbody> </table> | Limit | Read | Ant | Cable | Preamp | APos | TPos | Freq | Level | Line Margin | Level | Factor | Loss Factor | Remark | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | cm | deg | 1 | 10640.00 | 46.25 | 74.00 | -27.75 | 56.22 | 37.78 | 10.94 | 58.69 | -- | -- | Peak | 2 | 15960.00 | 46.66 | 74.00 | -27.34 | 53.74 | 39.59 | 12.70 | 59.37 | -- | -- | Peak | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10640.00</td> <td>46.44</td> <td>74.00</td> <td>-27.56</td> <td>56.41</td> <td>37.78</td> <td>10.94</td> <td>58.69</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>15960.00</td> <td>47.92</td> <td>74.00</td> <td>-26.08</td> <td>55.00</td> <td>39.59</td> <td>12.70</td> <td>59.37</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> </tbody> </table> | Limit | Read | Ant | Cable | Preamp | APos | TPos | Freq | Level | Line Margin | Level | Factor | Loss Factor | Remark | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | cm | deg | 1 | 10640.00 | 46.44 | 74.00 | -27.56 | 56.41 | 37.78 | 10.94 | 58.69 | -- | -- | Peak | 2 | 15960.00 | 47.92 | 74.00 | -26.08 | 55.00 | 39.59 | 12.70 | 59.37 | -- | -- | Peak |
| | Limit | Read | Ant | Cable | Preamp | APos | TPos | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Freq | Level | Line Margin | Level | Factor | Loss Factor | Remark | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | cm | deg | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 | 10640.00 | 46.25 | 74.00 | -27.75 | 56.22 | 37.78 | 10.94 | 58.69 | -- | -- | Peak | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 2 | 15960.00 | 46.66 | 74.00 | -27.34 | 53.74 | 39.59 | 12.70 | 59.37 | -- | -- | Peak | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Limit | Read | Ant | Cable | Preamp | APos | TPos | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Freq | Level | Line Margin | Level | Factor | Loss Factor | Remark | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | cm | deg | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 | 10640.00 | 46.44 | 74.00 | -27.56 | 56.41 | 37.78 | 10.94 | 58.69 | -- | -- | Peak | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 2 | 15960.00 | 47.92 | 74.00 | -26.08 | 55.00 | 39.59 | 12.70 | 59.37 | -- | -- | Peak | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |







| Mode | 64 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-----------|---|-------------|--------|--------|-------------|--------|--------|--------|------------|------|-------|-------------|-------|--------|-------------|--|--|-----|--------|--------|----|------|------|----|----|-----------|-------|-------|--------|-------|-------|------|-------|-----|------------|--|-------|------|-----|-------|--------|------|------|--------|------|-------|-------------|-------|--------|-------------|--|--|-----|--------|--------|----|------|------|----|----|-----------|--------|-------|-------|-------|-------|------|-------|-----|------------|
| | Band Edge | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | Bluetooth LE(2 Mbps) CH38_TX + 802.11ax HE20 CH64+ LTE Band 13 Link CO-TX | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| ANT | 5 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Pol. | Horizontal | Fundamental | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Peak |  <p>Date: 2025-04-15</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1 5350.38</td> <td>63.16</td> <td>74.00</td> <td>-10.84</td> <td>53.38</td> <td>34.11</td> <td>8.33</td> <td>32.66</td> <td>100</td> <td>59 PEAK</td> </tr> </tbody> </table> | Limit | Read | Ant | Cable | Preamp | APos | TPos | Remark | Freq | Level | Line Margin | Level | Factor | Loss Factor | | | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | cm | 1 5350.38 | 63.16 | 74.00 | -10.84 | 53.38 | 34.11 | 8.33 | 32.66 | 100 | 59 PEAK |  <p>Date: 2025-04-15</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1 5320.00</td> <td>103.86</td> <td>-----</td> <td>-----</td> <td>94.19</td> <td>34.09</td> <td>8.25</td> <td>32.67</td> <td>100</td> <td>59 PEAK</td> </tr> </tbody> </table> | Limit | Read | Ant | Cable | Preamp | APos | TPos | Remark | Freq | Level | Line Margin | Level | Factor | Loss Factor | | | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | cm | 1 5320.00 | 103.86 | ----- | ----- | 94.19 | 34.09 | 8.25 | 32.67 | 100 | 59 PEAK |
| | Limit | Read | Ant | Cable | Preamp | APos | TPos | Remark | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Freq | Level | Line Margin | Level | Factor | Loss Factor | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | cm | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 5350.38 | 63.16 | 74.00 | -10.84 | 53.38 | 34.11 | 8.33 | 32.66 | 100 | 59 PEAK | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Limit | Read | Ant | Cable | Preamp | APos | TPos | Remark | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Freq | Level | Line Margin | Level | Factor | Loss Factor | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | cm | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 5320.00 | 103.86 | ----- | ----- | 94.19 | 34.09 | 8.25 | 32.67 | 100 | 59 PEAK | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Avg |  <p>Date: 2025-04-15</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1 5350.10</td> <td>50.25</td> <td>54.00</td> <td>-3.75</td> <td>40.47</td> <td>34.11</td> <td>8.33</td> <td>32.66</td> <td>100</td> <td>59 AVERAGE</td> </tr> </tbody> </table> | Limit | Read | Ant | Cable | Preamp | APos | TPos | Remark | Freq | Level | Line Margin | Level | Factor | Loss Factor | | | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | cm | 1 5350.10 | 50.25 | 54.00 | -3.75 | 40.47 | 34.11 | 8.33 | 32.66 | 100 | 59 AVERAGE |  <p>Date: 2025-04-15</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1 5320.00</td> <td>94.87</td> <td>-----</td> <td>-----</td> <td>85.20</td> <td>34.09</td> <td>8.25</td> <td>32.67</td> <td>100</td> <td>59 AVERAGE</td> </tr> </tbody> </table> | Limit | Read | Ant | Cable | Preamp | APos | TPos | Remark | Freq | Level | Line Margin | Level | Factor | Loss Factor | | | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | cm | 1 5320.00 | 94.87 | ----- | ----- | 85.20 | 34.09 | 8.25 | 32.67 | 100 | 59 AVERAGE |
| Limit | Read | Ant | Cable | Preamp | APos | TPos | Remark | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Freq | Level | Line Margin | Level | Factor | Loss Factor | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | cm | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 5350.10 | 50.25 | 54.00 | -3.75 | 40.47 | 34.11 | 8.33 | 32.66 | 100 | 59 AVERAGE | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Limit | Read | Ant | Cable | Preamp | APos | TPos | Remark | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Freq | Level | Line Margin | Level | Factor | Loss Factor | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | cm | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 5320.00 | 94.87 | ----- | ----- | 85.20 | 34.09 | 8.25 | 32.67 | 100 | 59 AVERAGE | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |



| | 64 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-------------|---|--------------------|--------|--------|--------|--------|--------|--------|-------------|------|-------|------|--------|-------|--------|------|--------|-----|--------|--------|----|------|------|----|----|-----------|-------|-------|--------|-------|-------|------|-------|-----|-------------|---|-------|------|-----|-------|--------|------|------|--------|------|-------|------|--------|-------|--------|------|--------|-----|--------|--------|----|------|------|----|----|-----------|-------|-------|-------|-------|-------|------|-------|-----|-------------|
| Mode | Band Edge | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | Bluetooth LE(2 Mbps) CH38_TX + 802.11ax HE20 CH64+ LTE Band 13 Link CO-TX | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| ANT | 5 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Pol. | Vertical | Fundamental | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Peak | <p style="text-align: right;">Date: 2025-04-15</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1 5351.78</td> <td>56.63</td> <td>74.00</td> <td>-17.37</td> <td>46.85</td> <td>34.11</td> <td>8.33</td> <td>32.66</td> <td>100</td> <td>283 PEAK</td> </tr> </tbody> </table> | Limit | Read | Ant | Cable | Preamp | APos | TPos | Remark | Freq | Level | Line | Margin | Level | Factor | Loss | Factor | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | cm | 1 5351.78 | 56.63 | 74.00 | -17.37 | 46.85 | 34.11 | 8.33 | 32.66 | 100 | 283 PEAK | <p style="text-align: right;">Date: 2025-04-15</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1 5320.00</td> <td>95.07</td> <td>-----</td> <td>-----</td> <td>85.39</td> <td>34.09</td> <td>8.26</td> <td>32.67</td> <td>100</td> <td>283 PEAK</td> </tr> </tbody> </table> | Limit | Read | Ant | Cable | Preamp | APos | TPos | Remark | Freq | Level | Line | Margin | Level | Factor | Loss | Factor | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | cm | 1 5320.00 | 95.07 | ----- | ----- | 85.39 | 34.09 | 8.26 | 32.67 | 100 | 283 PEAK |
| | Limit | Read | Ant | Cable | Preamp | APos | TPos | Remark | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Freq | Level | Line | Margin | Level | Factor | Loss | Factor | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | cm | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 5351.78 | 56.63 | 74.00 | -17.37 | 46.85 | 34.11 | 8.33 | 32.66 | 100 | 283 PEAK | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Limit | Read | Ant | Cable | Preamp | APos | TPos | Remark | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Freq | Level | Line | Margin | Level | Factor | Loss | Factor | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | cm | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 5320.00 | 95.07 | ----- | ----- | 85.39 | 34.09 | 8.26 | 32.67 | 100 | 283 PEAK | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Avg | <p style="text-align: right;">Date: 2025-04-15</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1 5350.10</td> <td>45.92</td> <td>54.00</td> <td>-8.08</td> <td>36.14</td> <td>34.11</td> <td>8.33</td> <td>32.66</td> <td>100</td> <td>283 AVERAGE</td> </tr> </tbody> </table> | Limit | Read | Ant | Cable | Preamp | APos | TPos | Remark | Freq | Level | Line | Margin | Level | Factor | Loss | Factor | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | cm | 1 5350.10 | 45.92 | 54.00 | -8.08 | 36.14 | 34.11 | 8.33 | 32.66 | 100 | 283 AVERAGE | <p style="text-align: right;">Date: 2025-04-15</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1 5320.00</td> <td>86.03</td> <td>-----</td> <td>-----</td> <td>76.36</td> <td>34.09</td> <td>8.25</td> <td>32.67</td> <td>100</td> <td>283 AVERAGE</td> </tr> </tbody> </table> | Limit | Read | Ant | Cable | Preamp | APos | TPos | Remark | Freq | Level | Line | Margin | Level | Factor | Loss | Factor | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | cm | 1 5320.00 | 86.03 | ----- | ----- | 76.36 | 34.09 | 8.25 | 32.67 | 100 | 283 AVERAGE |
| | Limit | Read | Ant | Cable | Preamp | APos | TPos | Remark | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Freq | Level | Line | Margin | Level | Factor | Loss | Factor | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | cm | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 5350.10 | 45.92 | 54.00 | -8.08 | 36.14 | 34.11 | 8.33 | 32.66 | 100 | 283 AVERAGE | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Limit | Read | Ant | Cable | Preamp | APos | TPos | Remark | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Freq | Level | Line | Margin | Level | Factor | Loss | Factor | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | cm | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 5320.00 | 86.03 | ----- | ----- | 76.36 | 34.09 | 8.25 | 32.67 | 100 | 283 AVERAGE | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |



| | | 64 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-------------|--|--------------------|--------|--------|--------|--------|--------|--------|--------|------|---------|------|--------|-------|--------|------|--------|-----|--------|--------|----|------|------|----|----|----|-----|--|--|--|--|--|--|---|---------|-------|-------|--------|-------|-------|------|-------|-----|-----|---------|--|-------|------|-----|-------|--------|------|------|--------|------|-------|------|--------|-------|--------|------|--------|-----|--------|--------|----|------|------|----|----|----|-----|--|--|--|--|--|--|---|---------|--------|-------|-------|--------|-------|------|-------|-----|-----|---------|
| Mode | Band Edge | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | Bluetooth LE(2 Mbps) CH38_TX + 802.11ax HE20 CH64+ LTE Band 13 Link CO-TX | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| ANT | 6 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Pol. | Horizontal | Fundamental | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Peak |  <p style="text-align: right;">Date: 2025-04-15</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> <tr> <th>cm</th> <th>deg</th> <th colspan="6"></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2484.29</td> <td>53.64</td> <td>74.00</td> <td>-20.36</td> <td>51.76</td> <td>30.49</td> <td>4.92</td> <td>33.53</td> <td>100</td> <td>325</td> <td>PEAK</td> </tr> </tbody> </table> | Limit | Read | Ant | Cable | Preamp | APos | TPos | Remark | Freq | Level | Line | Margin | Level | Factor | Loss | Factor | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | | | | | | | 1 | 2484.29 | 53.64 | 74.00 | -20.36 | 51.76 | 30.49 | 4.92 | 33.53 | 100 | 325 | PEAK |  <p style="text-align: right;">Date: 2025-04-15</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> <tr> <th>cm</th> <th>deg</th> <th colspan="6"></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2478.00</td> <td>103.07</td> <td>-----</td> <td>-----</td> <td>101.21</td> <td>30.49</td> <td>4.91</td> <td>33.54</td> <td>100</td> <td>325</td> <td>PEAK</td> </tr> </tbody> </table> | Limit | Read | Ant | Cable | Preamp | APos | TPos | Remark | Freq | Level | Line | Margin | Level | Factor | Loss | Factor | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | | | | | | | 1 | 2478.00 | 103.07 | ----- | ----- | 101.21 | 30.49 | 4.91 | 33.54 | 100 | 325 | PEAK |
| | Limit | Read | Ant | Cable | Preamp | APos | TPos | Remark | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Freq | Level | Line | Margin | Level | Factor | Loss | Factor | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| cm | deg | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 | 2484.29 | 53.64 | 74.00 | -20.36 | 51.76 | 30.49 | 4.92 | 33.53 | 100 | 325 | PEAK | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Limit | Read | Ant | Cable | Preamp | APos | TPos | Remark | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Freq | Level | Line | Margin | Level | Factor | Loss | Factor | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| cm | deg | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 | 2478.00 | 103.07 | ----- | ----- | 101.21 | 30.49 | 4.91 | 33.54 | 100 | 325 | PEAK | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Avg |  <p style="text-align: right;">Date: 2025-04-15</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> <tr> <th>cm</th> <th>deg</th> <th colspan="6"></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2485.61</td> <td>41.96</td> <td>54.00</td> <td>-12.04</td> <td>40.08</td> <td>30.49</td> <td>4.92</td> <td>33.53</td> <td>100</td> <td>325</td> <td>AVERAGE</td> </tr> </tbody> </table> | Limit | Read | Ant | Cable | Preamp | APos | TPos | Remark | Freq | Level | Line | Margin | Level | Factor | Loss | Factor | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | | | | | | | 1 | 2485.61 | 41.96 | 54.00 | -12.04 | 40.08 | 30.49 | 4.92 | 33.53 | 100 | 325 | AVERAGE |  <p style="text-align: right;">Date: 2025-04-15</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> <tr> <th>cm</th> <th>deg</th> <th colspan="6"></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2478.00</td> <td>99.22</td> <td>-----</td> <td>-----</td> <td>97.36</td> <td>30.49</td> <td>4.91</td> <td>33.54</td> <td>100</td> <td>325</td> <td>AVERAGE</td> </tr> </tbody> </table> | Limit | Read | Ant | Cable | Preamp | APos | TPos | Remark | Freq | Level | Line | Margin | Level | Factor | Loss | Factor | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | | | | | | | 1 | 2478.00 | 99.22 | ----- | ----- | 97.36 | 30.49 | 4.91 | 33.54 | 100 | 325 | AVERAGE |
| | Limit | Read | Ant | Cable | Preamp | APos | TPos | Remark | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Freq | Level | Line | Margin | Level | Factor | Loss | Factor | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| cm | deg | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 | 2485.61 | 41.96 | 54.00 | -12.04 | 40.08 | 30.49 | 4.92 | 33.53 | 100 | 325 | AVERAGE | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Limit | Read | Ant | Cable | Preamp | APos | TPos | Remark | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Freq | Level | Line | Margin | Level | Factor | Loss | Factor | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| cm | deg | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 | 2478.00 | 99.22 | ----- | ----- | 97.36 | 30.49 | 4.91 | 33.54 | 100 | 325 | AVERAGE | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |







| | | 64 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-------------|--|--------------------|--------|--------|--------|--------|--------|--------|--------|------|---------|------|--------|-------|--------|------|--------|-----|--------|--------|----|------|------|----|----|---|---------|-------|-------|--------|-------|-------|------|-------|-----|-----|---------|--|-------|------|-----|-------|--------|------|------|--------|------|-------|------|--------|-------|--------|------|--------|-----|--------|--------|----|------|------|----|----|---|---------|--------|-------|-------|--------|-------|------|-------|-----|-----|---------|
| Mode | Band Edge | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | Bluetooth LE(2 Mbps) CH38_TX + 802.11ax HE20 CH64+ LTE Band 13 Link CO-TX | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| ANT | 6 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Pol. | Vertical | Fundamental | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Peak | <p style="text-align: right;">Date: 2025-04-15</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2484.78</td> <td>54.89</td> <td>74.00</td> <td>-19.11</td> <td>53.01</td> <td>30.49</td> <td>4.92</td> <td>33.53</td> <td>106</td> <td>246</td> <td>PEAK</td> </tr> </tbody> </table> | Limit | Read | Ant | Cable | Preamp | APos | TPos | Remark | Freq | Level | Line | Margin | Level | Factor | Loss | Factor | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | 1 | 2484.78 | 54.89 | 74.00 | -19.11 | 53.01 | 30.49 | 4.92 | 33.53 | 106 | 246 | PEAK | <p style="text-align: right;">Date: 2025-04-15</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2478.00</td> <td>104.94</td> <td>-----</td> <td>-----</td> <td>103.08</td> <td>30.49</td> <td>4.91</td> <td>33.54</td> <td>106</td> <td>246</td> <td>PEAK</td> </tr> </tbody> </table> | Limit | Read | Ant | Cable | Preamp | APos | TPos | Remark | Freq | Level | Line | Margin | Level | Factor | Loss | Factor | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | 1 | 2478.00 | 104.94 | ----- | ----- | 103.08 | 30.49 | 4.91 | 33.54 | 106 | 246 | PEAK |
| | Limit | Read | Ant | Cable | Preamp | APos | TPos | Remark | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Freq | Level | Line | Margin | Level | Factor | Loss | Factor | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 | 2484.78 | 54.89 | 74.00 | -19.11 | 53.01 | 30.49 | 4.92 | 33.53 | 106 | 246 | PEAK | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Limit | Read | Ant | Cable | Preamp | APos | TPos | Remark | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Freq | Level | Line | Margin | Level | Factor | Loss | Factor | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 | 2478.00 | 104.94 | ----- | ----- | 103.08 | 30.49 | 4.91 | 33.54 | 106 | 246 | PEAK | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Avg | <p style="text-align: right;">Date: 2025-04-15</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2486.62</td> <td>43.83</td> <td>54.00</td> <td>-10.17</td> <td>41.95</td> <td>30.49</td> <td>4.92</td> <td>33.53</td> <td>106</td> <td>246</td> <td>AVERAGE</td> </tr> </tbody> </table> | Limit | Read | Ant | Cable | Preamp | APos | TPos | Remark | Freq | Level | Line | Margin | Level | Factor | Loss | Factor | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | 1 | 2486.62 | 43.83 | 54.00 | -10.17 | 41.95 | 30.49 | 4.92 | 33.53 | 106 | 246 | AVERAGE | <p style="text-align: right;">Date: 2025-04-15</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2478.00</td> <td>101.04</td> <td>-----</td> <td>-----</td> <td>99.18</td> <td>30.49</td> <td>4.91</td> <td>33.54</td> <td>106</td> <td>246</td> <td>AVERAGE</td> </tr> </tbody> </table> | Limit | Read | Ant | Cable | Preamp | APos | TPos | Remark | Freq | Level | Line | Margin | Level | Factor | Loss | Factor | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | 1 | 2478.00 | 101.04 | ----- | ----- | 99.18 | 30.49 | 4.91 | 33.54 | 106 | 246 | AVERAGE |
| | Limit | Read | Ant | Cable | Preamp | APos | TPos | Remark | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Freq | Level | Line | Margin | Level | Factor | Loss | Factor | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 | 2486.62 | 43.83 | 54.00 | -10.17 | 41.95 | 30.49 | 4.92 | 33.53 | 106 | 246 | AVERAGE | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Limit | Read | Ant | Cable | Preamp | APos | TPos | Remark | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Freq | Level | Line | Margin | Level | Factor | Loss | Factor | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 | 2478.00 | 101.04 | ----- | ----- | 99.18 | 30.49 | 4.91 | 33.54 | 106 | 246 | AVERAGE | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |



| Mode | 64 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-------------|--|-------------|-------|--------|-------------|--------|--------|-------|--------|------|-------|-------------|-------|--------|-------------|--|--|-----|--------|--------|----|------|------|----|----|---|---------|-------|-------|--------|-------|-------|------|-------|----|----|------|---|---------|-------|-------|--------|-------|-------|------|-------|----|----|------|---|----------|-------|-------|--------|-------|-------|-------|-------|----|----|------|---|----------|-------|-------|--------|-------|-------|-------|-------|----|----|------|--|-------|------|-----|-------|--------|------|------|--------|------|-------|-------------|-------|--------|-------------|--|--|-----|--------|--------|----|------|------|----|----|---|---------|-------|-------|--------|-------|-------|------|-------|----|----|------|---|---------|-------|-------|--------|-------|-------|------|-------|----|----|------|---|----------|-------|-------|--------|-------|-------|-------|-------|----|----|------|---|----------|-------|-------|--------|-------|-------|-------|-------|----|----|
| | Harmonic | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | Bluetooth LE(2 Mbps) CH38_TX + 802.11ax HE20 CH64+ LTE Band 13 Link CO-TX | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| ANT | 5 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Pol. | Horizontal | Vertical | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Peak Avg | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4920.00</td> <td>42.88</td> <td>74.00</td> <td>-31.12</td> <td>58.77</td> <td>33.87</td> <td>7.79</td> <td>57.55</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>7386.00</td> <td>45.87</td> <td>74.00</td> <td>-28.13</td> <td>59.35</td> <td>36.30</td> <td>9.17</td> <td>58.95</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>3</td> <td>10640.00</td> <td>46.25</td> <td>74.00</td> <td>-27.75</td> <td>56.22</td> <td>37.78</td> <td>10.94</td> <td>58.69</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>4</td> <td>15960.00</td> <td>46.66</td> <td>74.00</td> <td>-27.34</td> <td>53.74</td> <td>39.59</td> <td>12.70</td> <td>59.37</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> </tbody> </table> | Limit | Read | Ant | Cable | Preamp | APos | TPos | Remark | Freq | Level | Line Margin | Level | Factor | Loss Factor | | | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | cm | 1 | 4920.00 | 42.88 | 74.00 | -31.12 | 58.77 | 33.87 | 7.79 | 57.55 | -- | -- | Peak | 2 | 7386.00 | 45.87 | 74.00 | -28.13 | 59.35 | 36.30 | 9.17 | 58.95 | -- | -- | Peak | 3 | 10640.00 | 46.25 | 74.00 | -27.75 | 56.22 | 37.78 | 10.94 | 58.69 | -- | -- | Peak | 4 | 15960.00 | 46.66 | 74.00 | -27.34 | 53.74 | 39.59 | 12.70 | 59.37 | -- | -- | Peak | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4935.00</td> <td>44.32</td> <td>74.00</td> <td>-29.68</td> <td>60.21</td> <td>33.88</td> <td>7.79</td> <td>57.56</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>7386.00</td> <td>46.52</td> <td>74.00</td> <td>-27.48</td> <td>60.00</td> <td>36.30</td> <td>9.17</td> <td>58.95</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>3</td> <td>10640.00</td> <td>46.01</td> <td>74.00</td> <td>-27.99</td> <td>55.98</td> <td>37.78</td> <td>10.94</td> <td>58.69</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>4</td> <td>15960.00</td> <td>48.48</td> <td>74.00</td> <td>-25.52</td> <td>55.56</td> <td>39.59</td> <td>12.70</td> <td>59.37</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> </tbody> </table> | Limit | Read | Ant | Cable | Preamp | APos | TPos | Remark | Freq | Level | Line Margin | Level | Factor | Loss Factor | | | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | cm | 1 | 4935.00 | 44.32 | 74.00 | -29.68 | 60.21 | 33.88 | 7.79 | 57.56 | -- | -- | Peak | 2 | 7386.00 | 46.52 | 74.00 | -27.48 | 60.00 | 36.30 | 9.17 | 58.95 | -- | -- | Peak | 3 | 10640.00 | 46.01 | 74.00 | -27.99 | 55.98 | 37.78 | 10.94 | 58.69 | -- | -- | Peak | 4 | 15960.00 | 48.48 | 74.00 | -25.52 | 55.56 | 39.59 | 12.70 | 59.37 | -- | -- |
| Limit | Read | Ant | Cable | Preamp | APos | TPos | Remark | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Freq | Level | Line Margin | Level | Factor | Loss Factor | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | cm | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 | 4920.00 | 42.88 | 74.00 | -31.12 | 58.77 | 33.87 | 7.79 | 57.55 | -- | -- | Peak | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 2 | 7386.00 | 45.87 | 74.00 | -28.13 | 59.35 | 36.30 | 9.17 | 58.95 | -- | -- | Peak | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 3 | 10640.00 | 46.25 | 74.00 | -27.75 | 56.22 | 37.78 | 10.94 | 58.69 | -- | -- | Peak | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 4 | 15960.00 | 46.66 | 74.00 | -27.34 | 53.74 | 39.59 | 12.70 | 59.37 | -- | -- | Peak | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Limit | Read | Ant | Cable | Preamp | APos | TPos | Remark | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Freq | Level | Line Margin | Level | Factor | Loss Factor | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | cm | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 | 4935.00 | 44.32 | 74.00 | -29.68 | 60.21 | 33.88 | 7.79 | 57.56 | -- | -- | Peak | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 2 | 7386.00 | 46.52 | 74.00 | -27.48 | 60.00 | 36.30 | 9.17 | 58.95 | -- | -- | Peak | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 3 | 10640.00 | 46.01 | 74.00 | -27.99 | 55.98 | 37.78 | 10.94 | 58.69 | -- | -- | Peak | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 4 | 15960.00 | 48.48 | 74.00 | -25.52 | 55.56 | 39.59 | 12.70 | 59.37 | -- | -- | Peak | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |







| Mode | 65 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-----------|---|-------------|--------|--------|--------|--------|--------|--------|------------|------|-------|------|--------|-------|--------|------|--------|-----|--------|--------|----|------|------|----|----|-----------|-------|-------|--------|-------|-------|------|-------|-----|------------|--|-------|------|-----|-------|--------|------|------|--------|------|-------|------|--------|-------|--------|------|--------|-----|--------|--------|----|------|------|----|----|-----------|--------|-------|-------|-------|-------|------|-------|-----|------------|
| | Band Edge | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | Bluetooth LE(2 Mbps) CH38_TX + 802.11ax HE20 CH64 CO-TX | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| ANT | 5 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Pol. | Horizontal | Fundamental | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Peak |  <p>Level (dBuV/m) vs Frequency (MHz) for Horizontal polarization. The plot shows a signal level starting at approximately 105 dBuV/m at 5320 MHz and decreasing to about 50 dBuV/m at 5460 MHz. A red limit line is shown at 70.0 dBuV/m. A peak is marked at 5350.10 MHz.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 5350.10</td> <td>62.95</td> <td>74.00</td> <td>-11.05</td> <td>53.17</td> <td>34.11</td> <td>8.33</td> <td>32.66</td> <td>100</td> <td>47 PEAK</td> </tr> </tbody> </table> | Limit | Read | Ant | Cable | Preamp | APos | TPos | Remark | Freq | Level | Line | Margin | Level | Factor | Loss | Factor | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | 1 5350.10 | 62.95 | 74.00 | -11.05 | 53.17 | 34.11 | 8.33 | 32.66 | 100 | 47 PEAK |  <p>Level (dBuV/m) vs Frequency (MHz) for Fundamental polarization. The plot shows a signal level starting at approximately 70 dBuV/m at 1000 MHz and increasing to about 105 dBuV/m at 5320 MHz. A red limit line is shown at 70.0 dBuV/m. A peak is marked at 5320.00 MHz.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 5320.00</td> <td>103.82</td> <td>-----</td> <td>-----</td> <td>94.15</td> <td>34.09</td> <td>8.25</td> <td>32.67</td> <td>100</td> <td>47 PEAK</td> </tr> </tbody> </table> | Limit | Read | Ant | Cable | Preamp | APos | TPos | Remark | Freq | Level | Line | Margin | Level | Factor | Loss | Factor | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | 1 5320.00 | 103.82 | ----- | ----- | 94.15 | 34.09 | 8.25 | 32.67 | 100 | 47 PEAK |
| | Limit | Read | Ant | Cable | Preamp | APos | TPos | Remark | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Freq | Level | Line | Margin | Level | Factor | Loss | Factor | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 5350.10 | 62.95 | 74.00 | -11.05 | 53.17 | 34.11 | 8.33 | 32.66 | 100 | 47 PEAK | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Limit | Read | Ant | Cable | Preamp | APos | TPos | Remark | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Freq | Level | Line | Margin | Level | Factor | Loss | Factor | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 5320.00 | 103.82 | ----- | ----- | 94.15 | 34.09 | 8.25 | 32.67 | 100 | 47 PEAK | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Avg |  <p>Level (dBuV/m) vs Frequency (MHz) for Average Horizontal polarization. The plot shows a signal level starting at approximately 87.5 dBuV/m at 5320 MHz and decreasing to about 35 dBuV/m at 5460 MHz. A red limit line is shown at 52.5 dBuV/m. A peak is marked at 5350.10 MHz.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 5350.10</td> <td>50.22</td> <td>54.00</td> <td>-3.78</td> <td>40.44</td> <td>34.11</td> <td>8.33</td> <td>32.66</td> <td>100</td> <td>47 AVERAGE</td> </tr> </tbody> </table> | Limit | Read | Ant | Cable | Preamp | APos | TPos | Remark | Freq | Level | Line | Margin | Level | Factor | Loss | Factor | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | 1 5350.10 | 50.22 | 54.00 | -3.78 | 40.44 | 34.11 | 8.33 | 32.66 | 100 | 47 AVERAGE |  <p>Level (dBuV/m) vs Frequency (MHz) for Average Fundamental polarization. The plot shows a signal level starting at approximately 35 dBuV/m at 1000 MHz and increasing to about 105 dBuV/m at 5320 MHz. A red limit line is shown at 52.5 dBuV/m. A peak is marked at 5320.00 MHz.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 5320.00</td> <td>93.63</td> <td>-----</td> <td>-----</td> <td>83.96</td> <td>34.09</td> <td>8.25</td> <td>32.67</td> <td>100</td> <td>47 AVERAGE</td> </tr> </tbody> </table> | Limit | Read | Ant | Cable | Preamp | APos | TPos | Remark | Freq | Level | Line | Margin | Level | Factor | Loss | Factor | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | 1 5320.00 | 93.63 | ----- | ----- | 83.96 | 34.09 | 8.25 | 32.67 | 100 | 47 AVERAGE |
| Limit | Read | Ant | Cable | Preamp | APos | TPos | Remark | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Freq | Level | Line | Margin | Level | Factor | Loss | Factor | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 5350.10 | 50.22 | 54.00 | -3.78 | 40.44 | 34.11 | 8.33 | 32.66 | 100 | 47 AVERAGE | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Limit | Read | Ant | Cable | Preamp | APos | TPos | Remark | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Freq | Level | Line | Margin | Level | Factor | Loss | Factor | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 5320.00 | 93.63 | ----- | ----- | 83.96 | 34.09 | 8.25 | 32.67 | 100 | 47 AVERAGE | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |



| | | 65 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-------|--|-------------|--------|--------|--------|--------|--------|--------|--------|------|---------|------|--------|-------|--------|------|--------|-----|--------|--------|----|------|------|----|----|---|---------|-------|-------|--------|-------|-------|------|-------|-----|-----|---------|--|-------|------|-----|-------|--------|------|------|--------|------|-------|------|--------|-------|--------|------|--------|-----|--------|--------|----|------|------|----|----|---|---------|-------|-------|-------|-------|-------|------|-------|-----|-----|---------|
| Mode | Band Edge | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | Bluetooth LE(2 Mbps) CH38_TX + 802.11ax HE20 CH64 CO-TX | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| ANT | 5 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Pol. | Vertical | Fundamental | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Peak | <p>Date: 2025-04-15</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5350.80</td> <td>57.40</td> <td>74.00</td> <td>-16.60</td> <td>47.62</td> <td>34.11</td> <td>8.33</td> <td>32.66</td> <td>100</td> <td>283</td> <td>PEAK</td> </tr> </tbody> </table> | Limit | Read | Ant | Cable | Preamp | APos | TPos | Remark | Freq | Level | Line | Margin | Level | Factor | Loss | Factor | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | cm | 1 | 5350.80 | 57.40 | 74.00 | -16.60 | 47.62 | 34.11 | 8.33 | 32.66 | 100 | 283 | PEAK | <p>Date: 2025-04-15</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5320.00</td> <td>94.36</td> <td>-----</td> <td>-----</td> <td>84.69</td> <td>34.09</td> <td>8.25</td> <td>32.67</td> <td>100</td> <td>283</td> <td>PEAK</td> </tr> </tbody> </table> | Limit | Read | Ant | Cable | Preamp | APos | TPos | Remark | Freq | Level | Line | Margin | Level | Factor | Loss | Factor | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | cm | 1 | 5320.00 | 94.36 | ----- | ----- | 84.69 | 34.09 | 8.25 | 32.67 | 100 | 283 | PEAK |
| | Limit | Read | Ant | Cable | Preamp | APos | TPos | Remark | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Freq | Level | Line | Margin | Level | Factor | Loss | Factor | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | cm | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 | 5350.80 | 57.40 | 74.00 | -16.60 | 47.62 | 34.11 | 8.33 | 32.66 | 100 | 283 | PEAK | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Limit | Read | Ant | Cable | Preamp | APos | TPos | Remark | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Freq | Level | Line | Margin | Level | Factor | Loss | Factor | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | cm | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 | 5320.00 | 94.36 | ----- | ----- | 84.69 | 34.09 | 8.25 | 32.67 | 100 | 283 | PEAK | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Avg | <p>Date: 2025-04-15</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5350.38</td> <td>46.42</td> <td>54.00</td> <td>-7.58</td> <td>36.64</td> <td>34.11</td> <td>8.33</td> <td>32.66</td> <td>100</td> <td>283</td> <td>AVERAGE</td> </tr> </tbody> </table> | Limit | Read | Ant | Cable | Preamp | APos | TPos | Remark | Freq | Level | Line | Margin | Level | Factor | Loss | Factor | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | cm | 1 | 5350.38 | 46.42 | 54.00 | -7.58 | 36.64 | 34.11 | 8.33 | 32.66 | 100 | 283 | AVERAGE | <p>Date: 2025-04-15</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5320.00</td> <td>86.25</td> <td>-----</td> <td>-----</td> <td>76.58</td> <td>34.09</td> <td>8.25</td> <td>32.67</td> <td>100</td> <td>283</td> <td>AVERAGE</td> </tr> </tbody> </table> | Limit | Read | Ant | Cable | Preamp | APos | TPos | Remark | Freq | Level | Line | Margin | Level | Factor | Loss | Factor | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | cm | 1 | 5320.00 | 86.25 | ----- | ----- | 76.58 | 34.09 | 8.25 | 32.67 | 100 | 283 | AVERAGE |
| Limit | Read | Ant | Cable | Preamp | APos | TPos | Remark | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Freq | Level | Line | Margin | Level | Factor | Loss | Factor | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | cm | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 | 5350.38 | 46.42 | 54.00 | -7.58 | 36.64 | 34.11 | 8.33 | 32.66 | 100 | 283 | AVERAGE | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Limit | Read | Ant | Cable | Preamp | APos | TPos | Remark | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Freq | Level | Line | Margin | Level | Factor | Loss | Factor | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | cm | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 | 5320.00 | 86.25 | ----- | ----- | 76.58 | 34.09 | 8.25 | 32.67 | 100 | 283 | AVERAGE | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |



| Mode | 65 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-------|---|-------------|--------|--------|--------|--------|--------|--------|--------|------|---------|------|--------|-------|--------|------|--------|-----|--------|--------|----|------|------|----|----|---|---------|-------|-------|--------|-------|-------|------|-------|-----|-----|---------|---|-------|------|-----|-------|--------|------|------|--------|------|-------|------|--------|-------|--------|------|--------|-----|--------|--------|----|------|------|----|----|---|---------|--------|-------|-------|--------|-------|------|-------|-----|-----|---------|
| | Band Edge | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | Bluetooth LE(2 Mbps) CH38_TX + 802.11ax HE20 CH64 CO-TX | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| ANT | 6 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Pol. | Horizontal | Fundamental | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Peak |  <p>Date: 2025-04-15</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2483.92</td> <td>53.18</td> <td>74.00</td> <td>-20.82</td> <td>51.30</td> <td>30.49</td> <td>4.92</td> <td>33.53</td> <td>100</td> <td>325</td> <td>PEAK</td> </tr> </tbody> </table> | Limit | Read | Ant | Cable | Preamp | APos | TPos | Remark | Freq | Level | Line | Margin | Level | Factor | Loss | Factor | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | 1 | 2483.92 | 53.18 | 74.00 | -20.82 | 51.30 | 30.49 | 4.92 | 33.53 | 100 | 325 | PEAK |  <p>Date: 2025-04-15</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2478.00</td> <td>103.03</td> <td>-----</td> <td>-----</td> <td>101.17</td> <td>30.49</td> <td>4.91</td> <td>33.54</td> <td>100</td> <td>325</td> <td>PEAK</td> </tr> </tbody> </table> | Limit | Read | Ant | Cable | Preamp | APos | TPos | Remark | Freq | Level | Line | Margin | Level | Factor | Loss | Factor | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | 1 | 2478.00 | 103.03 | ----- | ----- | 101.17 | 30.49 | 4.91 | 33.54 | 100 | 325 | PEAK |
| | Limit | Read | Ant | Cable | Preamp | APos | TPos | Remark | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Freq | Level | Line | Margin | Level | Factor | Loss | Factor | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 | 2483.92 | 53.18 | 74.00 | -20.82 | 51.30 | 30.49 | 4.92 | 33.53 | 100 | 325 | PEAK | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Limit | Read | Ant | Cable | Preamp | APos | TPos | Remark | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Freq | Level | Line | Margin | Level | Factor | Loss | Factor | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 | 2478.00 | 103.03 | ----- | ----- | 101.17 | 30.49 | 4.91 | 33.54 | 100 | 325 | PEAK | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Avg |  <p>Date: 2025-04-15</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2486.98</td> <td>42.43</td> <td>54.00</td> <td>-11.57</td> <td>40.55</td> <td>30.49</td> <td>4.92</td> <td>33.53</td> <td>100</td> <td>325</td> <td>AVERAGE</td> </tr> </tbody> </table> | Limit | Read | Ant | Cable | Preamp | APos | TPos | Remark | Freq | Level | Line | Margin | Level | Factor | Loss | Factor | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | 1 | 2486.98 | 42.43 | 54.00 | -11.57 | 40.55 | 30.49 | 4.92 | 33.53 | 100 | 325 | AVERAGE |  <p>Date: 2025-04-15</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2478.00</td> <td>99.18</td> <td>-----</td> <td>-----</td> <td>97.32</td> <td>30.49</td> <td>4.91</td> <td>33.54</td> <td>100</td> <td>325</td> <td>AVERAGE</td> </tr> </tbody> </table> | Limit | Read | Ant | Cable | Preamp | APos | TPos | Remark | Freq | Level | Line | Margin | Level | Factor | Loss | Factor | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | 1 | 2478.00 | 99.18 | ----- | ----- | 97.32 | 30.49 | 4.91 | 33.54 | 100 | 325 | AVERAGE |
| Limit | Read | Ant | Cable | Preamp | APos | TPos | Remark | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Freq | Level | Line | Margin | Level | Factor | Loss | Factor | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 | 2486.98 | 42.43 | 54.00 | -11.57 | 40.55 | 30.49 | 4.92 | 33.53 | 100 | 325 | AVERAGE | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Limit | Read | Ant | Cable | Preamp | APos | TPos | Remark | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Freq | Level | Line | Margin | Level | Factor | Loss | Factor | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 | 2478.00 | 99.18 | ----- | ----- | 97.32 | 30.49 | 4.91 | 33.54 | 100 | 325 | AVERAGE | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |



| | 65 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-------------|--|--------------------|--------|--------|--------|--------|--------|--------|--------|------|---------|------|--------|-------|--------|------|--------|-----|--------|--------|----|------|------|----|----|---|---------|-------|-------|--------|-------|-------|------|-------|-----|-----|---------|--|-------|------|-----|-------|--------|------|------|--------|------|-------|------|--------|-------|--------|------|--------|-----|--------|--------|----|------|------|----|----|---|---------|--------|-------|-------|--------|-------|------|-------|-----|-----|---------|
| Mode | Band Edge | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | Bluetooth LE(2 Mbps) CH38_TX + 802.11ax HE20 CH64 CO-TX | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| ANT | 6 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Pol. | Vertical | Fundamental | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Peak | <p style="text-align: right;">Date: 2025-04-15</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2485.41</td> <td>55.76</td> <td>74.00</td> <td>-18.24</td> <td>53.88</td> <td>30.49</td> <td>4.92</td> <td>33.53</td> <td>106</td> <td>246</td> <td>PEAK</td> </tr> </tbody> </table> | Limit | Read | Ant | Cable | Preamp | APos | TPos | Remark | Freq | Level | Line | Margin | Level | Factor | Loss | Factor | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | 1 | 2485.41 | 55.76 | 74.00 | -18.24 | 53.88 | 30.49 | 4.92 | 33.53 | 106 | 246 | PEAK | <p style="text-align: right;">Date: 2025-04-15</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2478.00</td> <td>105.07</td> <td>-----</td> <td>-----</td> <td>103.21</td> <td>30.49</td> <td>4.91</td> <td>33.54</td> <td>106</td> <td>246</td> <td>PEAK</td> </tr> </tbody> </table> | Limit | Read | Ant | Cable | Preamp | APos | TPos | Remark | Freq | Level | Line | Margin | Level | Factor | Loss | Factor | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | 1 | 2478.00 | 105.07 | ----- | ----- | 103.21 | 30.49 | 4.91 | 33.54 | 106 | 246 | PEAK |
| | Limit | Read | Ant | Cable | Preamp | APos | TPos | Remark | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Freq | Level | Line | Margin | Level | Factor | Loss | Factor | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 | 2485.41 | 55.76 | 74.00 | -18.24 | 53.88 | 30.49 | 4.92 | 33.53 | 106 | 246 | PEAK | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Limit | Read | Ant | Cable | Preamp | APos | TPos | Remark | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Freq | Level | Line | Margin | Level | Factor | Loss | Factor | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 | 2478.00 | 105.07 | ----- | ----- | 103.21 | 30.49 | 4.91 | 33.54 | 106 | 246 | PEAK | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Avg | <p style="text-align: right;">Date: 2025-04-15</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2486.95</td> <td>43.95</td> <td>54.00</td> <td>-10.05</td> <td>42.07</td> <td>30.49</td> <td>4.92</td> <td>33.53</td> <td>106</td> <td>246</td> <td>AVERAGE</td> </tr> </tbody> </table> | Limit | Read | Ant | Cable | Preamp | APos | TPos | Remark | Freq | Level | Line | Margin | Level | Factor | Loss | Factor | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | 1 | 2486.95 | 43.95 | 54.00 | -10.05 | 42.07 | 30.49 | 4.92 | 33.53 | 106 | 246 | AVERAGE | <p style="text-align: right;">Date: 2025-04-15</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2478.00</td> <td>101.13</td> <td>-----</td> <td>-----</td> <td>99.27</td> <td>30.49</td> <td>4.91</td> <td>33.54</td> <td>106</td> <td>246</td> <td>AVERAGE</td> </tr> </tbody> </table> | Limit | Read | Ant | Cable | Preamp | APos | TPos | Remark | Freq | Level | Line | Margin | Level | Factor | Loss | Factor | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | 1 | 2478.00 | 101.13 | ----- | ----- | 99.27 | 30.49 | 4.91 | 33.54 | 106 | 246 | AVERAGE |
| | Limit | Read | Ant | Cable | Preamp | APos | TPos | Remark | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Freq | Level | Line | Margin | Level | Factor | Loss | Factor | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 | 2486.95 | 43.95 | 54.00 | -10.05 | 42.07 | 30.49 | 4.92 | 33.53 | 106 | 246 | AVERAGE | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Limit | Read | Ant | Cable | Preamp | APos | TPos | Remark | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Freq | Level | Line | Margin | Level | Factor | Loss | Factor | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 | 2478.00 | 101.13 | ----- | ----- | 99.27 | 30.49 | 4.91 | 33.54 | 106 | 246 | AVERAGE | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |




| Mode | 65 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|----------|--|----------|--------|--------|--------|-------|--------|--------|------------|--|------|-------|------|--------|-------|--------|------|--------|--------|-----|--------|--------|----|------|------|----|----|----|---|---------|-------|-------|--------|-------|-------|------|-------|------------|---|---------|-------|-------|--------|-------|-------|------|-------|------------|---|----------|-------|-------|--------|-------|-------|-------|-------|------------|---|----------|-------|-------|--------|-------|-------|-------|-------|------------|--|--|-------|------|-----|-------|--------|------|------|--|------|-------|------|--------|-------|--------|------|--------|--------|-----|--------|--------|----|------|------|----|----|----|---|---------|-------|-------|--------|-------|-------|------|-------|------------|---|---------|-------|-------|--------|-------|-------|------|-------|------------|---|----------|-------|-------|--------|-------|-------|-------|-------|------------|---|----------|-------|-------|--------|-------|-------|-------|-------|
| | Harmonic | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | Bluetooth LE(2 Mbps) CH38_TX + 802.11ax HE20 CH64 CO-TX | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| ANT | 5 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Pol. | Horizontal | Vertical | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Peak Avg | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | <table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4924.00</td> <td>43.88</td> <td>74.00</td> <td>-30.12</td> <td>59.77</td> <td>33.87</td> <td>7.79</td> <td>57.55</td> <td>-- -- Peak</td> </tr> <tr> <td>2</td> <td>7386.00</td> <td>43.14</td> <td>74.00</td> <td>-30.86</td> <td>56.62</td> <td>36.30</td> <td>9.17</td> <td>58.95</td> <td>-- -- Peak</td> </tr> <tr> <td>3</td> <td>10640.00</td> <td>45.25</td> <td>74.00</td> <td>-28.75</td> <td>55.22</td> <td>37.78</td> <td>10.94</td> <td>58.69</td> <td>-- -- Peak</td> </tr> <tr> <td>4</td> <td>15960.00</td> <td>46.66</td> <td>74.00</td> <td>-27.34</td> <td>53.74</td> <td>39.59</td> <td>12.70</td> <td>59.37</td> <td>-- -- Peak</td> </tr> </tbody> </table> | | Limit | Read | Ant | Cable | Preamp | APos | TPos | | Freq | Level | Line | Margin | Level | Factor | Loss | Factor | Remark | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | 1 | 4924.00 | 43.88 | 74.00 | -30.12 | 59.77 | 33.87 | 7.79 | 57.55 | -- -- Peak | 2 | 7386.00 | 43.14 | 74.00 | -30.86 | 56.62 | 36.30 | 9.17 | 58.95 | -- -- Peak | 3 | 10640.00 | 45.25 | 74.00 | -28.75 | 55.22 | 37.78 | 10.94 | 58.69 | -- -- Peak | 4 | 15960.00 | 46.66 | 74.00 | -27.34 | 53.74 | 39.59 | 12.70 | 59.37 | -- -- Peak | <table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4924.00</td> <td>43.88</td> <td>74.00</td> <td>-30.12</td> <td>59.77</td> <td>33.87</td> <td>7.79</td> <td>57.55</td> <td>-- -- Peak</td> </tr> <tr> <td>2</td> <td>7386.00</td> <td>44.84</td> <td>74.00</td> <td>-29.16</td> <td>58.32</td> <td>36.30</td> <td>9.17</td> <td>58.95</td> <td>-- -- Peak</td> </tr> <tr> <td>3</td> <td>10640.00</td> <td>46.44</td> <td>74.00</td> <td>-27.56</td> <td>56.41</td> <td>37.78</td> <td>10.94</td> <td>58.69</td> <td>-- -- Peak</td> </tr> <tr> <td>4</td> <td>15960.00</td> <td>48.92</td> <td>74.00</td> <td>-25.08</td> <td>56.00</td> <td>39.59</td> <td>12.70</td> <td>59.37</td> <td>-- -- Peak</td> </tr> </tbody> </table> | | Limit | Read | Ant | Cable | Preamp | APos | TPos | | Freq | Level | Line | Margin | Level | Factor | Loss | Factor | Remark | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | 1 | 4924.00 | 43.88 | 74.00 | -30.12 | 59.77 | 33.87 | 7.79 | 57.55 | -- -- Peak | 2 | 7386.00 | 44.84 | 74.00 | -29.16 | 58.32 | 36.30 | 9.17 | 58.95 | -- -- Peak | 3 | 10640.00 | 46.44 | 74.00 | -27.56 | 56.41 | 37.78 | 10.94 | 58.69 | -- -- Peak | 4 | 15960.00 | 48.92 | 74.00 | -25.08 | 56.00 | 39.59 | 12.70 | 59.37 |
| | Limit | Read | Ant | Cable | Preamp | APos | TPos | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Freq | Level | Line | Margin | Level | Factor | Loss | Factor | Remark | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 | 4924.00 | 43.88 | 74.00 | -30.12 | 59.77 | 33.87 | 7.79 | 57.55 | -- -- Peak | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 2 | 7386.00 | 43.14 | 74.00 | -30.86 | 56.62 | 36.30 | 9.17 | 58.95 | -- -- Peak | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 3 | 10640.00 | 45.25 | 74.00 | -28.75 | 55.22 | 37.78 | 10.94 | 58.69 | -- -- Peak | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 4 | 15960.00 | 46.66 | 74.00 | -27.34 | 53.74 | 39.59 | 12.70 | 59.37 | -- -- Peak | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | Limit | Read | Ant | Cable | Preamp | APos | TPos | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Freq | Level | Line | Margin | Level | Factor | Loss | Factor | Remark | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 | 4924.00 | 43.88 | 74.00 | -30.12 | 59.77 | 33.87 | 7.79 | 57.55 | -- -- Peak | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 2 | 7386.00 | 44.84 | 74.00 | -29.16 | 58.32 | 36.30 | 9.17 | 58.95 | -- -- Peak | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 3 | 10640.00 | 46.44 | 74.00 | -27.56 | 56.41 | 37.78 | 10.94 | 58.69 | -- -- Peak | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 4 | 15960.00 | 48.92 | 74.00 | -25.08 | 56.00 | 39.59 | 12.70 | 59.37 | -- -- Peak | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |



Appendix D. Duty Cycle Plots


| Band | Duty Cycle(%) | T(ms) | 1/T(kHz) | VBW Setting |
|---------------|---------------|-------|----------|-------------|
| 802.11a | 96.96 | 1.388 | 0.720 | 1KHz |
| 802.11ax HE20 | 95.88 | 1.012 | 0.989 | 1KHz |
| 802.11ax HE40 | 92.04 | 0.536 | 1.865 | 3KHz |
| 802.11ax HE80 | 86.09 | 0.287 | 3.485 | 10KHz |

802.11a






802.11ax HE20



802.11ax HE40





802.11ax HE80

