





11AX80SISO_5530



Date: 8.APR.2025 07:57:43


11AX80SISO_5610



Date: 8.APR.2025 07:58:59




11AX80SISO_5690



Date: 8.APR.2025 07:59:52

11AX80SISO_5775



Date: 8.APR.2025 08:02:21





Min emission bandwidth Test Result

TestMode	Antenna	Freq(MHz)	6dB EBW [MHz]	FL[MHz]	FH[MHz]	Limit[MHz]	Verdict
11A	Ant5	5745	15.48	5737.28	5752.76	0.5	PASS
		5785	15.64	5777.24	5792.88	0.5	PASS
		5825	16.28	5816.88	5833.16	0.5	PASS
11AX20SISO	Ant5	5745	17.52	5736.04	5753.56	0.5	PASS
		5785	18.36	5775.92	5794.28	0.5	PASS
		5825	18.44	5815.92	5834.36	0.5	PASS
11AX40SISO	Ant5	5755	37.60	5736.28	5773.88	0.5	PASS
		5795	37.20	5776.12	5813.32	0.5	PASS
11AX80SISO	Ant5	5775	76.00	5737.08	5813.08	0.5	PASS




Test Graphs








11AX20SISO_5785



Date: 8.APR.2025 07:35:48


11AX20SISO_5825




Date: 8.APR.2025 07:37:01




11AX40SISO_5755



11AX40SISO_5795








Maximum power spectral density Test Result

Table with 6 columns: TestMode, Antenna, Freq(MHz), Result [dBm/MHz], Limit[dBm/MHz], Verdict. Rows include TestModes 11A, 11AX20SISO, 11AX40SISO, and 11AX80SISO, all using Ant5.




Note: 1.The Result and Limit Unit is dBm/500 kHz in the band 5.725–5.85 GHz.
2.The Duty Cycle Factor and is compensated in the graph.

Test Graphs






11A_Ant5_5240



Date: 8.APR.2025 07:12:57


11A_Ant5_5260



Date: 8.APR.2025 07:13:52




11A_Ant5_5300



Date: 8.APR.2025 07:15:05


11A_Ant5_5320



Date: 8.APR.2025 07:16:00




11A_Ant5_5500



Date: 8.APR.2025 07:16:50


11A_Ant5_5580



Date: 8.APR.2025 07:17:41




11A_Ant5_5700



Date: 11.APR.2025 04:48:14


11A_Ant5_5720_UNII-2C



Date: 8.APR.2025 07:19:56




11A_Ant5_5720_UNII-3



Date: 8.APR.2025 07:20:07


11A_Ant5_5745



Date: 8.APR.2025 07:21:21




11A_Ant5_5785



Date: 8.APR.2025 07:22:34


11A_Ant5_5825



Date: 8.APR.2025 07:23:33




11AX20SISO_Ant5_5180



Date: 11.APR.2025 04:50:35


11AX20SISO_Ant5_5220



Date: 8.APR.2025 07:25:55




11AX20SISO_Ant5_5240



Date: 8.APR.2025 07:26:45


11AX20SISO_Ant5_5260



Date: 8.APR.2025 07:27:30




11AX20SISO_Ant5_5300



Date: 8.APR.2025 07:28:19


11AX20SISO_Ant5_5320



Measuring...




11AX20SISO_Ant5_5500



Date: 11.APR.2025 04:51:50


11AX20SISO_Ant5_5580



Date: 8.APR.2025 07:32:03




11AX20SISO_Ant5_5700



Date: 11.APR.2025 04:52:25


11AX20SISO_Ant5_5720_UNII-2C



Date: 8.APR.2025 07:33:45




11AX20SISO_Ant5_5720_UNII-3



Date: 8.APR.2025 07:33:55


11AX20SISO_Ant5_5745



Date: 8.APR.2025 07:35:03




11AX20SISO_Ant5_5785



Date: 8.APR.2025 07:36:17


11AX20SISO_Ant5_5825



Date: 8.APR.2025 07:37:31




11AX40SISO_Ant5_5190



Date: 11.APR.2025 04:55:14


11AX40SISO_Ant5_5230



Date: 8.APR.2025 07:44:04




11AX40SISO_Ant5_5270



Date: 8.APR.2025 07:44:59


11AX40SISO_Ant5_5310



Date: 11.APR.2025 04:56:32




11AX40SISO_Ant5_5510



Date: 11.APR.2025 04:57:03


11AX40SISO_Ant5_5550



Date: 8.APR.2025 07:48:45




11AX40SISO_Ant5_5670



Date: 8.APR.2025 07:49:43


11AX40SISO_Ant5_5710_UNII-2C



Date: 8.APR.2025 07:50:39




11AX40SISO_Ant5_5710_UNII-3



Date: 8.APR.2025 07:50:50


11AX40SISO_Ant5_5755



Date: 8.APR.2025 07:52:03




11AX40SISO_Ant5_5795



Date: 8.APR.2025 07:53:25


11AX80SISO_Ant5_5210



Date: 11.APR.2025 05:03:26




11AX80SISO_Ant5_5290



Date: 11.APR.2025 05:04:14


11AX80SISO_Ant5_5530



Date: 11.APR.2025 05:04:52




11AX80SISO_Ant5_5610



Date: 8.APR.2025 07:59:16

11AX80SISO_Ant5_5690_UNII-2C



Date: 8.APR.2025 08:01:22




<11AX Partial RU>
Maximum power spectral density
Test Result

Table with 8 columns: Test Mode, Antenna, Freq(MHz), Ru Size, Ru Index, Result [dBm/MHz], Limit [dBm/MHz], Verdict. It contains multiple rows of test data for various frequencies and configurations, all resulting in 'PASS'.

Note: 1.The Result and Limit Unit is dBm/500 kHz in the band 5.725-5.85 GHz.
2.The Duty Cycle Factor and is compensated in the graph.




Test Graphs






11AX20SISO_Ant5_5180_106Tone_RU53



Date: 11.APR.2025 05:48:02


11AX20SISO_Ant5_5220_26Tone_RU0



Date: 8.APR.2025 08:10:54




11AX20SISO_Ant5_5220_52Tone_RU37



Date: 8.APR.2025 08:11:56


11AX20SISO_Ant5_5220_106Tone_RU53



Date: 8.APR.2025 08:13:36




11AX20SISO_Ant5_5240_26Tone_RU8



Date: 8.APR.2025 08:15:14


11AX20SISO_Ant5_5240_52Tone_RU40



Date: 8.APR.2025 08:16:35




11AX20SISO_Ant5_5240_106Tone_RU54



Date: 8.APR.2025 08:17:44


11AX20SISO_Ant5_5260_26Tone_RU0



Date: 8.APR.2025 08:20:21




11AX20SISO_Ant5_5260_52Tone_RU37



Date: 8.APR.2025 08:21:52


11AX20SISO_Ant5_5260_106Tone_RU53



Date: 8.APR.2025 08:22:47




11AX20SISO_Ant5_5300_26Tone_RU0



Date: 8.APR.2025 08:23:55


11AX20SISO_Ant5_5300_52Tone_RU37



Date: 8.APR.2025 08:25:23




11AX20SISO_Ant5_5300_106Tone_RU53




Date: 8.APR.2025 08:26:30

11AX20SISO_Ant5_5320_26Tone_RU8






11AX20SISO_Ant5_5320_52Tone_RU40




11AX20SISO_Ant5_5320_106Tone_RU54






11AX20SISO_Ant5_5500_26Tone_RU0



Date: 11.APR.2025 07:05:58


11AX20SISO_Ant5_5500_52Tone_RU37



Date: 11.APR.2025 07:06:46




11AX20SISO_Ant5_5500_106Tone_RU53



Date: 11.APR.2025 07:07:20


11AX20SISO_Ant5_5580_26Tone_RU0



Date: 8.APR.2025 08:40:04




11AX20SISO_Ant5_5580_52Tone_RU37



Date: 8.APR.2025 08:41:12


11AX20SISO_Ant5_5580_106Tone_RU53



Date: 8.APR.2025 08:42:13




11AX20SISO_Ant5_5700_26Tone_RU8



Date: 11.APR.2025 07:08:14


11AX20SISO_Ant5_5700_52Tone_RU40



Date: 11.APR.2025 07:09:02




11AX20SISO_Ant5_5700_106Tone_RU54



Date: 11.APR.2025 07:09:33


11AX20SISO_Ant5_5720_26Tone_RU8



Date: 8.APR.2025 08:54:34




11AX20SISO_Ant5_5720_52Tone_RU40



Date: 8.APR.2025 08:58:47


11AX20SISO_Ant5_5720_106Tone_RU54



Date: 8.APR.2025 08:59:36




11AX20SISO_Ant5_5745_26Tone_RU0



Date: 8.APR.2025 09:01:10


11AX20SISO_Ant5_5745_52Tone_RU37



Date: 8.APR.2025 09:02:16




11AX20SISO_Ant5_5745_106Tone_RU53



Date: 8.APR.2025 09:03:03


11AX20SISO_Ant5_5785_26Tone_RU0



Date: 8.APR.2025 09:04:56




11AX20SISO_Ant5_5785_52Tone_RU37



Date: 8.APR.2025 09:06:02


11AX20SISO_Ant5_5785_106Tone_RU53



Date: 8.APR.2025 09:06:55




11AX20SISO_Ant5_5825_26Tone_RU8




Date: 8.APR.2025 09:08:16

11AX20SISO_Ant5_5825_52Tone_RU40




Date: 8.APR.2025 09:09:16





Appendix B. AC Conducted Emission Test Results

Test Engineer :	XuRuibin	Temperature :	22~24°C
		Relative Humidity :	44~50%
Test Voltage :	120Vac / 60Hz	Phase :	Line
Remark :	All emissions not reported here are more than 10 dB below the prescribed limit.		




Site : CO02-SZ
Condition : FCC 15E_QP LISN_2025-L LINE

	Freq	Level	Over Limit	Limit Line	Read Level	LISN Factor	Cable Loss	Remark
	MHz	dBuV	dB	dBuV	dBuV	dB	dB	
1	0.19	37.78	-16.20	53.98	17.90	9.70	10.18	Average
2 *	0.19	60.58	-3.40	63.98	40.70	9.70	10.18	QP
3	0.28	28.35	-22.33	50.68	8.40	9.75	10.20	Average
4	0.28	49.95	-10.73	60.68	30.00	9.75	10.20	QP
5	0.36	27.34	-21.31	48.65	7.40	9.72	10.22	Average
6	0.36	46.44	-12.21	58.65	26.50	9.72	10.22	QP
7	0.48	29.12	-17.24	46.36	9.19	9.69	10.24	Average
8	0.48	46.52	-9.84	56.36	26.59	9.69	10.24	QP
9	4.62	37.32	-8.68	46.00	17.39	9.66	10.27	Average
10	4.62	47.32	-8.68	56.00	27.39	9.66	10.27	QP
11	12.85	39.78	-10.22	50.00	19.91	9.64	10.23	Average
12	12.85	47.78	-12.22	60.00	27.91	9.64	10.23	QP



Test Engineer :	XuRuibin	Temperature :	22~24°C
		Relative Humidity :	44~50%
Test Voltage :	120Vac / 60Hz	Phase :	Neutral
Remark :	All emissions not reported here are more than 10 dB below the prescribed limit.		



Site : CO02-SZ
 Condition : FCC 15E_QP LISN_2025-N NEUTRAL

	Freq	Level	Over	Limit	Read	LISN	Cable	Remark
	MHz	dBuV	Limit	Line	Level	Factor	Loss	
			dB	dBuV	dBuV	dB	dB	
1	0.19	37.09	-17.15	54.24	17.10	9.81	10.18	Average
2 *	0.19	55.99	-8.25	64.24	36.00	9.81	10.18	QP
3	0.27	28.21	-22.77	50.98	8.30	9.71	10.20	Average
4	0.27	44.31	-16.67	60.98	24.40	9.71	10.20	QP
5	0.38	32.15	-16.15	48.30	12.20	9.73	10.22	Average
6	0.38	44.85	-13.45	58.30	24.90	9.73	10.22	QP
7	0.47	31.16	-15.29	46.45	10.89	10.03	10.24	Average
8	0.47	45.76	-10.69	56.45	25.49	10.03	10.24	QP
9	10.29	33.91	-16.09	50.00	14.09	9.63	10.19	Average
10	10.29	43.71	-16.29	60.00	23.89	9.63	10.19	QP
11	12.12	35.28	-14.72	50.00	15.40	9.66	10.22	Average
12	12.12	47.68	-12.32	60.00	27.80	9.66	10.22	QP

Note:

- Level(dBμV) = Read Level(dBμV) + LISN Factor(dB) + Cable Loss(dB)
- Over Limit(dB) = Level(dBμV) – Limit Line(dBμV)



Appendix C. Radiated Spurious Emission

Test Engineer :	Reid Huang	Relative Humidity :	50%
		Temperature :	20-24°C

Radiated Spurious Emission Test Modes

Mode	Band	Band (GHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 1	U-NII-1	5.15-5.25	5	802.11a	36	5180	6Mbps	-	-
Mode 2	U-NII-1	5.15-5.25	5	802.11a	44	5220	6Mbps	-	-
Mode 3	U-NII-1	5.15-5.25	5	802.11a	48	5240	6Mbps	-	-
Mode 4	U-NII-2A	5.25-5.35	5	802.11a	52	5260	6Mbps	-	-
Mode 5	U-NII-2A	5.25-5.35	5	802.11a	60	5300	6Mbps	-	-
Mode 6	U-NII-2A	5.25-5.35	5	802.11a	64	5320	6Mbps	-	-
Mode 7	U-NII-2C	5.47-5.725	5	802.11a	100	5500	6Mbps	-	-
Mode 8	U-NII-2C	5.47-5.725	5	802.11a	116	5580	6Mbps	-	-
Mode 9	U-NII-2C	5.47-5.725	5	802.11a	140	5700	6Mbps	-	-
Mode 10	U-NII-1	5.15-5.25	5	802.11ax HE20	36	5180	MCS0	Full	-
Mode 11	U-NII-1	5.15-5.25	5	802.11ax HE20	44	5220	MCS0	Full	-
Mode 12	U-NII-1	5.15-5.25	5	802.11ax HE20	48	5240	MCS0	Full	-
Mode 13	U-NII-2A	5.25-5.35	5	802.11ax HE20	52	5260	MCS0	Full	-
Mode 14	U-NII-2A	5.25-5.35	5	802.11ax HE20	60	5300	MCS0	Full	-
Mode 15	U-NII-2A	5.25-5.35	5	802.11ax HE20	64	5320	MCS0	Full	-
Mode 16	U-NII-2C	5.47-5.725	5	802.11ax HE20	100	5500	MCS0	Full	-
Mode 17	U-NII-2C	5.47-5.725	5	802.11ax HE20	116	5580	MCS0	Full	-
Mode 18	U-NII-2C	5.47-5.725	5	802.11ax HE20	140	5700	MCS0	Full	-
Mode 19	U-NII-1	5.15-5.25	5	802.11ax HE20	36	5180	MCS0	Partial RU26/0	-
Mode 20	U-NII-2A	5.15-5.25	5	802.11ax HE20	64	5320	MCS0	Partial RU26/8	-
Mode 21	U-NII-2C	5.15-5.25	5	802.11ax HE20	100	5500	MCS0	Partial RU26/0	-
Mode 22	U-NII-2C	5.25-5.35	5	802.11ax HE20	140	5700	MCS0	Partial RU26/8	-
Mode 23	U-NII-1	5.25-5.35	5	802.11ax HE20	36	5180	MCS0	Partial RU52/37	-
Mode 24	U-NII-2A	5.25-5.35	5	802.11ax HE20	64	5320	MCS0	Partial RU52/40	-
Mode 25	U-NII-2C	5.47-5.725	5	802.11ax HE20	100	5500	MCS0	Partial RU52/37	-
Mode 26	U-NII-2C	5.47-5.725	5	802.11ax HE20	140	5700	MCS0	Partial RU52/40	-
Mode 27	U-NII-1	5.47-5.725	5	802.11ax HE20	36	5180	MCS0	Partial RU106/53	-
Mode 28	U-NII-2A	5.47-5.725	5	802.11ax HE20	64	5320	MCS0	Partial RU106/54	-
Mode 29	U-NII-2C	5.47-5.725	5	802.11ax HE20	100	5500	MCS0	Partial RU106/53	-
Mode 30	U-NII-2C	5.47-5.725	5	802.11ax HE20	140	5700	MCS0	Partial RU106/54	-
Mode 31	U-NII-1	5.15-5.25	5	802.11ax HE40	38	5190	MCS0	Full	-
Mode 32	U-NII-1	5.15-5.25	5	802.11ax HE40	46	5230	MCS0	Full	-
Mode 33	U-NII-2A	5.25-5.35	5	802.11ax HE40	54	5270	MCS0	Full	-
Mode 34	U-NII-2A	5.25-5.35	5	802.11ax HE40	62	5310	MCS0	Full	-
Mode 35	U-NII-2C	5.47-5.725	5	802.11ax HE40	102	5510	MCS0	Full	-
Mode 36	U-NII-2C	5.47-5.725	5	802.11ax HE40	110	5550	MCS0	Full	-



Mode 37	U-NII-2C	5.47-5.725	5	802.11ax HE40	134	5670	MCS0	Full	-
Mode 38	U-NII-1	5.15-5.25	5	802.11ax HE80	42	5210	MCS0	Full	-
Mode 39	U-NII-2A	5.25-5.35	5	802.11ax HE80	58	5290	MCS0	Full	-
Mode 40	U-NII-2C	5.47-5.725	5	802.11ax HE80	106	5530	MCS0	Full	-
Mode 41	U-NII-2C	5.47-5.725	5	802.11ax HE80	122	5610	MCS0	Full	-
Mode 42	U-NII-3	5.725-5.85	5	802.11a	149	5745	6Mbps	-	-
Mode 43	U-NII-3	5.725-5.85	5	802.11a	157	5785	6Mbps	-	-
Mode 44	U-NII-3	5.725-5.85	5	802.11a	165	5825	6Mbps	-	-
Mode 45	U-NII-3	5.725-5.85	5	802.11ax HE20	149	5745	MCS0	Full	-
Mode 46	U-NII-3	5.725-5.85	5	802.11ax HE20	157	5785	MCS0	Full	-
Mode 47	U-NII-3	5.725-5.85	5	802.11ax HE20	165	5825	MCS0	Full	-
Mode 48	U-NII-3	5.725-5.85	5	802.11ax HE40	151	5755	MCS0	Full	-
Mode 49	U-NII-3	5.725-5.85	5	802.11ax HE40	159	5795	MCS0	Full	-
Mode 50	U-NII-3	5.725-5.85	5	802.11ax HE80	155	5775	MCS0	Full	-
Mode 51	U-NII-3	5.725-5.85	5	802.11ax HE20	149	5745	MCS0	Partial RU26/0	-
Mode 52	U-NII-3	5.725-5.85	5	802.11ax HE20	165	5825	MCS0	Partial RU26/8	-
Mode 53	U-NII-3	5.725-5.85	5	802.11ax HE20	149	5745	MCS0	Partial RU52/37	-
Mode 54	U-NII-3	5.725-5.85	5	802.11ax HE20	165	5825	MCS0	Partial RU52/40	-
Mode 55	U-NII-3	5.725-5.85	5	802.11ax HE20	149	5745	MCS0	Partial RU106/53	-
Mode 56	U-NII-3	5.725-5.85	5	802.11ax HE20	165	5825	MCS0	Partial RU106/54	-
Mode 57	U-NII-2C-3	5.47-5.725	5	802.11a	144	5720	6Mbps	-	-
Mode 58	U-NII-2C-3	5.47-5.725	5	802.11ax HE20	144	5720	MCS0	Full	-
Mode 59	U-NII-2C-3	5.47-5.725	5	802.11ax HE40	142	5710	MCS0	Full	-
Mode 60	U-NII-2C-3	5.47-5.725	5	802.11ax HE80	138	5690	MCS0	Full	-
Mode 61	U-NII-2A	5.25-5.35	5	802.11ax HE20_LF	64	5320	MCS0	Full	LF
Mode 62	U-NII-3	5.725-5.85	5	802.11ax HE80_LF	155	5775	MCS0	Full	LF



Summary of each worse mode

Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
1	802.11a	36	5149.58	47.11	54.00	-6.89	H	AVERAGE	Pass	Band Edge
1	802.11a	36	10360.00	46.07	68.30	-22.23	H	Peak	Pass	Harmonic
2	802.11a	44	-	-	-	-	-	-	-	Band Edge
2	802.11a	44	10440.00	46.36	68.30	-21.94	V	Peak	Pass	Harmonic
3	802.11a	48	-	-	-	-	-	-	-	Band Edge
3	802.11a	48	10480.00	45.71	68.30	-22.59	V	Peak	Pass	Harmonic
4	802.11a	52	-	-	-	-	-	-	-	Band Edge
4	802.11a	52	10520.00	46.87	68.30	-21.43	V	Peak	Pass	Harmonic
5	802.11a	60	-	-	-	-	-	-	-	Band Edge
5	802.11a	60	15900.00	48.73	74.00	-25.27	H	Peak	Pass	Harmonic
6	802.11a	64	5350.10	50.15	54.00	-3.85	H	AVERAGE	Pass	Band Edge
6	802.11a	64	15960.00	47.92	74.00	-26.08	V	Peak	Pass	Harmonic
7	802.11a	100	5469.70	63.23	68.30	-5.07	H	PEAK	Pass	Band Edge
7	802.11a	100	16500.00	48.91	68.30	-19.39	V	Peak	Pass	Harmonic
8	802.11a	116	-	-	-	-	-	-	-	Band Edge
8	802.11a	116	16740.00	47.93	68.30	-20.37	V	Peak	Pass	Harmonic
9	802.11a	140	5725.35	64.71	68.30	-3.59	H	PEAK	Pass	Band Edge
9	802.11a	140	17100.00	48.33	68.30	-19.97	V	Peak	Pass	Harmonic
10	802.11ax HE20	36	5149.76	49.75	54.00	-4.25	H	AVERAGE	Pass	Band Edge
10	802.11ax HE20	36	10360.00	45.93	68.30	-22.37	H	Peak	Pass	Harmonic
11	802.11ax HE20	44	-	-	-	-	-	-	-	Band Edge
11	802.11ax HE20	44	10440.00	45.24	68.30	-23.06	H	Peak	Pass	Harmonic
12	802.11ax HE20	48	-	-	-	-	-	-	-	Band Edge
12	802.11ax HE20	48	10480.00	46.77	68.30	-21.53	H	Peak	Pass	Harmonic
13	802.11ax HE20	52	-	-	-	-	-	-	-	Band Edge
13	802.11ax HE20	52	10520.00	45.74	68.30	-22.56	V	Peak	Pass	Harmonic
14	802.11ax HE20	60	-	-	-	-	-	-	-	Band Edge
14	802.11ax HE20	60	15900.00	47.95	74.00	-26.05	V	Peak	Pass	Harmonic
15	802.11ax HE20	64	5350.24	50.77	54.00	-3.23	H	AVERAGE	Pass	Band Edge
15	802.11ax HE20	64	10640.00	48.38	74.00	-25.62	V	Peak	Pass	Harmonic
16	802.11ax HE20	100	5467.60	64.37	68.30	-3.93	H	PEAK	Pass	Band Edge
16	802.11ax HE20	100	16500.00	45.66	68.30	-22.64	H	Peak	Pass	Harmonic
17	802.11ax HE20	116	-	-	-	-	-	-	-	Band Edge
17	802.11ax HE20	116	16740.00	49.11	68.30	-19.19	V	Peak	Pass	Harmonic
18	802.11ax HE20	140	5727.89	64.59	68.30	-3.71	H	PEAK	Pass	Band Edge
18	802.11ax HE20	140	17100.00	47.99	68.30	-20.31	V	Peak	Pass	Harmonic
19	802.11ax HE20	36	5137.88	39.42	54.00	-14.58	H	AVERAGE	Pass	Band Edge
19	802.11ax HE20	36	-	-	-	-	-	-	-	Harmonic
20	802.11ax HE20	64	5362.14	39.26	54.00	-14.74	H	AVERAGE	Pass	Band Edge
20	802.11ax HE20	64	-	-	-	-	-	-	-	Harmonic
21	802.11ax HE20	100	5456.95	39.49	54.00	-14.51	H	AVERAGE	Pass	Band Edge
21	802.11ax HE20	100	-	-	-	-	-	-	-	Harmonic



22	802.11ax HE20	140	5754.08	50.86	68.30	-17.44	V	PEAK	Pass	Band Edge
22	802.11ax HE20	140	-	-	-	-	-	-	-	Harmonic
23	802.11ax HE20	36	5141.12	39.73	54.00	-14.27	H	AVERAGE	Pass	Band Edge
23	802.11ax HE20	36	-	-	-	-	-	-	-	Harmonic
24	802.11ax HE20	64	5356.40	40.24	54.00	-13.76	H	AVERAGE	Pass	Band Edge
24	802.11ax HE20	64	-	-	-	-	-	-	-	Harmonic
25	802.11ax HE20	100	5459.65	39.86	54.00	-14.14	H	AVERAGE	Pass	Band Edge
25	802.11ax HE20	100	-	-	-	-	-	-	-	Harmonic
26	802.11ax HE20	140	5739.91	50.38	68.30	-17.92	H	PEAK	Pass	Band Edge
26	802.11ax HE20	140	-	-	-	-	-	-	-	Harmonic
27	802.11ax HE20	36	5149.22	42.91	54.00	-11.09	H	AVERAGE	Pass	Band Edge
27	802.11ax HE20	36	-	-	-	-	-	-	-	Harmonic
28	802.11ax HE20	64	5350.10	43.98	54.00	-10.02	H	AVERAGE	Pass	Band Edge
28	802.11ax HE20	64	-	-	-	-	-	-	-	Harmonic
29	802.11ax HE20	100	5456.95	40.69	54.00	-13.31	H	AVERAGE	Pass	Band Edge
29	802.11ax HE20	100	-	-	-	-	-	-	-	Harmonic
30	802.11ax HE20	140	5725.09	53.30	68.30	-15.00	V	PEAK	Pass	Band Edge
30	802.11ax HE20	140	-	-	-	-	-	-	-	Harmonic
31	802.11ax HE40	38	5149.53	50.47	54.00	-3.53	H	AVERAGE	Pass	Band Edge
31	802.11ax HE40	38	10380.00	47.35	68.30	-20.95	V	Peak	Pass	Harmonic
32	802.11ax HE40	46	5148.81	41.04	54.00	-12.96	H	AVERAGE	Pass	Band Edge
32	802.11ax HE40	46	10460.00	46.63	68.30	-21.67	H	Peak	Pass	Harmonic
33	802.11ax HE40	54	5350.94	43.75	54.00	-10.25	H	AVERAGE	Pass	Band Edge
33	802.11ax HE40	54	10540.00	46.26	68.30	-22.04	H	Peak	Pass	Harmonic
34	802.11ax HE40	62	5350.80	48.77	54.00	-5.23	H	AVERAGE	Pass	Band Edge
34	802.11ax HE40	62	15930.00	49.33	74.00	-24.67	H	Peak	Pass	Harmonic
35	802.11ax HE40	102	5469.04	63.05	68.30	-5.25	H	PEAK	Pass	Band Edge
35	802.11ax HE40	102	16530.00	49.40	68.30	-18.90	V	Peak	Pass	Harmonic
36	802.11ax HE40	110	5458.60	41.34	54.00	-12.66	H	AVERAGE	Pass	Band Edge
36	802.11ax HE40	110	16650.00	49.01	68.30	-19.29	V	Peak	Pass	Harmonic
37	802.11ax HE40	134	5728.81	61.80	68.30	-6.50	H	PEAK	Pass	Band Edge
37	802.11ax HE40	134	17010.00	47.86	68.30	-20.44	V	Peak	Pass	Harmonic
38	802.11ax HE80	42	5137.55	50.75	54.00	-3.25	H	AVERAGE	Pass	Band Edge
38	802.11ax HE80	42	10420.00	46.57	68.30	-21.73	H	Peak	Pass	Harmonic
39	802.11ax HE80	58	5350.86	49.72	54.00	-4.28	H	AVERAGE	Pass	Band Edge
39	802.11ax HE80	58	10580.00	46.28	68.30	-22.02	H	Peak	Pass	Harmonic
40	802.11ax HE80	106	5459.44	50.05	54.00	-3.95	H	AVERAGE	Pass	Band Edge
40	802.11ax HE80	106	16590.00	49.99	68.30	-18.31	H	Peak	Pass	Harmonic
41	802.11ax HE80	122	5459.72	42.26	54.00	-11.74	H	AVERAGE	Pass	Band Edge
41	802.11ax HE80	122	16830.00	48.49	68.30	-19.81	H	Peak	Pass	Harmonic
42	802.11a	149	5630.02	50.49	68.30	-17.81	H	PEAK	Pass	Band Edge
42	802.11a	149	17235.00	48.97	68.30	-19.33	V	Peak	Pass	Harmonic
43	802.11a	157	-	-	-	-	-	-	-	Band Edge
43	802.11a	157	17355.00	48.79	68.30	-19.51	V	Peak	Pass	Harmonic
44	802.11a	165	5941.13	50.63	68.30	-17.67	H	PEAK	Pass	Band Edge
44	802.11a	165	17475.00	48.99	68.30	-19.31	V	Peak	Pass	Harmonic
45	802.11ax HE20	149	5622.48	50.99	68.30	-17.31	H	PEAK	Pass	Band Edge



45	802.11ax HE20	149	17235.00	48.74	68.30	-19.56	H	Peak	Pass	Harmonic
46	802.11ax HE20	157	-	-	-	-	-	-	-	Band Edge
46	802.11ax HE20	157	17355.00	49.31	68.30	-18.99	H	Peak	Pass	Harmonic
47	802.11ax HE20	165	5927.25	49.61	68.30	-18.69	H	PEAK	Pass	Band Edge
47	802.11ax HE20	165	17475.00	49.04	68.30	-19.26	V	Peak	Pass	Harmonic
48	802.11ax HE40	151	5606.05	50.26	68.30	-18.04	H	PEAK	Pass	Band Edge
48	802.11ax HE40	151	17265.00	49.63	68.30	-18.67	H	Peak	Pass	Harmonic
49	802.11ax HE40	159	5946.90	50.31	68.30	-17.99	V	PEAK	Pass	Band Edge
49	802.11ax HE40	159	17385.00	48.71	68.30	-19.59	V	Peak	Pass	Harmonic
50	802.11ax HE80	155	5640.95	55.48	68.30	-12.82	H	PEAK	Pass	Band Edge
50	802.11ax HE80	155	17325.00	49.64	68.30	-18.66	H	Peak	Pass	Harmonic
51	802.11ax HE20	149	5615.08	49.57	68.30	-18.73	H	PEAK	Pass	Band Edge
51	802.11ax HE20	149	-	-	-	-	-	-	-	Harmonic
52	802.11ax HE20	165	5935.00	49.48	68.30	-18.82	V	PEAK	Pass	Band Edge
52	802.11ax HE20	165	-	-	-	-	-	-	-	Harmonic
53	802.11ax HE20	149	5619.72	49.46	68.30	-18.84	H	PEAK	Pass	Band Edge
53	802.11ax HE20	149	-	-	-	-	-	-	-	Harmonic
54	802.11ax HE20	165	5937.88	49.93	68.30	-18.37	H	PEAK	Pass	Band Edge
54	802.11ax HE20	165	-	-	-	-	-	-	-	Harmonic
55	802.11ax HE20	149	5629.58	50.05	68.30	-18.25	H	PEAK	Pass	Band Edge
55	802.11ax HE20	149	-	-	-	-	-	-	-	Harmonic
56	802.11ax HE20	165	5938.88	50.44	68.30	-17.86	H	PEAK	Pass	Band Edge
56	802.11ax HE20	165	-	-	-	-	-	-	-	Harmonic
57	802.11a	144	-	-	-	-	-	-	-	Band Edge
57	802.11a	144	17160.00	49.47	68.30	-18.83	V	Peak	Pass	Harmonic
58	802.11ax HE20	144	-	-	-	-	-	-	-	Band Edge
58	802.11ax HE20	144	17160.00	49.03	68.30	-19.27	H	Peak	Pass	Harmonic
59	802.11ax HE40	142	-	-	-	-	-	-	-	Band Edge
59	802.11ax HE40	142	17130.00	49.30	68.30	-19.00	H	Peak	Pass	Harmonic
60	802.11ax HE80	138	-	-	-	-	-	-	-	Band Edge
60	802.11ax HE80	138	17070.00	49.50	68.30	-18.80	V	Peak	Pass	Harmonic
61	802.11ax HE20_LF	64	34.85	25.73	40.00	-14.27	V	Peak	Pass	LF
62	802.11ax HE80_LF	155	49.40	26.18	40.00	-13.82	V	Peak	Pass	LF



Mode	1																																																																									
	Band Edge																																																																									
	U-NII-1_5.15-5.25_802.11a_CH36_5180MHz																																																																									
ANT	5																																																																									
Pol.	Horizontal	Fundamental																																																																								
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5149.76</td> <td>60.38</td> <td>74.00</td> <td>-13.62</td> <td>51.21</td> <td>33.99</td> <td>7.92</td> <td>32.74</td> <td>100</td> <td>66</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5149.76	60.38	74.00	-13.62	51.21	33.99	7.92	32.74	100	66	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5180.00</td> <td>100.48</td> <td>-----</td> <td>-----</td> <td>91.26</td> <td>34.01</td> <td>7.94</td> <td>32.73</td> <td>100</td> <td>66</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5180.00	100.48	-----	-----	91.26	34.01	7.94	32.73	100	66	PEAK
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																			
1	5149.76	60.38	74.00	-13.62	51.21	33.99	7.92	32.74	100	66	PEAK																																																															
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																			
1	5180.00	100.48	-----	-----	91.26	34.01	7.94	32.73	100	66	PEAK																																																															
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5149.58</td> <td>47.11</td> <td>54.00</td> <td>-6.89</td> <td>37.94</td> <td>33.99</td> <td>7.92</td> <td>32.74</td> <td>100</td> <td>66</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5149.58	47.11	54.00	-6.89	37.94	33.99	7.92	32.74	100	66	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5180.00</td> <td>93.01</td> <td>-----</td> <td>-----</td> <td>83.79</td> <td>34.01</td> <td>7.94</td> <td>32.73</td> <td>100</td> <td>66</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5180.00	93.01	-----	-----	83.79	34.01	7.94	32.73	100	66	AVERAGE
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																			
1	5149.58	47.11	54.00	-6.89	37.94	33.99	7.92	32.74	100	66	AVERAGE																																																															
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																			
1	5180.00	93.01	-----	-----	83.79	34.01	7.94	32.73	100	66	AVERAGE																																																															



Mode	1																																																																							
	Band Edge																																																																							
	U-NII-1_5.15-5.25_802.11a_CH36_5180MHz																																																																							
ANT	5																																																																							
Pol.	Vertical	Fundamental																																																																						
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5149.40</td> <td>52.99</td> <td>74.00</td> <td>-21.01</td> <td>43.82</td> <td>33.99</td> <td>7.92</td> <td>32.74</td> <td>100</td> <td>268 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1 5149.40	52.99	74.00	-21.01	43.82	33.99	7.92	32.74	100	268 PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5180.00</td> <td>93.16</td> <td>-----</td> <td>-----</td> <td>83.94</td> <td>34.01</td> <td>7.94</td> <td>32.73</td> <td>100</td> <td>268 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1 5180.00	93.16	-----	-----	83.94	34.01	7.94	32.73	100	268 PEAK
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																
1 5149.40	52.99	74.00	-21.01	43.82	33.99	7.92	32.74	100	268 PEAK																																																															
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																	
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																
1 5180.00	93.16	-----	-----	83.94	34.01	7.94	32.73	100	268 PEAK																																																															
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5149.40</td> <td>42.35</td> <td>54.00</td> <td>-11.65</td> <td>33.18</td> <td>33.99</td> <td>7.92</td> <td>32.74</td> <td>100</td> <td>268 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1 5149.40	42.35	54.00	-11.65	33.18	33.99	7.92	32.74	100	268 AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5180.00</td> <td>86.30</td> <td>-----</td> <td>-----</td> <td>77.08</td> <td>34.01</td> <td>7.94</td> <td>32.73</td> <td>100</td> <td>268 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1 5180.00	86.30	-----	-----	77.08	34.01	7.94	32.73	100	268 AVERAGE
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																	
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																
1 5149.40	42.35	54.00	-11.65	33.18	33.99	7.92	32.74	100	268 AVERAGE																																																															
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																	
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																
1 5180.00	86.30	-----	-----	77.08	34.01	7.94	32.73	100	268 AVERAGE																																																															



Mode	1																																																																																															
	Harmonic																																																																																															
	U-NII-1_5.15-5.25_802.11a_CH36_5180MHz																																																																																															
ANT	5																																																																																															
Pol.	Horizontal	Vertical																																																																																														
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10360.00</td> <td>46.07</td> <td>68.30</td> <td>-22.23</td> <td>57.18</td> <td>37.16</td> <td>10.73</td> <td>59.00</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>15540.00</td> <td>49.20</td> <td>74.00</td> <td>-24.80</td> <td>56.00</td> <td>39.42</td> <td>12.72</td> <td>58.94</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line Margin	Level	Factor	Loss Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	10360.00	46.07	68.30	-22.23	57.18	37.16	10.73	59.00	--	--	Peak	2	15540.00	49.20	74.00	-24.80	56.00	39.42	12.72	58.94	--	--	Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10360.00</td> <td>45.12</td> <td>68.30</td> <td>-23.18</td> <td>56.23</td> <td>37.16</td> <td>10.73</td> <td>59.00</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>15540.00</td> <td>47.78</td> <td>74.00</td> <td>-26.22</td> <td>54.58</td> <td>39.42</td> <td>12.72</td> <td>58.94</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line Margin	Level	Factor	Loss Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	10360.00	45.12	68.30	-23.18	56.23	37.16	10.73	59.00	--	--	Peak	2	15540.00	47.78	74.00	-26.22	54.58	39.42	12.72	58.94	--	--	Peak
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																									
Freq	Level	Line Margin	Level	Factor	Loss Factor	Remark																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																								
1	10360.00	46.07	68.30	-22.23	57.18	37.16	10.73	59.00	--	--	Peak																																																																																					
2	15540.00	49.20	74.00	-24.80	56.00	39.42	12.72	58.94	--	--	Peak																																																																																					
Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																										
Freq	Level	Line Margin	Level	Factor	Loss Factor	Remark																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																								
1	10360.00	45.12	68.30	-23.18	56.23	37.16	10.73	59.00	--	--	Peak																																																																																					
2	15540.00	47.78	74.00	-26.22	54.58	39.42	12.72	58.94	--	--	Peak																																																																																					



Mode	2																																																																																															
	Harmonic																																																																																															
	U-NII-1_5.15-5.25_802.11a_CH44_5220MHz																																																																																															
ANT	5																																																																																															
Pol.	Horizontal	Vertical																																																																																														
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10440.00</td> <td>45.18</td> <td>68.30</td> <td>-23.12</td> <td>55.95</td> <td>37.35</td> <td>10.79</td> <td>58.91</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>15660.00</td> <td>48.53</td> <td>74.00</td> <td>-25.47</td> <td>55.41</td> <td>39.46</td> <td>12.72</td> <td>59.06</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line Margin	Level	Factor	Loss Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	10440.00	45.18	68.30	-23.12	55.95	37.35	10.79	58.91	--	--	Peak	2	15660.00	48.53	74.00	-25.47	55.41	39.46	12.72	59.06	--	--	Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10440.00</td> <td>46.36</td> <td>68.30</td> <td>-21.94</td> <td>57.13</td> <td>37.35</td> <td>10.79</td> <td>58.91</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>15660.00</td> <td>49.06</td> <td>74.00</td> <td>-24.94</td> <td>55.94</td> <td>39.46</td> <td>12.72</td> <td>59.06</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line Margin	Level	Factor	Loss Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	10440.00	46.36	68.30	-21.94	57.13	37.35	10.79	58.91	--	--	Peak	2	15660.00	49.06	74.00	-24.94	55.94	39.46	12.72	59.06	--	--	Peak
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																									
Freq	Level	Line Margin	Level	Factor	Loss Factor	Remark																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																								
1	10440.00	45.18	68.30	-23.12	55.95	37.35	10.79	58.91	--	--	Peak																																																																																					
2	15660.00	48.53	74.00	-25.47	55.41	39.46	12.72	59.06	--	--	Peak																																																																																					
Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																										
Freq	Level	Line Margin	Level	Factor	Loss Factor	Remark																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																								
1	10440.00	46.36	68.30	-21.94	57.13	37.35	10.79	58.91	--	--	Peak																																																																																					
2	15660.00	49.06	74.00	-24.94	55.94	39.46	12.72	59.06	--	--	Peak																																																																																					



Mode	3																																																																																																					
	Harmonic																																																																																																					
	U-NII-1_5.15-5.25_802.11a_CH48_5240MHz																																																																																																					
ANT	5																																																																																																					
Pol.	Horizontal	Vertical																																																																																																				
Peak Avg	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10480.00</td> <td>45.10</td> <td>68.30</td> <td>-23.20</td> <td>55.70</td> <td>37.45</td> <td>10.82</td> <td>58.87</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>15720.00</td> <td>49.67</td> <td>74.00</td> <td>-24.33</td> <td>56.59</td> <td>39.49</td> <td>12.71</td> <td>59.12</td> <td>--</td> <td>Peak</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	10480.00	45.10	68.30	-23.20	55.70	37.45	10.82	58.87	--	Peak	2	15720.00	49.67	74.00	-24.33	56.59	39.49	12.71	59.12	--	Peak	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10480.00</td> <td>45.71</td> <td>68.30</td> <td>-22.59</td> <td>56.31</td> <td>37.45</td> <td>10.82</td> <td>58.87</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>15720.00</td> <td>49.42</td> <td>74.00</td> <td>-24.58</td> <td>56.34</td> <td>39.49</td> <td>12.71</td> <td>59.12</td> <td>--</td> <td>Peak</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	10480.00	45.71	68.30	-22.59	56.31	37.45	10.82	58.87	--	Peak	2	15720.00	49.42	74.00	-24.58	56.34	39.49	12.71	59.12	--	Peak
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																															
Freq	Level	Line Margin	Level	Factor	Loss Factor			Remark																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																													
1	10480.00	45.10	68.30	-23.20	55.70	37.45	10.82	58.87	--	Peak																																																																																												
2	15720.00	49.67	74.00	-24.33	56.59	39.49	12.71	59.12	--	Peak																																																																																												
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																															
Freq	Level	Line Margin	Level	Factor	Loss Factor			Remark																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																													
1	10480.00	45.71	68.30	-22.59	56.31	37.45	10.82	58.87	--	Peak																																																																																												
2	15720.00	49.42	74.00	-24.58	56.34	39.49	12.71	59.12	--	Peak																																																																																												







Mode	4																																																																															
	Harmonic																																																																															
	U-NII-2A_5.25-5.35_802.11a_CH52_5260MHz																																																																															
ANT	5																																																																															
Pol.	Horizontal	Vertical																																																																														
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>dB</th> <th>cm</th> <th>deg</th> <th>Remark</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10520.00</td> <td>46.08</td> <td>68.30</td> <td>-22.22</td> <td>56.52</td> <td>37.53</td> <td>10.85</td> <td>58.82</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>15780.00</td> <td>49.41</td> <td>74.00</td> <td>-24.59</td> <td>56.37</td> <td>39.51</td> <td>12.71</td> <td>59.18</td> <td>--</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line Margin	Level	Factor	Loss Factor	dB	cm	deg	Remark	1	10520.00	46.08	68.30	-22.22	56.52	37.53	10.85	58.82	--	Peak	2	15780.00	49.41	74.00	-24.59	56.37	39.51	12.71	59.18	--	Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>dB</th> <th>cm</th> <th>deg</th> <th>Remark</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10520.00</td> <td>46.87</td> <td>68.30</td> <td>-21.43</td> <td>57.31</td> <td>37.53</td> <td>10.85</td> <td>58.82</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>15780.00</td> <td>48.54</td> <td>74.00</td> <td>-25.46</td> <td>55.50</td> <td>39.51</td> <td>12.71</td> <td>59.18</td> <td>--</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line Margin	Level	Factor	Loss Factor	dB	cm	deg	Remark	1	10520.00	46.87	68.30	-21.43	57.31	37.53	10.85	58.82	--	Peak	2	15780.00	48.54	74.00	-25.46	55.50	39.51	12.71	59.18	--	Peak
Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																										
Freq	Level	Line Margin	Level	Factor	Loss Factor	dB	cm	deg	Remark																																																																							
1	10520.00	46.08	68.30	-22.22	56.52	37.53	10.85	58.82	--	Peak																																																																						
2	15780.00	49.41	74.00	-24.59	56.37	39.51	12.71	59.18	--	Peak																																																																						
Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																										
Freq	Level	Line Margin	Level	Factor	Loss Factor	dB	cm	deg	Remark																																																																							
1	10520.00	46.87	68.30	-21.43	57.31	37.53	10.85	58.82	--	Peak																																																																						
2	15780.00	48.54	74.00	-25.46	55.50	39.51	12.71	59.18	--	Peak																																																																						







Mode	5																																																																																															
	Harmonic																																																																																															
	U-NII-2A_5.25-5.35_802.11a_CH60_5300MHz																																																																																															
ANT	5																																																																																															
Pol.	Horizontal	Vertical																																																																																														
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10600.00</td> <td>46.33</td> <td>74.00</td> <td>-27.67</td> <td>56.45</td> <td>37.70</td> <td>10.91</td> <td>58.73</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>15900.00</td> <td>48.73</td> <td>74.00</td> <td>-25.27</td> <td>55.76</td> <td>39.56</td> <td>12.71</td> <td>59.30</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line Margin	Level	Factor	Loss Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	10600.00	46.33	74.00	-27.67	56.45	37.70	10.91	58.73	--	--	Peak	2	15900.00	48.73	74.00	-25.27	55.76	39.56	12.71	59.30	--	--	Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10600.00</td> <td>45.51</td> <td>74.00</td> <td>-28.49</td> <td>55.63</td> <td>37.70</td> <td>10.91</td> <td>58.73</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>15900.00</td> <td>48.69</td> <td>74.00</td> <td>-25.31</td> <td>55.72</td> <td>39.56</td> <td>12.71</td> <td>59.30</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line Margin	Level	Factor	Loss Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	10600.00	45.51	74.00	-28.49	55.63	37.70	10.91	58.73	--	--	Peak	2	15900.00	48.69	74.00	-25.31	55.72	39.56	12.71	59.30	--	--	Peak
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																									
Freq	Level	Line Margin	Level	Factor	Loss Factor	Remark																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																								
1	10600.00	46.33	74.00	-27.67	56.45	37.70	10.91	58.73	--	--	Peak																																																																																					
2	15900.00	48.73	74.00	-25.27	55.76	39.56	12.71	59.30	--	--	Peak																																																																																					
Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																										
Freq	Level	Line Margin	Level	Factor	Loss Factor	Remark																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																								
1	10600.00	45.51	74.00	-28.49	55.63	37.70	10.91	58.73	--	--	Peak																																																																																					
2	15900.00	48.69	74.00	-25.31	55.72	39.56	12.71	59.30	--	--	Peak																																																																																					



		6																																																																																								
Mode	Band Edge																																																																																									
	U-NII-2A_5.25-5.35_802.11a_CH64_5320MHz																																																																																									
ANT	5																																																																																									
Pol.	Horizontal	Fundamental																																																																																								
Peak	 <p style="text-align: right;">Date: 2025-03-29</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> <tr> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5350.80</td> <td>62.40</td> <td>74.00</td> <td>-11.60</td> <td>52.62</td> <td>34.11</td> <td>8.33</td> <td>32.66</td> <td>102</td> <td>65</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm								deg	1	5350.80	62.40	74.00	-11.60	52.62	34.11	8.33	32.66	102	65	PEAK	 <p style="text-align: right;">Date: 2025-03-29</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> <tr> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5320.00</td> <td>101.53</td> <td>-----</td> <td>-----</td> <td>91.86</td> <td>34.09</td> <td>8.25</td> <td>32.67</td> <td>102</td> <td>65</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm								deg	1	5320.00	101.53	-----	-----	91.86	34.09	8.25	32.67	102	65	PEAK
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																																			
							deg																																																																																			
1	5350.80	62.40	74.00	-11.60	52.62	34.11	8.33	32.66	102	65	PEAK																																																																															
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																																			
							deg																																																																																			
1	5320.00	101.53	-----	-----	91.86	34.09	8.25	32.67	102	65	PEAK																																																																															
Avg	 <p style="text-align: right;">Date: 2025-03-29</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> <tr> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5350.10</td> <td>50.15</td> <td>54.00</td> <td>-3.85</td> <td>40.37</td> <td>34.11</td> <td>8.33</td> <td>32.66</td> <td>102</td> <td>65</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm								deg	1	5350.10	50.15	54.00	-3.85	40.37	34.11	8.33	32.66	102	65	AVERAGE	 <p style="text-align: right;">Date: 2025-03-29</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> <tr> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5320.00</td> <td>95.02</td> <td>-----</td> <td>-----</td> <td>85.35</td> <td>34.09</td> <td>8.25</td> <td>32.67</td> <td>102</td> <td>65</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm								deg	1	5320.00	95.02	-----	-----	85.35	34.09	8.25	32.67	102	65	AVERAGE
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																																			
							deg																																																																																			
1	5350.10	50.15	54.00	-3.85	40.37	34.11	8.33	32.66	102	65	AVERAGE																																																																															
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																																			
							deg																																																																																			
1	5320.00	95.02	-----	-----	85.35	34.09	8.25	32.67	102	65	AVERAGE																																																																															







		6																																																																														
Mode	Band Edge																																																																															
	U-NII-2A_5.25-5.35_802.11a_CH64_5320MHz																																																																															
ANT	5																																																																															
Pol.	Vertical	Fundamental																																																																														
Peak	 <p style="text-align: right;">Date: 2025-03-29</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th colspan="2">Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5350.94</td> <td>53.20</td> <td>74.00</td> <td>-20.80</td> <td>43.42</td> <td>34.11</td> <td>8.33</td> <td>32.66</td> <td>111</td> <td>280 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5350.94	53.20	74.00	-20.80	43.42	34.11	8.33	32.66	111	280 PEAK	 <p style="text-align: right;">Date: 2025-03-29</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th colspan="2">Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5320.00</td> <td>91.68</td> <td>-----</td> <td>-----</td> <td>82.01</td> <td>34.09</td> <td>8.25</td> <td>32.67</td> <td>111</td> <td>280 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5320.00	91.68	-----	-----	82.01	34.09	8.25	32.67	111	280 PEAK
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1	5350.94	53.20	74.00	-20.80	43.42	34.11	8.33	32.66	111	280 PEAK																																																																						
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1	5320.00	91.68	-----	-----	82.01	34.09	8.25	32.67	111	280 PEAK																																																																						
Avg	 <p style="text-align: right;">Date: 2025-03-29</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th colspan="2">Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5350.38</td> <td>41.78</td> <td>54.00</td> <td>-12.22</td> <td>32.00</td> <td>34.11</td> <td>8.33</td> <td>32.66</td> <td>111</td> <td>280 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5350.38	41.78	54.00	-12.22	32.00	34.11	8.33	32.66	111	280 AVERAGE	 <p style="text-align: right;">Date: 2025-03-29</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th colspan="2">Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5320.00</td> <td>84.79</td> <td>-----</td> <td>-----</td> <td>75.12</td> <td>34.09</td> <td>8.25</td> <td>32.67</td> <td>111</td> <td>280 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5320.00	84.79	-----	-----	75.12	34.09	8.25	32.67	111	280 AVERAGE
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1	5350.38	41.78	54.00	-12.22	32.00	34.11	8.33	32.66	111	280 AVERAGE																																																																						
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1	5320.00	84.79	-----	-----	75.12	34.09	8.25	32.67	111	280 AVERAGE																																																																						



Mode	6																																																																																														
	Harmonic																																																																																														
	U-NII-2A_5.25-5.35_802.11a_CH64_5320MHz																																																																																														
ANT	5																																																																																														
Pol.	Horizontal	Vertical																																																																																													
Peak Avg																																																																																															
	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10640.00</td> <td>46.25</td> <td>74.00</td> <td>-27.75</td> <td>56.22</td> <td>37.78</td> <td>10.94</td> <td>58.69</td> <td>-- -- Peak</td> </tr> <tr> <td>2</td> <td>15960.00</td> <td>46.66</td> <td>74.00</td> <td>-27.34</td> <td>53.74</td> <td>39.59</td> <td>12.70</td> <td>59.37</td> <td>-- -- Peak</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor				Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	10640.00	46.25	74.00	-27.75	56.22	37.78	10.94	58.69	-- -- Peak	2	15960.00	46.66	74.00	-27.34	53.74	39.59	12.70	59.37	-- -- Peak	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10640.00</td> <td>46.44</td> <td>74.00</td> <td>-27.56</td> <td>56.41</td> <td>37.78</td> <td>10.94</td> <td>58.69</td> <td>-- -- Peak</td> </tr> <tr> <td>2</td> <td>15960.00</td> <td>47.92</td> <td>74.00</td> <td>-26.08</td> <td>55.00</td> <td>39.59</td> <td>12.70</td> <td>59.37</td> <td>-- -- Peak</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor				Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	10640.00	46.44	74.00	-27.56	56.41	37.78	10.94	58.69	-- -- Peak	2	15960.00	47.92	74.00	-26.08	55.00	39.59	12.70	59.37
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor				Remark																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																							
1	10640.00	46.25	74.00	-27.75	56.22	37.78	10.94	58.69	-- -- Peak																																																																																						
2	15960.00	46.66	74.00	-27.34	53.74	39.59	12.70	59.37	-- -- Peak																																																																																						
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor				Remark																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																							
1	10640.00	46.44	74.00	-27.56	56.41	37.78	10.94	58.69	-- -- Peak																																																																																						
2	15960.00	47.92	74.00	-26.08	55.00	39.59	12.70	59.37	-- -- Peak																																																																																						



	7																																																																					
Mode	Band Edge																																																																					
	U-NII-2C_5.47-5.725_802.11a_CH100_5500MHz																																																																					
ANT	5																																																																					
Pol.	Horizontal	Fundamental																																																																				
Peak	 <p>Date: 2025-03-29</p> <table border="1"> <thead> <tr> <th>Limit Freq</th> <th>Level</th> <th>Line Margin</th> <th>Read Level</th> <th>Ant Factor</th> <th>Cable Loss</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 5453.65</td> <td>57.02</td> <td>74.00</td> <td>-16.98</td> <td>47.05</td> <td>34.17</td> <td>8.42</td> <td>32.62</td> <td>100</td> <td>35 PEAK</td> </tr> <tr> <td>2 5469.70</td> <td>63.23</td> <td>-5.07</td> <td>53.26</td> <td>34.18</td> <td>8.40</td> <td>32.61</td> <td>100</td> <td>35 PEAK</td> </tr> </tbody> </table>	Limit Freq	Level	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp	APos	TPos	Remark	MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1 5453.65	57.02	74.00	-16.98	47.05	34.17	8.42	32.62	100	35 PEAK	2 5469.70	63.23	-5.07	53.26	34.18	8.40	32.61	100	35 PEAK	 <p>Date: 2025-03-29</p> <table border="1"> <thead> <tr> <th>Limit Freq</th> <th>Level</th> <th>Line Margin</th> <th>Read Level</th> <th>Ant Factor</th> <th>Cable Loss</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 5500.00</td> <td>103.72</td> <td>-----</td> <td>93.77</td> <td>34.20</td> <td>8.36</td> <td>32.61</td> <td>100</td> <td>35 PEAK</td> </tr> </tbody> </table>	Limit Freq	Level	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp	APos	TPos	Remark	MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1 5500.00	103.72	-----	93.77	34.20	8.36	32.61	100	35 PEAK
	Limit Freq	Level	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp	APos	TPos	Remark																																																												
MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																														
1 5453.65	57.02	74.00	-16.98	47.05	34.17	8.42	32.62	100	35 PEAK																																																													
2 5469.70	63.23	-5.07	53.26	34.18	8.40	32.61	100	35 PEAK																																																														
Limit Freq	Level	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp	APos	TPos	Remark																																																													
MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																														
1 5500.00	103.72	-----	93.77	34.20	8.36	32.61	100	35 PEAK																																																														
Avg	 <p>Date: 2025-03-29</p> <table border="1"> <thead> <tr> <th>Limit Freq</th> <th>Level</th> <th>Line Margin</th> <th>Read Level</th> <th>Ant Factor</th> <th>Cable Loss</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 5459.65</td> <td>46.31</td> <td>54.00</td> <td>-7.69</td> <td>36.34</td> <td>34.17</td> <td>8.41</td> <td>32.61</td> <td>100</td> <td>35 AVERAGE</td> </tr> </tbody> </table>	Limit Freq	Level	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp	APos	TPos	Remark	MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1 5459.65	46.31	54.00	-7.69	36.34	34.17	8.41	32.61	100	35 AVERAGE	 <p>Date: 2025-03-29</p> <table border="1"> <thead> <tr> <th>Limit Freq</th> <th>Level</th> <th>Line Margin</th> <th>Read Level</th> <th>Ant Factor</th> <th>Cable Loss</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 5500.00</td> <td>96.42</td> <td>-----</td> <td>86.47</td> <td>34.20</td> <td>8.36</td> <td>32.61</td> <td>100</td> <td>35 AVERAGE</td> </tr> </tbody> </table>	Limit Freq	Level	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp	APos	TPos	Remark	MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1 5500.00	96.42	-----	86.47	34.20	8.36	32.61	100	35 AVERAGE									
	Limit Freq	Level	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp	APos	TPos	Remark																																																												
MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																														
1 5459.65	46.31	54.00	-7.69	36.34	34.17	8.41	32.61	100	35 AVERAGE																																																													
Limit Freq	Level	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp	APos	TPos	Remark																																																													
MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																														
1 5500.00	96.42	-----	86.47	34.20	8.36	32.61	100	35 AVERAGE																																																														



Mode	7																																																																					
	Band Edge																																																																					
	U-NII-2C_5.47-5.725_802.11a_CH100_5500MHz																																																																					
ANT	5																																																																					
Pol.	Vertical	Fundamental																																																																				
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5457.25</td> <td>49.96</td> <td>74.00</td> <td>-24.04</td> <td>39.99</td> <td>34.17</td> <td>8.41</td> <td>32.61</td> <td>103</td> <td>108</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5470.00</td> <td>56.85</td> <td>68.30</td> <td>-11.45</td> <td>46.88</td> <td>34.18</td> <td>8.40</td> <td>32.61</td> <td>103</td> <td>108</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	cm	deg	1	5457.25	49.96	74.00	-24.04	39.99	34.17	8.41	32.61	103	108	PEAK	2	5470.00	56.85	68.30	-11.45	46.88	34.18	8.40	32.61	103	108	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5500.00</td> <td>96.25</td> <td>-----</td> <td>-----</td> <td>86.31</td> <td>34.20</td> <td>8.35</td> <td>32.61</td> <td>103</td> <td>108</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	cm	deg	1	5500.00	96.25	-----	-----	86.31	34.20	8.35	32.61	103	108	PEAK
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																														
Freq	Level	Line Margin	Level	Factor	Loss Factor	cm	deg																																																															
1	5457.25	49.96	74.00	-24.04	39.99	34.17	8.41	32.61	103	108	PEAK																																																											
2	5470.00	56.85	68.30	-11.45	46.88	34.18	8.40	32.61	103	108	PEAK																																																											
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																															
Freq	Level	Line Margin	Level	Factor	Loss Factor	cm	deg																																																															
1	5500.00	96.25	-----	-----	86.31	34.20	8.35	32.61	103	108	PEAK																																																											
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5459.95</td> <td>40.60</td> <td>54.00</td> <td>-13.40</td> <td>30.63</td> <td>34.17</td> <td>8.41</td> <td>32.61</td> <td>103</td> <td>108</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	cm	deg	1	5459.95	40.60	54.00	-13.40	30.63	34.17	8.41	32.61	103	108	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5500.00</td> <td>88.94</td> <td>-----</td> <td>-----</td> <td>78.99</td> <td>34.20</td> <td>8.36</td> <td>32.61</td> <td>103</td> <td>108</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	cm	deg	1	5500.00	88.94	-----	-----	78.99	34.20	8.36	32.61	103	108	AVERAGE												
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																															
Freq	Level	Line Margin	Level	Factor	Loss Factor	cm	deg																																																															
1	5459.95	40.60	54.00	-13.40	30.63	34.17	8.41	32.61	103	108	AVERAGE																																																											
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																															
Freq	Level	Line Margin	Level	Factor	Loss Factor	cm	deg																																																															
1	5500.00	88.94	-----	-----	78.99	34.20	8.36	32.61	103	108	AVERAGE																																																											



Mode	7																																																																									
	Harmonic																																																																									
	U-NII-2C_5.47-5.725_802.11a_CH100_5500MHz																																																																									
ANT	5																																																																									
Pol.	Horizontal	Vertical																																																																								
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th colspan="2"></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 11000.00</td> <td>46.82</td> <td>74.00</td> <td>-27.18</td> <td>55.42</td> <td>38.49</td> <td>11.21</td> <td>58.30</td> <td>-- -- Peak</td> </tr> <tr> <td>2 16500.00</td> <td>45.83</td> <td>68.30</td> <td>-22.47</td> <td>51.38</td> <td>40.39</td> <td>12.91</td> <td>58.85</td> <td>-- -- Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos			Freq	Level	Line Margin	Level	Factor	Loss Factor		cm	deg	1 11000.00	46.82	74.00	-27.18	55.42	38.49	11.21	58.30	-- -- Peak	2 16500.00	45.83	68.30	-22.47	51.38	40.39	12.91	58.85	-- -- Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th colspan="2"></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 11000.00</td> <td>47.06</td> <td>74.00</td> <td>-26.94</td> <td>55.66</td> <td>38.49</td> <td>11.21</td> <td>58.30</td> <td>-- -- Peak</td> </tr> <tr> <td>2 16500.00</td> <td>48.91</td> <td>68.30</td> <td>-19.39</td> <td>54.46</td> <td>40.39</td> <td>12.91</td> <td>58.85</td> <td>-- -- Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos			Freq	Level	Line Margin	Level	Factor	Loss Factor		cm	deg	1 11000.00	47.06	74.00	-26.94	55.66	38.49	11.21	58.30	-- -- Peak	2 16500.00	48.91	68.30	-19.39	54.46	40.39	12.91	58.85	-- -- Peak
Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																				
Freq	Level	Line Margin	Level	Factor	Loss Factor		cm	deg																																																																		
1 11000.00	46.82	74.00	-27.18	55.42	38.49	11.21	58.30	-- -- Peak																																																																		
2 16500.00	45.83	68.30	-22.47	51.38	40.39	12.91	58.85	-- -- Peak																																																																		
Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																				
Freq	Level	Line Margin	Level	Factor	Loss Factor		cm	deg																																																																		
1 11000.00	47.06	74.00	-26.94	55.66	38.49	11.21	58.30	-- -- Peak																																																																		
2 16500.00	48.91	68.30	-19.39	54.46	40.39	12.91	58.85	-- -- Peak																																																																		



Mode	8																																																																																																							
	Harmonic																																																																																																							
	U-NII-2C_5.47-5.725_802.11a_CH116_5580MHz																																																																																																							
ANT	5																																																																																																							
Pol.	Horizontal	Vertical																																																																																																						
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th colspan="2"></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11160.00</td> <td>47.72</td> <td>74.00</td> <td>-26.28</td> <td>56.50</td> <td>38.05</td> <td>11.29</td> <td>58.12</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>16740.00</td> <td>47.65</td> <td>68.30</td> <td>-20.65</td> <td>52.63</td> <td>40.59</td> <td>13.01</td> <td>58.58</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos			Freq	Level	Line Margin	Level	Factor	Loss Factor		cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	11160.00	47.72	74.00	-26.28	56.50	38.05	11.29	58.12	--	--	Peak	2	16740.00	47.65	68.30	-20.65	52.63	40.59	13.01	58.58	--	--	Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th colspan="2"></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11160.00</td> <td>47.94</td> <td>74.00</td> <td>-26.06</td> <td>56.72</td> <td>38.05</td> <td>11.29</td> <td>58.12</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>16740.00</td> <td>47.93</td> <td>68.30</td> <td>-20.37</td> <td>52.91</td> <td>40.59</td> <td>13.01</td> <td>58.58</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos			Freq	Level	Line Margin	Level	Factor	Loss Factor		cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	11160.00	47.94	74.00	-26.06	56.72	38.05	11.29	58.12	--	--	Peak	2	16740.00	47.93	68.30	-20.37	52.91	40.59	13.01	58.58	--	--	Peak
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																	
Freq	Level	Line Margin	Level	Factor	Loss Factor		cm	deg																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																																
1	11160.00	47.72	74.00	-26.28	56.50	38.05	11.29	58.12	--	--	Peak																																																																																													
2	16740.00	47.65	68.30	-20.65	52.63	40.59	13.01	58.58	--	--	Peak																																																																																													
Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																		
Freq	Level	Line Margin	Level	Factor	Loss Factor		cm	deg																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																																
1	11160.00	47.94	74.00	-26.06	56.72	38.05	11.29	58.12	--	--	Peak																																																																																													
2	16740.00	47.93	68.30	-20.37	52.91	40.59	13.01	58.58	--	--	Peak																																																																																													



Mode	9																																																																									
	Band Edge																																																																									
	U-NII-2C_5.47-5.725_802.11a_CH140_5700MHz																																																																									
ANT	5																																																																									
Pol.	Horizontal	Fundamental																																																																								
Peak	<p style="text-align: right;">Date: 2025-03-29</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5725.35</td> <td>64.71</td> <td>68.30</td> <td>-3.59</td> <td>54.21</td> <td>34.60</td> <td>8.68</td> <td>32.78</td> <td>106</td> <td>126</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5725.35	64.71	68.30	-3.59	54.21	34.60	8.68	32.78	106	126	PEAK	<p style="text-align: right;">Date: 2025-03-29</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5700.00</td> <td>101.17</td> <td>-----</td> <td>-----</td> <td>90.77</td> <td>34.56</td> <td>8.60</td> <td>32.76</td> <td>106</td> <td>126</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5700.00	101.17	-----	-----	90.77	34.56	8.60	32.76	106	126	PEAK
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																			
1	5725.35	64.71	68.30	-3.59	54.21	34.60	8.68	32.78	106	126	PEAK																																																															
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																			
1	5700.00	101.17	-----	-----	90.77	34.56	8.60	32.76	106	126	PEAK																																																															
Avg	Blank	<p style="text-align: right;">Date: 2025-03-29</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5700.00</td> <td>95.36</td> <td>-----</td> <td>-----</td> <td>85.00</td> <td>34.55</td> <td>8.57</td> <td>32.76</td> <td>106</td> <td>126</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5700.00	95.36	-----	-----	85.00	34.55	8.57	32.76	106	126	AVERAGE																																				
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																			
1	5700.00	95.36	-----	-----	85.00	34.55	8.57	32.76	106	126	AVERAGE																																																															



Mode	9																																																																							
	Band Edge																																																																							
	U-NII-2C_5.47-5.725_802.11a_CH140_5700MHz																																																																							
ANT	5																																																																							
Pol.	Vertical	Fundamental																																																																						
Peak	<p style="text-align: right;">Date: 2025-03-29</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1 5726.85</td> <td>59.79</td> <td>68.30</td> <td>-8.51</td> <td>49.29</td> <td>34.60</td> <td>8.68</td> <td>32.78</td> <td>110</td> <td>288</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1 5726.85	59.79	68.30	-8.51	49.29	34.60	8.68	32.78	110	288	PEAK	<p style="text-align: right;">Date: 2025-03-29</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1 5700.00</td> <td>94.63</td> <td>-----</td> <td>-----</td> <td>84.27</td> <td>34.55</td> <td>8.57</td> <td>32.76</td> <td>110</td> <td>288</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1 5700.00	94.63	-----	-----	84.27	34.55	8.57	32.76	110	288	PEAK
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																
Freq	Level	Line Margin	Level	Factor	Loss Factor																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																	
1 5726.85	59.79	68.30	-8.51	49.29	34.60	8.68	32.78	110	288	PEAK																																																														
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																	
Freq	Level	Line Margin	Level	Factor	Loss Factor																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																	
1 5700.00	94.63	-----	-----	84.27	34.55	8.57	32.76	110	288	PEAK																																																														
Avg	Blank	<p style="text-align: right;">Date: 2025-03-29</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1 5700.00</td> <td>88.64</td> <td>-----</td> <td>-----</td> <td>78.28</td> <td>34.55</td> <td>8.57</td> <td>32.76</td> <td>110</td> <td>288</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1 5700.00	88.64	-----	-----	78.28	34.55	8.57	32.76	110	288	AVERAGE																																			
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																	
Freq	Level	Line Margin	Level	Factor	Loss Factor																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																	
1 5700.00	88.64	-----	-----	78.28	34.55	8.57	32.76	110	288	AVERAGE																																																														



Mode	9																																																																																															
	Harmonic																																																																																															
	U-NII-2C_5.47-5.725_802.11a_CH140_5700MHz																																																																																															
ANT	5																																																																																															
Pol.	Horizontal	Vertical																																																																																														
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11400.00</td> <td>45.03</td> <td>74.00</td> <td>-28.97</td> <td>54.09</td> <td>37.39</td> <td>11.41</td> <td>57.86</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>17100.00</td> <td>47.38</td> <td>68.30</td> <td>-20.92</td> <td>51.40</td> <td>41.00</td> <td>13.14</td> <td>58.16</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line Margin	Level	Factor	Loss Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	11400.00	45.03	74.00	-28.97	54.09	37.39	11.41	57.86	--	--	Peak	2	17100.00	47.38	68.30	-20.92	51.40	41.00	13.14	58.16	--	--	Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11400.00</td> <td>46.25</td> <td>74.00</td> <td>-27.75</td> <td>55.31</td> <td>37.39</td> <td>11.41</td> <td>57.86</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>17100.00</td> <td>48.33</td> <td>68.30</td> <td>-19.97</td> <td>52.35</td> <td>41.00</td> <td>13.14</td> <td>58.16</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line Margin	Level	Factor	Loss Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	11400.00	46.25	74.00	-27.75	55.31	37.39	11.41	57.86	--	--	Peak	2	17100.00	48.33	68.30	-19.97	52.35	41.00	13.14	58.16	--	--	Peak
Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																										
Freq	Level	Line Margin	Level	Factor	Loss Factor	Remark																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																								
1	11400.00	45.03	74.00	-28.97	54.09	37.39	11.41	57.86	--	--	Peak																																																																																					
2	17100.00	47.38	68.30	-20.92	51.40	41.00	13.14	58.16	--	--	Peak																																																																																					
Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																										
Freq	Level	Line Margin	Level	Factor	Loss Factor	Remark																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																								
1	11400.00	46.25	74.00	-27.75	55.31	37.39	11.41	57.86	--	--	Peak																																																																																					
2	17100.00	48.33	68.30	-19.97	52.35	41.00	13.14	58.16	--	--	Peak																																																																																					