




Min emission bandwidth


Test Result B4


TestMode	Antenna	Freq(MHz)	6dB EBW [MHz]	FL[MHz]	FH[MHz]	Limit[MHz]	Verdict
11A	Ant1	5745	14.30	5738.25	5752.55	0.5	PASS
		5785	15.10	5777.45	5792.55	0.5	PASS
		5825	15.10	5817.45	5832.55	0.5	PASS
11AC20SISO	Ant1	5745	13.76	5738.79	5752.55	0.5	PASS
		5785	14.45	5778.10	5792.55	0.5	PASS
		5825	14.67	5817.88	5832.55	0.5	PASS
11AC40SISO	Ant1	5755	35.09	5737.49	5772.58	0.5	PASS
		5795	35.16	5777.42	5812.58	0.5	PASS
11AC80SISO	Ant1	5775	75.12	5737.51	5812.63	0.5	PASS





Test Graphs B4













Maximum power spectral density


Test Result


TestMode	Antenna	Freq(MHz)	Result [dBm/MHz]	Limit[dBm/MHz]	Verdict
11A	Ant1	5180	4.68	≤11.00	PASS
		5220	4.9	≤11.00	PASS
		5240	5	≤11.00	PASS
		5260	4.89	≤11.00	PASS
		5300	5.2	≤11.00	PASS
		5320	5	≤11.00	PASS
		5500	3.47	≤11.00	PASS
		5580	3.83	≤11.00	PASS
		5700	3.6	≤11.00	PASS
		5720_UNII-2C	3.78	≤11.00	PASS
		5720_UNII-3	-0.95	≤30.00	PASS
		5745	0.54	≤30.00	PASS
		5785	0.65	≤30.00	PASS
		5825	0.23	≤30.00	PASS
11AC20SISO	Ant1	5180	3.12	≤11.00	PASS
		5220	4.46	≤11.00	PASS
		5240	4.55	≤11.00	PASS
		5260	4.51	≤11.00	PASS
		5300	4.92	≤11.00	PASS
		5320	4.28	≤11.00	PASS
		5500	3.01	≤11.00	PASS
		5580	3.41	≤11.00	PASS
		5700	2.8	≤11.00	PASS
		5720_UNII-2C	3.46	≤11.00	PASS
		5720_UNII-3	-1.17	≤30.00	PASS
		5745	0.17	≤30.00	PASS
		5785	0.28	≤30.00	PASS
		5825	-0.03	≤30.00	PASS
11AC40SISO	Ant1	5190	-0.65	≤11.00	PASS
		5230	1.61	≤11.00	PASS
		5270	1.52	≤11.00	PASS
		5310	-0.1	≤11.00	PASS
		5510	-0.65	≤11.00	PASS
		5550	0.56	≤11.00	PASS
		5670	0.71	≤11.00	PASS
		5710_UNII-2C	0.31	≤11.00	PASS
		5710_UNII-3	-5.83	≤30.00	PASS
		5755	-2.64	≤30.00	PASS
		5795	-2.59	≤30.00	PASS
11AC80SISO	Ant1	5210	-4.56	≤11.00	PASS
		5290	-5.29	≤11.00	PASS
		5530	-4.14	≤11.00	PASS
		5610	-2.39	≤11.00	PASS
		5690_UNII-2C	-2.19	≤11.00	PASS
		5690_UNII-3	-8.89	≤30.00	PASS
		5775	-5.66	≤30.00	PASS


Note: 1.The Result and Limit Unit is dBm/500 kHz in the band 5.725–5.85 GHz.
 2.The Duty Cycle Factor and is compensated in the graph.





Test Graphs




































































Appendix B. AC Conducted Emission Test Results

Test Engineer :	Amos	Temperature :	25.3~26.2°C
		Relative Humidity :	38~40%
Test Voltage :	120Vac / 60Hz	Phase :	Line
Remark :	All emissions not reported here are more than 10 dB below the prescribed limit.		




Site : CO01-KS
 Condition : 15E RSS247-QP LISN-060105-L 24+80 LINE

	Freq	Level	Over Limit	Limit Line	Read Level	LISN Factor	Cable Loss	Remark
	MHz	dBuV	dB	dBuV	dBuV	dB	dB	
1	0.161	54.19	-11.24	65.43	43.50	0.24	10.45	QP
2	0.161	38.89	-16.54	55.43	28.20	0.24	10.45	Average
3	0.213	49.22	-13.88	63.10	38.50	0.26	10.46	QP
4	0.213	32.32	-20.78	53.10	21.60	0.26	10.46	Average
5	0.266	45.27	-15.98	61.25	34.51	0.29	10.47	QP
6	0.266	32.67	-18.58	51.25	21.91	0.29	10.47	Average
7	0.424	42.62	-14.75	57.37	31.80	0.35	10.47	QP
8	0.424	31.12	-16.25	47.37	20.30	0.35	10.47	Average
9	0.491	43.27	-12.87	56.14	32.49	0.36	10.42	QP
10	0.491	32.07	-14.07	46.14	21.29	0.36	10.42	Average
11 *	0.595	47.44	-8.56	56.00	36.70	0.37	10.37	QP
12	0.595	36.54	-9.46	46.00	25.80	0.37	10.37	Average
13	0.683	44.92	-11.08	56.00	34.20	0.38	10.34	QP
14	0.683	30.92	-15.08	46.00	20.20	0.38	10.34	Average
15	1.037	41.86	-14.14	56.00	31.20	0.39	10.27	QP
16	1.037	29.26	-16.74	46.00	18.60	0.39	10.27	Average
17	17.568	46.50	-13.50	60.00	35.20	1.01	10.29	QP
18	17.568	35.20	-14.80	50.00	23.90	1.01	10.29	Average



Test Engineer :	Amos	Temperature :	25.3~26.2°C
		Relative Humidity :	38~40%
Test Voltage :	120Vac / 60Hz	Phase :	Neutral
Remark :	All emissions not reported here are more than 10 dB below the prescribed limit.		



Site : CO01-KS
 Condition : 15E RSS247-QP LISN-060105-N 24+80 NEUTRAL

	Freq	Level	Over	Limit	Read	LISN	Cable	Remark
	MHz	dBuV	Limit	Line	Level	Factor	Loss	
			dB	dBuV	dBuV	dB	dB	
1	0.156	49.59	-16.06	65.65	38.90	0.24	10.45	QP
2	0.156	32.29	-23.36	55.65	21.60	0.24	10.45	Average
3	0.222	45.92	-16.82	62.74	35.21	0.25	10.46	QP
4	0.222	28.92	-23.82	52.74	18.21	0.25	10.46	Average
5	0.555	41.24	-14.76	56.00	30.50	0.35	10.39	QP
6	0.555	25.34	-20.66	46.00	14.60	0.35	10.39	Average
7 *	0.611	44.33	-11.67	56.00	33.60	0.36	10.37	QP
8	0.611	30.63	-15.37	46.00	19.90	0.36	10.37	Average
9	1.178	37.82	-18.18	56.00	27.20	0.36	10.26	QP
10	1.178	26.82	-19.48	46.00	15.90	0.36	10.26	Average
11	16.750	38.74	-21.26	60.00	27.50	0.95	10.29	QP
12	16.750	27.84	-22.16	50.00	16.60	0.95	10.29	Average

Note:

- Level(dBμV) = Read Level(dBμV) + LISN Factor(dB) + Cable Loss(dB)
- Over Limit(dB) = Level(dBμV) – Limit Line(dBμV)



Appendix C Radiated Spurious Emission Test Data

Test Engineer :	Jerry Xu	Relative Humidity :	41~42%
		Temperature :	22~23°C

Radiated Spurious Emission Test Modes

Mode	Band	Band (GHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 1	U-NII-1	5.15-5.25	SISO	802.11a	36	5180	6Mbps	-	-
Mode 2	U-NII-1	5.15-5.25	SISO	802.11a	44	5220	6Mbps	-	-
Mode 3	U-NII-1	5.15-5.25	SISO	802.11a	48	5240	6Mbps	-	-
Mode 4	U-NII-2A	5.25-5.35	SISO	802.11a	52	5260	6Mbps	-	-
Mode 5	U-NII-2A	5.25-5.35	SISO	802.11a	60	5300	6Mbps	-	-
Mode 6	U-NII-2A	5.25-5.35	SISO	802.11a	64	5320	6Mbps	-	-
Mode 7	U-NII-2C	5.47-5.725	SISO	802.11a	100	5500	6Mbps	-	-
Mode 8	U-NII-2C	5.47-5.725	SISO	802.11a	116	5580	6Mbps	-	-
Mode 9	U-NII-2C	5.47-5.725	SISO	802.11a	140	5700	6Mbps	-	-
Mode 10	U-NII-1	5.15-5.25	SISO	802.11ac VHT20	36	5180	MCS0	-	-
Mode 11	U-NII-1	5.15-5.25	SISO	802.11ac VHT20	44	5220	MCS0	-	-
Mode 12	U-NII-1	5.15-5.25	SISO	802.11ac VHT20	48	5240	MCS0	-	-
Mode 13	U-NII-2A	5.25-5.35	SISO	802.11ac VHT20	52	5260	MCS0	-	-
Mode 14	U-NII-2A	5.25-5.35	SISO	802.11ac VHT20	60	5300	MCS0	-	-
Mode 15	U-NII-2A	5.25-5.35	SISO	802.11ac VHT20	64	5320	MCS0	-	-
Mode 16	U-NII-2C	5.47-5.725	SISO	802.11ac VHT20	100	5500	MCS0	-	-
Mode 17	U-NII-2C	5.47-5.725	SISO	802.11ac VHT20	116	5580	MCS0	-	-
Mode 18	U-NII-2C	5.47-5.725	SISO	802.11ac VHT20	140	5700	MCS0	-	-
Mode 19	U-NII-1	5.15-5.25	SISO	802.11ac VHT40	38	5190	MCS0	-	-
Mode 20	U-NII-1	5.15-5.25	SISO	802.11ac VHT40	46	5230	MCS0	-	-
Mode 21	U-NII-2A	5.25-5.35	SISO	802.11ac VHT40	54	5270	MCS0	-	-
Mode 22	U-NII-2A	5.25-5.35	SISO	802.11ac VHT40	62	5310	MCS0	-	-
Mode 23	U-NII-2C	5.47-5.725	SISO	802.11ac VHT40	102	5510	MCS0	-	-
Mode 24	U-NII-2C	5.47-5.725	SISO	802.11ac VHT40	110	5550	MCS0	-	-
Mode 25	U-NII-2C	5.47-5.725	SISO	802.11ac VHT40	134	5670	MCS0	-	-
Mode 26	U-NII-1	5.15-5.25	SISO	802.11ac VHT80	42	5210	MCS0	-	-
Mode 27	U-NII-2A	5.25-5.35	SISO	802.11ac VHT80	58	5290	MCS0	-	-
Mode 28	U-NII-2C	5.47-5.725	SISO	802.11ac VHT80	106	5530	MCS0	-	-
Mode 29	U-NII-2C	5.47-5.725	SISO	802.11ac VHT80	122	5610	MCS0	-	-
Mode 30	U-NII-3	5.725-5.85	SISO	802.11a	149	5745	6Mbps	-	-
Mode 31	U-NII-3	5.725-5.85	SISO	802.11a	157	5785	6Mbps	-	-
Mode 32	U-NII-3	5.725-5.85	SISO	802.11a	165	5825	6Mbps	-	-
Mode 33	U-NII-3	5.725-5.85	SISO	802.11ac VHT20	149	5745	MCS0	-	-
Mode 34	U-NII-3	5.725-5.85	SISO	802.11ac VHT20	157	5785	MCS0	-	-
Mode 35	U-NII-3	5.725-5.85	SISO	802.11ac VHT20	165	5825	MCS0	-	-
Mode 36	U-NII-3	5.725-5.85	SISO	802.11ac VHT40	151	5755	MCS0	-	-
Mode 37	U-NII-3	5.725-5.85	SISO	802.11ac VHT40	159	5795	MCS0	-	-
Mode 38	U-NII-3	5.725-5.85	SISO	802.11ac VHT80	155	5775	MCS0	-	-
Mode 39	U-NII-2C	5.47-5.725	SISO	802.11a	144	5720	6Mbps	-	-
Mode 40	U-NII-2C	5.47-5.725	SISO	802.11ac VHT20	144	5720	MCS0	-	-
Mode 41	U-NII-2C	5.47-5.725	SISO	802.11ac VHT40	142	5710	MCS0	-	-
Mode 42	U-NII-2C	5.47-5.725	SISO	802.11ac VHT80	138	5690	MCS0	-	-



Summary of each worse mode

Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
1	802.11a	36	5150.00	50.47	54.00	-3.53	H	AVERAGE	Pass	Band Edge
1	802.11a	36	15540.00	40.70	54.00	-13.30	H	AVERAGE	Pass	Harmonic
2	802.11a	44	-	-	-	-	-	-	-	Band Edge
2	802.11a	44	10440.00	54.10	68.20	-14.10	V	PEAK	Pass	Harmonic
3	802.11a	48	-	-	-	-	-	-	-	Band Edge
3	802.11a	48	15720.00	43.74	54.00	-10.26	V	AVERAGE	Pass	Harmonic
4	802.11a	52	-	-	-	-	-	-	-	Band Edge
4	802.11a	52	15780.00	43.71	54.00	-10.29	H	AVERAGE	Pass	Harmonic
5	802.11a	60	-	-	-	-	-	-	-	Band Edge
5	802.11a	60	10600.00	48.81	54.00	-5.19	V	AVERAGE	Pass	Harmonic
6	802.11a	64	5350.00	48.41	54.00	-5.59	H	AVERAGE	Pass	Band Edge
6	802.11a	64	-	-	-	-	-	-	-	Harmonic
7	802.11a	100	5469.84	64.76	68.20	-3.44	V	PEAK	Pass	Band Edge
7	802.11a	100	11000.00	50.44	54.00	-3.56	V	AVERAGE	Pass	Harmonic
8	802.11a	116	-	-	-	-	-	-	-	Band Edge
8	802.11a	116	11160.00	49.05	54.00	-4.95	V	AVERAGE	Pass	Harmonic
9	802.11a	140	5726.12	64.77	68.20	-3.43	H	PEAK	Pass	Band Edge
9	802.11a	140	11400.00	39.90	54.00	-14.10	V	AVERAGE	Pass	Harmonic
10	802.11ac VHT20	36	5149.30	48.52	54.00	-5.48	H	AVERAGE	Pass	Band Edge
10	802.11ac VHT20	36	10360.00	45.29	68.20	-22.91	H	PEAK	Pass	Harmonic
11	802.11ac VHT20	44	-	-	-	-	-	-	-	Band Edge
11	802.11ac VHT20	44	15660.00	43.03	54.00	-10.97	H	AVERAGE	Pass	Harmonic
12	802.11ac VHT20	48	-	-	-	-	-	-	-	Band Edge
12	802.11ac VHT20	48	15720.00	42.78	54.00	-11.22	H	AVERAGE	Pass	Harmonic
13	802.11ac VHT20	52	-	-	-	-	-	-	-	Band Edge
13	802.11ac VHT20	52	15780.00	43.64	54.00	-10.36	V	AVERAGE	Pass	Harmonic
14	802.11ac VHT20	60	-	-	-	-	-	-	-	Band Edge
14	802.11ac VHT20	60	10600.00	49.09	54.00	-4.91	V	AVERAGE	Pass	Harmonic
15	802.11ac VHT20	64	5350.20	50.39	54.00	-3.61	H	AVERAGE	Pass	Band Edge
15	802.11ac VHT20	64	10640.00	45.37	54.00	-8.63	H	AVERAGE	Pass	Harmonic
16	802.11ac VHT20	100	5470.00	63.73	68.20	-4.47	H	PEAK	Pass	Band Edge
16	802.11ac VHT20	100	11000.00	49.70	54.00	-4.30	V	AVERAGE	Pass	Harmonic
17	802.11ac VHT20	116	-	-	-	-	-	-	-	Band Edge
17	802.11ac VHT20	116	11160.00	46.77	54.00	-7.23	V	AVERAGE	Pass	Harmonic
18	802.11ac VHT20	140	5727.16	63.57	68.20	-4.63	H	PEAK	Pass	Band Edge
18	802.11ac VHT20	140	11400.00	39.58	54.00	-14.42	V	AVERAGE	Pass	Harmonic
19	802.11ac VHT40	38	5149.76	50.69	54.00	-3.31	H	AVERAGE	Pass	Band Edge
19	802.11ac VHT40	38	10380.00	46.07	68.20	-22.13	V	PEAK	Pass	Harmonic
20	802.11ac VHT40	46	5149.44	49.07	54.00	-4.93	H	AVERAGE	Pass	Band Edge
20	802.11ac VHT40	46	10460.00	47.30	68.20	-20.90	V	PEAK	Pass	Harmonic
21	802.11ac VHT40	54	5351.13	47.81	54.00	-6.19	H	AVERAGE	Pass	Band Edge
21	802.11ac VHT40	54	10540.00	48.15	68.20	-20.05	V	PEAK	Pass	Harmonic
22	802.11ac VHT40	62	5358.30	50.29	54.00	-3.71	H	AVERAGE	Pass	Band Edge



22	802.11ac VHT40	62	10620.00	47.63	74.00	-26.37	V	PEAK	Pass	Harmonic
23	802.11ac VHT40	102	5470.00	64.13	68.20	-4.07	H	PEAK	Pass	Band Edge
23	802.11ac VHT40	102	11020.00	43.39	54.00	-10.61	V	AVERAGE	Pass	Harmonic
24	802.11ac VHT40	110	-	-	-	-	-	-	-	Band Edge
24	802.11ac VHT40	110	11100.00	48.16	54.00	-5.84	V	AVERAGE	Pass	Harmonic
25	802.11ac VHT40	134	5726.12	63.70	68.20	-4.50	H	PEAK	Pass	Band Edge
25	802.11ac VHT40	134	11340.00	39.18	54.00	-14.82	V	AVERAGE	Pass	Harmonic
26	802.11ac VHT80	42	5149.92	50.36	54.00	-3.64	H	AVERAGE	Pass	Band Edge
26	802.11ac VHT80	42	10420.00	48.27	68.20	-19.93	V	PEAK	Pass	Harmonic
27	802.11ac VHT80	58	5350.20	50.16	54.00	-3.84	H	AVERAGE	Pass	Band Edge
27	802.11ac VHT80	58	10580.00	45.57	68.20	-22.63	V	PEAK	Pass	Harmonic
28	802.11ac VHT80	106	5455.28	47.71	54.00	-6.29	H	AVERAGE	Pass	Band Edge
28	802.11ac VHT80	106	11060.00	44.93	54.00	-9.07	V	AVERAGE	Pass	Harmonic
29	802.11ac VHT80	122	5725.24	62.71	68.20	-5.49	H	PEAK	Pass	Band Edge
29	802.11ac VHT80	122	11220.00	41.07	54.00	-12.93	V	AVERAGE	Pass	Harmonic
30	802.11a	149	5630.80	55.38	68.20	-12.82	V	PEAK	Pass	Band Edge
30	802.11a	149	11490.00	39.72	54.00	-14.28	V	AVERAGE	Pass	Harmonic
31	802.11a	157	-	-	-	-	-	-	-	Band Edge
31	802.11a	157	11570.00	40.78	54.00	-13.22	V	AVERAGE	Pass	Harmonic
32	802.11a	165	5958.80	56.40	68.20	-11.80	V	PEAK	Pass	Band Edge
32	802.11a	165	11650.00	43.05	54.00	-10.95	V	AVERAGE	Pass	Harmonic
33	802.11ac VHT20	149	5603.20	53.94	68.20	-14.26	H	PEAK	Pass	Band Edge
33	802.11ac VHT20	149	11490.00	41.45	54.00	-12.55	V	AVERAGE	Pass	Harmonic
34	802.11ac VHT20	157	-	-	-	-	-	-	-	Band Edge
34	802.11ac VHT20	157	11570.00	41.24	54.00	-12.76	V	AVERAGE	Pass	Harmonic
35	802.11ac VHT20	165	5954.40	56.03	68.20	-12.17	V	PEAK	Pass	Band Edge
35	802.11ac VHT20	165	11650.00	42.01	54.00	-11.99	V	AVERAGE	Pass	Harmonic
36	802.11ac VHT40	151	5651.46	57.88	69.29	-11.41	H	PEAK	Pass	Band Edge
36	802.11ac VHT40	151	11510.00	48.69	74.00	-25.31	V	PEAK	Pass	Harmonic
37	802.11ac VHT40	159	5960.00	56.67	68.20	-11.53	V	PEAK	Pass	Band Edge
37	802.11ac VHT40	159	11590.00	47.91	74.00	-26.09	V	PEAK	Pass	Harmonic
38	802.11ac VHT80	155	5645.60	60.36	68.20	-7.84	H	PEAK	Pass	Band Edge
38	802.11ac VHT80	155	11550.00	47.02	74.00	-26.98	V	PEAK	Pass	Harmonic
39	802.11a	144	-	-	-	-	-	-	-	Band Edge
39	802.11a	144	11440.00	39.79	54.00	-14.21	V	AVERAGE	Pass	Harmonic
40	802.11ac VHT20	144	-	-	-	-	-	-	-	Band Edge
40	802.11ac VHT20	144	11440.00	40.67	54.00	-13.33	V	AVERAGE	Pass	Harmonic
41	802.11ac VHT40	142	-	-	-	-	-	-	-	Band Edge
41	802.11ac VHT40	142	11420.00	47.58	74.00	-26.42	V	PEAK	Pass	Harmonic
42	802.11ac VHT80	138	-	-	-	-	-	-	-	Band Edge
42	802.11ac VHT80	138	11380.00	45.97	74.00	-28.03	V	PEAK	Pass	Harmonic



Co-location

Radiated Spurious Emission Test Modes

Mode	Band	Band (GHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 43	2400-2483.5	2400-2483.5	SISO	Bluetooth-LE_GSKF	38	2478	2Mbps	-	-
	U-NII-1	5.15-5.25	SISO	802.11ac VHT40	38	5190	MCS0	-	-
Part 27M B38 BW=20M									

Summary of each worse mode

Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
43	Bluetooth-LE_GSKF	38	2487.76	46.30	54.00	-7.70	H	AVERAGE	Pass	Band Edge
	Bluetooth-LE_GSKF	38	4956.00	39.68	74.00	-34.32	V	PEAK	Pass	Harmonic
	802.11ac VHT40	38	5149.92	47.96	54.00	-6.04	H	AVERAGE	Pass	Band Edge
	802.11ac VHT40	38	10380.00	45.51	68.20	-22.69	V	PEAK	Pass	Harmonic

WWAN RSE

Table 2

Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
43	B38	38000	7759.00	44.93	70.20	-25.27	H	PEAK	Pass	Harmonic
		38000	12930.00	49.21	70.20	-20.99	H	PEAK	Pass	Harmonic
		38000	7757.90	52.78	70.20	-17.42	V	PEAK	Pass	Harmonic
		38000	10344.00	48.67	70.20	-21.53	V	PEAK	Pass	Harmonic
		38000	12930.00	51.77	70.20	-18.43	V	PEAK	Pass	Harmonic

Note: The following formula is used to convert the EIRP to field strength.

$$EIRP = E_{Meas} + 20\log(d_{Meas}) - 104.7$$

where

EIRP is the equivalent isotropically radiated power, in dBm, -13dBm





E_{Meas} is the field strength of the emission at the measurement distance, in dBuV/m

d_{Meas} is the measurement distance, in m, 3m



Mode	1																																																																																							
	Band Edge																																																																																							
	U-NII-1_5.15-5.25_802.11a_CH36_5180MHz																																																																																							
ANT	SISO																																																																																							
Pol.	Horizontal	Fundamental																																																																																						
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5149.40</td> <td>61.32</td> <td>74.00</td> <td>-12.68</td> <td>49.21</td> <td>34.20</td> <td>9.88</td> <td>31.97</td> <td>0.00</td> <td>111</td> <td>117 PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5149.40	61.32	74.00	-12.68	49.21	34.20	9.88	31.97	0.00	111	117 PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5180.00</td> <td>107.86</td> <td>-----</td> <td>-----</td> <td>95.68</td> <td>34.25</td> <td>9.91</td> <td>31.98</td> <td>0.00</td> <td>111</td> <td>117 PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5180.00	107.86	-----	-----	95.68	34.25	9.91	31.98	0.00	111	117 PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																														
1	5149.40	61.32	74.00	-12.68	49.21	34.20	9.88	31.97	0.00	111	117 PEAK																																																																													
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																														
1	5180.00	107.86	-----	-----	95.68	34.25	9.91	31.98	0.00	111	117 PEAK																																																																													
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5150.00</td> <td>50.47</td> <td>54.00</td> <td>-3.53</td> <td>38.36</td> <td>34.20</td> <td>9.88</td> <td>31.97</td> <td>0.00</td> <td>111</td> <td>117 AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5150.00	50.47	54.00	-3.53	38.36	34.20	9.88	31.97	0.00	111	117 AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5180.00</td> <td>98.99</td> <td>-----</td> <td>-----</td> <td>86.80</td> <td>34.26</td> <td>9.91</td> <td>31.98</td> <td>0.00</td> <td>111</td> <td>117 AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5180.00	98.99	-----	-----	86.80	34.26	9.91	31.98	0.00	111	117 AVERAGE
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																														
1	5150.00	50.47	54.00	-3.53	38.36	34.20	9.88	31.97	0.00	111	117 AVERAGE																																																																													
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																														
1	5180.00	98.99	-----	-----	86.80	34.26	9.91	31.98	0.00	111	117 AVERAGE																																																																													



Mode	1																																																																																							
	Band Edge																																																																																							
	U-NII-1_5.15-5.25_802.11a_CH36_5180MHz																																																																																							
ANT	SISO																																																																																							
Pol.	Vertical	Fundamental																																																																																						
Peak	 <p>Level (dBuV/m)</p> <p>Frequency (MHz)</p> <p>U-NII-1-U-NII-2A-U-NII-2C</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5147.90</td> <td>57.51</td> <td>74.00</td> <td>-16.49</td> <td>45.40</td> <td>34.20</td> <td>9.88</td> <td>31.97</td> <td>0.00</td> <td>100</td> <td>96 PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5147.90	57.51	74.00	-16.49	45.40	34.20	9.88	31.97	0.00	100	96 PEAK	 <p>Level (dBuV/m)</p> <p>Frequency (MHz)</p> <p>U-NII-1-U-NII-2A-U-NII-2C</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5180.00</td> <td>102.95</td> <td>-----</td> <td>-----</td> <td>90.76</td> <td>34.26</td> <td>9.91</td> <td>31.98</td> <td>0.00</td> <td>100</td> <td>96 PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5180.00	102.95	-----	-----	90.76	34.26	9.91	31.98	0.00	100	96 PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																														
1	5147.90	57.51	74.00	-16.49	45.40	34.20	9.88	31.97	0.00	100	96 PEAK																																																																													
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																														
1	5180.00	102.95	-----	-----	90.76	34.26	9.91	31.98	0.00	100	96 PEAK																																																																													
Avg	 <p>Level (dBuV/m)</p> <p>Frequency (MHz)</p> <p>U-NII-1-U-NII-2A-U-NII-2C(AVG)</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5150.00</td> <td>45.54</td> <td>54.00</td> <td>-8.46</td> <td>33.43</td> <td>34.20</td> <td>9.88</td> <td>31.97</td> <td>0.00</td> <td>100</td> <td>96 AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5150.00	45.54	54.00	-8.46	33.43	34.20	9.88	31.97	0.00	100	96 AVERAGE	 <p>Level (dBuV/m)</p> <p>Frequency (MHz)</p> <p>U-NII-1-U-NII-2A-U-NII-2C(AVG)</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5180.00</td> <td>94.06</td> <td>-----</td> <td>-----</td> <td>81.87</td> <td>34.26</td> <td>9.91</td> <td>31.98</td> <td>0.00</td> <td>100</td> <td>96 AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5180.00	94.06	-----	-----	81.87	34.26	9.91	31.98	0.00	100	96 AVERAGE
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																														
1	5150.00	45.54	54.00	-8.46	33.43	34.20	9.88	31.97	0.00	100	96 AVERAGE																																																																													
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																														
1	5180.00	94.06	-----	-----	81.87	34.26	9.91	31.98	0.00	100	96 AVERAGE																																																																													



Mode	1																																																																																																																																
	Harmonic																																																																																																																																
	U-NII-1_5.15-5.25_802.11a_CH36_5180MHz																																																																																																																																
ANT	SISO																																																																																																																																
Pol.	Horizontal	Vertical																																																																																																																															
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10360.00</td> <td>45.34</td> <td>68.20</td> <td>-22.86</td> <td>59.34</td> <td>37.46</td> <td>13.99</td> <td>65.45</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>15540.00</td> <td>50.60</td> <td>74.00</td> <td>-23.40</td> <td>57.09</td> <td>40.20</td> <td>17.61</td> <td>64.30</td> <td>0.00</td> <td>100</td> <td>0</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>15540.00</td> <td>40.70</td> <td>54.00</td> <td>-13.30</td> <td>47.19</td> <td>40.20</td> <td>17.61</td> <td>64.30</td> <td>0.00</td> <td>100</td> <td>0</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	10360.00	45.34	68.20	-22.86	59.34	37.46	13.99	65.45	0.00	---	---	PEAK	2	15540.00	50.60	74.00	-23.40	57.09	40.20	17.61	64.30	0.00	100	0	PEAK	3	15540.00	40.70	54.00	-13.30	47.19	40.20	17.61	64.30	0.00	100	0	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10360.00</td> <td>47.22</td> <td>68.20</td> <td>-20.98</td> <td>61.22</td> <td>37.46</td> <td>13.99</td> <td>65.45</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>15540.00</td> <td>47.75</td> <td>74.00</td> <td>-26.25</td> <td>54.24</td> <td>40.20</td> <td>17.61</td> <td>64.30</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	10360.00	47.22	68.20	-20.98	61.22	37.46	13.99	65.45	0.00	---	---	PEAK	2	15540.00	47.75	74.00	-26.25	54.24	40.20	17.61	64.30	0.00	---	---	PEAK
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																							
1	10360.00	45.34	68.20	-22.86	59.34	37.46	13.99	65.45	0.00	---	---	PEAK																																																																																																																					
2	15540.00	50.60	74.00	-23.40	57.09	40.20	17.61	64.30	0.00	100	0	PEAK																																																																																																																					
3	15540.00	40.70	54.00	-13.30	47.19	40.20	17.61	64.30	0.00	100	0	AVERAGE																																																																																																																					
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																							
1	10360.00	47.22	68.20	-20.98	61.22	37.46	13.99	65.45	0.00	---	---	PEAK																																																																																																																					
2	15540.00	47.75	74.00	-26.25	54.24	40.20	17.61	64.30	0.00	---	---	PEAK																																																																																																																					



Mode	2																																																																																																																			
	Harmonic																																																																																																																			
	U-NII-1_5.15-5.25_802.11a_CH44_5220MHz																																																																																																																			
ANT	SISO																																																																																																																			
Pol.	Horizontal	Vertical																																																																																																																		
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10440.00</td> <td>46.89</td> <td>68.20</td> <td>-21.31</td> <td>60.64</td> <td>37.58</td> <td>14.02</td> <td>65.35</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>15660.00</td> <td>48.33</td> <td>74.00</td> <td>-25.67</td> <td>54.69</td> <td>40.26</td> <td>17.72</td> <td>64.34</td> <td>0.00</td> <td>300</td> <td>360</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>15660.00</td> <td>38.95</td> <td>54.00</td> <td>-15.05</td> <td>45.31</td> <td>40.26</td> <td>17.72</td> <td>64.34</td> <td>0.00</td> <td>300</td> <td>360</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	10440.00	46.89	68.20	-21.31	60.64	37.58	14.02	65.35	0.00	---	---	PEAK	2	15660.00	48.33	74.00	-25.67	54.69	40.26	17.72	64.34	0.00	300	360	PEAK	3	15660.00	38.95	54.00	-15.05	45.31	40.26	17.72	64.34	0.00	300	360	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10440.00</td> <td>54.10</td> <td>68.20</td> <td>-14.10</td> <td>67.85</td> <td>37.58</td> <td>14.02</td> <td>65.35</td> <td>0.00</td> <td>101</td> <td>290</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	10440.00	54.10	68.20	-14.10	67.85	37.58	14.02	65.35	0.00	101	290	PEAK
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																										
1	10440.00	46.89	68.20	-21.31	60.64	37.58	14.02	65.35	0.00	---	---	PEAK																																																																																																								
2	15660.00	48.33	74.00	-25.67	54.69	40.26	17.72	64.34	0.00	300	360	PEAK																																																																																																								
3	15660.00	38.95	54.00	-15.05	45.31	40.26	17.72	64.34	0.00	300	360	AVERAGE																																																																																																								
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																										
1	10440.00	54.10	68.20	-14.10	67.85	37.58	14.02	65.35	0.00	101	290	PEAK																																																																																																								



Mode	3																																																																																																																																											
	Harmonic																																																																																																																																											
	U-NII-1_5.15-5.25_802.11a_CH48_5240MHz																																																																																																																																											
ANT	SISO																																																																																																																																											
Pol.	Horizontal	Vertical																																																																																																																																										
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10480.00</td> <td>46.32</td> <td>68.20</td> <td>-21.88</td> <td>59.93</td> <td>37.66</td> <td>14.04</td> <td>65.31</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>15720.00</td> <td>48.33</td> <td>74.00</td> <td>-25.67</td> <td>54.56</td> <td>40.36</td> <td>17.77</td> <td>64.36</td> <td>0.00</td> <td>300</td> <td>0</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>15720.00</td> <td>38.29</td> <td>54.00</td> <td>-15.71</td> <td>44.52</td> <td>40.36</td> <td>17.77</td> <td>64.36</td> <td>0.00</td> <td>300</td> <td>0</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB		1	10480.00	46.32	68.20	-21.88	59.93	37.66	14.04	65.31	0.00	---	---	PEAK	2	15720.00	48.33	74.00	-25.67	54.56	40.36	17.77	64.36	0.00	300	0	PEAK	3	15720.00	38.29	54.00	-15.71	44.52	40.36	17.77	64.36	0.00	300	0	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10480.00</td> <td>48.23</td> <td>68.20</td> <td>-19.97</td> <td>61.84</td> <td>37.66</td> <td>14.04</td> <td>65.31</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>15720.00</td> <td>54.45</td> <td>74.00</td> <td>-19.55</td> <td>60.68</td> <td>40.36</td> <td>17.77</td> <td>64.36</td> <td>0.00</td> <td>100</td> <td>177</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>15720.00</td> <td>43.74</td> <td>54.00</td> <td>-10.26</td> <td>49.97</td> <td>40.36</td> <td>17.77</td> <td>64.36</td> <td>0.00</td> <td>100</td> <td>177</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB		1	10480.00	48.23	68.20	-19.97	61.84	37.66	14.04	65.31	0.00	---	---	PEAK	2	15720.00	54.45	74.00	-19.55	60.68	40.36	17.77	64.36	0.00	100	177	PEAK	3	15720.00	43.74	54.00	-10.26	49.97	40.36	17.77	64.36	0.00	100	177	AVERAGE
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																																																				
1	10480.00	46.32	68.20	-21.88	59.93	37.66	14.04	65.31	0.00	---	---	PEAK																																																																																																																																
2	15720.00	48.33	74.00	-25.67	54.56	40.36	17.77	64.36	0.00	300	0	PEAK																																																																																																																																
3	15720.00	38.29	54.00	-15.71	44.52	40.36	17.77	64.36	0.00	300	0	AVERAGE																																																																																																																																
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																																																				
1	10480.00	48.23	68.20	-19.97	61.84	37.66	14.04	65.31	0.00	---	---	PEAK																																																																																																																																
2	15720.00	54.45	74.00	-19.55	60.68	40.36	17.77	64.36	0.00	100	177	PEAK																																																																																																																																
3	15720.00	43.74	54.00	-10.26	49.97	40.36	17.77	64.36	0.00	100	177	AVERAGE																																																																																																																																







Mode	4																																																																																																																																													
	Harmonic																																																																																																																																													
	U-NII-2A_5.25-5.35_802.11a_CH52_5260MHz																																																																																																																																													
ANT	SISO																																																																																																																																													
Pol.	Horizontal	Vertical																																																																																																																																												
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10520.00</td> <td>47.37</td> <td>68.20</td> <td>-20.83</td> <td>60.84</td> <td>37.74</td> <td>14.05</td> <td>65.26</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>15780.00</td> <td>54.21</td> <td>74.00</td> <td>-19.79</td> <td>60.23</td> <td>40.54</td> <td>17.82</td> <td>64.38</td> <td>0.00</td> <td>103</td> <td>315</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>15780.00</td> <td>43.71</td> <td>54.00</td> <td>-10.29</td> <td>49.73</td> <td>40.54</td> <td>17.82</td> <td>64.38</td> <td>0.00</td> <td>103</td> <td>315</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	10520.00	47.37	68.20	-20.83	60.84	37.74	14.05	65.26	0.00	---	---	PEAK	2	15780.00	54.21	74.00	-19.79	60.23	40.54	17.82	64.38	0.00	103	315	PEAK	3	15780.00	43.71	54.00	-10.29	49.73	40.54	17.82	64.38	0.00	103	315	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10520.00</td> <td>56.42</td> <td>68.20</td> <td>-11.78</td> <td>69.89</td> <td>37.74</td> <td>14.05</td> <td>65.26</td> <td>0.00</td> <td>101</td> <td>291</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>15780.00</td> <td>54.46</td> <td>74.00</td> <td>-19.54</td> <td>60.48</td> <td>40.54</td> <td>17.82</td> <td>64.38</td> <td>0.00</td> <td>100</td> <td>177</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>15780.00</td> <td>43.02</td> <td>54.00</td> <td>-10.98</td> <td>49.04</td> <td>40.54</td> <td>17.82</td> <td>64.38</td> <td>0.00</td> <td>100</td> <td>177</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	10520.00	56.42	68.20	-11.78	69.89	37.74	14.05	65.26	0.00	101	291	PEAK	2	15780.00	54.46	74.00	-19.54	60.48	40.54	17.82	64.38	0.00	100	177	PEAK	3	15780.00	43.02	54.00	-10.98	49.04	40.54	17.82	64.38	0.00	100	177	AVERAGE
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																				
1	10520.00	47.37	68.20	-20.83	60.84	37.74	14.05	65.26	0.00	---	---	PEAK																																																																																																																																		
2	15780.00	54.21	74.00	-19.79	60.23	40.54	17.82	64.38	0.00	103	315	PEAK																																																																																																																																		
3	15780.00	43.71	54.00	-10.29	49.73	40.54	17.82	64.38	0.00	103	315	AVERAGE																																																																																																																																		
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																				
1	10520.00	56.42	68.20	-11.78	69.89	37.74	14.05	65.26	0.00	101	291	PEAK																																																																																																																																		
2	15780.00	54.46	74.00	-19.54	60.48	40.54	17.82	64.38	0.00	100	177	PEAK																																																																																																																																		
3	15780.00	43.02	54.00	-10.98	49.04	40.54	17.82	64.38	0.00	100	177	AVERAGE																																																																																																																																		







Mode	5																																																																																																																																				
	Harmonic																																																																																																																																				
	U-NII-2A_5.25-5.35_802.11a_CH60_5300MHz																																																																																																																																				
ANT	SISO																																																																																																																																				
Pol.	Horizontal	Vertical																																																																																																																																			
Peak Avg																																																																																																																																					
	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 10600.00</td> <td>55.92</td> <td>74.00</td> <td>-18.08</td> <td>69.11</td> <td>37.90</td> <td>14.08</td> <td>65.17</td> <td>0.00</td> <td>284</td> <td>195 PEAK</td> </tr> <tr> <td>2 10600.00</td> <td>45.65</td> <td>54.00</td> <td>-8.35</td> <td>58.84</td> <td>37.90</td> <td>14.08</td> <td>65.17</td> <td>0.00</td> <td>284</td> <td>195 AVERAGE</td> </tr> <tr> <td>3 15900.00</td> <td>54.88</td> <td>74.00</td> <td>-19.12</td> <td>60.58</td> <td>40.80</td> <td>17.92</td> <td>64.42</td> <td>0.00</td> <td>101</td> <td>315 PEAK</td> </tr> <tr> <td>4 15900.00</td> <td>44.06</td> <td>54.00</td> <td>-9.94</td> <td>49.76</td> <td>40.80</td> <td>17.92</td> <td>64.42</td> <td>0.00</td> <td>101</td> <td>315 AVERAGE</td> </tr> </tbody> </table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	cm	deg	1 10600.00	55.92	74.00	-18.08	69.11	37.90	14.08	65.17	0.00	284	195 PEAK	2 10600.00	45.65	54.00	-8.35	58.84	37.90	14.08	65.17	0.00	284	195 AVERAGE	3 15900.00	54.88	74.00	-19.12	60.58	40.80	17.92	64.42	0.00	101	315 PEAK	4 15900.00	44.06	54.00	-9.94	49.76	40.80	17.92	64.42	0.00	101	315 AVERAGE	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 10600.00</td> <td>58.30</td> <td>74.00</td> <td>-15.70</td> <td>71.49</td> <td>37.90</td> <td>14.08</td> <td>65.17</td> <td>0.00</td> <td>100</td> <td>290 PEAK</td> </tr> <tr> <td>2 10600.00</td> <td>48.81</td> <td>54.00</td> <td>-5.19</td> <td>62.00</td> <td>37.90</td> <td>14.08</td> <td>65.17</td> <td>0.00</td> <td>100</td> <td>290 AVERAGE</td> </tr> <tr> <td>3 15900.00</td> <td>55.19</td> <td>74.00</td> <td>-18.81</td> <td>60.89</td> <td>40.80</td> <td>17.92</td> <td>64.42</td> <td>0.00</td> <td>100</td> <td>197 PEAK</td> </tr> <tr> <td>4 15900.00</td> <td>44.48</td> <td>54.00</td> <td>-9.52</td> <td>50.18</td> <td>40.80</td> <td>17.92</td> <td>64.42</td> <td>0.00</td> <td>100</td> <td>197 AVERAGE</td> </tr> </tbody> </table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	cm	deg	1 10600.00	58.30	74.00	-15.70	71.49	37.90	14.08	65.17	0.00	100	290 PEAK	2 10600.00	48.81	54.00	-5.19	62.00	37.90	14.08	65.17	0.00	100	290 AVERAGE	3 15900.00	55.19	74.00	-18.81	60.89	40.80	17.92	64.42	0.00	100	197 PEAK	4 15900.00	44.48	54.00	-9.52	50.18	40.80	17.92	64.42	0.00	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	cm	deg																																																																																																																											
1 10600.00	55.92	74.00	-18.08	69.11	37.90	14.08	65.17	0.00	284	195 PEAK																																																																																																																											
2 10600.00	45.65	54.00	-8.35	58.84	37.90	14.08	65.17	0.00	284	195 AVERAGE																																																																																																																											
3 15900.00	54.88	74.00	-19.12	60.58	40.80	17.92	64.42	0.00	101	315 PEAK																																																																																																																											
4 15900.00	44.06	54.00	-9.94	49.76	40.80	17.92	64.42	0.00	101	315 AVERAGE																																																																																																																											
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	cm	deg																																																																																																																											
1 10600.00	58.30	74.00	-15.70	71.49	37.90	14.08	65.17	0.00	100	290 PEAK																																																																																																																											
2 10600.00	48.81	54.00	-5.19	62.00	37.90	14.08	65.17	0.00	100	290 AVERAGE																																																																																																																											
3 15900.00	55.19	74.00	-18.81	60.89	40.80	17.92	64.42	0.00	100	197 PEAK																																																																																																																											
4 15900.00	44.48	54.00	-9.52	50.18	40.80	17.92	64.42	0.00	100	197 AVERAGE																																																																																																																											







Mode	6																																																																																									
	Band Edge																																																																																									
	U-NII-2A_5.25-5.35_802.11a_CH64_5320MHz																																																																																									
ANT	SISO																																																																																									
Pol.	Horizontal	Fundamental																																																																																								
Peak	 <p>Level (dBuV/m)</p> <p>Frequency (MHz)</p> <p>U-NII-1-U-NII-2A-U-NII-2C</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5358.30</td> <td>60.76</td> <td>74.00</td> <td>-13.24</td> <td>47.99</td> <td>34.60</td> <td>10.09</td> <td>31.92</td> <td>0.00</td> <td>101</td> <td>119</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5358.30	60.76	74.00	-13.24	47.99	34.60	10.09	31.92	0.00	101	119	PEAK	 <p>Level (dBuV/m)</p> <p>Frequency (MHz)</p> <p>U-NII-1-U-NII-2A-U-NII-2C</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5320.00</td> <td>108.10</td> <td>-----</td> <td>-----</td> <td>95.54</td> <td>34.48</td> <td>10.05</td> <td>31.97</td> <td>0.00</td> <td>101</td> <td>119</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5320.00	108.10	-----	-----	95.54	34.48	10.05	31.97	0.00	101	119	PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																
1	5358.30	60.76	74.00	-13.24	47.99	34.60	10.09	31.92	0.00	101	119	PEAK																																																																														
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																
1	5320.00	108.10	-----	-----	95.54	34.48	10.05	31.97	0.00	101	119	PEAK																																																																														
Avg	 <p>Level (dBuV/m)</p> <p>Frequency (MHz)</p> <p>U-NII-1-U-NII-2A-U-NII-2C(AVG)</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5350.00</td> <td>48.41</td> <td>54.00</td> <td>-5.59</td> <td>35.66</td> <td>34.60</td> <td>10.00</td> <td>31.93</td> <td>0.00</td> <td>101</td> <td>119</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5350.00	48.41	54.00	-5.59	35.66	34.60	10.00	31.93	0.00	101	119	AVERAGE	 <p>Level (dBuV/m)</p> <p>Frequency (MHz)</p> <p>U-NII-1-U-NII-2A-U-NII-2C(AVG)</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5320.00</td> <td>100.20</td> <td>-----</td> <td>-----</td> <td>87.64</td> <td>34.48</td> <td>10.05</td> <td>31.97</td> <td>0.00</td> <td>101</td> <td>119</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5320.00	100.20	-----	-----	87.64	34.48	10.05	31.97	0.00	101	119	AVERAGE
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																
1	5350.00	48.41	54.00	-5.59	35.66	34.60	10.00	31.93	0.00	101	119	AVERAGE																																																																														
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																
1	5320.00	100.20	-----	-----	87.64	34.48	10.05	31.97	0.00	101	119	AVERAGE																																																																														



Mode	6																																																																			
	Band Edge																																																																			
	U-NII-2A_5.25-5.35_802.11a_CH64_5320MHz																																																																			
ANT	SISO																																																																			
Pol.	Vertical	Fundamental																																																																		
Peak	 <table border="1" data-bbox="263 1153 774 1288"> <thead> <tr> <th>Limit Freq</th> <th>Limit Level</th> <th>Over Line</th> <th>Read Level</th> <th>Ant Factor</th> <th>Cable Loss</th> <th>Preamp Factor</th> <th>Aux Factor</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 5351.20</td> <td>55.70</td> <td>74.00</td> <td>-18.30</td> <td>42.95</td> <td>34.60</td> <td>10.00</td> <td>31.93</td> <td>0.00</td> <td>100</td> <td>115 PEAK</td> </tr> </tbody> </table>	Limit Freq	Limit Level	Over Line	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark	MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 5351.20	55.70	74.00	-18.30	42.95	34.60	10.00	31.93	0.00	100	115 PEAK	 <table border="1" data-bbox="901 1153 1412 1288"> <thead> <tr> <th>Limit Freq</th> <th>Limit Level</th> <th>Over Line</th> <th>Read Level</th> <th>Ant Factor</th> <th>Cable Loss</th> <th>Preamp Factor</th> <th>Aux Factor</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 5320.00</td> <td>101.86</td> <td>-----</td> <td>89.33</td> <td>34.46</td> <td>10.04</td> <td>31.97</td> <td>0.00</td> <td>100</td> <td>115</td> <td>PEAK</td> </tr> </tbody> </table>	Limit Freq	Limit Level	Over Line	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark	MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 5320.00	101.86	-----	89.33	34.46	10.04	31.97	0.00	100	115	PEAK
	Limit Freq	Limit Level	Over Line	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark																																																									
MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																											
1 5351.20	55.70	74.00	-18.30	42.95	34.60	10.00	31.93	0.00	100	115 PEAK																																																										
Limit Freq	Limit Level	Over Line	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark																																																										
MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																											
1 5320.00	101.86	-----	89.33	34.46	10.04	31.97	0.00	100	115	PEAK																																																										
Avg	 <table border="1" data-bbox="263 1836 774 1971"> <thead> <tr> <th>Limit Freq</th> <th>Limit Level</th> <th>Over Line</th> <th>Read Level</th> <th>Ant Factor</th> <th>Cable Loss</th> <th>Preamp Factor</th> <th>Aux Factor</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 5350.30</td> <td>45.01</td> <td>54.00</td> <td>-8.99</td> <td>32.26</td> <td>34.60</td> <td>10.00</td> <td>31.93</td> <td>0.00</td> <td>100</td> <td>115 AVERAGE</td> </tr> </tbody> </table>	Limit Freq	Limit Level	Over Line	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark	MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 5350.30	45.01	54.00	-8.99	32.26	34.60	10.00	31.93	0.00	100	115 AVERAGE	 <table border="1" data-bbox="901 1836 1412 1971"> <thead> <tr> <th>Limit Freq</th> <th>Limit Level</th> <th>Over Line</th> <th>Read Level</th> <th>Ant Factor</th> <th>Cable Loss</th> <th>Preamp Factor</th> <th>Aux Factor</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 5320.00</td> <td>94.05</td> <td>-----</td> <td>81.49</td> <td>34.48</td> <td>10.05</td> <td>31.97</td> <td>0.00</td> <td>100</td> <td>115</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit Freq	Limit Level	Over Line	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark	MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 5320.00	94.05	-----	81.49	34.48	10.05	31.97	0.00	100	115	AVERAGE
Limit Freq	Limit Level	Over Line	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark																																																										
MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																											
1 5350.30	45.01	54.00	-8.99	32.26	34.60	10.00	31.93	0.00	100	115 AVERAGE																																																										
Limit Freq	Limit Level	Over Line	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark																																																										
MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																											
1 5320.00	94.05	-----	81.49	34.48	10.05	31.97	0.00	100	115	AVERAGE																																																										



Mode	7																																																																														
	Band Edge																																																																														
	U-NII-2C_5.47-5.725_802.11a_CH100_5500MHz																																																																														
ANT	SISO																																																																														
Pol.	Horizontal	Fundamental																																																																													
Peak	 <table border="1" data-bbox="263 1131 782 1276"> <thead> <tr> <th>Limit Freq</th> <th>Over Level</th> <th>Read Level</th> <th>Line Limit</th> <th>Ant Level</th> <th>Cable Factor</th> <th>Preamp Loss</th> <th>Aux Factor</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 5451.76</td> <td>59.68</td> <td>74.00</td> <td>-14.32</td> <td>46.63</td> <td>34.80</td> <td>10.18</td> <td>31.93</td> <td>0.00</td> <td>104</td> <td>116 PEAK</td> </tr> <tr> <td>2 5466.80</td> <td>64.62</td> <td>68.20</td> <td>-3.58</td> <td>51.61</td> <td>34.77</td> <td>10.19</td> <td>31.95</td> <td>0.00</td> <td>104</td> <td>116 PEAK</td> </tr> </tbody> </table>	Limit Freq	Over Level	Read Level	Line Limit	Ant Level	Cable Factor	Preamp Loss	Aux Factor	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1 5451.76	59.68	74.00	-14.32	46.63	34.80	10.18	31.93	0.00	104	116 PEAK	2 5466.80	64.62	68.20	-3.58	51.61	34.77	10.19	31.95	0.00	104	116 PEAK	 <table border="1" data-bbox="901 1131 1420 1276"> <thead> <tr> <th>Limit Freq</th> <th>Over Level</th> <th>Read Level</th> <th>Line Limit</th> <th>Ant Level</th> <th>Cable Factor</th> <th>Preamp Loss</th> <th>Aux Factor</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 5500.00</td> <td>109.31</td> <td>-----</td> <td>-----</td> <td>96.38</td> <td>34.70</td> <td>10.22</td> <td>31.99</td> <td>0.00</td> <td>104</td> <td>116 PEAK</td> </tr> </tbody> </table>	Limit Freq	Over Level	Read Level	Line Limit	Ant Level	Cable Factor	Preamp Loss	Aux Factor	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1 5500.00	109.31	-----	-----	96.38	34.70	10.22	31.99	0.00	104	116 PEAK
	Limit Freq	Over Level	Read Level	Line Limit	Ant Level	Cable Factor	Preamp Loss	Aux Factor	APos	TPos	Remark																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																						
1 5451.76	59.68	74.00	-14.32	46.63	34.80	10.18	31.93	0.00	104	116 PEAK																																																																					
2 5466.80	64.62	68.20	-3.58	51.61	34.77	10.19	31.95	0.00	104	116 PEAK																																																																					
Limit Freq	Over Level	Read Level	Line Limit	Ant Level	Cable Factor	Preamp Loss	Aux Factor	APos	TPos	Remark																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																						
1 5500.00	109.31	-----	-----	96.38	34.70	10.22	31.99	0.00	104	116 PEAK																																																																					
Avg	 <table border="1" data-bbox="263 1814 782 1960"> <thead> <tr> <th>Limit Freq</th> <th>Over Level</th> <th>Read Level</th> <th>Line Limit</th> <th>Ant Level</th> <th>Cable Factor</th> <th>Preamp Loss</th> <th>Aux Factor</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 5459.76</td> <td>47.83</td> <td>54.00</td> <td>-6.17</td> <td>34.81</td> <td>34.78</td> <td>10.18</td> <td>31.94</td> <td>0.00</td> <td>104</td> <td>116 AVERAGE</td> </tr> </tbody> </table>	Limit Freq	Over Level	Read Level	Line Limit	Ant Level	Cable Factor	Preamp Loss	Aux Factor	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1 5459.76	47.83	54.00	-6.17	34.81	34.78	10.18	31.94	0.00	104	116 AVERAGE	 <table border="1" data-bbox="901 1814 1420 1960"> <thead> <tr> <th>Limit Freq</th> <th>Over Level</th> <th>Read Level</th> <th>Line Limit</th> <th>Ant Level</th> <th>Cable Factor</th> <th>Preamp Loss</th> <th>Aux Factor</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 5500.00</td> <td>101.10</td> <td>-----</td> <td>-----</td> <td>88.17</td> <td>34.70</td> <td>10.22</td> <td>31.99</td> <td>0.00</td> <td>104</td> <td>116 AVERAGE</td> </tr> </tbody> </table>	Limit Freq	Over Level	Read Level	Line Limit	Ant Level	Cable Factor	Preamp Loss	Aux Factor	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1 5500.00	101.10	-----	-----	88.17	34.70	10.22	31.99	0.00	104	116 AVERAGE											
Limit Freq	Over Level	Read Level	Line Limit	Ant Level	Cable Factor	Preamp Loss	Aux Factor	APos	TPos	Remark																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																						
1 5459.76	47.83	54.00	-6.17	34.81	34.78	10.18	31.94	0.00	104	116 AVERAGE																																																																					
Limit Freq	Over Level	Read Level	Line Limit	Ant Level	Cable Factor	Preamp Loss	Aux Factor	APos	TPos	Remark																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																						
1 5500.00	101.10	-----	-----	88.17	34.70	10.22	31.99	0.00	104	116 AVERAGE																																																																					



Mode	7																																																																																																
	Band Edge																																																																																																
	U-NII-2C_5.47-5.725_802.11a_CH100_5500MHz																																																																																																
ANT	SISO																																																																																																
Pol.	Vertical	Fundamental																																																																																															
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5455.60</td> <td>56.58</td> <td>74.00</td> <td>-17.42</td> <td>43.55</td> <td>34.79</td> <td>10.18</td> <td>31.94</td> <td>0.00</td> <td>100</td> <td>112 PEAK</td> </tr> <tr> <td>2</td> <td>5469.84</td> <td>64.76</td> <td>-3.44</td> <td>51.76</td> <td>34.76</td> <td>10.19</td> <td>31.95</td> <td>0.00</td> <td>100</td> <td>112 PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5455.60	56.58	74.00	-17.42	43.55	34.79	10.18	31.94	0.00	100	112 PEAK	2	5469.84	64.76	-3.44	51.76	34.76	10.19	31.95	0.00	100	112 PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5500.00</td> <td>104.28</td> <td>-----</td> <td>-----</td> <td>91.35</td> <td>34.70</td> <td>10.22</td> <td>31.99</td> <td>0.00</td> <td>100</td> <td>112 PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	104.28	-----	-----	91.35	34.70	10.22	31.99	0.00	100	112 PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5455.60	56.58	74.00	-17.42	43.55	34.79	10.18	31.94	0.00	100	112 PEAK																																																																																						
2	5469.84	64.76	-3.44	51.76	34.76	10.19	31.95	0.00	100	112 PEAK																																																																																							
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5500.00	104.28	-----	-----	91.35	34.70	10.22	31.99	0.00	100	112 PEAK																																																																																						
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5459.28</td> <td>45.73</td> <td>54.00</td> <td>-8.27</td> <td>32.71</td> <td>34.78</td> <td>10.18</td> <td>31.94</td> <td>0.00</td> <td>100</td> <td>112 AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5459.28	45.73	54.00	-8.27	32.71	34.78	10.18	31.94	0.00	100	112 AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5500.00</td> <td>95.86</td> <td>-----</td> <td>-----</td> <td>82.93</td> <td>34.70</td> <td>10.22</td> <td>31.99</td> <td>0.00</td> <td>100</td> <td>112 AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	95.86	-----	-----	82.93	34.70	10.22	31.99	0.00	100	112 AVERAGE											
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5459.28	45.73	54.00	-8.27	32.71	34.78	10.18	31.94	0.00	100	112 AVERAGE																																																																																						
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5500.00	95.86	-----	-----	82.93	34.70	10.22	31.99	0.00	100	112 AVERAGE																																																																																						



Mode	7																																																																																																											
	Harmonic																																																																																																											
	U-NII-2C_5.47-5.725_802.11a_CH100_5500MHz																																																																																																											
ANT	SISO																																																																																																											
Pol.	Horizontal	Vertical																																																																																																										
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11000.00</td> <td>57.30</td> <td>74.00</td> <td>-16.70</td> <td>69.86</td> <td>37.90</td> <td>14.24</td> <td>64.70</td> <td>0.00</td> <td>100</td> <td>103</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>11000.00</td> <td>48.30</td> <td>54.00</td> <td>-5.70</td> <td>60.86</td> <td>37.90</td> <td>14.24</td> <td>64.70</td> <td>0.00</td> <td>100</td> <td>103</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1	11000.00	57.30	74.00	-16.70	69.86	37.90	14.24	64.70	0.00	100	103	PEAK	2	11000.00	48.30	54.00	-5.70	60.86	37.90	14.24	64.70	0.00	100	103	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11000.00</td> <td>61.73</td> <td>74.00</td> <td>-12.27</td> <td>74.29</td> <td>37.90</td> <td>14.24</td> <td>64.70</td> <td>0.00</td> <td>110</td> <td>306</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>11000.00</td> <td>50.44</td> <td>54.00</td> <td>-3.56</td> <td>63.00</td> <td>37.90</td> <td>14.24</td> <td>64.70</td> <td>0.00</td> <td>110</td> <td>306</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1	11000.00	61.73	74.00	-12.27	74.29	37.90	14.24	64.70	0.00	110	306	PEAK	2	11000.00	50.44	54.00	-3.56	63.00	37.90	14.24	64.70	0.00	110	306	AVERAGE
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																																																				
1	11000.00	57.30	74.00	-16.70	69.86	37.90	14.24	64.70	0.00	100	103	PEAK																																																																																																
2	11000.00	48.30	54.00	-5.70	60.86	37.90	14.24	64.70	0.00	100	103	AVERAGE																																																																																																
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																																																				
1	11000.00	61.73	74.00	-12.27	74.29	37.90	14.24	64.70	0.00	110	306	PEAK																																																																																																
2	11000.00	50.44	54.00	-3.56	63.00	37.90	14.24	64.70	0.00	110	306	AVERAGE																																																																																																






Mode	8																																																																																																																	
	Harmonic																																																																																																																	
	U-NII-2C_5.47-5.725_802.11a_CH116_5580MHz																																																																																																																	
ANT	SISO																																																																																																																	
Pol.	Horizontal	Vertical																																																																																																																
Peak																																																																																																																		
Avg																																																																																																																		
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11160.00</td> <td>53.79</td> <td>74.00</td> <td>-20.21</td> <td>65.98</td> <td>37.96</td> <td>14.36</td> <td>64.51</td> <td>0.00</td> <td>100</td> <td>103</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>11160.00</td> <td>45.26</td> <td>54.00</td> <td>-8.74</td> <td>57.45</td> <td>37.96</td> <td>14.36</td> <td>64.51</td> <td>0.00</td> <td>100</td> <td>103</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	1	11160.00	53.79	74.00	-20.21	65.98	37.96	14.36	64.51	0.00	100	103	PEAK	2	11160.00	45.26	54.00	-8.74	57.45	37.96	14.36	64.51	0.00	100	103	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11160.00</td> <td>58.37</td> <td>74.00</td> <td>-15.63</td> <td>70.56</td> <td>37.96</td> <td>14.36</td> <td>64.51</td> <td>0.00</td> <td>100</td> <td>350</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>11160.00</td> <td>49.05</td> <td>54.00</td> <td>-4.95</td> <td>61.24</td> <td>37.96</td> <td>14.36</td> <td>64.51</td> <td>0.00</td> <td>100</td> <td>350</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	1	11160.00	58.37	74.00	-15.63	70.56	37.96	14.36	64.51	0.00	100	350	PEAK	2	11160.00	49.05	54.00	-4.95	61.24	37.96	14.36	64.51	0.00	100	350	AVERAGE
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm																																																																																																									
1	11160.00	53.79	74.00	-20.21	65.98	37.96	14.36	64.51	0.00	100	103	PEAK																																																																																																						
2	11160.00	45.26	54.00	-8.74	57.45	37.96	14.36	64.51	0.00	100	103	AVERAGE																																																																																																						
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm																																																																																																									
1	11160.00	58.37	74.00	-15.63	70.56	37.96	14.36	64.51	0.00	100	350	PEAK																																																																																																						
2	11160.00	49.05	54.00	-4.95	61.24	37.96	14.36	64.51	0.00	100	350	AVERAGE																																																																																																						



Mode	9																																																																																	
	Band Edge																																																																																	
	U-NII-2C_5.47-5.725_802.11a_CH140_5700MHz																																																																																	
ANT	SISO																																																																																	
Pol.	Horizontal	Fundamental																																																																																
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5726.12</td> <td>64.77</td> <td>68.20</td> <td>-3.43</td> <td>51.80</td> <td>34.50</td> <td>10.43</td> <td>31.96</td> <td>0.00</td> <td>106</td> <td>115</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	5726.12	64.77	68.20	-3.43	51.80	34.50	10.43	31.96	0.00	106	115	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5700.00</td> <td>104.49</td> <td>-----</td> <td>-----</td> <td>91.61</td> <td>34.50</td> <td>10.40</td> <td>32.02</td> <td>0.00</td> <td>106</td> <td>115</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	5700.00	104.49	-----	-----	91.61	34.50	10.40	32.02	0.00	106	115	PEAK
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																										
1	5726.12	64.77	68.20	-3.43	51.80	34.50	10.43	31.96	0.00	106	115	PEAK																																																																						
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																										
1	5700.00	104.49	-----	-----	91.61	34.50	10.40	32.02	0.00	106	115	PEAK																																																																						
Avg	Blank	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5700.00</td> <td>96.80</td> <td>-----</td> <td>-----</td> <td>83.92</td> <td>34.50</td> <td>10.40</td> <td>32.02</td> <td>0.00</td> <td>106</td> <td>115</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	5700.00	96.80	-----	-----	83.92	34.50	10.40	32.02	0.00	106	115	AVERAGE																																								
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																										
1	5700.00	96.80	-----	-----	83.92	34.50	10.40	32.02	0.00	106	115	AVERAGE																																																																						



Mode	9																																																																																							
	Band Edge																																																																																							
	U-NII-2C_5.47-5.725_802.11a_CH140_5700MHz																																																																																							
ANT	SISO																																																																																							
Pol.	Vertical	Fundamental																																																																																						
Peak	 <table border="1" data-bbox="263 1153 774 1288"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5727.48</td> <td>57.93</td> <td>68.20</td> <td>-10.27</td> <td>44.95</td> <td>34.50</td> <td>10.43</td> <td>31.95</td> <td>0.00</td> <td>100</td> <td>60 PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5727.48	57.93	68.20	-10.27	44.95	34.50	10.43	31.95	0.00	100	60 PEAK	 <table border="1" data-bbox="901 1153 1412 1288"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5700.00</td> <td>103.15</td> <td>-----</td> <td>-----</td> <td>90.26</td> <td>34.50</td> <td>10.41</td> <td>32.02</td> <td>0.00</td> <td>100</td> <td>60 PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5700.00	103.15	-----	-----	90.26	34.50	10.41	32.02	0.00	100	60 PEAK
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																														
1	5727.48	57.93	68.20	-10.27	44.95	34.50	10.43	31.95	0.00	100	60 PEAK																																																																													
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																														
1	5700.00	103.15	-----	-----	90.26	34.50	10.41	32.02	0.00	100	60 PEAK																																																																													
Avg	Blank	 <table border="1" data-bbox="901 1836 1412 1971"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5700.00</td> <td>94.59</td> <td>-----</td> <td>-----</td> <td>81.71</td> <td>34.50</td> <td>10.40</td> <td>32.02</td> <td>0.00</td> <td>100</td> <td>60 AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5700.00	94.59	-----	-----	81.71	34.50	10.40	32.02	0.00	100	60 AVERAGE																																											
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																														
1	5700.00	94.59	-----	-----	81.71	34.50	10.40	32.02	0.00	100	60 AVERAGE																																																																													



Mode	9																																																																																																			
	Harmonic																																																																																																			
	U-NII-2C_5.47-5.725_802.11a_CH140_5700MHz																																																																																																			
ANT	SISO																																																																																																			
Pol.	Horizontal	Vertical																																																																																																		
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 11400.00</td> <td>46.53</td> <td>74.00</td> <td>-27.47</td> <td>58.13</td> <td>38.10</td> <td>14.53</td> <td>64.23</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 11400.00	46.53	74.00	-27.47	58.13	38.10	14.53	64.23	0.00	---	---	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 11400.00</td> <td>49.81</td> <td>74.00</td> <td>-24.19</td> <td>61.41</td> <td>38.10</td> <td>14.53</td> <td>64.23</td> <td>0.00</td> <td>100</td> <td>0</td> <td>PEAK</td> </tr> <tr> <td>2 11400.00</td> <td>39.90</td> <td>54.00</td> <td>-14.10</td> <td>51.50</td> <td>38.10</td> <td>14.53</td> <td>64.23</td> <td>0.00</td> <td>100</td> <td>0</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 11400.00	49.81	74.00	-24.19	61.41	38.10	14.53	64.23	0.00	100	0	PEAK	2 11400.00	39.90	54.00	-14.10	51.50	38.10	14.53	64.23	0.00	100	0	AVERAGE
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																										
1 11400.00	46.53	74.00	-27.47	58.13	38.10	14.53	64.23	0.00	---	---	PEAK																																																																																									
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																										
1 11400.00	49.81	74.00	-24.19	61.41	38.10	14.53	64.23	0.00	100	0	PEAK																																																																																									
2 11400.00	39.90	54.00	-14.10	51.50	38.10	14.53	64.23	0.00	100	0	AVERAGE																																																																																									



Mode	10																																																																																									
	Band Edge																																																																																									
	U-NII-1_5.15-5.25_802.11ac VHT20_CH36_5180MHz																																																																																									
ANT	SISO																																																																																									
Pol.	Horizontal	Fundamental																																																																																								
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5146.10</td> <td>61.01</td> <td>74.00</td> <td>-12.99</td> <td>48.89</td> <td>34.21</td> <td>9.88</td> <td>31.97</td> <td>0.00</td> <td>100</td> <td>118</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5146.10	61.01	74.00	-12.99	48.89	34.21	9.88	31.97	0.00	100	118	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5180.00</td> <td>105.55</td> <td>-----</td> <td>-----</td> <td>93.36</td> <td>34.26</td> <td>9.91</td> <td>31.98</td> <td>0.00</td> <td>100</td> <td>118</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5180.00	105.55	-----	-----	93.36	34.26	9.91	31.98	0.00	100	118	PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																
1	5146.10	61.01	74.00	-12.99	48.89	34.21	9.88	31.97	0.00	100	118	PEAK																																																																														
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																
1	5180.00	105.55	-----	-----	93.36	34.26	9.91	31.98	0.00	100	118	PEAK																																																																														
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5149.30</td> <td>48.52</td> <td>54.00</td> <td>-5.48</td> <td>36.41</td> <td>34.20</td> <td>9.88</td> <td>31.97</td> <td>0.00</td> <td>100</td> <td>118</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5149.30	48.52	54.00	-5.48	36.41	34.20	9.88	31.97	0.00	100	118	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5180.00</td> <td>97.29</td> <td>-----</td> <td>-----</td> <td>85.10</td> <td>34.26</td> <td>9.91</td> <td>31.98</td> <td>0.00</td> <td>100</td> <td>118</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5180.00	97.29	-----	-----	85.10	34.26	9.91	31.98	0.00	100	118	AVERAGE
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																
1	5149.30	48.52	54.00	-5.48	36.41	34.20	9.88	31.97	0.00	100	118	AVERAGE																																																																														
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																
1	5180.00	97.29	-----	-----	85.10	34.26	9.91	31.98	0.00	100	118	AVERAGE																																																																														



Mode	10																																																																																							
	Band Edge																																																																																							
	U-NII-1_5.15-5.25_802.11ac VHT20_CH36_5180MHz																																																																																							
ANT	SISO																																																																																							
Pol.	Vertical	Fundamental																																																																																						
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5150.00</td> <td>60.34</td> <td>74.00</td> <td>-13.66</td> <td>48.23</td> <td>34.20</td> <td>9.88</td> <td>31.97</td> <td>0.00</td> <td>104</td> <td>84 PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5150.00	60.34	74.00	-13.66	48.23	34.20	9.88	31.97	0.00	104	84 PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5180.00</td> <td>100.74</td> <td>-----</td> <td>-----</td> <td>88.55</td> <td>34.26</td> <td>9.91</td> <td>31.98</td> <td>0.00</td> <td>104</td> <td>84 PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5180.00	100.74	-----	-----	88.55	34.26	9.91	31.98	0.00	104	84 PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																														
1	5150.00	60.34	74.00	-13.66	48.23	34.20	9.88	31.97	0.00	104	84 PEAK																																																																													
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																														
1	5180.00	100.74	-----	-----	88.55	34.26	9.91	31.98	0.00	104	84 PEAK																																																																													
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5149.30</td> <td>46.39</td> <td>54.00</td> <td>-7.61</td> <td>34.28</td> <td>34.20</td> <td>9.88</td> <td>31.97</td> <td>0.00</td> <td>104</td> <td>84 AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5149.30	46.39	54.00	-7.61	34.28	34.20	9.88	31.97	0.00	104	84 AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5180.00</td> <td>93.11</td> <td>-----</td> <td>-----</td> <td>80.93</td> <td>34.25</td> <td>9.91</td> <td>31.98</td> <td>0.00</td> <td>104</td> <td>84 AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5180.00	93.11	-----	-----	80.93	34.25	9.91	31.98	0.00	104	84 AVERAGE
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																														
1	5149.30	46.39	54.00	-7.61	34.28	34.20	9.88	31.97	0.00	104	84 AVERAGE																																																																													
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																														
1	5180.00	93.11	-----	-----	80.93	34.25	9.91	31.98	0.00	104	84 AVERAGE																																																																													



Mode	10																																																																																	
	Harmonic																																																																																	
	U-NII-1_5.15-5.25_802.11ac VHT20_CH36_5180MHz																																																																																	
ANT	SISO																																																																																	
Pol.	Horizontal	Vertical																																																																																
Peak																																																																																		
Avg																																																																																		
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 10360.00</td> <td>45.29</td> <td>68.20</td> <td>-22.91</td> <td>59.29</td> <td>37.46</td> <td>13.99</td> <td>65.45</td> <td>0.00</td> <td>---</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 10360.00	45.29	68.20	-22.91	59.29	37.46	13.99	65.45	0.00	---	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 10360.00</td> <td>45.28</td> <td>68.20</td> <td>-22.92</td> <td>59.26</td> <td>37.47</td> <td>13.99</td> <td>65.44</td> <td>0.00</td> <td>---</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 10360.00	45.28	68.20	-22.92	59.26	37.47	13.99	65.44	0.00	---
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1 10360.00	45.29	68.20	-22.91	59.29	37.46	13.99	65.45	0.00	---																																																																									
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1 10360.00	45.28	68.20	-22.92	59.26	37.47	13.99	65.44	0.00	---																																																																									



Mode	11																																																																																																																																										
	Harmonic																																																																																																																																										
	U-NII-1_5.15-5.25_802.11ac VHT20_CH44_5220MHz																																																																																																																																										
ANT	SISO																																																																																																																																										
Pol.	Horizontal	Vertical																																																																																																																																									
Peak Avg																																																																																																																																											
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10440.00</td> <td>46.20</td> <td>68.20</td> <td>-22.00</td> <td>59.95</td> <td>37.58</td> <td>14.02</td> <td>65.35</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>15660.00</td> <td>53.30</td> <td>74.00</td> <td>-20.70</td> <td>59.66</td> <td>40.26</td> <td>17.72</td> <td>64.34</td> <td>0.00</td> <td>100</td> <td>314</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>15660.00</td> <td>43.03</td> <td>54.00</td> <td>-10.97</td> <td>49.39</td> <td>40.26</td> <td>17.72</td> <td>64.34</td> <td>0.00</td> <td>100</td> <td>314</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	1	10440.00	46.20	68.20	-22.00	59.95	37.58	14.02	65.35	0.00	---	---	PEAK	2	15660.00	53.30	74.00	-20.70	59.66	40.26	17.72	64.34	0.00	100	314	PEAK	3	15660.00	43.03	54.00	-10.97	49.39	40.26	17.72	64.34	0.00	100	314	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10446.30</td> <td>50.06</td> <td>68.20</td> <td>-18.14</td> <td>63.00</td> <td>37.59</td> <td>14.02</td> <td>65.35</td> <td>0.00</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>15660.00</td> <td>48.03</td> <td>74.00</td> <td>-25.97</td> <td>54.39</td> <td>40.26</td> <td>17.72</td> <td>64.34</td> <td>0.00</td> <td>100</td> <td>360</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>15660.00</td> <td>38.70</td> <td>54.00</td> <td>-15.30</td> <td>45.06</td> <td>40.26</td> <td>17.72</td> <td>64.34</td> <td>0.00</td> <td>100</td> <td>360</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	1	10446.30	50.06	68.20	-18.14	63.00	37.59	14.02	65.35	0.00	---	---	Peak	2	15660.00	48.03	74.00	-25.97	54.39	40.26	17.72	64.34	0.00	100	360	PEAK	3	15660.00	38.70	54.00	-15.30	45.06	40.26	17.72	64.34	0.00	100	360
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																		
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm																																																																																																																																		
1	10440.00	46.20	68.20	-22.00	59.95	37.58	14.02	65.35	0.00	---	---	PEAK																																																																																																																															
2	15660.00	53.30	74.00	-20.70	59.66	40.26	17.72	64.34	0.00	100	314	PEAK																																																																																																																															
3	15660.00	43.03	54.00	-10.97	49.39	40.26	17.72	64.34	0.00	100	314	AVERAGE																																																																																																																															
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																		
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm																																																																																																																																		
1	10446.30	50.06	68.20	-18.14	63.00	37.59	14.02	65.35	0.00	---	---	Peak																																																																																																																															
2	15660.00	48.03	74.00	-25.97	54.39	40.26	17.72	64.34	0.00	100	360	PEAK																																																																																																																															
3	15660.00	38.70	54.00	-15.30	45.06	40.26	17.72	64.34	0.00	100	360	AVERAGE																																																																																																																															



Mode	12																																																																																																																																													
	Harmonic																																																																																																																																													
	U-NII-1_5.15-5.25_802.11ac VHT20_CH48_5240MHz																																																																																																																																													
ANT	SISO																																																																																																																																													
Pol.	Horizontal	Vertical																																																																																																																																												
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10480.00</td> <td>46.84</td> <td>68.20</td> <td>-21.36</td> <td>60.45</td> <td>37.66</td> <td>14.04</td> <td>65.31</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>15720.00</td> <td>53.53</td> <td>74.00</td> <td>-20.47</td> <td>59.76</td> <td>40.36</td> <td>17.77</td> <td>64.36</td> <td>0.00</td> <td>100</td> <td>317</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>15720.00</td> <td>42.78</td> <td>54.00</td> <td>-11.22</td> <td>49.00</td> <td>40.37</td> <td>17.77</td> <td>64.36</td> <td>0.00</td> <td>100</td> <td>317</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	10480.00	46.84	68.20	-21.36	60.45	37.66	14.04	65.31	0.00	---	---	PEAK	2	15720.00	53.53	74.00	-20.47	59.76	40.36	17.77	64.36	0.00	100	317	PEAK	3	15720.00	42.78	54.00	-11.22	49.00	40.37	17.77	64.36	0.00	100	317	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10480.00</td> <td>49.48</td> <td>68.20</td> <td>-18.72</td> <td>63.09</td> <td>37.66</td> <td>14.04</td> <td>65.31</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>15720.00</td> <td>51.01</td> <td>74.00</td> <td>-22.99</td> <td>57.24</td> <td>40.36</td> <td>17.77</td> <td>64.36</td> <td>0.00</td> <td>100</td> <td>298</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>15720.00</td> <td>40.25</td> <td>54.00</td> <td>-13.75</td> <td>46.48</td> <td>40.36</td> <td>17.77</td> <td>64.36</td> <td>0.00</td> <td>100</td> <td>298</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	10480.00	49.48	68.20	-18.72	63.09	37.66	14.04	65.31	0.00	---	---	PEAK	2	15720.00	51.01	74.00	-22.99	57.24	40.36	17.77	64.36	0.00	100	298	PEAK	3	15720.00	40.25	54.00	-13.75	46.48	40.36	17.77	64.36	0.00	100	298	AVERAGE
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																				
1	10480.00	46.84	68.20	-21.36	60.45	37.66	14.04	65.31	0.00	---	---	PEAK																																																																																																																																		
2	15720.00	53.53	74.00	-20.47	59.76	40.36	17.77	64.36	0.00	100	317	PEAK																																																																																																																																		
3	15720.00	42.78	54.00	-11.22	49.00	40.37	17.77	64.36	0.00	100	317	AVERAGE																																																																																																																																		
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																				
1	10480.00	49.48	68.20	-18.72	63.09	37.66	14.04	65.31	0.00	---	---	PEAK																																																																																																																																		
2	15720.00	51.01	74.00	-22.99	57.24	40.36	17.77	64.36	0.00	100	298	PEAK																																																																																																																																		
3	15720.00	40.25	54.00	-13.75	46.48	40.36	17.77	64.36	0.00	100	298	AVERAGE																																																																																																																																		







Mode	13																																																																																																																																											
	Harmonic																																																																																																																																											
	U-NII-2A_5.25-5.35_802.11ac VHT20_CH52_5260MHz																																																																																																																																											
ANT	SISO																																																																																																																																											
Pol.	Horizontal	Vertical																																																																																																																																										
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10521.10</td> <td>48.77</td> <td>68.20</td> <td>-19.43</td> <td>62.24</td> <td>37.74</td> <td>14.05</td> <td>65.26</td> <td>0.00</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>15780.00</td> <td>48.62</td> <td>74.00</td> <td>-25.38</td> <td>54.64</td> <td>40.54</td> <td>17.82</td> <td>64.38</td> <td>0.00</td> <td>300</td> <td>360</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>15780.00</td> <td>38.94</td> <td>54.00</td> <td>-15.06</td> <td>44.97</td> <td>40.53</td> <td>17.82</td> <td>64.38</td> <td>0.00</td> <td>300</td> <td>360</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	1	10521.10	48.77	68.20	-19.43	62.24	37.74	14.05	65.26	0.00	---	---	Peak	2	15780.00	48.62	74.00	-25.38	54.64	40.54	17.82	64.38	0.00	300	360	PEAK	3	15780.00	38.94	54.00	-15.06	44.97	40.53	17.82	64.38	0.00	300	360	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10516.70</td> <td>52.73</td> <td>68.20</td> <td>-15.47</td> <td>66.21</td> <td>37.73</td> <td>14.05</td> <td>65.26</td> <td>0.00</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>15780.00</td> <td>54.28</td> <td>74.00</td> <td>-19.72</td> <td>60.30</td> <td>40.54</td> <td>17.82</td> <td>64.38</td> <td>0.00</td> <td>100</td> <td>200</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>15780.00</td> <td>43.64</td> <td>54.00</td> <td>-10.36</td> <td>49.66</td> <td>40.54</td> <td>17.82</td> <td>64.38</td> <td>0.00</td> <td>100</td> <td>200</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	1	10516.70	52.73	68.20	-15.47	66.21	37.73	14.05	65.26	0.00	---	---	Peak	2	15780.00	54.28	74.00	-19.72	60.30	40.54	17.82	64.38	0.00	100	200	PEAK	3	15780.00	43.64	54.00	-10.36	49.66	40.54	17.82	64.38	0.00	100	200	AVERAGE
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm																																																																																																																																			
1	10521.10	48.77	68.20	-19.43	62.24	37.74	14.05	65.26	0.00	---	---	Peak																																																																																																																																
2	15780.00	48.62	74.00	-25.38	54.64	40.54	17.82	64.38	0.00	300	360	PEAK																																																																																																																																
3	15780.00	38.94	54.00	-15.06	44.97	40.53	17.82	64.38	0.00	300	360	AVERAGE																																																																																																																																
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm																																																																																																																																			
1	10516.70	52.73	68.20	-15.47	66.21	37.73	14.05	65.26	0.00	---	---	Peak																																																																																																																																
2	15780.00	54.28	74.00	-19.72	60.30	40.54	17.82	64.38	0.00	100	200	PEAK																																																																																																																																
3	15780.00	43.64	54.00	-10.36	49.66	40.54	17.82	64.38	0.00	100	200	AVERAGE																																																																																																																																







Mode	14																																																																																																																																																															
	Harmonic																																																																																																																																																															
	U-NII-2A_5.25-5.35_802.11ac_VHT20_CH60_5300MHz																																																																																																																																																															
ANT	SISO																																																																																																																																																															
Pol.	Horizontal	Vertical																																																																																																																																																														
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10600.00</td> <td>55.37</td> <td>74.00</td> <td>-18.63</td> <td>68.56</td> <td>37.90</td> <td>14.08</td> <td>65.17</td> <td>0.00</td> <td>100</td> <td>192 PEAK</td> </tr> <tr> <td>2</td> <td>10600.00</td> <td>45.33</td> <td>54.00</td> <td>-8.67</td> <td>58.52</td> <td>37.90</td> <td>14.08</td> <td>65.17</td> <td>0.00</td> <td>100</td> <td>192 AVERAGE</td> </tr> <tr> <td>3</td> <td>15900.00</td> <td>52.94</td> <td>74.00</td> <td>-21.06</td> <td>58.64</td> <td>40.80</td> <td>17.92</td> <td>64.42</td> <td>0.00</td> <td>100</td> <td>321 PEAK</td> </tr> <tr> <td>4</td> <td>15900.00</td> <td>42.86</td> <td>54.00</td> <td>-11.14</td> <td>48.56</td> <td>40.80</td> <td>17.92</td> <td>64.42</td> <td>0.00</td> <td>100</td> <td>321 AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	10600.00	55.37	74.00	-18.63	68.56	37.90	14.08	65.17	0.00	100	192 PEAK	2	10600.00	45.33	54.00	-8.67	58.52	37.90	14.08	65.17	0.00	100	192 AVERAGE	3	15900.00	52.94	74.00	-21.06	58.64	40.80	17.92	64.42	0.00	100	321 PEAK	4	15900.00	42.86	54.00	-11.14	48.56	40.80	17.92	64.42	0.00	100	321 AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10600.00</td> <td>58.82</td> <td>74.00</td> <td>-15.18</td> <td>72.01</td> <td>37.90</td> <td>14.08</td> <td>65.17</td> <td>0.00</td> <td>100</td> <td>288 PEAK</td> </tr> <tr> <td>2</td> <td>10600.00</td> <td>49.09</td> <td>54.00</td> <td>-4.91</td> <td>62.28</td> <td>37.90</td> <td>14.08</td> <td>65.17</td> <td>0.00</td> <td>100</td> <td>288 AVERAGE</td> </tr> <tr> <td>3</td> <td>15900.00</td> <td>55.67</td> <td>74.00</td> <td>-18.33</td> <td>61.37</td> <td>40.80</td> <td>17.92</td> <td>64.42</td> <td>0.00</td> <td>100</td> <td>177 PEAK</td> </tr> <tr> <td>4</td> <td>15900.00</td> <td>44.79</td> <td>54.00</td> <td>-9.21</td> <td>50.48</td> <td>40.80</td> <td>17.92</td> <td>64.42</td> <td>0.00</td> <td>100</td> <td>177 AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	10600.00	58.82	74.00	-15.18	72.01	37.90	14.08	65.17	0.00	100	288 PEAK	2	10600.00	49.09	54.00	-4.91	62.28	37.90	14.08	65.17	0.00	100	288 AVERAGE	3	15900.00	55.67	74.00	-18.33	61.37	40.80	17.92	64.42	0.00	100	177 PEAK	4	15900.00	44.79	54.00	-9.21	50.48	40.80	17.92	64.42	0.00	100	177 AVERAGE
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																						
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																						
1	10600.00	55.37	74.00	-18.63	68.56	37.90	14.08	65.17	0.00	100	192 PEAK																																																																																																																																																					
2	10600.00	45.33	54.00	-8.67	58.52	37.90	14.08	65.17	0.00	100	192 AVERAGE																																																																																																																																																					
3	15900.00	52.94	74.00	-21.06	58.64	40.80	17.92	64.42	0.00	100	321 PEAK																																																																																																																																																					
4	15900.00	42.86	54.00	-11.14	48.56	40.80	17.92	64.42	0.00	100	321 AVERAGE																																																																																																																																																					
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																						
1	10600.00	58.82	74.00	-15.18	72.01	37.90	14.08	65.17	0.00	100	288 PEAK																																																																																																																																																					
2	10600.00	49.09	54.00	-4.91	62.28	37.90	14.08	65.17	0.00	100	288 AVERAGE																																																																																																																																																					
3	15900.00	55.67	74.00	-18.33	61.37	40.80	17.92	64.42	0.00	100	177 PEAK																																																																																																																																																					
4	15900.00	44.79	54.00	-9.21	50.48	40.80	17.92	64.42	0.00	100	177 AVERAGE																																																																																																																																																					



Mode	15																																																																																							
	Band Edge																																																																																							
	U-NII-2A_5.25-5.35_802.11ac VHT20_CH64_5320MHz																																																																																							
ANT	SISO																																																																																							
Pol.	Horizontal	Fundamental																																																																																						
Peak	 <p>Level (dBuV/m)</p> <p>Frequency (MHz)</p> <p>U-NII-1-U-NII-2A-U-NII-2C</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5352.70</td> <td>66.50</td> <td>74.00</td> <td>-7.50</td> <td>53.75</td> <td>34.60</td> <td>10.00</td> <td>31.93</td> <td>0.00</td> <td>106</td> <td>114 PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5352.70	66.50	74.00	-7.50	53.75	34.60	10.00	31.93	0.00	106	114 PEAK	 <p>Level (dBuV/m)</p> <p>Frequency (MHz)</p> <p>U-NII-1-U-NII-2A-U-NII-2C</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5320.00</td> <td>106.90</td> <td>-----</td> <td>-----</td> <td>94.42</td> <td>34.48</td> <td>10.05</td> <td>31.97</td> <td>0.00</td> <td>106</td> <td>114 PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5320.00	106.90	-----	-----	94.42	34.48	10.05	31.97	0.00	106	114 PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																														
1	5352.70	66.50	74.00	-7.50	53.75	34.60	10.00	31.93	0.00	106	114 PEAK																																																																													
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																														
1	5320.00	106.90	-----	-----	94.42	34.48	10.05	31.97	0.00	106	114 PEAK																																																																													
Avg	 <p>Level (dBuV/m)</p> <p>Frequency (MHz)</p> <p>U-NII-1-U-NII-2A-U-NII-2C(AVG)</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5350.20</td> <td>50.39</td> <td>54.00</td> <td>-3.61</td> <td>37.64</td> <td>34.60</td> <td>10.00</td> <td>31.93</td> <td>0.00</td> <td>106</td> <td>114 AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5350.20	50.39	54.00	-3.61	37.64	34.60	10.00	31.93	0.00	106	114 AVERAGE	 <p>Level (dBuV/m)</p> <p>Frequency (MHz)</p> <p>U-NII-1-U-NII-2A-U-NII-2C(AVG)</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5320.00</td> <td>98.95</td> <td>-----</td> <td>-----</td> <td>86.39</td> <td>34.48</td> <td>10.05</td> <td>31.97</td> <td>0.00</td> <td>106</td> <td>114 AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5320.00	98.95	-----	-----	86.39	34.48	10.05	31.97	0.00	106	114 AVERAGE
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																														
1	5350.20	50.39	54.00	-3.61	37.64	34.60	10.00	31.93	0.00	106	114 AVERAGE																																																																													
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																														
1	5320.00	98.95	-----	-----	86.39	34.48	10.05	31.97	0.00	106	114 AVERAGE																																																																													



Mode	15																																																													
	Band Edge																																																													
	U-NII-2A_5.25-5.35_802.11ac VHT20_CH64_5320MHz																																																													
ANT	SISO																																																													
Pol.	Vertical	Fundamental																																																												
Peak	 <table border="1" data-bbox="263 1153 774 1288"> <thead> <tr> <th>Limit Freq</th> <th>Over Level</th> <th>Read Line</th> <th>Ant Limit</th> <th>Cable Level</th> <th>Preamp Factor</th> <th>Aux Loss</th> <th>APos Factor</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5350.50</td> <td>65.47</td> <td>74.00</td> <td>-8.53</td> <td>52.72</td> <td>34.60</td> <td>10.00</td> <td>31.93</td> <td>0.00</td> <td>100 86 PEAK</td> </tr> </tbody> </table>	Limit Freq	Over Level	Read Line	Ant Limit	Cable Level	Preamp Factor	Aux Loss	APos Factor	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5350.50	65.47	74.00	-8.53	52.72	34.60	10.00	31.93	0.00	100 86 PEAK	 <table border="1" data-bbox="901 1153 1412 1288"> <thead> <tr> <th>Limit Freq</th> <th>Over Level</th> <th>Read Line</th> <th>Ant Limit</th> <th>Cable Level</th> <th>Preamp Factor</th> <th>Aux Loss</th> <th>APos Factor</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5320.00</td> <td>103.63</td> <td>-----</td> <td>-----</td> <td>91.07</td> <td>34.48</td> <td>10.05</td> <td>31.97</td> <td>0.00</td> <td>100 86 PEAK</td> </tr> </tbody> </table>	Limit Freq	Over Level	Read Line	Ant Limit	Cable Level	Preamp Factor	Aux Loss	APos Factor	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5320.00	103.63	-----	-----	91.07	34.48	10.05	31.97	0.00	100 86 PEAK
	Limit Freq	Over Level	Read Line	Ant Limit	Cable Level	Preamp Factor	Aux Loss	APos Factor	TPos	Remark																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																					
1 5350.50	65.47	74.00	-8.53	52.72	34.60	10.00	31.93	0.00	100 86 PEAK																																																					
Limit Freq	Over Level	Read Line	Ant Limit	Cable Level	Preamp Factor	Aux Loss	APos Factor	TPos	Remark																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																					
1 5320.00	103.63	-----	-----	91.07	34.48	10.05	31.97	0.00	100 86 PEAK																																																					
Avg	 <table border="1" data-bbox="263 1836 774 1971"> <thead> <tr> <th>Limit Freq</th> <th>Over Level</th> <th>Read Line</th> <th>Ant Limit</th> <th>Cable Level</th> <th>Preamp Factor</th> <th>Aux Loss</th> <th>APos Factor</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5351.80</td> <td>47.01</td> <td>54.00</td> <td>-6.99</td> <td>34.26</td> <td>34.60</td> <td>10.00</td> <td>31.93</td> <td>0.00</td> <td>100 86 AVERAGE</td> </tr> </tbody> </table>	Limit Freq	Over Level	Read Line	Ant Limit	Cable Level	Preamp Factor	Aux Loss	APos Factor	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5351.80	47.01	54.00	-6.99	34.26	34.60	10.00	31.93	0.00	100 86 AVERAGE	 <table border="1" data-bbox="901 1836 1412 1971"> <thead> <tr> <th>Limit Freq</th> <th>Over Level</th> <th>Read Line</th> <th>Ant Limit</th> <th>Cable Level</th> <th>Preamp Factor</th> <th>Aux Loss</th> <th>APos Factor</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5320.00</td> <td>95.02</td> <td>-----</td> <td>-----</td> <td>82.46</td> <td>34.48</td> <td>10.05</td> <td>31.97</td> <td>0.00</td> <td>100 86 AVERAGE</td> </tr> </tbody> </table>	Limit Freq	Over Level	Read Line	Ant Limit	Cable Level	Preamp Factor	Aux Loss	APos Factor	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5320.00	95.02	-----	-----	82.46	34.48	10.05	31.97	0.00	100 86 AVERAGE
Limit Freq	Over Level	Read Line	Ant Limit	Cable Level	Preamp Factor	Aux Loss	APos Factor	TPos	Remark																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																					
1 5351.80	47.01	54.00	-6.99	34.26	34.60	10.00	31.93	0.00	100 86 AVERAGE																																																					
Limit Freq	Over Level	Read Line	Ant Limit	Cable Level	Preamp Factor	Aux Loss	APos Factor	TPos	Remark																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																					
1 5320.00	95.02	-----	-----	82.46	34.48	10.05	31.97	0.00	100 86 AVERAGE																																																					







Mode	15																																																																																																																																																																		
	Harmonic																																																																																																																																																																		
	U-NII-2A_5.25-5.35_802.11ac_VHT20_CH64_5320MHz																																																																																																																																																																		
ANT	SISO																																																																																																																																																																		
Pol.	Horizontal	Vertical																																																																																																																																																																	
Peak Avg																																																																																																																																																																			
	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10640.00</td> <td>55.48</td> <td>74.00</td> <td>-18.52</td> <td>68.60</td> <td>37.90</td> <td>14.10</td> <td>65.12</td> <td>0.00</td> <td>100</td> <td>204 PEAK</td> </tr> <tr> <td>2</td> <td>10640.00</td> <td>45.37</td> <td>54.00</td> <td>-8.63</td> <td>58.49</td> <td>37.90</td> <td>14.10</td> <td>65.12</td> <td>0.00</td> <td>100</td> <td>204 AVERAGE</td> </tr> <tr> <td>3</td> <td>15960.00</td> <td>48.15</td> <td>74.00</td> <td>-25.85</td> <td>53.75</td> <td>40.86</td> <td>17.98</td> <td>64.44</td> <td>0.00</td> <td>100</td> <td>204 PEAK</td> </tr> <tr> <td>4</td> <td>15960.00</td> <td>38.55</td> <td>54.00</td> <td>-15.45</td> <td>44.16</td> <td>40.86</td> <td>17.97</td> <td>64.44</td> <td>0.00</td> <td>100</td> <td>204 AVERAGE</td> </tr> </tbody> </table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	10640.00	55.48	74.00	-18.52	68.60	37.90	14.10	65.12	0.00	100	204 PEAK	2	10640.00	45.37	54.00	-8.63	58.49	37.90	14.10	65.12	0.00	100	204 AVERAGE	3	15960.00	48.15	74.00	-25.85	53.75	40.86	17.98	64.44	0.00	100	204 PEAK	4	15960.00	38.55	54.00	-15.45	44.16	40.86	17.97	64.44	0.00	100	204 AVERAGE	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10640.00</td> <td>55.18</td> <td>74.00</td> <td>-18.82</td> <td>68.30</td> <td>37.90</td> <td>14.10</td> <td>65.12</td> <td>0.00</td> <td>100</td> <td>292 PEAK</td> </tr> <tr> <td>2</td> <td>10640.00</td> <td>45.13</td> <td>54.00</td> <td>-8.87</td> <td>58.25</td> <td>37.90</td> <td>14.10</td> <td>65.12</td> <td>0.00</td> <td>100</td> <td>292 AVERAGE</td> </tr> <tr> <td>3</td> <td>15960.00</td> <td>48.64</td> <td>74.00</td> <td>-25.36</td> <td>54.24</td> <td>40.86</td> <td>17.98</td> <td>64.44</td> <td>0.00</td> <td>100</td> <td>292 PEAK</td> </tr> <tr> <td>4</td> <td>15960.00</td> <td>38.57</td> <td>54.00</td> <td>-15.43</td> <td>44.16</td> <td>40.87</td> <td>17.98</td> <td>64.44</td> <td>0.00</td> <td>100</td> <td>292 AVERAGE</td> </tr> </tbody> </table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	10640.00	55.18	74.00	-18.82	68.30	37.90	14.10	65.12	0.00	100	292 PEAK	2	10640.00	45.13	54.00	-8.87	58.25	37.90	14.10	65.12	0.00	100	292 AVERAGE	3	15960.00	48.64	74.00	-25.36	54.24	40.86	17.98	64.44	0.00	100	292 PEAK	4	15960.00	38.57	54.00	-15.43	44.16	40.87	17.98	64.44	0.00	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	cm	deg																																																																																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																									
1	10640.00	55.48	74.00	-18.52	68.60	37.90	14.10	65.12	0.00	100	204 PEAK																																																																																																																																																								
2	10640.00	45.37	54.00	-8.63	58.49	37.90	14.10	65.12	0.00	100	204 AVERAGE																																																																																																																																																								
3	15960.00	48.15	74.00	-25.85	53.75	40.86	17.98	64.44	0.00	100	204 PEAK																																																																																																																																																								
4	15960.00	38.55	54.00	-15.45	44.16	40.86	17.97	64.44	0.00	100	204 AVERAGE																																																																																																																																																								
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	cm	deg																																																																																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																									
1	10640.00	55.18	74.00	-18.82	68.30	37.90	14.10	65.12	0.00	100	292 PEAK																																																																																																																																																								
2	10640.00	45.13	54.00	-8.87	58.25	37.90	14.10	65.12	0.00	100	292 AVERAGE																																																																																																																																																								
3	15960.00	48.64	74.00	-25.36	54.24	40.86	17.98	64.44	0.00	100	292 PEAK																																																																																																																																																								
4	15960.00	38.57	54.00	-15.43	44.16	40.87	17.98	64.44	0.00	100	292 AVERAGE																																																																																																																																																								



Mode	16																																																																																																				
	Band Edge																																																																																																				
	U-NII-2C_5.47-5.725_802.11ac VHT20_CH100_5500MHz																																																																																																				
ANT	SISO																																																																																																				
Pol.	Horizontal	Fundamental																																																																																																			
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5458.80</td> <td>58.01</td> <td>74.00</td> <td>-15.99</td> <td>44.99</td> <td>34.78</td> <td>10.18</td> <td>31.94</td> <td>0.00</td> <td>100</td> <td>114</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5470.00</td> <td>63.73</td> <td>68.20</td> <td>-4.47</td> <td>50.73</td> <td>34.76</td> <td>10.19</td> <td>31.95</td> <td>0.00</td> <td>100</td> <td>114</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5458.80	58.01	74.00	-15.99	44.99	34.78	10.18	31.94	0.00	100	114	PEAK	2	5470.00	63.73	68.20	-4.47	50.73	34.76	10.19	31.95	0.00	100	114	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5500.00</td> <td>107.26</td> <td>-----</td> <td>-----</td> <td>94.33</td> <td>34.70</td> <td>10.22</td> <td>31.99</td> <td>0.00</td> <td>100</td> <td>114</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	107.26	-----	-----	94.33	34.70	10.22	31.99	0.00	100	114	PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																												
1	5458.80	58.01	74.00	-15.99	44.99	34.78	10.18	31.94	0.00	100	114	PEAK																																																																																									
2	5470.00	63.73	68.20	-4.47	50.73	34.76	10.19	31.95	0.00	100	114	PEAK																																																																																									
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																												
1	5500.00	107.26	-----	-----	94.33	34.70	10.22	31.99	0.00	100	114	PEAK																																																																																									
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5459.60</td> <td>47.20</td> <td>54.00</td> <td>-6.80</td> <td>34.18</td> <td>34.78</td> <td>10.18</td> <td>31.94</td> <td>0.00</td> <td>100</td> <td>114</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5459.60	47.20	54.00	-6.80	34.18	34.78	10.18	31.94	0.00	100	114	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5500.00</td> <td>98.86</td> <td>-----</td> <td>-----</td> <td>85.93</td> <td>34.70</td> <td>10.22</td> <td>31.99</td> <td>0.00</td> <td>100</td> <td>114</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	98.86	-----	-----	85.93	34.70	10.22	31.99	0.00	100	114	AVERAGE													
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																												
1	5459.60	47.20	54.00	-6.80	34.18	34.78	10.18	31.94	0.00	100	114	AVERAGE																																																																																									
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																												
1	5500.00	98.86	-----	-----	85.93	34.70	10.22	31.99	0.00	100	114	AVERAGE																																																																																									





Mode	16																																																																														
	Band Edge																																																																														
	U-NII-2C_5.47-5.725_802.11ac VHT20_CH100_5500MHz																																																																														
ANT	SISO																																																																														
Pol.	Vertical	Fundamental																																																																													
Peak	 <table border="1" data-bbox="263 1131 782 1276"> <thead> <tr> <th>Limit Freq</th> <th>Level</th> <th>Over Line</th> <th>Read Level</th> <th>Ant Factor</th> <th>Cable Loss</th> <th>Preamp Factor</th> <th>Aux Factor</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 5454.64</td> <td>54.11</td> <td>74.00</td> <td>-19.89</td> <td>41.08</td> <td>34.79</td> <td>10.18</td> <td>31.94</td> <td>0.00</td> <td>100</td> <td>114 PEAK</td> </tr> <tr> <td>2 5467.92</td> <td>57.21</td> <td>68.20</td> <td>-10.99</td> <td>44.21</td> <td>34.76</td> <td>10.19</td> <td>31.95</td> <td>0.00</td> <td>100</td> <td>114 PEAK</td> </tr> </tbody> </table>	Limit Freq	Level	Over Line	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark	MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 5454.64	54.11	74.00	-19.89	41.08	34.79	10.18	31.94	0.00	100	114 PEAK	2 5467.92	57.21	68.20	-10.99	44.21	34.76	10.19	31.95	0.00	100	114 PEAK	 <table border="1" data-bbox="901 1131 1420 1276"> <thead> <tr> <th>Limit Freq</th> <th>Level</th> <th>Over Line</th> <th>Read Level</th> <th>Ant Factor</th> <th>Cable Loss</th> <th>Preamp Factor</th> <th>Aux Factor</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 5500.00</td> <td>100.66</td> <td>-----</td> <td>87.72</td> <td>34.71</td> <td>10.21</td> <td>31.98</td> <td>0.00</td> <td>100</td> <td>114</td> <td>PEAK</td> </tr> </tbody> </table>	Limit Freq	Level	Over Line	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark	MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 5500.00	100.66	-----	87.72	34.71	10.21	31.98	0.00	100	114	PEAK
	Limit Freq	Level	Over Line	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark																																																																				
MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																						
1 5454.64	54.11	74.00	-19.89	41.08	34.79	10.18	31.94	0.00	100	114 PEAK																																																																					
2 5467.92	57.21	68.20	-10.99	44.21	34.76	10.19	31.95	0.00	100	114 PEAK																																																																					
Limit Freq	Level	Over Line	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark																																																																					
MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																						
1 5500.00	100.66	-----	87.72	34.71	10.21	31.98	0.00	100	114	PEAK																																																																					
Avg	 <table border="1" data-bbox="263 1814 782 1960"> <thead> <tr> <th>Limit Freq</th> <th>Level</th> <th>Over Line</th> <th>Read Level</th> <th>Ant Factor</th> <th>Cable Loss</th> <th>Preamp Factor</th> <th>Aux Factor</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 5459.92</td> <td>44.37</td> <td>54.00</td> <td>-9.63</td> <td>31.35</td> <td>34.78</td> <td>10.18</td> <td>31.94</td> <td>0.00</td> <td>100</td> <td>114 AVERAGE</td> </tr> </tbody> </table>	Limit Freq	Level	Over Line	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark	MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 5459.92	44.37	54.00	-9.63	31.35	34.78	10.18	31.94	0.00	100	114 AVERAGE	 <table border="1" data-bbox="901 1814 1420 1960"> <thead> <tr> <th>Limit Freq</th> <th>Level</th> <th>Over Line</th> <th>Read Level</th> <th>Ant Factor</th> <th>Cable Loss</th> <th>Preamp Factor</th> <th>Aux Factor</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 5500.00</td> <td>92.97</td> <td>-----</td> <td>80.04</td> <td>34.70</td> <td>10.22</td> <td>31.99</td> <td>0.00</td> <td>100</td> <td>114</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit Freq	Level	Over Line	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark	MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 5500.00	92.97	-----	80.04	34.70	10.22	31.99	0.00	100	114	AVERAGE											
	Limit Freq	Level	Over Line	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark																																																																				
MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																						
1 5459.92	44.37	54.00	-9.63	31.35	34.78	10.18	31.94	0.00	100	114 AVERAGE																																																																					
Limit Freq	Level	Over Line	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark																																																																					
MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																						
1 5500.00	92.97	-----	80.04	34.70	10.22	31.99	0.00	100	114	AVERAGE																																																																					



Mode	16																																																																																																											
	Harmonic																																																																																																											
	U-NII-2C_5.47-5.725_802.11ac VHT20_CH100_5500MHz																																																																																																											
ANT	SISO																																																																																																											
Pol.	Horizontal	Vertical																																																																																																										
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11000.00</td> <td>57.35</td> <td>74.00</td> <td>-16.65</td> <td>69.91</td> <td>37.90</td> <td>14.24</td> <td>64.70</td> <td>0.00</td> <td>100</td> <td>103</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>11000.00</td> <td>47.47</td> <td>54.00</td> <td>-6.53</td> <td>60.03</td> <td>37.90</td> <td>14.24</td> <td>64.70</td> <td>0.00</td> <td>100</td> <td>103</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	11000.00	57.35	74.00	-16.65	69.91	37.90	14.24	64.70	0.00	100	103	PEAK	2	11000.00	47.47	54.00	-6.53	60.03	37.90	14.24	64.70	0.00	100	103	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11000.00</td> <td>58.54</td> <td>74.00</td> <td>-15.46</td> <td>71.10</td> <td>37.90</td> <td>14.24</td> <td>64.70</td> <td>0.00</td> <td>100</td> <td>305</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>11000.00</td> <td>49.70</td> <td>54.00</td> <td>-4.30</td> <td>62.26</td> <td>37.90</td> <td>14.24</td> <td>64.70</td> <td>0.00</td> <td>100</td> <td>305</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	11000.00	58.54	74.00	-15.46	71.10	37.90	14.24	64.70	0.00	100	305	PEAK	2	11000.00	49.70	54.00	-4.30	62.26	37.90	14.24	64.70	0.00	100	305	AVERAGE
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																				
1	11000.00	57.35	74.00	-16.65	69.91	37.90	14.24	64.70	0.00	100	103	PEAK																																																																																																
2	11000.00	47.47	54.00	-6.53	60.03	37.90	14.24	64.70	0.00	100	103	AVERAGE																																																																																																
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																				
1	11000.00	58.54	74.00	-15.46	71.10	37.90	14.24	64.70	0.00	100	305	PEAK																																																																																																
2	11000.00	49.70	54.00	-4.30	62.26	37.90	14.24	64.70	0.00	100	305	AVERAGE																																																																																																



Mode	17																																																																																																											
	Harmonic																																																																																																											
	U-NII-2C_5.47-5.725_802.11ac VHT20_CH116_5580MHz																																																																																																											
ANT	SISO																																																																																																											
Pol.	Horizontal	Vertical																																																																																																										
Peak																																																																																																												
Avg																																																																																																												
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11160.00</td> <td>55.38</td> <td>74.00</td> <td>-18.62</td> <td>67.57</td> <td>37.96</td> <td>14.36</td> <td>64.51</td> <td>0.00</td> <td>100</td> <td>105</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>11160.00</td> <td>46.01</td> <td>54.00</td> <td>-7.99</td> <td>58.20</td> <td>37.96</td> <td>14.36</td> <td>64.51</td> <td>0.00</td> <td>100</td> <td>105</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	11160.00	55.38	74.00	-18.62	67.57	37.96	14.36	64.51	0.00	100	105	PEAK	2	11160.00	46.01	54.00	-7.99	58.20	37.96	14.36	64.51	0.00	100	105	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11160.00</td> <td>55.94</td> <td>74.00</td> <td>-18.06</td> <td>68.13</td> <td>37.96</td> <td>14.36</td> <td>64.51</td> <td>0.00</td> <td>116</td> <td>303</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>11160.00</td> <td>46.77</td> <td>54.00</td> <td>-7.23</td> <td>58.96</td> <td>37.96</td> <td>14.36</td> <td>64.51</td> <td>0.00</td> <td>116</td> <td>303</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	11160.00	55.94	74.00	-18.06	68.13	37.96	14.36	64.51	0.00	116	303	PEAK	2	11160.00	46.77	54.00	-7.23	58.96	37.96	14.36	64.51	0.00	116	303	AVERAGE
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																				
1	11160.00	55.38	74.00	-18.62	67.57	37.96	14.36	64.51	0.00	100	105	PEAK																																																																																																
2	11160.00	46.01	54.00	-7.99	58.20	37.96	14.36	64.51	0.00	100	105	AVERAGE																																																																																																
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																				
1	11160.00	55.94	74.00	-18.06	68.13	37.96	14.36	64.51	0.00	116	303	PEAK																																																																																																
2	11160.00	46.77	54.00	-7.23	58.96	37.96	14.36	64.51	0.00	116	303	AVERAGE																																																																																																



Mode	18																																																																																	
	Band Edge																																																																																	
	U-NII-2C_5.47-5.725_802.11ac VHT20_CH140_5700MHz																																																																																	
ANT	SISO																																																																																	
Pol.	Horizontal	Fundamental																																																																																
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5727.16</td> <td>63.57</td> <td>68.20</td> <td>-4.63</td> <td>50.59</td> <td>34.50</td> <td>10.43</td> <td>31.95</td> <td>0.00</td> <td>100</td> <td>119</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	5727.16	63.57	68.20	-4.63	50.59	34.50	10.43	31.95	0.00	100	119	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5700.00</td> <td>102.87</td> <td>-----</td> <td>-----</td> <td>89.99</td> <td>34.50</td> <td>10.40</td> <td>32.02</td> <td>0.00</td> <td>100</td> <td>119</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	5700.00	102.87	-----	-----	89.99	34.50	10.40	32.02	0.00	100	119	PEAK
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																										
1	5727.16	63.57	68.20	-4.63	50.59	34.50	10.43	31.95	0.00	100	119	PEAK																																																																						
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																										
1	5700.00	102.87	-----	-----	89.99	34.50	10.40	32.02	0.00	100	119	PEAK																																																																						
Avg	Blank	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5700.00</td> <td>95.36</td> <td>-----</td> <td>-----</td> <td>82.47</td> <td>34.50</td> <td>10.41</td> <td>32.02</td> <td>0.00</td> <td>100</td> <td>119</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	5700.00	95.36	-----	-----	82.47	34.50	10.41	32.02	0.00	100	119	AVERAGE																																								
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																										
1	5700.00	95.36	-----	-----	82.47	34.50	10.41	32.02	0.00	100	119	AVERAGE																																																																						



Mode	18																																																																																							
	Band Edge																																																																																							
	U-NII-2C_5.47-5.725_802.11ac VHT20_CH140_5700MHz																																																																																							
ANT	SISO																																																																																							
Pol.	Vertical	Fundamental																																																																																						
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5725.32</td> <td>59.74</td> <td>68.20</td> <td>-8.46</td> <td>46.77</td> <td>34.50</td> <td>10.43</td> <td>31.96</td> <td>0.00</td> <td>100</td> <td>61 PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5725.32	59.74	68.20	-8.46	46.77	34.50	10.43	31.96	0.00	100	61 PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5700.00</td> <td>101.71</td> <td>-----</td> <td>-----</td> <td>88.82</td> <td>34.50</td> <td>10.41</td> <td>32.02</td> <td>0.00</td> <td>100</td> <td>61 PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5700.00	101.71	-----	-----	88.82	34.50	10.41	32.02	0.00	100	61 PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																														
1	5725.32	59.74	68.20	-8.46	46.77	34.50	10.43	31.96	0.00	100	61 PEAK																																																																													
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																														
1	5700.00	101.71	-----	-----	88.82	34.50	10.41	32.02	0.00	100	61 PEAK																																																																													
Avg	Blank	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5700.00</td> <td>93.17</td> <td>-----</td> <td>-----</td> <td>80.29</td> <td>34.50</td> <td>10.40</td> <td>32.02</td> <td>0.00</td> <td>100</td> <td>61 AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5700.00	93.17	-----	-----	80.29	34.50	10.40	32.02	0.00	100	61 AVERAGE																																											
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																														
1	5700.00	93.17	-----	-----	80.29	34.50	10.40	32.02	0.00	100	61 AVERAGE																																																																													