



MOBILE DEVICES BUSINESS

**PRODUCT SAFETY AND COMPLIANCE
EMC LABORATORY**

EMC TEST REPORT - Addendum

Test Report Number – 23145-1 BT

Report Date –2009-06-16

The pictures contained herein relate only to the model(s) identified.

Signature:

Name: Lei Yang

Title: EMC Project Manager

Test: 2009-06-03 to 2009-06-16

As the responsible test lab manager, I hereby declare that the model tested as specified in this report conforms to the requirements indicated.

Signature:

Name: Yilin Zhao

Title: Test Lab Manager

Date: 2009-06-18

This report must not be reproduced, except in full, without written approval from this laboratory.

FCC Registration Number: 177885
IC Registration Number: 109AW-1

ADR Testing Service location ADR BJ
ISO/IEC-17025:2005 accredited by UKAS



Table of Contents

Test Report Details 3
PICTURES..... 4
 23145-1, IHDT56KS1 placed in test position X..... 4
 23145-1, IHDT56KS1 placed in test position Y..... 4
 23145-1, IHDT56KS1 placed in test position Z..... 5
 23145-1, IHDT56KS1 setup in semi-anechoic chamber – front view (30 MHz –
 18 GHz)..... 5
 23145-1, IHDT56KS1 setup in semi-anechoic chamber – right view (18 GHz –
 26.5 GHz)..... 6

Test Report Details

Tests Performed By: Motorola (China) Technologies Ltd.
Asia Global Compliance Labs
No.1 Wang Jing East Road
Chao Yang District
Beijing, 100102, P. R. China
Phone: +86 10 8473 2610
FCC Registration Number: 177885
IC Registration Number: 109AW-1

Tests Requested By: Motorola Inc.
Mobile Devices business
600 North US Hwy 45
Libertyville, IL 60048

Product Type: Cell phone with Bluetooth

Form factor: Clamshell

Signaling Capability: CDMA 1700/2100/800/1900, CDMA 1X/EV-DO
Release 0, sGPS, Bluetooth Class 2, Version
2.1+EDR

ESN: 8034D512

FCC ID: IHDT56KS1

Project Number: 23145-1

Testing Complete Date: 06-16-2009

PICTURES



23145-1, IHDT56KS1 placed in test position X




23145-1, IHDT56KS1 placed in test position Y



23145-1, IHDT56KS1 placed in test position Z



23145-1, IHDT56KS1 setup in semi-anechoic chamber – front view (30 MHz – 18 GHz)



23145-1, IHDT56KS1 setup in semi-anechoic chamber – right view (18 GHz – 26.5 GHz)

End of Test Report