



MOBILE DEVICES BUSINESS

**PRODUCT SAFETY AND COMPLIANCE
EMC LABORATORY**

EMC TEST REPORT - Addendum

Test Report Number –22946-1 BT

Report Date –2009-03-24

The pictures contained herein relate only to the model(s) identified.

Signature:

Name: Lei Yang

Title: EMC Project Manager

Test: 2008-03-11 to 2009-03-24

As the responsible test lab manager, I hereby declare that the model tested as specified in this report conforms to the requirements indicated.

Signature:

Name: Yilin Zhao

Title: Test Lab Manager

Date: 2009-03-24

This report must not be reproduced, except in full, without written approval from this laboratory.

FCC Registration Number: 177885

IC Registration Number: 109AW-1

ADR Testing Service location ADR BJ

ISO/IEC-17025:2005 accredited by UKAS



Table of Contents

Test Report Details 3

PICTURES..... 4

 22946-1, IHDT56KY1 placed in test position X 4

 22946-1, IHDT56KY1 placed in test position Y 4

 22946-1, IHDT56KY1 placed in test position Z 5

 22946-1, IHDT56KY1 setup in semi-anechoic chamber – front view (30 MHz – 18 GHz)..... 5

 22946-1, IHDT56KY1 setup in semi-anechoic chamber – right view (18 GHz – 26.5 GHz)..... 6

Test Report Details

Tests Performed By: Motorola (China) Technologies Ltd.
Asia Global Compliance Labs
No.1 Wang Jing East Road
Chao Yang District
Beijing, 100102, P. R. China
Phone: +86 10 8473 2610
FCC Registration Number: 177885
IC Registration Number: 109AW-1

Tests Requested By: Motorola Inc.
Mobile Devices business
600 North US Hwy 45
Libertyville, IL 60048

Product Type: Cell phone with Bluetooth

Form Factor: Bar

Signaling Capability: CDMA 800//1700/1900/2100,
CDMA 1X
SGPS
Bluetooth Class 2, Version 2.1+EDR

MEID: A0000002CAAF50

Battery Type: BQ50 with model number SNN5804B

FCC ID: IHDT56KY1

Project number: 22946-1

Testing Complete Date: 03-18-2009

PICTURES




22946-1, IHDT56KY1 placed in test position X




22946-1, IHDT56KY1 placed in test position Y



22946-1, IHDT56KY1 placed in test position Z



22946-1, IHDT56KY1 setup in semi-anechoic chamber – front view (30 MHz – 18 GHz)



22946-1, IHDT56KY1 setup in semi-anechoic chamber – right view (18 GHz – 26.5 GHz)

End of Test Report