

CLASS II PERMISSIVE CHANGE

Exhibit 2. Statements of Certification -- Pursuant to 47 CFR 2.907**2.1. Specification Compliance**

Transceiver type described herein (IHDT56MV1) has been tested in accordance with the requirements contained in the appropriate Commission regulations. To the best of my knowledge, these tests were performed using measurement procedures consistent with industry or Commission standards, and demonstrate that this equipment complies with the appropriate standards. Each unit manufactured, imported, or marketed will conform to the samples tested herein, within the statistical variations that can be expected due to high volume production and test measurement error.

NAME: Jonghwa Lee
TITLE: Engineering Manager
Motorola Mobility
Mobile Devices Business
Date: Nov. 9, 2011


2.2. Statement of Certification

I hereby certify that the above application was prepared under my direction and that to the best of my knowledge and belief, the facts set forth in this application and accompanying technical data are true and correct.

The technical data supplied with this application was taken under my supervision and is hereby duly certified. I also certify that this transmit equipment (IHDT56MV1) is in compliance with all applicable parts of the FCC Rules.

NAME: John Lewczak

SIGNATURE: _____



DATE Nov. 9, 2011

TITLE: Engineering Manager, Product Safety and Compliance

CLASS II PERMISSIVE CHANGE

2.3. Attestation Statement (Equipment Class DTS and DSS - Bluetooth/Wi-Fi)

This device contains an embedded Bluetooth device, Wi-Fi device, and capabilities that Motorola Mobility confirms are compliant with the applicable Part 15C regulations.

15.247(a)(1)

- The hopping sequence must be pseudorandom.
- All Channels are used equally on average.
- The receiver input bandwidth is approximately equal to the transmit bandwidth.
- The receiver hops in sequence with the transmitted signal.

15.247(g)

The system is designed to comply with all of the regulations in Section 15.247 when the transmitter is presented with a continuous data (or information).

15.247(h)

The system does not coordinate its channel selection/hopping sequence with other frequency hopping systems for the express purpose of avoiding the simultaneous occupancy of individual hopping frequencies by multiple transmitters.

NAME: Jonghwa Lee
TITLE: Engineering Manager
Motorola Mobility
Mobile Devices Business
Date: Nov. 9, 2011

2.4. Attestation Statement (Equipment Class PCE – WCDMA/GSM 850/1900 MHz Hearing Aid Compatibility)

Motorola Mobility hereby declares that typical production units were evaluated for Hearing Aid Compatibility (HAC) compliance.

NAME: Jonghwa Lee
TITLE: Engineering Manager
Motorola Mobility
Mobile Devices Business
Date: Nov. 9, 2011

CLASS II PERMISSIVE CHANGE

2.5. Declaration of NON-US BANDS AND MODES SUPORTED

This device also contains the following functions, and operates within frequency bands, that are not authorized within the United States or its territories. This filing is only applicable to supported US operations. In the supported US operations, named WCDMA/GSM 850/1900, Motorola Mobility hereby declares that the conducted power levels in the SAR, EMC, and HAC reports, are within +0.2/-0.5 dB of the maximum allowed factory values listed in the tune-up procedure.

| Operating Mode | Frequency Bands |
|-----------------------|------------------------|
| GSM/EDGE/GPRS | 900/1800 MHz |
| WCDMA | 2100 MHz |

NAME: Jonghwa Lee
TITLE: Engineering Manager
Motorola Mobility
Mobile Devices Business
Date: Nov. 9, 2011