

Exhibit 1: Identification Label -- Pursuant to 47 CFR 2.925 and 2.1033(c)(11), and RSP100, Section 5.

1.1 Location

On the rear (back) side of the radio product chassis, beneath the back cover (see also Exhibit 3).

1.2 Type

The label is of a polyester film laminate with a pressure sensitive adhesive backing. The adhesive is a permanent type acrylic with minimum peel strength of 5 lbs/in.

1.3 Markings (Text)

The FCC label shown is representative of the label that will appear on the radio when in production.




Figure 1.3.1. Representation of FCC Label information.

The above label representation is applicable to the following versions/variants of the device that is the subject of this application:

Model Number ¹	XT1032 ² , XT1033, XT1035 ²
¹ Depending upon the device version, or market into which it ships, the Model Number shown on the label may be any of the numbers shown above. All such variants will be electrically identical, consistent with the requirements of FCC Class I Permissive Change rules and guidance (47 CFR 2.1043 and KDB 178919 D01).	
² These models may ship into Canada.	

This label will be placed on the equipment (beneath the Rear Housing Cover) as shown below. Other information may also be included on this label, and other labels may also be present.



Figure 1.3.2. Location of FCC Label (position, orientation, and other information shown may vary).

Please note that this label and its placement complies with the requirement of FCC Rule 47 CFR 2.925(d) that the label be permanently affixed to the product, and be readily visible to the purchaser at the time of purchase. Further, at the time of purchase, batteries are shipped in a separate section or compartment of the radio packaging, and are not attached to the radio. In some instances they may be shipped in separate boxes. So, the end user needs to physically install the battery by removing the battery cover, if any, or attach the battery before using the radio.

Further, the placement of the label in the battery compartment is done because space is limited on the exterior of the device. The battery compartment also helps to protect the label from getting obliterated or made unreadable through regular handling and use.

The product's Market or Trade Name is indelibly printed on the face of the product, as shown in Exhibit 3.

Exhibit 1A: General Information

1A.1 Production Plans

Quantity production is planned.

1A.2 Data Submittal Procedure

The information in this application is provided in accordance with requirements for certification as outlined in the FCC Rules and Regulations: 47 CFR Part 2; Subpart J; Part 15, Subparts B and C; Part 22 Subpart H; and Part 24 Subparts B and E.

1A.3 Similar, currently Certified Transceiver

FCC ID: IHDT56NE1

1A.4 Additional Considerations

In addition to the radio receivers associated with the services authorized within this application, this device integrates a receiver designed to process signals from Global Positioning System satellites. Compliance with FCC requirements was done via the Verification process (47 CFR 2.902).

This device may be considered to be a digital device, per 47 CFR 15.3(k), and can function as a computer peripheral device when functioning as an RF modem, as described in 47 CFR 15.3(r).