

Exhibit 2. Statements of Certification -- Pursuant to 47 CFR 2.907, and RSP100, Section 5

2.1. Specification Compliance

Transceiver type described herein (IHDT56PF1 and 109O-T56PF1) has been tested in accordance with the requirements contained in the appropriate regulations. To the best of my knowledge, these tests were performed using measurement procedures consistent with industry or Commission standards, and demonstrate that this equipment complies with the appropriate standards. Each unit manufactured, imported, or marketed will conform to the samples tested herein, within the statistical variations that can be expected due to high volume production and test measurement error.

NAME: Solomon Hong

SIGNATURE: /s/ Solomon Hong

DATE: 19 February 2014

TITLE: Engineering Manager

2.2. Statement of Certification


I hereby certify that the above application was prepared under my direction and that to the best of my knowledge and belief, the facts set forth in this application and accompanying technical data are true and correct.

The technical data supplied with this application was taken under my supervision and is hereby duly certified. I also certify that this transmit equipment (IHDT56PF1) is in compliance with all applicable parts of the FCC Rules.

The technical data supplied with this application was taken under my supervision and is hereby duly certified. I also certify that this transmit equipment (109O-T56PF1) is in compliance with all applicable Industry Canada Rules and Procedures.

NAME: John Lewczak

SIGNATURE: _____



DATE: 19 February 2014

TITLE: Engineering Manager, Product Safety and Compliance

2.3. Attestation Statement (Equipment Class DTS and DSS - Bluetooth/Wi-Fi)

This device contains an embedded Bluetooth device, Wi-Fi device, and MOTOtalk capabilities that Motorola Mobility confirms are compliant with the applicable Part 15C regulations. Personal Hotspot operation is only supported in the 2.4 GHz band.

15.247(a)(1)

- The hopping sequence must be pseudorandom.
- All Channels are used equally on average.
- The receiver input bandwidth is approximately equal to the transmit bandwidth.
- The receiver hops in sequence with the transmitted signal.

15.247(g)

The system is designed to comply with all of the regulations in Section 15.247 when the transmitter is presented with a continuous data (or information).

15.247(h)

The system does not coordinate its channel selection/hopping sequence with other frequency hopping systems for the express purpose of avoiding the simultaneous occupancy of individual hopping frequencies by multiple transmitters.

NAME: Solomon Hong

SIGNATURE: /s/ *Solomon Hong*

DATE: 19 February 2014


TITLE: Engineering Manager

2.4. Statement Concerning SPEAG Probe Calibration

Motorola acknowledges the 5 February 2013 TCB Conference Call agenda item concerning the use of DASY52.8.5 (1059) software, and specifically the FCC’s concerns with bundled SAR probe calibration for LTE and WLAN supported therein.

Motorola asserts that standard probe calibration methods used by SPEAG have not changed in recent years. Motorola does not have probes calibrated using the "bundle options" available from SPEAG.

NAME: John Lewczak

SIGNATURE:  _____

DATE: 19 February 2014

TITLE: Engineering Manager, Product Safety and Compliance

2.5. Attestation Statement (Equipment Class PCE – GSM/WCDMA 850/1900 MHz - Hearing Aid Compatibility)

Motorola Mobility hereby declares that typical production units were evaluated for Hearing Aid Compatibility (HAC) compliance.

Features List: Model – Motorola XT1032, XT1033, XT1035

GSM	GPRS/EDGE	WCDMA
Wi-Fi (b/g/n)	Bluetooth (Stereo)	Location-Based Services
Voice Commands	Talking Phone	Photo Camera
Video Camera	Video Player	Hands Free Speaker Phone
Music Player	HTML Browser	Text Messaging

NAME: Solomon Hong

SIGNATURE: /s/ Solomon Hong

DATE: 19 February 2014

TITLE: Engineering Manager