

FCC/IC RF Test Report


APPLICANT : Motorola Mobility, LLC
EQUIPMENT : Mobile Cellular Phone
BRAND NAME : Motorola Mobility, LLC
MODEL NAME : 4005
FCC ID : IHDT56PG3
IC : 109O-T56PG3
STANDARD : FCC 47 CFR Part 2, 22(H), 24(E), 27(L)
IC RSS-132 issue 3, RSS-133 issue 6, RSS-139 Issue 2
CLASSIFICATION : PCS Licensed Transmitter Held to Ear (PCE)

The product was received on Mar. 12, 2014 and testing was completed on Mar. 27, 2014. We, SPORTON INTERNATIONAL INC., would like to declare that the tested sample has been evaluated in accordance with the procedures given in ANSI / TIA / EIA-603-C-2004 and shown to be compliant with the applicable technical standards.

The test results in this report apply exclusively to the tested model / sample. Without written approval of SPORTON INTERNATIONAL INC., the test report shall not be reproduced except in full.



Reviewed by: Joseph Lin / Supervisor



Approved by: Jones Tsai / Manager



SPORTON INTERNATIONAL INC.

No. 52, Hwa Ya 1st Rd., Hwa Ya Technology Park, Kwei-Shan Hsiang, Tao Yuan Hsien, Taiwan, R.O.C.

SPORTON INTERNATIONAL INC.

TEL : 886-3-327-3456

FAX : 886-3-328-4978

FCC ID : IHDT56PG3

IC: 109O-T56PG3

Page Number : 1 of 173

Report Issued Date : Apr. 15, 2014

Report Version : Rev. 01



TABLE OF CONTENTS

REVISION HISTORY	3
SUMMARY OF TEST RESULT	4
1 GENERAL DESCRIPTION	5
1.1 Applicant.....	5
1.2 Manufacturer	5
1.3 Feature of Equipment Under Test.....	5
1.4 Product Specification of Equipment Under Test	6
1.5 Modification of EUT	6
1.6 Maximum ERP/EIRP Power, Frequency Tolerance, and Emission Designator	7
1.7 Testing Location	7
1.8 Applied Standards	8
2 TEST CONFIGURATION OF EQUIPMENT UNDER TEST	9
2.1 Test Mode.....	9
2.2 Connection Diagram of Test System	11
2.3 Support Unit used in test configuration and system.....	11
2.4 Measurement Results Explanation Example	11
3 TEST RESULT	12
3.1 Conducted Output Power Measurement.....	12
3.2 Peak-to-Average Ratio	14
3.3 Effective Radiated Power and Effective Isotropic Radiated Power Measurement	30
3.4 Occupied Bandwidth and 26dB Bandwidth Measurement.....	35
3.5 Band Edge Measurement.....	59
3.6 Conducted Spurious Emission Measurement.....	67
3.7 Field Strength of Spurious Radiation Measurement	122
3.8 Frequency Stability Measurement.....	166
4 LIST OF MEASURING EQUIPMENT	172
5 UNCERTAINTY OF EVALUATION	173



REVISION HISTORY

REPORT NO.	VERSION	DESCRIPTION	ISSUED DATE
FG431235A	Rev. 01	Initial issue of report	Apr. 15, 2014

SUMMARY OF TEST RESULT

Report Section	FCC Rule	IC Rule	Description	Limit	Result	Remark
3.1	§2.1046	RSS-132 (5.4) RSS-133 (6.4) RSS-139 (6.4)	Conducted Output Power	Reporting Only	PASS	-
3.2	§24.232(d) §27.50(d)(5)	RSS-132 (5.4) RSS-133 (6.4) RSS-139 (6.4)	Peak-to-Average Ratio	< 13 dB	PASS	-
3.3	§22.913(a)(2)	RSS-132(5.4) SRSP-503(5.1.3)	Effective Radiated Power	< 7 Watts	PASS	-
	§24.232(c)	RSS-133 (6.4) SRSP-510(5.1.2)	Equivalent Isotropic Radiated Power	< 2 Watts		
	§27.50(d)(4)	RSS-139 (6.4) SRSP-513(5.1.2)	Equivalent Isotropic Radiated Power	< 1 Watts		
3.4	§2.1049 §22.917(b) §24.238(b) §27.53(g)	RSS-GEN(4.6.1) RSS-133(6.5) RSS-139 (6.5)	Occupied Bandwidth	Reporting Only	PASS	-
3.5	§2.1051 §22.917(a) §24.238(a) §27.53(g)	RSS-GEN(4.9) RSS-132 (5.5) RSS-133 (6.5) RSS-139 (6.5)	Band Edge Measurement	< 43+10log10(P[Watts])	PASS	-
3.6	§2.1051 §22.917(a) §24.238(a) §27.53(g)	RSS-GEN(4.9) RSS-132 (5.5) RSS-133 (6.5) RSS-139 (6.5)	Conducted Emission	< 43+10log10(P[Watts])	PASS	-
3.7	§2.1053 §22.917(a) §24.238(a) §27.53(g)	RSS-GEN(4.9) RSS-132 (5.5) RSS-133 (6.5) RSS-139 (6.5)	Field Strength of Spurious Radiation	< 43+10log10(P[Watts])	PASS	Under limit 27.71 dB at 7405.000 MHz
3.8	§2.1055 §22.355 §24.235 §27.54	RSS-GEN(4.7) RSS-132 (5.3) RSS-133 (6.3) RSS-139 (6.3)	Frequency Stability for Temperature & Voltage	< 2.5 ppm	PASS	-



1 General Description

1.1 Applicant

Motorola Mobility, LLC

222 W Merchandise Mart Plaza, Suite 1800, Chicago, IL 60654, United States

1.2 Manufacturer

Motorola Mobility, LLC

222 W Merchandise Mart Plaza, Suite 1800, Chicago, IL 60654, United States

1.3 Feature of Equipment Under Test

Product Feature	
Equipment	Mobile Cellular Phone
Brand Name	Motorola Mobility, LLC
Model Name	4005
FCC ID	IHDT56PG3
IC	109O-T56PG3
IMEI Code	359291050000500
EUT supports Radios application	GSM/EGPRS/WCDMA/HSPA/LTE WLAN 11b/g/n HT20 Bluetooth v3.0 + EDR Bluetooth v4.0 - LE
HW Version	P2D
SW Version	4.4.2 KXB20.82 66
EUT Stage	Identical Prototype

Remark: The above EUT's information was declared by manufacturer. Please refer to the specifications or user's manual for more detailed description.

1.4 Product Specification of Equipment Under Test

Product Specification subjective to this standard	
Tx Frequency	GSM850: 824.2 MHz ~ 848.8 MHz GSM1900: 1850.2 MHz ~ 1909.8MHz WCDMA Band V: 826.4 MHz ~ 846.6 MHz WCDMA Band IV : 1712.4 MHz ~ 1752.6 MHz WCDMA Band II: 1852.4 MHz ~ 1907.6 MHz
Rx Frequency	GSM850: 869.2 MHz ~ 893.8 MHz GSM1900: 1930.2 MHz ~ 1989.8 MHz WCDMA Band V: 871.4 MHz ~ 891.6 MHz WCDMA Band IV : 2112.4 MHz ~ 2152.6 MHz WCDMA Band II : 1932.4 MHz ~ 1987.6 MHz
Maximum Output Power to Antenna	GSM850 : 32.32 dBm GSM1900 : 29.48 dBm WCDMA Band V : 22.49 dBm WCDMA Band IV : 22.27 dBm WCDMA Band II : 22.33 dBm
Antenna Type	Fixed Internal Antenna
Type of Modulation	GSM: GMSK GPRS: GMSK EDGE: GMSK / 8PSK WCDMA: QPSK (Uplink) HSDPA: QPSK (Uplink) HSUPA: QPSK (Uplink)

1.5 Modification of EUT

No modifications are made to the EUT during all test items.

1.6 Maximum ERP/EIRP Power, Frequency Tolerance, and Emission Designator

FCC Rule	System	Type of Modulation	Maximum ERP/EIRP (W)	Frequency Tolerance (ppm)	Emission Designator
Part 22	GSM850 GPRS class 8	GMSK	0.38	0.0263 ppm	248KGXW
Part 22	GSM850 EDGE class 8	8PSK	0.17	0.0418 ppm	242KG7W
Part 22	WCDMA Band V RMC 12.2Kbps	QPSK	0.04	0.0132 ppm	4M18F9W
Part 24	GSM1900 GPRS class 8	GMSK	1.46	0.0319 ppm	250KGXW
Part 24	GSM1900 EDGE class 8	8PSK	0.99	0.0426 ppm	246KG7W
Part 24	WCDMA Band II RMC 12.2Kbps	QPSK	0.45	0.0069 ppm	4M16F9W
Part 27	WCDMA Band IV RMC 12.2Kbps	QPSK	0.32	0.0087 ppm	4M18F9W

1.7 Testing Location

Sporton Lab is accredited to ISO 17025 by Taiwan Accreditation Foundation (TAF code : 1190) and the FCC designation No. TW1022 under the FCC 2.948(e) by Mutual Recognition Agreement (MRA) in FCC Test.

Test Site	SPORTON INTERNATIONAL INC.		
Test Site Location	No. 52, Hwa Ya 1 st Rd., Hwa Ya Technology Park, Kwei-Shan Hsiang, Tao Yuan Hsien, Taiwan, R.O.C. TEL: +886-3-327-3456 FAX: +886-3-328-4978		
Test Site No.	Sporton Site No.		IC Registration No.
	TH02-HY	03CH07-HY	4086B-1

1.8 Applied Standards

According to the specifications of the manufacturer, the EUT must comply with the requirements of the following standards:

- ♦ 47 CFR Part 2, 22(H), 24(E), 27(L)
- ♦ ANSI / TIA / EIA-603-C-2004
- ♦ FCC KDB 971168 D01 Power Meas. License Digital Systems v02r01
- ♦ IC RSS-132 Issue 3
- ♦ IC RSS-133 Issue 6
- ♦ IC RSS-139 Issue 2
- ♦ IC RSS-Gen Issue 3
- ♦ NOTICE 2012-DRS0126

Remark:

1. All test items were verified and recorded according to the standards and without any deviation during the test.
2. This EUT has also been tested and complied with the requirements of FCC Part 15, Subpart B, recorded in a separate test report.
3. Per the section 2.2.3 of Notice of 2012-DRS0126, " Receivers Excluded from Industry Canada Requirements", only radiocommunication receivers operating in stand-alone mode within the band 30-960 MHz and scanner receivers are subject to Industry Canada requirements.

2 Test Configuration of Equipment Under Test

2.1 Test Mode

During all testing, EUT is in link mode with base station emulator at maximum power level. The spurious emission measurements were carried out in semi-anechoic chamber with 3-meter test range, and EUT was rotated on three test planes to find out the worst emission.

Frequency range investigated for radiated emission is as follows:

1. 30 MHz to 9000 MHz for GSM850 and WCDMA Band V.
2. 30 MHz to 18000 MHz for WCDMA Band IV.
3. 30 MHz to 19000 MHz for GSM1900 and WCDMA Band II.

Test Modes		
Band	Radiated TCs	Conducted TCs
GSM 850	■ GPRS class 8 Link ■ EDGE class 8 Link	■ GPRS class 8 Link ■ EDGE class 8 Link
GSM 1900	■ GPRS class 8 Link ■ EDGE class 8 Link	■ GPRS class 8 Link ■ EDGE class 8 Link
WCDMA Band V	■ RMC 12.2Kbps Link	■ RMC 12.2Kbps Link
WCDMA Band IV	■ RMC 12.2Kbps Link	■ RMC 12.2Kbps Link
WCDMA Band II	■ RMC 12.2Kbps Link	■ RMC 12.2Kbps Link

Note:


1. The maximum power levels are GPRS multi-slot class 8 mode for GMSK link, EDGE multi-slot class 8 mode for 8PSK link, RMC 12.2Kbps mode for WCDMA band V, RMC 12.2Kbps mode for WCDMA band IV, and RMC 12.2Kbps mode for WCDMA band II, only these modes were used for all tests.
2. Because there are individual antennas for each WWAN, WLAN, and Bluetooth, the co-location test modes are not required.

The conducted power tables are as follows:

Conducted Power (*Unit: dBm)						
Band	GSM850			GSM1900		
Channel	128	189	251	512	661	810
Frequency	824.2	836.4	848.8	1850.2	1880	1909.8
GSM	32.10	32.08	32.30	29.23	29.45	29.30
GPRS class 8	32.06	32.05	32.32	29.25	29.48	29.35
GPRS class 10	30.12	30.07	30.24	27.34	27.42	27.35
GPRS class 11	28.13	28.10	28.25	25.32	25.41	25.36
GPRS class 12	26.31	26.26	26.46	23.28	23.37	23.31
EGPRS class 8	26.56	26.51	26.64	25.90	25.99	25.92
EGPRS class 10	24.53	24.52	24.62	23.71	23.84	23.75
EGPRS class 11	22.53	22.51	22.68	21.66	21.76	21.68
EGPRS class 12	21.38	21.37	21.42	20.32	20.44	20.36

Conducted Power (*Unit: dBm)									
Band	WCDMA Band V			WCDMA Band II			WCDMA Band IV		
Channel	4132	4182	4233	9262	9400	9538	1312	1413	1513
Frequency	826.4	836.4	846.6	1852.4	1880	1907.6	1712.4	1732.6	1752.6
RMC 12.2K	22.49	22.31	22.48	22.07	22.17	22.33	22.27	21.92	22.16
HSDPA Subtest-1	21.45	21.33	21.44	21.04	21.18	21.39	21.36	20.96	21.11
HSDPA Subtest-2	21.41	21.27	21.42	20.98	21.13	21.33	21.34	20.92	21.07
HSDPA Subtest-3	21.00	20.87	21.02	20.61	20.63	20.88	20.81	20.44	20.63
HSDPA Subtest-4	20.97	20.85	21.01	20.54	20.64	20.82	20.68	20.34	20.63
HSUPA Subtest-1	20.87	20.79	20.92	20.36	20.56	20.68	20.73	20.30	20.65
HSUPA Subtest-2	19.81	19.35	19.46	18.99	19.13	19.22	18.95	18.86	18.90
HSUPA Subtest-3	20.28	20.05	20.19	19.26	19.36	19.56	20.26	19.94	20.13
HSUPA Subtest-4	19.78	19.40	19.56	18.88	18.92	19.03	18.99	18.86	18.91
HSUPA Subtest-5	21.11	20.72	20.93	20.29	20.44	20.54	20.68	20.25	20.62

2.2 Connection Diagram of Test System



2.3 Support Unit used in test configuration and system

Item	Equipment	Trade Name	Model No.	FCC ID	Data Cable	Power Cord
1.	System Simulator	R&S	CMU200	N/A	N/A	Unshielded, 1.8 m

2.4 Measurement Results Explanation Example

For all conducted test items:

The offset level is set in the spectrum analyzer to compensate the RF cable loss and attenuator factor between EUT conducted output port and spectrum analyzer. With the offset compensation, the spectrum analyzer reading level is exactly the EUT RF output level.

The spectrum analyzer offset is derived from RF cable loss and attenuator factor.

Offset = RF cable loss + attenuator factor.

Following shows an offset computation example with cable loss 4.2 dB and 10dB attenuator.

Example :

$$\begin{aligned}
 \text{Offset(dB)} &= \text{RF cable loss(dB)} + \text{attenuator factor(dB)}. \\
 &= 4.2 + 10 = 14.2 \text{ (dB)}
 \end{aligned}$$

3 Test Result

3.1 Conducted Output Power Measurement

3.1.1 Description of the Conducted Output Power

A base station simulator was used to establish communication with the EUT. Its parameters were set to transmit the maximum power on the EUT. The measured power in the radio frequency on the transmitter output terminals shall be reported.


3.1.2 Measuring Instruments

The measuring equipment is listed in the section 4 of this test report.

3.1.3 Test Procedures

1. The transmitter output port was connected to System Simulator.
2. Set EUT at maximum power through base station.
3. Select lowest, middle, and highest channels for each band and different modulation.
4. Measure the maximum burst average power for GSM and maximum average power for GSM and WCDMA modes.

3.1.4 Test Setup



3.1.5 Test Result of Conducted Output Power

Cellular Band									
Modes	GSM850 (GPRS class 8)			GSM850 (EDGE class 8)			WCDMA Band V (RMC 12.2Kbps)		
Channel	128 (Low)	189 (Mid)	251 (High)	128 (Low)	189 (Mid)	251 (High)	4132 (Low)	4182 (Mid)	4233 (High)
Frequency (MHz)	824.2	836.4	848.8	824.2	836.4	848.8	826.4	836.4	846.6
Conducted Power (dBm)	32.10	32.08	32.30	26.56	26.51	26.64	22.49	22.31	22.48
Conducted Power (Watts)	1.62	1.61	1.71	0.45	0.45	0.46	0.18	0.17	0.18

PCS Band									
Modes	GSM1900 (GPRS class 8)			GSM1900 (EDGE class 8)			WCDMA Band II (RMC 12.2Kbps)		
Channel	512 (Low)	661 (Mid)	810 (High)	512 (Low)	661 (Mid)	810 (High)	9262 (Low)	9400 (Mid)	9538 (High)
Frequency (MHz)	1850.2	1880	1909.8	1850.2	1880	1909.8	1852.4	1880	1907.6
Conducted Power (dBm)	29.25	29.48	29.35	25.90	25.99	25.92	22.07	22.17	22.33
Conducted Power (Watts)	0.84	0.89	0.86	0.39	0.40	0.39	0.16	0.16	0.17

AWS Band			
Modes	WCDMA Band IV (RMC 12.2Kbps)		
Channel	1312(Low)	1413 (Mid)	1513 (High)
Frequency (MHz)	1712.4	1732.6	1752.6
Conducted Power (dBm)	22.27	21.92	22.16
Conducted Power (Watts)	0.17	0.16	0.16

Note: maximum burst average power for GPRS/EDGE, and maximum average power for WCDMA.

3.2 Peak-to-Average Ratio

3.2.1 Description of the PAR Measurement

The peak-to-average ratio (PAR) of the transmission may not exceed 13 dB.


3.2.2 Measuring Instruments

The measuring equipment is listed in the section 4 of this test report.

3.2.3 Test Procedures

1. The EUT was connected to Spectrum Analyzer and System Simulator via power divider.
2. For GSM/EGPRS operating modes:
 - a. Set EUT in maximum power output.
 - b. Set the RBW = 1MHz, VBW = 3MHz, Peak detector in spectrum analyzer for first trace.
 - c. Set the RBW = 1MHz, VBW = 3MHz, RMS detector in spectrum analyzer for second trace.
 - d. The wanted burst signal is triggered by spectrum analyzer, and measured respectively the peak level and Mean level without burst-off time, after system simulator synchronized with the spectrum analyzer.
3. For UMTS operating modes:
 - a. Set the CCDF (Complementary Cumulative Distribution Function) option in spectrum analyzer.
 - b. The highest RF powers were measured and recorded the maximum PAPR level associated with a probability of 0.1 %.
4. Record the deviation as Peak to Average Ratio.

3.2.4 Test Setup



3.2.5 Test Result of Peak-to-Average Ratio

Cellular Band									
Modes	GSM850 (GPRS class 8)			GSM850 (EDGE class 8)			WCDMA Band V (RMC 12.2Kbps)		
Channel	128 (Low)	189 (Mid)	251 (High)	128 (Low)	189 (Mid)	251 (High)	4132 (Low)	4182 (Mid)	4233 (High)
Frequency (MHz)	824.2	836.4	848.8	824.2	836.4	848.8	826.4	836.4	846.6
Peak-to-Average Ratio (dB)	0.24	0.22	0.25	2.65	2.58	2.63	3.28	3.28	3.28

PCS Band									
Modes	GSM1900 (GPRS class 8)			GSM1900 (EDGE class 8)			WCDMA Band II (RMC 12.2Kbps)		
Channel	512 (Low)	661 (Mid)	810 (High)	512 (Low)	661 (Mid)	810 (High)	9262 (Low)	9400 (Mid)	9538 (High)
Frequency (MHz)	1850.2	1880	1909.8	1850.2	1880	1909.8	1852.4	1880	1907.6
Peak-to-Average Ratio (dB)	0.30	0.30	0.31	2.68	2.79	2.60	3.36	3.32	3.28


AWS Band			
Modes	WCDMA Band IV (RMC 12.2Kbps)		
Channel	1312(Low)	1413 (Mid)	1513 (High)
Frequency (MHz)	1712.4	1732.6	1752.6
Peak-to-Average Ratio (dB)	3.36	3.36	3.36




3.2.6 Test Result (Plots) of Peak-to-Average Ratio

Band :	GSM 850	Test Mode :	GPRS class 8 Link (GMSK)
--------	---------	-------------	--------------------------

Peak-to-Average Ratio on Channel 128 (824.2 MHz)




Peak-to-Average Ratio on Channel 189 (836.4 MHz)





Peak-to-Average Ratio on Channel 251 (848.8 MHz)




Date: 15.MAR.2014 16:56:25




Band :	GSM 850	Test Mode :	EDGE class 8 Link (8PSK)
--------	---------	-------------	--------------------------

Peak-to-Average Ratio on Channel 128 (824.2 MHz)



Date: 15.MAR.2014 16:58:12


Peak-to-Average Ratio on Channel 189 (836.4 MHz)



Date: 15.MAR.2014 17:01:02




Peak-to-Average Ratio on Channel 251 (848.8 MHz)






Band :	GSM 1900	Test Mode :	GPRS class 8 Link (GMSK)
--------	----------	-------------	--------------------------

Peak-to-Average Ratio on Channel 512 (1850.2 MHz)




Peak-to-Average Ratio on Channel 661 (1880.0 MHz)





Peak-to-Average Ratio on Channel 810 (1909.8 MHz)




Date: 15.MAR.2014 17:11:32




Band :	GSM 1900	Test Mode :	EDGE class 8 Link (8PSK)
--------	----------	-------------	--------------------------

Peak-to-Average Ratio on Channel 512 (1850.2 MHz)




Peak-to-Average Ratio on Channel 661 (1880.0 MHz)





Peak-to-Average Ratio on Channel 810 (1909.8 MHz)




Date: 15.MAR.2014 17:18:37




Band :	WCDMA Band V	Test Mode :	RMC 12.2Kbps Link (QPSK)
--------	--------------	-------------	--------------------------

Peak-to-Average Ratio on Channel 4132 (826.4 MHz)



Date: 15.MAR.2014 15:59:28


Peak-to-Average Ratio on Channel 4182 (836.4 MHz)



Date: 15.MAR.2014 16:00:06



Peak-to-Average Ratio on Channel 4233 (846.6 MHz)




Date: 15.MAR.2014 16:00:53




Band :	WCDMA Band IV	Test Mode :	RMC 12.2Kbps Link (QPSK)
--------	---------------	-------------	--------------------------

Peak-to-Average Ratio on Channel 1312 (1712.4 MHz)



Date: 15.MAR.2014 15:26:44


Peak-to-Average Ratio on Channel 1413 (1732.6 MHz)



Date: 15.MAR.2014 15:29:20



Peak-to-Average Ratio on Channel 1513 (1752.6 MHz)




Date: 15.MAR.2014 15:31:33




Band :	WCDMA Band II	Test Mode :	RMC 12.2Kbps Link (QPSK)
--------	---------------	-------------	--------------------------

Peak-to-Average Ratio on Channel 9262 (1852.4 MHz)



Date: 15.MAR.2014 14:31:57


Peak-to-Average Ratio on Channel 9400 (1880.0 MHz)



Date: 15.MAR.2014 14:32:45



Peak-to-Average Ratio on Channel 9538 (1907.6 MHz)



Date: 15.MAR.2014 14:33:43



3.3 Effective Radiated Power and Effective Isotropic Radiated Power Measurement

3.3.1 Description of the ERP/EIRP Measurement

The substitution method, in ANSI / TIA / EIA-603-C-2004, was used for ERP/EIRP measurement, and the spectrum analyzer configuration follows KDB 971168 D01 Power Meas. License Digital Systems. The ERP of mobile transmitters must not exceed 7 Watts (Cellular Band) and the EIRP of mobile transmitters are limited to 2 Watts (PCS Band) and 1 Watts (AWS Band).


3.3.2 Measuring Instruments

The measuring equipment is listed in the section 4 of this test report.

3.3.3 Test Procedures

1. The EUT was placed on an non-conductive rotating platform with 0.8 meter height in a semi-anechoic chamber. The radiated emission at the fundamental frequency was measured at 3 m with a test antenna and a spectrum analyzer with RBW= 1MHz, VBW= 3MHz for GSM, RBW= 100 kHz, VBW= 300 kHz, used channel power option with bandwidth=5MHz for WCDMA, and RMS detector settings per KDB 971168 D01.
2. During the measurement, the EUT was enforced in maximum power and linked with a base station. The highest emission was recorded from analyzer power level (LVL) from the 360 degrees rotation of the turntable and the test antenna raised and lowered over a range from 1 to 4 meters in both horizontally and vertically polarized orientations.
3. Effective Isotropic Radiated Power (EIRP) was measured by substitution method according to TIA/EIA-603-C. The EUT was replaced by dipole antenna (substitution antenna) at same location, and then a known power from S.G. was applied into the dipole antenna through a Tx cable, and then recorded the maximum Analyzer reading through raised and lowered the test antenna. The correction factor (in dB) = S.G. - Tx Cable loss + Substitution antenna gain - Analyzer reading. Then the EUT's EIRP was calculated with the correction factor, $EIRP = LVL + \text{Correction factor}$ and $ERP = EIRP - 2.15$.

3.3.4 Test Setup



3.3.5 Test Result of ERP

GSM850 (GPRS class 8) Radiated Power ERP				
Horizontal Polarization				
Frequency (MHz)	LVL (dBm)	Correction Factor (dB)	ERP (dBm)	ERP (W)
824.2	-5.02	31.54	24.37	0.27
836.4	-4.59	32.04	25.30	0.34
848.8	-4.61	32.59	25.83	0.38
Vertical Polarization				
Frequency (MHz)	LVL (dBm)	Correction Factor (dB)	ERP (dBm)	ERP (W)
824.2	-16.64	32.93	14.14	0.03
836.4	-14.49	32.82	16.18	0.04
848.8	-13.39	33.62	18.08	0.06

* ERP = LVL (dBm) + Correction Factor (dB) – 2.15

GSM850 (EDGE class 8) Radiated Power ERP				
Horizontal Polarization				
Frequency (MHz)	LVL (dBm)	Correction Factor (dB)	ERP (dBm)	ERP (W)
824.2	-8.55	31.54	20.84	0.12
836.4	-8.18	32.04	21.71	0.15
848.8	-8.09	32.59	22.35	0.17
Vertical Polarization				
Frequency (MHz)	LVL (dBm)	Correction Factor (dB)	ERP (dBm)	ERP (W)
824.2	-19.04	32.93	11.74	0.01
836.4	-18.03	32.82	12.64	0.02
848.8	-18.24	33.62	13.23	0.02

* ERP = LVL (dBm) + Correction Factor (dB) – 2.15

WCDMA Band V (RMC 12.2Kbps) Radiated Power ERP				
Horizontal Polarization				
Frequency (MHz)	LVL (dBm)	Correction Factor (dB)	ERP (dBm)	ERP (W)
826.4	-13.62	31.44	15.67	0.04
836.4	-14.22	32.04	15.67	0.04
846.6	-14.16	32.63	16.32	0.04
Vertical Polarization				
Frequency (MHz)	LVL (dBm)	Correction Factor (dB)	ERP (dBm)	ERP (W)
826.4	-22.48	32.78	8.15	0.01
836.4	-22.39	32.82	8.28	0.01
846.6	-23.14	33.40	8.11	0.01

* ERP = LVL (dBm) + Correction Factor (dB) – 2.15

3.3.6 Test Result of EIRP

GSM1900 (GPRS class 8) Radiated Power EIRP				
Horizontal Polarization				
Frequency (MHz)	LVL (dBm)	Correction Factor (dB)	EIRP (dBm)	EIRP (W)
1850.2	-15.25	45.34	30.09	1.02
1880.0	-14.36	46.01	31.65	1.46
1909.8	-14.94	45.81	30.87	1.22
Vertical Polarization				
Frequency (MHz)	LVL (dBm)	Correction Factor (dB)	EIRP (dBm)	EIRP (W)
1850.2	-19.48	49.22	29.74	0.94
1880.0	-19.37	50.42	31.05	1.27
1909.8	-20.00	49.00	29.00	0.79

* EIRP = LVL (dBm) + Correction Factor (dB)

GSM1900 (EDGE class 8) Radiated Power EIRP				
Horizontal Polarization				
Frequency (MHz)	LVL (dBm)	Correction Factor (dB)	EIRP (dBm)	EIRP (W)
1850.2	-18.66	45.34	26.68	0.47
1880.0	-16.05	46.01	29.96	0.99
1909.8	-17.91	45.81	27.90	0.62
Vertical Polarization				
Frequency (MHz)	LVL (dBm)	Correction Factor (dB)	EIRP (dBm)	EIRP (W)
1850.2	-21.56	49.22	27.66	0.58
1880.0	-22.76	50.42	27.66	0.58
1909.8	-23.79	49.00	25.21	0.33

* EIRP = LVL (dBm) + Correction Factor (dB)

WCDMA Band IV (RMC 12.2Kbps) Radiated Power EIRP				
Horizontal Polarization				
Frequency (MHz)	LVL (dBm)	Correction Factor (dB)	EIRP (dBm)	EIRP (W)
1712.4	-22.55	43.22	20.67	0.12
1732.6	-21.54	43.49	21.95	0.16
1752.6	-21.26	43.54	22.28	0.17
Vertical Polarization				
Frequency (MHz)	LVL (dBm)	Correction Factor (dB)	EIRP (dBm)	EIRP (W)
1712.4	-22.28	46.53	24.25	0.27
1732.6	-22.48	46.43	23.95	0.25
1752.6	-23.06	48.05	24.99	0.32

* EIRP = LVL (dBm) + Correction Factor (dB)

WCDMA Band II (RMC 12.2Kbps) Radiated Power EIRP				
Horizontal Polarization				
Frequency (MHz)	LVL (dBm)	Correction Factor (dB)	EIRP (dBm)	EIRP (W)
1852.4	-20.03	45.37	25.34	0.34
1880.0	-19.58	46.01	26.43	0.44
1907.6	-19.34	45.87	26.53	0.45
Vertical Polarization				
Frequency (MHz)	LVL (dBm)	Correction Factor (dB)	EIRP (dBm)	EIRP (W)
1852.4	-24.63	49.23	24.60	0.29
1880.0	-24.57	50.42	25.85	0.38
1907.6	-23.76	49.04	25.28	0.34

* EIRP = LVL (dBm) + Correction Factor (dB)

3.4 Occupied Bandwidth and 26dB Bandwidth Measurement

3.4.1 Description of Occupied Bandwidth and 26dB Bandwidth Measurement

The occupied bandwidth is the width of a frequency band such that, below the lower and above the upper frequency limits, the mean powers emitted are each equal to a specified percentage 0.5% of the total mean transmitted power.

The emission bandwidth is defined as the width of the signal between two points, located at the 2 sides of the carrier frequency, outside of which all emissions are attenuated at least 26 dB below the transmitter power.


3.4.2 Measuring Instruments

The measuring equipment is listed in the section 4 of this test report.

3.4.3 Test Procedures

1. The EUT was connected to Spectrum Analyzer and Base Station via power divider.
2. The RF output of EUT was connected to the spectrum analyzer by RF cable and attenuator. The path loss was compensated to the results for each measurement.
3. The 99% occupied bandwidth were measured, set RBW= 1% of span, VBW= 3*RBW, sample detector, trace maximum hold.
4. The 26dB bandwidth were measured, set RBW= 1% of EBW, VBW= 3*RBW, peak detector, trace maximum hold.

3.4.4 Test Setup



3.4.5 Test Result of Occupied Bandwidth and 26dB Bandwidth

Cellular Band						
Modes	GSM850 (GPRS class 8)			GSM850 (EDGE class 8)		
Channel	128 (Low)	189 (Mid)	251 (High)	128 (Low)	189 (Mid)	251 (High)
Frequency (MHz)	824.2	836.4	848.8	824.2	836.4	848.8
99% OBW (kHz)	246.00	244.00	248.00	240.00	242.00	242.00
26dB BW (kHz)	310.00	310.00	308.00	300.00	294.00	294.00

PCS Band						
Modes	GSM1900 (GPRS class 8)			GSM1900 (EDGE class 8)		
Channel	512 (Low)	661 (Mid)	810 (High)	512 (Low)	661 (Mid)	810 (High)
Frequency (MHz)	1850.2	1880	1909.8	1850.2	1880	1909.8
99% OBW (kHz)	248.00	244.00	250.00	244.00	240.00	246.00
26dB BW (kHz)	314.00	316.00	298.00	294.00	284.00	310.00

Cellular Band			
Modes	WCDMA Band V (RMC 12.2Kbps)		
Channel	4132 (Low)	4182 (Mid)	4233 (High)
Frequency (MHz)	826.4	836.4	846.6
99% OBW (MHz)	4.16	4.18	4.18
26dB BW (MHz)	4.68	4.68	4.66

AWS Band			
Modes	WCDMA Band IV (RMC 12.2Kbps)		
Channel	1312(Low)	1413 (Mid)	1513 (High)
Frequency (MHz)	1712.4	1732.6	1752.6
99% OBW (MHz)	4.16	4.18	4.16
26dB BW (MHz)	4.68	4.66	4.68




PCS Band			
Modes	WCDMA Band II (RMC 12.2Kbps)		
Channel	9262 (Low)	9400 (Mid)	9538 (High)
Frequency (MHz)	1852.4	1880	1907.6
99% OBW (MHz)	4.16	4.16	4.14
26dB BW (MHz)	4.66	4.70	4.68

3.4.6 Test Result (Plots) of Occupied Bandwidth and 26dB Bandwidth


Band :	GSM 850	Test Mode :	GPRS class 8 Link (GMSK)
--------	---------	-------------	--------------------------

99% Occupied Bandwidth Plot on Channel 128 (824.2 MHz)



Date: 15.MAR.2014 09:25:13


26dB Bandwidth Plot on Channel 128 (824.2 MHz)



Date: 15.MAR.2014 09:22:56




99% Occupied Bandwidth Plot on Channel 189 (836.4 MHz)



Date: 15.MAR.2014 09:28:07


26dB Bandwidth Plot on Channel 189 (836.4 MHz)



Date: 15.MAR.2014 09:23:24




99% Occupied Bandwidth Plot on Channel 251 (848.8 MHz)



Date: 15.MAR.2014 09:26:10

26dB Bandwidth Plot on Channel 251 (848.8 MHz)




Date: 15.MAR.2014 09:23:53




Band :	GSM 850	Test Mode :	EDGE class 8 Link (8PSK)
--------	---------	-------------	--------------------------

99% Occupied Bandwidth Plot on Channel 128 (824.2 MHz)



Date: 15.MAR.2014 10:05:35


26dB Bandwidth Plot on Channel 128 (824.2 MHz)



Date: 15.MAR.2014 09:57:03




99% Occupied Bandwidth Plot on Channel 189 (836.4 MHz)



Date: 15.MAR.2014 10:06:03


26dB Bandwidth Plot on Channel 189 (836.4 MHz)



Date: 15.MAR.2014 09:57:31




99% Occupied Bandwidth Plot on Channel 251 (848.8 MHz)



Date: 15.MAR.2014 10:06:32

26dB Bandwidth Plot on Channel 251 (848.8 MHz)




Date: 15.MAR.2014 09:58:00




Band :	GSM 1900	Test Mode :	GPRS class 8 Link (GMSK)
--------	----------	-------------	--------------------------

99% Occupied Bandwidth Plot on Channel 512 (1850.2 MHz)



Date: 15.MAR.2014 10:55:18


26dB Bandwidth Plot on Channel 512 (1850.2 MHz)



Date: 15.MAR.2014 10:49:55




99% Occupied Bandwidth Plot on Channel 661 (1880.0 MHz)



Date: 15.MAR.2014 10:55:47


26dB Bandwidth Plot on Channel 661 (1880.0 MHz)



Date: 15.MAR.2014 10:50:24




99% Occupied Bandwidth Plot on Channel 810 (1909.8 MHz)



Date: 15.MAR.2014 10:56:15

26dB Bandwidth Plot on Channel 810 (1909.8 MHz)




Date: 15.MAR.2014 10:50:52




Band :	GSM 1900	Test Mode :	EDGE class 8 Link (8PSK)
--------	----------	-------------	--------------------------

99% Occupied Bandwidth Plot on Channel 512 (1850.2 MHz)



Date: 15.MAR.2014 11:32:58


26dB Bandwidth Plot on Channel 512 (1850.2 MHz)



Date: 15.MAR.2014 11:17:38




99% Occupied Bandwidth Plot on Channel 661 (1880.0 MHz)




Date: 15.MAR.2014 11:33:26

26dB Bandwidth Plot on Channel 661 (1880.0 MHz)




Date: 15.MAR.2014 11:18:07

99% Occupied Bandwidth Plot on Channel 810 (1909.8 MHz)



Date: 15.MAR.2014 11:33:55

26dB Bandwidth Plot on Channel 810 (1909.8 MHz)




Date: 15.MAR.2014 11:18:36




Band :	WCDMA Band V	Test Mode :	RMC 12.2Kbps Link (QPSK)
--------	--------------	-------------	--------------------------

99% Occupied Bandwidth Plot on Channel 4132 (826.4 MHz)



Date: 15.MAR.2014 15:46:55


26dB Bandwidth Plot on Channel 4132 (826.4 MHz)



Date: 15.MAR.2014 15:44:10




99% Occupied Bandwidth Plot on Channel 4182 (836.4 MHz)



Date: 15.MAR.2014 15:47:24


26dB Bandwidth Plot on Channel 4182 (836.4 MHz)



Date: 15.MAR.2014 15:44:39




99% Occupied Bandwidth Plot on Channel 4233 (846.6 MHz)



Date: 15.MAR.2014 15:47:52

26dB Bandwidth Plot on Channel 4233 (846.6 MHz)




Date: 15.MAR.2014 15:45:08




Band :	WCDMA Band IV	Test Mode :	RMC 12.2Kbps Link (QPSK)
--------	---------------	-------------	--------------------------

99% Occupied Bandwidth Plot on Channel 1312 (1712.4 MHz)



Date: 15.MAR.2014 14:54:53


26dB Bandwidth Plot on Channel 1312 (1712.4 MHz)



Date: 15.MAR.2014 14:52:46




99% Occupied Bandwidth Plot on Channel 1413 (1732.6 MHz)



Date: 15.MAR.2014 14:55:22


26dB Bandwidth Plot on Channel 1413 (1732.6 MHz)



Date: 15.MAR.2014 14:48:43




99% Occupied Bandwidth Plot on Channel 1513 (1752.6 MHz)



Date: 15.MAR.2014 14:55:50

26dB Bandwidth Plot on Channel 1513 (1752.6 MHz)




Date: 15.MAR.2014 14:53:43




Band :	WCDMA Band II	Test Mode :	RMC 12.2Kbps Link (QPSK)
--------	---------------	-------------	--------------------------

99% Occupied Bandwidth Plot on Channel 9262 (1852.4 MHz)



Date: 15.MAR.2014 14:19:56


26dB Bandwidth Plot on Channel 9262 (1852.4 MHz)



Date: 15.MAR.2014 14:15:52




99% Occupied Bandwidth Plot on Channel 9400 (1880.0 MHz)



Date: 15.MAR.2014 14:18:31


26dB Bandwidth Plot on Channel 9400 (1880.0 MHz)



Date: 15.MAR.2014 14:16:20




99% Occupied Bandwidth Plot on Channel 9538 (1907.6 MHz)



Date: 15.MAR.2014 14:18:59

26dB Bandwidth Plot on Channel 9538 (1907.6 MHz)



Date: 15.MAR.2014 14:16:49

3.5 Band Edge Measurement

3.5.1 Description of Band Edge Measurement

The power of any emission outside of the authorized operating frequency ranges must be lower than the transmitter power (P) by a factor of at least $43 + 10 \log (P)$ dB.


3.5.2 Measuring Instruments

The measuring equipment is listed in the section 4 of this test report.

3.5.3 Test Procedures

1. The EUT was connected to Spectrum Analyzer and Base Station via power divider.
2. The RF output of EUT was connected to the spectrum analyzer by RF cable and attenuator. The path loss was compensated to the results for each measurement.
3. The band edges of low and high channels for the highest RF powers were measured. Setting RBW as roughly BW/100.
4. The RF fundamental frequency should be excluded against the limit line in the operating frequency band.
5. The limit line is derived from $43 + 10\log(P)$ dB below the transmitter power P(Watts)
 $= P(W) - [43 + 10\log(P)] \text{ (dB)}$
 $= [30 + 10\log(P)] \text{ (dBm)} - [43 + 10\log(P)] \text{ (dB)}$
 $= -13\text{dBm}.$

3.5.4 Test Setup






3.5.5 Test Result (Plots) of Conducted Band Edge


Band :	GSM850	Test Mode :	GPRS class 8 Link (GMSK)
--------	--------	-------------	--------------------------

Lower Band Edge Plot on Channel 128 (824.2 MHz)



Date: 15.MAR.2014 09:41:35

Higher Band Edge Plot on Channel 251 (848.8 MHz)




Date: 15.MAR.2014 09:37:56




Band :	GSM850	Test Mode :	EDGE class 8 Link (8PSK)
--------	--------	-------------	--------------------------

Lower Band Edge Plot on Channel 128 (824.2 MHz)



Date: 15.MAR.2014 10:18:26

Higher Band Edge Plot on Channel 251 (848.8 MHz)




Date: 15.MAR.2014 10:09:54




Band :	GSM1900	Test Mode :	GPRS class 8 Link (GMSK)
--------	---------	-------------	--------------------------

Lower Band Edge Plot on Channel 512 (1850.2 MHz)



Date: 15.MAR.2014 11:03:08

Higher Band Edge Plot on Channel 810 (1909.8 MHz)




Date: 15.MAR.2014 11:00:27



Band : GSM1900


Test Mode : EDGE class 8 Link (8PSK)

Lower Band Edge Plot on Channel 512 (1850.2 MHz)



Date: 15.MAR.2014 11:41:37

Higher Band Edge Plot on Channel 810 (1909.8 MHz)




Date: 15.MAR.2014 11:38:24



Band : WCDMA Band V


Test Mode : RMC 12.2Kbps Link (QPSK)

Lower Band Edge Plot on Channel 4132 (826.4 MHz)



Date: 15.MAR.2014 15:57:02

Higher Band Edge Plot on Channel 4233 (846.6 MHz)




Date: 15.MAR.2014 15:53:45



Band : WCDMA Band IV


Test Mode : RMC 12.2Kbps Link (QPSK)

Lower Band Edge Plot on Channel 1312 (1712.4 MHz)



Date: 15.MAR.2014 15:03:45

Higher Band Edge Plot on Channel 1513 (1752.6 MHz)




Date: 15.MAR.2014 15:00:37



Band : WCDMA Band II


Test Mode : RMC 12.2Kbps Link (QPSK)

Lower Band Edge Plot on Channel 9262 (1852.4 MHz)



Date: 15.MAR.2014 14:28:01

Higher Band Edge Plot on Channel 9538 (1907.6 MHz)



Date: 15.MAR.2014 14:25:21

3.6 Conducted Spurious Emission Measurement

3.6.1 Description of Conducted Spurious Emission Measurement

The power of any emission outside of the authorized operating frequency ranges must be lower than the transmitter power (P) by a factor of at least $43 + 10 \log (P)$ dB.

It is measured by means of a calibrated spectrum analyzer and scanned from 30 MHz up to a frequency including its 10th harmonic.


3.6.2 Measuring Instruments

The measuring equipment is listed in the section 4 of this test report.

3.6.3 Test Procedures

1. The EUT was connected to spectrum analyzer and System Simulator via power divider.
2. The RF output of EUT was connected to the spectrum analyzer by RF cable and attenuator. The path loss was compensated to the results for each measurement.
3. The middle channel for the highest RF power within the transmitting frequency was measured.
4. The conducted spurious emission for the whole frequency range was taken.
5. The RF fundamental frequency should be excluded against the limit line in the operating frequency band.
6. The limit line is derived from $43 + 10\log(P)$ dB below the transmitter power P(Watts)
 $= P(W) - [43 + 10\log(P)]$ (dB)
 $= [30 + 10\log(P)]$ (dBm) - $[43 + 10\log(P)]$ (dB)
 $= -13\text{dBm}$.

3.6.4 Test Setup



3.6.5 Test Result (Plots) of Conducted Emission

SPORTON INTERNATIONAL INC.

TEL : 886-3-327-3456

FAX : 886-3-328-4978

FCC ID : IHDT56PG3

IC: 109O-T56PG3

Page Number : 67 of 173


Report Issued Date : Apr. 15, 2014

Report Version : Rev. 01




Band :	GSM850	Channel :	CH128
Test Mode :	GPRS class 8 Link (GMSK)	Frequency :	824.2 MHz

Conducted Spurious Emission Plot between 30MHz ~ 1GHz



Date: 15.MAR.2014 09:46:19

Conducted Spurious Emission Plot between 1GHz ~ 3GHz



Date: 15.MAR.2014 09:46:31

Conducted Spurious Emission Plot between 3GHz ~ 7GHz

SPORTON INTERNATIONAL INC.

TEL : 886-3-327-3456

FAX : 886-3-328-4978


FCC ID : IHDT56PG3

IC : 1090-T56PG3

Page Number : 68 of 173


Report Issued Date : Apr. 15, 2014

Report Version : Rev. 01



Date: 15.MAR.2014 09:46:39

Conducted Spurious Emission Plot between 7GHz ~ 9GHz




Date: 15.MAR.2014 09:46:48




Band :	GSM850	Channel :	CH189
Test Mode :	GPRS class 8 Link (GMSK)	Frequency :	836.4 MHz

Conducted Spurious Emission Plot between 30MHz ~ 1GHz




Date: 15.MAR.2014 09:44:45

Conducted Spurious Emission Plot between 1GHz ~ 3GHz




Date: 15.MAR.2014 09:44:59

Conducted Spurious Emission Plot between 3GHz ~ 7GHz



Date: 15.MAR.2014 09:45:07

Conducted Spurious Emission Plot between 7GHz ~ 9GHz




Date: 15.MAR.2014 09:45:15




Band :	GSM850	Channel :	CH251
Test Mode :	GPRS class 8 Link (GMSK)	Frequency :	848.8 MHz

Conducted Spurious Emission Plot between 30MHz ~ 1GHz



Date: 15.MAR.2014 09:49:23


Conducted Spurious Emission Plot between 1GHz ~ 3GHz



Date: 15.MAR.2014 09:49:34




Conducted Spurious Emission Plot between 3GHz ~ 7GHz



Date: 15.MAR.2014 09:49:43

Conducted Spurious Emission Plot between 7GHz ~ 9GHz




Date: 15.MAR.2014 09:49:51




Band :	GSM850	Channel :	CH128
Test Mode :	EDGE class 8 Link (8PSK)	Frequency :	824.2 MHz

Conducted Spurious Emission Plot between 30MHz ~ 1GHz




Date: 15.MAR.2014 10:30:12

Conducted Spurious Emission Plot between 1GHz ~ 3GHz




Date: 15.MAR.2014 10:30:22

Conducted Spurious Emission Plot between 3GHz ~ 7GHz



Date: 15.MAR.2014 10:30:31

Conducted Spurious Emission Plot between 7GHz ~ 9GHz




Date: 15.MAR.2014 10:30:39




Band :	GSM850	Channel :	CH189
Test Mode :	EDGE class 8 Link (8PSK)	Frequency :	836.4 MHz

Conducted Spurious Emission Plot between 30MHz ~ 1GHz




Date: 15.MAR.2014 10:27:46

Conducted Spurious Emission Plot between 1GHz ~ 3GHz




Date: 15.MAR.2014 10:27:57

Conducted Spurious Emission Plot between 3GHz ~ 7GHz



Date: 15.MAR.2014 10:28:06

Conducted Spurious Emission Plot between 7GHz ~ 9GHz




Date: 15.MAR.2014 10:28:14




Band :	GSM850	Channel :	CH251
Test Mode :	EDGE class 8 Link (8PSK)	Frequency :	848.8 MHz

Conducted Spurious Emission Plot between 30MHz ~ 1GHz




Date: 15.MAR.2014 10:31:41

Conducted Spurious Emission Plot between 1GHz ~ 3GHz




Date: 15.MAR.2014 10:31:52

Conducted Spurious Emission Plot between 3GHz ~ 7GHz



Date: 15.MAR.2014 10:32:00

Conducted Spurious Emission Plot between 7GHz ~ 9GHz




Date: 15.MAR.2014 10:32:08




Band :	GSM1900	Channel :	CH512
Test Mode :	GPRS class 8 Link (GMSK)	Frequency :	1850.2 MHz

Conducted Spurious Emission Plot between 30MHz ~ 1GHz



Date: 15.MAR.2014 11:08:57


Conducted Spurious Emission Plot between 1GHz ~ 3GHz



Date: 15.MAR.2014 11:09:05




Conducted Spurious Emission Plot between 3GHz ~ 7GHz



Date: 15.MAR.2014 11:09:18


Conducted Emission Plot between 7GHz ~ 13.6GHz



Date: 15.MAR.2014 11:09:26



Conducted Spurious Emission Plot between 13.6GHz ~ 19.1GHz




Date: 15.MAR.2014 11:09:34




Band :	GSM1900	Channel :	CH661
Test Mode :	GPRS class 8 Link (GMSK)	Frequency :	1880.0 MHz

Conducted Spurious Emission Plot between 30MHz ~ 1GHz




Date: 15.MAR.2014 11:06:38

Conducted Spurious Emission Plot between 1GHz ~ 3GHz




Date: 15.MAR.2014 11:06:46

Conducted Spurious Emission Plot between 3GHz ~ 7GHz



Date: 15.MAR.2014 11:06:59


Conducted Emission Plot between 7GHz ~ 13.6GHz



Date: 15.MAR.2014 11:07:07



Conducted Spurious Emission Plot between 13.6GHz ~ 19.1GHz




Date: 15.MAR.2014 11:07:16




Band :	GSM1900	Channel :	CH810
Test Mode :	GPRS class 8 Link (GMSK)	Frequency :	1909.8 MHz

Conducted Spurious Emission Plot between 30MHz ~ 1GHz



Date: 15.MAR.2014 11:10:48


Conducted Spurious Emission Plot between 1GHz ~ 3GHz



Date: 15.MAR.2014 11:10:56




Conducted Spurious Emission Plot between 3GHz ~ 7GHz



Date: 15.MAR.2014 11:11:08


Conducted Emission Plot between 7GHz ~ 13.6GHz



Date: 15.MAR.2014 11:11:17



Conducted Spurious Emission Plot between 13.6GHz ~ 19.1GHz




Date: 15.MAR.2014 11:11:25




Band :	GSM1900	Channel :	CH512
Test Mode :	EDGE class 8 Link (8PSK)	Frequency :	1850.2 MHz

Conducted Spurious Emission Plot between 30MHz ~ 1GHz



Date: 15.MAR.2014 11:49:20


Conducted Spurious Emission Plot between 1GHz ~ 3GHz



Date: 15.MAR.2014 11:49:28




Conducted Spurious Emission Plot between 3GHz ~ 7GHz



Date: 15.MAR.2014 11:49:40


Conducted Spurious Emission Plot between 7GHz ~ 13.6GHz



Date: 15.MAR.2014 11:49:48



Conducted Spurious Emission Plot between 13.6GHz ~ 19.1GHz




Date: 15.MAR.2014 11:49:56




Band :	GSM1900	Channel :	CH661
Test Mode :	EDGE class 8 Link (8PSK)	Frequency :	1880.0 MHz

Conducted Spurious Emission Plot between 30MHz ~ 1GHz




Date: 15.MAR.2014 11:46:29

Conducted Spurious Emission Plot between 1GHz ~ 3GHz




Date: 15.MAR.2014 11:46:37

Conducted Spurious Emission Plot between 3GHz ~ 7GHz



Date: 15.MAR.2014 11:46:49


Conducted Spurious Emission Plot between 7GHz ~ 13.6GHz



Date: 15.MAR.2014 11:46:57



Conducted Spurious Emission Plot between 13.6GHz ~ 19.1GHz




Date: 15.MAR.2014 11:47:06




Band :	GSM1900	Channel :	CH810
Test Mode :	EDGE class 8 Link (8PSK)	Frequency :	1909.8 MHz

Conducted Spurious Emission Plot between 30MHz ~ 1GHz




Date: 15.MAR.2014 11:52:43

Conducted Spurious Emission Plot between 1GHz ~ 3GHz




Date: 15.MAR.2014 11:52:52

Conducted Spurious Emission Plot between 3GHz ~ 7GHz



Date: 15.MAR.2014 11:53:05


Conducted Spurious Emission Plot between 7GHz ~ 13.6GHz



Date: 15.MAR.2014 11:53:13



Conducted Spurious Emission Plot between 13.6GHz ~ 19.1GHz




Date: 15.MAR.2014 11:53:22




Band :	WCDMA Band V	Channel :	CH4132
Test Mode :	RMC 12.2Kbps Link (QPSK)	Frequency :	826.4 MHz

Conducted Spurious Emission Plot between 30MHz ~ 1GHz




Date: 15.MAR.2014 16:04:29

Conducted Spurious Emission Plot between 1GHz ~ 3GHz




Date: 15.MAR.2014 16:04:43

Conducted Spurious Emission Plot between 3GHz ~ 7GHz



Date: 15.MAR.2014 16:04:52

Conducted Spurious Emission Plot between 7GHz ~ 9GHz




Date: 15.MAR.2014 16:05:00




Band :	WCDMA Band V	Channel :	CH4182
Test Mode :	RMC 12.2Kbps Link (QPSK)	Frequency :	836.4 MHz

Conducted Spurious Emission Plot between 30MHz ~ 1GHz




Date: 15.MAR.2014 16:02:57

Conducted Spurious Emission Plot between 1GHz ~ 3GHz




Date: 15.MAR.2014 16:03:08

Conducted Spurious Emission Plot between 3GHz ~ 7GHz



Date: 15.MAR.2014 16:03:17

Conducted Spurious Emission Plot between 7GHz ~ 9GHz




Date: 15.MAR.2014 16:03:25




Band :	WCDMA Band V	Channel :	CH4233
Test Mode :	RMC 12.2Kbps Link (QPSK)	Frequency :	846.6 MHz

Conducted Spurious Emission Plot between 30MHz ~ 1GHz




Date: 15.MAR.2014 16:07:25

Conducted Spurious Emission Plot between 1GHz ~ 3GHz




Date: 15.MAR.2014 16:06:18

Conducted Spurious Emission Plot between 3GHz ~ 7GHz



Date: 15.MAR.2014 16:06:27

Conducted Spurious Emission Plot between 7GHz ~ 9GHz




Date: 15.MAR.2014 16:06:35




Band :	WCDMA Band IV	Channel :	CH1312
Test Mode :	RMC 12.2Kbps Link (QPSK)	Frequency :	1712.4 MHz

Conducted Spurious Emission Plot between 30MHz ~ 1GHz



Date: 15.MAR.2014 15:07:31


Conducted Spurious Emission Plot between 1GHz ~ 3GHz



Date: 15.MAR.2014 15:07:39




Conducted Spurious Emission Plot between 3GHz ~ 7GHz



Date: 15.MAR.2014 15:07:51


Conducted Spurious Emission Plot between 7GHz ~ 13.6GHz



Date: 15.MAR.2014 15:07:59



Conducted Spurious Emission Plot between 13.6GHz ~ 18GHz




Date: 15.MAR.2014 15:08:07




Band :	WCDMA Band IV	Channel :	CH1413
Test Mode :	RMC 12.2Kbps Link (QPSK)	Frequency :	1732.6 MHz

Conducted Spurious Emission Plot between 30MHz ~ 1GHz



Date: 15.MAR.2014 15:05:57


Conducted Spurious Emission Plot between 1GHz ~ 3GHz



Date: 15.MAR.2014 15:06:05




Conducted Spurious Emission Plot between 3GHz ~ 7GHz



Date: 15.MAR.2014 15:06:19


Conducted Spurious Emission Plot between 7GHz ~ 13.6GHz



Date: 15.MAR.2014 15:06:28



Conducted Spurious Emission Plot between 13.6GHz ~ 18GHz




Date: 15.MAR.2014 15:06:36




Band :	WCDMA Band IV	Channel :	CH1513
Test Mode :	RMC 12.2Kbps Link (QPSK)	Frequency :	1752.6 MHz

Conducted Spurious Emission Plot between 30MHz ~ 1GHz



Date: 15.MAR.2014 15:10:15


Conducted Spurious Emission Plot between 1GHz ~ 3GHz



Date: 15.MAR.2014 15:10:24




Conducted Spurious Emission Plot between 3GHz ~ 7GHz



Date: 15.MAR.2014 15:10:35


Conducted Spurious Emission Plot between 7GHz ~ 13.6GHz



Date: 15.MAR.2014 15:10:44



Conducted Spurious Emission Plot between 13.6GHz ~ 18GHz




Date: 15.MAR.2014 15:10:52




Band :	WCDMA Band II	Channel :	CH9262
Test Mode :	RMC 12.2Kbps Link (QPSK)	Frequency :	1852.4 MHz

Conducted Spurious Emission Plot between 30MHz ~ 1GHz




Date: 15.MAR.2014 14:38:31

Conducted Spurious Emission Plot between 1GHz ~ 3GHz




Date: 15.MAR.2014 14:38:40

Conducted Spurious Emission Plot between 3GHz ~ 7GHz



Date: 15.MAR.2014 14:38:52


Conducted Spurious Emission Plot between 7GHz ~ 13.6GHz



Date: 15.MAR.2014 14:39:01



Conducted Spurious Emission Plot between 13.6GHz ~ 19.1GHz




Date: 15.MAR.2014 14:39:09




Band :	WCDMA Band II	Channel :	CH9400
Test Mode :	RMC 12.2Kbps Link (QPSK)	Frequency :	1880.0 MHz

Conducted Spurious Emission Plot between 30MHz ~ 1GHz




Date: 15.MAR.2014 14:37:00

Conducted Spurious Emission Plot between 1GHz ~ 3GHz




Date: 15.MAR.2014 14:37:08

Conducted Spurious Emission Plot between 3GHz ~ 7GHz



Date: 15.MAR.2014 14:37:20


Conducted Spurious Emission Plot between 7GHz ~ 13.6GHz



Date: 15.MAR.2014 14:37:28



Conducted Spurious Emission Plot between 13.6GHz ~ 19.1GHz




Date: 15.MAR.2014 14:37:37




Band :	WCDMA Band II	Channel :	CH9538
Test Mode :	RMC 12.2Kbps Link (QPSK)	Frequency :	1907.6 MHz

Conducted Spurious Emission Plot between 30MHz ~ 1GHz




Date: 15.MAR.2014 14:40:18

Conducted Spurious Emission Plot between 1GHz ~ 3GHz




Date: 15.MAR.2014 14:40:26

Conducted Spurious Emission Plot between 3GHz ~ 7GHz



Date: 15.MAR.2014 14:40:38


Conducted Spurious Emission Plot between 7GHz ~ 13.6GHz



Date: 15.MAR.2014 14:40:46



Conducted Spurious Emission Plot between 13.6GHz ~ 19.1GHz



Date: 15.MAR.2014 14:40:55

3.7 Field Strength of Spurious Radiation Measurement

3.7.1 Description of Field Strength of Spurious Radiated Measurement

The power of any emission outside of the authorized operating frequency ranges must be attenuated below the transmitter power (P) by a factor of at least $43 + 10 \log (P)$ dB. The spectrum is scanned from 30 MHz up to a frequency including its 10th harmonic.

3.7.2 Measuring Instruments


The measuring equipment is listed in the section 4 of this test report.

3.7.3 Test Procedures


1. The EUT was placed on a rotatable wooden table with 0.8 meter above ground.
2. The EUT was set 3 meters from the receiving antenna, which was mounted on the antenna tower.
3. The table was rotated 360 degrees to determine the position of the highest spurious emission.
4. The height of the receiving antenna is varied between one meter and four meters to search the maximum spurious emission for both horizontal and vertical polarizations.
5. Make the measurement with the spectrum analyzer's RBW = 1MHz, VBW = 3MHz, taking the record of maximum spurious emission.
6. A horn antenna was substituted in place of the EUT and was driven by a signal generator.
7. Tune the output power of signal generator to the same emission level with EUT maximum spurious emission.
8. Taking the record of output power at antenna port.
9. Repeat step 7 to step 8 for another polarization.
10. The RF fundamental frequency should be excluded against the limit line in the operating frequency band.
11. The limit line is derived from $43 + 10\log(P)$ dB below the transmitter power P(Watts)
 $= P(W) - [43 + 10\log(P)] \text{ (dB)}$
 $= [30 + 10\log(P)] \text{ (dBm)} - [43 + 10\log(P)] \text{ (dB)}$
 $= -13\text{dBm}$
12. $\text{EIRP (dBm)} = \text{S.G. Power} - \text{Tx Cable Loss} + \text{Tx Antenna Gain}$
13. $\text{ERP (dBm)} = \text{EIRP} - 2.15$

3.7.4 Test Setup

For radiated emissions from 30MHz to 1GHz




For radiated emissions above 1GHz



3.7.5 Test Result of Field Strength of Spurious Radiated

<Low Channel>


Band :	GSM850	Temperature :	21~24°C
Test Mode :	GPRS class 8 Link (GMSK)	Relative Humidity :	47~50%
Test Engineer :	Eric Shih	Polarization :	Horizontal
Remark :	Spurious emissions within 30-1000MHz were found more than 20dB below limit line.		



Frequency (MHz)	ERP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)	Result
1649	-45.70	-13	-32.70	-55.11	-49.7	1.53	5.53	H	Pass
2474	-54.31	-13	-41.31	-67.56	-58.4	2.06	6.15	H	Pass
3298	-55.35	-13	-42.35	-68.68	-60.8	2.48	7.93	H	Pass



Band :	GSM850	Temperature :	21~24°C
Test Mode :	GPRS class 8 Link (GMSK)	Relative Humidity :	47~50%
Test Engineer :	Eric Shih	Polarization :	Vertical
Remark :	Spurious emissions within 30-1000MHz were found more than 20dB below limit line.		




Site : 03CH07-HY
Condition : -13 HF-EIRP(080306) VERTICAL

Frequency (MHz)	ERP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)	Result
1649	-51.10	-13	-38.10	-61.8	-55.1	1.53	5.53	V	Pass
2474	-54.01	-13	-41.01	-67.86	-58.1	2.06	6.15	V	Pass
3298	-52.05	-13	-39.05	-67.95	-57.5	2.48	7.93	V	Pass



Band :	GSM850	Temperature :	21~24°C
Test Mode :	EDGE class 8 Link (8PSK)	Relative Humidity :	47~50%
Test Engineer :	Eric Shih	Polarization :	Horizontal
Remark :	Spurious emissions within 30-1000MHz were found more than 20dB below limit line.		




Site : 03CH07-HY
Condition : -13 HF-EIRP(080306) HORIZONTAL

Frequency (MHz)	ERP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)	Result
1649	-43.10	-13	-30.10	-52.71	-47.1	1.53	5.53	H	Pass
2474	-54.41	-13	-41.41	-67.94	-58.5	2.06	6.15	H	Pass
3298	-53.65	-13	-40.65	-67.19	-59.1	2.48	7.93	H	Pass



Band :	GSM850	Temperature :	21~24°C
Test Mode :	EDGE class 8 Link (8PSK)	Relative Humidity :	47~50%
Test Engineer :	Eric Shih	Polarization :	Vertical
Remark :	Spurious emissions within 30-1000MHz were found more than 20dB below limit line.		




Site : 03CH07-HY
Condition : -13 HF-EIRP(080306) VERTICAL

Frequency (MHz)	ERP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)	Result
1649	-49.20	-13	-36.20	-60.54	-53.2	1.53	5.53	V	Pass
2474	-54.81	-13	-41.81	-67.66	-58.9	2.06	6.15	V	Pass
3298	-53.25	-13	-40.25	-68.27	-58.7	2.48	7.93	V	Pass



Band :	GSM1900	Temperature :	21~24°C
Test Mode :	GPRS class 8 Link (GMSK)	Relative Humidity :	47~50%
Test Engineer :	Eric Shih	Polarization :	Horizontal
Remark :	Spurious emissions within 30-1000MHz were found more than 20dB below limit line.		




Site : 03CH07-HY
Condition : -13 HF-EIRP(080306) HORIZONTAL

Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)	Result
3702	-53.75	-13	-40.75	-69.13	-59.9	2.59	8.74	H	Pass
5553	-48.84	-13	-35.84	-69.37	-56.5	3.04	10.70	H	Pass
7405	-42.36	-13	-29.36	-69.96	-51.1	3.28	12.02	H	Pass



Band :	GSM1900	Temperature :	21~24°C
Test Mode :	GPRS class 8 Link (GMSK)	Relative Humidity :	47~50%
Test Engineer :	Eric Shih	Polarization :	Vertical
Remark :	Spurious emissions within 30-1000MHz were found more than 20dB below limit line.		




Site : 03CH07-HY
Condition : -13 HF-EIRP(080306) VERTICAL

Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)	Result
3702	-52.45	-13	-39.45	-68.6	-58.6	2.59	8.74	V	Pass
5553	-48.14	-13	-35.14	-68.39	-55.8	3.04	10.70	V	Pass
7405	-43.56	-13	-30.56	-69.74	-52.3	3.28	12.02	V	Pass



Band :	GSM1900	Temperature :	21~24°C
Test Mode :	EDGE class 8 Link (8PSK)	Relative Humidity :	47~50%
Test Engineer :	Eric Shih	Polarization :	Horizontal
Remark :	Spurious emissions within 30-1000MHz were found more than 20dB below limit line.		




Site : 03CH07-HY
Condition : -13 HF-EIRP(080306) HORIZONTAL

Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)	Result
3702	-52.55	-13	-39.55	-67.68	-58.7	2.59	8.74	H	Pass
5553	-49.24	-13	-36.24	-69.5	-56.9	3.04	10.70	H	Pass
7405	-42.46	-13	-29.46	-69.85	-51.2	3.28	12.02	H	Pass



Band :	GSM1900	Temperature :	21~24°C
Test Mode :	EDGE class 8 Link (8PSK)	Relative Humidity :	47~50%
Test Engineer :	Eric Shih	Polarization :	Vertical
Remark :	Spurious emissions within 30-1000MHz were found more than 20dB below limit line.		




Site : 03CH07-HY
Condition : -13 HF-EIRP(080306) VERTICAL

Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)	Result
3702	-53.05	-13	-40.05	-68.14	-59.2	2.59	8.74	V	Pass
5553	-50.14	-13	-37.14	-70.03	-57.8	3.04	10.70	V	Pass
7405	-43.86	-13	-30.86	-70.39	-52.6	3.28	12.02	V	Pass



Band :	WCDMA Band V	Temperature :	21~24°C
Test Mode :	RMC 12.2Kbps Link (QPSK)	Relative Humidity :	47~50%
Test Engineer :	Eric Shih	Polarization :	Horizontal
Remark :	Spurious emissions within 30-1000MHz were found more than 20dB below limit line.		




Site : 03CH07-HY
Condition : -13 HF-EIRP(080306) HORIZONTAL

Frequency (MHz)	ERP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)	Result
1649	-58.30	-13	-45.30	-67.11	-62.3	1.53	5.53	H	Pass
2474	-55.01	-13	-42.01	-67.34	-59.1	2.06	6.15	H	Pass
3298	-53.35	-13	-40.35	-67.87	-58.8	2.48	7.93	H	Pass



Band :	WCDMA Band V	Temperature :	21~24°C
Test Mode :	RMC 12.2Kbps Link (QPSK)	Relative Humidity :	47~50%
Test Engineer :	Eric Shih	Polarization :	Vertical
Remark :	Spurious emissions within 30-1000MHz were found more than 20dB below limit line.		




Site : 03CH07-HY
Condition : -13 HF-EIRP(080306) VERTICAL

Frequency (MHz)	ERP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)	Result
1649	-55.10	-13	-42.10	-66.7	-59.1	1.53	5.53	V	Pass
2474	-54.21	-13	-41.21	-67.71	-58.3	2.06	6.15	V	Pass
3298	-54.05	-13	-41.05	-69	-59.5	2.48	7.93	V	Pass



Band :	WCDMA Band IV	Temperature :	21~24°C
Test Mode :	RMC 12.2Kbps Link (QPSK)	Relative Humidity :	47~50%
Test Engineer :	Eric Shih	Polarization :	Horizontal
Remark :	Spurious emissions within 30-1000MHz were found more than 20dB below limit line.		




Site : 03CH07-HY
Condition : -13 HF-EIRP(080306) HORIZONTAL

Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)	Result
3427	-42.38	-13	-29.38	-57.82	-46.21	4.48	8.31	H	Pass
5135	-50.70	-13	-37.70	-69.61	-55.34	5.332	9.98	H	Pass
6850	-42.48	-13	-29.48	-67.92	-47.72	6.1	11.34	H	Pass



Band :	WCDMA Band IV	Temperature :	21~24°C
Test Mode :	RMC 12.2Kbps Link (QPSK)	Relative Humidity :	47~50%
Test Engineer :	Eric Shih	Polarization :	Vertical
Remark :	Spurious emissions within 30-1000MHz were found more than 20dB below limit line.		




Site : 03CH07-HY
Condition : -13 HF-EIRP(080306) VERTICAL

Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)	Result
3427	-41.50	-13	-28.50	-58.22	-45.33	4.48	8.31	V	Pass
5135	-51.34	-13	-38.34	-70.15	-55.98	5.332	9.98	V	Pass
6850	-43.24	-13	-30.24	-68.77	-48.48	6.1	11.34	V	Pass



Band :	WCDMA Band II	Temperature :	21~24°C
Test Mode :	RMC 12.2Kbps Link (QPSK)	Relative Humidity :	47~50%
Test Engineer :	Eric Shih	Polarization :	Horizontal
Remark :	Spurious emissions within 30-1000MHz were found more than 20dB below limit line.		




Site : 03CH07-HY
Condition : -13 HF-EIRP(080306) HORIZONTAL

Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)	Result
3702	-50.88	-13	-37.88	-66.26	-57.03	2.59	8.74	H	Pass
5553	-49.09	-13	-36.09	-69.71	-56.75	3.04	10.70	H	Pass
7405	-40.71	-13	-27.71	-69.31	-49.45	3.28	12.02	H	Pass



Band :	WCDMA Band II	Temperature :	21~24°C
Test Mode :	RMC 12.2Kbps Link (QPSK)	Relative Humidity :	47~50%
Test Engineer :	Eric Shih	Polarization :	Vertical
Remark :	Spurious emissions within 30-1000MHz were found more than 20dB below limit line.		




Site : 03CH07-HY
Condition : -13 HF-EIRP(080306) VERTICAL

Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)	Result
3702	-52.84	-13	-39.84	-68.57	-58.99	2.59	8.74	V	Pass
5553	-49.80	-13	-36.80	-69.55	-57.46	3.04	10.70	V	Pass
7405	-41.49	-13	-28.49	-69.85	-50.23	3.28	12.02	V	Pass



<Middle Channel>

Band :	GSM850	Temperature :	21~24°C
Test Mode :	GPRS class 8 Link (GMSK)	Relative Humidity :	47~50%
Test Engineer :	Eric Shih	Polarization :	Horizontal
Remark :	Spurious emissions within 30-1000MHz were found more than 20dB below limit line.		




Site : 03CH07-HY
Condition : -13 HF-EIRP(080306) HORIZONTAL

Frequency (MHz)	ERP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)	Result
1672	-45.23	-13	-32.23	-54.71	-49.1	1.62	5.49	H	Pass
2509	-53.68	-13	-40.68	-66.9	-57.8	2.1	6.22	H	Pass
3345	-55.46	-13	-42.46	-69.14	-60.5	3.03	8.07	H	Pass




Band :	GSM850	Temperature :	21~24°C
Test Mode :	GPRS class 8 Link (GMSK)	Relative Humidity :	47~50%
Test Engineer :	Eric Shih	Polarization :	Vertical
Remark :	Spurious emissions within 30-1000MHz were found more than 20dB below limit line.		



Site : 03CH07-HY
Condition : -13 HF-EIRP(080306) VERTICAL

Frequency (MHz)	ERP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)	Result
1672	-51.93	-13	-38.93	-63.54	-55.8	1.62	5.49	V	Pass
2509	-54.58	-13	-41.58	-67.28	-58.7	2.1	6.22	V	Pass
3345	-53.86	-13	-40.86	-68.61	-58.9	3.03	8.07	V	Pass

Band :	GSM850	Temperature :	21~24°C
Test Mode :	EDGE class 8 Link (8PSK)	Relative Humidity :	47~50%
Test Engineer :	Eric Shih	Polarization :	Horizontal
Remark :	Spurious emissions within 30-1000MHz were found more than 20dB below limit line.		




Site : 03CH07-HY
Condition : -13 HF-EIRP(080306) HORIZONTAL

Frequency (MHz)	ERP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)	Result
1672	-49.03	-13	-36.03	-57.66	-52.9	1.62	5.49	H	Pass
2509	-54.38	-13	-41.38	-67.42	-58.5	2.1	6.22	H	Pass
3345	-55.06	-13	-42.06	-68.88	-60.1	3.03	8.07	H	Pass



Band :	GSM850	Temperature :	21~24°C
Test Mode :	EDGE class 8 Link (8PSK)	Relative Humidity :	47~50%
Test Engineer :	Eric Shih	Polarization :	Vertical
Remark :	Spurious emissions within 30-1000MHz were found more than 20dB below limit line.		




Site : 03CH07-HY
Condition : -13 HF-EIRP(080306) VERTICAL

Frequency (MHz)	ERP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)	Result
1672	-51.23	-13	-38.23	-62.54	-55.1	1.62	5.49	V	Pass
2509	-54.48	-13	-41.48	-68.1	-58.6	2.1	6.22	V	Pass
3345	-53.66	-13	-40.66	-68.86	-58.7	3.03	8.07	V	Pass



Band :	GSM1900	Temperature :	21~24°C
Test Mode :	GPRS class 8 Link (GMSK)	Relative Humidity :	47~50%
Test Engineer :	Eric Shih	Polarization :	Horizontal
Remark :	Spurious emissions within 30-1000MHz were found more than 20dB below limit line.		




Site : 03CH07-HY
Condition : -13 HF-EIRP(080306) HORIZONTAL

Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)	Result
3760	-53.90	-13	-40.90	-68.59	-60.2	2.51	8.81	H	Pass
5636	-49.09	-13	-36.09	-69.16	-56.8	2.99	10.70	H	Pass
7520	-42.67	-13	-29.67	-69.89	-51.2	3.59	12.12	H	Pass




Band :	GSM1900	Temperature :	21~24°C
Test Mode :	GPRS class 8 Link (GMSK)	Relative Humidity :	47~50%
Test Engineer :	Eric Shih	Polarization :	Vertical
Remark :	Spurious emissions within 30-1000MHz were found more than 20dB below limit line.		



Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)	Result
3760	-51.20	-13	-38.20	-67.78	-57.5	2.51	8.81	V	Pass
5636	-49.39	-13	-36.39	-69.97	-57.1	2.99	10.70	V	Pass
7520	-42.27	-13	-29.27	-69.87	-50.8	3.59	12.12	V	Pass



Band :	GSM1900	Temperature :	21~24°C
Test Mode :	EDGE class 8 Link (8PSK)	Relative Humidity :	47~50%
Test Engineer :	Eric Shih	Polarization :	Horizontal
Remark :	Spurious emissions within 30-1000MHz were found more than 20dB below limit line.		




Site : 03CH07-HY
Condition : -13 HF-EIRP(080306) HORIZONTAL

Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)	Result
3760	-53.80	-13	-40.80	-69.01	-60.1	2.51	8.81	H	Pass
5636	-48.49	-13	-35.49	-69.33	-56.2	2.99	10.70	H	Pass
7520	-42.27	-13	-29.27	-69.87	-50.8	3.59	12.12	H	Pass



Band :	GSM1900	Temperature :	21~24°C
Test Mode :	EDGE class 8 Link (8PSK)	Relative Humidity :	47~50%
Test Engineer :	Eric Shih	Polarization :	Vertical
Remark :	Spurious emissions within 30-1000MHz were found more than 20dB below limit line.		




Site : 03CH07-HY
Condition : -13 HF-EIRP(080306) VERTICAL

Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)	Result
3760	-52.80	-13	-39.80	-68.48	-59.1	2.51	8.81	V	Pass
5636	-47.39	-13	-34.39	-67.84	-55.1	2.99	10.70	V	Pass
7520	-42.37	-13	-29.37	-69.23	-50.9	3.59	12.12	V	Pass



Band :	WCDMA Band V	Temperature :	21~24°C
Test Mode :	RMC 12.2Kbps Link (QPSK)	Relative Humidity :	47~50%
Test Engineer :	Eric Shih	Polarization :	Horizontal
Remark :	Spurious emissions within 30-1000MHz were found more than 20dB below limit line.		




Site : 03CH07-HY
Condition : -13 HF-EIRP(080306) HORIZONTAL

Frequency (MHz)	ERP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)	Result
1672	-57.63	-13	-44.63	-66.31	-61.5	1.62	5.49	H	Pass
2509	-54.38	-13	-41.38	-66.95	-58.5	2.1	6.22	H	Pass
3345	-54.56	-13	-41.56	-68.73	-59.6	3.03	8.07	H	Pass




Band :	WCDMA Band V	Temperature :	21~24°C
Test Mode :	RMC 12.2Kbps Link (QPSK)	Relative Humidity :	47~50%
Test Engineer :	Eric Shih	Polarization :	Vertical
Remark :	Spurious emissions within 30-1000MHz were found more than 20dB below limit line.		



Frequency (MHz)	ERP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)	Result
1672	-56.13	-13	-43.13	-67.23	-60	1.62	5.49	V	Pass
2509	-53.58	-13	-40.58	-67.34	-57.7	2.1	6.22	V	Pass
3345	-53.26	-13	-40.26	-68.56	-58.3	3.03	8.07	V	Pass



Band :	WCDMA Band IV	Temperature :	21~24°C
Test Mode :	RMC 12.2Kbps Link (QPSK)	Relative Humidity :	47~50%
Test Engineer :	Eric Shih	Polarization :	Horizontal
Remark :	Spurious emissions within 30-1000MHz were found more than 20dB below limit line.		




Site : 03CH07-HY
Condition : -13 HF-EIRP(080306) HORIZONTAL

Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)	Result
3460	-45.02	-13	-32.02	-59.52	-48.85	4.48	8.31	H	Pass
5196	-49.60	-13	-36.60	-69.46	-54.24	5.332	9.98	H	Pass
6932	-42.29	-13	-29.29	-68.84	-47.53	6.1	11.34	H	Pass



Band :	WCDMA Band IV	Temperature :	21~24°C
Test Mode :	RMC 12.2Kbps Link (QPSK)	Relative Humidity :	47~50%
Test Engineer :	Eric Shih	Polarization :	Vertical
Remark :	Spurious emissions within 30-1000MHz were found more than 20dB below limit line.		




Site : 03CH07-HY
Condition : -13 HF-EIRP(080306) VERTICAL

Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)	Result
3460	-45.85	-13	-32.85	-61.18	-49.68	4.48	8.31	V	Pass
5196	-48.57	-13	-35.57	-69.53	-53.21	5.332	9.98	V	Pass
6932	-41.54	-13	-28.54	-68.41	-46.78	6.1	11.34	V	Pass



Band :	WCDMA Band II	Temperature :	21~24°C
Test Mode :	RMC 12.2Kbps Link (QPSK)	Relative Humidity :	47~50%
Test Engineer :	Eric Shih	Polarization :	Horizontal
Remark :	Spurious emissions within 30-1000MHz were found more than 20dB below limit line.		




Site : 03CH07-HY
Condition : -13 HF-EIRP(080306) HORIZONTAL

Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)	Result
3760	-50.83	-13	-37.83	-66.28	-57.13	2.51	8.81	H	Pass
5636	-48.10	-13	-35.10	-69.52	-55.81	2.99	10.70	H	Pass
7520	-42.74	-13	-29.74	-69.59	-51.27	3.59	12.12	H	Pass



Band :	WCDMA Band II	Temperature :	21~24°C
Test Mode :	RMC 12.2Kbps Link (QPSK)	Relative Humidity :	47~50%
Test Engineer :	Eric Shih	Polarization :	Vertical
Remark :	Spurious emissions within 30-1000MHz were found more than 20dB below limit line.		




Site : 03CH07-HY
Condition : -13 HF-EIRP(080306) VERTICAL

Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)	Result
3760	-51.92	-13	-38.92	-69.48	-58.22	2.51	8.81	V	Pass
5636	-48.67	-13	-35.67	-69.04	-56.38	2.99	10.70	V	Pass
7520	-42.65	-13	-29.65	-70	-51.18	3.59	12.12	V	Pass



<High Channel>

Band :	GSM850	Temperature :	21~24°C
Test Mode :	GPRS class 8 Link (GMSK)	Relative Humidity :	47~50%
Test Engineer :	Eric Shih	Polarization :	Horizontal
Remark :	Spurious emissions within 30-1000MHz were found more than 20dB below limit line.		




Site : 03CH07-HY
Condition : -13 HF-EIRP(080306) HORIZONTAL

Frequency (MHz)	ERP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)	Result
1696	-48.22	-13	-35.22	57.34	-52.1	1.57	5.45	H	Pass
2544	-54.24	-13	-41.24	-67.71	-58.5	2.02	6.28	H	Pass
3393	-54.20	-13	-41.20	-68.56	-60.1	2.3	8.20	H	Pass



Band :	GSM850	Temperature :	21~24°C
Test Mode :	GPRS class 8 Link (GMSK)	Relative Humidity :	47~50%
Test Engineer :	Eric Shih	Polarization :	Vertical
Remark :	Spurious emissions within 30-1000MHz were found more than 20dB below limit line.		




Site : 03CH07-HY
Condition : -13 HF-EIRP(080306) VERTICAL

Frequency (MHz)	ERP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)	Result
1696	-46.32	-13	-33.32	-57.87	-50.2	1.57	5.45	V	Pass
2544	-53.54	-13	-40.54	-67.37	-57.8	2.02	6.28	V	Pass
3393	-53.00	-13	-40.00	-68.62	-58.9	2.3	8.20	V	Pass




Band :	GSM850	Temperature :	21~24°C
Test Mode :	EDGE class 8 Link (8PSK)	Relative Humidity :	47~50%
Test Engineer :	Eric Shih	Polarization :	Horizontal
Remark :	Spurious emissions within 30-1000MHz were found more than 20dB below limit line.		



Frequency (MHz)	ERP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)	Result
1696	-46.92	-13	-33.92	-56.44	-50.8	1.57	5.45	H	Pass
2544	-54.34	-13	-41.34	-68.09	-58.6	2.02	6.28	H	Pass
3393	-54.00	-13	-41.00	-68.48	-59.9	2.3	8.20	H	Pass




Band :	GSM850	Temperature :	21~24°C
Test Mode :	EDGE class 8 Link (8PSK)	Relative Humidity :	47~50%
Test Engineer :	Eric Shih	Polarization :	Vertical
Remark :	Spurious emissions within 30-1000MHz were found more than 20dB below limit line.		



Site : 03CH07-HY
Condition : -13 HF-EIRP(080306) VERTICAL

Frequency (MHz)	ERP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)	Result
1696	-50.22	-13	-37.22	-62.1	-54.1	1.57	5.45	V	Pass
2544	-53.54	-13	-40.54	-67.4	-57.8	2.02	6.28	V	Pass
3393	-52.20	-13	-39.20	-67.82	-58.1	2.3	8.20	V	Pass

Band :	GSM1900	Temperature :	21~24°C
Test Mode :	GPRS class 8 Link (GMSK)	Relative Humidity :	47~50%
Test Engineer :	Eric Shih	Polarization :	Horizontal
Remark :	Spurious emissions within 30-1000MHz were found more than 20dB below limit line.		




Site : 03CH07-HY
Condition : -13 HF-EIRP(080306) HORIZONTAL

Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)	Result
3817	-51.69	-13	-38.69	-67.38	-58.1	2.47	8.88	H	Pass
5726	-48.60	-13	-35.60	-69.82	-56.3	3	10.70	H	Pass
7635	-42.72	-13	-29.72	-69.32	-51.5	3.43	12.21	H	Pass



Band :	GSM1900	Temperature :	21~24°C
Test Mode :	GPRS class 8 Link (GMSK)	Relative Humidity :	47~50%
Test Engineer :	Eric Shih	Polarization :	Vertical
Remark :	Spurious emissions within 30-1000MHz were found more than 20dB below limit line.		




Site : 03CH07-HY
Condition : -13 HF-EIRP(080306) VERTICAL

Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)	Result
3817	-52.39	-13	-39.39	-68.21	-58.8	2.47	8.88	V	Pass
5726	-48.20	-13	-35.20	-69.6	-55.9	3	10.70	V	Pass
7635	-42.92	-13	-29.92	-69.13	-51.7	3.43	12.21	V	Pass



Band :	GSM1900	Temperature :	21~24°C
Test Mode :	EDGE class 8 Link (8PSK)	Relative Humidity :	47~50%
Test Engineer :	Eric Shih	Polarization :	Horizontal
Remark :	Spurious emissions within 30-1000MHz were found more than 20dB below limit line.		




Site : 03CH07-HY
Condition : -13 HF-EIRP(080306) HORIZONTAL

Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)	Result
3817	-52.79	-13	-39.79	-67.85	-59.2	2.47	8.88	H	Pass
5726	-48.50	-13	-35.50	-69.87	-56.2	3	10.70	H	Pass
7635	-42.42	-13	-29.42	-69.13	-51.2	3.43	12.21	H	Pass



Band :	GSM1900	Temperature :	21~24°C
Test Mode :	EDGE class 8 Link (8PSK)	Relative Humidity :	47~50%
Test Engineer :	Eric Shih	Polarization :	Vertical
Remark :	Spurious emissions within 30-1000MHz were found more than 20dB below limit line.		




Site : 03CH07-HY
Condition : -13 HF-EIRP(080306) VERTICAL

Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)	Result
3817	-51.89	-13	-38.89	-68.46	-58.3	2.47	8.88	V	Pass
5726	-49.00	-13	-36.00	-69.81	-56.7	3	10.70	V	Pass
7635	-43.12	-13	-30.12	-68.96	-51.9	3.43	12.21	V	Pass



Band :	WCDMA Band V	Temperature :	21~24°C
Test Mode :	RMC 12.2Kbps Link (QPSK)	Relative Humidity :	47~50%
Test Engineer :	Eric Shih	Polarization :	Horizontal
Remark :	Spurious emissions within 30-1000MHz were found more than 20dB below limit line.		




Site : 03CH07-HY
Condition : -13 HF-EIRP(080306) HORIZONTAL

Frequency (MHz)	ERP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)	Result
1696	-55.92	-13	-42.92	-64.9	-59.8	1.57	5.45	H	Pass
2544	-54.44	-13	-41.44	-67.16	-58.7	2.02	6.28	H	Pass
3393	-53.20	-13	-40.20	-68.1	-59.1	2.3	8.20	H	Pass



Band :	WCDMA Band V	Temperature :	21~24°C
Test Mode :	RMC 12.2Kbps Link (QPSK)	Relative Humidity :	47~50%
Test Engineer :	Eric Shih	Polarization :	Vertical
Remark :	Spurious emissions within 30-1000MHz were found more than 20dB below limit line.		




Site : 03CH07-HY
Condition : -13 HF-EIRP(080306) VERTICAL

Frequency (MHz)	ERP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)	Result
1696	-55.02	-13	-42.02	-66.34	-58.9	1.57	5.45	V	Pass
2544	-53.84	-13	-40.84	-67.57	-58.1	2.02	6.28	V	Pass
3393	-53.20	-13	-40.20	-68.13	-59.1	2.3	8.20	V	Pass




Band :	WCDMA Band IV	Temperature :	21~24°C
Test Mode :	RMC 12.2Kbps Link (QPSK)	Relative Humidity :	47~50%
Test Engineer :	Eric Shih	Polarization :	Horizontal
Remark :	Spurious emissions within 30-1000MHz were found more than 20dB below limit line.		



Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)	Result
3504	-46.26	-13	-33.26	-60.62	-50.53	4.16	8.43	H	Pass
5254	-49.66	-13	-36.66	-68.78	-54.62	5.13	10.09	H	Pass
7011	-42.48	-13	-29.48	-69.1	-47.76	6.15	11.43	H	Pass



Band :	WCDMA Band IV	Temperature :	21~24°C
Test Mode :	RMC 12.2Kbps Link (QPSK)	Relative Humidity :	47~50%
Test Engineer :	Eric Shih	Polarization :	Vertical
Remark :	Spurious emissions within 30-1000MHz were found more than 20dB below limit line.		




Site : 03CH07-HY
Condition : -13 HF-EIRP(080306) VERTICAL

Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)	Result
3504	-46.67	-13	-33.67	-62.16	-50.94	4.16	8.43	V	Pass
5254	-50.32	-13	-37.32	-69.44	-55.28	5.13	10.09	V	Pass
7011	-43.85	-13	-30.85	-69.64	-49.13	6.15	11.43	V	Pass



Band :	WCDMA Band II	Temperature :	21~24°C
Test Mode :	RMC 12.2Kbps Link (QPSK)	Relative Humidity :	47~50%
Test Engineer :	Eric Shih	Polarization :	Horizontal
Remark :	Spurious emissions within 30-1000MHz were found more than 20dB below limit line.		




Site : 03CH07-HY
Condition : -13 HF-EIRP(080306) HORIZONTAL

Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)	Result
3817	-47.88	-13	-34.88	-63.73	-54.29	2.47	8.88	H	Pass
5726	-48.14	-13	-35.14	-69.8	-55.84	3	10.70	H	Pass
7635	-42.21	-13	-29.21	-69.1	-50.99	3.43	12.21	H	Pass



Band :	WCDMA Band II	Temperature :	21~24°C
Test Mode :	RMC 12.2Kbps Link (QPSK)	Relative Humidity :	47~50%
Test Engineer :	Eric Shih	Polarization :	Vertical
Remark :	Spurious emissions within 30-1000MHz were found more than 20dB below limit line.		



Site : 03CH07-HY
Condition : -13 HF-EIRP(080306) VERTICAL

Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)	Result
3817	-49.86	-13	-36.86	-67.65	-56.27	2.47	8.88	V	Pass
5726	-47.36	-13	-34.36	-69.61	-55.06	3	10.70	V	Pass
7635	-43.56	-13	-30.56	-69.55	-52.34	3.43	12.21	V	Pass

3.8 Frequency Stability Measurement

3.8.1 Description of Frequency Stability Measurement

The frequency stability shall be measured by variation of ambient temperature and variation of primary supply voltage to ensure that the fundamental emission stays within the authorized frequency block. The frequency stability of the transmitter shall be maintained within $\pm 0.00025\%$ ($\pm 2.5\text{ppm}$) of the center frequency.

3.8.2 Measuring Instruments

The measuring equipment is listed in the section 4 of this test report.


3.8.3 Test Procedures for Temperature Variation

1. The EUT was set up in the thermal chamber and connected with the System Simulator.
2. With power OFF, the temperature was decreased to -30°C and the EUT was stabilized before testing. Power was applied and the maximum change in frequency was recorded within one minute.
3. With power OFF, the temperature was raised in 10°C step up to 50°C . The EUT was stabilized at each step for at least half an hour. Power was applied and the maximum frequency change was recorded within one minute.

3.8.4 Test Procedures for Voltage Variation

1. The EUT was placed in a temperature chamber at $25\pm 5^{\circ}\text{C}$ and connected with the System Simulator.
2. The power supply voltage to the EUT was varied from BEP to 115% of the nominal value measured at the input to the EUT.
3. The variation in frequency was measured for the worst case.

3.8.5 Test Setup



3.8.6 Test Result of Temperature Variation

Band :	GSM 850	Channel :	189
Limit (ppm) :	2.5	Frequency :	836.4 MHz

Temperature (°C)	GPRS class 8	EDGE class 8	Limit (ppm)	Result
	Deviation (ppm)	Deviation (ppm)		
50	0.0263	0.0371	2.5	PASS
40	0.0227	0.0335		
30	0.0203	0.0263		
20	0.0179	0.0287		
10	0.0155	0.0323		
0	0.0191	0.0299		
-10	0.0167	0.0347		
-20	0.0215	0.0418		
-30	0.0251	0.0395		

Band :	GSM 1900	Channel :	661
Limit (ppm) :	2.5	Frequency :	1880.0 MHz

Temperature (°C)	GPRS class 8	EDGE class 8	Limit (ppm)	Result
	Deviation (ppm)	Deviation (ppm)		
50	0.0309	0.0415	2.5	PASS
40	0.0314	0.0410		
30	0.0293	0.0394		
20	0.0282	0.0372		
10	0.0266	0.0378		
0	0.0261	0.0367		
-10	0.0287	0.0388		
-20	0.0298	0.0404		
-30	0.0319	0.0426		

Band :	WCDMA Band V	Channel :	4182
Limit (ppm) :	2.5	Frequency :	836.4 MHz

Temperature (°C)	RMC 12.2Kbps	Limit (ppm)	Result
	Deviation (ppm)		
50	0.0084	2.5	PASS
40	0.0060		
30	0.0048		
20	0.0060		
10	0.0084		
0	0.0072		
-10	0.0072		
-20	0.0096		
-30	0.0132		

Band :	WCDMA Band IV	Channel :	1413
Limit (ppm) :	2.5	Frequency :	1732.6 MHz

Temperature (°C)	RMC 12.2Kbps	Limit (ppm)	Result
	Deviation (ppm)		
50	0.0081	2.5	PASS
40	0.0075		
30	0.0063		
20	0.0052		
10	0.0040		
0	0.0046		
-10	0.0069		
-20	0.0063		
-30	0.0087		



Band :	WCDMA Band II	Channel :	9400
Limit (ppm) :	2.5	Frequency :	1880 MHz

Temperature (°C)	RMC 12.2Kbps	Limit (ppm)	Result
	Deviation (ppm)		
50	0.0053	2.5	PASS
40	0.0059		
30	0.0043		
20	0.0059		
10	0.0037		
0	0.0048		
-10	0.0043		
-20	0.0048		
-30	0.0069		

3.8.7 Test Result of Voltage Variation

Band & Channel	Mode	Voltage (Volt)	Deviation (ppm)	Limit (ppm)	Result
GSM 850 CH189	GPRS class 8	4.35	0.0203	2.5	PASS
		3.80	0.0179		
		BEP	0.0227		
	EDGE class 8	4.35	0.0335		
		3.80	0.0311		
		BEP	0.0371		
GSM 1900 CH661	GPRS class 8	4.35	0.0277		
		3.80	0.0266		
		BEP	0.0303		
	EDGE class 8	4.35	0.0372		
		3.80	0.0399		
		BEP	0.0383		
WCDMA Band V CH4182	RMC 12.2Kbps	4.35	0.0072		
		3.80	0.0060		
		BEP	0.0084		
WCDMA Band IV CH1413	RMC 12.2Kbps	4.35	0.0035		
		3.80	0.0040		
		BEP	0.0052		
WCDMA Band II CH9400	RMC 12.2Kbps	4.35	0.0048		
		3.80	0.0037		
		BEP	0.0043		

Note:

1. Normal Voltage = 3.80V.
2. Battery End Point (BEP) = 3.42 V.



4 List of Measuring Equipment

Instrument	Manufacturer	Model No.	Serial No.	Characteristics	Calibration Date	Test Date	Due Date	Remark
System Simulator	Rohde & Schwarz	CMU200	117995	N/A	Aug. 01, 2013	Mar. 15, 2014	Jul. 31, 2014	Conducted (TH02-HY)
Spectrum Analyzer	Rohde & Schwarz	FSP40	100055	9kHz~40GHz	Jun. 07, 2013	Mar. 15, 2014	Jun. 06, 2014	Conducted (TH02-HY)
Thermal Chamber	Ten Billion	TTH-D3SP	TBN-930701	N/A	Jul. 19, 2013	Mar. 15, 2014	Jul. 18, 2014	Conducted (TH02-HY)
Spectrum Analyzer	Rohde & Schwarz	FSP30	101067	9KHz ~ 30GHz	Nov. 20, 2013	Mar. 22, 2014~ Mar. 27, 2014	Nov. 19, 2014	Radiation (03CH07-HY)
Bilog Antenna	Schaffner	CBL6111C	2726	30MHz ~ 1GHz	Oct. 10, 2013	Mar. 22, 2014~ Mar. 27, 2014	Oct. 09, 2014	Radiation (03CH07-HY)
Double Ridge Horn Antenna	ESCO	3117	75962	1GHz~18GHz	Aug. 22, 2013	Mar. 22, 2014~ Mar. 27, 2014	Aug. 21, 2014	Radiation (03CH07-HY)
Preamplifier	SONOMA	310N	187231	9kHz~1GHz	May 15, 2013	Mar. 22, 2014~ Mar. 27, 2014	May 14, 2014	Radiation (03CH07-HY)
Preamplifier	Agilent	8449B	3008A02362	1 GHz~26.5 GHz	Nov. 29, 2013	Mar. 22, 2014~ Mar. 27, 2014	Nov. 28, 2014	Radiation (03CH07-HY)
Turn Table	ChainTek	ChainTek 3000	N/A	0 ~ 360 degree	N/A	Mar. 22, 2014~ Mar. 27, 2014	N/A	Radiation (03CH07-HY)
Antenna Mast	ChainTek	M-400-0	114/8000604/L	N/A	N/A	Mar. 22, 2014~ Mar. 27, 2014	N/A	Radiation (03CH07-HY)
SHF-EHF Horn Antenna	SCHWARZBECK	BBHA 9170	BBHA9170251	15GHz- 40GHz	Oct. 03, 2013	Mar. 22, 2014~ Mar. 27, 2014	Oct. 02, 2014	Radiation (03CH07-HY)



5 Uncertainty of Evaluation

Uncertainty of Radiated Emission Measurement (30 MHz ~ 1000 MHz)

Measuring Uncertainty for a Level of Confidence of 95% ($U = 2Uc(y)$)	4.50
---	------