



LTE Band 26 / 3MHz / QPSK / RB Size 1 Offset 0									
Channel	Frequency (MHz)	ERP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	1648	-62.81	-13	-49.81	-75.01	-64.57	0.98	4.89	H
	2472	-57.57	-13	-44.57	-75.15	-59.45	1.28	5.32	H
	3296	-58.92	-13	-45.92	-77.22	-62.33	1.54	7.10	H
									H
									H
									H
	1648	-63.69	-13	-50.69	-75.12	-65.45	0.98	4.89	V
	2472	-60.75	-13	-47.75	-75.72	-62.63	1.28	5.32	V
	3296	-59.55	-13	-46.55	-76.84	-62.96	1.54	7.10	V
									V
Middle	1672	-62.74	-13	-49.74	-75.26	-64.42	0.99	4.82	H
	2504	-58.90	-13	-45.90	-76.22	-60.86	1.29	5.40	H
	3336	-58.30	-13	-45.30	-77.11	-61.88	1.55	7.28	H
									H
									H
									H
	1672	-63.49	-13	-50.49	-74.96	-65.17	0.99	4.82	V
	2504	-60.93	-13	-47.93	-76.34	-62.89	1.29	5.40	V
	3336	-59.74	-13	-46.74	-77.16	-63.32	1.55	7.28	V
									V
Highest	1688	-60.84	-13	-47.84	-73.55	-62.47	1.00	4.77	H
	2536	-57.20	-13	-44.20	-74.19	-59.18	1.30	5.43	H
	3384	-58.02	-13	-45.02	-77.07	-61.79	1.57	7.49	H
									H
									H
									H
	1688	-63.36	-13	-50.36	-74.9	-64.99	1.00	4.77	V
	2536	-61.36	-13	-48.36	-73.95	-63.34	1.30	5.43	V
	3384	-59.39	-13	-46.39	-77.23	-63.16	1.57	7.49	V
									V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



LTE Band 26 / 5MHz / QPSK / RB Size 1 Offset 0									
Channel	Frequency (MHz)	ERP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	1648	-62.68	-13	-49.68	-75.05	-64.44	0.98	4.89	H
	2472	-58.01	-13	-45.01	-75.23	-59.89	1.28	5.32	H
	3296	-58.57	-13	-45.57	-77.09	-61.98	1.54	7.10	H
									H
									H
									H
	1648	-63.67	-13	-50.67	-75.1	-65.43	0.98	4.89	V
	2472	-59.70	-13	-46.70	-75.8	-61.58	1.28	5.32	V
	3296	-60.01	-13	-47.01	-77.25	-63.42	1.54	7.10	V
									V
Middle	1672	-62.78	-13	-49.78	-75.3	-64.46	0.99	4.82	H
	2504	-58.79	-13	-45.79	-76.17	-60.75	1.29	5.40	H
	3336	-58.23	-13	-45.23	-77.04	-61.81	1.55	7.28	H
									H
									H
									H
	1672	-63.84	-13	-50.84	-75.31	-65.52	0.99	4.82	V
	2504	-60.79	-13	-47.79	-76.16	-62.75	1.29	5.40	V
	3336	-59.70	-13	-46.70	-77.12	-63.28	1.55	7.28	V
									V
Highest	1688	-61.33	-13	-48.33	-74.04	-62.96	1.00	4.77	H
	2536	-57.63	-13	-44.63	-75.48	-59.61	1.30	5.43	H
	3376	-57.84	-13	-44.84	-76.85	-61.58	1.57	7.45	H
									H
									H
									H
	1688	-62.45	-13	-49.45	-73.98	-64.08	1.00	4.77	V
	2536	-59.33	-13	-46.33	-75.3	-61.31	1.30	5.43	V
	3376	-59.41	-13	-46.41	-77.15	-63.15	1.57	7.45	V
									V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



LTE Band 26 / 10MHz / QPSK / RB Size 1 Offset 0									
Channel	Frequency (MHz)	ERP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	1648	-62.80	-13	-49.80	-75.17	-64.56	0.98	4.89	H
	2472	-58.48	-13	-45.48	-76.06	-60.36	1.28	5.32	H
	3296	-58.28	-13	-45.28	-76.88	-61.69	1.54	7.10	H
									H
									H
									H
	1648	-63.66	-13	-50.66	-75.09	-65.42	0.98	4.89	V
	2472	-60.47	-13	-47.47	-76.04	-62.35	1.28	5.32	V
	3296	-59.64	-13	-46.64	-76.22	-63.05	1.54	7.10	V
									V
Middle	1664	-62.60	-13	-49.60	-75.15	-64.31	0.98	4.84	H
	2496	-57.54	-13	-44.54	-75.34	-59.49	1.29	5.39	H
	3328	-58.17	-13	-45.17	-76.94	-61.71	1.55	7.24	H
									H
									H
									H
	1664	-63.58	-13	-50.58	-75.06	-65.29	0.98	4.84	V
	2496	-58.71	-13	-45.71	-74.51	-60.66	1.29	5.39	V
	3328	-59.98	-13	-46.98	-76.89	-63.52	1.55	7.24	V
									V
Highest	1680	-62.57	-13	-49.57	-75.3	-64.22	0.99	4.80	H
	2520	-58.89	-13	-45.89	-76.18	-60.86	1.30	5.42	H
	3360	-57.94	-13	-44.94	-76.86	-61.61	1.56	7.38	H
									H
									H
									H
	1680	-63.94	-13	-50.94	-75.49	-65.59	0.99	4.80	V
	2520	-60.45	-13	-47.45	-76.28	-62.42	1.30	5.42	V
	3360	-59.57	-13	-46.57	-76.97	-63.24	1.56	7.38	V
									V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



LTE Band 26 / 15MHz / QPSK / RB Size 1 Offset 0									
Channel	Frequency (MHz)	ERP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	1648	-62.82	-13	-49.82	-75.19	-64.58	0.98	4.89	H
	2472	-57.75	-13	-44.75	-75.33	-59.63	1.28	5.32	H
	3296	-58.44	-13	-45.44	-77.04	-61.85	1.54	7.10	H
									H
									H
									H
	1648	-63.76	-13	-50.76	-75.19	-65.52	0.98	4.89	V
	2472	-60.47	-13	-47.47	-76.04	-62.35	1.28	5.32	V
	3296	-59.71	-13	-46.71	-76.95	-63.12	1.54	7.10	V
									V
									V
									V
Middle	1656	-62.19	-13	-49.19	-74.54	-63.92	0.98	4.86	H
	2488	-57.18	-13	-44.18	-74.42	-59.11	1.29	5.36	H
	3320	-58.44	-13	-45.44	-77.13	-61.95	1.55	7.21	H
									H
									H
									H
	1656	-62.86	-13	-49.86	-74.25	-64.59	0.98	4.86	V
	2488	-57.93	-13	-44.93	-72.99	-59.86	1.29	5.36	V
	3320	-59.35	-13	-46.35	-76.72	-62.86	1.55	7.21	V
									V
									V
									V
Highest	1672	-62.77	-13	-49.77	-75.29	-64.45	0.99	4.82	H
	2504	-58.93	-13	-45.93	-76.43	-60.89	1.29	5.40	H
	3336	-58.24	-13	-45.24	-77.03	-61.82	1.55	7.28	H
									H
									H
									H
	1672	-64.18	-13	-51.18	-75.47	-65.86	0.99	4.82	V
	2504	-60.95	-13	-47.95	-76.27	-62.91	1.29	5.40	V
	3336	-59.88	-13	-46.88	-77.3	-63.46	1.55	7.28	V
									V
									V
									V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.