



<AC Adapter 2>

LTE Band 7 / 15MHz / QPSK / RB Size 1 Offset 0									
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	5000	-58.73	-25	-33.73	-77.32	-66.09	2.34	9.70	H
	7500	-52.10	-25	-27.10	-76.99	-61.47	2.43	11.80	H
	10000	-50.19	-25	-25.19	-78.21	-59.69	2.70	12.20	H
	5000	-60.86	-25	-35.86	-77.64	-68.22	2.34	9.70	V
	7500	-53.07	-25	-28.07	-77.01	-62.44	2.43	11.80	V
	10000	-52.59	-25	-27.59	-78.28	-62.09	2.70	12.20	V
Middle	5052	-59.30	-25	-34.30	-77.66	-66.63	2.37	9.70	H
	7582	-53.02	-25	-28.02	-77.68	-62.47	2.40	11.85	H
	10110	-50.08	-25	-25.08	-78.38	-59.63	2.70	12.24	H
	5052	-59.99	-25	-34.99	-77.2	-67.32	2.37	9.70	V
	7582	-54.02	-25	-29.02	-77.64	-63.47	2.40	11.85	V
	10110	-52.53	-25	-27.53	-78.32	-62.08	2.70	12.24	V
Highest	5110	-58.03	-25	-33.03	-77.66	-65.33	2.40	9.70	H
	7665	-52.95	-25	-27.95	-77.6	-62.47	2.38	11.90	H
	10220	-49.70	-25	-24.70	-78.19	-59.29	2.69	12.29	H
	5110	-60.02	-25	-35.02	-77.62	-67.32	2.40	9.70	V
	7665	-53.95	-25	-28.95	-77.47	-63.47	2.38	11.90	V
	10220	-51.88	-25	-26.88	-78.2	-61.47	2.69	12.29	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



<AC Adapter 1>

LTE Band 13 / 5MHz / QPSK / RB Size 1 Offset 0									
Channel	Frequency (MHz)	ERP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	1552	-68.59	-13	-55.59	-73.25	-70.66	0.94	5.15	H
	2331	-65.82	-13	-52.82	-74.51	-67.33	1.24	4.89	H
	3108	-62.88	-13	-49.88	-75.25	-65.52	1.48	6.28	H
	1552	-70.11	-13	-57.11	-73.07	-72.18	0.94	5.15	V
	2331	-64.45	-13	-51.45	-75.03	-65.96	1.24	4.89	V
	3108	-63.69	-13	-50.69	-75.24	-66.33	1.48	6.28	V
Middle	1559	-68.97	-42.15	-26.82	-73.28	-71.02	0.94	5.13	H
	2338.5	-66.51	-13	-53.51	-75.01	-68.03	1.24	4.91	H
	3118	-62.65	-13	-49.65	-75.33	-65.33	1.48	6.32	H
	1559	-69.98	-42.15	-27.83	-72.98	-72.03	0.94	5.13	V
	2338.5	-63.87	-13	-50.87	-74.81	-65.39	1.24	4.91	V
	3118	-63.90	-13	-50.90	-75.38	-66.58	1.48	6.32	V
Highest	1564	-68.52	-42.15	-26.37	-73.17	-70.55	0.94	5.12	H
	2346	-66.78	-13	-53.78	-75.09	-68.33	1.24	4.94	H
	3128	-62.66	-13	-49.66	-75.27	-65.39	1.49	6.36	H
	1564	-70.30	-42.15	-28.15	-73.25	-72.33	0.94	5.12	V
	2346	-64.54	-13	-51.54	-75.19	-66.09	1.24	4.94	V
	3128	-63.85	-13	-50.85	-75.26	-66.58	1.49	6.36	V

LTE Band 13 / 10MHz / QPSK / RB Size 1 Offset 0									
Channel	Frequency (MHz)	ERP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Middle	1552	-68.51	-13	-55.51	-73.22	-70.58	0.94	5.15	H
	2331	-66.58	-13	-53.58	-75.07	-68.09	1.24	4.89	H
	3108	-63.39	-13	-50.39	-75.52	-66.03	1.48	6.28	H
	1552	-70.11	-13	-57.11	-73.15	-72.18	0.94	5.15	V
	2331	-63.58	-13	-50.58	-74.34	-65.09	1.24	4.89	V
	3108	-63.72	-13	-50.72	-75.43	-66.36	1.48	6.28	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.