



Spot Check Evaluation

Reviewed by: Joseph Lin / Supervisor

Approved by: Jones Tsai / Manager



SPORTON INTERNATIONAL INC.

No. 52, Hwa Ya 1st Rd., Hwa Ya Technology Park, Kwei-Shan District, Tao Yuan City, Taiwan, R.O.C.



TABLE OF CONTENTS

REVISION HISTORY	3
1. INTRODUCTION SECTION.....	4
2. DIFFERENCE SECTION	5
3. SPOT CHECK VERIFICATION DATA SECTION	7
4. REFERENCE DETAIL SECTION	9



REVISION HISTORY

VERSION	DESCRIPTION	ISSUED DATE
Rev. 01	Initial issue of report	Mar. 20, 2018



1. Introduction Section

The original model (FCC ID: IHDT56XE2) and the variant model (FCC ID: IHDT56XE5) has identical PCB layout, antenna, SW implementation for Bluetooth/Wi-Fi/GPS/NFC. Based on their similarity, the FCC Part 15C (equipment class: DTS, DSS, DXX) and Part 15E (equipment class: NII) test data issued test data of IHDT56XE5 references the test data of IHDT56XE2

The original model (FCC ID: IHDT56XE1) and the variant model (FCC ID: IHDT56XE5) has identical PCB layout, antenna, SW implementation for GSM /LTE. Based on their similarity, the FCC Part 22, 24, 27 (equipment class: PCE) test data issued test data of IHDT56XE5 references the test data of IHDT56XE1

The original model (FCC ID: IHDT56XE2) and the variant model (FCC ID: IHDT56XE5) has identical PCB layout, antenna, SW implementation for GSM/WCDMA/LTE. Based on their similarity, the FCC Part 22, 24 (equipment class: PCE) test data issued test data of IHDT56XE5 references the test data of IHDT56XE2

The applicant takes full responsibility that the test data as referenced in this report represent compliance for this FCC ID (FCC ID: IHDT56XE5).



2. Difference Section

The original model (FCC ID: IHDT56XE2) and the variant model (FCC ID: IHDT56XE5) has identical PCB layout, antenna, SW implementation for Bluetooth/Wi-Fi/NFC/GPS. The details of similarity and difference can be found in the Operating Description.

The original model (FCC ID: IHDT56XE1) and the variant model (FCC ID: IHDT56XE5) has identical PCB layout, antenna, SW implementation for GSM/WCDMA/LTE. Based on their similarity, the FCC Part 22, 24, 27 (equipment class: PCE) test data issued test data of IHDT56XE5 references the test data of IHDT56XE1

The original model (FCC ID: IHDT56XE2) and the variant model (FCC ID: IHDT56XE5) has identical PCB layout, antenna, SW implementation for GSM/WCDMA/LTE. Based on their similarity, the FCC Part 22, 24 (equipment class: PCE) test data issued test data of IHDT56XE5 references the test data of IHDT56XE2

Cellular transmitter RF components are different in IHDT56XE5, to support capability for different cellular bands.



The product specification is outlined in the following table:

FCC ID			IHDT56XE1	IHDT56XE2	IHDT56XE5
Wireless Tech	Mode		Frequency (MHz)		
GSM	GSM Voice GPRS (GMSK) EDGE (8PSK)	Multi-Slot Class 12 DTM: No	850/1900	850/1900	850/1900
UMTS	AMR/RCM12.2Kbps HSDPA/HSUPA/DC-HSDPA		B5/B4/B2	B5/B4/B2	B5/B2
LTE (FDD)	QPSK 16QAM 64QAM		B2/B4/B5/B7/B12/ B13/B14//B17/B2 5/B26/B30/B38/ B41/B66/B71	B2/B4/B5/B7/B13/ B66	B5/B7
CDMA	RC1/RC3		BC0/BC1/BC10	BC0/BC1	-
Wi-Fi	11b/11g/11n(HT20)		2412-2462		
	11a/11n(HT20)/11n(HT40)/ 11ac(VHT20)/ 11ac(VHT40)/ 11ac(VHT80)		5180-5240 5260-5320 5500-5700 5745-5825 *5600-5650 notched		
Bluetooth	V5.0 LE		2402-2480 MHz		
NFC	ASK		13.56MHz		



3. Spot Check Verification Data Section

Summary of the spot check:

Test Item	Mode	IHDT56XE2 Worst Result	IHDT56XE5 Worst Result	Difference (dB)
Average Conducted Power (dBm)	802.11b	18.97	18.97	0
	802.11g	16.97	16.93	0.04
	11n HT20	16.88	16.79	0.09
	BT (1Mbps)	12.26	12.61	-0.35
	BT (2Mbps)	9.79	10.42	-0.63
	BT (3Mbps)	9.81	10.44	-0.63
	BT-LE 4.2	12.15	12.79	-0.64
	BT-LE 5.0	12.35	12.76	-0.41
	11a, 5.2GHz	16.95	16.95	0
	11n HT20, 5.2GHz	16.80	16.92	-0.12
	11n HT40, 5.2GHz	15.85	15.95	-0.1
	11ac VHT20, 5.2GHz	15.97	15.99	-0.02
	11ac VHT40, 5.2GHz	14.74	14.99	-0.25
	11ac VHT80, 5.2GHz	14.60	14.95	-0.35
	11a, 5.3GHz	16.88	16.93	-0.05
	11n HT20, 5.3GHz	16.81	16.90	-0.09
	11n HT40, 5.3GHz	15.79	15.72	0.07
	11ac VHT20, 5.3GHz	15.91	15.98	-0.07
	11ac VHT40, 5.3GHz	14.59	14.85	-0.26
	11ac VHT80, 5.3GHz	14.56	14.79	-0.23
	11a, 5.5GHz	16.71	16.96	-0.25
	11n HT20, 5.5GHz	16.66	16.93	-0.27
	11n HT40, 5.5GHz	15.88	15.87	0.01
	11ac VHT20, 5.5GHz	15.88	15.96	-0.08
	11ac VHT40, 5.5GHz	14.80	14.94	-0.14
	11ac VHT80, 5.5GHz	14.84	14.83	0.01
	11a, 5.8GHz	16.96	16.78	0.18
	11n HT20, 5.8GHz	16.93	16.99	-0.06
	11n HT40, 5.8GHz	15.96	15.97	-0.01
	11ac VHT20, 5.8GHz	15.90	15.84	0.06
	11ac VHT40, 5.8GHz	14.89	14.79	0.1
	11ac VHT80, 5.8GHz	14.93	14.71	0.22
	UMTS B2 (RMC 12.2Kbps)	22.66	22.68	0
	UMTS B5 (RMC 12.2Kbps)	22.50	22.67	-0.17
	LTE B5 (FDD - QPSK)	22.93	22.94	-0.01
	IMEI of test sample	351885090004200 351885090004549	354106090006492 354106090006500 354106090006195 354106090006203	
	Test date	2018/01/18~2018/03/03	2018/01/18~2018/03/13	
	Mode	IHDT56XE1 Worst Result	IHDT56XE5 Worst Result	Difference (dB)
	GSM(GPRS) 1900	29.73	29.49	0.24
	EDGE 1900	25.48	25.36	0.12
	LTE B7 (FDD - QPSK)	22.83	22.24	0.59
	IMEI of test sample	351886090013043	354106090006195 354106090006203	
	Test date	2018/01/18~2018/03/02	2018/1/18~2018/03/08	



Test Item	Mode	IHDT56XE2 Worst Result	IHDT56XE5 Worst Result	Difference (dB)
Radiated Spurious Emission (Band Edge. Harmonic) (dBuV/m)	802.11b	42.45	41.76	0.69
	802.11gn(20)	49.86	50.2	-0.34
	BT	56.4	55.96	0.44
	BT-LE	47.26	47.98	-0.72
	11a, 5.2GHz	40.69	40.40	0.29
	11n HT40, 5.3GHz	50.67	49.62	1.05
	11n HT20, 5.5GHz	44.83	44.74	0.09
	11n HT40, 5.8GHz	54.76	56.88	-2.12
	IMEI of test sample	351885090010702 351885090010710	354106090007995 354106090008001 354106090008035 354106090008043	
	Test date	2018/01/18~2018/03/03	2018/01/18~2018/03/13	
NFC (dBuV/m)	RSE (30MHz to1GHz)	36.68	37.41	-0.73
	S/N of test sample	351885090010710	354106090007979 354106090007987	
	Test date	2018/01/18~2018/03/02	2018/03/02	

Conclusion:

Radiated spurious emission test against the variant model for non-cellular part based on the worst-case condition from the original model was performed in this filing to demonstrate the test data from original model remains representative for the variant model.

Based on the spot check test result (power levels measured are within 1dB, and the worst case of RSE spot check verification based on the worst condition from the original model is within 3dB, and are compliance with the limits), the test data from the original model is representative for the variant model.

The unwanted, harmonics, radiated spurious emission is reported peak measurement only due to spurious lower than 20dB than the limit, 74dBuV/m



4. Reference detail Section

Rule Part	Equipment Class	Wireless Technology	Frequency Band (MHz)	Reference FCC ID	Type Grant/Permissive Change	Reference Report Title	Reference Application	Reference Report Sections
15C	DTS	Bluetooth – LE Wii-Fi	2400~2483.5	IHDT56XE2	Original Grant	FCC RF Test Report	IHDT56XE5	Part 15C (FR811821-02B, FR811821-02C)
	DSS	Bluetooth	2400~2483.5	IHDT56XE2	Original Grant	FCC RF Test Report	IHDT56XE5	Part 15C (FR811821-02A)
	DXX	NFC	13.56	IHDT56XE2	Original Grant	FCC RF Test Report	IHDT56XE5	Part 15C (FR811821-02D)
15E	NII	Wi-Fi	5150~5250 5250~5350 5470~5725 5725~5850	IHDT56XE2	Original Grant	FCC RF Test Report	IHDT56XE5	Part 15E (FR811821-02E, FR811821-02F)
Part 22.24.27	PCE	WCDMA	WCDMA B2/B5	IHDT56XE2	Original Grant	FCC RF Test Report	IHDT56XE5	Part 22.24.27 (FG811821-02A)
		LTE	LTE B5	IHDT56XE2	Original Grant	FCC RF Test Report	IHDT56XE5	Part 22.24.27 (FG811821-02B)
		GSM	GSM 1900 (EDGE)1900	IHDT56XE1	Original Grant	FCC RF Test Report	IHDT56XE5	Part 22.24.27 (FG811821A)
		LTE	LTE B7	IHDT56XE1	Original Grant	FCC RF Test Report	IHDT56XE5	Part 22.24.27 (FG811821B)

End of this report